


5.925-6.425GHz_QPSK40+40_80MHz_Nss1_2TX

#5945MHz,#5985MHz_TX




EUT_Y_2TX
Setting 15
03-E-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.9664G	58.24	74.00	-15.76	42.35	3	Horizontal	57	2.23	-	39.17	11.50	34.78			
AV	11.9145G	45.31	54.00	-8.69	29.37	3	Horizontal	57	2.23	-	39.20	11.47	34.73			
PK	17.90598G	61.60	74.00	-12.40	36.53	3	Horizontal	28	2.90	-	44.79	13.86	33.58			
AV	17.90664G	50.44	54.00	-3.56	25.37	3	Horizontal	28	2.90	-	44.79	13.86	33.58			

5.925-6.425GHz_QPSK40+40_80MHz_Nss1_2TX

#5945MHz,#5985MHz_TX




EUT_Y_2TX
Setting 15
03-E-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	23.96496G	50.98	83.54	-32.56	41.74	1	Vertical	149	1.80	-	38.96	17.39	47.11			
AV	23.97952G	38.76	63.54	-24.78	29.45	1	Vertical	149	1.80	-	39.02	17.39	47.10			

5.925-6.425GHz_QPSK40+40_80MHz_Nss1_2TX

#5945MHz,#5985MHz_TX




EUT_Y_2TX
Setting 15
03-E-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	23.90928G	51.34	83.54	-32.20	42.29	1	Horizontal	61	1.60	-	38.82	17.37	47.14			
AV	23.97536G	38.85	63.54	-24.69	29.56	1	Horizontal	61	1.60	-	39.00	17.39	47.10			

5.925-6.425GHz_QPSK40+40_80MHz_Nss1_2TX

#6092MHz,#6132MHz_TX




EUT_Y_2TX
Setting 25
03-E-P-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.2624G	57.33	74.00	-16.67	41.26	3	Vertical	79	2.44	-	38.78	11.61	34.32			
AV	12.2759G	45.14	54.00	-8.86	29.07	3	Vertical	79	2.44	-	38.75	11.61	34.29			

5.925-6.425GHz_QPSK40+40_80MHz_Nss1_2TX

#6092MHz,#6132MHz_TX




EUT_Y_2TX
Setting 25
03-E-P-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.2928G	58.33	74.00	-15.67	42.26	3	Horizontal	331	1.80	-	38.71	11.62	34.26			
AV	12.24162G	45.58	54.00	-8.42	29.56	3	Horizontal	331	1.80	-	38.78	11.60	34.36			

5.925-6.425GHz_QPSK40+40_80MHz_Nss1_2TX

#6092MHz,#6132MHz_TX




EUT_Y_2TX
Setting 25
03-E-P-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.37536G	47.98	83.54	-35.56	44.67	1	Vertical	304	1.40	-	37.65	15.28	49.62			
AV	18.42288G	35.46	63.54	-28.08	32.07	1	Vertical	304	1.40	-	37.75	15.28	49.64			

5.925-6.425GHz_QPSK40+40_80MHz_Nss1_2TX

#6092MHz,#6132MHz_TX




EUT_Y_2TX
Setting 25
03-E-P-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.41376G	48.45	83.54	-35.09	45.04	1	Horizontal	189	1.36	-	37.77	15.28	49.64			
AV	18.42672G	35.62	63.54	-27.92	32.23	1	Horizontal	189	1.36	-	37.75	15.28	49.64			

5.925-6.425GHz_QPSK40+40_80MHz_Nss1_2TX

#6240MHz,#6280MHz_TX




EUT_Y_2TX
Setting 24
03-E-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.574G	57.41	74.00	-16.59	40.90	3	Vertical	200	2.68	-	38.65	11.72	33.86			
AV	12.5496G	45.41	54.00	-8.59	28.87	3	Vertical	200	2.68	-	38.70	11.71	33.87			

5.925-6.425GHz_QPSK40+40_80MHz_Nss1_2TX

#6240MHz,#6280MHz_TX




EUT_Y_2TX
Setting 24
03-E-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.5326G	57.62	74.00	-16.38	41.09	3	Horizontal	350	1.23	-	38.70	11.70	33.87			
AV	12.5484G	45.26	54.00	-8.74	28.72	3	Horizontal	350	1.23	-	38.70	11.71	33.87			

5.925-6.425GHz_QPSK40+40_80MHz_Nss1_2TX

#6240MHz,#6280MHz_TX




EUT_Y_2TX
Setting 24
03-E-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.86896G	46.69	83.54	-36.85	42.82	1	Vertical	103	1.68	-	38.04	15.26	49.43			
AV	18.87584G	34.61	63.54	-28.93	30.72	1	Vertical	103	1.68	-	38.05	15.26	49.42			

5.925-6.425GHz_QPSK40+40_80MHz_Nss1_2TX

#6240MHz,#6280MHz_TX




EUT_Y_2TX
Setting 24
03-E-P-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.87712G	47.11	83.54	-36.43	43.22	1	Horizontal	207	1.90	-	38.05	15.26	49.42			
AV	18.87408G	34.81	63.54	-28.73	30.93	1	Horizontal	207	1.90	-	38.05	15.26	49.43			

6.525-6.875GHz_QPSK40+40_80MHz_Nss1_2TX

#6545MHz,#6585MHz_TX




EUT_Y_2TX
Setting 25
03-E-P-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.1332G	58.48	88.20	-29.72	40.48	3	Vertical	1	1.09	-	39.60	11.91	33.51			
RMS	13.1728G	46.05	68.20	-22.15	27.90	3	Vertical	1	1.09	-	39.65	11.92	33.42			

6.525-6.875GHz_QPSK40+40_80MHz_Nss1_2TX

#6545MHz,#6585MHz_TX




EUT_Y_2TX
Setting 25
03-E-P-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.1557G	57.85	88.20	-30.35	39.79	3	Horizontal	341	1.15	-	39.61	11.91	33.46			
RMS	13.1713G	46.03	68.20	-22.17	27.89	3	Horizontal	341	1.15	-	39.64	11.92	33.42			

6.525-6.875GHz_QPSK40+40_80MHz_Nss1_2TX

#6545MHz,#6585MHz_TX




EUT_Y_2TX
Setting 25
03-E-P-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.71596G	47.71	83.54	-35.83	44.17	1	Vertical	6	1.75	-	37.83	15.21	49.50			
AV	19.71868G	34.97	63.54	-28.57	31.42	1	Vertical	6	1.75	-	37.84	15.21	49.50			

6.525-6.875GHz_QPSK40+40_80MHz_Nss1_2TX

#6545MHz,#6585MHz_TX




EUT_Y_2TX
Setting 25
03-E-P-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.7622G	47.45	83.54	-36.09	43.75	1	Horizontal	243	1.40	-	37.95	15.21	49.46			
AV	19.74092G	34.91	63.54	-28.63	31.30	1	Horizontal	243	1.40	-	37.88	15.21	49.48			

6.525-6.875GHz_QPSK40+40_80MHz_Nss1_2TX

#6680MHz,#6720MHz_TX




EUT_Y_2TX
Setting 28
03-E-P-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.4337G	59.68	88.20	-28.52	40.29	3	Vertical	45	1.23	-	40.17	12.01	32.79			
RMS	13.4469G	47.61	68.20	-20.59	28.17	3	Vertical	45	1.23	-	40.19	12.01	32.76			

6.525-6.875GHz_QPSK40+40_80MHz_Nss1_2TX

#6680MHz,#6720MHz_TX




EUT_Y_2TX
Setting 28
03-E-P-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.4133G	60.10	88.20	-28.10	40.81	3	Horizontal	41	2.33	-	40.13	12.00	32.84			
RMS	13.4412G	47.63	68.20	-20.57	28.21	3	Horizontal	41	2.33	-	40.18	12.01	32.77			

6.525-6.875GHz_QPSK40+40_80MHz_Nss1_2TX

#6680MHz,#6720MHz_TX




EUT_Y_2TX
Setting 28
03-E-P-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.06998G	49.63	83.54	-33.91	45.84	1	Vertical	140	1.86	-	37.78	15.26	49.25			
AV	20.07037G	38.81	63.54	-24.73	35.02	1	Vertical	140	1.86	-	37.78	15.26	49.25			

6.525-6.875GHz_QPSK40+40_80MHz_Nss1_2TX

#6680MHz,#6720MHz_TX




EUT_Y_2TX
Setting 28
03-E-P-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.0704G	50.12	83.54	-33.42	46.33	1	Horizontal	165	1.90	-	37.78	15.26	49.25			
AV	20.07056G	43.33	63.54	-20.21	39.54	1	Horizontal	165	1.90	-	37.78	15.26	49.25			

6.525-6.875GHz_QPSK40+40_80MHz_Nss1_2TX

#6815MHz,#6855MHz_TX




EUT_Y_2TX
Setting 28
03-E-P-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.7436G	63.29	88.20	-24.91	43.59	3	Vertical	90	1.17	-	40.57	12.11	32.98			
RMS	13.7678G	51.34	68.20	-16.86	31.59	3	Vertical	90	1.17	-	40.64	12.12	33.01			

6.525-6.875GHz_QPSK40+40_80MHz_Nss1_2TX

#6815MHz,#6855MHz_TX




EUT_Y_2TX
Setting 28
03-E-P-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.6773G	63.47	88.20	-24.73	43.86	3	Horizontal	96	1.29	-	40.40	12.09	32.88			
RMS	13.7122G	50.77	68.20	-17.43	31.15	3	Horizontal	96	1.29	-	40.45	12.10	32.93			

6.525-6.875GHz_QPSK40+40_80MHz_Nss1_2TX

#6815MHz,#6855MHz_TX




EUT_Y_2TX
Setting 28
03-E-P-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.5526G	48.76	83.54	-34.78	44.32	1	Vertical	274	1.44	-	37.91	15.64	49.11			
AV	20.5538G	36.74	63.54	-26.80	32.30	1	Vertical	274	1.44	-	37.91	15.64	49.11			

6.525-6.875GHz_QPSK40+40_80MHz_Nss1_2TX

#6815MHz,#6855MHz_TX



EUT_Y_2TX
Setting 28
03-E-P-5


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.538G	49.49	83.54	-34.05	45.15	1	Horizontal	117	1.50	-	37.83	15.63	49.12			
AV	20.5542G	36.63	63.54	-26.91	32.19	1	Horizontal	117	1.50	-	37.91	15.64	49.11			

5.925-6.425GHz_QPSK_5MHz_Nss1_2TX

MASK

5927.5MHz_TX

05/09/2024




5.925-6.425GHz_QPSK_5MHz_Nss1_2TX

MASK

6112MHz_TX

05/09/2024



5.925-6.425GHz_QPSK_5MHz_Nss1_2TX

MASK

6297.5MHz_TX

05/09/2024

CF (Hz)
6.2975G


Span (Hz)
25M

RBW (Hz)
50k

VBW (Hz)
200k

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.296663G	-16.78	6.285981G	-76.06	-56.78	-19.28	1
6.295788G	-16.83	6.285094G	-75.77	-56.83	-18.94	2

6.525-6.875GHz_QPSK_5MHz_Nss1_2TX

MASK

6527.5MHz_TX

05/09/2024

CF (Hz)
6.5275G


Span (Hz)
25M

RBW (Hz)
50k

VBW (Hz)
200k

Sweep Time (s)
4.01m

Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.528406G	-17.25	6.515994G	-76.10	-57.25	-18.85	1
6.5265G	-17.51	6.517769G	-75.89	-57.51	-18.38	2

6.525-6.875GHz_QPSK_5MHz_Nss1_2TX

MASK

6700MHz_TX

05/09/2024




6.525-6.875GHz_QPSK_5MHz_Nss1_2TX

MASK

6872.5MHz_TX

05/09/2024




5.925-6.425GHz_QPSK_10MHz_Nss1_2TX

MASK

5930MHz_TX

05/09/2024




5.925-6.425GHz_QPSK_10MHz_Nss1_2TX

MASK

6112MHz_TX

05/09/2024




5.925-6.425GHz_QPSK_10MHz_Nss1_2TX

MASK

6295MHz_TX

05/09/2024




6.525-6.875GHz_QPSK_10MHz_Nss1_2TX

MASK

6530MHz_TX

05/09/2024




6.525-6.875GHz_QPSK_10MHz_Nss1_2TX

MASK

6700MHz_TX

05/09/2024




6.525-6.875GHz_QPSK_10MHz_Nss1_2TX

MASK

6870MHz_TX

05/09/2024



5.925-6.425GHz_QPSK_15MHz_Nss1_2TX

MASK

5932.5MHz_TX

05/09/2024

CF (Hz)
5.9325G


Span (Hz)
75M

RBW (Hz)
100k

VBW (Hz)
300k

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.926858G	-23.15	5.963381G	-73.12	-63.15	-9.97	1
5.929988G	-22.50	5.961581G	-73.59	-62.50	-11.09	2

5.925-6.425GHz_QPSK_15MHz_Nss1_2TX

MASK

6112MHz_TX

05/09/2024

CF (Hz)
6.112G


Span (Hz)
75M

RBW (Hz)
100k

VBW (Hz)
300k

Sweep Time (s)
4.01m

Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.105833G	-13.82	6.148525G	-72.87	-53.82	-19.05	1
6.105833G	-13.66	6.0829G	-72.73	-53.66	-19.07	2

5.925-6.425GHz_QPSK_15MHz_Nss1_2TX

MASK

6292.5MHz_TX

05/09/2024




6.525-6.875GHz_QPSK_15MHz_Nss1_2TX

MASK

6532.5MHz_TX

05/09/2024




6.525-6.875GHz_QPSK_15MHz_Nss1_2TX

MASK

6700MHz_TX

05/09/2024




6.525-6.875GHz_QPSK_15MHz_Nss1_2TX

MASK

6867.5MHz_TX

05/09/2024




5.925-6.425GHz_QPSK_20MHz_Nss1_2TX

MASK

5935MHz_TX

05/09/2024




5.925-6.425GHz_QPSK_20MHz_Nss1_2TX

MASK

6112MHz_TX

05/09/2024



5.925-6.425GHz_QPSK_20MHz_Nss1_2TX

MASK

6290MHz_TX

05/09/2024

CF (Hz)
6.29G


Span (Hz)
100M

RBW (Hz)
200k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.295124G	-11.63	6.253025G	-70.06	-51.63	-18.43	1
6.283152G	-11.98	6.323375G	-69.60	-51.98	-17.62	2

6.525-6.875GHz_QPSK_20MHz_Nss1_2TX

MASK

6535MHz_TX

05/09/2024

CF (Hz)
6.535G


Span (Hz)
100M

RBW (Hz)
200k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.539399G	-12.26	6.490375G	-69.64	-52.26	-17.38	1
6.540724G	-12.06	6.5001G	-69.66	-52.06	-17.60	2

6.525-6.875GHz_QPSK_20MHz_Nss1_2TX

MASK

6700MHz_TX

05/09/2024

CF (Hz)
6.7G


Span (Hz)
100M

RBW (Hz)
200k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.692427G	-11.51	6.732225G	-69.59	-51.51	-18.08	1
6.695276G	-11.87	6.663275G	-69.71	-51.87	-17.84	2

6.525-6.875GHz_QPSK_20MHz_Nss1_2TX

MASK

6865MHz_TX

05/09/2024

CF (Hz)
6.865G


Span (Hz)
100M

RBW (Hz)
200k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1 

Port 2 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.8666G	-11.22	6.908025G	-68.76	-51.22	-17.54	1
6.863075G	-11.64	6.91025G	-68.59	-51.64	-16.95	2

5.925-6.425GHz_QPSK_30MHz_Nss1_2TX

MASK

5940MHz_TX

05/09/2024




5.925-6.425GHz_QPSK_30MHz_Nss1_2TX

MASK

6112MHz_TX

05/09/2024



5.925-6.425GHz_QPSK_30MHz_Nss1_2TX

MASK

6285MHz_TX

05/09/2024

CF (Hz)
6.285G


Span (Hz)
150M

RBW (Hz)
300k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.271578G	-11.51	6.211238G	-67.99	-51.51	-16.48	1
6.272703G	-11.76	6.269175G	-45.74	-31.77	-13.97	2

6.525-6.875GHz_QPSK_30MHz_Nss1_2TX

MASK

6540MHz_TX

05/09/2024

CF (Hz)
6.54G


Span (Hz)
150M

RBW (Hz)
300k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.55181G	-11.40	6.5559G	-45.34	-31.55	-13.79	1
6.549748G	-11.66	6.47835G	-67.75	-51.66	-16.09	2

6.525-6.875GHz_QPSK_30MHz_Nss1_2TX

MASK

6700MHz_TX

05/09/2024

CF (Hz)
6.7G


Span (Hz)
150M

RBW (Hz)
300k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.694939G	-12.26	6.771738G	-67.51	-52.26	-15.25	1
6.686766G	-12.36	6.684438G	-44.28	-32.39	-11.89	2

6.525-6.875GHz_QPSK_30MHz_Nss1_2TX

MASK

6860MHz_TX

05/09/2024

CF (Hz)
6.86G


Span (Hz)
150M

RBW (Hz)
300k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.846578G	-9.86	6.844288G	-41.42	-29.90	-11.52	1
6.846691G	-10.05	6.843875G	-45.94	-30.14	-15.80	2

5.925-6.425GHz_QPSK_40MHz_Nss1_2TX

MASK

5945MHz_TX

05/09/2024

CF (Hz)
5.945G


Span (Hz)
200M

RBW (Hz)
300k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.934153G	-17.82	6.0165G	-68.23	-57.82	-10.41	1
5.960746G	-17.37	6.0041G	-68.40	-57.37	-11.03	2

5.925-6.425GHz_QPSK_40MHz_Nss1_2TX

MASK

6112MHz_TX

05/09/2024

CF (Hz)
6.112G


Span (Hz)
200M

RBW (Hz)
300k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.126296G	-12.22	6.03805G	-67.78	-52.22	-15.56	1
6.124947G	-12.30	6.2113G	-67.52	-52.30	-15.22	2

5.925-6.425GHz_QPSK_40MHz_Nss1_2TX

MASK

6280MHz_TX

05/09/2024

CF (Hz)
6.28G


Span (Hz)
200M

RBW (Hz)
300k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.294296G	-12.94	6.33955G	-68.06	-52.94	-15.12	1
6.262154G	-12.53	6.37875G	-67.67	-52.53	-15.14	2

6.525-6.875GHz_QPSK_40MHz_Nss1_2TX

MASK

6545MHz_TX

05/09/2024

CF (Hz)
6.545G


Span (Hz)
200M

RBW (Hz)
300k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.560796G	-12.38	6.45115G	-67.47	-52.38	-15.09	1
6.529904G	-12.70	6.47235G	-67.82	-52.70	-15.12	2

6.525-6.875GHz_QPSK_40MHz_Nss1_2TX

MASK

6700MHz_TX

05/09/2024




6.525-6.875GHz_QPSK_40MHz_Nss1_2TX

MASK

6855MHz_TX

05/09/2024




5.925-6.425GHz_QPSK40+40_80MHz_Nss1_2TX

MASK

#5945MHzMHz,#5985MHzMHz

05/09/2024




5.925-6.425GHz_QPSK40+40_80MHz_Nss1_2TX

MASK

#6092MHzMHz,#6132MHzMHz_TX

05/09/2024




5.925-6.425GHz_QPSK40+40_80MHz_Nss1_2TX

MASK

#6240MHzMHz,#6280MHzMHz_TX

05/09/2024




6.525-6.875GHz_QPSK40+40_80MHz_Nss1_2TX

MASK

#6545MHzMHz,#6585MHzMHz_TX

05/09/2024



6.525-6.875GHz_QPSK40+40_80MHz_Nss1_2TX

MASK

#6680MHzMHz,#6720MHzMHz_TX

05/09/2024

CF (Hz)
6.7G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.73419G	-8.93	6.8906G	-53.61	-48.93	-4.68	1
6.73599G	-9.92	6.899G	-53.80	-49.92	-3.88	2

6.525-6.875GHz_QPSK40+40_80MHz_Nss1_2TX

MASK

#6815MHzMHz,#6855MHzMHz_TX

05/09/2024

CF (Hz)
6.835G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.80431G	-8.42	7.0082G	-53.81	-48.42	-5.39	1
6.8331G	-8.49	7.008G	-53.55	-48.49	-5.06	2

Contention Based Protocol Threshold Level QPSK									
UNII Band	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)		EUT Status	Injected AWGN Power (dBm)	Ant Gain (dBi)	Detection Power(dBm)	Detection Limit (dBm)
5	5	6112.5	Center	6112.5	OFF	-44.00	26.00	-70.00	≤ -62
					Minimal	-45.00	26.00	-71.00	≤ -62
					ON	-56.00	26.00	-82.00	≤ -62
7	5	6700	Center	6700	OFF	-44.00	26.00	-70.00	≤ -62
					Minimal	-45.00	26.00	-71.00	≤ -62
					ON	-56.00	26.00	-82.00	≤ -62

Contention Based Protocol Threshold Level QPSK									
UNII Band	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)		EUT Status	Injected AWGN Power (dBm)	Ant Gain (dBi)	Detection Power(dBm)	Detection Limit (dBm)
5	40+40	6112.5	Low edge	6077.5	OFF	-38.00	26.00	-64.00	≤ -62
					Minimal	-39.00	26.00	-65.00	≤ -62
					ON	-56.00	26.00	-82.00	≤ -62
			Center	6112.5	OFF	-36.00	26.00	-62.00	≤ -62
					Minimal	-37.00	26.00	-63.00	≤ -62
					ON	-56.00	26.00	-82.00	≤ -62
			High edge	6147.5	OFF	-38.00	26.00	-64.00	≤ -62
					Minimal	-39.00	26.00	-65.00	≤ -62
					ON	-56.00	26.00	-82.00	≤ -62
7	40+40	6700	Low edge	6665	OFF	-36.00	26.00	-62.00	≤ -62
					Minimal	-37.00	26.00	-63.00	≤ -62
					ON	-56.00	26.00	-82.00	≤ -62
			Center	6700	OFF	-37.00	26.00	-63.00	≤ -62
					Minimal	-38.00	26.00	-64.00	≤ -62
					ON	-56.00	26.00	-82.00	≤ -62
			High edge	6735	OFF	-36.00	26.00	-62.00	≤ -62
					Minimal	-37.00	26.00	-63.00	≤ -62
					ON	-56.00	26.00	-82.00	≤ -62


Contention Based protocol QPSK										
UNII Band	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)		AWGN Threshold Level (dBm)	EUT Status	Number of Detected (out of 10 times)	Detection Probability (%)	Limit (%)	Test Result
5	5	6112.5	Center	6112.5	-70.00	OFF	9	90	90	PASS
7	5	6700	Center	6700	-70.00	OFF	10	100	90	PASS

Contention Based protocol QPSK										
UNII Band	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)		AWGN Threshold Level (dBm)	EUT Status	Number of Detected (out of 10 times)	Detection Probability (%)	Limit (%)	Test Result
5	40+40	6112.5	Low edge	6077.5	-64.00	OFF	9	90	90	PASS
			Center	6112.5	-62.00	OFF	9	90	90	PASS
			High edge	6147.5	-64.00	OFF	9	90	90	PASS
7	40+40	6700	Low edge	6665	-62.00	OFF	9	90	90	PASS
			Center	6700	-63.00	OFF	9	90	90	PASS
			High edge	6735	-62.00	OFF	10	100	90	PASS


Incumbent signal (AWGN) Plot

Bandwidth: 5 MHz

Frequency (MHz): 6112.5 MHz




Frequency (MHz): 6700 MHz




Bandwidth: 40+40 MHz

Frequency (MHz): 6077.5 MHz




Date: 6.MAR.2025 14:45:57

Frequency (MHz): 6112.5 MHz




Date: 6.MAR.2025 14:46:16


Frequency (MHz): 6147.5 MHz




Frequency (MHz): 6665 MHz



Frequency (MHz): 6700 MHz




Frequency (MHz): 6735 MHz



Contention-Based Protocol Plot


Bandwidth: 5 MHz

Test 6112.5 MHz ; Incumbent signal 6112.5 MHz



Note : M1 : Inject AWGN signal


Test 6700 MHz ; Incumbent signal 6700 MHz



Note : M1 : Inject AWGN signal

Bandwidth: 40+40 MHz


Test 6112.5 MHz ; Incumbent signal 6077.5 MHz



Date: 2.MAR.2025 15:24:22

Note : M1 : Inject AWGN signal


Test 6112.5 MHz ; Incumbent signal 6112.5 MHz



Date: 2.MAR.2025 15:07:57

Note : M1 : Inject AWGN signal


Test 6112.5 MHz ; Incumbent signal 6147.5 MHz



Date: 2,MAR,2025 16:12:19

Note : M1 : Inject AWGN signal


Test 6700 MHz ; Incumbent signal 6665 MHz



Date: 2,MAR,2025 14:08:55

Note : M1 : Inject AWGN signal


Test 6700 MHz ; Incumbent signal 6700 MHz



Date: 2.MAR.2025 13:24:11

Note : M1 : Inject AWGN signal

Test 6700 MHz ; Incumbent signal 6735 MHz



Date: 2.MAR.2025 14:27:13

Note : M1 : Inject AWGN signal

Contention Based Protocol Threshold Level QPSK									
UNII Band	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)		EUT Status	Injected AWGN Power (dBm)	Ant Gain (dBi)	Detection Power(dBm)	Detection Limit (dBm)
5	5	6112.5	Center	6112.5	OFF	-42.00	26.00	-68.00	≤ -62
					Minimal	-43.00	26.00	-69.00	≤ -62
					ON	-56.00	26.00	-82.00	≤ -62
7	5	6700	Center	6700	OFF	-45.00	26.00	-71.00	≤ -62
					Minimal	-46.00	26.00	-72.00	≤ -62
					ON	-56.00	26.00	-82.00	≤ -62

Contention Based Protocol Threshold Level QPSK									
UNII Band	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)		EUT Status	Injected AWGN Power (dBm)	Ant Gain (dBi)	Detection Power(dBm)	Detection Limit (dBm)
5	40+40	6112.5	Low edge	6077.5	OFF	-45.00	26.00	-71.00	≤ -62
					Minimal	-46.00	26.00	-72.00	≤ -62
					ON	-56.00	26.00	-82.00	≤ -62
			Center	6112.5	OFF	-44.00	26.00	-70.00	≤ -62
					Minimal	-45.00	26.00	-71.00	≤ -62
					ON	-56.00	26.00	-82.00	≤ -62
			High edge	6147.5	OFF	-44.00	26.00	-70.00	≤ -62
					Minimal	-45.00	26.00	-71.00	≤ -62
					ON	-56.00	26.00	-82.00	≤ -62
7	40+40	6700	Low edge	6665	OFF	-46.00	26.00	-72.00	≤ -62
					Minimal	-47.00	26.00	-73.00	≤ -62
					ON	-56.00	26.00	-82.00	≤ -62
			Center	6700	OFF	-43.00	26.00	-69.00	≤ -62
					Minimal	-44.00	26.00	-70.00	≤ -62
					ON	-56.00	26.00	-82.00	≤ -62
			High edge	6735	OFF	-45.00	26.00	-71.00	≤ -62
					Minimal	-46.00	26.00	-72.00	≤ -62
					ON	-56.00	26.00	-82.00	≤ -62


Contention Based protocol QPSK										
UNII Band	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)		AWGN Threshold Level (dBm)	EUT Status	Number of Detected (out of 10 times)	Detection Probability (%)	Limit (%)	Test Result
5	5	6112.5	Center	6112.5	-68.00	OFF	9	90	90	PASS
7	5	6700	Center	6700	-71.00	OFF	9	90	90	PASS

Contention Based protocol QPSK										
UNII Band	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)		AWGN Threshold Level (dBm)	EUT Status	Number of Detected (out of 10 times)	Detection Probability (%)	Limit (%)	Test Result
5	40+40	6112.5	Low edge	6077.5	-71.00	OFF	9	90	90	PASS
			Center	6112.5	-70.00	OFF	9	90	90	PASS
			High edge	6147.5	-70.00	OFF	9	90	90	PASS
7	40+40	6700	Low edge	6665	-72.00	OFF	9	90	90	PASS
			Center	6700	-69.00	OFF	9	90	90	PASS
			High edge	6735	-71.00	OFF	9	90	90	PASS


Incumbent signal (AWGN) Plot

Bandwidth: 5 MHz

Frequency (MHz): 6112.5 MHz




Frequency (MHz): 6700 MHz




Bandwidth: 40+40 MHz


Frequency (MHz): 6077.5 MHz



Frequency (MHz): 6112.5 MHz




Frequency (MHz): 6147.5 MHz




Frequency (MHz): 6665 MHz



Frequency (MHz): 6700 MHz




Frequency (MHz): 6735 MHz



Contention-Based Protocol Plot


Bandwidth: 5 MHz

Test 6112.5 MHz ; Incumbent signal 6112.5 MHz




Note : M1 : Inject AWGN signal


Test 6700 MHz ; Incumbent signal 6700 MHz



Note : M1 : Inject AWGN signal




Note : M1 : Inject AWGN signal




Note : M1 : Inject AWGN signal

Test 6112.5 MHz ; Incumbent signal 6147.5 MHz



Note : M1 : Inject AWGN signal

Test 6700 MHz ; Incumbent signal 6665 MHz



Note : M1 : Inject AWGN signal

Test 6700 MHz ; Incumbent signal 6700 MHz



Note : M1 : Inject AWGN signal

Test 6700 MHz ; Incumbent signal 6735 MHz



Note : M1 : Inject AWGN signal