

Force 4518 Antenna Spec (FCC)

Cambium Networks Inc.

Cambium Networks Private Limited.

*UMIYA Business Bay Tower 2, Cessna Business Park Internal Rd, Kaverappa Layout, Kadubeesanahalli,
Kadabeesanahalli, Bengaluru, Karnataka*

1-Pol

Frequency	AvgValue	MaxValue
5150	-2.34	14.42
5170	-2.51	14.38
5190	-2.82	14.18
5210	-2.51	14.56
5230	-2.67	14.5
5250	-3.14	14.22
5270	-2.59	14.77
5290	-2.54	14.92
5310	-2.25	15.22
5330	-1.77	15.83
5350	-1.02	16.73
5370	-0.84	17.04
5390	-0.5	17.53
5410	-0.44	17.71
5430	-0.5	17.87
5450	-0.72	17.79
5470	-0.47	18.19
5490	-0.96	17.75
5510	-0.86	17.9
5530	-0.79	17.96
5550	-0.53	18.21
5570	-0.58	18.1
5590	-0.46	18.26
5610	-0.48	18.18
5630	-0.66	18.03
5650	-0.76	17.97
5670	-0.8	17.98
5690	-0.87	17.99


5710	-1.02	17.88
5730	-1.17	17.73
5750	-1.23	17.63
5770	-1.3	17.56
5790	-1.45	17.29
5810	-1.39	17.39
5830	-1.31	17.47
5850	-1.59	17.27

2-Pol


Frequency	AvgValue	MaxValue
5150	-4.26	14.45
5170	-4.4	14.41
5190	-4.69	14.2
5210	-4.39	14.59
5230	-4.48	14.53
5250	-4.85	14.25
5270	-4.24	14.8
5290	-4.12	14.94
5310	-3.88	15.24
5330	-3.44	15.83
5350	-2.64	16.73
5370	-2.38	17.04
5390	-1.96	17.53
5410	-1.8	17.71
5430	-1.76	17.87
5450	-1.88	17.79
5470	-1.54	18.19
5490	-1.98	17.75
5510	-1.84	17.9
5530	-1.74	17.96
5550	-1.47	18.21
5570	-1.5	18.11
5590	-1.32	18.27
5610	-1.31	18.19
5630	-1.45	18.04
5650	-1.49	17.99
5670	-1.51	18
5690	-1.47	18

5710	-1.66	17.89
5730	-1.76	17.73
5750	-1.87	17.64
5770	-1.89	17.56
5790	-2.16	17.29
5810	-2.08	17.39
5830	-2.05	17.47
5850	-2.26	17.27

1-pol



2-Pol




1-Pol

Frequency	AvgValue	MaxValue
5150	-4.13	13.48
5170	-4.39	13.41
5190	-4.24	13.77
5210	-3.98	14.16
5230	-3.97	14.35
5250	-3.58	14.97
5270	-3.18	15.48
5290	-2.96	15.8
5310	-2.91	15.99
5330	-3.02	16.11
5350	-3.31	16.02
5370	-3.53	15.88
5390	-3.47	16.01
5410	-3.5	15.95
5430	-3.23	16.3
5450	-2.79	16.71
5470	-2.6	16.99
5490	-2.49	17.16
5510	-2.33	17.42
5530	-2.28	17.51
5550	-2.16	17.66
5570	-2.22	17.55
5590	-2.13	17.61
5610	-2.15	17.52
5630	-2.19	17.48
5650	-2.21	17.46
5670	-2.29	17.43
5690	-2.27	17.47
5710	-2.42	17.5
5730	-2.42	17.48
5750	-2.39	17.52
5770	-2.13	17.75
5790	-2.02	17.7
5810	-1.72	17.9
5830	-1.51	18.02
5850	-1.34	18.14

2-Pol

Frequency	AvgValue	MaxValue
5150	-4.24	13.46
5170	-4.39	13.39
5190	-4.16	13.76
5210	-3.77	14.2
5230	-3.67	14.39
5250	-3.16	15.06
5270	-2.55	15.6
5290	-2.19	15.97
5310	-1.92	16.19
5330	-1.82	16.33
5350	-1.91	16.29
5370	-2.02	16.19
5390	-1.85	16.34
5410	-1.83	16.33
5430	-1.52	16.63
5450	-1.01	17.07
5470	-0.74	17.27
5490	-0.52	17.4
5510	-0.26	17.63
5530	-0.16	17.68
5550	0.01	17.79
5570	-0.03	17.66
5590	0.03	17.69
5610	0.03	17.59
5630	-0.04	17.54
5650	-0.15	17.51
5670	-0.29	17.48
5690	-0.39	17.51
5710	-0.52	17.52
5730	-0.61	17.49
5750	-0.64	17.52
5770	-0.54	17.75
5790	-0.57	17.7
5810	-0.49	17.9
5830	-0.43	18.02
5850	-0.49	18.14

1-Pol



2-Pol

