

# JianYan Testing Group Shenzhen Co., Ltd.

Report No: JYTSZB-R12-2100384

# **RF Exposure Evaluation Report**

Applicant: 8Devices

Address of Applicant: Gedimino 47, Kaunas, LT-44242, Lithuania

**Equipment Under Test (EUT)** 

Product Name: Broadband Digital Transmission System

Model No.: Kinkan

FCC ID: Z9W-KIN

Applicable standards: FCC CFR Title 47 Part 2 Subpart J Section 2.1091

Date of sample receipt: 18 Jan., 2021


**Date of Test:** 18 Jan., to 16 Mar., 2021

Date of report issue: 29 Mar., 2021

Test Result: PASS\*

#### Authorized Signature:







This report details the results of the testing carried out on one sample. The results contained in this test report do not relate to other samples of the same product and does not permit the use of the JYT product certification mark. The manufacturer should ensure that all products in series production are in conformity with the product sample detailed in this report.

This report may only be reproduced and distributed in full. If the product in this report is used in any configuration other than that detailed in the report, the manufacturer must ensure the new system complies with all relevant standards.

This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.





# **Version**

Version No.	Date	Description		
00	18 Mar., 2021	Original		
01	29 Mar., 2021	Update page 4, page 6		

**Date:** 29 Mar., 2021

Tested by:

Test Engineer

Reviewed by:

Project Engineer **Date:** 29 Mar., 2021

Project No.: JYTSZE2101073





# Contents

Page		
1	COVER P	1
2	VERSION	2
3		3
3	CONTEN	3
IATION4	GENERA	4
ATION4	4.1 CLIE	
Allon 4	4.1 CLIE	
RIPTION OF E.U.T.	4.2 GENI	
DES4		
ACILITY4	4.4 LABO	
OCATION4	4.5 LAB	
IREMENTS SPECIFICATION IN FCC CFR TITLE 47 PART 2.10915	TECHNIC	5
5	<b>5.1</b> LIМІТ	
<b>RE</b> 5	5.2 TEST	
6		
financia de la companya de la compa		





# 4 General Information

### 4.1 Client Information

Applicant:	8Devices	
Address: Gedimino 47, Kaunas, LT-44242, Lithuania		
Manufacturer/Factory:	8Devices	
Address:	Gedimino 47,Kaunas,LT-44242,Lithuania	

## 4.2 General Description of E.U.T.

Product Name:	Name: Broadband Digital Transmission System	
Model No.:	Kinkan	
Operation Frequency:	2.4G Wi-Fi: 2412MHz~2462MHz	
Modulation technology:	802.11b: DSSS, 802.11g/n: OFDM	
Antenna Type:	Ceramic Antenna	
Antenna gain:	Wi-Fi: 2.09 dBi	
Test Sample Condition:	The test samples were provided in good working order with no visible defects.	

## 4.3 Operating Modes

Operating mode	Detail description
2.4G WIFI mode	Keep the EUT in continuously transmitting in 2.4G WIFI mode

## 4.4 Additions to, deviations, or exclusions from the method

No

# 4.5 Laboratory Facility

The test facility is recognized, certified, or accredited by the following organizations:

# • FCC - Designation No.: CN1211

JianYan Testing Group Shenzhen Co., Ltd. has been accredited as a testing laboratory by FCC(Federal Communications Commission). The test firm Registration No. is 727551.

#### ISED - CAB identifier.: CN0021

The 3m Semi-anechoic chamber of JianYan Testing Group Shenzhen Co., Ltd. has been Registered by Certification and Engineering Bureau of Industry Canada for radio equipment testing with Registration No.: 10106A-1.

#### A2LA - Registration No.: 4346.01

This laboratory is accredited in accordance with the recognized International Standard ISO/IEC 17025:2005 General requirements for the competence of testing and calibration laboratories. The test scope can be found as below link: https://portal.a2la.org/scopepdf/4346-01.pdf

#### 4.6 Laboratory Location

JianYan Testing Group Shenzhen Co., Ltd.

Address: No.101, Building 8, Innovation Wisdom Port, No.155 Hongtian Road, Huangpu Community, Xinqiao Street, Bao'an District, Shenzhen, Guangdong, People's Republic of China.

Tel: +86-755-23118282, Fax: +86-755-23116366

Email: info@ccis-cb.com, Website: http://www.ccis-cb.com

JianYan Testing Group Shenzhen Co., Ltd.

No.101, Building 8, Innovation Wisdom Port, No.155 Hongtian Road, Huangpu Community, Xinqiao Street, Bao'an District, Shenzhen, Guangdong, People's Republic of China.

Telephone: +86 (0) 755 23118282 Fax: +86 (0) 755 23116366



# 5 Technical Requirements Specification in FCC CFR Title 47 Part 2.1091

#### 5.1 Limits

The criteria listed in the following table shall be used to evaluate the environment impact of human exposure to radio frequency (RF) radiation as specified in 1.1307(b)

Frequency range Electric field strength		Magnetic field strength	Power density	Averaging time (minutes)		
(MHz)	` ,	$(V/m)$ $(A/m)$ $(mW/cm^2)$				
(A) Limits for Occupational/Controlled Exposures						
0.3–3.0	614	1.63	*(100)	6		
3.0–30	1842/f	4.89/f	*(900/f <sup>2</sup> )	6		
30–300	61.4	0.163	1.0	6		
300–1500			f/300	6		
1500–100,000			5	6		
(B) Limits for General Population/Uncontrolled Exposure						
0.3–1.34	614	1.63	*(100)	30		
1.34–30	824/f	2.19/f	*(180/f <sup>2</sup> )	30		
30–300	27.5	0.073	0.2	30		
300–1500			f/1500	30		
1500-100,000			1.0	30		

### 5.2 Test Procedure

Equation from page 18 of OET Bulletin 65, Edition 97-01

$$S = \frac{P \times G}{4 \times \pi \times R^2}$$

Where:

S = power density

P = power input to the antenna

G = numeric gain of the antenna in the direction of interest relative to an isotropic radiator

R = distance to the centre of radiation of the antenna

Telephone: +86 (0) 755 23118282 Fax: +86 (0) 755 23116366

Project No.: JYTSZE2101073





### 5.3 Result

Frequency (MHz)	Maximum Output power (dBm)	Maximum Output power (mW)	Antenna Gain (dBi)	Antenna Gain (numeric)	Distance (cm)	Result (mW/cm²)	Limits for General Population/ Uncontrolled Exposure (mW/cm²)
2.4G Wi-Fi							
2437	19.97	99.31	5.10	3.24	20.00	0.064	1.0

#### Note:

- 1. Directional gain =  $G_{ANT}$  + 10 log( $N_{ANT}$ ) dBi =5.10dBi
- 2. Just the worst case mode was shown in report.

# 5.4 Conclusion

The device is exempt from the RF exposure evaluation.

-----End of report-----

Project No.: JYTSZE2101073