






802.11 be80 mode, High Channel, Horizontal






802.11 be80 mode, High Channel, Vertical



802.11 be160 mode, Middle Channel, Horizontal



802.11 be160 mode, Middle Channel, Vertical




5725-5850MHz:Chain 0

802.11a mode, Low Channel, Horizontal

Project No.: 2402Z106133E-RF
Polarization: Horizontal
Test Mode: Transmitting
Note: 802.11a_U-NII-3 low channel 5745MHz Chain0
Peak:RBW:1MHz,VBW:3MHz

Serial No.: 2U0Q-2
Tester: Colin Yang




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	3999.70	53.23	-5.37	47.86	74.00	26.14	Peak
2	6250.30	52.41	-0.54	51.87	68.20	16.33	Peak

802.11a mode, Low Channel, Vertical

Project No.: 2402Z106133E-RF
Polarization: Vertical
Test Mode: Transmitting
Note: 802.11a_U-NII-3 low channel 5745MHz Chain0
Peak:RBW:1MHz,VBW:3MHz


Serial No.: 2U0Q-2
Tester: Colin Yang



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	3938.10	53.68	-5.36	48.32	74.00	25.68	Peak
2	6250.30	51.45	-0.54	50.91	68.20	17.29	Peak

Project No.: 2402Z106133E-RF
Polarization: Horizontal
Test Mode: Transmitting
Note: 802.11a_U-NII-3 low channel 5745MHz Chain0
Peak:RBW:1MHz,VBW:3MHz Ave:RBW:1MHz,VBW:5kHz


Serial No.: 2U0Q-2
Tester: Colin Yang



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	11490.00	48.72	4.09	52.81	74.00	21.19	Peak
2	17235.00	51.97	7.41	59.38	68.20	8.82	Peak
3	17983.90	47.94	11.40	59.34	74.00	14.66	Peak
4	17983.90	36.19	11.40	47.59	54.00	6.41	Average

Project No.: 2402Z106133E-RF
Polarization: Vertical
Test Mode: Transmitting
Note: 802.11a_U-NII-3 low channel 5745MHz Chain0
Peak:RBW:1MHz,VBW:3MHz Ave:RBW:1MHz,VBW:5kHz

Serial No.: 2U0Q-2
Tester: Colin Yang




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	11490.00	48.41	4.09	52.50	74.00	21.50	Peak
2	17235.00	48.62	7.41	56.03	68.20	12.17	Peak
3	17882.70	49.08	10.62	59.70	74.00	14.30	Peak
4	17882.70	36.37	10.62	46.99	54.00	7.01	Average

802.11a mode, Middle Channel, Horizontal

Project No.: 2402Z106133E-RF
Polarization: Horizontal
Test Mode: Transmitting
Note: 802.11a_U-NII-3 middle channel 5785MHz Chain0
Peak:RBW:1MHz,VBW:3MHz

Serial No.: 2U0Q-2
Tester: Colin Yang




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	3999.70	52.80	-5.37	47.43	74.00	26.57	Peak
2	6287.70	51.43	-0.27	51.16	68.20	17.04	Peak

802.11a mode, Middle Channel, Vertical

Project No.: 2402Z106133E-RF
Polarization: Vertical
Test Mode: Transmitting
Note: 802.11a_U-NII-3 middle channel 5785MHz Chain0
Peak:RBW:1MHz,VBW:3MHz


Serial No.: 2U0Q-2
Tester: Colin Yang



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	4000.80	54.42	-5.36	49.06	74.00	24.94	Peak
2	6250.30	52.24	-0.54	51.70	68.20	16.50	Peak

Project No.: 2402Z106133E-RF
Polarization: Horizontal
Test Mode: Transmitting
Note: 802.11a_U-NII-3 middle channel 5785MHz Chain0
Peak:RBW:1MHz,VBW:3MHz Ave:RBW:1MHz,VBW:5kHz


Serial No.: 2U0Q-2
Tester: Colin Yang



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	11570.00	50.97	4.07	55.04	74.00	18.96	Peak
2	11570.00	42.75	4.07	46.82	54.00	7.18	Average
3	17355.00	53.94	7.37	61.31	68.20	6.89	Peak
4	17988.50	47.86	11.43	59.29	74.00	14.71	Peak
5	17988.50	36.23	11.43	47.66	54.00	6.34	Average

Project No.: 2402Z106133E-RF
Polarization: Vertical
Test Mode: Transmitting
Note: 802.11a_U-NII-3 middle channel 5785MHz Chain0
Peak:RBW:1MHz,VBW:3MHz Ave:RBW:1MHz,VBW:5kHz

Serial No.: 2U0Q-2
Tester: Colin Yang




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	11570.00	49.37	4.07	53.44	74.00	20.56	Peak
2	17355.00	49.09	7.37	56.46	68.20	11.74	Peak
3	17990.80	47.96	11.45	59.41	74.00	14.59	Peak
4	17990.80	36.29	11.45	47.74	54.00	6.26	Average

802.11a mode, High Channel, Horizontal

Project No.: 2402Z106133E-RF
Polarization: Horizontal
Test Mode: Transmitting
Note: 802.11a_U-NII-3 high channel 5825MHz Chain0
Peak: RBW:1MHz, VBW:3MHz

Serial No.: 2U0Q-2
Tester: Colin Yang




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	5044.70	51.50	-2.97	48.53	74.00	25.47	Peak
2	6154.60	51.84	-0.57	51.27	68.20	16.93	Peak

802.11a mode, High Channel, Vertical

Project No.: 2402Z106133E-RF
Polarization: Vertical
Test Mode: Transmitting
Note: 802.11a_U-NII-3 high channel 5825MHz Chain0
Peak: RBW:1MHz, VBW:3MHz


Serial No.: 2U0Q-2
Tester: Colin Yang



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	3999.70	54.90	-5.37	49.53	74.00	24.47	Peak
2	6269.00	51.55	-0.36	51.19	68.20	17.01	Peak

Project No.: 2402Z106133E-RF
Polarization: Horizontal
Test Mode: Transmitting
Note: 802.11a_U-NII-3 high channel 5825MHz Chain0
Peak: RBW:1MHz, VBW:3MHz Ave: RBW:1MHz, VBW:5kHz


Serial No.: 2U0Q-2
Tester: Colin Yang



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	11650.00	50.83	4.13	54.96	74.00	19.04	Peak
2	11650.00	42.37	4.13	46.50	54.00	7.50	Average
3	17475.00	53.18	7.88	61.06	68.20	7.14	Peak
4	17878.10	48.97	10.58	59.55	74.00	14.45	Peak
5	17878.10	36.04	10.58	46.62	54.00	7.38	Average

Project No.: 2402Z106133E-RF
Polarization: Vertical
Test Mode: Transmitting
Note: 802.11a_U-NII-3 high channel 5825MHz Chain0
Peak: RBW:1MHz, VBW:3MHz Ave: RBW:1MHz, VBW:5kHz

Serial No.: 2U0Q-2
Tester: Colin Yang




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	11650.00	50.32	4.13	54.45	74.00	19.55	Peak
2	11650.00	41.84	4.13	45.97	54.00	8.03	Average
3	17475.00	52.54	7.88	60.42	68.20	7.78	Peak
4	17981.60	48.37	11.39	59.76	74.00	14.24	Peak
5	17981.60	36.31	11.39	47.70	54.00	6.30	Average

Chain 1

802.11a mode, Low Channel, Horizontal

Project No.: 2402Z106133E-RF
Polarization: Horizontal
Test Mode: Transmitting
Note: 802.11a_U-NII-3 low channel 5745MHz Chain1
Peak: RBW:1MHz, VBW:3MHz

Serial No.: 2U0Q-2
Tester: Colin Yang




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	5063.40	50.58	-2.33	48.25	74.00	25.75	Peak
2	6078.70	50.91	-0.49	50.42	68.20	17.78	Peak

802.11a mode, Low Channel, Vertical

Project No.: 2402Z106133E-RF
Polarization: Vertical
Test Mode: Transmitting
Note: 802.11a_U-NII-3 low channel 5745MHz Chain1
Peak: RBW:1MHz, VBW:3MHz


Serial No.: 2U0Q-2
Tester: Colin Yang



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	3854.50	54.97	-5.63	49.34	74.00	24.66	Peak
2	6250.30	51.79	-0.54	51.25	68.20	16.95	Peak

Project No.: 2402Z106133E-RF
Polarization: Horizontal
Test Mode: Transmitting
Note: 802.11a_U-NII-3 low channel 5745MHz Chain1
Peak: RBW:1MHz, VBW:3MHz Ave: RBW:1MHz, VBW:5kHz


Serial No.: 2U0Q-2
Tester: Colin Yang



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	11490.00	54.69	4.09	58.78	74.00	15.22	Peak
2	11490.00	45.86	4.09	49.95	54.00	4.05	Average
3	17235.00	47.94	7.41	55.35	68.20	12.85	Peak
4	17848.20	49.08	10.29	59.37	74.00	14.63	Peak
5	17848.20	36.49	10.29	46.78	54.00	7.22	Average

Project No.: 2402Z106133E-RF
Polarization: Vertical
Test Mode: Transmitting
Note: 802.11a_U-NII-3 low channel 5745MHz Chain1
Peak: RBW:1MHz, VBW:3MHz Ave: RBW:1MHz, VBW:5kHz

Serial No.: 2U0Q-2
Tester: Colin Yang




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	11490.00	52.64	4.09	56.73	74.00	17.27	Peak
2	11490.00	43.58	4.09	47.67	54.00	6.33	Average
3	17235.00	48.15	7.41	55.56	68.20	12.64	Peak
4	17993.10	47.86	11.48	59.34	74.00	14.66	Peak
5	17993.10	36.13	11.48	47.61	54.00	6.39	Average

802.11a mode, Middle Channel, Horizontal

Project No.: 2402Z106133E-RF
Polarization: Horizontal
Test Mode: Transmitting
Note: 802.11a_U-NII-3 middle channel 5785MHz Chain1
Peak:RBW:1MHz,VBW:3MHz

Serial No.: 2U0Q-2
Tester: Colin Yang




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	5127.20	51.63	-1.98	49.65	74.00	24.35	Peak
2	6297.60	51.04	-0.33	50.71	68.20	17.49	Peak

802.11a mode, Middle Channel, Vertical

Project No.: 2402Z106133E-RF
Polarization: Vertical
Test Mode: Transmitting
Note: 802.11a_U-NII-3 middle channel 5785MHz Chain1
Peak:RBW:1MHz,VBW:3MHz


Serial No.: 2U0Q-2
Tester: Colin Yang



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	3814.90	56.04	-5.70	50.34	74.00	23.66	Peak
2	6178.80	51.55	-0.42	51.13	68.20	17.07	Peak

Project No.: 2402Z106133E-RF
Polarization: Horizontal
Test Mode: Transmitting
Note: 802.11a_U-NII-3 middle channel 5785MHz Chain1
Peak:RBW:1MHz,VBW:3MHz Ave:RBW:1MHz,VBW:5kHz


Serial No.: 2U0Q-2
Tester: Colin Yang



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	11570.00	52.68	4.07	56.75	74.00	17.25	Peak
2	11570.00	43.52	4.07	47.59	54.00	6.41	Average
3	17355.00	48.87	7.37	56.24	68.20	11.96	Peak
4	17977.00	48.25	11.35	59.60	74.00	14.40	Peak
5	17977.00	36.29	11.35	47.64	54.00	6.36	Average

Project No.: 2402Z106133E-RF
Polarization: Vertical
Test Mode: Transmitting
Note: 802.11a_U-NII-3 middle channel 5785MHz Chain1
Peak:RBW:1MHz,VBW:3MHz Ave:RBW:1MHz,VBW:5kHz

Serial No.: 2U0Q-2
Tester: Colin Yang




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	11570.00	50.37	4.07	54.44	74.00	19.56	Peak
2	11570.00	41.44	4.07	45.51	54.00	8.49	Average
3	17355.00	48.50	7.37	55.87	68.20	12.33	Peak
4	17977.00	48.92	11.35	60.27	74.00	13.73	Peak
5	17977.00	36.34	11.35	47.69	54.00	6.31	Average

802.11a mode, High Channel, Horizontal

Project No.: 2402Z106133E-RF
Polarization: Horizontal
Test Mode: Transmitting
Note: 802.11a_U-NII-3 high channel 5825MHz Chain1
Peak: RBW:1MHz, VBW:3MHz

Serial No.: 2U0Q-2
Tester: Colin Yang




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	4976.50	51.69	-3.37	48.32	74.00	25.68	Peak
2	6283.30	51.19	-0.23	50.96	68.20	17.24	Peak

802.11a mode, High Channel, Vertical

Project No.: 2402Z106133E-RF
Polarization: Vertical
Test Mode: Transmitting
Note: 802.11a_U-NII-3 high channel 5825MHz Chain1
Peak: RBW:1MHz, VBW:3MHz


Serial No.: 2U0Q-2
Tester: Colin Yang



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	3876.50	56.46	-5.53	50.93	74.00	23.07	Peak
2	6126.00	51.78	-0.58	51.20	68.20	17.00	Peak

Project No.: 2402Z106133E-RF
Polarization: Horizontal
Test Mode: Transmitting
Note: 802.11a_U-NII-3 high channel 5825MHz Chain1
Peak: RBW:1MHz, VBW:3MHz Ave: RBW:1MHz, VBW:5kHz


Serial No.: 2U0Q-2
Tester: Colin Yang



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	11650.00	52.99	4.13	57.12	74.00	16.88	Peak
2	11650.00	43.28	4.13	47.41	54.00	6.59	Average
3	17475.00	48.56	7.88	56.44	68.20	11.76	Peak
4	17988.50	47.71	11.43	59.14	74.00	14.86	Peak
5	17988.50	36.11	11.43	47.54	54.00	6.46	Average

Project No.: 2402Z106133E-RF
Polarization: Vertical
Test Mode: Transmitting
Note: 802.11a_U-NII-3 high channel 5825MHz Chain1
Peak: RBW:1MHz, VBW:3MHz Ave: RBW:1MHz, VBW:5kHz

Serial No.: 2U0Q-2
Tester: Colin Yang




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	11650.00	50.45	4.13	54.58	74.00	19.42	Peak
2	11650.00	41.19	4.13	45.32	54.00	8.68	Average
3	17475.00	49.40	7.88	57.28	68.20	10.92	Peak
4	17979.30	48.14	11.37	59.51	74.00	14.49	Peak
5	17979.30	36.06	11.37	47.43	54.00	6.57	Average

Chain 2

802.11a mode, Low Channel, Horizontal

Project No.: 2402Z106133E-RF
Polarization: Horizontal
Test Mode: Transmitting
Note: 802.11a_U-NII-3 low channel 5745MHz Chain2
Peak:RBW:1MHz,VBW:3MHz

Serial No.: 2U0Q-2
Tester: Colin Yang




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	3999.70	53.43	-5.37	48.06	74.00	25.94	Peak
2	5955.50	51.41	-0.39	51.02	68.20	17.18	Peak

802.11a mode, Low Channel, Vertical

Project No.: 2402Z106133E-RF
Polarization: Vertical
Test Mode: Transmitting
Note: 802.11a_U-NII-3 low channel 5745MHz Chain2
Peak:RBW:1MHz,VBW:3MHz


Serial No.: 2U0Q-2
Tester: Colin Yang



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	3816.00	55.96	-5.71	50.25	74.00	23.75	Peak
2	6250.30	52.13	-0.54	51.59	68.20	16.61	Peak

Project No.: 2402Z106133E-RF
Polarization: Horizontal
Test Mode: Transmitting
Note: 802.11a_U-NII-3 low channel 5745MHz Chain2
Peak:RBW:1MHz,VBW:3MHz Ave:RBW:1MHz,VBW:5kHz


Serial No.: 2U0Q-2
Tester: Colin Yang



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	11490.00	47.27	4.09	51.36	74.00	22.64	Peak
2	17235.00	47.44	7.41	54.85	68.20	13.35	Peak
3	17986.20	48.30	11.41	59.71	74.00	14.29	Peak
4	17986.20	36.32	11.41	47.73	54.00	6.27	Average

Project No.: 2402Z106133E-RF
Polarization: Vertical
Test Mode: Transmitting
Note: 802.11a_U-NII-3 low channel 5745MHz Chain2
Peak:RBW:1MHz,VBW:3MHz Ave:RBW:1MHz,VBW:5kHz

Serial No.: 2U0Q-2
Tester: Colin Yang




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	11490.00	46.24	4.09	50.33	74.00	23.67	Peak
2	17235.00	47.70	7.41	55.11	68.20	13.09	Peak
3	17993.10	48.04	11.48	59.52	74.00	14.48	Peak
4	17993.10	36.07	11.48	47.55	54.00	6.45	Average

802.11a mode, Middle Channel, Horizontal

Project No.: 2402Z106133E-RF
Polarization: Horizontal
Test Mode: Transmitting
Note: 802.11a_U-NII-3 middle channel 5785MHz Chain2
Peak:RBW:1MHz,VBW:3MHz

Serial No.: 2U0Q-2
Tester: Colin Yang




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	3999.70	53.27	-5.37	47.90	74.00	26.10	Peak
2	6315.20	51.83	-0.37	51.46	68.20	16.74	Peak

802.11a mode, Middle Channel, Vertical

Project No.: 2402Z106133E-RF
Polarization: Vertical
Test Mode: Transmitting
Note: 802.11a_U-NII-3 middle channel 5785MHz Chain2
Peak:RBW:1MHz,VBW:3MHz


Serial No.: 2U0Q-2
Tester: Colin Yang



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	3876.50	55.26	-5.53	49.73	74.00	24.27	Peak
2	6456.00	50.96	-0.18	50.78	68.20	17.42	Peak

Project No.: 2402Z106133E-RF
Polarization: Horizontal
Test Mode: Transmitting
Note: 802.11a_U-NII-3 middle channel 5785MHz Chain2
Peak:RBW:1MHz,VBW:3MHz Ave:RBW:1MHz,VBW:5kHz


Serial No.: 2U0Q-2
Tester: Colin Yang



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	11490.00	47.74	4.09	51.83	74.00	22.17	Peak
2	17355.00	49.31	7.37	56.68	68.20	11.52	Peak
3	17866.60	49.18	10.46	59.64	74.00	14.36	Peak
4	17866.60	37.14	10.46	47.60	54.00	6.40	Average

Project No.: 2402Z106133E-RF
Polarization: Vertical
Test Mode: Transmitting
Note: 802.11a_U-NII-3 middle channel 5785MHz Chain2
Peak:RBW:1MHz,VBW:3MHz Ave:RBW:1MHz,VBW:5kHz

Serial No.: 2U0Q-2
Tester: Colin Yang




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	11570.00	47.30	4.07	51.37	74.00	22.63	Peak
2	17355.00	47.97	7.37	55.34	68.20	12.86	Peak
3	17979.30	48.34	11.37	59.71	74.00	14.29	Peak
4	17979.30	36.12	11.37	47.49	54.00	6.51	Average

802.11a mode, High Channel, Horizontal

Project No.: 2402Z106133E-RF
Polarization: Horizontal
Test Mode: Transmitting
Note: 802.11a_U-NII-3 high channel 5825MHz Chain2
Peak:RBW:1MHz,VBW:3MHz

Serial No.: 2U0Q-2
Tester: Colin Yang




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	3999.70	53.35	-5.37	47.98	74.00	26.02	Peak
2	6151.30	52.45	-0.59	51.86	68.20	16.34	Peak

802.11a mode, High Channel, Vertical

Project No.: 2402Z106133E-RF
Polarization: Vertical
Test Mode: Transmitting
Note: 802.11a_U-NII-3 high channel 5825MHz Chain2
Peak:RBW:1MHz,VBW:3MHz


Serial No.: 2U0Q-2
Tester: Colin Yang



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	3877.60	54.66	-5.52	49.14	74.00	24.86	Peak
2	6382.30	51.53	-0.27	51.26	68.20	16.94	Peak

Project No.: 2402Z106133E-RF
Polarization: Horizontal
Test Mode: Transmitting
Note: 802.11a_U-NII-3 high channel 5825MHz Chain2
Peak:RBW:1MHz,VBW:3MHz Ave:RBW:1MHz,VBW:5kHz


Serial No.: 2U0Q-2
Tester: Colin Yang



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	11650.00	48.77	4.13	52.90	74.00	21.10	Peak
2	17475.00	51.67	7.88	59.55	68.20	8.65	Peak
3	17997.70	47.78	11.51	59.29	74.00	14.71	Peak
4	17997.70	36.02	11.51	47.53	54.00	6.47	Average

Project No.: 2402Z106133E-RF
Polarization: Vertical
Test Mode: Transmitting
Note: 802.11a_U-NII-3 high channel 5825MHz Chain2
Peak:RBW:1MHz,VBW:3MHz Ave:RBW:1MHz,VBW:5kHz

Serial No.: 2U0Q-2
Tester: Colin Yang



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	11650.00	47.75	4.13	51.88	74.00	22.12	Peak
2	17475.00	47.87	7.88	55.75	68.20	12.45	Peak
3	17965.50	48.77	11.27	60.04	74.00	13.96	Peak
4	17965.50	36.23	11.27	47.50	54.00	6.50	Average


Chain 3

802.11a mode, Low Channel, Horizontal

Project No.: 2402Z106133E-RF
Polarization: Horizontal
Test Mode: Transmitting
Note: 802.11a_U-NII-3 low channel 5745MHz Chain3
Peak: RBW:1MHz, VBW:3MHz

Serial No.: 2U0Q-2
Tester: Colin Yang

Date: 2024-12-31




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	4379.20	52.04	-4.31	47.73	74.00	26.27	Peak
2	6128.20	51.65	-0.58	51.07	68.20	17.13	Peak

802.11a mode, Low Channel, Vertical

Project No.: 2402Z106133E-RF
Polarization: Vertical
Test Mode: Transmitting
Note: 802.11a_U-NII-3 low channel 5745MHz Chain3
Peak: RBW:1MHz, VBW:3MHz

Serial No.: 2U0Q-2
Tester: Colin Yang

Date: 2024-12-31




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	3876.50	54.36	-5.53	48.83	74.00	25.17	Peak
2	6251.40	52.59	-0.54	52.05	68.20	16.15	Peak

Project No.: 2402Z106133E-RF
Polarization: Horizontal
Test Mode: Transmitting
Note: 802.11a_U-NII-3 low channel 5745MHz Chain3
Peak: RBW:1MHz, VBW:3MHz Ave: RBW:1MHz, VBW:5kHz

Serial No.: 2U0Q-2
Tester: Colin Yang

Date: 2024-12-31




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	11490.00	56.34	4.09	60.43	74.00	13.57	Peak
2	11490.00	46.68	4.09	50.77	54.00	3.23	Average
3	17235.00	47.66	7.41	55.07	68.20	13.13	Peak
4	17940.20	49.02	11.08	60.10	74.00	13.90	Peak
5	17940.20	36.21	11.08	47.29	54.00	6.71	Average

Project No.: 2402Z106133E-RF
Polarization: Vertical
Test Mode: Transmitting
Note: 802.11a_U-NII-3 low channel 5745MHz Chain3
Peak: RBW:1MHz, VBW:3MHz Ave: RBW:1MHz, VBW:5kHz

Serial No.: 2U0Q-2
Tester: Colin Yang

Date: 2024-12-31




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	11490.00	47.19	4.09	51.28	74.00	22.72	Peak
2	17235.00	48.84	7.41	56.25	68.20	11.95	Peak
3	17993.10	47.76	11.48	59.24	74.00	14.76	Peak
4	17993.10	36.33	11.48	47.81	54.00	6.19	Average

802.11a mode, Middle Channel, Horizontal

Project No.: 2402Z106133E-RF
Polarization: Horizontal
Test Mode: Transmitting
Note: 802.11a_U-NII-3 middle channel 5785MHz Chain3
Peak:RBW:1MHz,VBW:3MHz

Serial No.: 2U0Q-2
Tester: Colin Yang




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	3999.70	53.01	-5.37	47.64	74.00	26.36	Peak
2	6383.40	50.91	-0.27	50.64	68.20	17.56	Peak

802.11a mode, Middle Channel, Vertical

Project No.: 2402Z106133E-RF
Polarization: Vertical
Test Mode: Transmitting
Note: 802.11a_U-NII-3 middle channel 5785MHz Chain3
Peak:RBW:1MHz,VBW:3MHz


Serial No.: 2U0Q-2
Tester: Colin Yang



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	3876.50	54.85	-5.53	49.32	74.00	24.68	Peak
2	6398.80	51.59	-0.23	51.36	68.20	16.84	Peak

Project No.: 2402Z106133E-RF
Polarization: Horizontal
Test Mode: Transmitting
Note: 802.11a_U-NII-3 middle channel 5785MHz Chain3
Peak:RBW:1MHz,VBW:3MHz Ave:RBW:1MHz,VBW:5kHz


Serial No.: 2U0Q-2
Tester: Colin Yang



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	11570.00	47.68	4.07	51.75	74.00	22.25	Peak
2	17355.00	48.86	7.37	56.23	68.20	11.97	Peak
3	17988.50	48.03	11.43	59.46	74.00	14.54	Peak
4	17988.50	36.23	11.43	47.66	54.00	6.34	Average

Project No.: 2402Z106133E-RF
Polarization: Vertical
Test Mode: Transmitting
Note: 802.11a_U-NII-3 middle channel 5785MHz Chain3
Peak:RBW:1MHz,VBW:3MHz Ave:RBW:1MHz,VBW:5kHz

Serial No.: 2U0Q-2
Tester: Colin Yang




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	11570.00	57.04	4.07	61.11	74.00	12.89	Peak
2	11570.00	47.75	4.07	51.82	54.00	2.18	Average
3	17355.00	48.61	7.37	55.98	68.20	12.22	Peak
4	17983.90	48.21	11.40	59.61	74.00	14.39	Peak
5	17983.90	36.34	11.40	47.74	54.00	6.26	Average

802.11a mode, High Channel, Horizontal

Project No.: 2402Z106133E-RF
Polarization: Horizontal
Test Mode: Transmitting
Note: 802.11a_U-NII-3 high channel 5825MHz Chain3
Peak: RBW:1MHz, VBW:3MHz

Serial No.: 2U0Q-2
Tester: Colin Yang




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	3999.70	52.96	-5.37	47.59	74.00	26.41	Peak
2	5989.60	51.46	-0.36	51.10	68.20	17.10	Peak

802.11a mode, High Channel, Vertical

Project No.: 2402Z106133E-RF
Polarization: Vertical
Test Mode: Transmitting
Note: 802.11a_U-NII-3 high channel 5825MHz Chain3
Peak: RBW:1MHz, VBW:3MHz


Serial No.: 2U0Q-2
Tester: Colin Yang



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	3779.70	54.43	-5.75	48.68	74.00	25.32	Peak
2	6251.40	51.98	-0.54	51.44	68.20	16.76	Peak

Project No.: 2402Z106133E-RF
Polarization: Horizontal
Test Mode: Transmitting
Note: 802.11a_U-NII-3 high channel 5825MHz Chain3
Peak: RBW:1MHz, VBW:3MHz Ave: RBW:1MHz, VBW:5kHz


Serial No.: 2U0Q-2
Tester: Colin Yang



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	11650.00	57.68	4.13	61.81	74.00	12.19	Peak
2	11650.00	47.16	4.13	51.29	54.00	2.71	Average
3	17475.00	54.50	7.88	62.38	68.20	5.82	Peak
4	17988.50	48.28	11.43	59.71	74.00	14.29	Peak
5	17988.50	36.37	11.43	47.80	54.00	6.20	Average

Project No.: 2402Z106133E-RF
Polarization: Vertical
Test Mode: Transmitting
Note: 802.11a_U-NII-3 high channel 5825MHz Chain3
Peak: RBW:1MHz, VBW:3MHz Ave: RBW:1MHz, VBW:5kHz


Serial No.: 2U0Q-2
Tester: Colin Yang



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	11650.00	48.72	4.13	52.85	74.00	21.15	Peak
2	17475.00	51.55	7.88	59.43	68.20	8.77	Peak
3	17995.40	48.44	11.49	59.93	74.00	14.07	Peak
4	17995.40	36.46	11.49	47.95	54.00	6.05	Average

MIMO Mode:**802.11n ht20 mode, Low Channel, Horizontal**


Project No.: 2402Z106133E-RF
Serial No.: 2U0Q-2
Polarization: Horizontal
Test Mode: Transmitting
Tester: Colin Yang
Note: 802.11n20_U-NII-3 low channel 5745MHz
Peak: RBW:1MHz, VBW:3MHz



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	3999.70	54.17	-5.37	48.80	74.00	25.20	Peak
2	6250.30	51.72	-0.54	51.18	68.20	17.02	Peak


802.11n ht20 mode, Low Channel, Vertical

Project No.: 2402Z106133E-RF
Serial No.: 2U0Q-2
Polarization: Vertical
Test Mode: Transmitting
Tester: Colin Yang
Note: 802.11n20_U-NII-3 low channel 5745MHz
Peak: RBW:1MHz, VBW:3MHz




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	3877.60	54.34	-5.52	48.82	74.00	25.18	Peak
2	6128.20	51.97	-0.58	51.39	68.20	16.81	Peak

Project No.: 2402Z106133E-RF
Serial No.: 2U0Q-2
Polarization: Horizontal
Test Mode: Transmitting
Tester: Colin Yang
Note: 802.11n20_U-NII-3 low channel 5745MHz
Peak: RBW:1MHz, VBW:3MHz Ave: RBW:1MHz, VBW:5kHz



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	11490.00	56.02	4.09	60.11	74.00	13.89	Peak
2	11490.00	47.35	4.09	51.44	54.00	2.56	Average
3	17235.00	50.70	7.41	58.11	68.20	10.09	Peak
4	17995.40	47.98	11.49	59.47	74.00	14.53	Peak
5	17995.40	36.30	11.49	47.79	54.00	6.21	Average

Project No.: 2402Z106133E-RF
Serial No.: 2U0Q-2
Polarization: Vertical
Test Mode: Transmitting
Tester: Colin Yang
Note: 802.11n20_U-NII-3 low channel 5745MHz
Peak: RBW:1MHz, VBW:3MHz Ave: RBW:1MHz, VBW:5kHz




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	11490.00	50.08	4.09	54.17	74.00	19.83	Peak
2	11490.00	41.46	4.09	45.55	54.00	8.45	Average
3	17235.00	48.59	7.41	56.00	68.20	12.20	Peak
4	17990.80	48.04	11.45	59.49	74.00	14.51	Peak
5	17990.80	36.18	11.45	47.63	54.00	6.37	Average

802.11n ht20 mode, Middle Channel, Horizontal

Project No.: 2402Z106133E-RF
Polarization: Horizontal
Test Mode: Transmitting
Note: 802.11n20_U-NII-3 middle channel 5785MHz
Peak: RBW:1MHz, VBW:3MHz

Serial No.: 2U0Q-2
Tester: Colin Yang




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	3999.70	54.33	-5.37	48.96	74.00	25.04	Peak
2	6260.20	51.79	-0.46	51.33	68.20	16.87	Peak

802.11n ht20 mode, Middle Channel, Vertical

Project No.: 2402Z106133E-RF
Polarization: Vertical
Test Mode: Transmitting
Note: 802.11n20_U-NII-3 middle channel 5785MHz
Peak: RBW:1MHz, VBW:3MHz


Serial No.: 2U0Q-2
Tester: Colin Yang



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	3884.20	54.37	-5.49	48.88	74.00	25.12	Peak
2	6251.40	51.45	-0.54	50.91	68.20	17.29	Peak

Project No.: 2402Z106133E-RF
Polarization: Horizontal
Test Mode: Transmitting
Note: 802.11n20_U-NII-3 middle channel 5785MHz
Peak: RBW:1MHz, VBW:3MHz Ave: RBW:1MHz, VBW:5kHz


Serial No.: 2U0Q-2
Tester: Colin Yang



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	11570.00	54.44	4.07	58.51	74.00	15.49	Peak
2	11570.00	46.31	4.07	50.38	54.00	3.62	Average
3	17355.00	52.11	7.37	59.48	68.20	8.72	Peak
4	17977.00	48.17	11.35	59.52	74.00	14.48	Peak
5	17977.00	36.37	11.35	47.72	54.00	6.28	Average

Project No.: 2402Z106133E-RF
Polarization: Vertical
Test Mode: Transmitting
Note: 802.11n20_U-NII-3 middle channel 5785MHz
Peak: RBW:1MHz, VBW:3MHz Ave: RBW:1MHz, VBW:5kHz

Serial No.: 2U0Q-2
Tester: Colin Yang




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	11570.00	50.22	4.07	54.29	74.00	19.71	Peak
2	11570.00	42.26	4.07	46.33	54.00	7.67	Average
3	17355.00	52.04	7.37	59.41	68.20	8.79	Peak
4	17868.90	49.32	10.48	59.80	74.00	14.20	Peak
5	17868.90	36.53	10.48	47.01	54.00	6.99	Average

802.11n ht20 mode, High Channel, Horizontal

Project No.: 2402Z106133E-RF
Polarization: Horizontal
Test Mode: Transmitting
Note: 802.11n20_U-NII-3 high channel 5825MHz
Peak: RBW:1MHz, VBW:3MHz

Serial No.: 2U0Q-2
Tester: Colin Yang




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	3999.70	53.23	-5.37	47.86	74.00	26.14	Peak
2	6116.10	51.17	-0.58	50.59	68.20	17.61	Peak

802.11n ht20 mode, High Channel, Vertical

Project No.: 2402Z106133E-RF
Polarization: Vertical
Test Mode: Transmitting
Note: 802.11n20_U-NII-3 high channel 5825MHz
Peak: RBW:1MHz, VBW:3MHz


Serial No.: 2U0Q-2
Tester: Colin Yang



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	3999.70	54.17	-5.37	48.80	74.00	25.20	Peak
2	6250.30	52.18	-0.54	51.64	68.20	16.56	Peak

Project No.: 2402Z106133E-RF
Polarization: Horizontal
Test Mode: Transmitting
Note: 802.11n20_U-NII-3 high channel 5825MHz
Peak: RBW:1MHz, VBW:3MHz Ave: RBW:1MHz, VBW:5kHz


Serial No.: 2U0Q-2
Tester: Colin Yang



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	11650.00	53.72	4.13	57.85	74.00	16.15	Peak
2	11650.00	45.68	4.13	49.81	54.00	4.19	Average
3	17475.00	52.48	7.88	60.36	68.20	7.84	Peak
4	17995.40	47.97	11.49	59.46	74.00	14.54	Peak
5	17995.40	36.12	11.49	47.61	54.00	6.39	Average

Project No.: 2402Z106133E-RF
Polarization: Vertical
Test Mode: Transmitting
Note: 802.11n20_U-NII-3 high channel 5825MHz
Peak: RBW:1MHz, VBW:3MHz Ave: RBW:1MHz, VBW:5kHz

Serial No.: 2U0Q-2
Tester: Colin Yang




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	11650.00	50.20	4.13	54.33	74.00	19.67	Peak
2	11650.00	42.26	4.13	46.39	54.00	7.61	Average
3	17475.00	50.71	7.88	58.59	68.20	9.61	Peak
4	17843.60	49.08	10.24	59.32	74.00	14.68	Peak
5	17843.60	37.14	10.24	47.38	54.00	6.62	Average

802.11n ht40 mode, Low Channel, Horizontal

Project No.: 2402Z106133E-RF
Polarization: Horizontal
Test Mode: Transmitting
Note: 802.11n40_U-NII-3 low channel 5755MHz
Peak:RBW:1MHz,VBW:3MHz

Serial No.: 2UJQ-2
Tester: Colin Yang




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	3875.40	53.07	-5.53	47.54	74.00	26.46	Peak
2	6289.90	51.57	-0.28	51.29	68.20	16.91	Peak

802.11n ht40 mode, Low Channel, Vertical

Project No.: 2402Z106133E-RF
Polarization: Vertical
Test Mode: Transmitting
Note: 802.11n40_U-NII-3 low channel 5755MHz
Peak:RBW:1MHz,VBW:3MHz


Serial No.: 2UJQ-2
Tester: Colin Yang



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	3886.40	54.76	-5.49	49.27	74.00	24.73	Peak
2	6152.40	52.52	-0.58	51.94	68.20	16.26	Peak

Project No.: 2402Z106133E-RF
Polarization: Horizontal
Test Mode: Transmitting
Note: 802.11n40_U-NII-3 low channel 5755MHz
Peak:RBW:1MHz,VBW:3MHz Ave:RBW:1MHz,VBW:5kHz


Serial No.: 2UJQ-2
Tester: Colin Yang



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	11510.00	51.16	4.09	55.25	74.00	18.75	Peak
2	11510.00	45.77	4.09	49.86	54.00	4.14	Average
3	17265.00	48.33	7.38	55.71	68.20	12.49	Peak
4	17986.20	47.84	11.41	59.25	74.00	14.75	Peak
5	17986.20	36.39	11.41	47.80	54.00	6.20	Average


Project No.: 2402Z106133E-RF
Polarization: Vertical
Test Mode: Transmitting
Note: 802.11n40_U-NII-3 low channel 5755MHz
Peak:RBW:1MHz,VBW:3MHz Ave:RBW:1MHz,VBW:5kHz

Serial No.: 2UJQ-2
Tester: Colin Yang






No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	11510.00	46.66	4.09	50.75	74.00	23.25	Peak
2	17265.00	47.31	7.38	54.69	68.20	13.51	Peak
3	17977.00	47.57	11.35	58.92	74.00	15.08	Peak
4	17977.00	36.21	11.35	47.56	54.00	6.44	Average

802.11n ht40 mode, High Channel, Horizontal




802.11n ht40 mode, High Channel, Vertical



802.11 ac vht80 mode, Middle Channel, Horizontal

Project No.: 2402Z106133E-RF
Polarization: Horizontal
Test Mode: Transmitting
Note: 802.11ac80_U-NII-3 middle channel 5775MHz
Peak:RBW:1MHz,VBW:3MHz

Serial No.: 2U0Q-2
Tester: Colin Yang




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	3938.10	52.83	-5.36	47.47	74.00	26.53	Peak
2	6111.70	51.80	-0.59	51.21	68.20	16.99	Peak

802.11 ac vht80 mode, Middle Channel, Vertical

Project No.: 2402Z106133E-RF
Polarization: Vertical
Test Mode: Transmitting
Note: 802.11ac80_U-NII-3 middle channel 5775MHz
Peak:RBW:1MHz,VBW:3MHz


Serial No.: 2U0Q-2
Tester: Colin Yang



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	3816.00	54.25	-5.71	48.54	74.00	25.46	Peak
2	5990.70	52.75	-0.35	52.40	68.20	15.80	Peak

Project No.: 2402Z106133E-RF
Polarization: Horizontal
Test Mode: Transmitting
Note: 802.11ac80_U-NII-3 middle channel 5775MHz
Peak:RBW:1MHz,VBW:3MHz Ave:RBW:1MHz,VBW:5kHz


Serial No.: 2U0Q-2
Tester: Colin Yang



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	11550.00	53.24	4.08	57.32	74.00	16.68	Peak
2	11550.00	45.75	4.08	49.83	54.00	4.17	Average
3	17325.00	51.33	7.26	58.59	68.20	9.61	Peak
4	17993.10	48.31	11.48	59.79	74.00	14.21	Peak
5	17993.10	36.36	11.48	47.84	54.00	6.16	Average


Project No.: 2402Z106133E-RF
Polarization: Vertical
Test Mode: Transmitting
Note: 802.11ac80_U-NII-3 middle channel 5775MHz
Peak:RBW:1MHz,VBW:3MHz Ave:RBW:1MHz,VBW:5kHz

Serial No.: 2U0Q-2
Tester: Colin Yang






No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	11550.00	48.73	4.08	52.81	74.00	21.19	Peak
2	17325.00	48.17	7.26	55.43	68.20	12.77	Peak
3	17993.10	48.97	11.48	60.45	74.00	13.55	Peak
4	17993.10	36.32	11.48	47.80	54.00	6.20	Average

802.11be20 mode, Low Channel, Horizontal




802.11be20 mode, Low Channel, Vertical



802.11be20 mode, Middle Channel, Horizontal

Project No.: 2402Z106133E-RF
Polarization: Horizontal
Test Mode: Transmitting
Note: 802.11be20_U-NII-3 middle channel 5785MHz
Peak: RBW:1MHz, VBW:3MHz

Serial No.: 2U0Q-2
Tester: Nat Zhou




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	1815.10	55.12	-12.91	42.21	68.20	25.99	Peak
2	5393.40	50.68	-1.36	49.32	74.00	24.68	Peak

802.11be20 mode, Middle Channel, Vertical

Project No.: 2402Z106133E-RF
Polarization: Vertical
Test Mode: Transmitting
Note: 802.11be20_U-NII-3 middle channel 5785MHz
Peak: RBW:1MHz, VBW:3MHz


Serial No.: 2U0Q-2
Tester: Nat Zhou



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	3125.20	55.39	-7.61	47.78	68.20	20.42	Peak
2	3877.60	54.78	-5.52	49.26	74.00	24.74	Peak

Project No.: 2402Z106133E-RF
Polarization: Horizontal
Test Mode: Transmitting
Note: 802.11be20_U-NII-3 middle channel 5785MHz
Peak: RBW:1MHz, VBW:3MHz Ave: RBW:1MHz, VBW:5kHz


Serial No.: 2U0Q-2
Tester: Nat Zhou



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	11570.00	52.05	4.07	56.12	74.00	17.88	Peak
2	11570.00	41.49	4.07	45.56	54.00	8.44	Average
3	17355.00	49.50	7.37	56.87	68.20	11.33	Peak
4	17995.40	47.89	11.49	59.38	74.00	14.62	Peak
5	17995.40	36.30	11.49	47.79	54.00	6.21	Average


Project No.: 2402Z106133E-RF
Polarization: Vertical
Test Mode: Transmitting
Note: 802.11be20_U-NII-3 middle channel 5785MHz
Peak: RBW:1MHz, VBW:3MHz Ave: RBW:1MHz, VBW:5kHz

Serial No.: 2U0Q-2
Tester: Nat Zhou






No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	11570.00	48.77	4.07	52.84	74.00	21.16	Peak
2	17355.00	51.00	7.37	58.37	68.20	9.83	Peak
3	17974.70	48.07	11.32	59.39	74.00	14.61	Peak
4	17974.70	36.54	11.32	47.86	54.00	6.14	Average

802.11be20 mode, High Channel, Horizontal




802.11be20 mode, High Channel, Vertical



802.11be40 mode, Low Channel, Horizontal

Project No.: 2402Z106133E-RF
Polarization: Horizontal
Test Mode: Transmitting
Note: 802.11be40_U-NII-3 low channel 5755MHz
Peak:RBW:1MHz,VBW:3MHz

Serial No.: 2UJQ-2
Tester: Nat Zhou




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	1858.00	55.11	-12.74	42.37	68.20	25.83	Peak
2	5049.10	51.31	-2.82	48.49	74.00	25.51	Peak

802.11be40 mode, Low Channel, Vertical

Project No.: 2402Z106133E-RF
Polarization: Vertical
Test Mode: Transmitting
Note: 802.11be40_U-NII-3 low channel 5755MHz
Peak:RBW:1MHz,VBW:3MHz


Serial No.: 2UJQ-2
Tester: Nat Zhou



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	3877.60	54.93	-5.52	49.41	74.00	24.59	Peak
2	5362.60	51.21	-1.44	49.77	74.00	24.23	Peak

Project No.: 2402Z106133E-RF
Polarization: Horizontal
Test Mode: Transmitting
Note: 802.11be40_U-NII-3 low channel 5755MHz
Peak:RBW:1MHz,VBW:3MHz Ave:RBW:1MHz,VBW:5kHz


Serial No.: 2UJQ-2
Tester: Nat Zhou



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	11510.00	48.85	4.09	52.94	74.00	21.06	Peak
2	17265.00	49.07	7.38	56.45	68.20	11.75	Peak
3	17986.20	47.67	11.41	59.08	74.00	14.92	Peak
4	17986.20	36.35	11.41	47.76	54.00	6.24	Average


Project No.: 2402Z106133E-RF
Polarization: Vertical
Test Mode: Transmitting
Note: 802.11be40_U-NII-3 low channel 5755MHz
Peak:RBW:1MHz,VBW:3MHz Ave:RBW:1MHz,VBW:5kHz

Serial No.: 2UJQ-2
Tester: Nat Zhou






No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	11510.00	48.03	4.09	52.12	74.00	21.88	Peak
2	17265.00	49.28	7.38	56.66	68.20	11.54	Peak
3	17993.10	48.13	11.48	59.61	74.00	14.39	Peak
4	17993.10	36.41	11.48	47.89	54.00	6.11	Average

802.11be40 mode, High Channel, Horizontal




802.11be40 mode, High Channel, Vertical



802.11 be80 mode, Middle Channel, Horizontal

Project No.: 2402Z106133E-RF
Polarization: Horizontal
Test Mode: Transmitting
Note: 802.11be80_U-NII-3 middle channel 5775MHz
Peak: RBW:1MHz, VBW:3MHz

Serial No.: 2U0Q-2
Tester: Colin Yang




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	1822.80	54.55	-12.89	41.66	68.20	26.54	Peak
2	5409.90	58.55	-1.33	49.22	74.00	24.78	Peak

802.11 be80 mode, Middle Channel, Vertical

Project No.: 2402Z106133E-RF
Polarization: Vertical
Test Mode: Transmitting
Note: 802.11be80_U-NII-3 middle channel 5775MHz
Peak: RBW:1MHz, VBW:3MHz


Serial No.: 2U0Q-2
Tester: Colin Yang



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	1822.80	53.40	-12.89	40.51	68.20	27.69	Peak
2	3878.70	55.03	-5.52	49.51	74.00	24.49	Peak

Project No.: 2402Z106133E-RF
Polarization: Horizontal
Test Mode: Transmitting
Note: 802.11be80_U-NII-3 middle channel 5775MHz
Peak: RBW:1MHz, VBW:3MHz Ave: RBW:1MHz, VBW:5kHz


Serial No.: 2U0Q-2
Tester: Nat Zhou



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	11550.00	48.74	4.08	52.82	74.00	21.18	Peak
2	17325.00	49.64	7.26	56.90	68.20	11.30	Peak
3	17988.50	48.84	11.43	60.27	74.00	13.73	Peak
4	17988.50	36.56	11.43	47.99	54.00	6.01	Average

Project No.: 2402Z106133E-RF
Polarization: Vertical
Test Mode: Transmitting
Note: 802.11be80_U-NII-3 middle channel 5775MHz
Peak: RBW:1MHz, VBW:3MHz Ave: RBW:1MHz, VBW:5kHz





Serial No.: 2U0Q-2
Tester: Nat Zhou



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	11550.00	48.15	4.08	52.23	74.00	21.77	Peak
2	17325.00	49.00	7.26	56.26	68.20	11.94	Peak
3	17988.50	48.27	11.43	59.70	74.00	14.30	Peak
4	17988.50	36.44	11.43	47.87	54.00	6.13	Average


18-40GHz:

No Emission was detected in the range 18-40GHz, test was performed on the mode and channel which with the maximum power.

802.11 ac vht80 mode, Middle Channel, Horizontal**802.11 ac vht80 mode, Middle Channel, Vertical**

Bandedge:5150-5250 MHz: Chain 0**802.11a mode, Low Channel, Bandedge, Horizontal**


Project No.: 2402Z106133E-RF Serial No.: 2U0Q-2
Polarization: Horizontal Tester: Leo Xiao
Test Mode: Transmitting
Note: 802.11a-U-NII-1 low channel 5180MHz Chain0
Peak:RBW:1MHz,VBW:3MHz Ave:RBW:1MHz,VBW:5kHz



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	5150.00	50.67	6.53	57.20	74.00	16.80	Peak
2	5150.00	39.75	6.53	46.28	54.00	7.72	Average

802.11a mode, Low Channel, Bandedge, Vertical


Project No.: 2402Z106133E-RF Serial No.: 2U0Q-2
Polarization: Vertical Tester: Leo Xiao
Test Mode: Transmitting
Note: 802.11a-U-NII-1 low channel 5180MHz Chain0
Peak:RBW:1MHz,VBW:3MHz Ave:RBW:1MHz,VBW:5kHz



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	5150.00	59.23	6.53	65.76	74.00	8.24	Peak
2	5150.00	42.13	6.53	48.66	54.00	5.34	Average

802.11a mode, High Channel, Bandedge, Horizontal


Project No.: 2402Z106133E-RF Serial No.: 2U0Q-2
Polarization: Horizontal Tester: Leo Xiao
Test Mode: Transmitting
Note: 802.11a-U-NII-1 high channel 5240MHz Chain0
Peak:RBW:1MHz,VBW:3MHz Ave:RBW:1MHz,VBW:5kHz



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	5350.00	50.53	7.10	57.63	74.00	16.37	Peak
2	5350.00	39.11	7.10	46.21	54.00	7.79	Average

802.11a mode, High Channel, Bandedge, Vertical


Project No.: 2402Z106133E-RF Serial No.: 2U0Q-2
Polarization: Vertical Tester: Leo Xiao
Test Mode: Transmitting
Note: 802.11a-U-NII-1 high channel 5240MHz Chain0
Peak:RBW:1MHz,VBW:3MHz Ave:RBW:1MHz,VBW:5kHz




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	5350.00	49.82	7.10	56.92	74.00	17.08	Peak
2	5350.00	39.37	7.10	46.47	54.00	7.53	Average

Chain 1


802.11a mode, Low Channel, Bandedge, Horizontal




802.11a mode, Low Channel, Bandedge, Vertical



802.11a mode, High Channel, Bandedge, Horizontal



802.11a mode, High Channel, Bandedge, Vertical




Chain 2

802.11a mode, Low Channel, Bandedge, Horizontal

Project No.: 2402Z106133E-RF
Polarization: Horizontal
Test Mode: Transmitting
Note: 802.11a_U-NII-1 low channel 5180MHz Chain2
Peak: RBW:1MHz, VBW:3MHz Ave:RBW:1MHz, VBW:5kHz

Serial No.: 2UUQ-2
Tester: Leo Xiao




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	5150.00	50.79	6.53	57.32	74.00	16.68	Peak
2	5150.00	39.21	6.53	45.74	54.00	8.26	Average

802.11a mode, Low Channel, Bandedge, Vertical

Project No.: 2402Z106133E-RF
Polarization: Vertical
Test Mode: Transmitting
Note: 802.11a_U-NII-1 low channel 5180MHz Chain2
Peak: RBW:1MHz, VBW:3MHz Ave:RBW:1MHz, VBW:5kHz

Serial No.: 2UUQ-2
Tester: Leo Xiao




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	5150.00	49.76	6.53	56.29	74.00	17.71	Peak
2	5150.00	39.70	6.53	46.23	54.00	7.77	Average

802.11a mode, High Channel, Bandedge, Horizontal

Project No.: 2402Z106133E-RF
Polarization: Horizontal
Test Mode: Transmitting
Note: 802.11a_U-NII-1 high channel 5240MHz Chain2
Peak: RBW:1MHz, VBW:3MHz Ave:RBW:1MHz, VBW:5kHz

Serial No.: 2UUQ-2
Tester: Leo Xiao




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	5350.00	50.09	7.10	57.19	74.00	16.81	Peak
2	5350.00	39.60	7.10	46.70	54.00	7.30	Average

802.11a mode, High Channel, Bandedge, Vertical

Project No.: 2402Z106133E-RF
Polarization: Vertical
Test Mode: Transmitting
Note: 802.11a_U-NII-1 high channel 5240MHz Chain2
Peak: RBW:1MHz, VBW:3MHz Ave:RBW:1MHz, VBW:5kHz

Serial No.: 2UUQ-2
Tester: Leo Xiao




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	5350.00	49.71	7.10	56.81	74.00	17.19	Peak
2	5350.00	39.35	7.10	46.45	54.00	7.55	Average

Chain 3

802.11a mode, Low Channel, Bandedge, Horizontal

Project No.: 2402Z106133E-RF
Polarization: Horizontal
Test Mode: Transmitting
Note: 802.11a_U-NII-1 low channel 5180MHz Chain3
Peak: RBW:1MHz, VBW:3MHz Ave: RBW:1MHz, VBW:5kHz

Serial No.: 2U0Q-2
Tester: Leo Xiao




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	5150.00	48.68	6.53	55.21	74.00	18.79	Peak
2	5150.00	39.28	6.53	45.81	54.00	8.19	Average

802.11a mode, Low Channel, Bandedge, Vertical

Project No.: 2402Z106133E-RF
Polarization: Vertical
Test Mode: Transmitting
Note: 802.11a_U-NII-1 low channel 5180MHz Chain3
Peak: RBW:1MHz, VBW:3MHz Ave: RBW:1MHz, VBW:5kHz

Serial No.: 2U0Q-2
Tester: Leo Xiao




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	5150.00	50.36	6.53	56.89	74.00	17.11	Peak
2	5150.00	39.23	6.53	45.76	54.00	8.24	Average

802.11a mode, High Channel, Bandedge, Horizontal

Project No.: 2402Z106133E-RF
Polarization: Horizontal
Test Mode: Transmitting
Note: 802.11a_U-NII-1 high channel 5240MHz Chain3
Peak: RBW:1MHz, VBW:3MHz Ave: RBW:1MHz, VBW:5kHz

Serial No.: 2U0Q-2
Tester: Leo Xiao




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	5350.00	49.47	7.10	56.57	74.00	17.43	Peak
2	5350.00	39.37	7.10	46.47	54.00	7.53	Average

802.11a mode, High Channel, Bandedge, Vertical

Project No.: 2402Z106133E-RF
Polarization: Vertical
Test Mode: Transmitting
Note: 802.11a_U-NII-1 high channel 5240MHz Chain3
Peak: RBW:1MHz, VBW:3MHz Ave: RBW:1MHz, VBW:5kHz

Serial No.: 2U0Q-2
Tester: Leo Xiao




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	5350.00	49.73	7.10	56.83	74.00	17.17	Peak
2	5350.00	39.53	7.10	46.63	54.00	7.37	Average

MIMO Mode:

802.11n ht20 mode, Low Channel, Bandedge,
Horizontal

Project No.: 2402Z106133E-RF
Polarization: Horizontal
Test Mode: Transmitting
Note: 802.11n20 U-NII-1 low channel 5180MHz
Peak: RBW:1MHz, VBW:3MHz Ave: RBW:1MHz, VBW:5kHz

Serial No.: 2U0Q-2
Tester: Leo Xiao




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	5150.00	49.54	6.53	56.07	74.00	17.93	Peak
2	5150.00	39.41	6.53	45.94	54.00	8.06	Average

802.11 n ht20 mode, Low Channel, Bandedge,
Vertical

Project No.: 2402Z106133E-RF
Polarization: Vertical
Test Mode: Transmitting
Note: 802.11n20 U-NII-1 low channel 5180MHz
Peak: RBW:1MHz, VBW:3MHz Ave: RBW:1MHz, VBW:5kHz

Serial No.: 2U0Q-2
Tester: Leo Xiao




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	5150.00	49.42	6.53	55.95	74.00	18.05	Peak
2	5150.00	39.47	6.53	46.00	54.00	8.00	Average

802.11 n ht20 mode, High Channel, Bandedge,
Horizontal

Project No.: 2402Z106133E-RF
Polarization: Horizontal
Test Mode: Transmitting
Note: 802.11n20 U-NII-1 high channel 5240MHz
Peak: RBW:1MHz, VBW:3MHz Ave: RBW:1MHz, VBW:5kHz

Serial No.: 2U0Q-2
Tester: Colin Yang




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	5240.00	50.78	7.10	57.88	74.00	16.12	Peak
2	5240.00	38.96	7.10	46.06	54.00	7.94	Average

802.11 n ht20 mode, High Channel, Bandedge,
Vertical

Project No.: 2402Z106133E-RF
Polarization: Vertical
Test Mode: Transmitting
Note: 802.11n20 U-NII-1 high channel 5240MHz
Peak: RBW:1MHz, VBW:3MHz Ave: RBW:1MHz, VBW:5kHz

Serial No.: 2U0Q-2
Tester: Colin Yang




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	5240.00	51.24	7.10	58.34	74.00	15.66	Peak
2	5240.00	39.62	7.10	46.72	54.00	7.28	Average

802.11n ht40 mode, Low Channel, Bandedge,
Horizontal

Project No.: 2402Z106133E-RF
Polarization: Horizontal
Test Mode: Transmitting
Note: 802.11n40 U-NII-1 high channel 5190MHz
Peak: RBW:1MHz, VBW:3MHz Ave: RBW:1MHz, VBW:5kHz

Serial No.: 2U0Q-2
Tester: Colin Yang




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	5142.17	51.54	6.50	58.04	74.00	15.96	Peak
2	5142.17	39.67	6.50	46.17	54.00	7.83	Average
3	5150.00	49.95	6.53	56.48	74.00	17.52	Peak
4	5150.00	39.86	6.53	46.39	54.00	7.61	Average

802.11 n ht40 mode, Low Channel, Bandedge,
Vertical

Project No.: 2402Z106133E-RF
Polarization: Vertical
Test Mode: Transmitting
Note: 802.11n40 U-NII-1 high channel 5190MHz
Peak: RBW:1MHz, VBW:3MHz Ave: RBW:1MHz, VBW:5kHz

Serial No.: 2U0Q-2
Tester: Colin Yang




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	5146.82	52.11	6.52	58.63	74.00	15.37	Peak
2	5146.82	40.01	6.52	46.53	54.00	7.47	Average
3	5150.00	50.57	6.53	57.10	74.00	16.90	Peak
4	5150.00	40.33	6.53	46.86	54.00	7.14	Average

802.11 n ht40 mode, High Channel, Bandedge,
Horizontal

Project No.: 2402Z106133E-RF
Polarization: Horizontal
Test Mode: Transmitting
Note: 802.11n40 U-NII-1 high channel 5230MHz
Peak: RBW:1MHz, VBW:3MHz Ave: RBW:1MHz, VBW:5kHz

Serial No.: 2U0Q-2
Tester: Colin Yang




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	5350.00	51.61	7.10	58.71	74.00	15.29	Peak
2	5350.00	39.30	7.10	46.40	54.00	7.60	Average

802.11 n ht40 mode, High Channel, Bandedge,
Vertical

Project No.: 2402Z106133E-RF
Polarization: Vertical
Test Mode: Transmitting
Note: 802.11n40 U-NII-1 high channel 5230MHz
Peak: RBW:1MHz, VBW:3MHz Ave: RBW:1MHz, VBW:5kHz


Serial No.: 2U0Q-2
Tester: Colin Yang



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	5350.00	49.20	7.10	56.30	74.00	17.70	Peak
2	5350.00	38.49	7.10	45.59	54.00	8.41	Average
3	5357.81	52.30	7.13	59.43	74.00	14.57	Peak
4	5357.81	40.03	7.13	47.16	54.00	6.84	Average

802.11ac80 mode, Middle Channel, Bandedge,
Horizontal


Project No.: 2402Z106133E-RF Serial No.: 2UUQ-2
Polarization: Horizontal Tester: Colin Yang
Test Mode: Transmitting
Note: 802.11ac80 U-NII-1 middle channel 5210MHz
Peak:RBW:1MHz,VBW:3MHz Ave:RBW:1MHz,VBW:5kHz



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	5150.00	51.11	6.53	57.64	74.00	16.36	Peak
2	5150.00	39.62	6.53	46.15	54.00	7.85	Average
3	5350.00	50.55	7.10	57.65	74.00	16.35	Peak
4	5350.00	38.78	7.10	45.88	54.00	8.12	Average

802.11 ac80 mode, Middle Channel, Bandedge,
Vertical


Project No.: 2402Z106133E-RF Serial No.: 2UUQ-2
Polarization: Vertical Tester: Colin Yang
Test Mode: Transmitting
Note: 802.11ac80 U-NII-1 middle channel 5210MHz
Peak:RBW:1MHz,VBW:3MHz Ave:RBW:1MHz,VBW:5kHz



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	5150.00	51.20	6.53	57.73	74.00	16.27	Peak
2	5150.00	39.98	6.53	46.51	54.00	7.49	Average
3	5350.00	51.50	7.10	58.60	74.00	15.40	Peak
4	5350.00	39.71	7.10	46.81	54.00	7.19	Average

802.11be20 mode, Low Channel, Bandedge, Horizontal


Project No.: 2402Z106133E-RF Serial No.: 2U0Q-2
Polarization: Horizontal Tester: Colin Yang
Test Mode: Transmitting
Note: 802.11be20 U-NII-1 low channel 5180MHz
Peak:RBW:1MHz,VBW:3MHz Ave:RBW:1MHz,VBW:5kHz



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	5140.24	56.42	6.48	62.90	74.00	11.10	Peak
2	5140.24	40.36	6.48	46.84	54.00	7.16	Average
3	5150.00	54.99	6.53	61.52	74.00	12.48	Peak
4	5150.00	40.63	6.53	47.16	54.00	6.84	Average

802.11 be20 mode, Low Channel, Bandedge, Vertical


Project No.: 2402Z106133E-RF Serial No.: 2U0Q-2
Polarization: Vertical Tester: Colin Yang
Test Mode: Transmitting
Note: 802.11be20 U-NII-1 low channel 5180MHz
Peak:RBW:1MHz,VBW:3MHz Ave:RBW:1MHz,VBW:5kHz



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	5150.00	64.34	6.53	70.87	74.00	3.13	Peak
2	5150.00	43.36	6.53	49.89	54.00	4.11	Average

802.11 be20 mode, High Channel, Bandedge, Horizontal


Project No.: 2402Z106133E-RF Serial No.: 2U0Q-2
Polarization: Horizontal Tester: Colin Yang
Test Mode: Transmitting
Note: 802.11be20 U-NII-1 high channel 5240MHz
Peak:RBW:1MHz,VBW:3MHz Ave:RBW:1MHz,VBW:5kHz



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	5350.00	50.72	7.10	57.82	74.00	16.18	Peak
2	5350.00	38.98	7.10	46.08	54.00	7.92	Average

802.11 be20 mode, High Channel, Bandedge, Vertical


Project No.: 2402Z106133E-RF Serial No.: 2U0Q-2
Polarization: Vertical Tester: Colin Yang
Test Mode: Transmitting
Note: 802.11be20 U-NII-1 high channel 5240MHz
Peak:RBW:1MHz,VBW:3MHz Ave:RBW:1MHz,VBW:5kHz



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	5350.00	51.96	7.10	59.06	74.00	14.94	Peak
2	5350.00	39.26	7.10	46.36	54.00	7.64	Average

802.11be40 mode, Low Channel, Bandedge, Horizontal


Project No.: 2402Z106133E-RF Serial No.: 2U0Q-2
Polarization: Horizontal Tester: Colin Yang
Test Mode: Transmitting
Note: 802.11be40 U-NII-1 low channel 5190MHz
Peak: RBW:1MHz, VBW:3MHz Ave: RBW:1MHz, VBW:5kHz



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	5150.00	58.67	6.53	65.20	74.00	8.80	Peak
2	5150.00	48.48	6.53	47.01	54.00	6.99	Average

802.11 be40 mode, Low Channel, Bandedge, Vertical


Project No.: 2402Z106133E-RF Serial No.: 2U0Q-2
Polarization: Vertical Tester: Colin Yang
Test Mode: Transmitting
Note: 802.11be40 U-NII-1 low channel 5190MHz
Peak: RBW:1MHz, VBW:3MHz Ave: RBW:1MHz, VBW:5kHz



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	5150.00	65.32	6.53	71.85	74.00	2.15	Peak
2	5150.00	43.11	6.53	49.64	54.00	4.36	Average

802.11 be40 mode, High Channel, Bandedge, Horizontal


Project No.: 2402Z106133E-RF Serial No.: 2U0Q-2
Polarization: Horizontal Tester: Colin Yang
Test Mode: Transmitting
Note: 802.11be40 U-NII-1 high channel 5230MHz
Peak: RBW:1MHz, VBW:3MHz Ave: RBW:1MHz, VBW:5kHz



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	5350.00	51.42	7.10	58.52	74.00	15.48	Peak
2	5350.00	39.78	7.10	46.88	54.00	7.12	Average

802.11 be40 mode, High Channel, Bandedge, Vertical


Project No.: 2402Z106133E-RF Serial No.: 2U0Q-2
Polarization: Vertical Tester: Colin Yang
Test Mode: Transmitting
Note: 802.11be40 U-NII-1 high channel 5230MHz
Peak: RBW:1MHz, VBW:3MHz Ave: RBW:1MHz, VBW:5kHz



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	5350.00	51.10	7.10	58.20	74.00	15.80	Peak
2	5350.00	39.64	7.10	46.74	54.00	7.26	Average

802.11be80 mode, Middle Channel, Bandedge,
Horizontal


Project No.: 2402Z106133E-RF Serial No.: 2UUQ-2
Polarization: Horizontal Tester: Colin Yang
Test Mode: Transmitting
Note: 802.11be80 U-NII-1 middle channel 5210MHz
Peak:RBW:1MHz,VBW:3MHz Ave:RBW:1MHz,VBW:5kHz



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	5150.00	59.32	6.53	65.85	74.00	8.15	Peak
2	5150.00	40.98	6.53	47.51	54.00	6.49	Average
3	5350.00	52.42	7.10	59.52	74.00	14.48	Peak
4	5350.00	39.78	7.10	46.88	54.00	7.12	Average

802.11 be80 mode, Middle Channel, Bandedge,
Vertical


Project No.: 2402Z106133E-RF Serial No.: 2UUQ-2
Polarization: Vertical Tester: Colin Yang
Test Mode: Transmitting
Note: 802.11be80 U-NII-1 middle channel 5210MHz
Peak:RBW:1MHz,VBW:3MHz Ave:RBW:1MHz,VBW:5kHz



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	5150.00	65.18	6.53	71.71	74.00	2.29	Peak
2	5150.00	44.72	6.53	51.25	54.00	2.75	Average
3	5350.00	56.25	7.10	63.35	74.00	10.65	Peak
4	5350.00	39.68	7.10	46.78	54.00	7.22	Average

5250-5350 MHz: Chain 0**802.11a mode, Low Channel, Bandedge, Horizontal**


Project No.: 2402Z106133E-RF Serial No.: 2U0Q-2
Polarization: Horizontal Tester: Nat Zhou
Test Mode: Transmitting
Note: 802.11a_U-NII-2A low channel 5260MHz Chain 0
Peak: RBW:1MHz, VBW:3MHz Ave:RBW:1MHz, VBW:5kHz



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	5150.00	51.85	6.53	58.38	74.00	15.62	Peak
2	5150.00	39.84	6.53	46.37	54.00	7.63	Average

802.11a mode, Low Channel, Bandedge, Vertical


Project No.: 2402Z106133E-RF Serial No.: 2U0Q-2
Polarization: Vertical Tester: Nat Zhou
Test Mode: Transmitting
Note: 802.11a_U-NII-2A low channel 5260MHz Chain 0
Peak: RBW:1MHz, VBW:3MHz Ave:RBW:1MHz, VBW:5kHz



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	5150.00	51.93	6.53	58.46	74.00	15.54	Peak
2	5150.00	40.00	6.53	46.53	54.00	7.47	Average

802.11a mode, High Channel, Bandedge, Horizontal


Project No.: 2402Z106133E-RF Serial No.: 2U0Q-2
Polarization: Horizontal Tester: Nat Zhou
Test Mode: Transmitting
Note: 802.11a_U-NII-2A high channel 5320MHz Chain 0
Peak: RBW:1MHz, VBW:3MHz Ave:RBW:1MHz, VBW:5kHz



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	5350.00	53.74	7.10	60.84	74.00	13.16	Peak
2	5350.00	41.13	7.10	48.23	54.00	5.77	Average

802.11a mode, High Channel, Bandedge, Vertical


Project No.: 2402Z106133E-RF Serial No.: 2U0Q-2
Polarization: Vertical Tester: Nat Zhou
Test Mode: Transmitting
Note: 802.11a_U-NII-2A high channel 5320MHz Chain 0
Peak: RBW:1MHz, VBW:3MHz Ave:RBW:1MHz, VBW:5kHz




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	5350.00	56.17	7.10	63.27	74.00	10.73	Peak
2	5350.00	43.16	7.10	50.26	54.00	3.74	Average

Chain 1


802.11a mode, Low Channel, Bandedge, Horizontal




802.11a mode, Low Channel, Bandedge, Vertical



802.11a mode, High Channel, Bandedge, Horizontal




802.11a mode, High Channel, Bandedge, Vertical




Chain 2


802.11a mode, Low Channel, Bandedge, Horizontal




802.11a mode, Low Channel, Bandedge, Vertical



802.11a mode, High Channel, Bandedge, Horizontal




802.11a mode, High Channel, Bandedge, Vertical



Chain 3

802.11a mode, Low Channel, Bandedge, Horizontal


Project No.: 2402Z106133E-RF Serial No.: 2UUQ-2
Polarization: Horizontal Tester: Nat Zhou
Test Mode: Transmitting
Note: 802.11a_U-NII-2A low channel 5260MHz Chain3
Peak: RBW:1MHz, VBW:3MHz Ave:RBW:1MHz, VBW:5kHz



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	5150.00	52.68	6.53	59.21	74.00	14.79	Peak
2	5150.00	48.45	6.53	46.98	54.00	7.02	Average

802.11a mode, Low Channel, Bandedge, Vertical


Project No.: 2402Z106133E-RF Serial No.: 2UUQ-2
Polarization: Vertical Tester: Nat Zhou
Test Mode: Transmitting
Note: 802.11a_U-NII-2A low channel 5260MHz Chain3
Peak: RBW:1MHz, VBW:3MHz Ave:RBW:1MHz, VBW:5kHz



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	5150.00	51.50	6.53	58.03	74.00	15.97	Peak
2	5150.00	48.14	6.53	46.67	54.00	7.33	Average

802.11a mode, High Channel, Bandedge, Horizontal


Project No.: 2402Z106133E-RF Serial No.: 2UUQ-2
Polarization: Horizontal Tester: Nat Zhou
Test Mode: Transmitting
Note: 802.11a_U-NII-2A high channel 5320MHz Chain3
Peak: RBW:1MHz, VBW:3MHz Ave:RBW:1MHz, VBW:5kHz



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	5350.00	52.46	7.10	59.56	74.00	14.44	Peak
2	5350.00	39.68	7.10	46.78	54.00	7.22	Average

802.11a mode, High Channel, Bandedge, Vertical

Project No.: 2402Z106133E-RF Serial No.: 2UUQ-2
Polarization: Vertical Tester: Nat Zhou
Test Mode: Transmitting
Note: 802.11a_U-NII-2A high channel 5320MHz Chain3
Peak: RBW:1MHz, VBW:3MHz Ave:RBW:1MHz, VBW:5kHz




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	5350.00	55.05	7.10	62.15	74.00	11.85	Peak
2	5350.00	48.34	7.10	47.44	54.00	6.56	Average

MIMO Mode:

802.11n ht20 mode, Low Channel, Bandedge,
Horizontal


Project No.: 2402Z106133E-RF Serial No.: 2U0Q-2
Polarization: Horizontal Tester: Nat Zhou
Test Mode: Transmitting
Note: 802.11n20 U-NII-2A low channel 5260MHz
Peak: RBW:1MHz, VBW:3MHz Ave: RBW:1MHz, VBW:5kHz



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	5150.00	52.35	6.53	58.88	74.00	15.12	Peak
2	5150.00	48.12	6.53	46.65	54.00	7.35	Average

802.11 n ht20 mode, Low Channel, Bandedge,
Vertical


Project No.: 2402Z106133E-RF Serial No.: 2U0Q-2
Polarization: Vertical Tester: Nat Zhou
Test Mode: Transmitting
Note: 802.11n20 U-NII-2A low channel 5260MHz
Peak: RBW:1MHz, VBW:3MHz Ave: RBW:1MHz, VBW:5kHz



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	5150.00	52.87	6.53	59.40	74.00	14.60	Peak
2	5150.00	48.85	6.53	47.38	54.00	6.62	Average

802.11 n ht20 mode, High Channel, Bandedge,
Horizontal


Project No.: 2402Z106133E-RF Serial No.: 2U0Q-2
Polarization: Horizontal Tester: Nat Zhou
Test Mode: Transmitting
Note: 802.11n20 U-NII-2A high channel 5320MHz
Peak: RBW:1MHz, VBW:3MHz Ave: RBW:1MHz, VBW:5kHz







No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	5350.00	52.25	7.10	59.35	74.00	14.65	Peak
2	5350.00	48.24	7.10	47.34	54.00	6.66	Average

802.11 n ht20 mode, High Channel, Bandedge,
Vertical

Project No.: 2402Z106133E-RF Serial No.: 2U0Q-2
Polarization: Vertical Tester: Nat Zhou
Test Mode: Transmitting
Note: 802.11n20 U-NII-2A high channel 5320MHz
Peak: RBW:1MHz, VBW:3MHz Ave: RBW:1MHz, VBW:5kHz




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	5350.00	57.88	7.10	64.98	74.00	9.02	Peak
2	5350.00	48.79	7.10	47.89	54.00	6.11	Average

802.11n ht40 mode, Low Channel, Bandedge,
Horizontal802.11 n ht40 mode, Low Channel, Bandedge,
Vertical802.11 n ht40 mode, High Channel, Bandedge,
Horizontal802.11 n ht40 mode, High Channel, Bandedge,
Vertical

802.11ac80 mode, Middle Channel, Bandedge,
Horizontal

Project No.: 2402Z106133E-RF
Polarization: Horizontal
Test Mode: Transmitting
Note: 802.11ac80 U-NII-2A middle channel 5290MHz
Peak: RBW:1MHz, VBW:3MHz Ave:RBW:1MHz, VBW:5kHz

Serial No.: 20UQ-2
Tester: Nat Zhou




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	5150.00	52.01	6.53	58.54	74.00	15.46	Peak
2	5150.00	40.35	6.53	46.88	54.00	7.12	Average
3	5350.00	52.24	7.10	59.34	74.00	14.66	Peak
4	5350.00	40.87	7.10	47.97	54.00	6.03	Average

802.11 ac80 mode, Middle Channel, Bandedge,
Vertical

Project No.: 2402Z106133E-RF
Polarization: Vertical
Test Mode: Transmitting
Note: 802.11ac80 U-NII-2A middle channel 5290MHz
Peak: RBW:1MHz, VBW:3MHz Ave:RBW:1MHz, VBW:5kHz


Serial No.: 20UQ-2
Tester: Nat Zhou



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	5150.00	52.01	6.53	58.54	74.00	15.46	Peak
2	5150.00	41.03	6.53	47.56	54.00	6.44	Average
3	5350.00	56.49	7.10	63.59	74.00	10.41	Peak
4	5350.00	45.49	7.10	52.59	54.00	1.41	Average

802.11ac160 mode, Middle Channel, Bandedge,
Horizontal


Project No.: 2402Z106133E-RF Serial No.: 2U0Q-2
Polarization: Horizontal Tester: Leo Xiao
Test Mode: Transmitting
Note: 802.11ac160 U-NII-2A middle channel 5250MHz
Peak:RBW:1MHz,VBW:3MHz Ave:RBW:1MHz,VBW:5kHz



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	5150.00	50.41	6.53	56.94	74.00	17.06	Peak
2	5150.00	39.81	6.53	46.34	54.00	7.66	Average
3	5350.00	49.58	7.10	56.68	74.00	17.32	Peak
4	5350.00	39.53	7.10	46.63	54.00	7.37	Average

802.11 ac160 mode, Middle Channel, Bandedge,
Vertical

Project No.: 2402Z106133E-RF Serial No.: 2U0Q-2
Polarization: Vertical Tester: Leo Xiao
Test Mode: Transmitting
Note: 802.11ac160 U-NII-2A middle channel 5250MHz
Peak:RBW:1MHz,VBW:3MHz Ave:RBW:1MHz,VBW:5kHz




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	5143.68	56.37	6.50	62.87	74.00	11.13	Peak
2	5143.68	45.30	6.50	51.80	54.00	2.20	Average
3	5150.00	49.93	6.53	56.46	74.00	17.54	Peak
4	5150.00	40.82	6.53	47.35	54.00	6.65	Average
5	5350.00	50.81	7.10	57.91	74.00	16.09	Peak
6	5350.00	41.78	7.10	48.88	54.00	5.12	Average
7	5384.24	53.89	7.24	61.13	74.00	12.87	Peak
8	5384.24	43.11	7.24	50.35	54.00	3.65	Average

802.11be20 mode, Low Channel, Bandedge, Horizontal

Project No.: 2402Z106133E-RF
Polarization: Horizontal
Test Mode: Transmitting
Note: 802.11be20 U-NII-2A low channel 5260MHz
Peak: RBW:1MHz, VBW:3MHz Ave: RBW:1MHz, VBW:5kHz

Serial No.: 2U0Q-2
Tester: Nat Zhou




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	5150.00	52.25	6.53	58.78	74.00	15.22	Peak
2	5150.00	40.00	6.53	46.53	54.00	7.47	Average

802.11 be20 mode, Low Channel, Bandedge, Vertical

Project No.: 2402Z106133E-RF
Polarization: Vertical
Test Mode: Transmitting
Note: 802.11be20 U-NII-2A low channel 5260MHz
Peak: RBW:1MHz, VBW:3MHz Ave: RBW:1MHz, VBW:5kHz

Serial No.: 2U0Q-2
Tester: Nat Zhou




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	5150.00	51.56	6.53	58.09	74.00	15.91	Peak
2	5150.00	40.62	6.53	47.15	54.00	6.85	Average

802.11 be20 mode, High Channel, Bandedge, Horizontal

Project No.: 2402Z106133E-RF
Polarization: Horizontal
Test Mode: Transmitting
Note: 802.11be20 U-NII-2A high channel 5320MHz
Peak: RBW:1MHz, VBW:3MHz Ave: RBW:1MHz, VBW:5kHz

Serial No.: 2U0Q-2
Tester: Nat Zhou




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	5350.00	56.44	7.10	63.54	74.00	10.46	Peak
2	5350.00	40.42	7.10	47.52	54.00	6.48	Average

802.11 be20 mode, High Channel, Bandedge, Vertical

Project No.: 2402Z106133E-RF
Polarization: Vertical
Test Mode: Transmitting
Note: 802.11be20 U-NII-2A high channel 5320MHz
Peak: RBW:1MHz, VBW:3MHz Ave: RBW:1MHz, VBW:5kHz


Serial No.: 2U0Q-2
Tester: Nat Zhou



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	5350.00	60.35	7.10	67.45	74.00	6.55	Peak
2	5350.00	42.01	7.10	49.11	54.00	4.89	Average

802.11be40 mode, Low Channel, Bandedge, Horizontal


Project No.: 2402Z106133E-RF Serial No.: 2U0Q-2
Polarization: Horizontal Tester: Nat Zhou
Test Mode: Transmitting
Note: 802.11be40 U-NII-2A low channel 5270MHz
Peak: RBW:1MHz, VBW:3MHz Ave: RBW:1MHz, VBW:5kHz



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	5150.00	51.77	6.53	58.30	74.00	15.70	Peak
2	5150.00	39.93	6.53	46.46	54.00	7.54	Average

802.11 be40 mode, Low Channel, Bandedge, Vertical


Project No.: 2402Z106133E-RF Serial No.: 2U0Q-2
Polarization: Vertical Tester: Nat Zhou
Test Mode: Transmitting
Note: 802.11be40 U-NII-2A low channel 5270MHz
Peak: RBW:1MHz, VBW:3MHz Ave: RBW:1MHz, VBW:5kHz



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	5150.00	53.05	6.53	59.58	74.00	14.42	Peak
2	5150.00	41.06	6.53	47.59	54.00	6.41	Average

802.11 be40 mode, High Channel, Bandedge, Horizontal


Project No.: 2402Z106133E-RF Serial No.: 2U0Q-2
Polarization: Horizontal Tester: Nat Zhou
Test Mode: Transmitting
Note: 802.11be40 U-NII-2A high channel 5310MHz
Peak: RBW:1MHz, VBW:3MHz Ave: RBW:1MHz, VBW:5kHz



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	5350.00	57.24	7.10	64.34	74.00	9.66	Peak
2	5350.00	40.24	7.10	47.34	54.00	6.66	Average

802.11 be40 mode, High Channel, Bandedge, Vertical


Project No.: 2402Z106133E-RF Serial No.: 2U0Q-2
Polarization: Vertical Tester: Nat Zhou
Test Mode: Transmitting
Note: 802.11be40 U-NII-2A high channel 5310MHz
Peak: RBW:1MHz, VBW:3MHz Ave: RBW:1MHz, VBW:5kHz



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	5350.00	63.65	7.10	70.75	74.00	3.25	Peak
2	5350.00	43.01	7.10	50.11	54.00	3.89	Average

802.11be80 mode, Middle Channel, Bandedge,
Horizontal


Project No.: 2402Z106133E-RF Serial No.: 2U0Q-2
Polarization: Horizontal Tester: Nat Zhou
Test Mode: Transmitting
Note: 802.11be80_U-NII-2A middle channel 5290MHz
Peak: RBW:1MHz, VBW:3MHz Ave: RBW:1MHz, VBW:5kHz



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	5150.00	52.51	6.53	59.04	74.00	14.96	Peak
2	5150.00	40.35	6.53	46.88	54.00	7.12	Average
3	5350.00	56.80	7.10	63.90	74.00	10.10	Peak
4	5350.00	48.87	7.10	47.97	54.00	6.03	Average

802.11 be80 mode, Middle Channel, Bandedge,
Vertical


Project No.: 2402Z106133E-RF Serial No.: 2U0Q-2
Polarization: Vertical Tester: Nat Zhou
Test Mode: Transmitting
Note: 802.11be80_U-NII-2A middle channel 5290MHz
Peak: RBW:1MHz, VBW:3MHz Ave: RBW:1MHz, VBW:5kHz



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	5150.00	53.36	6.53	59.89	74.00	14.11	Peak
2	5150.00	40.84	6.53	47.37	54.00	6.63	Average
3	5350.00	61.76	7.10	68.86	74.00	5.14	Peak
4	5350.00	43.13	7.10	50.23	54.00	3.77	Average

802.11be160 mode, Middle Channel, Bandedge,
Horizontal


Project No.: 2402Z106133E-RF Serial No.: 2U0Q-2
Polarization: Horizontal Tester: Leo Xiao
Test Mode: Transmitting
Note: 802.11be160_U-NII-2A middle channel 5250MHz
Peak: RBW:1MHz, VBW:3MHz Ave: RBW:1MHz, VBW:5kHz



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	5115.12	52.88	6.36	59.24	74.00	14.76	Peak
2	5115.12	40.74	6.36	47.10	54.00	6.90	Average
3	5150.00	50.64	6.53	57.17	74.00	16.83	Peak
4	5150.00	39.76	6.53	46.29	54.00	7.71	Average
5	5350.00	50.40	7.10	57.50	74.00	16.50	Peak
6	5350.00	39.45	7.10	46.55	54.00	7.45	Average

802.11 be160 mode, Middle Channel, Bandedge,
Vertical

Project No.: 2402Z106133E-RF Serial No.: 2U0Q-2
Polarization: Vertical Tester: Leo Xiao
Test Mode: Transmitting
Note: 802.11be160_U-NII-2A middle channel 5250MHz
Peak: RBW:1MHz, VBW:3MHz Ave: RBW:1MHz, VBW:5kHz




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	5121.36	61.24	6.39	67.63	74.00	6.37	Peak
2	5121.36	45.36	6.39	51.75	54.00	2.25	Average
3	5150.00	55.12	6.53	61.65	74.00	12.35	Peak
4	5150.00	41.69	6.53	48.22	54.00	5.78	Average
5	5350.00	53.48	7.10	60.58	74.00	13.42	Peak
6	5350.00	41.07	7.10	48.17	54.00	5.83	Average
7	5363.36	58.06	7.16	65.22	74.00	8.78	Peak
8	5363.36	41.06	7.16	48.22	54.00	5.78	Average

5470-5725 MHz: Chain 0**802.11a mode, Low Channel, Bandedge, Horizontal**

Project No.: 2402Z106133E-RF
Polarization: Horizontal
Test Mode: Transmitting
Note: 802.11a_U-NII-2C low channel 5500MHz Chain0
Peak: RBW:1MHz, VBW:3MHz Ave: RBW:1MHz, VBW:5kHz

Serial No.: 2UUQ-2
Tester: Leo Xiao




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	5460.00	51.59	7.33	58.92	74.00	15.08	Peak
2	5460.00	40.45	7.33	47.78	54.00	6.22	Average
3	5470.00	53.18	7.34	60.52	68.20	7.68	Peak

802.11a mode, Low Channel, Bandedge, Vertical

Project No.: 2402Z106133E-RF
Polarization: Vertical
Test Mode: Transmitting
Note: 802.11a_U-NII-2C low channel 5500MHz Chain0
Peak: RBW:1MHz, VBW:3MHz Ave: RBW:1MHz, VBW:5kHz

Serial No.: 2UUQ-2
Tester: Leo Xiao




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	5460.00	50.80	7.33	58.13	74.00	15.87	Peak
2	5460.00	40.65	7.33	47.98	54.00	6.02	Average
3	5470.00	55.70	7.34	63.04	68.20	5.16	Peak

802.11a mode, High Channel, Bandedge, Horizontal

Project No.: 2402Z106133E-RF
Polarization: Horizontal
Test Mode: Transmitting
Note: 802.11a_U-NII-2C high channel 5700MHz Chain0
Peak: RBW:1MHz, VBW:3MHz

Serial No.: 2UUQ-2
Tester: Leo Xiao




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	5725.00	52.15	8.03	60.18	68.20	8.02	Peak

802.11a mode, High Channel, Bandedge, Vertical

Project No.: 2402Z106133E-RF
Polarization: Vertical
Test Mode: Transmitting
Note: 802.11a_U-NII-2C high channel 5700MHz Chain0
Peak: RBW:1MHz, VBW:3MHz

Serial No.: 2UUQ-2
Tester: Leo Xiao




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	5725.00	56.79	8.03	64.82	68.20	3.38	Peak
2	5726.82	58.14	8.03	66.17	68.20	2.03	Peak

Chain 1

802.11a mode, Low Channel, Bandedge, Horizontal


Project No.: 2402Z106133E-RF Serial No.: 2U0Q-2
Polarization: Horizontal Tester: Leo Xiao
Test Mode: Transmitting
Note: 802.11a_U-NII-2C low channel 5500MHz Chain1
Peak: RBW:1MHz, VBW:3MHz Ave: RBW:1MHz, VBW:5kHz



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	5460.00	50.53	7.33	57.86	74.00	16.14	Peak
2	5460.00	40.47	7.33	47.80	54.00	6.20	Average
3	5470.00	50.30	7.34	57.64	68.20	10.56	Peak

802.11a mode, Low Channel, Bandedge, Vertical


Project No.: 2402Z106133E-RF Serial No.: 2U0Q-2
Polarization: Vertical Tester: Leo Xiao
Test Mode: Transmitting
Note: 802.11a_U-NII-2C low channel 5500MHz Chain1
Peak: RBW:1MHz, VBW:3MHz Ave: RBW:1MHz, VBW:5kHz



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	5460.00	51.48	7.33	58.81	74.00	15.19	Peak
2	5460.00	40.01	7.33	47.34	54.00	6.66	Average
3	5470.00	51.66	7.34	59.00	68.20	9.20	Peak

802.11a mode, High Channel, Bandedge, Horizontal


Project No.: 2402Z106133E-RF Serial No.: 2U0Q-2
Polarization: Horizontal Tester: Leo Xiao
Test Mode: Transmitting
Note: 802.11a_U-NII-2C high channel 5700MHz Chain1
Peak: RBW:1MHz, VBW:3MHz



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	5725.00	51.06	8.03	59.09	68.20	9.11	Peak

802.11a mode, High Channel, Bandedge, Vertical

Project No.: 2402Z106133E-RF Serial No.: 2U0Q-2
Polarization: Vertical Tester: Leo Xiao
Test Mode: Transmitting
Note: 802.11a_U-NII-2C high channel 5700MHz Chain1
Peak: RBW:1MHz, VBW:3MHz




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	5725.00	52.78	8.03	60.81	68.20	7.39	Peak

Chain 2

802.11a mode, Low Channel, Bandedge, Horizontal

Project No.: 2402Z106133E-RF
Polarization: Horizontal
Test Mode: Transmitting
Note: 802.11a_U-NII-2C low channel 5500MHz Chain2
Peak: RBW:1MHz, VBW:3MHz Ave: RBW:1MHz, VBW:5kHz

Serial No.: 2UJQ-2
Tester: Leo Xiao




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	5460.00	58.59	7.33	57.92	74.00	16.08	Peak
2	5460.00	48.34	7.33	47.67	54.00	6.33	Average
3	5470.00	58.63	7.34	57.97	68.20	10.23	Peak

802.11a mode, Low Channel, Bandedge, Vertical

Project No.: 2402Z106133E-RF
Polarization: Vertical
Test Mode: Transmitting
Note: 802.11a_U-NII-2C low channel 5500MHz Chain2
Peak: RBW:1MHz, VBW:3MHz Ave: RBW:1MHz, VBW:5kHz

Serial No.: 2UJQ-2
Tester: Leo Xiao




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	5460.00	51.15	7.33	58.48	74.00	15.52	Peak
2	5460.00	39.84	7.33	47.17	54.00	6.83	Average
3	5470.00	51.29	7.34	58.63	68.20	9.57	Peak

802.11a mode, High Channel, Bandedge, Horizontal

Project No.: 2402Z106133E-RF
Polarization: Horizontal
Test Mode: Transmitting
Note: 802.11a_U-NII-2C high channel 5700MHz Chain2
Peak: RBW:1MHz, VBW:3MHz

Serial No.: 2UJQ-2
Tester: Leo Xiao




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	5725.00	51.39	8.03	59.42	68.20	8.78	Peak

802.11a mode, High Channel, Bandedge, Vertical

Project No.: 2402Z106133E-RF
Polarization: Vertical
Test Mode: Transmitting
Note: 802.11a_U-NII-2C high channel 5700MHz Chain2
Peak: RBW:1MHz, VBW:3MHz

Serial No.: 2UJQ-2
Tester: Leo Xiao




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	5725.00	52.69	8.03	60.72	68.20	7.48	Peak

Chain 3

802.11a mode, Low Channel, Bandedge, Horizontal


Project No.: 2402Z106133E-RF Serial No.: 2U0Q-2
Polarization: Horizontal Tester: Leo Xiao
Test Mode: Transmitting
Note: 802.11a_U-NII-2C low channel 5500MHz Chain3
Peak: RBW:1MHz, VBW:3MHz Ave:RBW:1MHz,VBW:5kHz



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	5460.00	51.81	7.33	59.14	74.00	14.86	Peak
2	5460.00	40.05	7.33	47.38	54.00	6.62	Average
3	5470.00	51.05	7.34	58.39	68.20	9.81	Peak

802.11a mode, Low Channel, Bandedge, Vertical


Project No.: 2402Z106133E-RF Serial No.: 2U0Q-2
Polarization: Vertical Tester: Leo Xiao
Test Mode: Transmitting
Note: 802.11a_U-NII-2C low channel 5500MHz Chain3
Peak: RBW:1MHz, VBW:3MHz Ave:RBW:1MHz,VBW:5kHz



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	5460.00	52.17	7.33	59.50	74.00	14.50	Peak
2	5460.00	40.47	7.33	47.80	54.00	6.20	Average
3	5470.00	51.01	7.34	58.35	68.20	9.85	Peak

802.11a mode, High Channel, Bandedge, Horizontal


Project No.: 2402Z106133E-RF Serial No.: 2U0Q-2
Polarization: Horizontal Tester: Leo Xiao
Test Mode: Transmitting
Note: 802.11a_U-NII-2C high channel 5700MHz Chain3
Peak: RBW:1MHz, VBW:3MHz



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	5725.00	50.67	8.03	58.70	68.20	9.50	Peak

802.11a mode, High Channel, Bandedge, Vertical

Project No.: 2402Z106133E-RF Serial No.: 2U0Q-2
Polarization: Vertical Tester: Leo Xiao
Test Mode: Transmitting
Note: 802.11a_U-NII-2C high channel 5700MHz Chain3
Peak: RBW:1MHz, VBW:3MHz




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	5725.00	52.23	8.03	60.26	68.20	7.94	Peak

MIMO Mode:

802.11n ht20 mode, Low Channel, Bandedge,
Horizontal

Project No.: 2402Z106133E-RF
Polarization: Horizontal
Test Mode: Transmitting
Note: 802.11n20 U-NII-2C low channel 5500MHz
Peak: RBW:1MHz, VBW:3MHz Ave: RBW:1MHz, VBW:5kHz

Serial No.: 2U0Q-2
Tester: Colin Yang




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	5460.00	51.33	7.33	58.66	74.00	15.34	Peak
2	5460.00	40.33	7.33	47.66	54.00	6.34	Average
3	5470.00	52.30	7.34	59.64	68.20	8.56	Peak

802.11 n ht20 mode, Low Channel, Bandedge,
Vertical

Project No.: 2402Z106133E-RF
Polarization: Vertical
Test Mode: Transmitting
Note: 802.11n20 U-NII-2C low channel 5500MHz
Peak: RBW:1MHz, VBW:3MHz Ave: RBW:1MHz, VBW:5kHz

Serial No.: 2U0Q-2
Tester: Leo Xiao




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	5460.00	52.83	7.33	60.16	74.00	13.84	Peak
2	5460.00	40.90	7.33	48.23	54.00	5.77	Average
3	5470.00	54.44	7.34	61.78	68.20	6.42	Peak

802.11 n ht20 mode, High Channel, Bandedge,
Horizontal

Project No.: 2402Z106133E-RF
Polarization: Horizontal
Test Mode: Transmitting
Note: 802.11n20 U-NII-2C high channel 5700MHz
Peak: RBW:1MHz, VBW:3MHz

Serial No.: 2U0Q-2
Tester: Leo Xiao




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	5725.00	53.60	8.03	61.63	68.20	6.57	Peak

802.11 n ht20 mode, High Channel, Bandedge,
Vertical

Project No.: 2402Z106133E-RF
Polarization: Vertical
Test Mode: Transmitting
Note: 802.11n20 U-NII-2C high channel 5700MHz
Peak: RBW:1MHz, VBW:3MHz

Serial No.: 2U0Q-2
Tester: Leo Xiao




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	5725.00	58.44	8.03	66.47	68.20	1.73	Peak

802.11n ht40 mode, Low Channel, Bandedge,
Horizontal

Project No.: 2402Z106133E-RF
Polarization: Horizontal
Test Mode: Transmitting
Note: 802.11n40_U-NII-2C low channel 5510MHz
Peak: RBW:1MHz, VBW:3MHz Ave:RBW:1MHz, VBW:5kHz

Serial No.: 20UQ-2
Tester: Leo Xiao




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	5460.00	55.06	7.33	62.39	74.00	11.61	Peak
2	5460.00	40.19	7.33	47.52	54.00	6.48	Average
3	5470.00	55.79	7.34	63.13	68.20	5.07	Peak

802.11 n ht40 mode, Low Channel, Bandedge,
Vertical

Project No.: 2402Z106133E-RF
Polarization: Vertical
Test Mode: Transmitting
Note: 802.11n40_U-NII-2C low channel 5510MHz
Peak: RBW:1MHz, VBW:3MHz Ave:RBW:1MHz, VBW:5kHz

Serial No.: 20UQ-2
Tester: Leo Xiao




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	5460.00	58.31	7.33	65.64	74.00	8.36	Peak
2	5460.00	42.00	7.33	49.33	54.00	4.67	Average
3	5470.00	58.47	7.34	65.81	68.20	2.39	Peak

802.11 n ht40 mode, High Channel, Bandedge,
Horizontal

Project No.: 2402Z106133E-RF
Polarization: Horizontal
Test Mode: Transmitting
Note: 802.11n40_U-NII-2C high channel 5670MHz
Peak: RBW:1MHz, VBW:3MHz

Serial No.: 20UQ-2
Tester: Leo Xiao




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	5725.00	54.12	8.03	62.15	68.20	6.05	Peak

802.11 n ht40 mode, High Channel, Bandedge,
Vertical

Project No.: 2402Z106133E-RF
Polarization: Vertical
Test Mode: Transmitting
Note: 802.11n40_U-NII-2C high channel 5670MHz
Peak: RBW:1MHz, VBW:3MHz

Serial No.: 20UQ-2
Tester: Leo Xiao




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	5725.00	58.09	8.03	66.12	68.20	2.08	Peak

802.11ac80 mode, Low Channel, Bandedge, Horizontal

Project No.: 2402Z106133E-RF
Polarization: Horizontal
Test Mode: Transmitting
Note: 802.11ac80_U-NII-2C_low channel 5530MHz
Peak: RBW:1MHz, VBW:3MHz Ave: RBW:1MHz, VBW:5kHz

Serial No.: 2U0Q-2
Tester: Leo Xiao




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	5460.00	52.95	7.33	60.28	74.00	13.72	Peak
2	5460.00	40.66	7.33	47.99	54.00	6.01	Average
3	5470.00	53.98	7.34	61.32	68.20	6.88	Peak

802.11 ac80 mode, Low Channel, Bandedge, Vertical

Project No.: 2402Z106133E-RF
Polarization: Vertical
Test Mode: Transmitting
Note: 802.11ac80_U-NII-2C_low channel 5530MHz
Peak: RBW:1MHz, VBW:3MHz Ave: RBW:1MHz, VBW:5kHz

Serial No.: 2U0Q-2
Tester: Leo Xiao




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	5460.00	54.54	7.33	61.87	74.00	12.13	Peak
2	5460.00	41.62	7.33	48.95	54.00	5.05	Average
3	5470.00	54.58	7.34	61.92	68.20	6.28	Peak

802.11ac80 mode, High Channel, Bandedge, Horizontal

Project No.: 2402Z106133E-RF
Polarization: Horizontal
Test Mode: Transmitting
Note: 802.11ac80_U-NII-2C_high channel 5610MHz
Peak: RBW:1MHz, VBW:3MHz

Serial No.: 2U0Q-2
Tester: Leo Xiao




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	5725.00	53.63	8.03	61.66	68.20	6.54	Peak

802.11 ac80 mode, High Channel, Bandedge, Vertical



Project No.: 2402Z106133E-RF
Polarization: Vertical
Test Mode: Transmitting
Note: 802.11ac80_U-NII-2C_high channel 5610MHz
Peak: RBW:1MHz, VBW:3MHz

Serial No.: 2U0Q-2
Tester: Leo Xiao



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	5725.00	53.75	8.03	61.78	68.20	6.42	Peak


802.11 ac160 mode, Middle Channel, Bandedge,
Vertical



802.11be20 mode, Low Channel, Bandedge, Horizontal

Project No.: 2402Z106133E-RF
Polarization: Horizontal
Test Mode: Transmitting
Note: 802.11be20 U-NII-2C low channel 5500MHz
Peak:RBW:1MHz,VBW:3MHz Ave:RBW:1MHz,VBW:5kHz

Serial No.: 2U0Q-2
Tester: Leo Xiao




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	5460.00	52.88	7.33	60.21	74.00	13.79	Peak
2	5460.00	40.34	7.33	47.67	54.00	6.33	Average
3	5470.00	54.13	7.34	61.47	68.20	6.73	Peak

802.11 be20 mode, Low Channel, Bandedge, Vertical

Project No.: 2402Z106133E-RF
Polarization: Vertical
Test Mode: Transmitting
Note: 802.11be20 U-NII-2C low channel 5500MHz
Peak:RBW:1MHz,VBW:3MHz Ave:RBW:1MHz,VBW:5kHz

Serial No.: 2U0Q-2
Tester: Leo Xiao




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	5460.00	57.01	7.33	64.34	74.00	9.66	Peak
2	5460.00	42.03	7.33	49.36	54.00	4.64	Average
3	5470.00	58.50	7.34	65.84	68.20	2.36	Peak

802.11 be20 mode, High Channel, Bandedge, Horizontal

Project No.: 2402Z106133E-RF
Polarization: Horizontal
Test Mode: Transmitting
Note: 802.11be20 U-NII-2C high channel 5700MHz
Peak:RBW:1MHz,VBW:3MHz

Serial No.: 2U0Q-2
Tester: Leo Xiao




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	5725.00	55.31	8.03	63.34	68.20	4.86	Peak

802.11 be20 mode, High Channel, Bandedge, Vertical

Project No.: 2402Z106133E-RF
Polarization: Vertical
Test Mode: Transmitting
Note: 802.11be20 U-NII-2C high channel 5700MHz
Peak:RBW:1MHz,VBW:3MHz

Serial No.: 2U0Q-2
Tester: Leo Xiao




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	5725.00	57.94	8.03	65.97	68.20	2.23	Peak
2	5734.72	58.17	8.05	66.22	68.20	1.98	Peak

802.11be40 mode, Low Channel, Bandedge, Horizontal

Project No.: 2402Z106133E-RF
Polarization: Horizontal
Test Mode: Transmitting
Note: 802.11be40 U-NII-2C low channel 5510MHz
Peak:RBW:1MHz,VBW:3MHz Ave:RBW:1MHz,VBW:5kHz

Serial No.: 2U0Q-2
Tester: Leo Xiao




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	5460.00	52.88	7.33	60.21	74.00	13.79	Peak
2	5460.00	40.65	7.33	47.98	54.00	6.02	Average
3	5470.00	53.08	7.34	60.42	68.20	7.78	Peak

802.11 be40 mode, Low Channel, Bandedge, Vertical

Project No.: 2402Z106133E-RF
Polarization: Vertical
Test Mode: Transmitting
Note: 802.11be40 U-NII-2C low channel 5510MHz
Peak:RBW:1MHz,VBW:3MHz Ave:RBW:1MHz,VBW:5kHz

Serial No.: 2U0Q-2
Tester: Leo Xiao




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	5460.00	53.62	7.33	60.95	74.00	13.05	Peak
2	5460.00	40.65	7.33	47.98	54.00	6.02	Average
3	5470.00	53.87	7.34	61.21	68.20	6.99	Peak

802.11 be40 mode, High Channel, Bandedge, Horizontal

Project No.: 2402Z106133E-RF
Polarization: Horizontal
Test Mode: Transmitting
Note: 802.11be40 U-NII-2C high channel 5670MHz
Peak:RBW:1MHz,VBW:3MHz

Serial No.: 2U0Q-2
Tester: Colin Yang




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	5725.00	55.08	8.03	63.11	68.20	5.09	Peak

802.11 be40 mode, High Channel, Bandedge, Vertical

Project No.: 2402Z106133E-RF
Polarization: Vertical
Test Mode: Transmitting
Note: 802.11be40 U-NII-2C high channel 5670MHz
Peak:RBW:1MHz,VBW:3MHz

Serial No.: 2U0Q-2
Tester: Colin Yang




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	5725.00	56.75	8.03	64.78	68.20	3.42	Peak

802.11be80 mode, Low Channel, Bandedge, Horizontal

Project No.: 2402Z106133E-RF
Polarization: Horizontal
Test Mode: Transmitting
Note: 802.11be80_U-NII-2C_low channel 5530MHz
Peak: RBW:1MHz, VBW:3MHz Ave: RBW:1MHz, VBW:5kHz

Serial No.: 2U0Q-2
Tester: Leo Xiao




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	5460.00	52.72	7.33	60.05	74.00	13.95	Peak
2	5460.00	39.76	7.33	47.09	54.00	6.91	Average
3	5470.00	53.55	7.34	60.89	68.20	7.31	Peak

802.11 be80 mode, Low Channel, Bandedge, Vertical

Project No.: 2402Z106133E-RF
Polarization: Vertical
Test Mode: Transmitting
Note: 802.11be80_U-NII-2C_low channel 5530MHz
Peak: RBW:1MHz, VBW:3MHz Ave: RBW:1MHz, VBW:5kHz

Serial No.: 2U0Q-2
Tester: Leo Xiao




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	5460.00	56.41	7.33	63.74	74.00	10.26	Peak
2	5460.00	42.84	7.33	50.17	54.00	3.83	Average
3	5470.00	56.67	7.34	64.01	68.20	4.19	Peak

802.11be80 mode, High Channel, Bandedge, Horizontal

Project No.: 2402Z106133E-RF
Polarization: Horizontal
Test Mode: Transmitting
Note: 802.11be80_U-NII-2C_high channel 5610MHz
Peak: RBW:1MHz, VBW:3MHz

Serial No.: 2U0Q-2
Tester: Leo Xiao




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	5725.00	53.20	8.03	61.23	68.20	6.97	Peak

802.11 be80 mode, High Channel, Bandedge, Vertical

Project No.: 2402Z106133E-RF
Polarization: Vertical
Test Mode: Transmitting
Note: 802.11be80_U-NII-2C_high channel 5610MHz
Peak: RBW:1MHz, VBW:3MHz


Serial No.: 2U0Q-2
Tester: Leo Xiao



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	5725.00	55.41	8.03	63.44	68.20	4.76	Peak

802.11be160 mode, Middle Channel, Bandedge,
Horizontal


Project No.: 2402Z106133E-RF Serial No.: 2U0Q-2
Polarization: Horizontal Tester: Colin Yang
Test Mode: Transmitting
Note: 802.11be160_U-NII-2C middle channel 5570MHz
Peak:RBW:1MHz,VBW:3MHz Ave:RBW:1MHz,VBW:5kHz



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	5460.00	53.00	7.33	60.33	74.00	13.67	Peak
2	5460.00	40.12	7.33	47.45	54.00	6.55	Average
3	5470.00	51.80	7.34	59.14	68.20	9.06	Peak
4	5725.00	52.68	8.03	60.71	68.20	7.49	Peak

802.11 be160 mode, Middle Channel, Bandedge,
Vertical


Project No.: 2402Z106133E-RF Serial No.: 2U0Q-2
Polarization: Vertical Tester: Colin Yang
Test Mode: Transmitting
Note: 802.11be160_U-NII-2C middle channel 5570MHz
Peak:RBW:1MHz,VBW:3MHz Ave:RBW:1MHz,VBW:5kHz




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	5449.92	54.39	7.34	61.73	74.00	12.27	Peak
2	5449.92	40.20	7.34	47.54	54.00	6.46	Average
3	5460.00	51.17	7.33	58.50	74.00	15.50	Peak
4	5460.00	40.33	7.33	47.66	54.00	6.34	Average
5	5470.00	52.42	7.34	59.76	68.20	8.44	Peak
6	5725.00	51.31	8.03	59.34	68.20	8.86	Peak
7	5726.16	53.85	8.03	61.88	68.20	6.32	Peak

5725-5850 MHz:Chain 0


802.11a mode, Low Channel, Bandedge, Horizontal




802.11a mode, Low Channel, Bandedge, Vertical



802.11a mode, High Channel, Bandedge, Horizontal




802.11a mode, High Channel, Bandedge, Vertical




Chain 1


802.11a mode, Low Channel, Bandedge, Horizontal




802.11a mode, Low Channel, Bandedge, Vertical



802.11a mode, High Channel, Bandedge, Horizontal




802.11a mode, High Channel, Bandedge, Vertical




Chain 2


802.11a mode, Low Channel, Bandedge, Horizontal




802.11a mode, Low Channel, Bandedge, Vertical



802.11a mode, High Channel, Bandedge, Horizontal




802.11a mode, High Channel, Bandedge, Vertical




Chain 3


802.11a mode, Low Channel, Bandedge, Horizontal




802.11a mode, Low Channel, Bandedge, Vertical



802.11a mode, High Channel, Bandedge, Horizontal



802.11a mode, High Channel, Bandedge, Vertical




MIMO Mode:

802.11n ht20 mode, Low Channel, Bandedge,
Horizontal

Project No.: 2402Z106133E-RF
Polarization: Horizontal
Test Mode: Transmitting
Note: 802.11n20 U-NII-3 low channel 5745MHz
Peak:RBW:1MHz,VBW:3MHz

Serial No.: 2U0Q-2
Tester: Colin Yang




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	5650.00	51.03	7.89	58.92	68.20	9.28	Peak
2	5700.00	59.60	7.98	67.58	105.20	37.62	Peak
3	5720.00	65.14	8.02	73.16	110.80	37.64	Peak
4	5725.00	67.07	8.03	75.10	122.20	47.10	Peak

802.11 n ht20 mode, Low Channel, Bandedge,
Vertical

Project No.: 2402Z106133E-RF
Polarization: Vertical
Test Mode: Transmitting
Note: 802.11n20 U-NII-3 low channel 5745MHz
Peak:RBW:1MHz,VBW:3MHz

Serial No.: 2U0Q-2
Tester: Colin Yang




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	5650.00	51.71	7.89	59.60	68.20	8.60	Peak
2	5700.00	65.00	7.98	72.98	105.20	32.22	Peak
3	5720.00	72.39	8.02	80.41	110.80	30.39	Peak
4	5725.00	75.63	8.03	83.66	122.20	38.54	Peak

802.11 n ht20 mode, High Channel, Bandedge,
Horizontal

Project No.: 2402Z106133E-RF
Polarization: Horizontal
Test Mode: Transmitting
Note: 802.11n20 U-NII-3 high channel 5825MHz
Peak:RBW:1MHz,VBW:3MHz

Serial No.: 2U0Q-2
Tester: Colin Yang




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	5850.00	65.46	8.20	73.66	122.20	48.54	Peak
2	5855.00	65.31	8.21	73.52	110.80	37.28	Peak
3	5875.00	60.00	8.28	68.28	105.20	36.92	Peak
4	5925.00	52.09	8.40	60.49	68.20	7.71	Peak

802.11 n ht20 mode, High Channel, Bandedge,
Vertical

Project No.: 2402Z106133E-RF
Polarization: Vertical
Test Mode: Transmitting
Note: 802.11n20 U-NII-3 high channel 5825MHz
Peak:RBW:1MHz,VBW:3MHz

Serial No.: 2U0Q-2
Tester: Colin Yang




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	5850.00	74.19	8.20	82.39	122.20	39.81	Peak
2	5855.00	71.69	8.21	79.90	110.80	30.90	Peak
3	5875.00	65.89	8.28	74.17	105.20	31.03	Peak
4	5925.00	51.59	8.40	59.99	68.20	8.21	Peak

802.11n ht40 mode, Low Channel, Bandedge,
Horizontal

Project No.: 2402Z106133E-RF
Polarization: Horizontal
Test Mode: Transmitting
Note: 802.11n40 U-NII-3 low channel 5755MHz
Peak:RBW:1MHz,VBW:3MHz

Serial No.: 2U0Q-2
Tester: Colin Yang




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	5650.00	52.27	7.89	60.16	68.20	8.04	Peak
2	5700.00	57.36	7.98	65.34	105.20	39.86	Peak
3	5720.00	64.53	8.02	72.55	110.80	38.25	Peak
4	5725.00	66.07	8.03	74.10	122.20	48.10	Peak

802.11 n ht40 mode, Low Channel, Bandedge,
Vertical

Project No.: 2402Z106133E-RF
Polarization: Vertical
Test Mode: Transmitting
Note: 802.11n40 U-NII-3 low channel 5755MHz
Peak:RBW:1MHz,VBW:3MHz

Serial No.: 2U0Q-2
Tester: Colin Yang




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	5650.00	55.93	7.89	63.82	68.20	4.38	Peak
2	5700.00	63.09	7.98	71.07	105.20	34.13	Peak
3	5720.00	72.07	8.02	80.09	110.80	30.71	Peak
4	5725.00	73.73	8.03	81.76	122.20	40.44	Peak

802.11 n ht40 mode, High Channel, Bandedge,
Horizontal

Project No.: 2402Z106133E-RF
Polarization: Horizontal
Test Mode: Transmitting
Note: 802.11n40 U-NII-3 high channel 5795MHz
Peak:RBW:1MHz,VBW:3MHz

Serial No.: 2U0Q-2
Tester: Colin Yang




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	5850.00	59.22	8.20	67.42	122.20	54.78	Peak
2	5855.00	56.90	8.21	65.11	110.80	45.69	Peak
3	5875.00	56.23	8.28	64.51	105.20	40.69	Peak
4	5925.00	51.32	8.40	59.72	68.20	8.48	Peak

802.11 n ht40 mode, High Channel, Bandedge,
Vertical

Project No.: 2402Z106133E-RF
Polarization: Vertical
Test Mode: Transmitting
Note: 802.11n40 U-NII-3 high channel 5795MHz
Peak:RBW:1MHz,VBW:3MHz

Serial No.: 2U0Q-2
Tester: Colin Yang




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	5850.00	67.19	8.20	75.39	122.20	46.81	Peak
2	5855.00	64.71	8.21	72.92	110.80	37.88	Peak
3	5875.00	66.16	8.28	74.44	105.20	30.76	Peak
4	5925.00	55.93	8.40	64.33	68.20	3.87	Peak

802.11ac80 mode, Middle Channel, Bandedge,
Horizontal

Project No.: 2402Z106133E-RF
Polarization: Horizontal
Test Mode: Transmitting
Note: 802.11ac80 U-NII-3 middle channel 5775MHz
Peak: RBW:1MHz, VBW:3MHz

Serial No.: 2U0Q-2
Tester: Colin Yang




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	5650.00	51.28	7.89	59.17	68.20	9.03	Peak
2	5700.00	51.74	7.98	59.72	105.20	45.48	Peak
3	5720.00	52.29	8.02	60.31	110.80	50.49	Peak
4	5725.00	55.05	8.03	63.08	122.20	59.12	Peak
5	5850.00	53.30	8.20	61.50	122.20	60.70	Peak
6	5855.00	51.90	8.21	60.11	110.80	50.69	Peak
7	5875.00	51.83	8.28	60.11	105.20	45.09	Peak
8	5925.00	51.39	8.40	59.79	68.20	8.41	Peak

802.11 ac80 mode, Middle Channel, Bandedge,
Vertical

Project No.: 2402Z106133E-RF
Polarization: Vertical
Test Mode: Transmitting
Note: 802.11ac80 U-NII-3 middle channel 5775MHz
Peak: RBW:1MHz, VBW:3MHz

Serial No.: 2U0Q-2
Tester: Colin Yang




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	5650.00	51.16	7.89	59.05	68.20	9.15	Peak
2	5700.00	54.42	7.98	62.40	105.20	42.80	Peak
3	5720.00	56.67	8.02	64.69	110.80	46.11	Peak
4	5725.00	59.19	8.03	67.22	122.20	54.98	Peak
5	5850.00	55.35	8.20	63.55	122.20	58.65	Peak
6	5855.00	54.40	8.21	62.61	110.80	48.19	Peak
7	5875.00	51.97	8.28	60.25	105.20	44.95	Peak
8	5925.00	51.57	8.40	59.97	68.20	8.23	Peak

802.11be20 mode, Low Channel, Bandedge, Horizontal

Project No.: 2402Z106133E-RF
Polarization: Horizontal
Test Mode: Transmitting
Note: 802.11be20 U-NII-3 low channel 5745MHz
Peak:RBW:1MHz,VBW:3MHz

Serial No.: 2U0Q-2
Tester: Colin Yang




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	5650.00	52.49	7.89	60.38	68.20	7.82	Peak
2	5700.00	60.88	7.98	68.86	105.20	36.34	Peak
3	5720.00	66.28	8.02	74.30	110.80	36.50	Peak
4	5725.00	69.91	8.03	77.94	122.20	44.26	Peak

802.11 be20 mode, Low Channel, Bandedge, Vertical

Project No.: 2402Z106133E-RF
Polarization: Vertical
Test Mode: Transmitting
Note: 802.11be20 U-NII-3 low channel 5745MHz
Peak:RBW:1MHz,VBW:3MHz

Serial No.: 2U0Q-2
Tester: Colin Yang




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	5650.00	52.54	7.89	60.43	68.20	7.77	Peak
2	5700.00	69.41	7.98	77.39	105.20	27.81	Peak
3	5720.00	75.72	8.02	83.74	110.80	27.06	Peak
4	5725.00	78.21	8.03	86.24	122.20	35.96	Peak

802.11 be20 mode, High Channel, Bandedge, Horizontal

Project No.: 2402Z106133E-RF
Polarization: Horizontal
Test Mode: Transmitting
Note: 802.11be20 U-NII-3 high channel 5825MHz
Peak:RBW:1MHz,VBW:3MHz

Serial No.: 2U0Q-2
Tester: Colin Yang




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	5850.00	66.03	8.20	74.23	122.20	47.97	Peak
2	5855.00	64.11	8.21	72.32	110.80	38.48	Peak
3	5875.00	61.53	8.28	69.81	105.20	35.39	Peak
4	5925.00	52.45	8.40	60.85	68.20	7.35	Peak

802.11 be20 mode, High Channel, Bandedge, Vertical

Project No.: 2402Z106133E-RF
Polarization: Vertical
Test Mode: Transmitting
Note: 802.11be20 U-NII-3 high channel 5825MHz
Peak:RBW:1MHz,VBW:3MHz

Serial No.: 2U0Q-2
Tester: Colin Yang




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	5850.00	75.49	8.20	83.69	122.20	38.51	Peak
2	5855.00	73.34	8.21	81.55	110.80	29.25	Peak
3	5875.00	70.85	8.28	79.13	105.20	26.07	Peak
4	5925.00	53.51	8.40	61.91	68.20	6.29	Peak

802.11be40 mode, Low Channel, Bandedge, Horizontal

Project No.: 2402Z106133E-RF
Polarization: Horizontal
Test Mode: Transmitting
Note: 802.11be40 U-NII-3 low channel 5755MHz
Peak:RBW:1MHz,VBW:3MHz

Serial No.: 2U0Q-2
Tester: Colin Yang




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	5650.00	51.65	7.89	59.54	68.20	8.66	Peak
2	5700.00	56.12	7.98	64.10	105.20	41.10	Peak
3	5720.00	61.86	8.02	69.88	110.80	40.92	Peak
4	5725.00	63.29	8.03	71.32	122.20	50.88	Peak

802.11 be40 mode, Low Channel, Bandedge, Vertical

Project No.: 2402Z106133E-RF
Polarization: Vertical
Test Mode: Transmitting
Note: 802.11be40 U-NII-3 low channel 5755MHz
Peak:RBW:1MHz,VBW:3MHz

Serial No.: 2U0Q-2
Tester: Colin Yang




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	5650.00	55.63	7.89	63.52	68.20	4.68	Peak
2	5700.00	66.32	7.98	74.30	105.20	30.90	Peak
3	5720.00	69.89	8.02	77.91	110.80	32.89	Peak
4	5725.00	70.78	8.03	78.81	122.20	43.39	Peak

802.11 be40 mode, High Channel, Bandedge, Horizontal

Project No.: 2402Z106133E-RF
Polarization: Horizontal
Test Mode: Transmitting
Note: 802.11be40 U-NII-3 high channel 5795MHz
Peak:RBW:1MHz,VBW:3MHz

Serial No.: 2U0Q-2
Tester: Colin Yang




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	5850.00	59.78	8.20	67.98	122.20	54.22	Peak
2	5855.00	59.77	8.21	67.98	110.80	42.82	Peak
3	5875.00	54.44	8.28	62.72	105.20	42.48	Peak
4	5925.00	52.31	8.40	60.71	68.20	7.49	Peak

802.11 be40 mode, High Channel, Bandedge, Vertical

Project No.: 2402Z106133E-RF
Polarization: Vertical
Test Mode: Transmitting
Note: 802.11be40 U-NII-3 high channel 5795MHz
Peak:RBW:1MHz,VBW:3MHz

Serial No.: 2U0Q-2
Tester: Colin Yang




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	5850.00	69.22	8.20	77.42	122.20	44.78	Peak
2	5855.00	67.45	8.21	75.66	110.80	35.14	Peak
3	5875.00	61.68	8.28	69.96	105.20	35.24	Peak
4	5925.00	54.99	8.40	63.39	68.20	4.81	Peak

802.11be80 mode, Middle Channel, Bandedge, Horizontal

Project No.: 2402Z106133E-RF
Polarization: Horizontal
Test Mode: Transmitting
Note: 802.11be80 U-NII-3 middle channel 5775MHz
Peak:RBW:1MHz,VBW:3MHz

Serial No.: 2U0Q-2
Tester: Colin Yang




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	5650.00	51.76	7.89	59.65	68.20	8.55	Peak
2	5700.00	54.35	7.98	62.33	105.20	42.87	Peak
3	5720.00	57.89	8.02	65.91	110.80	44.89	Peak
4	5725.00	58.14	8.03	66.17	122.20	56.03	Peak
5	5850.00	53.85	8.20	62.05	122.20	60.15	Peak
6	5855.00	53.49	8.21	61.70	110.80	49.10	Peak
7	5875.00	52.84	8.28	61.12	105.20	44.08	Peak
8	5925.00	52.38	8.40	60.78	68.20	7.42	Peak

802.11 be80 mode, Middle Channel, Bandedge, Vertical

Project No.: 2402Z106133E-RF
Polarization: Vertical
Test Mode: Transmitting
Note: 802.11be80 U-NII-3 middle channel 5775MHz
Peak:RBW:1MHz,VBW:3MHz


Serial No.: 2U0Q-2
Tester: Colin Yang



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	5650.00	55.45	7.89	63.34	68.20	4.86	Peak
2	5700.00	60.19	7.98	68.17	105.20	37.03	Peak
3	5720.00	63.73	8.02	71.75	110.80	39.05	Peak
4	5725.00	64.39	8.03	72.42	122.20	49.78	Peak
5	5850.00	62.84	8.20	71.04	122.20	51.16	Peak
6	5855.00	59.47	8.21	67.68	110.80	43.12	Peak
7	5875.00	58.66	8.28	66.94	105.20	38.26	Peak
8	5925.00	51.81	8.40	60.21	68.20	7.99	Peak


5G Wifi is transmitted simultaneously with 6G Wifi:

1-18GHz:



Horizontal


Project No.: 2402Z106133E-RF Serial No.: 2UJQ-2
Polarization: Horizontal Tester: Ted Wang
Test Mode: Transmitting
Note: 802.11a_U-NII-3 middle channel 5785MHz; 802.11be80_U-NII 7 low Channel 6625MHz
Peak: RBW:1MHz, VBW:30Hz Ave:RBW:1MHz, VBW:50Hz



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	13250.00	50.50	5.19	55.69	74.00	18.31	Peak
2	13250.00	41.23	5.19	46.42	54.00	7.58	Average
3	17970.00	47.28	11.15	58.43	74.00	15.57	Peak
4	17970.00	35.43	11.15	46.58	54.00	7.42	Average

Vertical


Project No.: 2402Z106133E-RF Serial No.: 2UJQ-2
Polarization: Vertical Tester: Ted Wang
Test Mode: Transmitting
Note: 802.11a_U-NII-3 middle channel 5785MHz; 802.11be80_U-NII 7 low Channel 6625MHz
Peak: RBW:1MHz, VBW:30Hz Ave:RBW:1MHz, VBW:50Hz






No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	13250.00	54.85	5.19	60.04	74.00	13.96	Peak
2	13250.00	42.82	5.19	48.01	54.00	5.99	Average
3	17962.00	47.65	11.09	58.74	74.00	15.26	Peak
4	17962.00	35.78	11.09	46.87	54.00	7.13	Average

18-40GHz:

Horizontal



Vertical



5.3 26dB attenuated below the channel power

Serial No.:	2UUQ-1	Test Date:	2024/12/23~2025/01/07
Test Site:	RF	Test Mode:	Transmitting
Tester:	Jojo Zhou	Test Result:	Pass

Environmental Conditions:

Temperature: (°C):	24.1~25.4	Relative Humidity: (%)	40~45	ATM Pressure: (kPa)	101.2~102.8
-------------------------------	-----------	---------------------------------------	-------	--------------------------------	-------------

Test Equipment List and Details:

Manufacturer	Description	Model	Serial Number	Calibration Date	Calibration Due Date
Eastsheep	Coaxial Attenuator	5W-N-JK-6G-10dB	F-08-EM503	2024/06/07	2025/06/06
R&S	Spectrum Analyzer	FSV40	101461	2024/09/05	2025/09/04


** Statement of Traceability: Bay Area Compliance Laboratories Corp. (Dongguan) attests that all calibrations have been performed, traceable to National Primary Standards and International System of Units (SI).*

Test Data:

The channel power please refer to the power test result. Please refer to the following plots.


5150-5250MHz

802.11a_5180MHz_Chain 0




ProjectNo.:2402Z106133E-RF Tester:Jojo Zhou
Date: 4.JAN.2025 13:28:27

802.11a_5200MHz_Chain 0




ProjectNo.:2402Z106133E-RF Tester:Jojo Zhou
Date: 4.JAN.2025 13:30:50

802.11a_5240MHz_Chain 0




ProjectNo.:2402Z106133E-RF Tester:Jojo Zhou
Date: 4.JAN.2025 13:33:36

802.11a_5180MHz_Chain 1




ProjectNo.:2402Z106133E-RF Tester:Jojo Zhou
Date: 7.JAN.2025 09:44:37

802.11a_5200MHz_Chain 1




ProjectNo.:2402Z106133E-RF Tester:Jojo Zhou
Date: 7.JAN.2025 09:47:17

802.11a_5240MHz_Chain 1




ProjectNo.:2402Z106133E-RF Tester:Jojo Zhou
Date: 7.JAN.2025 09:49:38

802.11a_5180MHz_Chain 2




ProjectNo.:2402Z106133E-RF Tester:Jojo Zhou
Date: 7.JAN.2025 10:14:31

802.11a_5200MHz_Chain 2




ProjectNo.:2402Z106133E-RF Tester:Jojo Zhou
Date: 7.JAN.2025 10:17:48

802.11a_5240MHz_Chain 2




ProjectNo.:2402Z106133E-RF Tester:Jojo Zhou
Date: 7.JAN.2025 10:20:05

802.11a_5180MHz_Chain 3




ProjectNo.:2402Z106133E-RF Tester:Jojo Zhou
Date: 7.JAN.2025 10:25:54

802.11a_5200MHz_Chain 3




ProjectNo.:2402Z106133E-RF Tester:Jojo Zhou
Date: 7.JAN.2025 10:28:57

802.11a_5240MHz_Chain 3




ProjectNo.:2402Z106133E-RF Tester:Jojo Zhou
Date: 7.JAN.2025 10:31:25

802.11n20_5180MHz_Chain 0




ProjectNo.:2402Z106133E-RF Tester:Jojo Zhou
Date: 23.DEC.2024 16:24:33

802.11n20_5200MHz_Chain 0




ProjectNo.:2402Z106133E-RF Tester:Jojo Zhou
Date: 23.DEC.2024 16:25:24

802.11n20_5240MHz_Chain 0




ProjectNo.:2402Z106133E-RF Tester:Jojo Zhou
Date: 23.DEC.2024 16:26:08

802.11n20_5180MHz_Chain 1




ProjectNo.:2402Z106133E-RF Tester:Jojo Zhou
Date: 23.DEC.2024 16:41:20

802.11n20_5200MHz_Chain 1




ProjectNo.:2402Z106133E-RF Tester:Jojo Zhou
Date: 23.DEC.2024 16:42:07

802.11n20_5240MHz_Chain 1




ProjectNo.:2402Z106133E-RF Tester:Jojo Zhou
Date: 23.DEC.2024 16:43:18

802.11n20_5180MHz_Chain 2




ProjectNo.:2402Z106133E-RF Tester:Jojo Zhou
Date: 23.DEC.2024 16:55:43

802.11n20_5200MHz_Chain 2




ProjectNo.:2402Z106133E-RF Tester:Jojo Zhou
Date: 23.DEC.2024 16:58:02

802.11n20_5240MHz_Chain 2




ProjectNo.:2402Z106133E-RF Tester:Jojo Zhou
Date: 23.DEC.2024 16:59:05

802.11n20_5180MHz_Chain 3




ProjectNo.:2402Z106133E-RF Tester:Jojo Zhou
Date: 24.DEC.2024 09:21:37

802.11n20_5200MHz_Chain 3




ProjectNo.:2402Z106133E-RF Tester:Jojo Zhou
Date: 24.DEC.2024 09:22:23

802.11n20_5240MHz_Chain 3




ProjectNo.:2402Z106133E-RF Tester:Jojo Zhou
Date: 24.DEC.2024 09:23:09

802.11n40_5190MHz_Chain 0




ProjectNo.:2402Z106133E-RF Tester:Jojo Zhou
Date: 23.DEC.2024 16:27:10

802.11n40_5230MHz_Chain 0




ProjectNo.:2402Z106133E-RF Tester:Jojo Zhou
Date: 23.DEC.2024 16:28:07

802.11n40_5190MHz_Chain 1




ProjectNo.:2402Z106133E-RF Tester:Jojo Zhou
Date: 23.DEC.2024 16:44:23

802.11n40_5230MHz_Chain 1




ProjectNo.:2402Z106133E-RF Tester:Jojo Zhou
Date: 23.DEC.2024 16:45:03

802.11n40_5190MHz_Chain 2




ProjectNo.:2402Z106133E-RF Tester:Jojo Zhou
Date: 24.DEC.2024 09:06:36

802.11n40_5230MHz_Chain 2




ProjectNo.:2402Z106133E-RF Tester:Jojo Zhou
Date: 24.DEC.2024 09:07:24

802.11n40_5190MHz_Chain 3




ProjectNo.:2402Z106133E-RF Tester:Jojo Zhou
Date: 24.DEC.2024 09:24:29

802.11n40_5230MHz_Chain 3




ProjectNo.:2402Z106133E-RF Tester:Jojo Zhou
Date: 24.DEC.2024 09:30:48

802.11ac80_5210MHz_Chain 0




ProjectNo.:2402Z106133E-RF Tester:Jojo Zhou
Date: 23.DEC.2024 16:30:31

802.11ac80_5210MHz_Chain 1




ProjectNo.:2402Z106133E-RF Tester:Jojo Zhou
Date: 23.DEC.2024 16:45:52

802.11ac80_5210MHz_Chain 2




ProjectNo.:2402Z106133E-RF Tester:Jojo Zhou
Date: 24.DEC.2024 09:08:23

802.11ac80_5210MHz_Chain 3




ProjectNo.:2402Z106133E-RF Tester:Jojo Zhou
Date: 24.DEC.2024 09:31:41

802.11be20_5180MHz_Chain 0




ProjectNo.:2402Z106133E-RF Tester:Jojo Zhou
Date: 23.DEC.2024 16:31:57

802.11be20_5200MHz_Chain 0




ProjectNo.:2402Z106133E-RF Tester:Jojo Zhou
Date: 23.DEC.2024 16:32:21

802.11be20_5240MHz_Chain 0




ProjectNo.:2402Z106133E-RF Tester:Jojo Zhou
Date: 23.DEC.2024 16:33:04

802.11be20_5180MHz_Chain 1




ProjectNo.:2402Z106133E-RF Tester:Jojo Zhou
Date: 23.DEC.2024 16:47:07

802.11be20_5200MHz_Chain 1




ProjectNo.:2402Z106133E-RF Tester:Jojo Zhou
Date: 23.DEC.2024 16:47:55

802.11be20_5240MHz_Chain 1




ProjectNo.:2402Z106133E-RF Tester:Jojo Zhou
Date: 23.DEC.2024 16:48:39

802.11be20_5180MHz_Chain 2




ProjectNo.:2402Z106133E-RF Tester:Jojo Zhou
Date: 24.DEC.2024 09:09:20

802.11be20_5200MHz_Chain 2




ProjectNo.:2402Z106133E-RF Tester:Jojo Zhou
Date: 24.DEC.2024 09:10:04

802.11be20_5240MHz_Chain 2




ProjectNo.:2402Z106133E-RF Tester:Jojo Zhou
Date: 24.DEC.2024 09:11:24

802.11be20_5180MHz_Chain 3




ProjectNo.:2402Z106133E-RF Tester:Jojo Zhou
Date: 24.DEC.2024 09:32:38

802.11be20_5200MHz_Chain 3




ProjectNo.:2402Z106133E-RF Tester:Jojo Zhou
Date: 24.DEC.2024 09:33:22

802.11be20_5240MHz_Chain 3




ProjectNo.:2402Z106133E-RF Tester:Jojo Zhou
Date: 24.DEC.2024 09:34:31

802.11be40_5190MHz_Chain 0




ProjectNo.:2402Z106133E-RF Tester:Jojo Zhou
Date: 23.DEC.2024 16:34:03

802.11be40_5230MHz_Chain 0




ProjectNo.:2402Z106133E-RF Tester:Jojo Zhou
Date: 23.DEC.2024 16:34:49

802.11be40_5190MHz_Chain 1




ProjectNo.:2402Z106133E-RF Tester:Jojo Zhou
Date: 23.DEC.2024 16:49:22

802.11be40_5230MHz_Chain 1




ProjectNo.:2402Z106133E-RF Tester:Jojo Zhou
Date: 23.DEC.2024 16:50:16

802.11be40_5190MHz_Chain 2




ProjectNo.:2402Z106133E-RF Tester:Jojo Zhou
Date: 24.DEC.2024 09:12:52

802.11be40_5230MHz_Chain 2




ProjectNo.:2402Z106133E-RF Tester:Jojo Zhou
Date: 24.DEC.2024 09:13:36

802.11be40_5190MHz_Chain 3




ProjectNo.:2402Z106133E-RF Tester:Jojo Zhou
Date: 24.DEC.2024 09:35:17

802.11be40_5230MHz_Chain 3




ProjectNo.:2402Z106133E-RF Tester:Jojo Zhou
Date: 24.DEC.2024 09:36:05

802.11be80_5210MHz_Chain 0




ProjectNo.:2402Z106133E-RF Tester:Jojo Zhou
Date: 23.DEC.2024 16:35:42

802.11be80_5210MHz_Chain 1




ProjectNo.:2402Z106133E-RF Tester:Jojo Zhou
Date: 23.DEC.2024 16:51:05

802.11be80_5210MHz_Chain 2



ProjectNo.:2402Z106133E-RF Tester:Jojo Zhou
Date: 24.DEC.2024 09:14:48

802.11be80_5210MHz_Chain 3



ProjectNo.:2402Z106133E-RF Tester:Jojo Zhou
Date: 24.DEC.2024 09:36:53

5.4 Emission Bandwidth

Serial No.:	2UUQ-1	Test Date:	2024/12/12~2025/07/02
Test Site:	RF	Test Mode:	Transmitting
Tester:	Jojo Zhou	Test Result:	Pass

Environmental Conditions:

Temperature: (°C):	24.1~26.4	Relative Humidity: (%)	40~54	ATM Pressure: (kPa)	100.9~102.8
-----------------------	-----------	------------------------------	-------	------------------------	-------------

Test Equipment List and Details:

Manufacturer	Description	Model	Serial Number	Calibration Date	Calibration Due Date
Eastsheep	Coaxial Attenuator	5W-N-JK-6G-10dB	F-08-EM503	2024/06/07	2025/06/06
R&S	Spectrum Analyzer	FSV40	101461	2024/09/05	2025/09/04
Eastsheep	Coaxial Attenuator	5W-N-JK-6G-10dB	F-08-EM503	2025/06/07	2026/06/06

* Statement of Traceability: Bay Area Compliance Laboratories Corp. (Dongguan) attests that all calibrations have been performed, traceable to National Primary Standards and International System of Units (SI).

Test Data:

Note: Test only was performed at Chain 0.

26dB Emission Bandwidth
5150-5250MHz

Mode	Antenna	Test Frequency (MHz)	Result (MHz)
802.11a	Chain 0	5180	22.988
		5200	23.212
		5240	23.195
802.11n20	Chain 0	5180	22.241
		5200	22.141
		5240	21.922
802.11n40	Chain 0	5190	44.344
		5230	44.645
802.11ac80	Chain 0	5210	94.094
802.11be20	Chain 0	5180	22.625
		5200	22.739
		5240	22.973
802.11be40	Chain 0	5190	44.745
		5230	44.444
802.11be80	Chain 0	5210	90.290

5250-5350MHz

Mode	Antenna	Test Frequency (MHz)	Result (MHz)
802.11a	Chain 0	5260	23.670
		5280	24.300
		5320	23.330
802.11n20	Chain 0	5260	22.036
		5280	22.146
		5320	22.038
802.11n40	Chain 0	5270	46.446
		5310	46.146
802.11ac80	Chain 0	5290	90.891
802.11ac160	Chain 0	5250	174.174
802.11be20	Chain 0	5260	23.036
		5280	23.366
		5320	23.201
802.11be40	Chain 0	5270	45.345
		5310	44.745
802.11be80	Chain 0	5290	91.491
802.11be160	Chain 0	5250	173.373

5470-5725MHz


Mode	Antenna	Test Frequency (MHz)	Result (MHz)
802.11a	Chain 0	5500	23.113
		5580	23.238
		5700	23.262
		5720	23.521
802.11n20	Chain 0	5500	23.341
		5580	23.125
		5700	23.583
		5720	23.558
802.11n40	Chain 0	5510	46.346
		5550	46.847
		5670	46.346
		5710	46.747
802.11ac80	Chain 0	5530	91.091
		5610	90.290
		5690	87.888
802.11ac160	Chain 0	5570	173.373
802.11be20	Chain 0	5500	22.889
		5580	22.973
		5700	23.138
		5720	23.125
802.11be40	Chain 0	5510	45.846
		5550	44.945
		5670	44.545
		5710	44.545
802.11be80	Chain 0	5530	89.890
		5610	89.289
		5690	88.689
802.11be160	Chain 0	5570	173.373

6dB Emission Bandwidth
5725-5850MHz


Mode	Antenna	Test Frequency (MHz)	Result (MHz)	Limit (MHz)	Verdict
802.11a	Chain 0	5745	16.467	0.5	Pass
		5785	16.416	0.5	Pass
		5825	16.416	0.5	Pass
802.11n20	Chain 0	5745	17.818	0.5	Pass
		5785	17.818	0.5	Pass
		5825	17.818	0.5	Pass
802.11n40	Chain 0	5755	36.637	0.5	Pass
		5795	36.737	0.5	Pass
802.11ac80	Chain 0	5775	76.877	0.5	Pass
802.11be20	Chain 0	5745	19.119	0.5	Pass
		5785	19.069	0.5	Pass
		5825	19.069	0.5	Pass
802.11be40	Chain 0	5755	38.438	0.5	Pass
		5795	38.438	0.5	Pass
802.11be80	Chain 0	5775	78.679	0.5	Pass

5150-5250MHz


802.11a_5180MHz_Chain 0




802.11a_5200MHz_Chain 0




802.11a_5240MHz_Chain 0



802.11n20_5180MHz_Chain 0



802.11n20_5200MHz_Chain 0



802.11n20_5240MHz_Chain 0

