



Order Number
Test Report Number

: GETEC-C1-11-025
: GETEC-E3-11-020

FCC Part 15 subpart C
Page 1 / 2

APPENDIX L

: RF EXPOSURE EVALUATION

EUT Type: Binary CDMA Wireless Headset

FCC ID.: ZABSH-320



RF Exposure Evaluation

1.1 Applicable Standard

According to §15.247(b)(1) and §1.1307(b)(1), systems operating under the provisions of this section shall be operated in a manner that ensures that the public is not exposed to radio frequency energy level in excess of the Commission's guidelines.

According to TCB Exclusions list, no SAR required if power is lower than the flowing threshold:

SH-320

| Frequency Range | | Center frequency (MHz) | 60/f _(GHz) Limitation (mW) |
|---------------------|---------------------|------------------------|---------------------------------------|
| Low Frequency (MHz) | High Frequency(MHz) | | |
| 2 408 | 2 475 | 2 441 | 25 |

Maximum measured transmitter power

| AV Conducted Power (mW) | Max Antenna Gain (dBi) | EIRP (mW) |
|-------------------------|------------------------|-----------|
| 2.24 | 1.0 | 2.82 |

Threshold at which no SAR required is 25 mW.

Maximum Tx power is 2.82 mW EIRP.

Conclusion: No SAR is required.

No Simultaneous transmission occurs.