


LTE band 71, 20MHz Bandwidth, 64QAM (99% BW)



Date: 18.JAN.2020 17:32:44

A.5 EMISSION BANDWIDTH

The emission bandwidth is defined as the width of the signal between two points, one below the carrier center frequency and one above the carrier center frequency, outside of which all emissions are attenuated at least 26 dB below the transmitter power. Table below lists the measured -26dBc BW. Spectrum analyzer plots are included on the following pages.


The measurement method is from ANSI C63.26:

- a) The spectrum analyzer center frequency is set to the nominal EUT channel center frequency. The span range for the spectrum analyzer shall be wide enough to see sufficient roll off of the signal to make the measurement.
- b) The nominal RBW shall be in the range of 1% to 5% of the anticipated OBW, and the VBW shall be set $\geq 3 \times \text{RBW}$.
- c) Set the reference level of the instrument as required to prevent the signal amplitude from exceeding the maximum spectrum analyzer input mixer level for linear operation.
- d) The dynamic range of the spectrum analyzer at the selected RBW shall be more than 10 dB below the target “-X dB” requirement, i.e., if the requirement calls for measuring the -26 dB OBW, the spectrum analyzer noise floor at the selected RBW shall be at least 36 dB below the reference level.
- e) Set spectrum analyzer detection mode to peak, and the trace mode to max hold.

LTE band 2, 1.4MHz (-26dBc)


Frequency(MHz)	Occupied Bandwidth (-26dBc)(kHz)		
1880.0	QPSK	16QAM	64QAM
	1274.04	1306.09	1290.06

LTE band 2, 1.4MHz Bandwidth, QPSK (-26dBc BW)




Date: 14.JAN.2020 03:21:50

LTE band 2, 1.4MHz Bandwidth, 16QAM (-26dBc BW)



Date: 14.JAN.2020 03:23:15

LTE band 2, 1.4MHz Bandwidth, 64QAM (-26dBc BW)




Date: 18.JAN.2020 15:30:04

LTE band 2, 3MHz (-26dBc)


Frequency(MHz)	Occupied Bandwidth (-26dBc)(kHz)		
1880.0	QPSK	16QAM	64QAM
	2900.64	2900.64	2884.62

LTE band 2, 3MHz Bandwidth, QPSK (-26dBc BW)




Date: 14.JAN.2020 03:25:36

LTE band 2, 3MHz Bandwidth, 16QAM (-26dBc BW)



Date: 14.JAN.2020 03:27:02

LTE band 2, 3MHz Bandwidth, 64QAM (-26dBc BW)




Date: 18.JAN.2020 15:31:26

LTE band 2, 5MHz (-26dBc)


Frequency(MHz)	Occupied Bandwidth (-26dBc)(kHz)		
1880.0	QPSK	16QAM	64QAM
	4855.77	4831.73	4855.77

LTE band 2, 5MHz Bandwidth, QPSK (-26dBc BW)




Date: 14.JAN.2020 03:29:17

LTE band 2, 5MHz Bandwidth, 16QAM (-26dBc BW)



Date: 14.JAN.2020 03:30:42

LTE band 2, 5MHz Bandwidth,64QAM (-26dBc BW)




Date: 18.JAN.2020 15:32:36

LTE band 2, 10MHz (-26dBc)


Frequency(MHz)	Occupied Bandwidth (-26dBc)(kHz)		
1880.0	QPSK	16QAM	64QAM
	9663.46	9711.54	9663.46

LTE band 2, 10MHz Bandwidth, QPSK (-26dBc BW)




Date: 14.JAN.2020 03:33:12

LTE band 2, 10MHz Bandwidth, 16QAM (-26dBc BW)



Date: 14.JAN.2020 03:34:38

LTE band 2, 10MHz Bandwidth, 64QAM (-26dBc BW)




Date: 18.JAN.2020 15:35:57

LTE band 2, 15MHz (-26dBc)


Frequency(MHz)	Occupied Bandwidth (-26dBc)(kHz)		
1880.0	QPSK	16QAM	64QAM
	14783.65	14567.31	14711.54

LTE band 2, 15MHz Bandwidth, QPSK (-26dBc BW)




Date: 14.JAN.2020 03:37:02

LTE band 2, 15MHz Bandwidth, 16QAM (-26dBc BW)



Date: 14.JAN.2020 03:38:27

LTE band 2, 15MHz Bandwidth, 64QAM (-26dBc BW)




Date: 18.JAN.2020 15:37:09

LTE band 2, 20MHz (-26dBc)


Frequency(MHz)	Occupied Bandwidth (-26dBc)(kHz)		
	QPSK	16QAM	64QAM
1880.0	19519.23	19230.77	19326.92

LTE band 2, 20MHz Bandwidth, QPSK (-26dBc BW)




Date: 14.JAN.2020 03:40:59

LTE band 2, 20MHz Bandwidth, 16QAM (-26dBc BW)



Date: 14.JAN.2020 03:42:25

LTE band 2, 20MHz Bandwidth, 64QAM (-26dBc BW)




Date: 18.JAN.2020 15:38:24

LTE band 5, 1.4MHz (-26dBc)


Frequency(MHz)	Occupied Bandwidth (-26dBc)(kHz)		
836.5	QPSK	16QAM	64QAM
	1274.04	1290.06	1306.09

LTE band 5, 1.4MHz Bandwidth, QPSK (-26dBc BW)




Date: 14.JAN.2020 03:44:50

LTE band 5, 1.4MHz Bandwidth, 16QAM (-26dBc BW)



Date: 14.JAN.2020 03:46:15

LTE band 5, 1.4MHz Bandwidth, 64QAM (-26dBc BW)




Date: 18.JAN.2020 15:42:39

LTE band 5, 3MHz (-26dBc)


Frequency(MHz)	Occupied Bandwidth (-26dBc)(kHz)		
836.5	QPSK	16QAM	64QAM
	2884.62	2900.64	2852.56

LTE band 5, 3MHz Bandwidth, QPSK (-26dBc BW)




Date: 14.JAN.2020 03:48:37

LTE band 5, 3MHz Bandwidth, 16QAM (-26dBc BW)



Date: 14.JAN.2020 03:50:02

LTE band 5, 3MHz Bandwidth, 64QAM (-26dBc BW)




Date: 18.JAN.2020 15:43:49

LTE band 5, 5MHz (-26dBc)


Frequency(MHz)	Occupied Bandwidth (-26dBc)(kHz)		
836.5	QPSK	16QAM	64QAM
	4855.77	4855.77	4855.77

LTE band 5, 5MHz Bandwidth, QPSK (-26dBc BW)




Date: 14.JAN.2020 03:52:24

LTE band 5, 5MHz Bandwidth, 16QAM (-26dBc BW)



Date: 14.JAN.2020 03:53:49

LTE band 5, 5MHz Bandwidth,64QAM (-26dBc BW)




Date: 18.JAN.2020 15:44:57

LTE band 5, 10MHz (-26dBc)


Frequency(MHz)	Occupied Bandwidth (-26dBc)(kHz)		
836.5	QPSK	16QAM	64QAM
	9663.46	9663.46	9615.38

LTE band 5, 10MHz Bandwidth, QPSK (-26dBc BW)




Date: 14.JAN.2020 03:56:11

LTE band 5, 10MHz Bandwidth, 16QAM (-26dBc BW)



Date: 14.JAN.2020 03:57:36

LTE band 5, 10MHz Bandwidth, 64QAM (-26dBc BW)




Date: 18.JAN.2020 15:46:09

LTE band 7, 5MHz (-26dBc)


Frequency (MHz)	Occupied Bandwidth (-26dBc) (kHz)		
2535.0	QPSK	16QAM	64QAM
	4855.77	4807.69	4831.73

LTE band 7, 5MHz Bandwidth, QPSK (-26dBc BW)




Date: 14.JAN.2020 04:00:01

LTE band 7, 5MHz Bandwidth, 16QAM (-26dBc BW)



Date: 14.JAN.2020 04:01:27

LTE band 7, 5MHz Bandwidth,64QAM (-26dBc BW)




Date: 18.JAN.2020 15:49:06

LTE band 7, 10MHz (-26dBc)


Frequency (MHz)	Occupied Bandwidth (-26dBc) (kHz)		
2535.0	QPSK	16QAM	64QAM
	9615.38	9663.46	9615.38

LTE band 7, 10MHz Bandwidth, QPSK (-26dBc BW)




Date: 14.JAN.2020 04:03:59

LTE band 7, 10MHz Bandwidth, 16QAM (-26dBc BW)



Date: 14.JAN.2020 04:05:25

LTE band 7, 10MHz Bandwidth, 64QAM (-26dBc BW)




Date: 18.JAN.2020 15:50:15

LTE band 7, 15MHz (-26dBc)


Frequency (MHz)	Occupied Bandwidth (-26dBc) (kHz)		
2535.0	QPSK	16QAM	64QAM
	14567.31	14567.31	14639.42

LTE band 7, 15MHz Bandwidth, QPSK (-26dBc BW)




Date: 14.JAN.2020 04:08:08

LTE band 7, 15MHz Bandwidth, 16QAM (-26dBc BW)



Date: 14.JAN.2020 04:09:34

LTE band 7, 15MHz Bandwidth, 64QAM (-26dBc BW)




Date: 18.JAN.2020 15:51:25

LTE band 7, 20MHz (-26dBc)


Frequency (MHz)	Occupied Bandwidth (-26dBc) (kHz)		
2535.0	QPSK	16QAM	64QAM
	19134.62	19134.62	19326.92

LTE band 7, 20MHz Bandwidth, QPSK (-26dBc BW)




Date: 14.JAN.2020 04:12:24

LTE band 7, 20MHz Bandwidth, 16QAM (-26dBc BW)



Date: 14.JAN.2020 04:13:49

LTE band 7, 20MHz Bandwidth, 64QAM (-26dBc BW)




Date: 18.JAN.2020 15:52:40

LTE band 12, 1.4MHz (-26dBc)


Frequency (MHz)	Occupied Bandwidth (-26dBc) (kHz)		
707.5	QPSK	16QAM	64QAM
	1298.08	1298.08	1290.06

LTE band 12, 1.4MHz Bandwidth, QPSK (-26dBc BW)




Date: 14.JAN.2020 04:16:05

LTE band 12, 1.4MHz Bandwidth, 16QAM (-26dBc BW)



Date: 14.JAN.2020 04:17:30

LTE band 12, 1.4MHz Bandwidth, 64QAM (-26dBc BW)




Date: 18.JAN.2020 15:56:13

LTE band 12, 3MHz (-26dBc)


Frequency (MHz)	Occupied Bandwidth (-26dBc) (kHz)		
707.5	QPSK	16QAM	64QAM
	2884.62	2900.64	2884.62

LTE band 12, 3MHz Bandwidth, QPSK (-26dBc BW)




Date: 14.JAN.2020 04:19:52

LTE band 12, 3MHz Bandwidth, 16QAM (-26dBc BW)



Date: 14.JAN.2020 04:21:17

LTE band 12, 3MHz Bandwidth, 64QAM (-26dBc BW)




Date: 18.JAN.2020 15:59:15

LTE band 12, 5MHz (-26dBc)


Frequency (MHz)	Occupied Bandwidth (-26dBc) (kHz)		
707.5	QPSK	16QAM	64QAM
	5072.12	4975.96	5024.04

LTE band 12, 5MHz Bandwidth, QPSK (-26dBc BW)




Date: 14.JAN.2020 04:23:39

LTE band 12, 5MHz Bandwidth, 16QAM (-26dBc BW)



Date: 14.JAN.2020 04:25:04

LTE band 12, 5MHz Bandwidth,64QAM (-26dBc BW)




Date: 18.JAN.2020 16:00:31

LTE band 12, 10MHz (-26dBc)


Frequency (MHz)	Occupied Bandwidth (-26dBc) (kHz)		
707.5	QPSK	16QAM	64QAM
	10000.00	10000.00	9855.77

LTE band 12, 10MHz Bandwidth, QPSK (-26dBc BW)




Date: 14.JAN.2020 04:27:26

LTE band 12, 10MHz Bandwidth, 16QAM (-26dBc BW)



Date: 14.JAN.2020 04:28:52

LTE band 12, 10MHz Bandwidth, 64QAM (-26dBc BW)




Date: 18.JAN.2020 16:01:42

LTE band 13, 5MHz (-26dBc)


Frequency (MHz)	Occupied Bandwidth (-26dBc) (kHz)		
782.0	QPSK	16QAM	64QAM
	4855.77	4807.69	4807.69

LTE band 13, 5MHz Bandwidth, QPSK (-26dBc BW)




Date: 14.JAN.2020 04:31:12

LTE band 13, 5MHz Bandwidth, 16QAM (-26dBc BW)



Date: 14.JAN.2020 04:32:38

LTE band 13, 5MHz Bandwidth,64QAM (-26dBc BW)




Date: 18.JAN.2020 16:05:24

LTE band 13, 10MHz (-26dBc)


Frequency (MHz)	Occupied Bandwidth (-26dBc) (kHz)		
782.0	QPSK	16QAM	64QAM
	9615.38	9615.38	9567.31

LTE band 13, 10MHz Bandwidth, QPSK (-26dBc BW)




Date: 14.JAN.2020 04:34:05

LTE band 13, 10MHz Bandwidth, 16QAM (-26dBc BW)



Date: 14.JAN.2020 04:35:31

LTE band 13, 10MHz Bandwidth, 64QAM (-26dBc BW)




Date: 18.JAN.2020 16:06:37

LTE band 41-HPUE, 5MHz (-26dBc)


Frequency (MHz)	Occupied Bandwidth (-26dBc) (kHz)		
2593.0	QPSK	16QAM	64QAM
	4831.73	4855.77	4807.69

LTE band 41, 5MHz Bandwidth, QPSK (-26dBc BW)




Date: 28.FEB.2020 10:52:11

LTE band 41, 5MHz Bandwidth, 16QAM (-26dBc BW)



Date: 28.FEB.2020 10:45:03

LTE band 41, 5MHz Bandwidth,64QAM (-26dBc BW)




Date: 28.FEB.2020 10:39:17

LTE band 41-HPUE, 10MHz (-26dBc)


Frequency (MHz)	Occupied Bandwidth (-26dBc) (kHz)		
2593.0	QPSK	16QAM	64QAM
	9711.54	9807.69	9615.38

LTE band 41, 10MHz Bandwidth, QPSK (-26dBc BW)




Date: 28.FEB.2020 10:53:36

LTE band 41, 10MHz Bandwidth, 16QAM (-26dBc BW)



Date: 28.FEB.2020 10:46:40

LTE band 41, 10MHz Bandwidth, 64QAM (-26dBc BW)




Date: 28.FEB.2020 10:41:15

LTE band 41-HPUE, 15MHz (-26dBc)


Frequency (MHz)	Occupied Bandwidth (-26dBc) (kHz)		
2593.0	QPSK	16QAM	64QAM
	14567.31	14783.65	14567.31

LTE band 41, 15MHz Bandwidth, QPSK (-26dBc BW)




Date: 28.FEB.2020 10:54:45

LTE band 41, 15MHz Bandwidth, 16QAM (-26dBc BW)



Date: 28.FEB.2020 10:48:26

LTE band 41, 15MHz Bandwidth, 64QAM (-26dBc BW)




Date: 28.FEB.2020 10:42:21

LTE band 41-HPUE, 20MHz (-26dBc)


Frequency (MHz)	Occupied Bandwidth (-26dBc) (kHz)		
2593.0	QPSK	16QAM	64QAM
	19326.92	19230.77	19134.62

LTE band 41, 20MHz Bandwidth, QPSK (-26dBc BW)




Date: 28.FEB.2020 10:55:53

LTE band 41, 20MHz Bandwidth, 16QAM (-26dBc BW)



Date: 28.FEB.2020 10:50:13

LTE band 41, 20MHz Bandwidth, 64QAM (-26dBc BW)




Date: 28.FEB.2020 10:43:23

LTE band 66, 1.4MHz (-26dBc)


Frequency (MHz)	Occupied Bandwidth (-26dBc) (kHz)		
1745.0	QPSK	16QAM	64QAM
	1274.04	1298.08	1290.06

LTE band 66, 1.4MHz Bandwidth, QPSK (-26dBc BW)




Date: 14.JAN.2020 08:44:57

LTE band 66, 1.4MHz Bandwidth, 16QAM (-26dBc BW)



Date: 14.JAN.2020 08:46:21

LTE band 66, 1.4MHz Bandwidth, 64QAM (-26dBc BW)




Date: 18.JAN.2020 17:19:28

LTE band 66, 3MHz (-26dBc)


Frequency (MHz)	Occupied Bandwidth (-26dBc) (kHz)		
1745.0	QPSK	16QAM	64QAM
	2900.64	2900.64	2884.62

LTE band 66, 3MHz Bandwidth, QPSK (-26dBc BW)




Date: 14.JAN.2020 08:48:50

LTE band 66, 3MHz Bandwidth, 16QAM (-26dBc BW)



Date: 14.JAN.2020 08:50:14

LTE band 66, 3MHz Bandwidth, 64QAM (-26dBc BW)




Date: 18.JAN.2020 17:20:37

LTE band 66, 5MHz (-26dBc)


Frequency (MHz)	Occupied Bandwidth (-26dBc) (kHz)		
1745.0	QPSK	16QAM	64QAM
	5048.08	4951.92	5072.12

LTE band 66, 5MHz Bandwidth, QPSK (-26dBc BW)




Date: 14.JAN.2020 08:52:39

LTE band 66, 5MHz Bandwidth, 16QAM (-26dBc BW)



Date: 14.JAN.2020 08:54:03

LTE band 66, 5MHz Bandwidth,64QAM (-26dBc BW)




Date: 18.JAN.2020 17:21:47

LTE band 66, 10MHz (-26dBc)


Frequency (MHz)	Occupied Bandwidth (-26dBc) (kHz)		
1745.0	QPSK	16QAM	64QAM
	9951.92	10000.00	9903.85

LTE band 66, 10MHz Bandwidth, QPSK (-26dBc BW)




Date: 14.JAN.2020 08:56:28

LTE band 66, 10MHz Bandwidth, 16QAM (-26dBc BW)



Date: 14.JAN.2020 08:57:52

LTE band 66, 10MHz Bandwidth, 64QAM (-26dBc BW)




Date: 18.JAN.2020 17:23:00

LTE band 66, 15MHz (-26dBc)


Frequency (MHz)	Occupied Bandwidth (-26dBc) (kHz)		
1745.0	QPSK	16QAM	64QAM
	15144.23	15000.00	15072.12

LTE band 66, 15MHz Bandwidth, QPSK (-26dBc BW)




Date: 14.JAN.2020 09:00:17

LTE band 66, 15MHz Bandwidth, 16QAM (-26dBc BW)



Date: 14.JAN.2020 09:01:41

LTE band 66, 15MHz Bandwidth, 64QAM (-26dBc BW)




Date: 18.JAN.2020 17:24:15

LTE band 66, 20MHz (-26dBc)


Frequency (MHz)	Occupied Bandwidth (-26dBc) (kHz)		
1745.0	QPSK	16QAM	64QAM
	19711.54	19615.38	19519.23

LTE band 66, 20MHz Bandwidth, QPSK (-26dBc BW)




Date: 14.JAN.2020 09:04:08

LTE band 66, 20MHz Bandwidth, 16QAM (-26dBc BW)



Date: 14.JAN.2020 09:05:33

LTE band 66, 20MHz Bandwidth, 64QAM (-26dBc BW)




Date: 18.JAN.2020 17:25:42

LTE band 71, 5MHz (-26dBc)


Frequency (MHz)	Occupied Bandwidth (-26dBc) (kHz)		
680.5	QPSK	16QAM	64QAM
	5096.15	5096.15	5048.08

LTE band 71, 5MHz Bandwidth, QPSK (-26dBc BW)




Date: 14.JAN.2020 09:08:10

LTE band 71, 5MHz Bandwidth, 16QAM (-26dBc BW)



Date: 14.JAN.2020 09:09:34

LTE band 71, 5MHz Bandwidth,64QAM (-26dBc BW)




Date: 18.JAN.2020 17:29:18

LTE band 71, 10MHz (-26dBc)


Frequency (MHz)	Occupied Bandwidth (-26dBc) (kHz)		
680.5	QPSK	16QAM	64QAM
	9903.85	9903.85	9903.85

LTE band 71, 10MHz Bandwidth, QPSK (-26dBc BW)




Date: 14.JAN.2020 09:12:01

LTE band 71, 10MHz Bandwidth, 16QAM (-26dBc BW)



Date: 14.JAN.2020 09:13:26

LTE band 71, 10MHz Bandwidth, 64QAM (-26dBc BW)




Date: 18.JAN.2020 17:30:29

LTE band 71, 15MHz (-26dBc)


Frequency (MHz)	Occupied Bandwidth (-26dBc) (kHz)		
680.5	QPSK	16QAM	64QAM
	14927.88	14783.65	15000.00

LTE band 71, 15MHz Bandwidth, QPSK (-26dBc BW)




Date: 14.JAN.2020 09:15:53

LTE band 71, 15MHz Bandwidth, 16QAM (-26dBc BW)



Date: 14.JAN.2020 09:17:17

LTE band 71, 15MHz Bandwidth, 64QAM (-26dBc BW)




Date: 18.JAN.2020 17:31:42

LTE band 71, 20MHz (-26dBc)


Frequency (MHz)	Occupied Bandwidth (-26dBc) (kHz)		
680.5	QPSK	16QAM	64QAM
	19423.08	19519.23	19711.54

LTE band 71, 20MHz Bandwidth, QPSK (-26dBc BW)




Date: 14.JAN.2020 09:19:44

LTE band 71, 20MHz Bandwidth, 16QAM (-26dBc BW)



Date: 14.JAN.2020 09:21:08

LTE band 71, 20MHz Bandwidth, 64QAM (-26dBc BW)



Date: 18.JAN.2020 17:33:04

A.6 BAND EDGE COMPLIANCE

A.6.1 Measurement limit

Part 22.917, Part 24.238 and Part 27.53(h) specify that the power of any emission outside of the authorized operating frequency ranges must be attenuated below the transmitting power (P) by a factor of at least $43 + 10 \log(P)$ dB.

The specification that emissions shall be attenuated below the transmitter power (P) by at least $43 + 10 \log(P)$ dB, translates in the relevant power range (1 to 0.001 W) to -13 dBm. At 1 W the specified minimum attenuation becomes 43 dB and relative to a 30 dBm (1 W) carrier becomes a limit of -13 dBm. At 0.001 W (0 dBm) the minimum attenuation is 13 dB, which again yields a limit of -13 dBm. In this way a translation of the specification from relative to absolute terms is carried out.

Part 27.53(m)(4) specifies for mobile digital stations, the attenuation factor shall be not less than $40 + 10 \log(P)$ dB on all frequencies between the channel edge and 5 megahertz from the channel edge, $43 + 10 \log(P)$ dB on all frequencies between 5 megahertz and X megahertz from the channel edge, and $55 + 10 \log(P)$ dB on all frequencies more than X megahertz from the channel edge, where X is the greater of 6 megahertz or the actual emission bandwidth as defined in paragraph (m)(6) of this section. In addition, the attenuation factor shall not be less than $43 + 10 \log(P)$ dB on all frequencies between 2490.5 MHz and 2496 MHz and $55 + 10 \log(P)$ dB at or below 2490.5 MHz. Mobile Satellite Service licensees operating on frequencies below 2495 MHz may also submit a documented interference complaint against BRS licensees operating on channel BRS Channel 1 on the same terms and conditions as adjacent channel BRS or EBS licensees.

Part 27.53(c) states for operations in the 746-758 MHz band and the 776-788 MHz band, the power of any emission outside the licensee's frequency band(s) of operation shall be attenuated below the transmitter power (P) within the licensed band(s) of operation, measured in watts, in accordance with the following: (1) On any frequency outside the 746-758 MHz band, the power of any emission shall be attenuated outside the band below the transmitter power (P) by at least $43 + 10 \log(P)$ dB; (2) On any frequency outside the 776-788 MHz band, the power of any emission shall be attenuated outside the band below the transmitter power (P) by at least $43 + 10 \log(P)$ dB; (4) On all frequencies between 763-775 MHz and 793-805 MHz, by a factor not less than $65 + 10 \log(P)$ dB in a 6.25 kHz band segment, for mobile and portable stations.


Part 27.53(g) states for operations in the 600 MHz band and the 698–746 MHz band, the power of any emission outside a licensee's frequency band(s) of operation shall be attenuated below the transmitter power (P) within the licensed band(s) of operation, measured in watts, by at least $43 + 10 \log(P)$ dB. Compliance with this provision is based on the use of measurement instrumentation employing a resolution bandwidth of 100 kilohertz or greater. However, in the 100 kilohertz bands immediately outside and adjacent to a licensee's frequency block, a resolution bandwidth of at least 30 kHz may be employed.

A.6.2 Measurement result

Only the worst case result is given below


LTE band 2

OBW: 1RB-low_offset




Date: 18.FEB.2020 11:38:07

LOW BAND EDGE BLOCK-1RB-low_offset




Date: 18.FEB.2020 11:39:45

OBW: 1RB-high_offset




Date: 18.FEB.2020 11:44:56

HIGH BAND EDGE BLOCK-1RB-high_offset




Date: 18.FEB.2020 11:46:34

LOW BAND EDGE BLOCK-20MHz-100%RB



Date: 18.FEB.2020 11:42:58


HIGH BAND EDGE BLOCK-20MHz-100%RB



Date: 18.FEB.2020 11:48:33


LTE band 5

OBW: 1RB-low_offset




Date: 18.FEB.2020 11:50:33

LOW BAND EDGE BLOCK-1RB-low_offset




Date: 18.FEB.2020 11:52:11

OBW: 1RB-high_offset




Date: 18.FEB.2020 11:56:01

HIGH BAND EDGE BLOCK-1RB-high_offset




Date: 18.FEB.2020 11:57:39

LOW BAND EDGE BLOCK-10MHz-100%RB



Date: 18.FEB.2020 11:54:03


HIGH BAND EDGE BLOCK-10MHz-100%RB



Date: 18.FEB.2020 11:59:38


LTE band 7

OBW: 1RB-low_offset




Date: 18.FEB.2020 10:04:07


LOW BAND EDGE BLOCK-1RB-low_offset



Date: 18.FEB.2020 10:05:52




Date: 18.FEB.2020 10:07:33




Date: 18.FEB.2020 10:07:44

OBW: 1RB-high_offset




Date: 18.FEB.2020 10:12:46


HIGH BAND EDGE BLOCK-1RB-high_offset



Date: 18.FEB.2020 10:14:31




Date: 18.FEB.2020 10:16:15




Date: 18.FEB.2020 10:16:26

LOW BAND EDGE BLOCK-20MHz-100%RB




Date: 18.FEB.2020 10:09:47




Date: 18.FEB.2020 10:11:25

HIGH BAND EDGE BLOCK-20MHz-100%RB




Date: 18.FEB.2020 10:18:21



Date: 18.FEB.2020 10:20:00


LTE band 12

OBW: 1RB-low_offset




Date: 18.FEB.2020 10:29:24

LOW BAND EDGE BLOCK-1RB-low_offset




Date: 18.FEB.2020 10:31:02

OBW: 1RB-high_offset




Date: 18.FEB.2020 10:34:54

HIGH BAND EDGE BLOCK-1RB-high_offset




Date: 18.FEB.2020 10:36:32

LOW BAND EDGE BLOCK-10MHz-100%RB



Date: 18.FEB.2020 10:32:54


HIGH BAND EDGE BLOCK-10MHz-100%RB



Date: 18.FEB.2020 10:38:31


LTE band 13

OBW: 1RB-low_offset




Date: 18.FEB.2020 10:48:30

LOW BAND EDGE BLOCK-1RB-low_offset




Date: 18.FEB.2020 10:50:08




Date: 18.FEB.2020 10:51:45

OBW: 1RB-high_offset




Date: 18.FEB.2020 10:56:33

HIGH BAND EDGE BLOCK-1RB-high_offset




Date: 18.FEB.2020 10:58:11




Date: 18.FEB.2020 10:59:49

LOW BAND EDGE BLOCK-10MHz-100%RB




Date: 18.FEB.2020 10:53:37




Date: 18.FEB.2020 10:55:15

HIGH BAND EDGE BLOCK-10MHz-100%RB




Date: 18.FEB.2020 11:01:40




Date: 18.FEB.2020 11:03:18

LTE band 41-HPUE
OBW: 1RB-low_offset




Date: 18.FEB.2020 12:22:00

LOW BAND EDGE BLOCK-1RB-low_offset




Date: 18.FEB.2020 12:23:45




Date: 18.FEB.2020 12:25:24

OBW: 1RB-high_offset




Date: 18.FEB.2020 12:34:22

HIGH BAND EDGE BLOCK-1RB-high_offset




Date: 18.FEB.2020 12:36:07




Date: 18.FEB.2020 12:37:46

LOW BAND EDGE BLOCK-20MHz-100%RB




Date: 18.FEB.2020 12:29:06




Date: 18.FEB.2020 12:30:45

HIGH BAND EDGE BLOCK-20MHz-100%RB




Date: 18.FEB.2020 12:41:23



Date: 18.FEB.2020 12:43:02


LTE band 66

OBW: 1RB-low_offset




Date: 18.FEB.2020 12:01:05

LOW BAND EDGE BLOCK-1RB-low_offset




Date: 18.FEB.2020 12:02:43

OBW: 1RB-high_offset




Date: 18.FEB.2020 12:06:03

HIGH BAND EDGE BLOCK-1RB-high_offset




Date: 18.FEB.2020 12:07:41

LOW BAND EDGE BLOCK-20MHz-100%RB




Date: 18.FEB.2020 12:04:42

HIGH BAND EDGE BLOCK-20MHz-100%RB




Date: 18.FEB.2020 12:09:40

LTE band 71 OBW: 1RB-low_offset




Date: 28.FEB.2020 13:52:11

LOW BAND EDGE BLOCK-1RB-low_offset




Date: 28.FEB.2020 13:53:49

OBW: 1RB-high_offset




Date: 28.FEB.2020 13:58:07

HIGH BAND EDGE BLOCK-1RB-high_offset




Date: 28.FEB.2020 13:59:45

LOW BAND EDGE BLOCK-20MHz-100%RB



Date: 28.FEB.2020 13:55:49

HIGH BAND EDGE BLOCK-20MHz-100%RB



Date: 28.FEB.2020 14:01:45

A.7 CONDUCTED SPURIOUS EMISSION

A.7.1 Measurement Method

The following steps outline the procedure used to measure the conducted emissions from the EUT.

1. In measuring unwanted emissions, the spectrum shall be investigated from 30 MHz or the lowest radio frequency signal generated in the equipment, whichever is lower, without going below 9 kHz, up to at least the frequency given below:
 - (a) If the equipment operates below 10 GHz: to the tenth harmonic of the highest fundamental frequency or to 40 GHz, whichever is lower.
 - (b) If the equipment operates at or above 10 GHz: to the fifth harmonic of the highest fundamental frequency or to 100 GHz, whichever is lower.
2. Determine EUT transmit frequencies: below outlines the band edge frequencies pertinent to conducted emissions testing.
3. The number of sweep points of spectrum analyzer is set to 30001 which is greater than span/RBW.

A. 7.2 Measurement Limit

Part 22.917, Part 24.238 and Part 27.53(h) specify that the power of any emission outside of the authorized operating frequency ranges must be attenuated below the transmitting power (P) by a factor of at least $43 + 10 \log(P)$ dB.

The specification that emissions shall be attenuated below the transmitter power (P) by at least $43 + 10 \log(P)$ dB, translates in the relevant power range (1 to 0.001 W) to -13 dBm. At 1 W the specified minimum attenuation becomes 43 dB and relative to a 30 dBm (1 W) carrier becomes a limit of -13 dBm. At 0.001 W (0 dBm) the minimum attenuation is 13 dB, which again yields a limit of -13 dBm. In this way a translation of the specification from relative to absolute terms is carried out.

Part 27.53(m)(4) specifies for mobile digital stations, the attenuation factor shall be not less than $40 + 10 \log(P)$ dB on all frequencies between the channel edge and 5 megahertz from the channel edge, $43 + 10 \log(P)$ dB on all frequencies between 5 megahertz and X megahertz from the channel edge, and $55 + 10 \log(P)$ dB on all frequencies more than X megahertz from the channel edge, where X is the greater of 6 megahertz or the actual emission bandwidth as defined in paragraph (m)(6) of this section. In addition, the attenuation factor shall not be less than $43 + 10 \log(P)$ dB on all frequencies between 2490.5 MHz and 2496 MHz and $55 + 10 \log(P)$ dB at or below 2490.5 MHz. Mobile Satellite Service licensees operating on frequencies below 2495 MHz may also submit a documented interference complaint against BRS licensees operating on channel BRS Channel 1 on the same terms and conditions as adjacent channel BRS or EBS licensees.

Part 27.53(c) states for operations in the 746-758 MHz band and the 776-788 MHz band, the power of any emission outside the licensee's frequency band(s) of operation shall be attenuated below the transmitter power (P) within the licensed band(s) of operation, measured in watts, in accordance with the following:(1) On any frequency outside the 746-758 MHz band, the power of any emission shall be attenuated outside the band below the transmitter power (P) by at least $43 +$


10 log (P) dB;(2) On any frequency outside the 776-788 MHz band, the power of any emission shall be attenuated outside the band below the transmitter power (P) by at least $43 + 10 \log (P)$ dB;(4) On all frequencies between 763-775 MHz and 793-805 MHz, by a factor not less than $65 + 10 \log (P)$ dB in a 6.25 kHz band segment, for mobile and portable stations.

Part 27.53(g) states for operations in the 600 MHz band and the 698–746 MHz band, the power of any emission outside a licensee's frequency band(s) of operation shall be attenuated below the transmitter power (P) within the licensed band(s) of operation, measured in watts, by at least $43 + 10 \log (P)$ dB. Compliance with this provision is based on the use of measurement instrumentation employing a resolution bandwidth of 100 kilohertz or greater. However, in the 100 kilohertz bands immediately outside and adjacent to a licensee's frequency block, a resolution bandwidth of at least 30 kHz may be employed.

A. 7.2 Measurement result


Only the worst case result is given below

LTE band 2: 30MHz – 19.1GHz




Date: 18.FEB.2020 13:08:59

LTE band 5: 30MHz – 8.49GHz




Date: 18.FEB.2020 13:10:16

LTE band 7: 30MHz – 25.7GHz




Date: 18.FEB.2020 13:11:54

LTE band 12: 30MHz – 7.16GHz




Date: 18.FEB.2020 13:12:20

LTE band 13: 30MHz – 7.87GHz




Date: 18.FEB.2020 13:12:46

LTE band 13: 1559MHz – 1610MHz




Date: 18.FEB.2020 13:13:18

LTE band 41-HPUE: 30MHz – 26.5GHz




Date: 11.MAR.2020 16:09:07

LTE band 66: 30MHz – 17.8GHz



Date: 18.FEB.2020 13:14:52

LTE band 71: 30MHz – 6.98GHz



Date: 18.FEB.2020 13:16:30

A.8 PEAK-TO-AVERAGE POWER RATIO

The peak-to-average power ratio (PAPR) of the transmitter output power must not exceed 13 dB. The PAPR measurements should be made using either an instrument with complementary cumulative distribution function (CCDF) capabilities to determine that PAPR will not exceed 13 dB for more than 0.1 percent of the time or other Commission approved procedure. The measurement must be performed using a signal corresponding to the highest PAPR expected during periods of continuous transmission.

- Refer to instrument's analyzer instruction manual for details on how to use the power statistics/CCDF function;
- Set resolution/measurement bandwidth $\geq$ signal's occupied bandwidth;
- Set the number of counts to a value that stabilizes the measured CCDF curve;
- Set the measurement interval to 1ms;
- Record the maximum PAPR level associated with a probability of 0.1%.

A.8.1 Measurement limit

not exceed 13 dB

A.8.2 Measurement results

LTE band 2, 20MHz

Frequency(MHz)	PAPR(dB)		
1880.0	QPSK	16QAM	64QAM
	6.86	7.40	7.76

LTE band 7, 20MHz

Frequency (MHz)	PAPR (dB)		
2535.0	QPSK	16QAM	64QAM
	6.86	7.34	7.63

LTE band 12, 10MHz

Frequency (MHz)	PAPR (dB)		
707.5	QPSK	16QAM	64QAM
	5.61	6.51	6.54

LTE band 13, 10MHz

Frequency (MHz)	PAPR (dB)		
782.0	QPSK	16QAM	64QAM
	5.42	6.28	6.63

LTE band 41-HPUE, 20MHz

Frequency (MHz)	PAPR (dB)		
2593.0	QPSK	16QAM	64QAM
	8.17	8.88	8.91




LTE band 66, 20MHz

Frequency (MHz)	PAPR (dB)		
1745.0	QPSK	16QAM	64QAM
	6.54	7.28	7.60

LTE band 71, 20MHz

Frequency (MHz)	PAPR (dB)		
680.5	QPSK	16QAM	64QAM
	6.38	7.15	7.56

ANNEX B: Accreditation Certificate

United States Department of Commerce National Institute of Standards and Technology NVLAP[®] Certificate of Accreditation to ISO/IEC 17025:2005 NVLAP LAB CODE: 600118-0 Telecommunication Technology Labs, CAICT Beijing China <i>is accredited by the National Voluntary Laboratory Accreditation Program for specific services, listed on the Scope of Accreditation, for:</i> Electromagnetic Compatibility & Telecommunications <i>This laboratory is accredited in accordance with the recognized International Standard ISO/IEC 17025:2005. This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system (refer to joint ISO-ILAC-IAF Communique dated January 2009).</i> <table><tr><td> 2019-09-26 through 2020-09-30 Effective Dates </td><td></td><td>  For the National Voluntary Laboratory Accreditation Program </td></tr></table>		2019-09-26 through 2020-09-30 Effective Dates		 For the National Voluntary Laboratory Accreditation Program
2019-09-26 through 2020-09-30 Effective Dates		 For the National Voluntary Laboratory Accreditation Program		

END OF REPORT