



SM-M115M/DS Label:



200%	
SM-M115M/DS FCC ID: ZCASM115M IMEI: 000000/00/000000/0 	LASER 1. Font - SamsungOne 600_3.4 pt 2. 2 SPACE
100%	
SM-M115M/DS FCC ID: ZCASM115M IMEI: 000000/00/000000/0 	
Notes: silkprint&laser: Dimensional tolerance of position: $\pm 0.2\text{ mm}$ Dimensional tolerance of LOGO size: $\pm 0.1\text{ mm}$ Dimensional tolerance of single letter (width and length): $\pm 0.05\text{ mm}$	

SM-M115M Label:



200%	
SM-M115M FCC ID: ZCASM115M IMEI: 000000/00/000000/0 	LASER 1. Font - SamsungOne 600_3.4 pt 2. 2 SPACE
100%	
SM-M115M FCC ID: ZCASM115M IMEI: 000000/00/000000/0 	
Notes: silkprint&laser: Dimensional tolerance of position: $\pm 0.2\text{ mm}$ Dimensional tolerance of LOGO size: $\pm 0.1\text{ mm}$ Dimensional tolerance of single letter (width and length): $\pm 0.05\text{ mm}$	

PCB01




PCB02:




PCB03:




PCB04:



PCB05:



PCB06:



SAMSUNG

ASSEMBLY IN CHINA, ASSEMBLEE EN CHINE
Manufacturer : SCUD Pujan Electronics Co., Ltd.
制造商：飞仕德（福建）电子有限公司
飛士德；飛士德（福建）電子有限公司
中国制中國製造MADE IN CHINA

MH30140
KC Certification number:
XXXXXXXX-XXXXX
AS 공인 인증번호: 1898-3366

c

Secondary Li-ion Battery / 锂离子电池组二次锂电池组
型号(Model) HQ-71S 1ICP6406
标称电压 / 额定电压 / Nominal Voltage : 3.65 V==
额定容量 / 额定电容量 / Rated Capacity : 4900 mAh 18.87 Wh
电池总容量 / Actual Capacity : 5000 mAh 19.25 Wh
充电限制电压 / Charging Limiting Voltage : 4.4 V ==
执行标准 : GB 37474-2014
Warning: Do not disassemble, crush, puncture, heat, IS 16046(Part 2)
burn or reuse. Authorized Service Provider Only. / IEC 62133-2
Avertissement: la démontage, la destruction est interdite,
la combustion ou la réutilisation est interdite.
警告:禁止拆卸、穿刺、加热或重复使用。
请勿置于高温环境中，浸水后禁止使用。
警告：禁止拆卸、穿刺、燃烧或重复使用。
請勿置於高溫環境中，浸水後禁止使用。

RX-XXXXXX
www.bis.gov.in

PC R353993 請回收再製

HF3FM1.9
110817H
T000931

