



No. 24T04Z200327-010

For

Samsung Electronics Co., Ltd.

Multi-band GSM/WCDMA/LTE Tablet with Bluetooth,WLAN

Model Name: SM-X117U

with

Hardware Version: REV1.0

Software Version: X117U.001

FCC ID: ZCASMX117U

Note:

The test results in this test report relate only to the devices specified in this report. This report shall not be reproduced except in full without the written approval of CTTL.

Test Laboratory:

CTTL, Telecommunication Technology Labs, CAICT

No. 52, Huayuan North Road, Haidian District, Beijing, P. R. China 100191.

Tel:+86(0)10-62304633-2512, Fax:+86(0)10-62304633-2504


Email: ctl_terminals@caict.ac.cn, website: www.caict.ac.cn




Picture 1: Constituents of the sample

Test positions for body:


The Body SAR is tested at the following 10 test positions all with the distance =0/13/15/17/18/20/27mm between the EUT and the phantom bottom:




Picture 2: Rear 0mm




Picture 3: Rear 15mm



Picture 4: Rear 18mm



Picture 5: Rear 20mm



Picture 6: Left 0mm




Picture 7: Left 13mm




Picture 8: Right 0mm



Picture 9: Top 0mm




Picture 10: Top 17mm



Picture 11: Top 27mm

Transmit Antenna Separation Distances



Picture 12 Antenna Locations