



No. I23Z70158-SEM01

For

SAMSUNG Electronics Co., Ltd.

Multi-band GSM/WCDMA/LTE/5GNR Tablet with Bluetooth, WLAN

Model Name: SM-X216B

with

Hardware Version: REV1.0

Software Version: X216B.001

FCC ID: ZCASMX216B

Note:

The test results in this test report relate only to the devices specified in this report. This report shall not be reproduced except in full without the written approval of CTTL.


Test Laboratory:

CTTL-Telecommunication Technology Labs, CAICT

No. 52, Huayuan North Road, Haidian District, Beijing, P. R. China 100191.

Tel: +86(0)10-62304633-2512, Fax: +86(0)10-62304633-2504


Email: ctl_terminals@caict.ac.cn, website: www.caict.ac.cn




Picture 1: Constituents of the sample

Test positions for body:


The Body SAR is tested at the following test positions with the distance = 0mm/5mm/10mm/17mm/19mm/20mm/22mm between the EUT and the phantom bottom:




Picture 2 Rear 0mm




Picture 3 Rear 17mm



Picture 4 Rear 20mm




Picture 5 Left 0mm




Picture 6 Left 10mm




Picture 7 Right 0mm




Picture 8 Right 5mm




Picture 9 Top 0mm



Picture 10 Top 17mm



Picture 11 Top 19mm



Picture 12 Top 22mm