



No. 23T04Z70506-01

For

Samsung Electronics Co., Ltd.

Multi-band WCDMA/LTE/5GNR Tablet with Bluetooth, WLAN Model

Name: SM-X218U

with

Hardware Version: REV1.0

Software Version: X218U.001

FCC ID: ZCASMX218U

Note:

The test results in this test report relate only to the devices specified in this report. This report shall not be reproduced except in full without the written approval of CTTL.

Test Laboratory:

CTTL-Telecommunication Technology Labs, CAICT

No. 52, Huayuan North Road, Haidian District, Beijing, P. R. China 100191.

Tel: +86(0)10-62304633-2512, Fax: +86(0)10-62304633-2504


Email: ctl_terminals@caict.ac.cn, website: www.caict.ac.cn




Picture 1: Constituents of the sample

Test positions for body:


The Body SAR is tested at the following test positions with the distance = 0mm/7mm/10mm/24mm/25mm between the EUT and the phantom bottom:




Picture 2 Rear 0mm




Picture 3 Rear 24mm



Picture 4 Rear 25mm




Picture 5 Left 0mm




Picture 6 Left 10mm




Picture 7 Right 0mm




Picture 8 Right 7mm



Picture 9 Top 0mm



Picture 10 Top 24mm



Picture 11 Top 25mm