


Common Information

Project No.: RKSA240319001
Test Mode: Transmitting in 802.11a mode high channel
Standard: FCC Part 15.407 & FCC Part 15.205 & FCC Part 15.209
Test Engineer: Peter Wang

Full Spectrum




Critical Freqs

Frequency (MHz)	MaxPeak (dB μ V/m)	Average (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)	Pol	Corr. (dB/m)
5350.012000	---	43.17	54.00	10.83	H	4.7
5350.012000	52.39	---	74.00	21.61	H	4.7
5368.271000	---	43.29	54.00	10.71	V	4.8
5368.271000	53.15	---	74.00	20.85	V	4.8

802.11ac20 Mode:**Common Information**

Project No.: RKSA240319001
Test Mode: Transmitting in 802.11ac20 mode low channel
Standard: FCC Part 15.407 & FCC Part 15.205 & FCC Part 15.209
Test Engineer: Peter Wang

Full Spectrum


**Critical Freqs**

Frequency (MHz)	MaxPeak (dB µ V/m)	Average (dB µ V/m)	Limit (dB µ V/m)	Margin (dB)	Pol	Corr. (dB/m)
5149.800000	---	51.56	54.00	2.44	H	9.4
5149.800000	60.03	---	74.00	13.97	H	9.4

Common Information

Project No.: RKSA240319001
Test Mode: Transmitting in 802.11ac20 mode high channel
Standard: FCC Part 15.407 & FCC Part 15.205 & FCC Part 15.209
Test Engineer: Peter Wang

Full Spectrum




Critical_Freqs

Frequency (MHz)	MaxPeak (dB µ V/m)	Average (dB µ V/m)	Limit (dB µ V/m)	Margin (dB)	Pol	Corr. (dB/m)
5359.126000	---	42.83	54.00	11.17	H	4.8
5359.126000	52.40	---	74.00	21.60	H	4.8
5375.091000	---	42.59	54.00	11.41	V	4.8
5375.091000	52.07	---	74.00	21.93	V	4.8

802.11ac40 Mode:**Common Information**

Project No.: RKSA240319001
Test Mode: Transmitting in 802.11ac40 mode low channel
Standard: FCC Part 15.407 & FCC Part 15.205 & FCC Part 15.209
Test Engineer: Peter Wang


Full Spectrum**Critical Freqs**

Frequency (MHz)	MaxPeak (dB μ V/m)	Average (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)	Pol	Corr. (dB/m)
5147.100000	---	50.33	54.00	3.67	V	9.4
5147.100000	58.23	---	74.00	15.77	V	9.4
5148.525000	---	50.30	54.00	3.70	H	9.4
5148.525000	62.95	---	74.00	11.05	H	9.4

Common Information

Project No.: RKSA240319001
Test Mode: Transmitting in 802.11ac40 mode high channel
Standard: FCC Part 15.407 & FCC Part 15.205 & FCC Part 15.209
Test Engineer: Peter Wang

Full Spectrum




Critical_Freqs

Frequency (MHz)	MaxPeak (dB µ V/m)	Average (dB µ V/m)	Limit (dB µ V/m)	Margin (dB)	Pol	Corr. (dB/m)
5352.399000	---	42.25	54.00	11.75	H	4.7
5352.399000	52.37	---	74.00	21.63	H	4.7
5363.187000	---	43.74	54.00	10.26	V	4.8
5363.187000	52.79	---	74.00	21.21	V	4.8

802.11ac80 Mode:**Common Information**

Project No.: RKSA240319001 Transmitting in 802.11ac80
Test Mode: FCC Part 15.407 & FCC Part 15.205 & FCC Part 15.209
Standard: Peter Wang
Test Engineer:

Full Spectrum

**Critical Freqs**

Frequency (MHz)	MaxPeak (dB µ V/m)	Average (dB µ V/m)	Limit (dB µ V/m)	Margin (dB)	Pol	Corr. (dB/m)
5118.432000	59.61	---	74.00	14.39	H	9.3
5118.432000	---	50.62	54.00	3.38	H	9.3

Restricted Bands Emissions Test (5250-5350MHz Band):


Note:

1. Corrected Factor = Antenna factor (RX) + Cable Loss – Amplifier Factor
2. Corrected Amplitude = Corrected Factor + Reading
3. Margin = Limit - Corrected. Amplitude

802.11a Mode:**Common Information**

Project No.:	RKSA240319001
Test Mode:	Transmitting in 802.11a mode low channel
Standard:	FCC Part 15.407 & FCC Part 15.205 & FCC Part 15.209
Test Engineer:	Peter Wang

Full Spectrum


**Critical_Freqs**

Frequency (MHz)	MaxPeak (dB µ V/m)	Average (dB µ V/m)	Limit (dB µ V/m)	Margin (dB)	Pol	Corr. (dB/m)
5103.075000	---	43.41	54.00	10.59	H	4.1
5103.075000	48.70	---	74.00	25.30	H	4.1
5132.995000	---	41.96	54.00	12.04	V	4.2
5132.995000	51.45	---	74.00	22.55	V	4.2

Common Information

Project No.: RKSA240319001
Test Mode: Transmitting in 802.11a mode high channel
Standard: FCC Part 15.407 & FCC Part 15.205 & FCC Part 15.209
Test Engineer: Peter Wang

Full Spectrum




Critical Freqs

Frequency (MHz)	MaxPeak (dB µ V/m)	Average (dB µ V/m)	Limit (dB µ V/m)	Margin (dB)	Pol	Corr. (dB/m)
5356.890000	53.63	---	74.00	20.37	V	4.7
5356.890000	---	43.32	54.00	10.68	V	4.7
5431.230000	49.05	---	74.00	24.95	H	4.9
5431.230000	---	45.96	54.00	8.04	H	4.9

802.11ac20 Mode:**Common Information**

Project No.: RKSA240319001
Test Mode: Transmitting in 802.11ac20 mode low channel
Standard: FCC Part 15.407 & FCC Part 15.205 & FCC Part 15.209
Test Engineer: Peter Wang

Full Spectrum


**Critical Freqs**

Frequency (MHz)	MaxPeak (dB μ V/m)	Average (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)	Pol	Corr. (dB/m)
5085.480000	50.54	---	74.00	23.46	V	4.1
5085.480000	---	44.28	54.00	9.72	V	4.1
5144.300000	52.03	---	74.00	21.97	H	4.2
5144.300000	---	42.41	54.00	11.59	H	4.2

Common Information

Project No.: RKSA240319001
Test Mode: Transmitting in 802.11ac20 mode high channel
Standard: FCC Part 15.407 & FCC Part 15.205 & FCC Part 15.209
Test Engineer: Peter Wang

Full Spectrum




Critical_Freqs

Frequency (MHz)	MaxPeak (dB μ V/m)	Average (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)	Pol	Corr. (dB/m)
5350.506000	---	46.03	54.00	7.97	H	4.7
5350.506000	52.40	---	74.00	21.60	H	4.7
5393.766000	---	44.44	54.00	9.56	H	4.8
5393.766000	53.89	---	74.00	20.11	H	4.8

802.11ac40 Mode:**Common Information**

Project No.: RKSA240319001
Test Mode: Transmitting in 802.11ac40 mode low channel
Standard: FCC Part 15.407 & FCC Part 15.205 & FCC Part 15.209
Test Engineer: Peter Wang

Full Spectrum


**Critical_Freqs**

Frequency (MHz)	MaxPeak (dB µ V/m)	Average (dB µ V/m)	Limit (dB µ V/m)	Margin (dB)	Pol	Corr. (dB/m)
5108.685000	---	44.51	54.00	9.49	V	4.1
5108.685000	50.24	---	74.00	23.76	V	4.1
5111.405000	---	43.78	54.00	10.22	H	4.1
5111.405000	52.44	---	74.00	21.56	H	4.1

Common Information

Project No.: RKSA240319001
Test Mode: Transmitting in 802.11ac40 mode high channel
Standard: FCC Part 15.407 & FCC Part 15.205 & FCC Part 15.209
Test Engineer: Peter Wang

Full Spectrum




Critical_Freqs

Frequency (MHz)	MaxPeak (dB μ V/m)	Average (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)	Pol	Corr. (dB/m)
5400.255000	53.40	---	74.00	20.60	V	4.9
5400.255000	---	44.03	54.00	9.97	V	4.9
5411.406000	50.77	---	74.00	23.23	H	4.9
5411.406000	---	46.22	54.00	7.78	H	4.9

802.11ac80 Mode:**Common Information**

Project No.: RKSA240319001
Test Mode: Transmitting in 802.11ac80 mode middle channel
Standard: FCC Part 15.407 & FCC Part 15.205 & FCC Part 15.209
Test Engineer: Peter Wang

Full Spectrum

**Critical Freqs**

Frequency (MHz)	MaxPeak (dB μ V/m)	Average (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)	Pol	Corr. (dB/m)
5118.048000	---	43.86	54.00	10.14	H	4.1
5118.048000	49.26	---	74.00	24.74	H	4.1
5145.216000	---	42.18	54.00	11.82	H	4.2
5145.216000	52.03	---	74.00	21.97	H	4.2

Restricted Bands Emissions Test (5470-5725MHz Band):


Note:

1. Corrected Factor = Antenna factor (RX) + Cable Loss – Amplifier Factor
2. Corrected Amplitude = Corrected Factor + Reading
3. Margin = Limit - Corrected. Amplitude

802.11a Mode:**Common Information**

Project No.:	RKSA240319001
Test Mode:	Transmitting in 802.11a mode low channel
Standard:	FCC Part 15.407 & FCC Part 15.205 & FCC Part 15.209
Test Engineer:	Peter Wang

Full Spectrum


**Critical Freqs**

Frequency (MHz)	MaxPeak (dB µ V/m)	Average (dB µ V/m)	Limit (dB µ V/m)	Margin (dB)	Pol	Corr. (dB/m)
5459.494000	56.95	---	74.00	17.05	H	5.0
5459.494000	---	50.87	54.00	3.13	H	5.0
5469.636000	61.14	---	68.20	7.06	H	5.0

Common Information

Project No.: RKSA240319001
 Test Mode: Transmitting in 802.11a mode high channel
 Standard: FCC Part 15.407 & FCC Part 15.205 & FCC Part 15.209
 Test Engineer: Peter Wang

Full Spectrum




Critical_Freqs

Frequency (MHz)	MaxPeak (dB μ V/m)	Average (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)	Pol	Corr. (dB/m)
5729.852500	66.90	---	68.20	1.30	H	10.5

802.11ac20 Mode:**Common Information**

Project No.: RKSA240319001
Test Mode: Transmitting in 802.11ac20 mode low channel
Standard: FCC Part 15.407 & FCC Part 15.205 & FCC Part 15.209
Test Engineer: Peter Wang

Full Spectrum


**Critical_Freqs**

Frequency (MHz)	MaxPeak (dB μ V/m)	Average (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)	Pol	Corr. (dB/m)
5446.580000	50.55	---	74.00	23.45	V	5.0
5446.580000	---	46.26	54.00	7.74	V	5.0
5467.414000	57.03	---	68.20	11.17	V	5.0

Common Information

Project No.: RKSA240319001
Test Mode: Transmitting in 802.11ac20 mode high channel
Standard: FCC Part 15.407 & FCC Part 15.205 & FCC Part 15.209
Test Engineer: Peter Wang

Full Spectrum




Critical_Freqs

Frequency (MHz)	MaxPeak (dB μ V/m)	Average (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)	Pol	Corr. (dB/m)
5727.059500	63.99	---	68.20	4.21	H	10.5

802.11ac40 Mode:**Common Information**

Project No.:	RKSA240319001
Test Mode:	Transmitting in 802.11ac40 mode low channel
Standard:	FCC Part 15.407 & FCC Part 15.205 & FCC Part 15.209
Test Engineer:	Peter Wang

Full Spectrum


**Critical Freqs**

Frequency (MHz)	MaxPeak (dB μ V/m)	Average (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)	Pol	Corr. (dB/m)
5457.338000	59.00	---	74.00	15.00	H	5.0
5457.338000	---	53.14	54.00	0.86	H	5.0
5467.260000	65.64	---	68.20	2.56	V	5.0

Common Information

Project No.: RKSA240319001
Test Mode: Transmitting in 802.11ac40 mode high channel
Standard: FCC Part 15.407 & FCC Part 15.205 & FCC Part 15.209
Test Engineer: Peter Wang

Full Spectrum




Critical_Freqs

Frequency (MHz)	MaxPeak (dB μ V/m)	Average (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)	Pol	Corr. (dB/m)
5725.235500	65.38	---	68.20	2.82	H	10.5

802.11ac80 Mode:**Common Information**

Project No.:	RKSA240319001
Test Mode:	Transmitting in 802.11ac80 mode low channel
Standard:	FCC Part 15.407 & FCC Part 15.205 & FCC Part 15.209
Test Engineer:	Peter Wang

Full Spectrum


**Critical Freqs**

Frequency (MHz)	MaxPeak (dB μ V/m)	Average (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)	Pol	Corr. (dB/m)
5459.802000	60.64	---	74.00	13.36	H	5.0
5459.802000	---	52.56	54.00	1.44	H	5.0
5468.514000	60.43	---	68.20	7.77	H	5.0

Common Information

Project No.: RKSA240319001
Test Mode: Transmitting in 802.11ac80 mode high channel
Standard: FCC Part 15.407 & FCC Part 15.205 & FCC Part 15.209
Test Engineer: Peter Wang

Full Spectrum



Critical_Freqs

Frequency (MHz)	MaxPeak (dB μ V/m)	Average (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)	Pol	Corr. (dB/m)
5725.007500	65.40	---	68.20	2.80	H	10.5

Bandedge Emissions Test (5725-5850MHz Band):


Note:

1. Corrected Factor = Antenna factor (RX) + Cable Loss – Amplifier Factor
2. Corrected Amplitude = Corrected Factor + Reading
3. Margin = Limit - Corrected. Amplitude

802.11a Mode:**Common Information**

Project No.:	RKSA240319001
Test Mode:	Transmitting in 802.11a mode low channel
Standard:	FCC Part 15.407 & FCC Part 15.205 & FCC Part 15.209
Test Engineer:	Peter Wang

Full Spectrum


**Critical_Freqs**

Frequency (MHz)	MaxPeak (dB µ V/m)	Average (dB µ V/m)	Limit (dB µ V/m)	Margin (dB)	Pol	Corr. (dB/m)
5606.240000	58.28	---	68.20	9.92	V	10.7
5656.200000	57.01	---	72.79	15.78	V	10.6
5695.480000	61.03	---	101.86	40.82	H	10.6
5715.200000	68.86	---	109.46	40.60	H	10.6
5723.000000	78.44	---	123.04	44.60	H	10.6

Common Information

Project No.: RKSA240319001
Test Mode: Transmitting in 802.11a mode high channel
Standard: FCC Part 15.407 & FCC Part 15.205 & FCC Part 15.209
Test Engineer: Peter Wang

Full Spectrum




Critical Freqs

Frequency (MHz)	MaxPeak (dBμ V/m)	Average (dBμ V/m)	Limit (dBμ V/m)	Margin (dB)	Pol	Corr. (dB/m)
5859.080000	62.48	---	109.66	47.18	H	10.4
5881.440000	60.12	---	100.43	40.32	H	10.3
5918.840000	57.63	---	72.76	15.13	V	10.3
5947.600000	56.55	---	68.20	11.65	V	10.3

802.11ac20 Mode:**Common Information**

Project No.: RKSA240319001
Test Mode: Transmitting in 802.11ac20 mode low channel
Standard: FCC Part 15.407 & FCC Part 15.205 & FCC Part 15.209
Test Engineer: Peter Wang

Full Spectrum


**Critical Freqs**

Frequency (MHz)	MaxPeak (dBμ V/m)	Average (dBμ V/m)	Limit (dBμ V/m)	Margin (dB)	Pol	Corr. (dB/m)
5637.440000	58.48	---	68.20	9.72	H	10.7
5654.680000	57.04	---	71.66	14.62	H	10.6
5688.440000	60.58	---	96.65	36.06	H	10.6
5708.080000	67.64	---	107.46	39.82	H	10.6
5722.920000	74.84	---	122.71	47.88	H	10.6

Common Information

Project No.: RKSA240319001
Test Mode: Transmitting in 802.11ac20 mode high channel
Standard: FCC Part 15.407 & FCC Part 15.205 & FCC Part 15.209
Test Engineer: Peter Wang

Full Spectrum




Critical Freqs

Frequency (MHz)	MaxPeak (dBμ V/m)	Average (dBμ V/m)	Limit (dBμ V/m)	Margin (dB)	Pol	Corr. (dB/m)
5855.400000	69.16	---	110.69	41.53	H	10.4
5878.000000	59.86	---	102.98	43.12	H	10.3
5914.840000	56.06	---	75.72	19.66	H	10.3
5956.240000	55.06	---	68.20	13.14	H	10.2

802.11ac40 Mode:**Common Information**

Project No.: RKSA240319001
Test Mode: Transmitting in 802.11ac40 mode low channel
Standard: FCC Part 15.407 & FCC Part 15.205 & FCC Part 15.209
Test Engineer: Peter Wang

Full Spectrum


**Critical_Freqs**

Frequency (MHz)	MaxPeak (dBμ V/m)	Average (dBμ V/m)	Limit (dBμ V/m)	Margin (dB)	Pol	Corr. (dB/m)
5627.880000	57.23	---	68.20	10.97	H	10.7
5653.640000	60.97	---	70.89	9.93	H	10.6
5694.160000	70.54	---	100.88	30.34	H	10.6
5707.880000	78.07	---	107.41	29.33	H	10.6
5724.120000	82.38	---	127.61	45.23	H	10.5

Common Information

Project No.: RKSA240319001
Test Mode: Transmitting in 802.11ac40 mode high channel
Standard: FCC Part 15.407 & FCC Part 15.205 & FCC Part 15.209
Test Engineer: Peter Wang

Full Spectrum




Critical_Freqs

Frequency (MHz)	MaxPeak (dBμ V/m)	Average (dBμ V/m)	Limit (dBμ V/m)	Margin (dB)	Pol	Corr. (dB/m)
5850.880000	69.84	---	127.61	57.77	H	10.4
5867.960000	65.22	---	107.17	41.95	H	10.4
5880.800000	62.85	---	100.91	38.06	H	10.3
5908.920000	58.53	---	80.10	21.57	H	10.3
5950.360000	56.70	---	68.20	11.50	H	10.3

Common Information

Project No.: RKSA240319001
Test Mode: Transmitting in 802.11ac80
Standard: FCC Part 15.407 & FCC Part 15.205 & FCC Part 15.209
Test Engineer: Peter Wang

Full Spectrum



Critical Freqs

Frequency (MHz)	MaxPeak (dBμ V/m)	Average (dBμ V/m)	Limit (dBμ V/m)	Margin (dB)	Pol	Corr. (dB/m)
5646.320000	66.57	---	68.20	1.63	H	10.6
5655.440000	69.12	---	72.23	3.10	H	10.6
5677.760000	77.24	---	88.74	11.50	H	10.6
5710.360000	80.93	---	108.10	27.17	H	10.6
5722.640000	79.17	---	121.57	42.40	H	10.6
5854.240000	76.14	---	113.90	37.76	H	10.4
5864.680000	73.67	---	108.09	34.42	H	10.4
5884.800000	66.37	---	97.95	31.58	H	10.3
5913.040000	61.42	---	77.05	15.63	H	10.3
5943.080000	56.25	---	68.20	11.95	H	10.3

EMISSION BANDWIDTH**Test Result:** Compliant*5150-5250 MHz:*

Test mode	Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Bandwidth (MHz)
802.11 a	Low	5180	24.200	16.650
	Middle	5200	24.343	16.650
	High	5240	22.954	16.650
802.11 ac20	Low	5180	24.352	17.850
	Middle	5200	24.113	17.800
	High	5240	24.375	17.800
802.11 ac40	Low	5190	41.958	36.400
	High	5230	41.658	36.300
802.11 ac80	Middle	5210	95.704	76.400

Note: the 99% Occupied Bandwidth have not fall into the band 5250-5350MHz.

5250-5350 MHz:

Test mode	Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Bandwidth (MHz)
802.11 a	Low	5260	23.545	16.600
	Middle	5280	23.104	16.600
	High	5320	22.561	16.600
802.11 ac20	Low	5260	23.464	17.750
	Middle	5280	23.408	17.750
	High	5320	24.745	17.750
802.11 ac40	Low	5270	41.700	36.400
	High	5310	41.800	36.300
802.11 ac80	Middle	5290	99.000	76.000

5470-5725 MHz:

Test mode	Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Bandwidth (MHz)
802.11 a	Low	5500	22.358	16.500
	Middle	5580	21.833	16.550
	High	5700	22.950	16.550
	Cross	5720	32.034	17.650
802.11 ac20	Low	5500	23.202	17.750
	Middle	5580	23.199	17.750
	High	5700	23.747	17.750
	Cross	5720	27.123	17.900
802.11 ac40	Low	5510	42.058	36.300
	Middle	5550	41.758	36.400
	High	5670	46.953	36.500
	Cross	5710	49.303	36.700
802.11 ac80	Low	5530	95.305	76.200
	Middle	5610	146.036	79.200
	High	5690	131.270	76.200

5725-5850MHz:


Test mode	Channel	Frequency (MHz)	99% Bandwidth (MHz)
802.11 a	Low	5745	19.650
	Middle	5785	18.150
	High	5825	18.000
802.11 ac20	Low	5745	19.800
	Middle	5785	18.450
	High	5825	19.150
802.11 ac40	Low	5755	36.600
	High	5795	36.500
802.11 ac80	Middle	5775	78.000

Note: the 99% Occupied Bandwidth have not fall into the band 5470-5725MHz.

Test mode	Channel	Frequency (MHz)	6dB Bandwidth (MHz)	Limit (MHz)
802.11 a	Low	5745	15.584	0.5
	Middle	5785	15.834	
	High	5825	15.485	
802.11 ac20	Low	5745	16.134	
	Middle	5785	16.184	
	High	5825	16.134	
802.11 ac40	Low	5755	35.964	
	High	5795	35.964	
802.11 ac80	Middle	5775	76.324	


**6dB Bandwidth
5725-5850 MHz Band**

802.11a mode, 5745MHz




ProjectNo.:RKSA240319001 Tester:Loki Shi
Date: 17.MAY.2024 10:24:04

802.11a mode, 5785MHz




ProjectNo.:RKSA240319001 Tester:Loki Shi
Date: 17.MAY.2024 10:30:46

802.11a mode, 5825MHz




ProjectNo.:RKSA240319001 Tester:Loki Shi
Date: 17.MAY.2024 11:26:44

802.11ac20 mode, 5745MHz




ProjectNo.:RKSA240319001 Tester:Loki Shi
Date: 17.MAY.2024 12:03:21

802.11 ac20 mode, 5785MHz




ProjectNo.:RKSA240319001 Tester:Loki Shi
 Date: 17.MAY.2024 13:06:23

802.11 ac20 mode, 5825MHz




ProjectNo.:RKSA240319001 Tester:Loki Shi
 Date: 17.MAY.2024 13:10:12

802.11ac40 mode, 5755MHz




ProjectNo.:RKSA240319001 Tester:Loki Shi
Date: 17.MAY.2024 13:17:18

802.11 ac40 mode, 5795MHz



ProjectNo.:RKSA240319001 Tester:Loki Shi
Date: 17.MAY.2024 13:23:04

802.11ac80 mode, 5775MHz




ProjectNo.:RKSA240319001 Tester:Loki Shi
Date: 17.MAY.2024 13:32:19

26 Bandwidth


5150-5250 MHz Band:

802.11a mode, 5180MHz




ProjectNo.:RKSA240319001 Tester:Loki Shi
Date: 16.MAY.2024 13:54:17

802.11a mode, 5200MHz




ProjectNo.:RKSA240319001 Tester:Loki Shi
Date: 16.MAY.2024 13:59:16

802.11a mode, 5240MHz




ProjectNo.:RKSA240319001 Tester:Loki Shi
 Date: 16.MAY.2024 14:04:00

802.11ac20 mode, 5180MHz




ProjectNo.:RKSA240319001 Tester:Loki Shi
 Date: 16.MAY.2024 16:35:13

802.11 ac20 mode, 5200MHz




ProjectNo.:RKSA240319001 Tester:Loki Shi
 Date: 16.MAY.2024 16:40:53

802.11 ac20 mode, 5240MHz




ProjectNo.:RKSA240319001 Tester:Loki Shi
 Date: 16.MAY.2024 16:51:53

802.11ac40 mode, 5190MHz




ProjectNo.:RKSA240319001 Tester:Loki Shi
 Date: 16.MAY.2024 16:59:46

802.11 ac40 mode, 5230MHz



ProjectNo.:RKSA240319001 Tester:Loki Shi
 Date: 16.MAY.2024 17:33:57

802.11ac80 mode, 5210MHz



ProjectNo.:RKSA240319001 Tester:Loki Shi
Date: 16.MAY.2024 17:40:10