



CT-11 Transmitter Instructions

FCC ID: ZG6-CT11

NOTICE

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

In accordance with FCC 15.21, changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

This device may not interfere with TV reception or Federal Government radar.

This transmitter is authorized by rule under the Low Power Radio Service (47 CFR part 95) and must not cause harmful interference to TV reception or United States Navy SPASUR installations. You do not need an FCC license to operate this transmitter. This transmitter may only be used to provide: auditory assistance to persons with disabilities, persons who require language translation, or persons in educational settings; health care services to the ill; law enforcement tracking services under agreement with a law enforcement agency; or automated maritime telecommunications system (AMTS) network control communications. Two-way voice communications and all other types of uses not mentioned above are expressly prohibited.


Installing the TL-5186 Battery to Start the Transmitter

Match the pair of battery **PRONGS** with the small holes in the transmitter. Be sure the battery is **CENTERED**. Gently push in the battery. If the new battery is hanging over the edge of the transmitter, it is installed incorrectly. Quickly remove the battery and install it properly.


Inserting the battery automatically activates the transmitter, there is no on/off switch.

Battery must be changed every 30 days.

VIP Note: Before removing the **OLD** battery from the transmitter put an “X” on it with a felt marker. Doing this will avoid you confusing the **OLD** battery with the **NEW** battery. **NEVER** omit this step. If you get confused you must dispose of both batteries and install a new battery you know is indeed new.



Correct Battery Placement



Wrong