





Restrict Band NVNT n20 2412MHz Ant1 Peak



Restrict Band NVNT n20 2412MHz Ant1 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Restrict Band NVNT n20 2462MHz Ant1 Peak



Restrict Band NVNT n20 2462MHz Ant1 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Restrict Band NVNT n40 2422MHz Ant1 Peak



Restrict Band NVNT n40 2422MHz Ant1 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Restrict Band NVNT n40 2452MHz Ant1 Peak



Restrict Band NVNT n40 2452MHz Ant1 Average



Test Graphs

Restrict Band NVNT ax20 2412MHz Ant1 Peak




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



Restrict Band NVNT ax20 2412MHz Ant1 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Restrict Band NVNT ax20 2462MHz Ant1 Peak



Restrict Band NVNT ax20 2462MHz Ant1 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Restrict Band NVNT ax40 2422MHz Ant1 Peak



Restrict Band NVNT ax40 2422MHz Ant1 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Restrict Band NVNT ax40 2452MHz Ant1 Peak



Restrict Band NVNT ax40 2452MHz Ant1 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



Condition	Mode	Frequency (MHz)	Antenna	Spur Freq (MHz)	Power (dBm)	Gain (dBi)	Duty Factor (dB)	E (dBuV/m)	Detector	Limit (dBuV/m)	Verdict
NVNT	b	2412	Ant2	2310	-51.41	3	-	46.85	Peak	74	Pass
NVNT	b	2412	Ant2	2310	-58.44	3	0	39.82	Average	54	Pass
NVNT	b	2412	Ant2	2389.794	-46.52	3	-	51.74	Peak	74	Pass
NVNT	b	2412	Ant2	2389.794	-55.83	3	0	42.43	Average	54	Pass
NVNT	b	2412	Ant2	2390	-48.36	3	-	49.90	Peak	74	Pass
NVNT	b	2412	Ant2	2390	-55.95	3	0	42.31	Average	54	Pass
NVNT	b	2462	Ant2	2483.5	-47.91	3	-	50.35	Peak	74	Pass
NVNT	b	2462	Ant2	2483.5	-55.06	3	0	43.20	Average	54	Pass
NVNT	b	2462	Ant2	2484.63	-45.31	3	-	52.95	Peak	74	Pass
NVNT	b	2462	Ant2	2485.107	-54.78	3	0	43.48	Average	54	Pass
NVNT	b	2462	Ant2	2500	-49.34	3	-	48.92	Peak	74	Pass
NVNT	b	2462	Ant2	2500	-58.55	3	0	39.71	Average	54	Pass
NVNT	g	2412	Ant2	2310	-51.18	3	-	47.08	Peak	74	Pass
NVNT	g	2412	Ant2	2310	-58.61	3	0.1	39.75	Average	54	Pass
NVNT	g	2412	Ant2	2389.56	-43.56	3	-	54.70	Peak	74	Pass
NVNT	g	2412	Ant2	2389.443	-56.69	3	0.1	41.67	Average	54	Pass
NVNT	g	2412	Ant2	2390	-46.99	3	-	51.27	Peak	74	Pass
NVNT	g	2412	Ant2	2390	-56.99	3	0.1	41.37	Average	54	Pass
NVNT	g	2462	Ant2	2483.5	-44.44	3	-	53.82	Peak	74	Pass
NVNT	g	2462	Ant2	2483.5	-55.5	3	0.1	42.86	Average	54	Pass
NVNT	g	2462	Ant2	2484.736	-37.45	3	-	60.81	Peak	74	Pass
NVNT	g	2462	Ant2	2484.895	-54.95	3	0.1	43.41	Average	54	Pass
NVNT	g	2462	Ant2	2500	-50.08	3	-	48.18	Peak	74	Pass
NVNT	g	2462	Ant2	2500	-58.19	3	0.1	40.17	Average	54	Pass
NVNT	n20	2412	Ant2	2310	-49.82	3	-	48.44	Peak	74	Pass
NVNT	n20	2412	Ant2	2310	-58.9	3	0.12	39.48	Average	54	Pass
NVNT	n20	2412	Ant2	2388.741	-43.68	3	-	54.58	Peak	74	Pass
NVNT	n20	2412	Ant2	2389.794	-55.21	3	0.12	43.17	Average	54	Pass
NVNT	n20	2412	Ant2	2390	-39.28	3	-	58.98	Peak	74	Pass
NVNT	n20	2412	Ant2	2390	-55.37	3	0.12	43.01	Average	54	Pass
NVNT	n20	2462	Ant2	2483.5	-35.69	3	-	62.57	Peak	74	Pass
NVNT	n20	2462	Ant2	2483.5	-53.9	3	0.12	44.48	Average	54	Pass
NVNT	n20	2462	Ant2	2483.517	-35.69	3	-	62.57	Peak	74	Pass
NVNT	n20	2462	Ant2	2484.206	-53.19	3	0.12	45.19	Average	54	Pass
NVNT	n20	2462	Ant2	2500	-50.04	3	-	48.22	Peak	74	Pass
NVNT	n20	2462	Ant2	2500	-58.35	3	0.12	40.03	Average	54	Pass
NVNT	n40	2422	Ant2	2310	-50.75	3	-	47.51	Peak	74	Pass
NVNT	n40	2422	Ant2	2310	-58.5	3	0.24	40.00	Average	54	Pass
NVNT	n40	2422	Ant2	2389.662	-39.1	3	-	59.16	Peak	74	Pass



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



NVNT	n40	2422	Ant2	2389.946	-54.53	3	0.24	43.97	Average	54	Pass
NVNT	n40	2422	Ant2	2390	-44.01	3	-	54.25	Peak	74	Pass
NVNT	n40	2422	Ant2	2390	-54.53	3	0.24	43.97	Average	54	Pass
NVNT	n40	2452	Ant2	2483.5	-35.82	3	-	62.44	Peak	74	Pass
NVNT	n40	2452	Ant2	2483.5	-53.05	3	0.24	45.45	Average	54	Pass
NVNT	n40	2452	Ant2	2485.18	-35.76	3	-	62.50	Peak	74	Pass
NVNT	n40	2452	Ant2	2483.698	-51.82	3	0.24	46.68	Average	54	Pass
NVNT	n40	2452	Ant2	2500	-49.62	3	-	48.64	Peak	74	Pass
NVNT	n40	2452	Ant2	2500	-58.31	3	0.24	40.19	Average	54	Pass
NVNT	ax20	2412	Ant2	2310	-51.16	3	-	47.10	Peak	74	Pass
NVNT	ax20	2412	Ant2	2310	-58.52	3	0.12	39.86	Average	54	Pass
NVNT	ax20	2412	Ant2	2389.56	-34.53	3	-	63.73	Peak	74	Pass
NVNT	ax20	2412	Ant2	2389.911	-52.14	3	0.12	46.24	Average	54	Pass
NVNT	ax20	2412	Ant2	2390	-39.34	3	-	58.92	Peak	74	Pass
NVNT	ax20	2412	Ant2	2390	-52	3	0.12	46.38	Average	54	Pass
NVNT	ax20	2462	Ant2	2483.5	-38.17	3	-	60.09	Peak	74	Pass
NVNT	ax20	2462	Ant2	2483.5	-54.14	3	0.12	44.24	Average	54	Pass
NVNT	ax20	2462	Ant2	2485.001	-36.88	3	-	61.38	Peak	74	Pass
NVNT	ax20	2462	Ant2	2483.676	-53.32	3	0.12	45.06	Average	54	Pass
NVNT	ax20	2462	Ant2	2500	-49.82	3	-	48.44	Peak	74	Pass
NVNT	ax20	2462	Ant2	2500	-57.8	3	0.12	40.58	Average	54	Pass
NVNT	ax40	2422	Ant2	2310	-49.86	3	-	48.40	Peak	74	Pass
NVNT	ax40	2422	Ant2	2310	-58.72	3	0.23	39.77	Average	54	Pass
NVNT	ax40	2422	Ant2	2389.378	-40.25	3	-	58.01	Peak	74	Pass
NVNT	ax40	2422	Ant2	2389.804	-52.28	3	0.23	46.21	Average	54	Pass
NVNT	ax40	2422	Ant2	2390	-40.76	3	-	57.50	Peak	74	Pass
NVNT	ax40	2422	Ant2	2390	-54.16	3	0.23	44.33	Average	54	Pass
NVNT	ax40	2452	Ant2	2483.5	-37.25	3	-	61.01	Peak	74	Pass
NVNT	ax40	2452	Ant2	2483.5	-53.56	3	0.23	44.93	Average	54	Pass
NVNT	ax40	2452	Ant2	2483.62	-32.38	3	-	65.88	Peak	74	Pass
NVNT	ax40	2452	Ant2	2483.542	-52.78	3	0.23	45.71	Average	54	Pass
NVNT	ax40	2452	Ant2	2500	-49.83	3	-	48.43	Peak	74	Pass
NVNT	ax40	2452	Ant2	2500	-58.05	3	0.23	40.44	Average	54	Pass



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China


Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity




Test Graphs

Restrict Band NVNT b 2412MHz Ant2 Peak



Restrict Band NVNT b 2412MHz Ant2 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Restrict Band NVNT b 2462MHz Ant2 Peak



Restrict Band NVNT b 2462MHz Ant2 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Restrict Band NVNT g 2412MHz Ant2 Peak



Restrict Band NVNT g 2412MHz Ant2 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Restrict Band NVNT g 2462MHz Ant2 Peak



Restrict Band NVNT g 2462MHz Ant2 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Restrict Band NVNT n20 2412MHz Ant2 Peak



Restrict Band NVNT n20 2412MHz Ant2 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Restrict Band NVNT n20 2462MHz Ant2 Peak



Restrict Band NVNT n20 2462MHz Ant2 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Restrict Band NVNT n40 2422MHz Ant2 Peak



Restrict Band NVNT n40 2422MHz Ant2 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Restrict Band NVNT n40 2452MHz Ant2 Peak



Restrict Band NVNT n40 2452MHz Ant2 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Restrict Band NVNT ax20 2412MHz Ant2 Peak



Restrict Band NVNT ax20 2412MHz Ant2 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Restrict Band NVNT ax20 2462MHz Ant2 Peak



Restrict Band NVNT ax20 2462MHz Ant2 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Restrict Band NVNT ax40 2422MHz Ant2 Peak



Restrict Band NVNT ax40 2422MHz Ant2 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Restrict Band NVNT ax40 2452MHz Ant2 Peak



Restrict Band NVNT ax40 2452MHz Ant2 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



MIMO

Condition	Mode	Frequency (MHz)	Spur Freq (MHz)	ANT1 Power (dBm)	ANT2 Power (dBm)	Gain (dBi)	Total E (dBuV/m)	Detector	Limit (dBuV/m)	Verdict
NVNT	n20	2412	2310	-50.45	-49.82	6.01	54.15	Peak	74	Pass
NVNT	n20	2412	2310	-58.37	-58.9	6.01	45.65	Average	54	Pass
NVNT	n20	2412	2389.326	-37.9	-43.68	6.01	64.39	Peak	74	Pass
NVNT	n20	2412	2389.443	-52.46	-55.21	6.01	50.66	Average	54	Pass
NVNT	n20	2412	2390	-37.92	-39.28	6.01	65.73	Peak	74	Pass
NVNT	n20	2412	2390	-51.72	-55.37	6.01	51.11	Average	54	Pass
NVNT	n20	2462	2483.5	-41.37	-35.69	6.01	66.62	Peak	74	Pass
NVNT	n20	2462	2483.5	-53.93	-53.9	6.01	50.36	Average	54	Pass
NVNT	n20	2462	2484.736	-36.99	-35.69	6.01	67.99	Peak	74	Pass
NVNT	n20	2462	2483.782	-51.48	-53.19	6.01	52.03	Average	54	Pass
NVNT	n20	2462	2500	-49.48	-50.04	6.01	54.53	Peak	74	Pass
NVNT	n20	2462	2500	-57.86	-58.35	6.01	46.18	Average	54	Pass
NVNT	n40	2422	2310	-45.33	-50.75	6.01	57.03	Peak	74	Pass
NVNT	n40	2422	2310	-58.96	-58.5	6.01	45.55	Average	54	Pass
NVNT	n40	2422	2389.946	-38.37	-39.1	6.01	65.56	Peak	74	Pass
NVNT	n40	2422	2389.662	-54.17	-54.53	6.01	49.93	Average	54	Pass
NVNT	n40	2422	2390	-38.37	-44.01	6.01	63.95	Peak	74	Pass
NVNT	n40	2422	2390	-54.17	-54.53	6.01	49.93	Average	54	Pass
NVNT	n40	2452	2483.5	-39.73	-35.82	6.01	66.93	Peak	74	Pass
NVNT	n40	2452	2483.5	-52.66	-53.05	6.01	51.43	Average	54	Pass
NVNT	n40	2452	2484.868	-33.16	-35.76	6.01	70.01	Peak	74	Pass
NVNT	n40	2452	2483.932	-52.1	-51.82	6.01	52.32	Average	54	Pass
NVNT	n40	2452	2500	-49.74	-49.62	6.01	54.60	Peak	74	Pass
NVNT	n40	2452	2500	-57.86	-58.31	6.01	46.20	Average	54	Pass
NVNT	ax20	2412	2310	-51.05	-51.16	6.01	53.17	Peak	74	Pass
NVNT	ax20	2412	2310	-58.7	-58.52	6.01	45.67	Average	54	Pass
NVNT	ax20	2412	2385.933	-39.45	-34.53	6.01	67.95	Peak	74	Pass
NVNT	ax20	2412	2385.933	-56.02	-52.14	6.01	50.62	Average	54	Pass
NVNT	ax20	2412	2390	-43.67	-39.34	6.01	63.29	Peak	74	Pass
NVNT	ax20	2412	2390	-55.55	-52	6.01	50.86	Average	54	Pass
NVNT	ax20	2462	2483.5	-36.81	-38.17	6.01	66.84	Peak	74	Pass
NVNT	ax20	2462	2483.5	-53.65	-54.14	6.01	50.39	Average	54	Pass
NVNT	ax20	2462	2483.623	-34.38	-36.88	6.01	68.83	Peak	74	Pass
NVNT	ax20	2462	2483.517	-53.3	-53.32	6.01	50.97	Average	54	Pass
NVNT	ax20	2462	2500	-50.23	-49.82	6.01	54.26	Peak	74	Pass
NVNT	ax20	2462	2500	-57.43	-57.8	6.01	46.67	Average	54	Pass
NVNT	ax40	2422	2310	-51.12	-49.86	6.01	53.83	Peak	74	Pass
NVNT	ax40	2422	2310	-58.88	-58.72	6.01	45.48	Average	54	Pass
NVNT	ax40	2422	2389.946	-38.13	-40.25	6.01	65.22	Peak	74	Pass



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



NVNT	ax40	2422	2388.1	-52.77	-52.28	6.01	51.76	Average	54	Pass
NVNT	ax40	2422	2390	-38.13	-40.76	6.01	65.03	Peak	74	Pass
NVNT	ax40	2422	2390	-54.47	-54.16	6.01	49.97	Average	54	Pass
NVNT	ax40	2452	2483.5	-41.66	-37.25	6.01	65.36	Peak	74	Pass
NVNT	ax40	2452	2483.5	-54.06	-53.56	6.01	50.48	Average	54	Pass
NVNT	ax40	2452	2485.804	-37.86	-32.38	6.01	69.97	Peak	74	Pass
NVNT	ax40	2452	2484.322	-52.88	-52.78	6.01	51.45	Average	54	Pass
NVNT	ax40	2452	2500	-50.22	-49.83	6.01	54.26	Peak	74	Pass
NVNT	ax40	2452	2500	-57.92	-58.05	6.01	46.29	Average	54	Pass

