

Report No.: EH/2010/A0020 **Issue Date: Oct. 29, 2010**

Page: 1 of 62

ELECTROMAGNETIC EMISSIONS COMPLIANCE REPORT

INTENTIONAL RADIATOR CERTIFICATION TO FCC PART 15 SUBPART C REQUIREMENT

OF

Product Name: Smart mobile tablet PC

Brand Name: Grid

Model Name: Grid10

Model difference: N/A

FCC ID: **ZKNPBJ40WB**

Report No.: EH/2010/A0020

Issue Date: Oct. 29, 2010

FCC Rule Part: §15.247, Cat: DSS

Prepared for: fusion Garage Pte Ltd

5 Harper Road Level 3, 369673 Singapore

SGS Taiwan Ltd. Prepared by:

Electronics & Communication Laboratory No. 134, Wu Kung Rd., Wuku Industrial

Zone, Taipei County, Taiwan.





0513

Note: This report shall not be reproduced except in full, without the written approval of SGS Taiwan Ltd. This document may be altered or revised by SGS Taiwan Ltd. personnel only, and shall be noted in the revision section of the document.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

GS Taiwan Ltd. No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan /台北縣五股工業區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279



Report No.: EH/2010/A0020 **Issue Date: Oct. 29, 2010**

Page: 2 of 62

VERIFICATION OF COMPLIANCE

fusion Garage Pte Ltd **Applicant:**

5 Harper Road Level 3, 369673 Singapore

Smart mobile tablet PC **Product Name:**

Grid **Brand Name:** Grid10 **Model Name:** N/A **Model difference:**

FCC ID: ZKNPBJ40WB File Number: EH/2010/A0020

Oct. 19, 2010 ~ Oct. 25, 2010 Date of test:

Oct. 19, 2010 **Date of EUT Received:**

We hereby certify that:

The above equipment was tested by SGS Taiwan Ltd. The test data, data evaluation, test procedures, and equipment configurations shown in this report were made in accordance with the procedures given in ANSI C63.4:2003 and the energy emitted by the sample EUT tested as described in this report is in compliance with conducted and radiated emission limits of FCC Rules Part 15.247.

The test results of this report relate only to the tested sample identified in this report.

| Test By: | Jason When | Date: | Oct. 29, 2010 |
|--------------|--|-------|---------------|
| Prepared By: | Jason Wu/Asst. Supervisor Tiffany kao | Date: | Oct. 29, 2010 |
| Approved By: | Tiffany Kao / Clerk Arno Hsieh / Asst. Supervisor | Date: | Oct. 29, 2010 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

Ships of the testing ships the testing ships the sample(s) testing and testing the testing ships the sample(s) testing and testing the sample(s) testing and testing the sample(s) testing and testin only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd. No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan /台北縣五股工業區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279



Report No.: EH/2010/A0020 Issue Date: Oct. 29, 2010

Page: 3 of 62

Version

| Version No. | Date | Description |
|-------------|---------------|------------------------------|
| 00 | Oct. 29, 2010 | Initial creation of document |
| | | |
| | | |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention. militation and piral instruction is success defined interent. Any holder of this document is advised that information contained networ hereost reflects the Company's militaries and network in the limits of Client. The Company's sole responsibility is to its Client and this document does not experted parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan /台北縣五股工業區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279



Report No.: EH/2010/A0020 Issue Date: Oct. 29, 2010

Page: 4 of 62

Table of Contents

| 1. | GEN | ERAL INFORMATION | |
|----|------|--|----------|
| | 1.1. | Product Description | <i>6</i> |
| | 1.2. | Related Submittal(s) / Grant (s) | 8 |
| | 1.3. | Test Methodology | 8 |
| | 1.4. | Test Facility | 8 |
| | 1.5. | Special Accessories | 8 |
| | 1.6. | Equipment Modifications | 8 |
| 2. | SYST | ΓΕΜ TEST CONFIGURATION | 9 |
| | 2.1. | EUT Configuration | 9 |
| | 2.2. | EUT Exercise | 9 |
| | 2.3. | Test Procedure | 9 |
| | 2.4. | Configuration of Tested System | 10 |
| 3. | SUM | MARY OF TEST RESULTS | 1 |
| 4. | DES | CRIPTION OF TEST MODES | 1 |
| 5. | CON | DUCTED EMISSION TEST | 12 |
| | 5.1. | Standard Applicable | 12 |
| | 5.2. | EUT Setup. | 12 |
| | 5.3. | Measurement Procedure | 12 |
| | 5.4. | Measurement Equipment Used: | 13 |
| | 5.5. | Measurement Result. | 13 |
| 6. | PEA: | K OUTPUT POWER MEASUREMENT | 16 |
| | 6.1. | Standard Applicable | 16 |
| | 6.2. | Measurement Equipment Used | 16 |
| | 6.3. | Test Set-up: | 16 |
| | 6.4. | Measurement Procedure: | 17 |
| | 6.5. | Measurement Result. | 17 |
| 7. | 20dB | BAND WIDTH | 22 |
| | 7.1. | Standard Applicable | 22 |
| | 7.2. | Measurement Equipment Used | 22 |
| | 7.3. | Test Set-up | 22 |
| | 7.4. | Measurement Procedure: | 22 |
| | 7.5. | Measurement Result: | 23 |
| 8. | 100K | Hz BANDWIDTH OF BAND EDGES MEASUREMENT | 28 |
| | 8.1. | Standard Applicable | 28 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan /台北縣五股工業區五工路 134 號

**No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan /台北縣五股工業區五工路 134 號



Report No.: EH/2010/A0020 Issue Date: Oct. 29, 2010

Page: 5 of 62

| | 8.2. | Measurement Equipment Used | 28 |
|-----|-------|--------------------------------|----|
| | 8.3. | Test SET-UP: | 29 |
| | 8.4. | Measurement Procedure | 30 |
| | 8.5. | Field Strength Calculation | 30 |
| | 8.6. | Measurement Result | 30 |
| 9. | SPUR | RIOUS RADIATED EMISSION TEST | 35 |
| | 9.1. | Standard Applicable | 35 |
| | 9.2. | Measurement Equipment Used: | 35 |
| | 9.3. | Test SET-UP: | 35 |
| | 9.4. | Measurement Procedure: | 35 |
| | 9.5. | Field Strength Calculation | 36 |
| | 9.6. | Measurement Result: | 36 |
| 10. | FRE(| QUENCY SEPARATION | 49 |
| | 10.1. | Standard Applicable | 49 |
| | 10.2. | Measurement Equipment Used: | 49 |
| | 10.3. | Test Set-up: | 49 |
| | 10.4. | Measurement Procedure: | 49 |
| | 10.5. | Measurement Result: | 49 |
| 11. | NUM | BER OF HOPPING FREQUENCY | 51 |
| | 11.1. | Standard Applicable | 51 |
| | 11.2. | Measurement Equipment Used: | 51 |
| | 11.3. | Test Set-up: | 51 |
| | 11.4. | Measurement Procedure: | 51 |
| | 11.5. | Measurement Result: | 51 |
| 12. | TIME | E OF OCCUPANCY (DWELL TIME) | 54 |
| | 12.1. | Standard Applicable | 54 |
| | 12.2. | Measurement Equipment Used: | 54 |
| | 12.3. | Test Set-up: | 54 |
| | 12.4. | Measurement Procedure: | 54 |
| | 12.5. | Measurement Result | 55 |
| 13. | ANTI | ENNA REQUIREMENT | 62 |
| | 13.1. | Standard Applicable | |
| | 13.2. | Antenna Connected Construction | 62 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention. militation and piralection is solved defined interent. Any holder of this document is advised and interent network network in the limits of Client. Any holder of this document is advised and interent network network in the limits of Client. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan /台北縣五股工業區五工路 134 號



Report No.: EH/2010/A0020 Issue Date: Oct. 29, 2010

Page: 6 of 62

1. GENERAL INFORMATION

1.1. Product Description

General:

| General: | | | |
|-------------------|---|--|--|
| Product Name: | Smart mobile tablet PC | | |
| Brand Name: | Grid | | |
| Model Name: | Grid10 | | |
| Model Difference: | N/A | | |
| Hardware Version: | LA6791P | | |
| Software Version: | N/A | | |
| | 7.4 Vdc re-chargeable battery or 12Vdc by AC/DC power adapter | | |
| Power Supply | Battery: | Model No.: BATBJ40L21, Brand Name: ATL | |
| | Adapter: | Model: WA-18H12, Brand Name: ASIAN POWER DEVICES | |

GSM / WCDMA:

| | Operating Frequency | | |
|--------------------------|--|----------------------|--------|
| | GSM/GPRS 850 Class 10 | 824.2MHz-848.8MHz | 33 dBm |
| Cellular Phone Standards | GSM/GPRS 1900 Class 10 | 1850.2MHz –1909.8MHz | 30 dBm |
| Frequency Range and | EDGE 850 Class 10 824.2 MHz– 848.8 MHz | | 27 dBm |
| Power: | EDGE 1900 Class 10 | 1850.2MHz –1909.8MHz | 26 dBm |
| | WCDMA/HSUPA/HSDPA Band II | 1582.4MHz –1907.6MHz | 24 dBm |
| | WCDMA/HSUPA/HSDPA Band V | 826.4MHz -846.6MHz | 24 dBm |
| IMEI code | 353566040001029 | | |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention. militation and piralection is solved defined interent. Any holder of this document is advised and interent network network in the limits of Client. Any holder of this document is advised and interent network network in the limits of Client. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan /台北縣五股工業區五工路 134 號

t (886-2) 2299-3279



Report No.: EH/2010/A0020 Issue Date: Oct. 29, 2010

Page: 7 of 62

Bluetooth:

| Bluetooth Version: | $V2.1 + EDR (GFSK + \pi/4DQPSK + 8DPSK)$ |
|----------------------|--|
| Channel number: | 79 channels |
| Modulation type: | Frequency Hopping Spread Spectrum |
| Rated Power: | 1.70 dBm |
| Frequency Range: | 2.402GHz – 2.480GHz |
| Dwell Time: | <= 0.4s |
| Operating Mode: | Point-to-Point |
| Antenna Designation: | PCB antenna / 1.36dBi |

WLAN: 802.11 b/g/n:

| Frequency Range: | 2412 – 2462 MHz |
|------------------------|--|
| Channel number: | 11 channels |
| Transmit Power: | 802.11 b: 17.64dBm (Peak) 802.11 g: 16.52dBm (Peak) 802.11 n_20MHz: 16.33dBm (Peak) |
| Modulation Technology: | DSSS, OFDM |
| Modulation type: | CCK, DQPSK, DBPSK for DSSS 64QAM. 16QAM, QPSK, BPSK for OFDM |
| Transition Rate: | 802.11 b: 1/2/5.5/11 Mbps; 802.11 g: 6/9/12/18/24/36/48/54 Mbps 802.11n_20M: 6.5/7.2/13/14.4/19.5/21.7/26/28.9/39/43.3/52/57.8/58.5/65Mbp |
| Antenna Designation: | PCB antenna / 1.36dBi |

The EUT is compliance with Bluetooth 2.1 with EDR GPS:

| Receiver Frequency | L1 Band, 1575.42MHz |
|--------------------------------------|---------------------|
| Frequency Conversion os- cillator | 19.2MHz |
| Antenna Designation | Chip Antenna |

This report applies for Bluetooth.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report refer only to the sample(s) lested and such sample(s) are retained for so days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention. militation and piralection is solved defined interent. Any holder of this document is advised and interent network network in the limits of Client. Any holder of this document is advised and interent network network in the limits of Client. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan /台北縣五股工業區五工路 134 號



Report No.: EH/2010/A0020 **Issue Date: Oct. 29, 2010**

Page: 8 of 62

1.2. Related Submittal(s) / Grant (s)

This submittal(s) (test report) is intended for FCC ID: **ZKNPBJ40WB** filing to comply with Section 15.247 of the FCC Part 15, Subpart C Rules.

1.3. Test Methodology

Both conducted and radiated testing were performed according to the procedures in ANSI C63.4: 2003. Radiated testing was performed at an antenna to EUT distance 3 meters.

Tested in accordance with FCC Public Notice DA 00-705

1.4. Test Facility

The measurement facilities used to collect the 3m Radiated Emission and AC power line conducted data are located on the address of SGS Taiwan Ltd. Electronics & Communication Laboratory No. 134, Wu Kung Rd., Wuku Industrial Zone, Taipei Country, Taiwan which are constructed and calibrated to meet the FCC requirements in documents ANSI C63.4: 2003. FCC Registration Number are: 990257 and 236194, Canada Registration Number: 4620A-4

The 10 m Open Area Test Sites located on the address of SGS Taiwan Ltd. Electronics & Communication Laboratory No. 29, Pau-Tou-Tsuo Valley Chia-Pau Tsuen, Linkou Hsiang, Taipei county, which is constructed and calibrated to meet the CISPR 22/EN 55022 requirements. SGS Site No. 1(3 &10 meters) and FCC Registration Number: 94644.

1.5. Special Accessories

Not available for this EUT intended for grant.

1.6. Equipment Modifications

Not available for this EUT intended for grant.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Ships of the testing ships the testing ships the sample(s) testing and testing the testing ships the sample(s) testing and testing the sample(s) testing and testing the sample(s) testing and testin only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Report No.: EH/2010/A0020 **Issue Date: Oct. 29, 2010**

Page: 9 of 62

2. SYSTEM TEST CONFIGURATION

2.1. EUT Configuration

The EUT configuration for testing is installed on RF field strength measurement to meet the Commissions requirement and operating in a manner which intends to maximize its emission characteristics in a continuous normal application.

2.2. EUT Exercise

The EUT (Transmitter) was operated in the engineering mode to fix the Tx frequency that was for the purpose of the measurements.

2.3. Test Procedure

2.3.1 Conducted Emissions

The EUT is a placed on as turn table which is 0.8 m above ground plane. According to the requirements in Section 7 and 13 of ANSI C63.4: 2003. Conducted emissions from the EUT measured in the frequency range between 0.15 MHz and 30MHz using CISPR Quasi-Peak and Average detector mode.

2.3.2 Radiated Emissions

The EUT is a placed on as turn table which is 0.8 m above ground plane. The turn table shall rotate 360 degrees to determine the position of maximum emission level. EUT is set 3m away from the receiving antenna which varied from 1m to 4m to find out the highest emission. And also, each emission was to be maximized by changing the polarization of receiving antenna both horizontal and vertical. In order to find out the max. emission, the relative positions of this hand-held transmitter (EUT) was rotated through three orthogonal axes and measurement procedures for electric field radiated emissions above 1 GHz the EUT measurement is to be made "while keeping the antenna in the 'cone of radiation' from that area and pointed at the area both in azimuth and elevation, with polarization oriented for maximum response." is still within the 3dB illumination BW of the measurement antenna, according to the requirements in Section 8 and 13 and Subclause 8.3.1.2 of ANSI C63.4: 2003 and DA 00-705.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

Ships of the testing ships the testing ships the sample(s) testing and testing the testing ships the sample(s) testing and testing the sample(s) testing and testing the sample(s) testing and testin only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Report No.: EH/2010/A0020 Issue Date: Oct. 29, 2010

Page: 10 of 62

2.4. Configuration of Tested System

Fig. 2-1 AC Power line and Radiated Emission Configuration



Table 2-1 Equipment Used in Tested System

| Item | Equipment | Mfr/Brand | Model | Series No. | Data Cable | Power Cord |
|------|--------------------|-----------|---------|------------|------------|--------------|
| 1 | Bluetooth Test Set | Anritsu | MT8852B | N/A | N/A | Un-shielding |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Onless otherwise stated the results shown in this test report retier only to the sample(s) tested and such sample(s) test only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan /台北縣五股工業區五工路 134 號

> t (886-2) 2299-3279 f (886-2) 2298-0488



Report No.: EH/2010/A0020 **Issue Date: Oct. 29, 2010**

Page: 11 of 62

3. SUMMARY OF TEST RESULTS

| FCC Rules | Description Of Test | Result |
|--------------------|-----------------------------|-----------|
| §15.207(a) | Conducted Emission | Compliant |
| §15.247(b)(1) | Peak Output Power | Compliant |
| §15.247(a) | 20dB Bandwidth | No Limit |
| §15.247(d) | 100 KHz Bandwidth Of Fre- | Compliant |
| | quency Band Edges | |
| §15.247(d) | Spurious Emission | Compliant |
| §15.247(a)(1) | Frequency Separation | Compliant |
| §15.247(a)(1)(iii) | Number of hopping frequency | Compliant |
| §15.247(a)(1)(iii) | Time of Occupancy | Compliant |
| §15.247(e) | Peak Power Density | Compliant |
| §15.203, | Antenna Requirement | Compliant |
| §15.247(b)(4)(i) | _ | |

4. DESCRIPTION OF TEST MODES

The EUT has been tested under operating condition.

Test program used to control the EUT for staying in continuous transmitting mode is programmed.

Channel low (2402MHz) · mid (2441MHz) and high (2480MHz) with highest data rate are chosen for full testing with BDR and to contrast with X, Y, Z axis, X axis which has Worst Case.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Ships of the testing ships the testing ships the sample(s) testing and testing the testing ships the sample(s) testing and testing the sample(s) testing and testing the sample(s) testing and testin only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report No.: EH/2010/A0020 **Issue Date: Oct. 29, 2010**

Page: 12 of 62

CONDUCTED EMISSION TEST

5.1. Standard Applicable

According to §15.207. frequency within 150KHz to 30MHz shall not exceed the limit table as below.

| Frequency range | Limits dB(uV) | |
|-----------------|---------------|----------|
| MHz | Quasi-peak | Average |
| 0.15 to 0.50 | 66 to 56 | 56 to 46 |
| 0.50 to 5 | 56 | 46 |
| 5 to 30 | 60 | 50 |

Note

- 1. The lower limit shall apply at the transition frequencies
- 2. The limit decreases linearly with the logarithm of the frequency in the range 0.15 MHz to 0.50 MHz.

5.2. EUT Setup

- 1. The conducted emission tests were performed in the test site, using the setup in accordance with the ANSI C63.4: 2003.
- 2. The EUT was plug-in the AC/DC Power adapter. The host system was placed on the center of the back edge on the test table. The peripherals was placed on the side of the host PC system. The rear of the EUT and peripherals were placed flushed with the rear of the tabletop.
- 3. The spacing between the peripherals was 10 centimeters.
- 4. External I/O cables were draped along the edge of the test table and bundle when necessary.
- 5. The host system was connected with 120Vac/60Hz power source.

5.3. Measurement Procedure

- 1. The EUT was placed on a table which is 0.8m above ground plane.
- 2. Maximum procedure was performed on the six highest emissions to ensure EUT compliance.
- 3. Repeat above procedures until all frequency measured were complete.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Ships of the control only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Report No.: EH/2010/A0020 Issue Date: Oct. 29, 2010

Page: 13 of 62

5.4. Measurement Equipment Used:

| Conducted Emission Test Site | | | | | | |
|------------------------------|------------|-------------------------|------------|------------|------------|--|
| EQUIPMENT | MFR | MODEL | SERIAL | LAST | CAL DUE. | |
| TYPE | | NUMBER | NUMBER | CAL. | | |
| EMI Test Receiver | R&S | ESCS30 | 828985/004 | 09/16/2010 | 09/15/2011 | |
| LISN | Rolf-Heine | NNB-2/16Z | 99012 | 02/02/2010 | 02/01/2011 | |
| LISN | FCC | FCC-LISN-50/250-25-2-01 | 04034 | 02/02/2010 | 02/01/2011 | |
| Coaxial Cables | N/A | WK CE Cable | N/A | 11/28/2009 | 11/27/2010 | |

5.5. Measurement Result

The initial step in collecting conducted data is a spectrum analyzer peak scan of the measurement range. Significant peaks are then marked as shown on the following data page, and these signals are then quasi-peaked.

Note: Refer to next page for measurement data and plots.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report refer only to the sample(s) lested and such sample(s) leste only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law SGS Taiwan Ltd.




Report No.: EH/2010/A0020 Issue Date: Oct. 29, 2010

Page: 14 of 62

AC POWER LINE CONDUCTED EMISSION TEST DATA

| Operation Mode: | Bluetooth Mode | Test Date: | Oct. 28, 2010 |
|-----------------|----------------|------------|---------------|
| | | Test By: | Jason |



Phase:

Site SGS CONDUCTED #1

Limit: CISPR22/11/EN55022 Class B

EUT: Smart Pad

M/N: PBJ40

Note: BT & WLAN Operation

| Power: | AC 120V/60Hz | Humidity: | 57 % |
|-----------|--------------|---------------|------|
| Distance: | | Air Pressure: | hpa |

Temperature:

L1

| No. | Mk. | Freq. | Reading Level | Factor | Measure- ment | Limit | Over | | |
|-----|-----|--------|------------------|--------|------------------|-------|--------|----------|---------|
| | | MHz | dBuV | dB | dBuV | dBuV | dB | Detector | Comment |
| 1 | * | 0.1950 | 52.06 | 0.12 | 52.18 | 63.82 | -11.64 | peak | |
| 2 | | 0.2500 | 48.90 | 0.12 | 49.02 | 61.76 | -12.74 | peak | |
| 3 | | 0.4700 | 39.68 | 0.12 | 39.80 | 56.51 | -16.71 | peak | |
| 4 | | 1.0700 | 40.49 | 0.12 | 40.61 | 56.00 | -15.39 | peak | |
| 5 | | 1.5000 | 37.76 | 0.14 | 37.90 | 56.00 | -18.10 | peak | |
| 6 | | 3.0000 | 33.36 | 0.18 | 33.54 | 56.00 | -22.46 | peak | |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report refer only to the sample(s) lested and such sample(s) are retained for so days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention. militation and piralection is solved defined interent. Any holder of this document is advised and interent network network in the limits of Client. Any holder of this document is advised and interent network network in the limits of Client. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan /台北縣五股工業區五工路 134 號




Report No.: EH/2010/A0020 Issue Date: Oct. 29, 2010

Page: 15 of 62

Humidity:

Air Pressure:

hpa



Site SGS CONDUCTED #1

Limit: CISPR22/11/EN55022 Class B

EUT: Smart Pad

M/N: PBJ40

Note: BT & WLAN Operation

| No. | Mk. | Freq. | Reading Level | Factor | Measure- ment | Limit | Over | | |
|-----|-----|---------|------------------|--------|------------------|-------|--------|----------|---------|
| | | MHz | dBuV | dB | dBuV | dBuV | dB | Detector | Comment |
| 1 | * | 0.1850 | 53.24 | 0.13 | 53.37 | 64.26 | -10.89 | peak | |
| 2 | | 0.2650 | 49.47 | 0.13 | 49.60 | 61.27 | -11.67 | peak | |
| 3 | | 0.4700 | 40.37 | 0.12 | 40.49 | 56.51 | -16.02 | peak | |
| 4 | | 1.0700 | 40.51 | 0.13 | 40.64 | 56.00 | -15.36 | peak | |
| 5 | | 2.5000 | 33.74 | 0.17 | 33.91 | 56.00 | -22.09 | peak | |
| 6 | | 26.6600 | 27.10 | 0.69 | 27.79 | 60.00 | -32.21 | peak | |

Power:

Distance:

AC 120V/60Hz

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention. militation and piralection is solved defined interent. Any holder of this document is advised and interent network network in the limits of Client. Any holder of this document is advised and interent network network in the limits of Client. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan /台北縣五股工業區五工路 134 號



Report No.: EH/2010/A0020 Issue Date: Oct. 29, 2010

Page: 16 of 62

PEAK OUTPUT POWER MEASUREMENT 6.


6.1. Standard Applicable

For frequency hopping systems operating in the 2400-2483.5 MHz band employing at least 75 hopping channels, and all frequency hopping systems in the 5725-5850MHz band: 1Watt. For all other frequency hopping systems in the 2400 – 2483.5MHz band: 0.125 Watts.

6.2. Measurement Equipment Used

| | Conducted Emission Test Site | | | | | | |
|-------------------|------------------------------|--------------------|------------|------------|------------|--|--|
| EQUIPMENT | MFR | MODEL | SERIAL | LAST | CAL DUE. | | |
| TYPE | | NUMBER | NUMBER | CAL. | | | |
| Power Sensor | Anritsu | MA2411B | 917032 | 01/21/2010 | 01/20/2012 | | |
| Power Meter | Anritsu | ML2495A | 1005007 | 02/17/2010 | 02/16/2012 | | |
| Spectrum Analyzer | Agilent | E4446A | MY43360126 | 04/19/2010 | 04/18/2012 | | |
| Spectrum Analyzer | Agilent | E4440A | MY45304525 | 01/25/2010 | 01/24/2011 | | |
| DC Block | Agilent | BLK-18 | 155452 | 07/05/2010 | 07/04/2011 | | |
| Low Loss Cable | HUBER+SUHNER | SUCOFLEX 104PEA | N/A | 01/05/2010 | 01/04/2011 | | |
| Attenuator | Mini-Circuit | BW-S6W5 | 001 | 07/05/2010 | 07/04/2011 | | |
| Attenuator | Mini-Circuit | BW-S10W5 | 001 | 07/05/2010 | 07/04/2011 | | |
| Attenuator | Mini-Circuit | BW-S20W5 | 001 | 07/05/2010 | 07/04/2011 | | |
| Splitter | Agilent | 11636B | N/A | 07/05/2010 | 07/04/2011 | | |

6.3. Test Set-up:



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Ships of the testing ships the testing ships the sample(s) testing and testing the testing ships the sample(s) testing and testing the sample(s) testing and testing the sample(s) testing and testin only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd. No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan /台北縣五股工業區五工路 134 號

t (886-2) 2299-3279



Report No.: EH/2010/A0020 Issue Date: Oct. 29, 2010

Page: 17 of 62

6.4. Measurement Procedure:

- 1. Place the EUT on the table and set it in transmitting mode.
- 2. Remove the antenna from the EUT and then connect a low loss RF cable from the antenna port to the power meter or spectrum. (Max peak function, >20dB bandwidth, >=RBW)
- 3. Record the max. reading.
- 4. Repeat above procedures until all frequency measured were complete.

6.5. Measurement Result

BDR mode:

| Frequency (MHz) | Reading Power (dBm) | Cable Loss | Output Power (dBm) | Output Power (W) | Limit (W) |
|--------------------|---------------------|------------|--------------------|------------------|--------------|
| 2402.00 | -0.29 | 0.00 | -0.29 | 0.00094 | 1 |
| 2441.00 | 1.16 | 0.00 | 1.16 | 0.00130 | 1 |
| 2480.00 | 1.70 | 0.00 | 1.70 | 0.00148 | 1 |

*Note: offset 6.5dB

EDR mode:

| Frequency (MHz) | Reading Power (dBm) | Cable Loss | Output Power (dBm) | Output Power (W) | Limit (W) |
|-----------------|---------------------|------------|--------------------|------------------|--------------|
| 2402.00 | -0.21 | 0.00 | -0.21 | 0.00095 | 1 |
| 2441.00 | 0.61 | 0.00 | 0.61 | 0.00115 | 1 |
| 2480.00 | 1.28 | 0.00 | 1.28 | 0.00134 | 1 |

*Note: offset 6.5dB

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


Ships of the testing ships the testing ships the sample(s) testing and testing the testing ships the sample(s) testing and testing the sample(s) testing and testing the sample(s) testing and testin only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Report No.: EH/2010/A0020 **Issue Date: Oct. 29, 2010**

Page: 18 of 62

Peak Power Output Data Plot (CH Low) (BDR mode)



Peak Power Output Data Plot (CH Mid) (BDR mode)



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

She stated the States the State of the State of the State of States of Stat only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan /台北縣五股工業區五工路 134 號 SGS Taiwan Ltd.


t (886-2) 2299-3279



Report No.: EH/2010/A0020 Issue Date: Oct. 29, 2010

Page: 19 of 62

Peak Power Output Data Plot (CH High) (BDR mode)



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

She stated the States the State of the State of the State of States of Stat only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan /台北縣五股工業區五工路 134 號


t (886-2) 2299-3279




Report No.: EH/2010/A0020 **Issue Date: Oct. 29, 2010**

Page: 20 of 62

Peak Power Output Data Plot (CH Low) (EDR mode)



Peak Power Output Data Plot (CH Mid) (EDR mode)



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

She stated the States the State of the State of the State of States of Stat only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan /台北縣五股工業區五工路 134 號 SGS Taiwan Ltd. 台灣檢驗科技股份有限公司


t (886-2) 2299-3279 f (886-2) 2298-0488 www.tw.sgs.com



Report No.: EH/2010/A0020 Issue Date: Oct. 29, 2010

Page: 21 of 62

Peak Power Output Data Plot (CH High) (EDR mode)



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report refer only to the sample(s) lested and such sample(s) are retained for so days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention. militation and piralection is solved defined interent. Any holder of this document is advised and interent network network in the limits of Client. Any holder of this document is advised and interent network network in the limits of Client. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan /台北縣五股工業區五工路 134 號

t (886-2) 2299-3279



Report No.: EH/2010/A0020 **Issue Date: Oct. 29, 2010**

Page: 22 of 62

7. 20dB BAND WIDTH

7.1. Standard Applicable

For frequency hopping systems operating in the 2400MHz-2483.5 MHz no limit for 20dB bandwidth.

7.2. Measurement Equipment Used

Refer to section 6.2 for details.

7.3. Test Set-up

Refer to section 6.3 for details.

7.4. Measurement Procedure:

- 1. Place the EUT on the table and set it in transmitting mode.
- 2. Remove the antenna from the EUT and then connect a low loss RF cable from the antenna port to the spectrum analyzer.
- 3. Set the spectrum analyzer as RBW=1 % of Bandwidth., Span= 3MHz, Sweep=auto
- 4. Mark the peak frequency and –20dB (upper and lower) frequency.
- 5. Repeat above procedures until all frequency measured were complete.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Ships of the testing ships the testing ships the sample(s) testing and testing the testing ships the sample(s) testing and testing the sample(s) testing and testing the sample(s) testing and testin only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Report No.: EH/2010/A0020 Issue Date: Oct. 29, 2010

Page: 23 of 62

7.5. Measurement Result:

20dB Bandwidth: BDR mode

| СН | Bandwidth |
|--------|-----------|
| | (kHz) |
| Lower | 932.328 |
| Mid | 934.014 |
| Higher | 935.475 |

20dB Bandwidth: EDR mode


| СН | Bandwidth | 2/3 Bandwidth |
|--------|-----------|---------------|
| | (MHz) | (MHz) |
| Lower | 1.268 | 0.845 |
| Mid | 1.268 | 0.845 |
| Higher | 1.268 | 0.845 |




Report No.: EH/2010/A0020 **Issue Date: Oct. 29, 2010**

Page: 24 of 62

20dB Band Width Test Data CH-Low (BDR mode)



20dB Band Width Test Data CH-Mid (BDR mode)



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

She stated the States the State of the State of the State of States of Stat only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan/台北縣五股工業區五工路 134 號 SGS Taiwan Ltd.


t (886-2) 2299-3279



Report No.: EH/2010/A0020 **Issue Date: Oct. 29, 2010**

Page: 25 of 62

20dB Band Width Test Data CH-High (BDR mode)



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

She stated the States the State of the State of the State of States of Stat only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan/台北縣五股工業區五工路 134 號 SGS Taiwan Ltd.


t (886-2) 2299-3279 台灣檢驗科技股份有限公司 f (886-2) 2298-0488 www.tw.sqs.com




Report No.: EH/2010/A0020 **Issue Date: Oct. 29, 2010**

Page: 26 of 62

20dB Band Width Test Data CH-Low (EDR mode)



20dB Band Width Test Data CH-Mid (EDR mode)



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

She stated the States the State of the State of the State of States of Stat only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan/台北縣五股工業區五工路 134 號 SGS Taiwan Ltd.


t (886-2) 2299-3279 台灣檢驗科技股份有限公司 f (886-2) 2298-0488 www.tw.sqs.com



Report No.: EH/2010/A0020 **Issue Date: Oct. 29, 2010**

Page: 27 of 62

20dB Band Width Test Data CH-High (EDR mode)



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

She stated the States the State of the State of the State of States of Stat only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan/台北縣五股工業區五工路 134 號 SGS Taiwan Ltd.

t (886-2) 2299-3279



Report No.: EH/2010/A0020 **Issue Date: Oct. 29, 2010**

Page: 28 of 62

100KHz BANDWIDTH OF BAND EDGES MEASUREMENT

8.1. Standard Applicable

According to §15.247(d), in any 100 KHz bandwidth outside the frequency bands in which the spread spectrum intentional radiator in operating, the radio frequency power that is produced by the intentional radiator shall be at least 20dB below that in the 100KHz bandwidth within the band that contains the highest level of the desired power, In addition, radiated emissions which fall in the restricted bands, as defined in §15.205(a), must also comply with the radiated emission limits specified in15.209(a).

8.2. Measurement Equipment Used

8.2.1. Conducted Emission at antenna port:

Refer to section 6.2 for details.

8.2.2. Radiated emission:

| 966 Chamber | | | | | | |
|---------------------------------|--------------|------------------------|------------|------------|------------|--|
| EQUIPMENT | MFR | MODEL | SERIAL | LAST | CAL DUE. | |
| TYPE | | NUMBER | NUMBER | CAL. | | |
| Spectrum Analyzer | R&S | FSP 40 | 100034 | 02/12/2010 | 02/11/2011 | |
| Bilog Antenna | SCHWAZBECK | VULB9160 | 3136 | 11/19/2009 | 11/18/2010 | |
| Horn antenna | SCHWAZBECK | BBHA 9120D | 9120D-673 | 03/09/2009 | 03/08/2011 | |
| Pre-Amplifier | Agilent | 8447D | 1937A02834 | 11/28/2009 | 11/28/2010 | |
| Pre-Amplifier | Agilent | 8449B | 3008A01973 | 01/05/2010 | 01/04/2011 | |
| Radio Communication Analyzer | R & S | CMU200 | 102189 | 10/31/2008 | 10/30/2010 | |
| DC Block | Agilent | BLK-18 | 155452 | 07/05/2010 | 07/04/2011 | |
| Turn Table | HD | DT420 | N/A | N.C.R | N.C.R | |
| Antenna Tower | HD | MA240-N | 240/657 | N.C.R | N.C.R | |
| Controller | HD | HD100 | N/A | N.C.R | N.C.R | |
| Low Loss Cable | HUBER+SUHNER | SUCOFLEX 104PEA-10M | 10m | 01/05/2010 | 01/04/2011 | |
| Low Loss Cable | HUBER+SUHNER | SUCOFLEX 104PEA-3M | 3m | 01/05/2010 | 01/04/2011 | |
| 3m Site | SGS | 966 chamber | N/A | 11/08/2009 | 11/09/2010 | |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Ships of the testing ships the testing ships the sample(s) testing and testing the testing ships the sample(s) testing and testing the sample(s) testing and testing the sample(s) testing and testin only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Report No.: EH/2010/A0020 **Issue Date: Oct. 29, 2010**

Page: 29 of 62


8.3. Test SET-UP:

8.3.1. Conducted Emission at antenna port:


Refer to section 6.3 for details.

8.3.2. Radiated emission:

(A) Radiated Emission Test Set-Up, Frequency Below 1000MHz



(B) Radiated Emission Test Set-UP Frequency Over 1 GHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Ships of the testing ships the testing ships the sample(s) testing and testing the testing ships the sample(s) testing and testing the sample(s) testing and testing the sample(s) testing and testin only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan /台北縣五股工業區五工路 134 號

t (886-2) 2299-3279



Report No.: EH/2010/A0020 **Issue Date: Oct. 29, 2010**

Page: 30 of 62

8.4. Measurement Procedure

- 1. Place the EUT on the table and set it in transmitting mode.
- 2. Remove the antenna from the EUT and then connect a low loss RF cable from the antenna port to the spectrum analyzer.
- 3. Set center frequency of spectrum analyzer = operating frequency.
- 4. Set the spectrum analyzer as RBW, VBW=100KHz, Span=25MHz, Sweep = auto
- 5. Mark Peak, 2.390GHz and 2.4835GHz and record the max. level.
- 6. Repeat above procedures until all frequency measured were complete.
- 7. Radiated Emission refer to section 9.

8.5. Field Strength Calculation

The field strength is calculated by adding the Antenna Factor and Cable Factor and subtracting the Amplifier Gain and Duty Cycle Correction Factor(if any) from the measured reading. The basic equation with a sample calculation is as follows:

$$FS = RA + AF + CL - AG$$

| Where | FS = Field Strength | CL = Cable Attenuation Factor (Cable Loss) |
|-------|------------------------|--|
| | RA = Reading Amplitude | AG = Amplifier Gain |
| | AF = Antenna Factor | |

8.6. Measurement Result

Note: Refer to next page spectrum analyzer data chart and tabular data sheets.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Ships of the testing ships the testing ships the sample(s) testing and testing the testing ships the sample(s) testing and testing the sample(s) testing and testing the sample(s) testing and testin only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd. No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan /台北縣五股工業區五工路 134 號


t (886-2) 2299-3279




Report No.: EH/2010/A0020 **Issue Date: Oct. 29, 2010**

Page: 31 of 62

Conducted Emission: Test Data CH-Low (Worst: BDR mode)





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Ships of the testing ships the testing ships the sample(s) testing and testing the testing ships the sample(s) testing and testing the sample(s) testing and testing the sample(s) testing and testin only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan/台北縣五股工業區五工路 134 號 Taiwan Ltd.


t (886-2) 2299-3279




Report No.: EH/2010/A0020 **Issue Date: Oct. 29, 2010**

Page: 32 of 62

Conducted Emission: Test Data CH-High





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

She stated the States the State of the State of the State of States of Stat only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan/台北縣五股工業區五工路 134 號 S Taiwan Ltd.

t (886-2) 2299-3279



Report No.: EH/2010/A0020 **Issue Date: Oct. 29, 2010**

Page: 33 of 62

Radiated Emission: (BDR mode)

Operation Mode TX CH Low Oct. 25, 2010 Test Date

Fundamental Frequency 2402 MHz Test By Jason Temperature 25 °C Pol Ver.

Humidity 65 %

| | Peak | \mathbf{AV} | | Actu | al FS | Peak | \mathbf{AV} | | |
|---------|---------|---------------|---------|----------|---------------|----------|---------------|--------|--------|
| Freq. | Reading | Reading | Ant./CL | Peak | \mathbf{AV} | Limit | Limit | Margin | Remark |
| (MHz) | (dBuV) | (dBuV) | CF(dB) | (dBuV/m) | (dBuV/m) | (dBuV/m) |)(dBuV/m) | (dB) | |
| 2390.00 | 52.22 | | -1.39 | 50.83 | | 74.00 | 54.00 | -3.17 | Peak |

Operation Mode TX CH Low Test Date Oct. 25, 2010 Fundamental Frequency 2402 MHz Test By Jason

Temperature Pol Hor. 25 °C

Humidity 65 %

| | Peak | \mathbf{AV} | | Actu | al FS | Peak | \mathbf{AV} | | |
|-------|---------|---------------|---------|----------|---------------|-----------|---------------|---------------|--------|
| Freq. | Reading | Reading | Ant./CL | Peak | \mathbf{AV} | Limit | Limit | Margin | Remark |
| | | | | | | | | | |
| (MHz) | (dBuV) | (dBuV) | CF(dB) | (dBuV/m) | (dBuV/m) |)(dBuV/m) | (dBuV/m | (dB) | |

Remark:

- (1) Data of measurement within this frequency range shown "-" in the table above means the reading of emissions are attenuated more than 20dB below the permissible limits or the field strength is too small to be measured.
- (2) Radiated emissions measured in frequency above 1000MHz were made with an instrument using Peak detector mode and average detector mode of the emission shown in Actual FS column.
- (3) Spectrum Peak Setting: 1GHz-26GHz, RBW=1MHz, VBW=3MHz, Sweep time=200 ms.
- (4) Spectrum AV Setting: 1GHz-26GHz, RBW=1MHz, VBW=10Hz, Sweep time=200 ms.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Ships of the testing ships the testing ships the sample(s) testing and testing the testing ships the sample(s) testing and testing the sample(s) testing and testing the sample(s) testing and testin only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report No.: EH/2010/A0020 **Issue Date: Oct. 29, 2010**

Page: 34 of 62

Radiated Emission: (BDR mode)

Operation Mode TX CH High Oct. 25, 2010 Test Date

Fundamental Frequency 2480 MHz Test By Jason Temperature 25 °C Pol Ver.

Humidity 65 %

| | Peak | \mathbf{AV} | | Actu | al FS | Peak | \mathbf{AV} | | |
|---------|---------|---------------|---------|-----------|---------------|-----------|---------------|---------------|--------|
| Freq. | Reading | Reading | Ant./CL | Peak | \mathbf{AV} | Limit | Limit | Margin | Remark |
| (MHz) | (dBuV) | (dBuV) | CF(dB) | (dB uV/m) | (dBuV/m) |)(dBuV/m) | (dBuV/m) | (dB) | |
| 2483.50 | 57.51 | 47.25 | -0.92 | 56.59 | 46.33 | 74.00 | 54.00 | -7.67 | AV |

Operation Mode TX CH High Test Date Oct. 25, 2010

Fundamental Frequency 2480 MHz Test By Jason Temperature 25°C Pol Hor.

Humidity 65 %

| | Peak | \mathbf{AV} | | Actu | al FS | Peak | \mathbf{AV} | | |
|---------|---------|---------------|---------|-----------|---------------|-----------|---------------|---------------|--------|
| Freq. | Reading | Reading | Ant./CL | Peak | \mathbf{AV} | Limit | Limit | Margin | Remark |
| (MHz) | (dBuV) | (dBuV) | CF(dB) | (dB uV/m) | (dBuV/m) |)(dBuV/m) | (dBuV/m | (dB) | |
| 2483.50 | 55 57 | 45.65 | -0 92 | 54.65 | 44 73 | 74.00 | 54 00 | -9 27 | ΑV |

Remark:

- (1) Data of measurement within this frequency range shown "-" in the table above means the reading of emissions are attenuated more than 20dB below the permissible limits or the field strength is too small to be measured.
- (2) Radiated emissions measured in frequency above 1000MHz were made with an instrument using Peak detector mode and average detector mode of the emission shown in Actual FS column.
- (3) Spectrum Peak Setting: 1GHz-26GHz, RBW=1MHz, VBW=3MHz, Sweep time=200 ms.
- (4) Spectrum AV Setting: 1GHz-26GHz, RBW=1MHz, VBW=10Hz, Sweep time=200 ms.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Ships of the testing ships the testing ships the sample(s) testing and testing the testing ships the sample(s) testing and testing the sample(s) testing and testing the sample(s) testing and testin only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report No.: EH/2010/A0020 **Issue Date: Oct. 29, 2010**

Page: 35 of 62

9. SPURIOUS RADIATED EMISSION TEST

9.1. Standard Applicable

According to §15.247(c), all other emissions outside these bands shall not exceed the general radiated emission limits specified in §15.209(a). And according to §15.33(a)(1), for an intentional radiator operates below 10GHz, the frequency range of measurements: to the tenth harmonic of the highest fundamental frequency or to 40GHz, whichever is lower.

9.2. Measurement Equipment Used:

9.2.1. Conducted Emission at antenna port:

Refer to section 6.2 for details.

9.2.2. Radiated emission:

Refer to section 8.2 for details.

9.3. Test **SET-UP**:

9.3.1. Conducted Emission at antenna port:

Refer to section 6.3 for details.

9.3.2. Radiated emission:

Refer to section 8.3 for details.

9.4. Measurement Procedure:

- 1. The EUT was placed on a turn table which is 0.8m above ground plane.
- 2. The turn table shall rotate 360 degrees to determine the position of maximum emission level.
- 3. EUT is set 3m away from the receiving antenna which varied from 1m to 4m to find out the highest emissions.
- 4. When measurement procedures for electric field radiated emissions above 1 GHz the EUT measurement is to be made "while keeping the antenna in the 'cone of radiation' from that area and pointed at the area both in azimuth and elevation, with polarization oriented for maximum response." is still within the 3dB illumination BW of the measurement antenna.
- 5. Maximum procedure was performed on the six highest emissions to ensure EUT compliance.
- 6. And also, each emission was to be maximized by changing the polarization of receiving antenna both horizontal and vertical.
- 7. Repeat above procedures until all frequency measured were complete.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Ships of the testing ships the testing ships the sample(s) testing and testing the testing ships the sample(s) testing and testing the sample(s) testing and testing the sample(s) testing and testin only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan /台北縣五股工業區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279



Report No.: EH/2010/A0020 Issue Date: Oct. 29, 2010

Page: 36 of 62

9.5. Field Strength Calculation

The field strength is calculated by adding the Antenna Factor and Cable Factor and subtracting the Amplifier Gain and Duty Cycle Correction Factor(if any) from the measured reading. The basic equation with a sample calculation is as follows:

$$FS = RA + AF + CL - AG$$

| Where | FS = Field Strength | CL = Cable Attenuation Factor (Cable Loss) | | | | |
|-------|------------------------|--|--|--|--|--|
| | RA = Reading Amplitude | AG = Amplifier Gain | | | | |
| | AF = Antenna Factor | | | | | |

9.6. Measurement Result:

Note: Refer to next page spectrum analyzer data chart and tabular data sheets.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Ships of the testing ships the testing ships the sample(s) testing and testing the testing ships the sample(s) testing and testing the sample(s) testing and testing the sample(s) testing and testin only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd. No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan /台北縣五股工業區五工路 134 號


> t (886-2) 2299-3279 f (886-2) 2298-0488 www.tw.sgs.com




Report No.: EH/2010/A0020 **Issue Date: Oct. 29, 2010**

Page: 37 of 62

Conducted Spurious Emission Measurement Result (Worst: BDR mode) Ch Low 30MHz - 3GHz



Ch Low 3GHz – 26.5GHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Ships of the testing ships the testing ships the sample(s) testing and testing the testing ships the sample(s) testing and testing the sample(s) testing and testing the sample(s) testing and testin only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan/台北縣五股工業區五工路 134 號 S Taiwan Ltd.


t (886-2) 2299-3279




Report No.: EH/2010/A0020 **Issue Date: Oct. 29, 2010**

Page: 38 of 62

Ch Mid 30MHz - 3GHz



Ch Mid 3GHz – 26.5GHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

She stated the States the State of the State of the State of States of Stat only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan /台北縣五股工業區五工路 134 號


t (886-2) 2299-3279




Report No.: EH/2010/A0020 **Issue Date: Oct. 29, 2010**

Page: 39 of 62

Ch High 30MHz - 3GHz



Ch High 3GHz - 26.5GHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

She stated the States the State of the State of the State of States of Stat only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan /台北縣五股工業區五工路 134 號

t (886-2) 2299-3279



Report No.: EH/2010/A0020 **Issue Date: Oct. 29, 2010**

Page: 40 of 62

Radiated Spurious Emission Measurement Result (below 1GHz)

Operation Mode TX CH Low Oct. 25, 2010 Test Date

Fundamental Frequency 2402MHz Test By Jason Temperature 25 °C Pol Ver./Hor.

Humidity 65 %

| Freq. | Ant.Pol. | Detector Mode | Reading | Factor | Actual FS | Limit3m | Safe Margin |
|--------|----------|------------------|---------|--------|------------------|----------|-------------|
| (MHz) | H/V | (PK/QP) | (dBuV) | (dB) | (dBuV/m) | (dBuV/m) | (dB) |
| 53.28 | V | Peak | 49.79 | -14.40 | 35.39 | 40.00 | -4.61 |
| 90.14 | V | Peak | 47.73 | -17.62 | 30.11 | 43.50 | -13.39 |
| 101.78 | V | Peak | 49.47 | -16.87 | 32.60 | 43.50 | -10.90 |
| 424.79 | V | Peak | 39.82 | -9.27 | 30.55 | 46.00 | -15.45 |
| 565.44 | V | Peak | 40.06 | -7.15 | 32.91 | 46.00 | -13.09 |
| 790.48 | V | Peak | 33.54 | -3.26 | 30.28 | 46.00 | -15.72 |
| | | | | | | | |
| 36.79 | Н | Peak | 45.76 | -14.36 | 31.40 | 40.00 | -8.60 |
| 53.28 | Н | Peak | 44.53 | -14.40 | 30.13 | 40.00 | -9.87 |
| 101.78 | Н | Peak | 45.51 | -16.87 | 28.64 | 43.50 | -14.86 |
| 424.79 | Н | Peak | 37.02 | -9.27 | 27.75 | 46.00 | -18.25 |
| 494.63 | Н | Peak | 37.01 | -8.50 | 28.51 | 46.00 | -17.49 |
| 565.44 | Н | Peak | 42.65 | -7.15 | 35.50 | 46.00 | -10.50 |

Remark:

- 1 Measuring frequencies from 30 MHz to the 1GHz •
- 2 Radiated emissions measured in frequency range from 30 MHz to 1000MHz were made with an instrument using Peak/QP detector mode.
- 3 Data of measurement within this frequency range shown " " in the table above means the reading of emissions are attenuated more than 20dB below the permissible limits or the field strength is too small to be measured.
- 4 The IF bandwidth of SPA between 30MHz to 1GHz was 100KHz.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Ships of the testing ships the testing ships the sample(s) testing and testing the testing ships the sample(s) testing and testing the sample(s) testing and testing the sample(s) testing and testin only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report No.: EH/2010/A0020 **Issue Date: Oct. 29, 2010**

Page: 41 of 62

Radiated Spurious Emission Measurement Result (below 1GHz)

Operation Mode TX CH Mid Test Date Oct. 25, 2010

Fundamental Frequency 2441MHz Test By Jason Temperature 25 °C Pol Ver./Hor.

Humidity 65 %

| Freq. | Ant.Pol. | Detector Mode | Reading | Factor | Actual FS | Limit3m | Safe Margin |
|--------|----------|------------------|---------|--------|------------------|----------|-------------|
| (MHz) | H/V | (PK/QP) | (dBuV) | (dB) | (dBuV/m) | (dBuV/m) | (dB) |
| 53.28 | V | Peak | 50.39 | -14.40 | 35.99 | 40.00 | -4.01 |
| 90.14 | V | Peak | 52.68 | -17.62 | 35.06 | 43.50 | -8.44 |
| 101.78 | V | Peak | 48.89 | -16.87 | 32.02 | 43.50 | -11.48 |
| 424.79 | V | Peak | 39.75 | -9.27 | 30.48 | 46.00 | -15.52 |
| 565.44 | V | Peak | 40.26 | 7.15 | 33.11 | 46.00 | -12.89 |
| 837.04 | V | Peak | 33.58 | -2.22 | 31.36 | 46.00 | -14.64 |
| | | | | | | | |
| 36.79 | Н | Peak | 46.24 | -14.36 | 31.88 | 40.00 | -8.12 |
| 53.28 | Н | Peak | 44.67 | -14.40 | 30.27 | 40.00 | -9.73 |
| 90.14 | Н | Peak | 45.56 | -17.62 | 27.94 | 43.50 | -15.56 |
| 424.79 | Н | Peak | 37.23 | -9.27 | 27.96 | 46.00 | -18.04 |
| 494.63 | Н | Peak | 36.82 | -8.50 | 28.32 | 46.00 | -17.68 |
| 565.44 | Н | Peak | 41.86 | -7.15 | 34.71 | 46.00 | -11.29 |

Remark:

- 1 Measuring frequencies from 30 MHz to the 1GHz •
- 2 Radiated emissions measured in frequency range from 30 MHz to 1000MHz were made with an instrument using Peak/QP detector mode.
- 3 Data of measurement within this frequency range shown " " in the table above means the reading of emissions are attenuated more than 20dB below the permissible limits or the field strength is too small to be measured.
- 4 The IF bandwidth of SPA between 30MHz to 1GHz was 100KHz.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Ships of the testing ships the testing ships the sample(s) testing and testing the testing ships the sample(s) testing and testing the sample(s) testing and testing the sample(s) testing and testin only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report No.: EH/2010/A0020 **Issue Date: Oct. 29, 2010**

Page: 42 of 62

Radiated Spurious Emission Measurement Result (below 1GHz)

Operation Mode TX CH High Test Date Oct. 25, 2010

Fundamental Frequency 2480MHz Test By Jason Temperature 25 °C Pol Ver./Hor.

Humidity 65 %

| Freq. | Ant.Pol. | Detector Mode | Reading | Factor | Actual FS | Limit3m | Safe Margin |
|--------|----------|------------------|---------|--------|------------------|----------|-------------|
| (MHz) | H/V | (PK/QP) | (dBuV) | (dB) | (dBuV/m) | (dBuV/m) | (dB) |
| 36.79 | V | Peak | 47.66 | -14.36 | 33.30 | 40.00 | -6.70 |
| 53.28 | V | Peak | 49.75 | -14.40 | 35.35 | 40.00 | -4.65 |
| 90.14 | V | Peak | 49.58 | -17.62 | 31.96 | 43.50 | -11.54 |
| 101.78 | V | Peak | 48.99 | -16.87 | 32.12 | 43.50 | -11.38 |
| 424.79 | V | Peak | 39.26 | -9.27 | 29.99 | 46.00 | -16.01 |
| 565.44 | V | Peak | 40.75 | -7.15 | 33.60 | 46.00 | -12.40 |
| | | | | | | | |
| 36.79 | Н | Peak | 45.76 | -14.36 | 31.40 | 40.00 | -8.60 |
| 53.28 | Н | Peak | 44.39 | -14.40 | 29.99 | 40.00 | -10.01 |
| 101.78 | Н | Peak | 43.89 | -16.87 | 27.02 | 43.50 | -16.48 |
| 424.79 | Н | Peak | 36.87 | -9.27 | 27.60 | 46.00 | -18.40 |
| 494.63 | Н | Peak | 37.20 | -8.50 | 28.70 | 46.00 | -17.30 |
| 565.44 | Н | Peak | 42.59 | -7.15 | 35.44 | 46.00 | -10.56 |

Remark:

- 1 Measuring frequencies from 30 MHz to the 1GHz •
- 2 Radiated emissions measured in frequency range from 30 MHz to 1000MHz were made with an instrument using Peak/QP detector mode.
- 3 Data of measurement within this frequency range shown " " in the table above means the reading of emissions are attenuated more than 20dB below the permissible limits or the field strength is too small to be measured.
- 4 The IF bandwidth of SPA between 30MHz to 1GHz was 100KHz.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Ships of the testing ships the testing ships the sample(s) testing and testing the testing ships the sample(s) testing and testing the sample(s) testing and testing the sample(s) testing and testin only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report No.: EH/2010/A0020 **Issue Date: Oct. 29, 2010**

Page: 43 of 62

Radiated Spurious Emission Measurement Result (above 1GHz)

Operation Mode TX CH Low Oct. 25, 2010 Test Date

Fundamental Frequency 2402 MHz Test By Jason Temperature 25 °C Pol Ver.

Humidity 65 %

| | Peak | \mathbf{AV} | | Actu | al FS | Peak | \mathbf{AV} | | |
|---------|---------|---------------|---------|----------|---------------|----------|---------------|--------|--------|
| Freq. | Reading | Reading | Ant./CL | Peak | \mathbf{AV} | Limit | Limit | Margin | Remark |
| (MHz) | (dBuV) | (dBuV) | CF(dB) | (dBuV/m) | (dBuV/m) | (dBuV/m) | (dBuV/m) | (dB) | |
| 3288.0 | 36.17 | | 1.36 | 37.53 | | 74.00 | 54.00 | -16.47 | Peak |
| 4804.0 | 32.84 | | 6.04 | 38.88 | | 74.00 | 54.00 | -15.12 | Peak |
| 7206.0 | | | | | | 74.00 | 54.00 | | |
| 9608.0 | | | | | | 74.00 | 54.00 | | |
| 12010.0 | | | | | | 74.00 | 54.00 | | |
| 14412.0 | | | | | | 74.00 | 54.00 | | |
| 16814.0 | | | | | | 74.00 | 54.00 | | |
| 19216.0 | | | | | | 74.00 | 54.00 | | |
| 21618.0 | | | | | | 74.00 | 54.00 | | |
| 24020.0 | | | | | | 74.00 | 54.00 | | |

Remark:

- 1 Measuring frequencies from 1GHz to the 10th harmonic of highest fundamental frequency.
- 2 Data of measurement within this frequency range shown " " in the table above means the reading of emissions are attenuated more than 20dB below the permissible limits or the field strength is too small to be measured.
- 3 Radiated emissions measured in frequency above 1000MHz were made with an instrument using Peak detector mode and average detector mode of the emission shown in Actual FS column
- 4 Spectrum Peak Setting: 1GHz-26GHz, RBW=1MHz, VBW=3MHz, Sweep time=200 ms.
- 5 Spectrum AV Setting: 1GHz- 26GHz, RBW= 1MHz, VBW= 10Hz, Sweep time= 200 ms.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Ships of the testing ships the testing ships the sample(s) testing and testing the testing ships the sample(s) testing and testing the sample(s) testing and testing the sample(s) testing and testin only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report No.: EH/2010/A0020 **Issue Date: Oct. 29, 2010**

Page: 44 of 62

Radiated Spurious Emission Measurement Result (above 1GHz)

Operation Mode TX CH Low Oct. 25, 2010 Test Date

Fundamental Frequency 2402 MHz Test By Jason Temperature 25 °C Pol Hor.

Humidity 65 %

| | Peak | \mathbf{AV} | | Actu | al FS | Peak | \mathbf{AV} | | |
|---------|---------|---------------|---------|----------|---------------|----------|---------------|--------|--------|
| Freq. | Reading | Reading | Ant./CL | Peak | \mathbf{AV} | Limit | Limit | Margin | Remark |
| (MHz) | (dBuV) | (dBuV) | CF(dB) | (dBuV/m) | (dBuV/m) | (dBuV/m) | (dBuV/m) | (dB) | |
| 2995.5 | 37.07 | | 0.38 | 37.45 | | 74.00 | 54.00 | -16.55 | Peak |
| 4804.0 | 32.62 | | 6.04 | 38.66 | | 74.00 | 54.00 | -15.34 | Peak |
| 7206.0 | | | | | | 74.00 | 54.00 | | |
| 9608.0 | | | | | | 74.00 | 54.00 | | |
| 12010.0 | | | | | | 74.00 | 54.00 | | |
| 14412.0 | | | | | | 74.00 | 54.00 | | |
| 16814.0 | | | | | | 74.00 | 54.00 | | |
| 19216.0 | | | | | | 74.00 | 54.00 | | |
| 21618.0 | | | | | | 74.00 | 54.00 | | |
| 24020.0 | | | | | | 74.00 | 54.00 | | |

Remark:

- 1 Measuring frequencies from 1GHz to the 10th harmonic of highest fundamental frequency.
- 2 Data of measurement within this frequency range shown " " in the table above means the reading of emissions are attenuated more than 20dB below the permissible limits or the field strength is too small to be measured.
- 3 Radiated emissions measured in frequency above 1000MHz were made with an instrument using Peak detector mode and average detector mode of the emission shown in Actual FS column
- 4 Spectrum Peak Setting: 1GHz-26GHz, RBW=1MHz, VBW=3MHz, Sweep time=200 ms.
- 5 Spectrum AV Setting: 1GHz- 26GHz, RBW= 1MHz, VBW= 10Hz, Sweep time= 200 ms.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Ships of the testing ships the testing ships the sample(s) testing and testing the testing ships the sample(s) testing and testing the sample(s) testing and testing the sample(s) testing and testin only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report No.: EH/2010/A0020 **Issue Date: Oct. 29, 2010**

Page: 45 of 62

Radiated Spurious Emission Measurement Result (above 1GHz)

Operation Mode TX CH Mid Oct. 25, 2010 Test Date

Fundamental Frequency 2441 MHz Test By Jason Temperature 25 °C Pol Ver.

Humidity 65 %

| Peak | \mathbf{AV} | | Actu | al FS | Peak | \mathbf{AV} | | |
|---------|-----------------------------------|--|--|--|--|--|--|--|
| Reading | Reading | Ant./CL | Peak | \mathbf{AV} | Limit | Limit | Margin | Remark |
| (dBuV) | (dBuV) | CF(dB) | (dBuV/m) | (dBuV/m) | (dBuV/m) | (dBuV/m) | (dB) | |
| 37.70 | | 0.29 | 37.99 | | 74.00 | 54.00 | -16.01 | Peak |
| 34.60 | | 6.17 | 40.77 | | 74.00 | 54.00 | -13.23 | Peak |
| | | | | | 74.00 | 54.00 | | |
| | | | | | 74.00 | 54.00 | | |
| | | | | | 74.00 | 54.00 | | |
| | | | | | 74.00 | 54.00 | | |
| | | | | | 74.00 | 54.00 | | |
| | | | | | 74.00 | 54.00 | | |
| | | | | | 74.00 | 54.00 | | |
| | | | | | 74.00 | 54.00 | | |
| | Reading (dBuV) 37.70 34.60 | Reading (dBuV) Reading (dBuV) 37.70 34.60 | Reading (dBuV) Reading (dBuV) Ant./CL (CF(dB)) 37.70 0.29 34.60 6.17 | Reading (dBuV) Reading (dBuV) Ant./CL (dBuV/m) Peak (dBuV/m) 37.70 0.29 37.99 34.60 6.17 40.77 | Reading (dBuV) Reading (dBuV) Ant./CL (dBuV) Peak (dBuV/m) AV 37.70 0.29 37.99 34.60 6.17 40.77 | Reading (dBuV) Reading (dBuV) Ant./CL (dBuV) Peak (dBuV) AV (dBuV/m) Limit (dBuV/m) 37.70 0.29 37.99 74.00 34.60 6.17 40.77 74.00 74.00 74.00 74.00 74.00 74.00 74.00 74.00 74.00 74.00 74.00 74.00 74.00 74.00 74.00 74.00 74.00 74.00 74.00 74.00 | Reading (dBuV) Ant./Ct (dBuV) Peak (dBuV) AV Limit (dBuV) Limit (dBuV) 37.70 0.29 37.99 74.00 54.00 34.60 6.17 40.77 74.00 54.00 74.00 54.00 74.00 54.00 74.00 54.00 74.00 54.00 74.00 54.00 74.00 54.00 74.00 54.00 74.00 54.00 74.00 54.00 74.00 54.00 74.00 54.00 74.00 54.00 74.00 54.00 74.00 54.00 | Reading (dBuV) Ant./CL (dBuV/m) Peak (dBuV/m) AV (dBuV/m) Limit (dBuV/m) Margin (dBuV/m) 37.70 0.29 37.99 74.00 54.00 -16.01 34.60 6.17 40.77 74.00 54.00 -13.23 74.00 54.00 -13.23 74.00 54.00 -13.23 74.00 54.00 -13.23 74.00 54.00 -13.23 74.00 54.00 -13.23 74.00 54.00 -13.23 74.00 54.00 -13.23 74.00 54.00 -14.00 74.00 54.00 -14.00 74.00 54.00 -14.00 74.00 54.00 <td< td=""></td<> |

Remark:

- 1 Measuring frequencies from 1GHz to the 10th harmonic of highest fundamental frequency.
- 2 Data of measurement within this frequency range shown " " in the table above means the reading of emissions are attenuated more than 20dB below the permissible limits or the field strength is too small to be measured.
- 3 Radiated emissions measured in frequency above 1000MHz were made with an instrument using Peak detector mode and average detector mode of the emission shown in Actual FS column
- 4 Spectrum Peak Setting: 1GHz-26GHz, RBW=1MHz, VBW=3MHz, Sweep time=200 ms.
- 5 Spectrum AV Setting: 1GHz-26GHz, RBW=1MHz, VBW=10Hz, Sweep time=200 ms.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Ships of the testing ships the testing ships the sample(s) testing and testing the testing ships the sample(s) testing and testing the sample(s) testing and testing the sample(s) testing and testin only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report No.: EH/2010/A0020 **Issue Date: Oct. 29, 2010**

Page: 46 of 62

Radiated Spurious Emission Measurement Result (above 1GHz)

Operation Mode TX CH Mid Oct. 25, 2010 Test Date

Fundamental Frequency 2441 MHz Test By Jason Temperature 25 °C Pol Hor.

Humidity 65 %

| | Peak | \mathbf{AV} | | Actu | al FS | Peak | \mathbf{AV} | | |
|---------|---------|---------------|---------|----------|---------------|----------|---------------|--------|--------|
| Freq. | Reading | Reading | Ant./CL | Peak | \mathbf{AV} | Limit | Limit | Margin | Remark |
| (MHz) | (dBuV) | (dBuV) | CF(dB) | (dBuV/m) | (dBuV/m) | (dBuV/m) | (dBuV/m) | (dB) | |
| 4882.0 | 33.84 | | 6.17 | 40.01 | | 74.00 | 54.00 | -13.99 | Peak |
| 7323.0 | | | | | | 74.00 | 54.00 | | |
| 9764.0 | | | | | | 74.00 | 54.00 | | |
| 12205.0 | | | | | | 74.00 | 54.00 | | |
| 14646.0 | | | | | | 74.00 | 54.00 | | |
| 17087.0 | | | | | | 74.00 | 54.00 | | |
| 19528.0 | | | | | | 74.00 | 54.00 | | |
| 21969.0 | | | | | | 74.00 | 54.00 | | |
| 24410.0 | | | | | | 74.00 | 54.00 | | |

Remark:

- 1 Measuring frequencies from 1GHz to the 10th harmonic of highest fundamental frequency.
- 2 Data of measurement within this frequency range shown "-" in the table above means the reading of emissions are attenuated more than 20dB below the permissible limits or the field strength is too small to be measured.
- 3 Radiated emissions measured in frequency above 1000MHz were made with an instrument using Peak detector mode and average detector mode of the emission shown in Actual FS column.
- 4 Spectrum Peak Setting: 1GHz-26GHz, RBW=1MHz, VBW=3MHz, Sweep time=200 ms.
- 5 Spectrum AV Setting: 1GHz- 26GHz, RBW= 1MHz, VBW= 10Hz, Sweep time= 200 ms.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Ships of the testing ships the testing ships the sample(s) testing and testing the testing ships the sample(s) testing and testing the sample(s) testing and testing the sample(s) testing and testin only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report No.: EH/2010/A0020 **Issue Date: Oct. 29, 2010**

Page: 47 of 62

Radiated Spurious Emission Measurement Result (above 1GHz)

Operation Mode TX CH High Oct. 25, 2010 Test Date

Fundamental Frequency 2480 MHz Test By Jason Temperature 25 °C Pol Ver.

Humidity 65 %

| | Peak | \mathbf{AV} | | Actu | al FS | Peak | \mathbf{AV} | | |
|---------|---------|---------------|---------|----------|---------------|----------|---------------|--------|--------|
| Freq. | Reading | Reading | Ant./CL | Peak | \mathbf{AV} | Limit | Limit | Margin | Remark |
| (MHz) | (dBuV) | (dBuV) | CF(dB) | (dBuV/m) | (dBuV/m) | (dBuV/m) | (dBuV/m) | (dB) | |
| 3431.0 | 36.08 | | 1.84 | 37.92 | | 74.00 | 54.00 | -16.08 | Peak |
| 4960.0 | 35.41 | | 6.36 | 41.77 | | 74.00 | 54.00 | -12.23 | Peak |
| 7440.0 | | | | | | 74.00 | 54.00 | | |
| 9920.0 | | | | | | 74.00 | 54.00 | | |
| 12400.0 | | | | | | 74.00 | 54.00 | | |
| 14880.0 | | | | | | 74.00 | 54.00 | | |
| 17360.0 | | | | | | 74.00 | 54.00 | | |
| 19840.0 | | | | | | 74.00 | 54.00 | | |
| 22320.0 | | | | | | 74.00 | 54.00 | | |
| 24800.0 | | | | | | 74.00 | 54.00 | | |
| | | | | | | | | | |

Remark:

- 1 Measuring frequencies from 1GHz to the 10th harmonic of highest fundamental frequency.
- 2 Data of measurement within this frequency range shown " " in the table above means the reading of emissions are attenuated more than 20dB below the permissible limits or the field strength is too small to be measured.
- 3 Radiated emissions measured in frequency above 1000MHz were made with an instrument using Peak detector mode and average detector mode of the emission shown in Actual FS column
- 4 Spectrum Peak Setting: 1GHz-26GHz, RBW=1MHz, VBW=3MHz, Sweep time=200 ms.
- 5 Spectrum AV Setting: 1GHz-26GHz, RBW=1MHz, VBW=10Hz, Sweep time=200 ms.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

台灣檢驗科技股份有限公司

Ships of the testing ships the testing ships the sample(s) testing and testing the testing ships the sample(s) testing and testing the sample(s) testing and testing the sample(s) testing and testin only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report No.: EH/2010/A0020 **Issue Date: Oct. 29, 2010**

Page: 48 of 62

Radiated Spurious Emission Measurement Result (above 1GHz)

Operation Mode TX CH High Oct. 25, 2010 Test Date

Fundamental Frequency 2480 MHz Test By Jason Temperature 25 °C Pol Hor.

Humidity 65 %

| | Peak | \mathbf{AV} | | Actu | al FS | Peak | \mathbf{AV} | | |
|---------|---------|---------------|---------|----------|---------------|----------|---------------|--------|--------|
| Freq. | Reading | Reading | Ant./CL | Peak | \mathbf{AV} | Limit | Limit | Margin | Remark |
| (MHz) | (dBuV) | (dBuV) | CF(dB) | (dBuV/m) | (dBuV/m) | (dBuV/m) | (dBuV/m) | (dB) | |
| 3320.5 | 35.70 | | 1.47 | 37.17 | | 74.00 | 54.00 | -16.83 | Peak |
| 4960.0 | 33.20 | | 6.36 | 39.56 | | 74.00 | 54.00 | -14.44 | Peak |
| 7440.0 | | | | | | 74.00 | 54.00 | | |
| 9920.0 | | | | | | 74.00 | 54.00 | | |
| 12400.0 | | | | | | 74.00 | 54.00 | | |
| 14880.0 | | | | | | 74.00 | 54.00 | | |
| 17360.0 | | | | | | 74.00 | 54.00 | | |
| 19840.0 | | | | | | 74.00 | 54.00 | | |
| 22320.0 | | | | | | 74.00 | 54.00 | | |
| 24800.0 | | | | | | 74.00 | 54.00 | | |

Remark:

- 1 Measuring frequencies from 1GHz to the 10th harmonic of highest fundamental frequency.
- 2 Data of measurement within this frequency range shown " " in the table above means the reading of emissions are attenuated more than 20dB below the permissible limits or the field strength is too small to be measured.
- 3 Radiated emissions measured in frequency above 1000MHz were made with an instrument using Peak detector mode and average detector mode of the emission shown in Actual FS column
- 4 Spectrum Peak Setting: 1GHz-26GHz, RBW=1MHz, VBW=3MHz, Sweep time=200 ms.
- 5 Spectrum AV Setting: 1GHz- 26GHz, RBW= 1MHz, VBW= 10Hz, Sweep time= 200 ms.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Ships of the testing ships the testing ships the sample(s) testing and testing the testing ships the sample(s) testing and testing the sample(s) testing and testing the sample(s) testing and testin only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report No.: EH/2010/A0020 **Issue Date: Oct. 29, 2010**

Page: 49 of 62

10. FREQUENCY SEPARATION

10.1. Standard Applicable

According to §15.247(a)(1), Frequency hopping systems shall have hopping channel carrier frequencies separated by minimum of 25KHz or the 20dB bandwidth of the hopping channel, whichever is greater.

10.2. Measurement Equipment Used:

Refer to section 6.2 for details.

10.3. Test Set-up:

Refer to section 6.3 for details.

10.4. Measurement Procedure:

- 1. Place the EUT on the table and set it in transmitting mode.
- 2. Remove the antenna from the EUT and then connect a low loss RF cable from the antenna port to the spectrum analyzer.
- 3. Set center frequency of spectrum analyzer = middle of hopping channel.
- 4. Set the spectrum analyzer as RBW, VBW=100KHz/100KHz, Adjust Span to 3.0 MHz, Sweep = auto.
- 5. Max hold. Mark 3 Peaks of hopping channel and record the 3 peaks frequency.

10.5. Measurement Result:

| Channel separation (MHz) | Limit | Result |
|--------------------------|------------------------------|--------|
| 1 | >=25KHz or 20dB bandwidth | PASS |

Note: Refer to next page for plots.

台灣檢驗科技股份有限公司

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


Ships of the testing ships the testing ships the sample(s) testing and testing the testing ships the sample(s) testing and testing the sample(s) testing and testing the sample(s) testing and testin only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Report No.: EH/2010/A0020 **Issue Date: Oct. 29, 2010**

Page: 50 of 62

Frequency Separation Test Data



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

She stated the States the State of the State of the State of States of Stat only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan /台北縣五股工業區五工路 134 號

t (886-2) 2299-3279



Report No.: EH/2010/A0020 **Issue Date: Oct. 29, 2010**

Page: 51 of 62

11. NUMBER OF HOPPING FREQUENCY

11.1. Standard Applicable

According to §15.247(a)(1)(iii), Frequency hopping systems operating in the 2400MHz-2483.5 MHz bands shall use at least 15 hopping frequencies.

11.2. Measurement Equipment Used:

Refer to section 6.2 for details.

11.3. Test Set-up:

Refer to section 6.3 for details.

11.4. Measurement Procedure:

- 1. Place the EUT on the table and set it in transmitting mode.
- 2. Remove the antenna from the EUT and then connect a low loss RF cable from the antenna port to the spectrum analyzer.
- 3. Set spectrum analyzer Start=2400MHz, Stop = 2483.5MHz, Sweep = auto.
- 4. Set the spectrum analyzer as RBW, VBW=430KHz/1.3MHz,
- 5. Max hold, view and count how many channel in the band.

11.5. Measurement Result:

Note: Refer to next page for plots.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Ships of the testing ships the testing ships the sample(s) testing and testing the testing ships the sample(s) testing and testing the sample(s) testing and testing the sample(s) testing and testin only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd. No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan /台北縣五股工業區五工路 134 號

台灣檢驗科技股份有限公司




Report No.: EH/2010/A0020 **Issue Date: Oct. 29, 2010**


Page: 52 of 62

Channel Number

2.4 GHz - 2.441GHz



2.441 GHz - 2.4835GHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

She stated the States the State of the State of the State of States of Stat only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan/台北縣五股工業區五工路 134 號 SGS Taiwan Ltd.


t (886-2) 2299-3279



Report No.: EH/2010/A0020 Issue Date: Oct. 29, 2010

Page: 53 of 62

AFH Mode



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report refer only to the sample(s) lested and such sample(s) are retained for so days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention. militation and piralection is solved defined interent. Any holder of this document is advised and interent network network in the limits of Client. Any holder of this document is advised and interent network network in the limits of Client. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan /台北縣五股工業區五工路 134 號

t (886-2) 2299-3279



Report No.: EH/2010/A0020 **Issue Date: Oct. 29, 2010**

Page: 54 of 62

12. TIME OF OCCUPANCY (DWELL TIME)

12.1. Standard Applicable

According to §15.247(a)(1)(iii), Frequency hopping systems operating in the 2400MHz-2483.5 MHz. The average time of occupancy on any frequency shall not greater than 0.4 s within period of 0.4 seconds multiplied by the number of hopping channel employed.

12.2. Measurement Equipment Used:

Refer to section 6.2 for details.

12.3. Test Set-up:

Refer to section 6.3 for details.

12.4. Measurement Procedure:

- 1. Place the EUT on the table and set it in transmitting mode.
- 2. Remove the antenna from the EUT and then connect a low loss RF cable from the antenna port to the spectrum analyzer.
- 3. Set center frequency of spectrum analyzer = operating frequency.
- 4. Set the spectrum analyzer as RBW, VBW=1MHz/1MHz, Span = 0Hz, Adjust Sweep = 2ms-5ms.
- 5. Repeat above procedures until all frequency measured were complete.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Ships of the testing ships the testing ships the sample(s) testing and testing the testing ships the sample(s) testing and testing the sample(s) testing and testing the sample(s) testing and testin only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd. No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan /台北縣五股工業區五工路 134 號

t (886-2) 2299-3279



Report No.: EH/2010/A0020 **Issue Date: Oct. 29, 2010**

Page: 55 of 62

12.5. Measurement Result

A period time = 0.4 (ms) * 79 = 31.6 (s)

CH Low DH1 time slot = 0.327 (ms) * (1600/2/79) * 31.6 = 104.64 (ms)

DH3 time slot = 1.540 (ms) * (1600/4/79) * 31.6 = 246.40 (ms)

DH5 time slot = 2.892 (ms) * (1600/6/79) * 31.6 = 308.48 (ms)

CH Mid DH1 time slot = 0.327 (ms) * (1600/2/79) * 31.6 = 104.64 (ms)

DH3 time slot = 1.540 (ms) * (1600/4/79) * 31.6 = 246.40 (ms)

DH5 time slot = 2.892 (ms) * (1600/6/79) * 31.6 = 308.48 (ms)

CH High DH1 time slot = 0.327 (ms) * (1600/2/79) * 31.6 = 104.64 (ms)

DH3 time slot = 1.540 (ms) * (1600/4/79) * 31.6 = 246.40 (ms)

DH5 time slot = 2.892 (ms) * (1600/6/79) * 31.6 = 308.48 (ms)

Note: Refer to next page for plots.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Ships of the testing ships the testing ships the sample(s) testing and testing the testing ships the sample(s) testing and testing the sample(s) testing and testing the sample(s) testing and testin only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Report No.: EH/2010/A0020 **Issue Date: Oct. 29, 2010**


Page: 56 of 62

CH-Low

DH1



DH3



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Ships of the testing ships the testing ships the sample(s) testing and testing the testing ships the sample(s) testing and testing the sample(s) testing and testing the sample(s) testing and testin only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan/台北縣五股工業區五工路 134 號 SGS Taiwan Ltd.


t (886-2) 2299-3279



Report No.: EH/2010/A0020 **Issue Date: Oct. 29, 2010**

Page: 57 of 62

DH5



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Ships of the testing ships the testing ships the sample(s) testing and testing the testing ships the sample(s) testing and testing the sample(s) testing and testing the sample(s) testing and testin only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan /台北縣五股工業區五工路 134 號 SGS Taiwan Ltd.

台灣檢驗科技股份有限公司

t (886-2) 2299-3279




Report No.: EH/2010/A0020 **Issue Date: Oct. 29, 2010**


Page: 58 of 62

CH-Mid

DH1



DH3



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Ships of the testing ships the testing ships the sample(s) testing and testing the testing ships the sample(s) testing and testing the sample(s) testing and testing the sample(s) testing and testin only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan/台北縣五股工業區五工路 134 號 SGS Taiwan Ltd.


t (886-2) 2299-3279



Report No.: EH/2010/A0020 **Issue Date: Oct. 29, 2010**

Page: 59 of 62

DH5



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Ships of the testing ships the testing ships the sample(s) testing and testing the testing ships the sample(s) testing and testing the sample(s) testing and testing the sample(s) testing and testin only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan /台北縣五股工業區五工路 134 號 SGS Taiwan Ltd.

台灣檢驗科技股份有限公司

t (886-2) 2299-3279




Report No.: EH/2010/A0020 **Issue Date: Oct. 29, 2010**


Page: 60 of 62

CH-High

DH1



DH3



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

Ships of the testing ships the testing ships the sample(s) testing and testing the testing ships the sample(s) testing and testing the sample(s) testing and testing the sample(s) testing and testin only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan/台北縣五股工業區五工路 134 號 SGS Taiwan Ltd.



Report No.: EH/2010/A0020 Issue Date: Oct. 29, 2010

Page: 61 of 62

DH5



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Ships of the testing ships the testing ships the sample(s) testing and testing the testing ships the sample(s) testing and testing the sample(s) testing and testing the sample(s) testing and testin only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan /台北縣五股工業區五工路 134 號 SGS Taiwan Ltd.

台灣檢驗科技股份有限公司

t (886-2) 2299-3279



Report No.: EH/2010/A0020 **Issue Date: Oct. 29, 2010**

Page: 62 of 62

13. ANTENNA REQUIREMENT

13.1. Standard Applicable

For intentional device, according to §15.203, an intentional radiator shall be designed to ensure that no antenna other than furnished by the responsible party shall be used with the device.

And according to §15.247(4)(1), system operating in the 2400-2483.5MHz bands that are used exclusively for fixed, point-to-point operations may employ transmitting antennas with directional gain greater than 6dBi provided the maximum peak output power of the intentional radiator is reduced by 1 dB for every 3 dB that the directional gain of the antenna exceeds 6 dBi.

13.2. Antenna Connected Construction

The directional gains of antenna used for transmitting is 1.36dBi, and the antenna connector is designed with permanent attachment and no consideration of replacement. Please see EUT photo for details.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Ships of the testing ships the testing ships the sample(s) testing and testing the testing ships the sample(s) testing and testing the sample(s) testing and testing the sample(s) testing and testin only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law