






(802.11g _2412MHz, Antenna Vertical, 30MHz to 1GHz)

Frequency (MHz)	MaxPeak (dBμV/m)	QuasiPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Pol	Corr. (dB/m)
36.7211	21.42	---	40.00	-18.58	V	13.44
65.6302	20.05	---	40.00	-19.95	V	13.21
167.6772	18.93	---	43.50	-24.57	V	11.83
333.2190	30.20	---	46.00	-15.80	V	17.21
532.9904	28.07	---	46.00	-17.93	V	22.23
937.5167	36.16	---	46.00	-9.84	V	28.29




(802.11g _2412MHz, Antenna Vertical , 1GHz to 3GHz)

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Pol	Corr. (dB/m)
1201.509	---	---	74.00	-33.54	V	30.62
1202.433	---	---	54.00	-20.73	V	30.58
1434.927	---	---	74.00	-31.37	V	31.52
1456.047	---	---	54.00	-19.84	V	32.02
1792.843	---	---	54.00	-15.08	V	36.16
1794.025	---	---	74.00	-26.96	V	36.28
2211.669	---	---	74.00	-23.16	V	39.10
2214.830	---	---	54.00	-12.83	V	39.18
2414.185	---	---	---	---	V	41.03
2414.185	---	---	---	---	V	41.03
2646.851	---	---	54.00	-7.48	V	43.33
2711.901	---	---	74.00	-17.77	V	43.01




(802.11g _2412MHz, Antenna Vertical, 3GHz to 18GHz)

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Pol	Corr. (dB/m)
4974.750	---	32.64	54.00	-21.36	V	-2.84
5064.000	41.18	---	74.00	-32.82	V	-2.95
7959.000	44.53	---	74.00	-29.47	V	1.45
7968.750	---	35.44	54.00	-18.56	V	1.25
10439.250	44.07	---	74.00	-29.93	V	3.07
10445.250	---	36.56	54.00	-17.44	V	3.14
13014.750	45.15	---	74.00	-28.85	V	5.89
13065.000	---	37.29	54.00	-16.71	V	6.45
15021.000	48.55	---	74.00	-25.45	V	10.73
15021.000	---	40.41	54.00	-13.59	V	10.73
17023.500	---	42.60	54.00	-11.40	V	12.93
17122.500	51.07	---	74.00	-22.93	V	12.78




(802.11g _2437MHz, Antenna Horizontal, 30MHz to 1GHz)

Frequency (MHz)	MaxPeak (dBuV/m)	QuasiPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol	Corr. (dB/m)
50.0040	16.28	---	40.00	-23.72	H	16.20
98.9886	14.75	---	43.50	-28.75	H	14.36
186.6044	19.09	---	43.50	-24.41	H	12.63
332.4021	24.89	---	46.00	-21.11	H	17.15
532.0568	32.90	---	46.00	-13.10	H	22.22
801.7863	31.28	---	46.00	-14.72	H	26.12




(802.11g _2437MHz, Antenna Horizontal, 1GHz to 3GHz)

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Pol	Corr. (dB/m)
1204.946	---	32.69	54.00	-21.31	H	30.45
1205.608	40.73	---	74.00	-33.27	H	30.42
1394.137	---	34.28	54.00	-19.72	H	31.76
1405.594	42.34	---	74.00	-31.66	H	31.79
1796.392	---	38.69	54.00	-15.31	H	36.52
1804.601	47.93	---	74.00	-26.07	H	36.46
2239.050	50.52	---	74.00	-23.48	H	38.86
2290.175	---	41.95	54.00	-12.05	H	39.56
2436.165	---	95.89	---	---	H	40.80
2439.245	103.61	---	---	---	H	40.81
2813.104	56.55	---	74.00	-17.45	H	43.60
2860.160	---	46.61	54.00	-7.39	H	44.04




(802.11g _2437MHz, Antenna Horizontal, 3GHz to 18GHz)

Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol	Corr. (dB/m)
4754.250	---	34.17	54.00	-19.83	H	-3.28
4899.750	41.83	---	74.00	-32.17	H	-2.69
7605.000	44.80	---	74.00	-29.20	H	0.29
7737.000	---	36.13	54.00	-17.87	H	0.09
9547.500	46.80	---	74.00	-27.20	H	2.22
9564.750	---	37.49	54.00	-16.51	H	2.31
12334.500	46.21	---	74.00	-27.79	H	4.42
12357.750	---	37.54	54.00	-16.46	H	4.50
14452.500	---	41.29	54.00	-12.71	H	8.54
14480.250	49.39	---	74.00	-24.61	H	7.83
17031.750	52.95	---	74.00	-21.05	H	11.41
17031.750	---	44.17	54.00	-9.83	H	11.41




(802.11g _2437MHz, Antenna Vertical, 30MHz to 1GHz)

Frequency (MHz)	MaxPeak (dBμV/m)	QuasiPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Pol	Corr. (dB/m)
30.6594	25.51	---	40.00	-14.49	V	12.72
65.2974	20.43	---	40.00	-19.57	V	13.30
166.5638	15.87	---	43.50	-27.63	V	11.46
378.2526	26.64	---	46.00	-19.36	V	18.92
532.3367	30.21	---	46.00	-15.79	V	22.22
830.4002	30.53	---	46.00	-15.47	V	26.51




(802.11g _2437MHz, Antenna Vertical , 1GHz to 3GHz)

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Pol	Corr. (dB/m)
1194.140	40.99	---	74.00	-33.01	V	30.28
1201.905	---	32.74	54.00	-21.26	V	30.60
1459.731	43.47	---	74.00	-30.53	V	32.13
1476.181	---	34.56	54.00	-19.44	V	32.40
1797.971	47.94	---	74.00	-26.06	V	36.63
1800.838	---	38.61	54.00	-15.39	V	36.72
2197.621	49.26	---	74.00	-24.74	V	38.55
2252.249	---	41.88	54.00	-12.12	V	39.03
2440.451	---	87.48	---	---	V	40.80
2440.988	95.74	---	---	---	V	40.81
2763.329	56.34	---	74.00	-17.66	V	43.54
2792.627	---	46.55	54.00	-7.45	V	44.06




(802.11g _2437MHz, Antenna Vertical, 3GHz to 18GHz)

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Pol	Corr. (dB/m)
5287.500	42.27	---	74.00	-31.73	V	-2.97
5500.500	---	34.25	54.00	-19.75	V	-1.71
7806.750	45.02	---	74.00	-28.98	V	0.33
7856.250	---	36.64	54.00	-17.36	V	0.37
9944.250	---	37.61	54.00	-16.39	V	2.57
9981.000	46.10	---	74.00	-27.90	V	2.59
11947.500	47.24	---	74.00	-26.76	V	4.31
12042.000	---	37.52	54.00	-16.48	V	4.83
14333.250	48.51	---	74.00	-25.49	V	8.66
14409.750	---	40.49	54.00	-13.51	V	9.46
16720.500	---	42.51	54.00	-11.49	V	11.82
16733.250	50.96	---	74.00	-23.04	V	11.85




(802.11g _2462MHz, Antenna Horizontal, 30MHz to 1GHz)

Frequency (MHz)	MaxPeak (dBμV/m)	QuasiPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Pol	Corr. (dB/m)
50.0040	16.28	---	40.00	-23.72	H	16.20
98.9886	14.75	---	43.50	-28.75	H	14.36
186.6044	19.09	---	43.50	-24.41	H	12.63
278.0669	24.20	---	46.00	-21.80	H	16.22
532.0568	32.90	---	46.00	-13.10	H	22.22
801.7863	31.28	---	46.00	-14.72	H	26.12




(802.11g _2462MHz, Antenna Horizontal, 1GHz to 3GHz)

Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol	Corr. (dB/m)
1195.452	---	32.92	54.00	-21.08	H	30.37
1204.218	40.68	---	74.00	-33.32	H	30.49
1396.743	42.69	---	74.00	-31.31	H	31.87
1400.738	---	34.28	54.00	-19.72	H	31.97
1738.533	45.68	---	74.00	-28.32	H	34.42
1793.927	---	38.63	54.00	-15.37	H	36.27
2103.485	48.52	---	74.00	-25.48	H	37.22
2147.736	---	39.77	54.00	-14.23	H	37.65
2459.427	---	96.03	---	---	H	41.39
2465.243	103.89	---	---	---	H	41.61
2861.103	56.40	---	74.00	-17.60	H	44.07
2864.248	---	47.12	54.00	-6.88	H	44.18




(802.11g _2462MHz, Antenna Horizontal, 3GHz to 18GHz)

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Pol	Corr. (dB/m)
4842.750	41.66	---	74.00	-32.34	H	-3.08
4926.750	---	33.73	54.00	-20.27	H	-2.77
7159.500	---	35.53	54.00	-18.47	H	-0.52
7274.250	44.54	---	74.00	-29.46	H	-0.30
9942.000	46.25	---	74.00	-27.75	H	2.08
10016.250	---	37.81	54.00	-16.19	H	1.85
12404.250	46.58	---	74.00	-27.42	H	4.37
12510.750	---	37.49	54.00	-16.51	H	4.87
15453.000	---	41.94	54.00	-12.06	H	10.92
15483.000	50.89	---	74.00	-23.11	H	11.12
17113.500	52.42	---	74.00	-21.58	H	11.94
17113.500	---	43.70	54.00	-10.30	H	11.94




(802.11g _2462MHz, Antenna Vertical, 30MHz to 1GHz)

Frequency (MHz)	MaxPeak (dBμV/m)	QuasiPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Pol	Corr. (dB/m)
30.6594	25.51	---	40.00	-14.49	V	12.72
65.2974	20.43	---	40.00	-19.57	V	13.30
166.7098	20.63	---	43.50	-22.87	V	11.51
332.5770	28.01	---	46.00	-17.99	V	17.16
532.3367	30.21	---	46.00	-15.79	V	22.22
832.5869	30.72	---	46.00	-15.28	V	26.55



(802.11g _2462MHz, Antenna Vertical , 1GHz to 3GHz)


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Pol	Corr. (dB/m)
1197.687	---	33.33	54.00	-20.67	V	30.53
1199.728	40.39	---	74.00	-33.61	V	30.68
1531.858	43.82	---	74.00	-30.18	V	32.97
1558.851	---	35.93	54.00	-18.07	V	33.23
1795.800	---	39.44	54.00	-14.56	V	36.47
1798.959	47.20	---	74.00	-26.80	V	36.71
2207.542	---	41.80	54.00	-12.20	V	38.93
2220.311	50.34	---	74.00	-23.66	V	39.11
2462.942	---	89.59	---	---	V	41.52
2464.837	97.29	---	---	---	V	41.59
2753.329	---	46.84	54.00	-7.16	V	43.74
2814.804	56.43	---	74.00	-17.57	V	43.46



(802.11g _2462MHz, Antenna Vertical, 3GHz to 18GHz)


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Pol	Corr. (dB/m)
4802.250	42.52	---	74.00	-31.48	V	-3.35
5000.250	---	33.18	54.00	-20.82	V	-2.77
7687.500	---	36.17	54.00	-17.83	V	0.46
7726.500	44.91	---	74.00	-29.09	V	0.03
10013.250	---	37.47	54.00	-16.53	V	2.52
10020.000	46.71	---	74.00	-27.29	V	2.46
12462.000	45.96	---	74.00	-28.04	V	4.47
12612.750	---	37.30	54.00	-16.70	V	4.61
14912.250	49.02	---	74.00	-24.98	V	9.30
15030.000	---	41.92	54.00	-12.08	V	10.58
16753.500	51.12	---	74.00	-22.88	V	11.74
16786.500	---	42.42	54.00	-11.58	V	11.39

802.11n-20MHz Test mode




(802.11n_20M_2412MHz, Antenna Horizontal, 30MHz to 1GHz)

Frequency (MHz)	MaxPeak (dBμV/m)	QuasiPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Pol	Corr. (dB/m)
50.0040	16.28	---	40.00	-23.72	H	16.20
140.6130	18.69	---	43.50	-24.81	H	11.87
238.4774	23.08	---	46.00	-22.92	H	14.99
417.2751	24.87	---	46.00	-21.13	H	19.86
532.0568	32.90	---	46.00	-13.10	H	22.22
801.7863	31.28	---	46.00	-14.72	H	26.12




(802.11n_20M_2412MHz, Antenna Horizontal, 1GHz to 3GHz)

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Pol	Corr. (dB/m)
1192.239	40.63	---	74.00	-33.37	H	30.17
1195.387	---	32.54	54.00	-21.46	H	30.37
1459.090	42.71	---	74.00	-31.29	H	32.11
1475.532	---	34.57	54.00	-19.43	H	32.40
1801.332	47.84	---	74.00	-26.16	H	36.69
1801.332	---	38.47	54.00	-15.53	H	36.69
2184.142	50.04	---	74.00	-23.96	H	38.21
2216.047	---	41.50	54.00	-12.50	H	39.16
2413.787	---	95.05	---	---	H	41.05
2416.175	102.18	---	---	---	H	40.93
2747.135	---	46.65	54.00	-7.35	H	43.55
2756.507	56.35	---	74.00	-17.65	H	43.78




(802.11n_20M_2412MHz, Antenna Horizontal, 3GHz to 18GHz)

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Pol	Corr. (dB/m)
5307.750	42.80	---	74.00	-31.20	H	-2.89
5469.000	---	33.39	54.00	-20.61	H	-2.85
7952.250	44.46	---	74.00	-29.54	H	1.33
7952.250	---	36.37	54.00	-17.63	H	1.33
9988.500	46.59	---	74.00	-27.41	H	1.94
9988.500	---	37.60	54.00	-16.40	H	1.94
12282.750	---	37.82	54.00	-16.18	H	4.04
12348.750	46.58	---	74.00	-27.42	H	4.53
15063.750	50.44	---	74.00	-23.56	H	10.07
15091.500	---	41.88	54.00	-12.12	H	9.71
16855.500	52.23	---	74.00	-21.77	H	11.66
17093.250	---	43.92	54.00	-10.08	H	11.67




(802.11n_20M_2412MHz, Antenna Vertical, 30MHz to 1GHz)

Frequency (MHz)	MaxPeak (dBμV/m)	QuasiPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Pol	Corr. (dB/m)
36.6760	21.85	---	40.00	-18.15	V	13.42
63.2577	20.11	---	40.00	-19.89	V	13.63
166.0972	18.28	---	43.50	-25.22	V	11.36
279.2394	25.20	---	46.00	-20.80	V	16.50
531.0316	29.39	---	46.00	-16.61	V	22.21
937.5167	33.13	---	46.00	-12.87	V	28.29




(802.11n_20M_2412MHz, Antenna Vertical , 1GHz to 3GHz)

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Pol	Corr. (dB/m)
1199.926	41.26	---	74.00	-32.74	V	30.69
1199.926	---	32.61	54.00	-21.39	V	30.69
1507.152	43.73	---	74.00	-30.27	V	32.65
1532.279	---	35.02	54.00	-18.98	V	32.98
1799.355	---	39.05	54.00	-14.95	V	36.73
1809.862	47.49	---	74.00	-26.51	V	36.11
2211.790	50.76	---	74.00	-23.24	V	39.11
2215.560	---	41.55	54.00	-12.45	V	39.16
2416.175	---	85.50	---	---	V	40.93
2419.761	93.82	---	---	---	V	40.75
2749.399	56.72	---	74.00	-17.28	V	43.62
2763.784	---	46.66	54.00	-7.34	V	43.53




(802.11n_20M_2412MHz, Antenna Vertical, 3GHz to 18GHz)

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Pol	Corr. (dB/m)
5493.750	---	33.52	54.00	-20.48	V	-1.80
5535.000	42.51	---	74.00	-31.49	V	-2.18
7890.750	44.67	---	74.00	-29.33	V	0.36
7969.500	---	36.13	54.00	-17.87	V	1.24
10099.500	46.12	---	74.00	-27.88	V	2.67
10099.500	---	37.81	54.00	-16.19	V	2.67
12798.750	46.32	---	74.00	-27.68	V	4.93
12853.500	---	38.05	54.00	-15.95	V	4.89
15030.000	50.87	---	74.00	-23.13	V	10.58
15030.000	---	41.85	54.00	-12.15	V	10.58
17117.250	52.82	---	74.00	-21.18	V	12.74
17121.000	---	43.78	54.00	-10.22	V	12.76




(802.11n_20M_2437MHz, Antenna Horizontal, 30MHz to 1GHz)

Frequency (MHz)	MaxPeak (dBuV/m)	QuasiPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol	Corr. (dB/m)
50.0040	16.49	---	40.00	-23.51	H	16.20
98.9886	14.75	---	43.50	-28.75	H	14.36
140.6130	18.69	---	43.50	-24.81	H	11.87
278.0669	24.20	---	46.00	-21.80	H	16.22
532.0568	32.90	---	46.00	-13.10	H	22.22
801.7863	31.28	---	46.00	-14.72	H	26.12




(802.11n_20M_2437MHz, Antenna Horizontal, 1GHz to 3GHz)

Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol	Corr. (dB/m)
1192.501	---	33.10	54.00	-20.90	H	30.18
1199.794	40.73	---	74.00	-33.27	H	30.69
1400.815	---	34.39	54.00	-19.61	H	31.97
1401.354	42.73	---	74.00	-31.27	H	31.95
1777.350	47.47	---	74.00	-26.53	H	35.04
1798.169	---	38.87	54.00	-15.13	H	36.65
2216.777	50.52	---	74.00	-23.48	H	39.15
2221.287	---	41.77	54.00	-12.23	H	39.10
2438.441	103.49	---	---	---	H	40.80
2438.441	---	96.75	---	---	H	40.80
2787.110	---	46.85	54.00	-7.15	H	43.54
2810.478	56.40	---	74.00	-17.60	H	43.83




(802.11n_20M_2437MHz, Antenna Horizontal, 3GHz to 18GHz)

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Pol	Corr. (dB/m)
5051.250	---	33.29	54.00	-20.71	H	-2.87
5178.750	42.81	---	74.00	-31.19	H	-3.04
7665.000	45.09	---	74.00	-28.91	H	0.83
7665.000	---	36.29	54.00	-17.71	H	0.83
9916.500	---	37.57	54.00	-16.43	H	2.14
9961.500	46.12	---	74.00	-27.88	H	2.02
12473.250	46.42	---	74.00	-27.58	H	4.84
12589.500	---	37.77	54.00	-16.23	H	4.49
14361.000	---	41.15	54.00	-12.85	H	9.23
14508.750	49.01	---	74.00	-24.99	H	7.94
17085.750	---	44.62	54.00	-9.38	H	11.64
17131.500	52.57	---	74.00	-21.43	H	12.22




(802.11n_20M_2437MHz, Antenna Vertical, 30MHz to 1GHz)

Frequency (MHz)	MaxPeak (dBμV/m)	QuasiPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Pol	Corr. (dB/m)
36.6760	21.85	---	40.00	-18.15	V	13.42
65.3661	20.60	---	40.00	-19.40	V	13.28
165.9225	19.81	---	43.50	-23.69	V	11.32
331.9944	27.78	---	46.00	-18.22	V	17.13
531.0316	29.39	---	46.00	-16.61	V	22.21
830.5458	31.54	---	46.00	-14.46	V	26.51




(802.11n_20M_2437MHz, Antenna Vertical , 1GHz to 3GHz)

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Pol	Corr. (dB/m)
1203.160	---	32.78	54.00	-21.22	V	30.54
1210.917	40.88	---	74.00	-33.12	V	30.19
1501.121	43.03	---	74.00	-30.97	V	32.50
1524.052	---	34.91	54.00	-19.09	V	32.93
1784.197	47.47	---	74.00	-26.53	V	35.29
1793.040	---	38.46	54.00	-15.54	V	36.17
2222.508	50.34	---	74.00	-23.66	V	39.07
2252.744	---	41.54	54.00	-12.46	V	39.04
2438.174	---	87.30	---	---	V	40.80
2438.307	95.49	---	---	---	V	40.80
2826.891	56.97	---	74.00	-17.03	V	43.12
2864.877	---	47.50	54.00	-6.50	V	44.20




(802.11n_20M_2437MHz, Antenna Vertical, 3GHz to 18GHz)

Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol	Corr. (dB/m)
5236.500	42.61	---	74.00	-31.39	V	-3.03
5391.750	---	33.22	54.00	-20.78	V	-2.41
8146.500	45.31	---	74.00	-28.69	V	0.85
8319.000	---	36.15	54.00	-17.85	V	0.80
10473.000	46.02	---	74.00	-27.98	V	3.31
10491.000	---	37.06	54.00	-16.94	V	3.40
13017.750	47.33	---	74.00	-26.67	V	5.94
13049.250	---	38.46	54.00	-15.54	V	6.38
15009.000	---	41.87	54.00	-12.13	V	10.61
15031.500	50.91	---	74.00	-23.09	V	10.55
17120.250	53.65	---	74.00	-20.35	V	12.77
17148.000	---	44.08	54.00	-9.92	V	12.94




(802.11n_20M_2462MHz, Antenna Horizontal, 30MHz to 1GHz)

Frequency (MHz)	MaxPeak (dBμV/m)	QuasiPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Pol	Corr. (dB/m)
47.7422	16.13	---	40.00	-23.87	H	15.50
98.9886	14.75	---	43.50	-28.75	H	14.36
140.6130	18.69	---	43.50	-24.81	H	11.87
278.0669	24.20	---	46.00	-21.80	H	16.22
532.0568	32.90	---	46.00	-13.10	H	22.22
801.7863	31.28	---	46.00	-14.72	H	26.12




(802.11n_20M_2462MHz, Antenna Horizontal, 1GHz to 3GHz)

Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol	Corr. (dB/m)
1192.828	40.97	---	74.00	-33.03	H	30.20
1201.311	---	32.90	54.00	-21.10	H	30.63
1476.505	---	35.16	54.00	-18.84	H	32.39
1477.641	43.08	---	74.00	-30.92	H	32.38
1718.593	47.31	---	74.00	-26.69	H	34.06
1718.593	---	41.35	54.00	-12.65	H	34.06
2177.673	48.99	---	74.00	-25.01	H	38.09
2216.412	---	41.29	54.00	-12.71	H	39.16
2463.212	103.14	---	---	---	H	41.53
2469.580	---	95.79	---	---	H	41.76
2807.547	---	47.07	54.00	-6.93	H	44.09
2864.877	56.53	---	74.00	-17.47	H	44.20




(802.11n_20M_2462MHz, Antenna Horizontal, 3GHz to 18GHz)

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Pol	Corr. (dB/m)
5471.250	---	33.77	54.00	-20.23	H	-2.88
5542.500	42.97	---	74.00	-31.03	H	-2.55
8184.750	45.15	---	74.00	-28.85	H	0.73
8246.250	---	36.53	54.00	-17.47	H	1.36
9973.500	46.84	---	74.00	-27.16	H	1.99
10002.000	---	37.45	54.00	-16.55	H	1.90
12126.750	46.80	---	74.00	-27.20	H	3.90
12126.750	---	37.63	54.00	-16.37	H	3.90
14199.000	49.04	---	74.00	-24.96	H	8.15
14270.250	---	40.07	54.00	-13.93	H	8.35
16690.500	52.01	---	74.00	-21.99	H	11.73
16752.750	---	42.99	54.00	-11.01	H	11.75




(802.11n_20M_2462MHz, Antenna Vertical, 30MHz to 1GHz)

Frequency (MHz)	MaxPeak (dBμV/m)	QuasiPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Pol	Corr. (dB/m)
36.6760	21.85	---	40.00	-18.15	V	13.42
65.5038	20.67	---	40.00	-19.33	V	13.24
165.9225	19.81	---	43.50	-23.69	V	11.32
351.7696	27.46	---	46.00	-18.54	V	17.88
533.0839	30.49	---	46.00	-15.51	V	22.23
799.8207	34.48	---	46.00	-11.52	V	26.13



(802.11n_20M_2462MHz, Antenna Vertical , 1GHz to 3GHz)

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Pol	Corr. (dB/m)
1199.267	40.58	---	74.00	-33.42	V	30.65
1200.058	---	32.80	54.00	-21.20	V	30.70
1451.177	42.91	---	74.00	-31.09	V	31.89
1465.435	---	34.76	54.00	-19.24	V	32.27
1793.335	---	39.09	54.00	-14.91	V	36.21
1795.109	48.21	---	74.00	-25.79	V	36.39
2215.803	---	41.95	54.00	-12.05	V	39.16
2217.508	51.58	---	74.00	-22.42	V	39.14
2463.618	97.03	---	---	---	V	41.55
2463.618	---	89.70	---	---	V	41.55
2818.208	---	46.62	54.00	-7.38	V	43.19
2864.248	56.56	---	74.00	-17.44	V	44.18




(802.11n_20M_2462MHz, Antenna Vertical, 3GHz to 18GHz)

Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol	Corr. (dB/m)
5514.750	---	34.12	54.00	-19.88	V	-1.90
5546.250	42.56	---	74.00	-31.44	V	-2.41
7936.500	45.75	---	74.00	-28.25	V	1.17
7983.000	---	36.49	54.00	-17.51	V	0.96
9945.000	---	37.55	54.00	-16.45	V	2.58
10014.000	46.30	---	74.00	-27.70	V	2.51
12047.250	---	37.45	54.00	-16.55	V	4.88
12099.000	46.39	---	74.00	-27.61	V	4.33
14283.000	48.88	---	74.00	-25.12	V	8.26
14469.000	---	40.73	54.00	-13.27	V	8.94
16374.000	---	42.77	54.00	-11.23	V	11.21
16419.750	51.71	---	74.00	-22.29	V	10.92




802.11n-40MHz Test mode




(802.11n_40M_2422MHz, Antenna Horizontal, 30MHz to 1GHz)

Frequency (MHz)	MaxPeak (dBμV/m)	QuasiPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Pol	Corr. (dB/m)
36.6118	16.32	---	40.00	-23.68	H	13.38
57.7557	22.65	---	40.00	-17.35	H	14.34
103.1704	14.07	---	43.50	-29.43	H	14.42
152.7712	21.95	---	43.50	-21.55	H	11.03
343.1800	22.11	---	46.00	-23.89	H	18.22
679.4833	26.24	---	46.00	-19.76	H	24.66




(802.11n_40M_2422MHz, Antenna Horizontal, 1GHz to 3GHz)

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Pol	Corr. (dB/m)
1197.950	---	33.84	54.00	-20.16	H	30.55
1200.124	41.80	---	74.00	-32.20	H	30.69
1586.495	45.41	---	74.00	-28.59	H	33.61
1601.995	---	36.74	54.00	-17.26	H	34.17
1796.490	---	39.49	54.00	-14.51	H	36.53
1803.808	48.33	---	74.00	-25.67	H	36.52
2001.363	---	40.11	54.00	-13.89	H	37.20
2013.935	49.27	---	74.00	-24.73	H	36.84
2419.097	104.99	---	---	---	H	40.79
2420.293	---	96.85	---	---	H	40.75
2751.968	56.77	---	74.00	-17.23	H	43.69
2790.940	---	46.75	54.00	-7.25	H	43.91




(802.11n_40M_2422MHz, Antenna Horizontal, 3GHz to 18GHz)

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Pol	Corr. (dB/m)
4014.000	41.54	---	74.00	-32.46	H	-5.47
4260.000	---	33.36	54.00	-20.64	H	-3.57
6434.250	43.01	---	74.00	-30.99	H	-1.77
6494.250	---	34.12	54.00	-19.88	H	-1.92
9452.250	---	31.74	54.00	-22.26	H	1.87
9510.000	39.18	---	74.00	-34.82	H	1.67
11239.500	43.55	---	74.00	-30.45	H	3.13
11489.250	---	35.27	54.00	-18.73	H	3.46
14368.500	45.58	---	74.00	-28.42	H	9.34
14487.000	---	36.96	54.00	-17.04	H	7.71
16077.750	48.83	---	74.00	-25.17	H	11.31
16077.750	---	40.94	54.00	-13.06	H	11.31




(802.11n_40M_2422MHz, Antenna Vertical, 30MHz to 1GHz)

Frequency (MHz)	MaxPeak (dBμV/m)	QuasiPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Pol	Corr. (dB/m)
30.6271	23.00	---	40.00	-17.00	V	12.78
57.6647	24.35	---	40.00	-15.65	V	14.37
98.5211	14.67	---	43.50	-28.83	V	13.97
153.2810	20.57	---	43.50	-22.93	V	10.95
277.1907	27.83	---	46.00	-18.17	V	16.00
384.0665	27.03	---	46.00	-18.97	V	18.73




(802.11n_40M_2422MHz, Antenna Vertical , 1GHz to 3GHz)

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Pol	Corr. (dB/m)
1195.846	41.60	---	74.00	-32.40	V	30.40
1208.791	---	33.07	54.00	-20.93	V	30.28
1601.819	45.62	---	74.00	-28.38	V	34.18
1605.607	---	36.42	54.00	-17.58	V	34.04
1798.070	---	39.23	54.00	-14.77	V	36.64
1798.169	47.63	---	74.00	-26.37	V	36.65
2006.978	49.23	---	74.00	-24.77	V	37.22
2013.161	---	39.76	54.00	-14.24	V	36.88
2418.565	93.00	---	---	---	V	40.82
2419.495	---	84.92	---	---	V	40.77
2752.875	---	47.15	54.00	-6.85	V	43.72
2865.035	57.36	---	74.00	-16.64	V	44.21




(802.11n_40M_2422MHz, Antenna Vertical, 3GHz to 18GHz)

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Pol	Corr. (dB/m)
3480.750	41.83	---	74.00	-32.17	V	-4.83
3994.500	---	32.82	54.00	-21.18	V	-3.43
7275.750	45.16	---	74.00	-28.84	V	-0.29
7275.750	---	38.46	54.00	-15.54	V	-0.29
10474.500	---	33.90	54.00	-20.10	V	3.31
10521.750	41.52	---	74.00	-32.48	V	3.26
12060.750	---	34.64	54.00	-19.36	V	4.79
12257.250	42.26	---	74.00	-31.74	V	4.04
15275.250	47.76	---	74.00	-26.24	V	9.91
15613.500	---	39.98	54.00	-14.02	V	10.25
17721.000	49.01	---	74.00	-24.99	V	14.73
17721.000	---	41.07	54.00	-12.93	V	14.73




(802.11n_40M_2437MHz, Antenna Horizontal, 30MHz to 1GHz)

Frequency (MHz)	MaxPeak (dBμV/m)	QuasiPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Pol	Corr. (dB/m)
36.6054	20.39	---	40.00	-19.61	H	13.38
57.7152	21.29	---	40.00	-18.71	H	14.35
97.6270	14.14	---	43.50	-29.36	H	13.49
145.5546	21.49	---	43.50	-22.01	H	10.43
357.7405	22.01	---	46.00	-23.99	H	18.40
744.7355	26.80	---	46.00	-19.20	H	25.89




(802.11n_40M_2437MHz, Antenna Horizontal, 1GHz to 3GHz)

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Pol	Corr. (dB/m)
1202.697	40.56	---	74.00	-33.44	H	30.57
1208.857	---	33.00	54.00	-21.00	H	30.28
1596.899	45.17	---	74.00	-28.83	H	34.10
1608.874	---	36.06	54.00	-17.94	H	33.93
1798.366	47.73	---	74.00	-26.27	H	36.66
1798.366	---	38.67	54.00	-15.33	H	36.66
2010.067	---	40.96	54.00	-13.04	H	37.05
2018.033	48.83	---	74.00	-25.17	H	36.62
2438.441	---	96.48	---	---	H	40.80
2441.256	104.75	---	---	---	H	40.81
2817.125	---	47.22	54.00	-6.78	H	43.28
2932.546	56.97	---	74.00	-17.03	H	44.40




(802.11n_40M_2437MHz, Antenna Horizontal, 3GHz to 18GHz)

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Pol	Corr. (dB/m)
3485.250	40.77	---	74.00	-33.23	H	-6.77
3987.750	---	33.05	54.00	-20.95	H	-5.73
5496.750	42.25	---	74.00	-31.75	H	-3.15
5496.750	---	33.45	54.00	-20.55	H	-3.15
7407.000	---	33.70	54.00	-20.30	H	-0.48
7690.500	42.13	---	74.00	-31.87	H	0.42
10524.000	---	33.71	54.00	-20.29	H	2.65
10636.500	41.33	---	74.00	-32.67	H	2.61
13392.000	41.54	---	74.00	-32.46	H	6.40
13753.500	---	34.72	54.00	-19.28	H	7.05
15740.250	49.41	---	74.00	-24.59	H	11.15
16063.500	---	41.01	54.00	-12.99	H	11.47




(802.11n_40M_2437MHz, Antenna Vertical, 30MHz to 1GHz)

Frequency (MHz)	MaxPeak (dBμV/m)	QuasiPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Pol	Corr. (dB/m)
36.7211	25.13	---	40.00	-14.87	V	13.44
57.6242	21.70	---	40.00	-18.30	V	14.38
151.3051	19.14	---	43.50	-24.36	V	11.32
278.4572	27.43	---	46.00	-18.57	V	16.31
385.0104	26.16	---	46.00	-19.84	V	18.62
679.4833	26.56	---	46.00	-19.44	V	24.66




(802.11n_40M_2437MHz, Antenna Vertical , 1GHz to 3GHz)

Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol	Corr. (dB/m)
1196.043	---	32.87	54.00	-21.13	V	30.42
1213.448	41.84	---	74.00	-32.16	V	30.09
1477.073	43.90	---	74.00	-30.10	V	32.39
1519.288	---	35.09	54.00	-18.91	V	32.90
1798.860	48.38	---	74.00	-25.62	V	36.70
1798.860	---	39.22	54.00	-14.78	V	36.70
2005.876	---	39.82	54.00	-14.18	V	37.28
2010.178	49.48	---	74.00	-24.52	V	37.05
2441.658	---	85.90	---	---	V	40.82
2451.065	94.23	---	---	---	V	41.06
2816.506	---	46.98	54.00	-7.02	V	43.32
2859.060	57.13	---	74.00	-16.87	V	44.00




(802.11n_40M_2437MHz, Antenna Vertical, 3GHz to 18GHz)

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Pol	Corr. (dB/m)
3487.500	41.23	---	74.00	-32.77	V	-4.66
3510.750	---	33.28	54.00	-20.72	V	-4.73
6062.250	42.95	---	74.00	-31.05	V	-0.95
6410.250	---	34.16	54.00	-19.84	V	-1.48
9986.250	---	32.94	54.00	-21.06	V	2.60
10022.250	41.33	---	74.00	-32.67	V	2.44
11662.500	---	35.35	54.00	-18.65	V	3.60
11961.000	43.07	---	74.00	-30.93	V	4.32
14384.250	44.75	---	74.00	-29.25	V	9.38
14686.500	---	37.20	54.00	-16.80	V	9.10
16095.000	48.67	---	74.00	-25.33	V	11.11
16347.000	---	40.80	54.00	-13.20	V	11.55




(802.11n_40M _2452MHz, Antenna Horizontal, 30MHz to 1GHz)

Frequency (MHz)	MaxPeak (dBμV/m)	QuasiPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Pol	Corr. (dB/m)
57.7760	22.27	---	40.00	-17.73	H	14.34
99.3015	14.08	---	43.50	-29.42	H	14.62
144.4867	21.81	---	43.50	-21.69	H	10.42
331.0064	23.28	---	46.00	-22.72	H	17.07
517.2480	24.05	---	46.00	-21.95	H	22.09
937.5167	30.51	---	46.00	-15.49	H	28.29




(802.11n_40M_2452MHz, Antenna Horizontal, 1GHz to 3GHz)

Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol	Corr. (dB/m)
1005.508	---	32.97	54.00	-21.03	H	28.49
1017.286	41.05	---	74.00	-32.95	H	27.91
1257.280	---	33.46	54.00	-20.54	H	30.32
1259.977	42.27	---	74.00	-31.73	H	30.36
1609.316	---	36.21	54.00	-17.79	H	33.92
1618.002	45.86	---	74.00	-28.14	H	33.61
1795.405	---	39.60	54.00	-14.40	H	36.43
1801.728	48.16	---	74.00	-25.84	H	36.66
2009.184	49.23	---	74.00	-24.77	H	37.10
2012.829	---	40.19	54.00	-13.81	H	36.90
2454.703	---	96.65	---	---	H	41.21
2454.972	105.08	---	---	---	H	41.22




(802.11n_40M_2452MHz, Antenna Horizontal, 3GHz to 18GHz)

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Pol	Corr. (dB/m)
4480.500	---	33.36	54.00	-20.64	H	-4.82
4963.500	41.82	---	74.00	-32.18	H	-3.12
7659.000	41.87	---	74.00	-32.13	H	0.93
7953.000	---	33.51	54.00	-20.49	H	1.35
10521.750	---	33.74	54.00	-20.26	H	2.64
10632.750	41.76	---	74.00	-32.24	H	2.61
12980.250	---	33.69	54.00	-20.31	H	5.71
13047.000	41.39	---	74.00	-32.61	H	6.50
15540.000	48.03	---	74.00	-25.97	H	11.07
15729.000	---	40.57	54.00	-13.43	H	11.29
17721.000	48.62	---	74.00	-25.38	H	14.73
17721.000	---	40.83	54.00	-13.17	H	14.73




(802.11n_40M_2452MHz, Antenna Vertical, 30MHz to 1GHz)

Frequency (MHz)	MaxPeak (dBμV/m)	QuasiPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Pol	Corr. (dB/m)
36.7211	20.84	---	40.00	-19.16	V	13.44
57.6748	23.92	---	40.00	-16.08	V	14.37
150.7755	21.01	---	43.50	-22.49	V	11.43
278.4572	28.23	---	46.00	-17.77	V	16.31
383.1921	25.89	---	46.00	-20.11	V	18.83
532.0568	28.61	---	46.00	-17.39	V	22.22



(802.11n_40M_2452MHz, Antenna Vertical , 1GHz to 3GHz)

Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol	Corr. (dB/m)
1197.029	41.15	---	74.00	-32.85	V	30.49
1200.585	---	32.60	54.00	-21.40	V	30.67
1404.591	42.70	---	74.00	-31.30	V	31.83
1404.591	---	34.26	54.00	-19.74	V	31.83
1793.237	---	39.10	54.00	-14.90	V	36.20
1801.036	47.61	---	74.00	-26.39	V	36.71
2009.515	48.43	---	74.00	-25.57	V	37.08
2012.056	---	39.62	54.00	-14.38	V	36.94
2449.988	---	87.52	---	---	V	41.02
2456.321	95.72	---	---	---	V	41.27
2758.476	56.27	---	74.00	-17.73	V	43.70
2820.841	---	46.70	54.00	-7.30	V	43.05



(802.11n_40M_2452MHz, Antenna Vertical, 3GHz to 18GHz)

Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol	Corr. (dB/m)
4017.750	41.59	---	74.00	-32.41	V	-3.60
4392.000	---	33.20	54.00	-20.80	V	-3.55
7665.750	41.90	---	74.00	-32.10	V	0.82
7688.250	---	33.78	54.00	-20.22	V	0.45
10524.750	---	34.86	54.00	-19.14	V	3.26
10602.000	41.61	---	74.00	-32.39	V	2.66
13056.000	41.40	---	74.00	-32.60	V	6.48
13056.000	---	34.43	54.00	-19.57	V	6.48
15786.000	49.07	---	74.00	-24.93	V	10.15
16010.250	---	41.45	54.00	-12.55	V	11.71
17724.750	48.58	---	74.00	-25.42	V	14.81
17724.750	---	41.36	54.00	-12.64	V	14.81



Annex A Test Uncertainty

Where relevant, the following measurement uncertainty levels have been estimated for test performed on the EUT as specified in CISPR 16-1-2:

Test items	Uncertainty
Peak Output Power	$\pm 2.22\text{dB}$
Power spectral density (PSD)	$\pm 2.22\text{dB}$
Bandwidth	$\pm 5\%$
Conducted Spurious Emission	$\pm 2.77\text{ dB}$
Restricted Frequency Bands	$\pm 5\%$
Radiated Emission	$\pm 3.1\text{dB}$
Conducted Emission	$\pm 1.8\text{dB}$

This uncertainty represent an expanded uncertainty expressed at approximately the 95% confidence level using a coverage factor of $k=2$



Annex B Testing Laboratory Information

1..Identification of the Responsible Testing Laboratory

Laboratory Name:	Kehu-Morlab Test Laboratory
Laboratory Address:	Unit 101, No.1732 Gangzhong Road, Xiamen Area, Pilot Free Trade Zone (Fujian) P.R. China
Telephone:	+86-0592-5612050
Facsimile:	+86-0592-5612095

2. Identification of the Responsible Testing Location

Name:	Kehu-Morlab Test Laboratory
Address:	Unit 101, No.1732 Gangzhong Road, Xiamen Area, Pilot Free Trade Zone (Fujian) P.R. China

3. Accreditation Certificate

Accredited Testing Laboratory:	The FCC designation number is CN1249. (Kehu-Morlab Test Laboratory)
---------------------------------------	--

4. Test Equipments Utilized

4.1 Conducted Test Equipments

No.	Equipment Name	Serial No.	Model No.	Manufacturer	Cal.Due Date
1	MXA Signal Analyzer	MY53421845	N9020A	Keysight	2021. 03.08
2	RF cable (30MHz-26.5GHz)	RF01	N/A	Morlab	2021.03.06
3	Coaxial cable	RF02	N/A	Morlab	2021.03.06
4	SMA connector	RF03	N/A	Xingbo	N/A
5	USB Power Sensor	MY56410006	U2021XA	Keysight	2021.06.18

4.2 Conducted Emission Test Equipments

No.	Equipment Name	Serial No.	Model No.	Manufacturer	Cal.Due Date
1	EMI Receiver	102174	ESR3	ESR3	2021.03.15
2	LISN	101338	ENV432	ENV432	2021.03.09
3	Pulse Limiter (10dB)	317	VTSD 9561 F	VTSD 9561 F	2021.03.13
4	Coaxial cable(BNC) (30MHz-3GHz)	EMC01	N/A	Morlab	2021.03.13

**4.4 List of Software Used**

No.	Model	Version Number	Producer	Test Item
1	EMC32	V10.00.00	Rode&Schwarz	RE
2	EMC32	V10.20.01	Rode&Schwarz	CE

4.5 Radiated Test Equipments

RSE Test System					
No.	Equipment Name	Serial No.	Model No.	Manufacturer	Cal.Due Date
1	Anechoic Chamber	N/A	9m*6m*6m	ETS-Lindgren	2022.07.20
2	Signal Analyzer	101294	FSV40	R&S	2021.03.02
3	Active Ring Antenna	FMZB 1513 #269	FMZB 1513	Schwarzbeck	2021.03.11
4	Linear Log Periodic Broad Band Antenna	949	VULB 9163	Schwarzbeck	2021.09.24
5	Ultra-Wideband Horn Antenna	102615	HF907	R&S	2022.01.18
6	Steatite Antennas	17868	QSH-SL-18-26-S-20	Seibersdorf	2021.03.23
7	RF Switch and Control Platform	N/A	RSC	CDSI	2021.03.11
8	Coaxial cable (N male) (9kHz -3GHz)	EMC02	N/A	Morlab	N/A
9	Coaxial cable (N male) (9kHz -3GHz)	EMC03	N/A	Morlab	2021.03.23
10	Coaxial cable (N male) (1GHz-26.5GHz)	EMC04	N/A	Morlab	2021.03.23
11	Coaxial cable (N male) (1GHz-26.5GHz)	EMC05	N/A	Morlab	2021.03.23
12	Pre-amplifier	8810011	PAP-1G18	CDSI	2021.03.23



REPORT No. : XM20070009W06

	(1GHz-18GHz)				
13	Pre-amplifier (18GHz-40GHz)	17021-17024	PAP-1840	CDSI	2021.03.23
14	Band stop Filter	EMC19	BJF2400/2485-60	CDSI	2021.03.23
15	High Pass Filter	EMC22	HFP-3.0/18G-60	CDSI	2021.03.23

_____ END OF REPORT _____