



In Collaboration with

s p e a g**CALIBRATION LABORATORY**

Add: No.52 HuaYuanBei Road, Haidian District, Beijing, 100191, China

Tel: +86-10-62304633-2117

E-mail: emf@caict.ac.cn

<http://www.caict.ac.cn>

10899	AAD	5G NR (DFT-s-OFDM, 1 RB, 15 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.67	± 9.6 %
10900	AAD	5G NR (DFT-s-OFDM, 1 RB, 20 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.68	± 9.6 %
10901	AAD	5G NR (DFT-s-OFDM, 1 RB, 25 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.68	± 9.6 %
10902	AAD	5G NR (DFT-s-OFDM, 1 RB, 30 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.68	± 9.6 %
10903	AAD	5G NR (DFT-s-OFDM, 1 RB, 40 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.68	± 9.6 %
10904	AAD	5G NR (DFT-s-OFDM, 1 RB, 50 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.68	± 9.6 %
10905	AAD	5G NR (DFT-s-OFDM, 1 RB, 60 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.68	± 9.6 %
10906	AAD	5G NR (DFT-s-OFDM, 1 RB, 80 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.68	± 9.6 %
10907	AAD	5G NR (DFT-s-OFDM, 50% RB, 5 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.78	± 9.6 %
10908	AAD	5G NR (DFT-s-OFDM, 50% RB, 10 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.93	± 9.6 %
10909	AAD	5G NR (DFT-s-OFDM, 50% RB, 15 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.96	± 9.6 %
10910	AAD	5G NR (DFT-s-OFDM, 50% RB, 20 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.83	± 9.6 %
10911	AAD	5G NR (DFT-s-OFDM, 50% RB, 25 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.93	± 9.6 %
10912	AAD	5G NR (DFT-s-OFDM, 50% RB, 30 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.84	± 9.6 %
10913	AAD	5G NR (DFT-s-OFDM, 50% RB, 40 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.84	± 9.6 %
10914	AAD	5G NR (DFT-s-OFDM, 50% RB, 50 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.85	± 9.6 %
10915	AAD	5G NR (DFT-s-OFDM, 50% RB, 60 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.83	± 9.6 %
10916	AAD	5G NR (DFT-s-OFDM, 50% RB, 80 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.87	± 9.6 %
10917	AAD	5G NR (DFT-s-OFDM, 50% RB, 100 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.94	± 9.6 %
10918	AAD	5G NR (DFT-s-OFDM, 100% RB, 5 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.86	± 9.6 %
10919	AAD	5G NR (DFT-s-OFDM, 100% RB, 10 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.86	± 9.6 %
10920	AAD	5G NR (DFT-s-OFDM, 100% RB, 15 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.87	± 9.6 %
10921	AAD	5G NR (DFT-s-OFDM, 100% RB, 20 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.84	± 9.6 %
10922	AAD	5G NR (DFT-s-OFDM, 100% RB, 25 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.82	± 9.6 %
10923	AAD	5G NR (DFT-s-OFDM, 100% RB, 30 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.84	± 9.6 %
10924	AAD	5G NR (DFT-s-OFDM, 100% RB, 40 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.84	± 9.6 %
10925	AAD	5G NR (DFT-s-OFDM, 100% RB, 50 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.95	± 9.6 %
10926	AAD	5G NR (DFT-s-OFDM, 100% RB, 60 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.84	± 9.6 %
10927	AAD	5G NR (DFT-s-OFDM, 100% RB, 80 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.94	± 9.6 %
10928	AAD	5G NR (DFT-s-OFDM, 1 RB, 5 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.52	± 9.6 %
10929	AAD	5G NR (DFT-s-OFDM, 1 RB, 10 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.52	± 9.6 %
10930	AAD	5G NR (DFT-s-OFDM, 1 RB, 15 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.52	± 9.6 %
10931	AAD	5G NR (DFT-s-OFDM, 1 RB, 20 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.51	± 9.6 %
10932	AAB	5G NR (DFT-s-OFDM, 1 RB, 25 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.51	± 9.6 %
10933	AAA	5G NR (DFT-s-OFDM, 1 RB, 30 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.51	± 9.6 %
10934	AAA	5G NR (DFT-s-OFDM, 1 RB, 40 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.51	± 9.6 %
10935	AAA	5G NR (DFT-s-OFDM, 1 RB, 50 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.51	± 9.6 %
10936	AAC	5G NR (DFT-s-OFDM, 50% RB, 5 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.90	± 9.6 %
10937	AAB	5G NR (DFT-s-OFDM, 50% RB, 10 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.77	± 9.6 %
10938	AAB	5G NR (DFT-s-OFDM, 50% RB, 15 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.90	± 9.6 %
10939	AAB	5G NR (DFT-s-OFDM, 50% RB, 20 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.82	± 9.6 %
10940	AAB	5G NR (DFT-s-OFDM, 50% RB, 25 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.89	± 9.6 %
10941	AAB	5G NR (DFT-s-OFDM, 50% RB, 30 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.83	± 9.6 %
10942	AAB	5G NR (DFT-s-OFDM, 50% RB, 40 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.85	± 9.6 %
10943	AAB	5G NR (DFT-s-OFDM, 50% RB, 50 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.95	± 9.6 %
10944	AAB	5G NR (DFT-s-OFDM, 100% RB, 5 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.81	± 9.6 %
10945	AAB	5G NR (DFT-s-OFDM, 100% RB, 10 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.85	± 9.6 %
10946	AAC	5G NR (DFT-s-OFDM, 100% RB, 15 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.83	± 9.6 %
10947	AAB	5G NR (DFT-s-OFDM, 100% RB, 20 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.87	± 9.6 %
10948	AAB	5G NR (DFT-s-OFDM, 100% RB, 25 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.94	± 9.6 %
10949	AAB	5G NR (DFT-s-OFDM, 100% RB, 30 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.87	± 9.6 %
10950	AAB	5G NR (DFT-s-OFDM, 100% RB, 40 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.94	± 9.6 %
10951	AAB	5G NR (DFT-s-OFDM, 100% RB, 50 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.92	± 9.6 %
10952	AAB	5G NR DL (CP-OFDM, TM 3.1, 5 MHz, 64-QAM, 15 kHz)	5G NR FR1 FDD	8.25	± 9.6 %
10953	AAB	5G NR DL (CP-OFDM, TM 3.1, 10 MHz, 64-QAM, 15 kHz)	5G NR FR1 FDD	8.15	± 9.6 %
10954	AAB	5G NR DL (CP-OFDM, TM 3.1, 15 MHz, 64-QAM, 15 kHz)	5G NR FR1 FDD	8.23	± 9.6 %
10955	AAB	5G NR DL (CP-OFDM, TM 3.1, 20 MHz, 64-QAM, 15 kHz)	5G NR FR1 FDD	8.42	± 9.6 %
10956	AAB	5G NR DL (CP-OFDM, TM 3.1, 5 MHz, 64-QAM, 30 kHz)	5G NR FR1 FDD	8.14	± 9.6 %
10957	AAC	5G NR DL (CP-OFDM, TM 3.1, 10 MHz, 64-QAM, 30 kHz)	5G NR FR1 FDD	8.31	± 9.6 %



In Collaboration with

s p e a g
CALIBRATION LABORATORY

Add: No.52 HuaYuanBei Road, Haidian District, Beijing, 100191, China

Tel: +86-10-62304633-2117

E-mail: emf@caict.ac.cn

<http://www.caict.ac.cn>

10958	AAB	5G NR DL (CP-OFDM, TM 3.1, 15 MHz, 64-QAM, 30 kHz)	5G NR FR1 FDD	8.61	± 9.6 %
10959	AAB	5G NR DL (CP-OFDM, TM 3.1, 20 MHz, 64-QAM, 30 kHz)	5G NR FR1 FDD	8.33	± 9.6 %
10960	AAB	5G NR DL (CP-OFDM, TM 3.1, 5 MHz, 64-QAM, 15 kHz)	5G NR FR1 TDD	9.32	± 9.6 %
10961	AAB	5G NR DL (CP-OFDM, TM 3.1, 10 MHz, 64-QAM, 15 kHz)	5G NR FR1 TDD	9.36	± 9.6 %
10962	AAB	5G NR DL (CP-OFDM, TM 3.1, 15 MHz, 64-QAM, 15 kHz)	5G NR FR1 TDD	9.40	± 9.6 %
10963	AAB	5G NR DL (CP-OFDM, TM 3.1, 20 MHz, 64-QAM, 15 kHz)	5G NR FR1 TDD	9.55	± 9.6 %
10964	AAB	5G NR DL (CP-OFDM, TM 3.1, 5 MHz, 64-QAM, 30 kHz)	5G NR FR1 TDD	9.29	± 9.6 %
10965	AAB	5G NR DL (CP-OFDM, TM 3.1, 10 MHz, 64-QAM, 30 kHz)	5G NR FR1 TDD	9.37	± 9.6 %
10966	AAB	5G NR DL (CP-OFDM, TM 3.1, 15 MHz, 64-QAM, 30 kHz)	5G NR FR1 TDD	9.55	± 9.6 %
10967	AAB	5G NR DL (CP-OFDM, TM 3.1, 20 MHz, 64-QAM, 30 kHz)	5G NR FR1 TDD	9.42	± 9.6 %
10968	AAB	5G NR DL (CP-OFDM, TM 3.1, 100 MHz, 64-QAM, 30 kHz)	5G NR FR1 TDD	9.49	± 9.6 %
10972	AAB	5G NR (CP-OFDM, 1 RB, 20 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	11.59	± 9.6 %
10973	AAB	5G NR (DFT-s-OFDM, 1 RB, 100 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	9.06	± 9.6 %
10974	AAB	5G NR (CP-OFDM, 100% RB, 100 MHz, 256-QAM, 30 kHz)	5G NR FR1 TDD	10.28	± 9.6 %
10978	AAA	ULLA BDR	ULLA	1.16	± 9.6 %
10979	AAA	ULLA HDR4	ULLA	8.58	± 9.6 %
10980	AAA	ULLA HDR8	ULLA	10.32	± 9.6 %
10981	AAA	ULLA HDRp4	ULLA	3.19	± 9.6 %
10982	AAA	ULLA HDRp8	ULLA	3.43	± 9.6 %
10983	AAC	5G NR DL (CP-OFDM, TM 3.1, 40 MHz, 64-QAM, 15 kHz)	5G NR FR1 TDD	9.31	± 9.6 %
10984	AAB	5G NR DL (CP-OFDM, TM 3.1, 50 MHz, 64-QAM, 15 kHz)	5G NR FR1 TDD	9.42	± 9.6 %
10985	AAC	5G NR DL (CP-OFDM, TM 3.1, 40 MHz, 64-QAM, 30 kHz)	5G NR FR1 TDD	9.54	± 9.6 %
10986	AAB	5G NR DL (CP-OFDM, TM 3.1, 50 MHz, 64-QAM, 30 kHz)	5G NR FR1 TDD	9.50	± 9.6 %
10987	AAC	5G NR DL (CP-OFDM, TM 3.1, 60 MHz, 64-QAM, 30 kHz)	5G NR FR1 TDD	9.53	± 9.6 %
10988	AAB	5G NR DL (CP-OFDM, TM 3.1, 70 MHz, 64-QAM, 30 kHz)	5G NR FR1 TDD	9.38	± 9.6 %
10989	AAC	5G NR DL (CP-OFDM, TM 3.1, 80 MHz, 64-QAM, 30 kHz)	5G NR FR1 TDD	9.33	± 9.6 %
10990	AAB	5G NR DL (CP-OFDM, TM 3.1, 90 MHz, 64-QAM, 30 kHz)	5G NR FR1 TDD	9.52	± 9.6 %
11003	AAA	5G NR DL (CP-OFDM, TM 3.1, 30 MHz, 64-QAM, 15 kHz)	5G NR FR1 TDD	10.24	± 9.6 %
11004	AAA	5G NR DL (CP-OFDM, TM 3.1, 30 MHz, 64-QAM, 30 kHz)	5G NR FR1 TDD	10.73	± 9.6 %
11005	AAA	5G NR DL (CP-OFDM, TM 3.1, 25 MHz, 64-QAM, 15 kHz)	5G NR FR1 FDD	8.70	± 9.6 %
11006	AAA	5G NR DL (CP-OFDM, TM 3.1, 30 MHz, 64-QAM, 15 kHz)	5G NR FR1 FDD	8.55	± 9.6 %
11007	AAA	5G NR DL (CP-OFDM, TM 3.1, 40 MHz, 64-QAM, 15 kHz)	5G NR FR1 FDD	8.46	± 9.6 %
11008	AAA	5G NR DL (CP-OFDM, TM 3.1, 50 MHz, 64-QAM, 15 kHz)	5G NR FR1 FDD	8.51	± 9.6 %
11009	AAA	5G NR DL (CP-OFDM, TM 3.1, 25 MHz, 64-QAM, 30 kHz)	5G NR FR1 FDD	8.76	± 9.6 %
11010	AAA	5G NR DL (CP-OFDM, TM 3.1, 30 MHz, 64-QAM, 30 kHz)	5G NR FR1 FDD	8.95	± 9.6 %
11011	AAA	5G NR DL (CP-OFDM, TM 3.1, 40 MHz, 64-QAM, 30 kHz)	5G NR FR1 FDD	8.96	± 9.6 %
11012	AAA	5G NR DL (CP-OFDM, TM 3.1, 50 MHz, 64-QAM, 30 kHz)	5G NR FR1 FDD	8.68	± 9.6 %
11013	AAA	IEEE 802.11be (320MHz, MCS1, 99pc duty cycle)	WLAN	8.47	± 9.6 %
11014	AAA	IEEE 802.11be (320MHz, MCS2, 99pc duty cycle)	WLAN	8.45	± 9.6 %
11015	AAA	IEEE 802.11be (320MHz, MCS3, 99pc duty cycle)	WLAN	8.44	± 9.6 %
11016	AAA	IEEE 802.11be (320MHz, MCS4, 99pc duty cycle)	WLAN	8.44	± 9.6 %
11017	AAA	IEEE 802.11be (320MHz, MCS5, 99pc duty cycle)	WLAN	8.41	± 9.6 %
11018	AAA	IEEE 802.11be (320MHz, MCS6, 99pc duty cycle)	WLAN	8.40	± 9.6 %
11019	AAA	IEEE 802.11be (320MHz, MCS7, 99pc duty cycle)	WLAN	8.29	± 9.6 %
11020	AAA	IEEE 802.11be (320MHz, MCS8, 99pc duty cycle)	WLAN	8.27	± 9.6 %
11021	AAA	IEEE 802.11be (320MHz, MCS9, 99pc duty cycle)	WLAN	8.46	± 9.6 %
11022	AAA	IEEE 802.11be (320MHz, MCS10, 99pc duty cycle)	WLAN	8.36	± 9.6 %
11023	AAA	IEEE 802.11be (320MHz, MCS11, 99pc duty cycle)	WLAN	8.09	± 9.6 %
11024	AAA	IEEE 802.11be (320MHz, MCS12, 99pc duty cycle)	WLAN	8.42	± 9.6 %
11025	AAA	IEEE 802.11be (320MHz, MCS13, 99pc duty cycle)	WLAN	8.37	± 9.6 %
11026	AAA	IEEE 802.11be (320MHz, MCS0, 99pc duty cycle)	WLAN	8.39	± 9.6 %

^E Uncertainty is determined using the max. deviation from linear response applying rectangular distribution and is expressed for the square of the field value.



Appendix D. Conducted RF Output Power Table

The detailed power table are shown as follows.

LTE Band 2 (4x4)													
SW	Modulation	SW	Modulation	SW	Modulation	SW	Modulation	SW	Modulation	SW	Modulation	SW	Modulation
Frequency (MHz)	Channel	Frequency (MHz)	Channel	Frequency (MHz)	Channel	Frequency (MHz)	Channel	Frequency (MHz)	Channel	Frequency (MHz)	Channel	Frequency (MHz)	Channel
1	0	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00
1	0	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00
1	0	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00
1	0	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00
1	0	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00
1	0	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00
1	0	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00
1	0	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00
1	0	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00
1	0	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00
1	0	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00
1	0	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00
1	0	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00
1	0	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00
1	0	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00
1	0	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00
1	0	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00
1	0	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00
1	0	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00
1	0	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00
1	0	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00
1	0	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00
1	0	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00
1	0	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00
1	0	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00
1	0	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00
1	0	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00
1	0	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00
1	0	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00
1	0	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00
1	0	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00
1	0	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00
1	0	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00
1	0	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00
1	0	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00
1	0	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00
1	0	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00
1	0	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00
1	0	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00
1	0	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00
1	0	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00
1	0	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00
1	0	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00
1	0	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00
1	0	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00
1	0	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00
1	0	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00
1	0	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00
1	0	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00
1	0	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00
1	0	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00
1	0	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00
1	0	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00
1	0	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00
1	0	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00
1	0	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00
1	0	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00
1	0	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00
1	0	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00
1	0	22.00	22.00	22.00	22.00	22.00	22.00						

n2 (SCS 15 kHz) (Ant1)									
BW	MCS Index	RB Size		RB Offset	L1 RB	RB	MCS	Max. Turn-up (dB)	
		Channel	Frequency (MHz)						
20M	DTT+OFDM PUS BPSK	1	1	23.08	23.66	23.50	24		
		1	53	23.60	23.62	23.51	24		
		1	104	23.58	23.52	23.52	24		
		50	0	23.17	23.08	23.07	23.5		
		50	28	23.67	23.58	23.61	24		
		50	56	23.13	23.08	23.07	23.5		
		100	0	23.30	23.18	23.03	23.5		
		1	1	23.75	23.77	23.67	24		
	DTT+OFDM QPSK	1	53	23.63	23.63	23.55	24		
		1	104	23.72	23.67	23.59	24		
		50	0	22.70	22.58	22.51	23		
		50	28	23.38	23.65	23.47	24		
		50	56	22.77	22.70	22.54	23		
		100	0	22.89	22.72	22.64	23		
		1	1	22.70	22.60	22.48	23		
		1	1	23.88	23.93	23.75	22		
BW	MCS Index	Channel		37080	37600	38000	Max. Turn-up		
		Frequency (MHz)		3801.5	3880	3880.5			
15M	DTT+OFDM QPSK	1	1	23.09	23.72	23.59	24		
BW	MCS Index	Channel		37080	37600	38000	Max. Turn-up		
		Frequency (MHz)		3880	3880	3880			
12M	DTT+OFDM QPSK	1	1	23.02	23.75	23.47	24		
BW	MCS Index	Channel		37080	37600	38000	Max. Turn-up		
		Frequency (MHz)		3880.5	3880	3880.5			
5M	DTT+OFDM QPSK	1	1	23.66	23.66	23.48	24		

n5 (SCS 15 kHz) (Ant2)									
BW	MCS Index	RB Size		RB Offset	L1 RB	RB	MCS	Max. Turn-up (dB)	
		Channel	Frequency (MHz)						
20M	DTT+OFDM PUS BPSK	1	1	23.20	23.48	23.45	24		
		1	53	23.23	23.35	23.42	24		
		1	104	23.18	23.38	23.39	24		
		50	0	22.70	22.68	22.64	23.5		
		50	28	23.19	23.48	23.39	24		
		50	56	22.70	22.62	22.63	23.5		
		100	0	22.66	22.60	22.68	23.5		
		1	1	23.32	23.48	23.53	24		
	DTT+OFDM QPSK	1	53	23.17	23.34	23.44	24		
		1	104	23.17	23.31	23.48	24		
		50	0	22.27	22.40	22.41	23		
		50	28	23.21	23.28	23.42	24		
		50	56	22.18	22.31	22.30	23		
		100	0	22.24	22.34	22.43	23		
		1	1	22.04	22.34	22.28	23		
		1	1	23.06	23.22	23.23	22		
BW	MCS Index	Channel		38280	38700	38900	Max. Turn-up		
		Frequency (MHz)		385.5	385.5	385.5			
15M	DTT+OFDM QPSK	1	1	23.25	23.38	23.51	24		
BW	MCS Index	Channel		38280	38700	38900	Max. Turn-up		
		Frequency (MHz)		385	385.5	385			
12M	DTT+OFDM QPSK	1	1	23.22	23.35	23.50	24		
BW	MCS Index	Channel		38280	38700	38900	Max. Turn-up		
		Frequency (MHz)		385.5	385.5	385.5			
5M	DTT+OFDM QPSK	1	1	23.20	23.34	23.59	24		

n7 (SCS 15 kHz) (Ant3)									
BW	MCS Index	RB Size		RB Offset	L1 RB	RB	MCS	Max. Turn-up (dB)	
		Channel	Frequency (MHz)						
40M	DTT+OFDM PUS BPSK	1	1	23.67	23.70	23.74	24		
		1	107	23.50	23.72	23.74	24		
		1	214	23.61	23.60	23.56	24		
		100	0	23.05	23.10	23.19	23.5		
		100	54	23.58	23.60	23.58	24		
		100	108	23.11	23.08	23.17	23.5		
		216	0	22.95	22.98	23.08	23.5		
		1	1	23.71	23.78	23.89	24		
	DTT+OFDM QPSK	1	107	23.60	23.67	23.66	24		
		1	214	23.56	23.68	23.65	24		
		100	0	22.47	22.61	22.62	23		
		100	54	23.46	23.66	23.77	24		
		100	108	22.65	22.55	22.60	23		
		216	0	22.55	22.64	22.62	23		
		1	1	22.89	22.79	22.85	23		
		1	1	23.41	23.30	23.29	22		
BW	MCS Index	Channel		50360	50700	51000	Max. Turn-up		
		Frequency (MHz)		265	265	265			
30M	DTT+OFDM QPSK	1	1	23.65	23.71	23.80	24		
BW	MCS Index	Channel		50360	50700	51000	Max. Turn-up		
		Frequency (MHz)		265.5	265	265.5			
25M	DTT+OFDM QPSK	1	1	23.70	23.75	23.82	24		
BW	MCS Index	Channel		50360	50700	51000	Max. Turn-up		
		Frequency (MHz)		265	265	265			
20M	DTT+OFDM QPSK	1	1	23.62	23.67	23.69	24		
BW	MCS Index	Channel		50360	50700	51000	Max. Turn-up		
		Frequency (MHz)		267.5	265	267.5			
15M	DTT+OFDM QPSK	1	1	23.70	23.66	23.68	24		
BW	MCS Index	Channel		50360	50700	51000	Max. Turn-up		
		Frequency (MHz)		265	265	265			
10M	DTT+OFDM QPSK	1	1	23.56	23.65	23.65	24		
BW	MCS Index	Channel		50360	50700	51000	Max. Turn-up		
		Frequency (MHz)		265.5	265	265.5			
5M	DTT+OFDM QPSK	1	1	23.64	23.71	23.64	24		

n12 (SCS 15 kHz) (Ant2)									
BW	MCS Index	RB Size		RB Offset	L1 RB	RB	MCS	Max. Turn-up (dB)	
		Channel	Frequency (MHz)						
15M	DTT+OFDM PUS BPSK	1	1	23.19	23.35	23.21	24		
		1	38	23.13	23.17	23.07	24		
		1	77	23.23	23.24	23.16	24		
		36	0	22.78	22.76	22.61	23.5		
		36	22	23.15	23.24	23.11	24		
		36	43	22.56	22.57	22.58	23.5		
		75	0	22.63	22.60	22.72	23.5		
		1	1	23.26	23.36	23.31	24		
	DTT+OFDM QPSK	1	38	23.25	23.31	23.30	24		
		1	77	23.28	23.28	23.21	24		
		36	0	22.18	22.27	22.12	23		
		36	22	23.12	23.08	23.03	24		
		36	43	22.08	22.07	21.92	23		
		75	0	22.23	22.25	22.13	23		
		1	1	22.38	22.38	22.32	23		
		1	1	25.94	25.89	25.87	22		
BW	MCS Index	Channel		14960	15000	15020	Max. Turn-up		
		Frequency (MHz)		704	704.5	704			
10M	DTT+OFDM QPSK	1	1	23.14	23.33	23.20	24		
BW	MCS Index	Channel		14960	15000	15020	Max. Turn-up		
		Frequency (MHz)		704.5	704.5	704.5			
5M	DTT+OFDM QPSK	1	1	23.16	23.16	23.26	24		

n14 (SCS 15 kHz) (Ant2)							
BW	MCS Index	RB Size	RB Offset	Low	Mid	High	Max. Tune-up (dBm)
		Channel			158600		
		Frequency (MHz)			793		
10M	DFT-s-OFDM Pi/2 BPSK	1	1		23.22		24
		1	25		23.11		24
		1	50		23.19		24
		25	0		22.70		23.5
		25	14		23.21		24
		25	27		22.58		23.5
		50	0		22.77		23.5
	DFT-s-OFDM QPSK	1	1		23.25		24
		1	25		23.22		24
		1	50		23.22		24
		25	0		22.31		23
		25	14		23.18		24
		25	27		22.06		23
		50	0		22.18		23
	DFT-s-OFDM 16QAM	1	1		22.46		23
	DFT-s-OFDM 64QAM	1	1		20.98		22
	DFT-s-OFDM 256QAM	1	1		18.66		20
BW	MCS Index	Channel		158100	158600	159100	Max. Tune-up
		Frequency (MHz)		790.5	793	795.5	
5M	DFT-s-OFDM QPSK	1	1	23.22	23.17	23.24	24

n25 (SCS 15 kHz) (Ant1)									
BW	MCS Index	RB Size		RB Offset	LDM	RB	High	Max. Turn-up (dB)	
		Frequency (MHz)	Time (ms)						
40M	DTT+OFDM F10 BPSK	1	1	23.30	23.23	23.17	24		
		1	107	23.23	23.19	23.11	24		
		1	214	23.22	23.15	23.14	24		
		108	0	22.86	22.85	22.80	23		
		108	54	23.18	23.15	23.11	24		
		108	108	22.82	22.86	22.75	23.5		
	DTT+OFDM QPSK	216	0	22.72	22.76	22.60	23.5		
		1	1	23.37	23.36	23.29	24		
		1	107	23.29	23.25	23.28	24		
		1	214	23.37	23.36	23.23	24		
		108	0	22.31	22.36	22.30	23		
		108	54	23.35	23.24	23.20	24		
DTT+OFDM BPSK	108	108	22.27	22.27	22.21	23			
	216	0	22.37	22.36	22.27	23			
	1	1	23.32	23.33	23.22	23			
	DTT+OFDM BPSK	1	1	23.39	23.40	23.29	22		
	DTT+OFDM BPSK	1	1	23.41	23.42	23.30	22		
	DTT+OFDM BPSK	1	1	23.43	23.44	23.30	22		
5M	MCS Index	Channel		37000	37000	36000	Max. Turn-up		
	Frequency (MHz)	3680	3681.5	3680					
30M	DTT+OFDM QPSK	1	1	23.33	23.37	23.24	24		
	MCS Index	Channel		37000	37000	36000	Max. Turn-up		
	DTT+OFDM QPSK	Frequency (MHz)	3681.5	3681.5	3681.5				
	MCS Index	Channel		37000	37000	36000	Max. Turn-up		
	DTT+OFDM QPSK	Frequency (MHz)	3680	3681.5	3680				
	MCS Index	Channel		37000	37000	36000	Max. Turn-up		
	DTT+OFDM QPSK	Frequency (MHz)	3681.5	3681.5	3681.5				
	MCS Index	Channel		37000	37000	36000	Max. Turn-up		
	DTT+OFDM QPSK	Frequency (MHz)	3680	3681.5	3680				
	MCS Index	Channel		37000	37000	36000	Max. Turn-up		
	DTT+OFDM QPSK	Frequency (MHz)	3681.5	3681.5	3681.5				
	MCS Index	Channel		37000	37000	36000	Max. Turn-up		
	DTT+OFDM QPSK	Frequency (MHz)	3680	3681.5	3680				
	MCS Index	Channel		37000	37000	36000	Max. Turn-up		
	DTT+OFDM QPSK	Frequency (MHz)	3681.5	3681.5	3681.5				
	MCS Index	Channel		37000	37000	36000	Max. Turn-up		
	DTT+OFDM QPSK	Frequency (MHz)	3680	3681.5	3680				
	MCS Index	Channel		37000	37000	36000	Max. Turn-up		
	DTT+OFDM QPSK	Frequency (MHz)	3681.5	3681.5	3681.5				
	MCS Index	Channel		37000	37000	36000	Max. Turn-up		
	DTT+OFDM QPSK	Frequency (MHz)	3680	3681.5	3680				
	MCS Index	Channel		37000	37000	36000	Max. Turn-up		
	DTT+OFDM QPSK	Frequency (MHz)	3681.5	3681.5	3681.5				
	MCS Index	Channel		37000	37000	36000	Max. Turn-up		
	DTT+OFDM QPSK	Frequency (MHz)	3680	3681.5	3680				
	MCS Index	Channel		37000	37000	36000	Max. Turn-up		
	DTT+OFDM QPSK	Frequency (MHz)	3681.5	3681.5	3681.5				
	MCS Index	Channel		37000	37000	36000	Max. Turn-up		
	DTT+OFDM QPSK	Frequency (MHz)	3680	3681.5	3680				
	MCS Index	Channel		37000	37000	36000	Max. Turn-up		
	DTT+OFDM QPSK	Frequency (MHz)	3681.5	3681.5	3681.5				
	MCS Index	Channel		37000	37000	36000	Max. Turn-up		
	DTT+OFDM QPSK	Frequency (MHz)	3680	3681.5	3680				
	MCS Index	Channel		37000	37000	36000	Max. Turn-up		
	DTT+OFDM QPSK	Frequency (MHz)	3681.5	3681.5	3681.5				
	MCS Index	Channel		37000	37000	36000	Max. Turn-up		
	DTT+OFDM QPSK	Frequency (MHz)	3680	3681.5	3680				
	MCS Index	Channel		37000	37000	36000	Max. Turn-up		
	DTT+OFDM QPSK	Frequency (MHz)	3681.5	3681.5	3681.5				
	MCS Index	Channel		37000	37000	36000	Max. Turn-up		
	DTT+OFDM QPSK	Frequency (MHz)	3680	3681.5	3680				
	MCS Index	Channel		37000	37000	36000	Max. Turn-up		
	DTT+OFDM QPSK	Frequency (MHz)	3681.5	3681.5	3681.5				
	MCS Index	Channel		37000	37000	36000	Max. Turn-up		
	DTT+OFDM QPSK	Frequency (MHz)	3680	3681.5	3680				
	MCS Index	Channel		37000	37000	36000	Max. Turn-up		
	DTT+OFDM QPSK	Frequency (MHz)	3681.5	3681.5	3681.5				
	MCS Index	Channel		37000	37000	36000	Max. Turn-up		
	DTT+OFDM QPSK	Frequency (MHz)	3680	3681.5	3680				
	MCS Index	Channel		37000	37000	36000	Max. Turn-up		
	DTT+OFDM QPSK	Frequency (MHz)	3681.5	3681.5	3681.5				
	MCS Index	Channel		37000	37000	36000	Max. Turn-up		
	DTT+OFDM QPSK	Frequency (MHz)	3680	3681.5	3680				
	MCS Index	Channel		37000	37000	36000	Max. Turn-up		
	DTT+OFDM QPSK	Frequency (MHz)	3681.5	3681.5	3681.5				
	MCS Index	Channel		37000	37000	36000	Max. Turn-up		
	DTT+OFDM QPSK	Frequency (MHz)	3680	3681.5	3680				
	MCS Index	Channel		37000	37000	36000	Max. Turn-up		
	DTT+OFDM QPSK	Frequency (MHz)	3681.5	3681.5	3681.5				
	MCS Index	Channel		37000	37000	36000	Max. Turn-up		
	DTT+OFDM QPSK	Frequency (MHz)	3680	3681.5	3680				
	MCS Index	Channel		37000	37000	36000	Max. Turn-up		
	DTT+OFDM QPSK	Frequency (MHz)	3681.5	3681.5	3681.5				
	MCS Index	Channel		37000	37000	36000	Max. Turn-up		
	DTT+OFDM QPSK	Frequency (MHz)	3680	3681.5	3680				
	MCS Index	Channel		37000	37000	36000	Max. Turn-up		
	DTT+OFDM QPSK	Frequency (MHz)	3681.5	3681.5	3681.5				
	MCS Index	Channel		37000	37000	36000	Max. Turn-up		
	DTT+OFDM QPSK	Frequency (MHz)	3680	3681.5	3680				
	MCS Index	Channel		37000	37000	36000	Max. Turn-up		
	DTT+OFDM QPSK	Frequency (MHz)	3681.5	3681.5	3681.5				
	MCS Index	Channel		37000	37000	36000	Max. Turn-up		
	DTT+OFDM QPSK	Frequency (MHz)	3680	3681.5	3680				
	MCS Index	Channel		37000	37000	36000	Max. Turn-up		
	DTT+OFDM QPSK	Frequency (MHz)	3681.5	3681.5	3681.5				
	MCS Index	Channel		37000	37000	36000	Max. Turn-up		
	DTT+OFDM QPSK	Frequency (MHz)	3680	3681.5	3680				
	MCS Index	Channel		37000	37000	36000	Max. Turn-up		
	DTT+OFDM QPSK	Frequency (MHz)	3681.5	3681.5	3681.5				
	MCS Index	Channel		37000	37000	36000	Max. Turn-up		
	DTT+OFDM QPSK	Frequency (MHz)	3680	3681.5	3680				
	MCS Index	Channel		37000	37000	36000	Max. Turn-up		
	DTT+OFDM QPSK	Frequency (MHz)	3681.5	3681.5	3681.5				
	MCS Index	Channel		37000	37000	36000	Max. Turn-up		
	DTT+OFDM QPSK	Frequency (MHz)	3680	3681.5	3680				
	MCS Index	Channel		37000	37000	36000	Max. Turn-up		
	DTT+OFDM QPSK	Frequency (MHz)	3681.5	3681.5	3681.5				
	MCS Index	Channel		37000	37000	36000	Max. Turn-up		
	DTT+OFDM QPSK	Frequency (MHz)	3680	3681.5	3680				
	MCS Index	Channel		37000	37000	36000	Max. Turn-up		
	DTT+OFDM QPSK	Frequency (MHz)	3681.5	3681.5	3681.5				
	MCS Index	Channel		37000	37000	36000	Max. Turn-up		
	DTT+OFDM QPSK	Frequency (MHz)	3680	3681.5	3680				
	MCS Index	Channel		37000	37000	36000	Max. Turn-up		
	DTT+OFDM QPSK	Frequency (MHz)	3681.5	3681.5	3681.5				
	MCS Index	Channel		37000	37000	36000	Max. Turn-up		
	DTT+OFDM QPSK	Frequency (MHz)	3680	3681.5	3680				
	MCS Index	Channel		37000	37000	36000	Max. Turn-up		
	DTT+OFDM QPSK	Frequency (MHz)	3681.5	3681.5	3681.5				
	MCS Index	Channel		37000	37000	36000	Max. Turn-up		
	DTT+OFDM QPSK	Frequency (MHz)	3680	3681.5	3680				
	MCS Index	Channel		37000	37000	36000	Max. Turn-up		
	DTT+OFDM QPSK	Frequency (MHz)	3681.5	3681.5	3681.5				
	MCS Index	Channel		37000	37000	36000	Max. Turn-up		
	DTT+OFDM QPSK	Frequency (MHz)	3680	3681.5	3680				
	MCS Index	Channel		37000	37000	36000	Max. Turn-up		
	DTT+OFDM QPSK	Frequency (MHz)	3681.5	3681.5	3681.5				
	MCS Index	Channel		37000	37000	36000	Max. Turn-up		
	DTT+OFDM QPSK	Frequency (MHz)	3680	3681.5	3680				
	MCS Index	Channel		37000	37000	36000	Max. Turn-up		
	DTT+OFDM QPSK	Frequency (MHz)	3681.5	3681.5	3681.5				
	MCS Index	Channel		37000	37000	36000	Max. Turn-up		
	DTT+OFDM QPSK	Frequency (MHz)	3680	3681.5	3680				
	MCS Index	Channel		37000	37000	36000	Max. Turn-up		
	DTT+OFDM QPSK	Frequency (MHz)	3681.5	3681.5	3681.5				
	MCS Index	Channel		37000	37000	36000	Max. Turn-up		
	DTT+OFDM QPSK	Frequency (MHz)	3680	3681.5	3680				
	MCS Index	Channel		37000	37000	36000	Max. Turn-up		
	DTT+OFDM QPSK	Frequency (MHz)	3681.5	3681.5	3681.5				
	MCS Index	Channel		37000	37000	36000	Max. Turn-up		
	DTT+OFDM QPSK	Frequency (MHz)	3680	3681.5	3680				
	MCS Index	Channel		37000	37000	36000	Max. Turn-up		
	DTT+OFDM QPSK	Frequency (MHz)	3681.5	3681.5	3681.5				
	MCS Index	Channel		37000	37000	36000	Max. Turn-up		
	DTT+OFDM QPSK	Frequency (MHz)	3680	3681.5	3680				
	MCS Index	Channel		37000	37000	36000	Max. Turn-up		
	DTT+OFDM QPSK	Frequency (MHz)	3681.5	3681.5	3681.5				
	MCS Index	Channel		37000	37000	36000	Max. Turn-up		
	DTT+OFDM QPSK	Frequency (MHz)	3680	3681.5	3680				
	MCS Index	Channel		37000	37000	36000	Max. Turn-up		
	DTT+OFDM QPSK	Frequency (MHz)	3681.5	3681.5	3681.5				
	MCS Index	Channel		37000	37000	36000	Max. Turn-up		
	DTT+OFDM QPSK	Frequency (MHz)	3680	3681.5	3680				
	MCS Index	Channel		37000	37000	36000	Max. Turn-up		
	DTT+OFDM QPSK	Frequency (MHz)	3681.5	3681.5	3681.5				
	MCS Index	Channel		37000	37000	36000	Max. Turn-up		
	DTT+OFDM QPSK	Frequency (MHz)	3680	3681.5	3680				
	MCS Index	Channel		37000	37000	36000	Max. Turn-up		
	DTT+OFDM QPSK	Frequency (MHz)	3681.5	3681.5	3681.5				
	MCS Index	Channel		37000	37000	36000	Max. Turn-up		
	DTT+OFDM QPSK	Frequency (MHz)	3680	3681.5	3680				
	MCS Index	Channel		37000	37000	36000	Max. Turn-up		
	DTT+OFDM QPSK	Frequency (MHz)	3681.5	3681.5	3681.5				
	MCS Index	Channel		37000	37000	36000	Max. Turn-up		
	DTT+OFDM QPSK	Frequency (MHz)	3680	3681.5	3680				
	MCS Index	Channel		37000	37000	36000	Max. Turn-up		
	DTT+OFDM QPSK	Frequency (MHz)	3681.5	3681.5	3681.5				
	MCS Index	Channel		37000	37000	36000	Max. Turn-up		
	DTT+OFDM QPSK	Frequency (MHz)	3680	3681.5	3680				

n30 (SCS 15 kHz) (Ant2)										
BW	MCS Index	RB Size	RB Offset	LDM	RB	Hgt	Max. Turn-up			
		Frequency (MHz)	2302							
10M	DTT+OFDM F10 BPSK	1	1		23.75		24			
		1	25		23.71		24			
		1	50		23.62		24			
		25	0		23.68		23.5			
		25	14		23.70		24			
		25	27		23.25		23.5			
	DTT+OFDM QPSK	50	0		23.27		23.5			
		1	1		23.94		24			
		1	25		23.84		24			
		1	50		23.85		24			
		25	0		22.71		23			
		25	14		23.79		24			
5M	DTT+OFDM QPSK	25	27		22.76		23			
		50	0		22.82		23			
		1	1		22.75		23			
		DTT+OFDM BPSK	1	1		21.32		22		
		DTT+OFDM BPSK	1	1		21.04		20		
		DTT+OFDM BPSK	1	1		21.02		20		
30M	MCS Index	Channel		46160	46000	46000	Max. Turn-up			
		Frequency (MHz)		2307.5	2308	2307.5				
30M	DTT+OFDM QPSK	1	1	23.02	23.00	23.00	24			

n38 (SCS 30 kHz) (Ant1)										
BW	MCS Index	RB Size		RB Offset	LDM	RB	Hgt	Max. Turn-up (dB)		
		Frequency (MHz)								
40M	DTT+OFDM F10 BPSK	1	1	23.42	23.45	23.51	24			
		1	52	23.36	23.43	23.48	24			
		1	104	23.39	23.41	23.47	24			
		50	0	22.88	22.88	22.88	23.5			
		50	26	23.27	23.38	23.29	24			
		50	56	22.83	22.99	22.86	23.5			
	DTT+OFDM QPSK	100	0	23.04	23.14	23.04	23.5			
		1	1	23.53	23.67	23.52	24			
		1	52	23.46	23.64	23.57	24			
		1	104	23.44	23.54	23.57	24			
		50	0	22.40	22.45	22.49	23			
		50	26	23.26	23.33	23.36	24			
20M	DTT+OFDM QPSK	50	56	22.42	22.40	22.35	23			
		100	0	22.31	22.39	22.35	23			
		1	1	22.59	22.65	22.54	23			
		DTT+OFDM BPSK	1	1	21.11	21.13	21.17	22		
		DTT+OFDM BPSK	1	1	18.44	18.43	18.39	20		
		DTT+OFDM BPSK	1	1	18.44	18.43	18.39	20		
10M	MCS Index	Channel		51760	51600	51600	Max. Turn-up			
		Frequency (MHz)		266	266	266				
30M	DTT+OFDM QPSK	1	1	23.51	23.63	23.47	24			
		Channel		51760	51600	51600	Max. Turn-up			
		Frequency (MHz)		266	266	266				
30M	MCS Index	Channel		51760	51600	51600	Max. Turn-up			
		Frequency (MHz)		266	266	266				
30M	DTT+OFDM QPSK	1	1	23.38	23.55	23.40	24			

n41 (SCS 30 kHz) (Ant2)											
BW	MCS Index	RB Size		RB Offset	LDM	RB	Hgt	Max. Turn-up (dB)			
		Ch1	Ch2								
100M	DTT+OFDM F10 BPSK	Channel		58000	58000	58000	Max. Turn-up				
		Frequency (MHz)		266	266	266					
		1	1	23.20	23.25	23.27	24				
		1	137	23.23	23.19	23.20	24				
		1	271	23.16	23.13	23.17	24				
		136	0	22.58	22.72	22.71	23.5				
	DTT+OFDM QPSK	136	68	23.14	23.24	23.19	24				
		136	136	22.63	22.60	22.70	23.5				
		270	0	22.71	22.79	22.74	23.5				
		1	1	23.36	23.38	23.37	24				
		1	137	23.25	23.36	23.33	24				
		1	271	23.19	23.32	23.36	24				
DTT+OFDM QPSK	136	0	22.14	22.23	22.22	23					
	136	68	23.22	23.28	23.27	24					
	136	136	22.06	22.09	22.10	23					
	270	0	22.24	22.26	22.18	23					
	DTT+OFDM BPSK	1	1	22.43	22.38	22.44	23				
	DTT+OFDM BPSK	1	1	21.03	21.03	21.07	22				
50M	MCS Index	Channel		58000	58000	58000	Max. Turn-up				
		Frequency (MHz)		266	266	266					
		30M	DTT+OFDM QPSK	1	1	23.35	23.33	23.35	24		
		Channel		58000	58000	58000	Max. Turn-up				
		Frequency (MHz)		266.40	266.00	266.16					
		30M	DTT+OFDM QPSK	1	1	23.21	23.24	23.24	24		
	MCS Index	Channel		58000	58000	58000	Max. Turn-up				
		Frequency (MHz)		266.40	266.00	266.16					
		30M	DTT+OFDM QPSK	1	1	23.23	23.28	23.27	24		
		Channel		58000	58000	58000	Max. Turn-up				
		Frequency (MHz)		266	266.00	266.16					
		30M	DTT+OFDM QPSK	1	1	23.26	23.37	23.30	24		
100M	MCS Index	Channel		58000	58000	58000	Max. Turn-up				
		Frequency (MHz)		266.40	266.00	266.16					
		30M	DTT+OFDM QPSK	1	1	23.35	23.29	23.25	24		
		Channel		58000	58000	58000	Max. Turn-up				
		Frequency (MHz)		266.40	266.00	266.16					
		30M	DTT+OFDM QPSK	1	1	23.07	23.26	23.22	24		
40M	MCS Index	Channel		58000	58000	58000	Max. Turn-up				
		Frequency (MHz)		266	266.00	266.16					
		30M	DTT+OFDM QPSK	1	1	23.33	23.36	23.27	24		
		Channel		58000	58000	58000	Max. Turn-up				
		Frequency (MHz)		266.40	266.00	266.16					
		30M	DTT+OFDM QPSK	1	1	23.25	23.36	23.30	24		

n48 (SCS 30 kHz) (Ant7)							
BW	MCS Index	RB Size	RB Offset	Low	Mid	High	Max. Tune-up (dBm)
		Channel		638000	641666	645332	
		Frequency (MHz)		3570	3624.99	3679.98	
40M	DFT-s-OFDM P/V2 BPSK	1	1	22.92	22.95	22.98	24
		1	52	22.75	22.87	22.89	24
		1	104	22.87	22.91	22.91	24
		50	0	22.41	22.52	22.52	23.5
		50	28	22.84	22.89	22.94	24
		50	56	22.35	22.44	22.43	23.5
		100	0	22.29	22.46	22.48	23.5
		1	1	23.04	23.06	23.21	24
	DFT-s-OFDM QPSK	1	52	23.08	23.11	23.10	24
		1	104	22.98	23.09	23.20	24
		50	0	21.84	21.95	21.98	23
		50	28	22.84	23.00	22.91	24
		50	56	21.79	22.00	21.95	23
		100	0	21.90	21.95	22.08	23
		DFT-s-OFDM 16QAM	1	1	21.98	22.12	23
		DFT-s-OFDM 64QAM	1	1	20.51	20.65	22
		DFT-s-OFDM 256QAM	1	1	18.19	18.18	20
BW	MCS Index	Channel		637334	641666	646000	Max. Tune-up
		Frequency (MHz)		3560.01	3624.99	3690	
20M	DFT-s-OFDM QPSK	1	1	23.03	22.99	23.14	24
BW	MCS Index	Channel		637000	641666	646332	Max. Tune-up
		Frequency (MHz)		3555	3624.99	3684.98	
10M	DFT-s-OFDM QPSK	1	1	22.91	22.93	23.12	24

n66 (SCS 15 kHz) (Ant1)								
BW	MCS Index	RB Size	RB Offset	Low	Mid	High	Max. Tune-up (dBm)	
		Channel		346000	349000	352000		
		Frequency (MHz)		1730	1745	1760		
40M	DFT-s-OFDM P2 BPSK	1	1	23.38	23.42	23.50	24	
		1	107	23.25	23.42	23.40	24	
		1	214	23.10	23.31	23.33	24	
		108	0	23.23	23.31	23.27	24	
		108	54	23.28	23.36	23.39	24	
		108	108	23.36	23.49	23.55	24	
		216	0	23.33	23.37	23.51	24	
		1	1	23.52	23.50	23.62	24	
	DFT-s-OFDM QPSK	1	107	23.38	23.49	23.49	24	
		1	214	23.23	23.28	23.37	24	
		108	0	22.75	22.86	22.88	24	
		108	54	23.39	23.40	23.42	24	
		108	108	22.87	22.98	23.00	24	
		216	0	22.85	22.87	23.03	24	
		DFT-s-OFDM 16QAM	1	1	22.75	22.84	22.88	23
		DFT-s-OFDM 64QAM	1	1	21.38	21.45	21.43	22
	DFT-s-OFDM 256QAM	1	1	18.74	18.85	18.80	20	
BW	MCS Index	Channel		345000	348000	353000	Max. Tune-up	
		Frequency (MHz)		1725	1745	1765		
30M	DFT-s-OFDM QPSK	1	1	23.47	23.39	23.59	24	
BW	MCS Index	Channel		344000	349000	354000	Max. Tune-up	
		Frequency (MHz)		1720	1745	1770		
20M	DFT-s-OFDM QPSK	1	1	23.48	23.42	23.54	24	
BW	MCS Index	Channel		343000	348000	354000	Max. Tune-up	
		Frequency (MHz)		1717.5	1745	1772.5		
15M	DFT-s-OFDM QPSK	1	1	23.43	23.35	23.49	24	
BW	MCS Index	Channel		343000	349000	350000	Max. Tune-up	
		Frequency (MHz)		1715	1745	1775		
10M	DFT-s-OFDM QPSK	1	1	23.51	23.44	23.55	24	
BW	MCS Index	Channel		342500	349000	350000	Max. Tune-up	
		Frequency (MHz)		1712.5	1745	1777.5		
5M	DFT-s-OFDM QPSK	1	1	23.50	23.44	23.53	24	

n71 (SCS 15 kHz) (Ant2)							
BW	MCS Index	RB Size	RB Offset	Low	Mid	High	Max. Tune-up (dBm)
		Channel		134600	136100	137600	
		Frequency (MHz)		673	680.5	688	
20M	DFT-s-OFDM P2 BPSK	1	1	23.29	23.44	23.41	24
		1	53	23.20	23.24	23.25	24
		1	104	23.22	23.27	23.32	24
		50	0	22.69	22.72	22.83	23.5
		50	28	23.16	23.26	23.32	24
		50	56	22.66	22.73	22.71	23.5
		100	0	22.76	22.80	22.74	23.5
		DFT-s-OFDM QPSK	1	1	23.45	23.42	23.52
	1		53	23.32	23.33	23.37	24
	1		104	23.28	23.36	23.39	24
	50		0	22.27	22.31	22.27	23
	50		28	23.28	23.23	23.37	24
	50		56	22.17	22.30	22.34	23
	100		0	22.28	22.34	22.27	23
	DFT-s-OFDM 16QAM		1	1	22.37	22.53	22.43
	DFT-s-OFDM 64QAM	1	1	21.06	21.02	21.09	22
	DFT-s-OFDM 256QAM	1	1	18.56	18.61	18.75	20
BW	MCS Index	Channel		134100	136100	138100	Max. Tune-up
		Frequency (MHz)		670.5	680.5	690.5	
15M	DFT-s-OFDM QPSK	1	1	23.37	23.37	23.46	24
BW	MCS Index	Channel		133600	136100	138600	Max. Tune-up
		Frequency (MHz)		668	680.5	693	
10M	DFT-s-OFDM QPSK	1	1	23.41	23.39	23.41	24
BW	MCS Index	Channel		133100	136100	139100	Max. Tune-up
		Frequency (MHz)		665.5	680.5	695.5	
5M	DFT-s-OFDM QPSK	1	1	23.39	23.39	23.40	24

n77 (SCS 30 kHz) (Ant7) 3450MHz-3550MHz for FCC							
BW	MCS Index	RB Size	RB Offset	Channel	Mid		Max. Tune-up (dBm)
100M	DFT-s-OFDM P2/ BPSK	1	1		22.71		24
		1	137		22.54		24
		1	271		22.59		24
		135	0		22.07		23.5
		135	69		22.68		24
		135	138		22.16		23.5
		270	0		22.19		23.5
	DFT-s-OFDM QPSK	1	1		22.73		24
		1	137		22.62		24
		1	271		22.59		24
		135	0		21.60		23
		135	69		22.66		24
		135	138		21.62		23
		270	0		21.62		23
	DFT-s-OFDM 16QAM	1	1		21.81		23
	DFT-s-OFDM 64QAM	1	1		20.28		22
	DFT-s-OFDM 256QAM	1	1		17.93		20
BW	MCS Index	Channel		633000	633334	633666	Max. Tune-up
90M	DFT-s-OFDM QPSK	1	1	22.65	22.70	22.68	24
BW	MCS Index	Channel		632668	633334	634000	Max. Tune-up
80M	DFT-s-OFDM QPSK	1	1	22.64	22.70	22.58	24
BW	MCS Index	Channel		632234	632234	634332	Max. Tune-up
70M	DFT-s-OFDM QPSK	1	1	22.72	22.69	22.65	24
BW	MCS Index	Channel		632000	633334	634666	Max. Tune-up
60M	DFT-s-OFDM QPSK	1	1	22.72	22.65	22.66	24
BW	MCS Index	Channel		631668	633334	635000	Max. Tune-up
50M	DFT-s-OFDM QPSK	1	1	22.72	22.69	22.65	24
BW	MCS Index	Channel		631334	633334	635332	Max. Tune-up
40M	DFT-s-OFDM QPSK	1	1	22.69	22.66	22.66	24
BW	MCS Index	Channel		631000	633334	635666	Max. Tune-up
30M	DFT-s-OFDM QPSK	1	1	22.63	22.72	22.69	24
BW	MCS Index	Channel		630668	633334	636000	Max. Tune-up
20M	DFT-s-OFDM QPSK	1	1	22.71	22.68	22.69	24
BW	MCS Index	Channel		630334	633334	636332	Max. Tune-up
10M	DFT-s-OFDM QPSK	1	1	22.62	22.70	22.72	24

n77 (SCS 30 kHz) (Ant7) 3700MHz-3980MHz for FCC							
BW	MCS Index	RB Size	RB Offset	Low	Mid	High	Max. Tune-up (dBm)
100M	DFT-s-OFDM P2/ BPSK	1	1	22.57	22.39	22.45	24
		1	137	22.44	22.31	22.31	24
		1	271	22.37	22.24	22.30	24
		135	0	22.00	21.74	21.95	23.5
		135	69	22.64	22.40	22.38	24
		135	138	22.01	21.70	21.78	23.5
		270	0	22.00	21.83	21.83	23.5
	DFT-s-OFDM QPSK	1	1	22.76	22.44	22.62	24
		1	137	22.64	22.41	22.55	24
		1	271	22.51	22.34	22.47	24
		135	0	21.54	21.32	21.49	23
		135	69	22.59	22.36	22.51	24
		135	138	21.60	21.31	21.44	23
		270	0	21.52	21.37	21.35	23
	DFT-s-OFDM 16QAM	1	1	21.77	21.44	21.61	23
	DFT-s-OFDM 64QAM	1	1	20.19	19.92	19.95	22
	DFT-s-OFDM 256QAM	1	1	17.79	17.54	17.66	20
BW	MCS Index	Channel		649668	656000	662332	Max. Tune-up
90M	DFT-s-OFDM QPSK	1	1	22.69	22.39	22.60	24
BW	MCS Index	Channel		649334	656000	662666	Max. Tune-up
80M	DFT-s-OFDM QPSK	1	1	22.68	22.37	22.54	24
BW	MCS Index	Channel		632234	656000	664332	Max. Tune-up
70M	DFT-s-OFDM QPSK	1	1	22.72	22.38	22.60	24
BW	MCS Index	Channel		649668	656000	663332	Max. Tune-up
60M	DFT-s-OFDM QPSK	1	1	22.73	22.39	22.51	24
BW	MCS Index	Channel		648334	656000	663666	Max. Tune-up
50M	DFT-s-OFDM QPSK	1	1	22.64	22.29	22.53	24
BW	MCS Index	Channel		648000	656000	664000	Max. Tune-up
40M	DFT-s-OFDM QPSK	1	1	22.69	22.30	22.60	24
BW	MCS Index	Channel		647668	656000	664332	Max. Tune-up
30M	DFT-s-OFDM QPSK	1	1	22.65	22.29	22.49	24
BW	MCS Index	Channel		647334	656000	664666	Max. Tune-up
20M	DFT-s-OFDM QPSK	1	1	22.70	22.31	22.60	24
BW	MCS Index	Channel		647000	656000	665000	Max. Tune-up
10M	DFT-s-OFDM QPSK	1	1	22.67	22.36	22.50	24

n78 (SCS 30 kHz) (Ant7) 3450MHz-3550MHz for FCC							
BW	MCS Index	RB Size	RB Offset	Channel	Mid		Max. Tune-up (dBm)
100M	DFT-s-OFDM P2/ BPSK	1	1		22.66		24
		1	137		22.58		24
		1	271		22.41		24
		135	0		21.76		23.5
		135	69		22.58		24
		135	138		21.80		23.5
		270	0		21.81		23.5
	DFT-s-OFDM QPSK	1	1		22.84		24
		1	137		22.79		24
		1	271		22.76		24
		135	0		22.29		23
		135	69		22.76		24
		135	138		22.25		23
		270	0		22.26		23
	DFT-s-OFDM 16QAM	1	1		21.64		23
	DFT-s-OFDM 64QAM	1	1		20.48		22
	DFT-s-OFDM 256QAM	1	1		17.78		20
BW	MCS Index	Channel		633000	633334	633666	Max. Tune-up
90M	DFT-s-OFDM QPSK	1	1	22.74	22.77	22.76	24
BW	MCS Index	Channel		632668	633334	634000	Max. Tune-up
80M	DFT-s-OFDM QPSK	1	1	22.79	22.79	22.81	24
BW	MCS Index	Channel		632234	633334	634332	Max. Tune-up
70M	DFT-s-OFDM QPSK	1	1	22.70	22.80	22.81	24
BW	MCS Index	Channel		632000	633334	634666	Max. Tune-up
60M	DFT-s-OFDM QPSK	1	1	22.79	22.78	22.79	24
BW	MCS Index	Channel		631668	633334	635000	Max. Tune-up
50M	DFT-s-OFDM QPSK	1	1	22.83	22.77	22.82	24
BW	MCS Index	Channel		631334	633334	635332	Max. Tune-up
40M	DFT-s-OFDM QPSK	1	1	22.83	22.69	22.72	24
BW	MCS Index	Channel		631000	633334	635666	Max. Tune-up
30M	DFT-s-OFDM QPSK	1	1	22.71	22.78	22.82	24
BW	MCS Index	Channel		630668	633334	636000	Max. Tune-up
20M	DFT-s-OFDM QPSK	1	1	22.78	22.70	22.71	24
BW	MCS Index	Channel		630334	633334	636332	Max. Tune-up
10M	DFT-s-OFDM QPSK	1	1	22.79	22.74	22.81	24

n77 (SCS 30 kHz) (Ant4), 3450MHz-3550MHz for FCC									
BW	MCS Index	RB Size	RB Offset	Mid		Max. Tune-up (dBm)			
		Channel		633334					
		Frequency (MHz)		3500.01					
100M	DFT-s-OFDM P2 BPSK	1	1		21.74		24		
		1	137		21.96		24		
		1	271		22.21		24		
		135	0		21.53		24		
		135	69		22.09		24		
		135	138		21.67		24		
		270	0		21.63		24		
	DFT-s-OFDM QPSK	1	1		22.22		24		
		1	137		22.15		24		
		1	271		22.19		24		
		135	0		21.04		24		
		135	69		22.14		24		
		135	138		21.19		24		
		270	0		21.10		24		
	DFT-s-OFDM 16QAM	1	1		21.30		23		
	DFT-s-OFDM 64QAM	1	1		19.42		22		
	DFT-s-OFDM 256QAM	1	1		17.64		20		
	BW	MCS Index	Channel		633000	633334	633666	Max. Tune-up	
			Frequency (MHz)		3495	3500.01	3504.99		
	90M	DFT-s-OFDM QPSK	1	1	21.88	21.95	21.85	24	
BW	MCS Index	Channel		632668	633334	634000	Max. Tune-up		
		Frequency (MHz)		3490.02	3500.01	3510			
80M	DFT-s-OFDM QPSK	1	1	21.98	21.99	21.99	24		
BW	MCS Index	Channel		632334	633334	634332	Max. Tune-up		
		Frequency (MHz)		3485.01	3500.01	3514.98			
70M	DFT-s-OFDM QPSK	1	1	21.93	21.93	21.98	24		
BW	MCS Index	Channel		632000	633334	634666	Max. Tune-up		
		Frequency (MHz)		3480	3500.01	3519.99			
60M	DFT-s-OFDM QPSK	1	1	21.90	21.91	21.95	24		
BW	MCS Index	Channel		631668	633334	633900	Max. Tune-up		
		Frequency (MHz)		3475.02	3500.01	3525			
50M	DFT-s-OFDM QPSK	1	1	21.90	21.97	21.87	24		
BW	MCS Index	Channel		631334	633334	635332	Max. Tune-up		
		Frequency (MHz)		3470.01	3500.01	3529.98			
40M	DFT-s-OFDM QPSK	1	1	21.86	21.96	21.91	24		
BW	MCS Index	Channel		631000	633334	635666	Max. Tune-up		
		Frequency (MHz)		3465	3500.01	3534.99			
30M	DFT-s-OFDM QPSK	1	1	21.90	21.96	21.87	24		
BW	MCS Index	Channel		630668	633334	636000	Max. Tune-up		
		Frequency (MHz)		3460.02	3500.01	3540			
20M	DFT-s-OFDM QPSK	1	1	21.98	21.95	21.92	24		
BW	MCS Index	Channel		630334	633334	636332	Max. Tune-up		
		Frequency (MHz)		3455.01	3500.01	3544.98			
10M	DFT-s-OFDM QPSK	1	1	21.98	21.98	21.88	24		

n77 (SCS 30 kHz) (Ant4), 3700MHz-3980MHz for FCC									
BW	MCS Index	RB Size	RB Offset	Low	Mid	High	Max. Tune-up (dBm)		
		Channel		650000	655000	662000			
		Frequency (MHz)		3750	3840	3930			
100M	DFT-s-OFDM P22 BPSK	1	1	22.00	22.26	22.25	24		
		1	137	22.01	22.17	22.20	24		
		1	271	21.49	21.73	21.66	24		
		135	0	21.52	21.84	21.77	24		
		135	69	22.05	22.30	22.35	24		
		135	138	21.45	21.81	21.71	24		
		270	0	21.61	21.89	21.91	24		
	DFT-s-OFDM QPSK	1	1	22.36	22.55	22.63	24		
		1	137	22.16	22.46	22.53	24		
		1	271	21.14	21.41	21.33	24		
		135	0	21.03	21.36	21.35	24		
		135	69	22.09	22.29	22.34	24		
		135	138	21.03	21.21	21.31	24		
		270	0	21.13	21.34	21.34	24		
	DFT-s-OFDM 16QAM	1	1	21.30	21.48	21.56	23		
	DFT-s-OFDM 64QAM	1	1	19.29	19.65	19.66	22		
	DFT-s-OFDM 256QAM	1	1	17.56	17.71	17.82	20		
BW	MCS Index	Channel		648668	655000	662332	Max. Tune-up		
		Frequency (MHz)		3745.02	3840	3934.98			
90M	DFT-s-OFDM QPSK	1	1	22.12	22.43	22.51	24		
BW	MCS Index	Channel		649334	655000	662666	Max. Tune-up		
		Frequency (MHz)		3740.01	3840	3939.99			
80M	DFT-s-OFDM MCSK	1	1	22.23	22.42	22.49	24		
BW	MCS Index	Channel		632334	655000	634332	Max. Tune-up		
		Frequency (MHz)		3485.01	3840	3514.98			
70M	DFT-s-OFDM QPSK	1	1	22.23	22.37	22.46	24		
BW	MCS Index	Channel		648668	655000	663332	Max. Tune-up		
		Frequency (MHz)		3730.02	3840	3949.98			
60M	DFT-s-OFDM QPSK	1	1	22.17	22.35	22.38	24		
BW	MCS Index	Channel		648334	655000	663666	Max. Tune-up		
		Frequency (MHz)		3725.01	3840	3954.98			
50M	DFT-s-OFDM QPSK	1	1	22.15	22.31	22.47	24		
BW	MCS Index	Channel		648000	655000	664000	Max. Tune-up		
		Frequency (MHz)		3720	3840	3960			
40M	DFT-s-OFDM QPSK	1	1	22.22	22.37	22.39	24		
BW	MCS Index	Channel		647668	655000	664332	Max. Tune-up		
		Frequency (MHz)		3715.02	3840	3954.98			
30M	DFT-s-OFDM QPSK	1	1	22.18	22.30	22.50	24		
BW	MCS Index	Channel		647334	655000	664666	Max. Tune-up		
		Frequency (MHz)		3710.01	3840	3969.99			
20M	DFT-s-OFDM QPSK	1	1	22.16	22.34	22.51	24		
BW	MCS Index	Channel		647000	655000	665000	Max. Tune-up		
		Frequency (MHz)		3705	3840	3975			
10M	DFT-s-OFDM QPSK	1	1	22.22	22.40	22.47	24		

n78 (SCS 30 kHz) (Ant4) 3450MHz-3550MHz for FCC									
BW	MCS Index	RB Size	RB Offset	Mid		Max. Tune-up (dBm)			
		Channel		633334					
100M	DFT-s-OFDM P22 BPSK	Frequency (MHz)		3500.01					
		1	1		22.03	24			
		1	137		22.23	24			
		1	271		22.25	24			
		135	0		21.71	24			
		135	69		22.25	24			
		135	138		21.85	24			
	DFT-s-OFDM P22 BPSK	270	0		21.74	24			
		1	1		22.53	24			
		1	137		22.15	24			
		1	271		22.02	24			
		135	0		21.18	24			
		135	69		22.27	24			
		135	138		21.34	24			
	DFT-s-OFDM 16QAM	270	0		21.25	24			
		1	1		21.05	23			
		1	1		19.32	22			
DFT-s-OFDM 64QAM	1	1		17.36	20				
	1	1							
BW	MCS Index	Channel		633000	633334	632666	Max. Tune-up		
		Frequency (MHz)		3485	3500.01	3504.99			
90M	DFT-s-OFDM QPSK	1	1	22.09	22.14	22.14	24		
BW	MCS Index	Channel		632668	633334	634000	Max. Tune-up		
		Frequency (MHz)		3480.02	3500.01	3510			
80M	DFT-s-OFDM MCSK	1	1	22.10	22.00	22.03	24		
BW	MCS Index	Channel		632334	633334	634332	Max. Tune-up		
		Frequency (MHz)		3485.01	3500.01	3514.98			
70M	DFT-s-OFDM QPSK	1	1	22.14	22.02	22.07	24		
BW	MCS Index	Channel		632000	633334	634666	Max. Tune-up		
		Frequency (MHz)		3480	3500.01	3519.99			
60M	DFT-s-OFDM QPSK	1	1	22.03	22.11	22.00	24		
BW	MCS Index	Channel		631668	633334	633900	Max. Tune-up		
		Frequency (MHz)		3475.02	3500.01	3525			
50M	DFT-s-OFDM QPSK	1	1	22.03	22.12	22.12	24		
BW	MCS Index	Channel		631334	633334	635332	Max. Tune-up		
		Frequency (MHz)		3470.01	3500.01	3529.98			
40M	DFT-s-OFDM QPSK	1	1	22.01	22.14	22.05	24		
BW	MCS Index	Channel		631000	633334	635666	Max. Tune-up		
		Frequency (MHz)		3465	3500.01	3534.99			
30M	DFT-s-OFDM QPSK	1	1	22.11	22.03	22.14	24		
BW	MCS Index	Channel		630668	633334	636000	Max. Tune-up		
		Frequency (MHz)		3470.01	3500.01	3540			
20M	DFT-s-OFDM QPSK	1	1	22.05	22.12	22.00	24		
BW	MCS Index	Channel		630334	633334	636332	Max. Tune-up		
		Frequency (MHz)		3465.01	3500.01	3544.98			
10M	DFT-s-OFDM QPSK	1	1	22.08	22.06	22.13	24		

n77 (SCS 30 kHz) (Ant5) 3450MHz-3550MHz						
BW	MCS Index	RB Size	RB Offset	Mid		Max. Tune-up (dBm)
		Channel		633334		
		Frequency (MHz)		3500.01		
100M	DFT-s-OFDM P22 BPSK	1	1	19.23		21
		1	137	19.24		21
		1	271	19.51		21
		135	0	18.86		21
		135	69	19.35		21
		135	138	19.02		21
		270	0	18.83		21
		1	1	19.68		21
	DFT-s-OFDM QPSK	1	137	19.41		21
		1	271	19.28		21
		135	0	18.35		21
		135	69	18.33		21
		135	138	18.45		21
		270	0	18.35		20
		1	1	18.41		20
		1	1	16.57		19
		1	1	15.06		17
BW	MCS Index	Channel		632000	633334	633666 Max. Tune-up
50M	DFT-s-OFDM QPSK	1	1	19.65	19.57	19.63 21
BW	MCS Index	Channel		632668	633334	634000 Max. Tune-up
80M	DFT-s-OFDM QPSK	1	1	19.65	19.54	19.65 21
BW	MCS Index	Channel		632334	633334	634332 Max. Tune-up
70M	DFT-s-OFDM QPSK	1	1	19.60	19.54	19.66 21
BW	MCS Index	Channel		632000	633334	634666 Max. Tune-up
60M	DFT-s-OFDM QPSK	1	1	19.62	19.65	19.67 21
BW	MCS Index	Channel		631668	633334	635000 Max. Tune-up
50M	DFT-s-OFDM QPSK	1	1	19.59	19.53	19.65 21
BW	MCS Index	Channel		631334	633334	635332 Max. Tune-up
40M	DFT-s-OFDM QPSK	1	1	19.64	19.56	19.63 21
BW	MCS Index	Channel		631000	633334	635666 Max. Tune-up
30M	DFT-s-OFDM QPSK	1	1	19.65	19.54	19.58 21
BW	MCS Index	Channel		630668	633334	636000 Max. Tune-up
20M	DFT-s-OFDM QPSK	1	1	19.58	19.62	19.58 21
BW	MCS Index	Channel		630334	633334	636332 Max. Tune-up
10M	DFT-s-OFDM QPSK	1	1	19.62	19.64	19.65 21

n77 (SCS 30 kHz) (Ant5) 3700MHz-3800MHz						
BW	MCS Index	RB Size	RB Offset	Low	Mid	High
		Channel		650000	650000	662000
		Frequency (MHz)		3750	3840	3850
100M	DFT-s-OFDM P22 BPSK	1	1	19.20	19.22	19.51
		1	137	19.07	19.07	19.40
		1	271	18.93	18.97	19.22
		135	0	18.99	18.95	19.21
		135	69	19.41	19.40	19.73
		135	138	18.79	18.74	18.98
		270	0	18.85	18.88	19.14
		1	1	19.49	19.47	19.77
	DFT-s-OFDM QPSK	1	137	19.43	19.38	19.66
		1	271	19.28	19.27	19.50
		135	0	18.66	18.50	18.88
		135	69	18.46	18.27	18.60
		135	138	18.35	18.30	18.60
		270	0	18.32	18.33	18.55
		1	1	18.71	18.58	18.97
		1	1	17.02	16.92	17.28
		1	1	15.11	15.09	15.38
BW	MCS Index	Channel		649668	650000	662332 Max. Tune-up
50M	DFT-s-OFDM QPSK	1	1	19.41	19.40	19.73 21
BW	MCS Index	Channel		648334	650000	662666 Max. Tune-up
80M	DFT-s-OFDM QPSK	1	1	19.41	19.39	19.70 21
BW	MCS Index	Channel		632334	650000	663332 Max. Tune-up
70M	DFT-s-OFDM QPSK	1	1	19.41	19.40	19.73 21
BW	MCS Index	Channel		648668	650000	663332 Max. Tune-up
60M	DFT-s-OFDM QPSK	1	1	19.34	19.33	19.72 21
BW	MCS Index	Channel		648334	650000	663666 Max. Tune-up
50M	DFT-s-OFDM QPSK	1	1	19.44	19.42	19.68 21
BW	MCS Index	Channel		648000	650000	664000 Max. Tune-up
40M	DFT-s-OFDM QPSK	1	1	19.42	19.34	19.74 21
BW	MCS Index	Channel		647668	650000	664332 Max. Tune-up
30M	DFT-s-OFDM QPSK	1	1	19.39	19.38	19.72 21
BW	MCS Index	Channel		647334	650000	664666 Max. Tune-up
20M	DFT-s-OFDM QPSK	1	1	19.40	19.42	19.75 21
BW	MCS Index	Channel		647000	650000	665000 Max. Tune-up
10M	DFT-s-OFDM QPSK	1	1	19.40	19.35	19.63 21

n78 (SCS 30 kHz) (Ant5) 3450MHz-3550MHz						
BW	MCS Index	RB Size	RB Offset	Mid		Max. Tune-up (dBm)
		Channel		633334		
		Frequency (MHz)		3500.01		
100M	DFT-s-OFDM P22 BPSK	1	1	19.45		21
		1	137	19.61		21
		1	271	19.43		21
		135	0	19.24		21
		135	69	19.61		21
		135	138	18.97		21
		270	0	19.02		21
	DFT-s-OFDM QPSK	1	1	19.71		21
		1	137	19.56		21
		1	271	19.39		21
		135	0	18.73		21
		135	69	18.58		21
		135	138	18.49		21
		270	0	18.54		20
		1	1	18.73		20
		1	1	17.07		19
		1	1	15.79		17
BW	MCS Index	Channel		632000	633334	633666 Max. Tune-up
50M	DFT-s-OFDM QPSK	1	1	19.67	19.67	19.68 21
BW	MCS Index	Channel		632668	633334	634000 Max. Tune-up
80M	DFT-s-OFDM QPSK	1	1	19.67	19.63	19.65 21
BW	MCS Index	Channel		632334	633334	634332 Max. Tune-up
70M	DFT-s-OFDM QPSK	1	1	19.56	19.63	19.59 21
BW	MCS Index	Channel		632000	633334	634666 Max. Tune-up
60M	DFT-s-OFDM QPSK	1	1	19.60	19.57	19.67 21
BW	MCS Index	Channel		631668	633334	635000 Max. Tune-up
50M	DFT-s-OFDM QPSK	1	1	19.66	19.67	19.65 21
BW	MCS Index	Channel		631334	633334	635332 Max. Tune-up
40M	DFT-s-OFDM QPSK	1	1	19.61	19.56	19.67 21
BW	MCS Index	Channel		631000	633334	635666 Max. Tune-up
30M	DFT-s-OFDM QPSK	1	1	19.68	19.65	19.64 21
BW	MCS Index	Channel		630668	633334	636000 Max. Tune-up
20M	DFT-s-OFDM QPSK	1	1	19.59	19.70	19.56 21
BW	MCS Index	Channel		630334	633334	636332 Max. Tune-up
10M	DFT-s-OFDM QPSK	1	1	19.65	19.70	19.56 21

n77 (SCS 30 kHz) (Ant6) 3450MHz-3550MHz						
BW	MCS Index	RB Size	RB Offset	Mid		Max. Tune-up (dBm)
		Channel		633334		
100M	DFT-s-OFDM P22 BPSK	Frequency (MHz)		3500.01		
		1	1	20.17		22
		1	137	20.43		22
		1	271	20.95		22
		135	0	19.83		22
		135	69	20.47		22
		135	138	20.24		22
		270	0	20.00		22
	DFT-s-OFDM QPSK	1	1	20.96		22
		1	137	20.44		22
		1	271	20.21		22
		135	0	19.28		22
		135	69	20.46		22
		135	138	19.72		22
	DFT-s-OFDM 16QAM	270	0	19.48		21
		1	1	19.33		21
		1	1	18.12		20
	DFT-s-OFDM 256QAM	1	1	16.05		18
BW	MCS Index	Channel	632000	633334	633666	Max. Tune-up
50M	DFT-s-OFDM QPSK	1	1	20.81	20.84	20.94
BW	MCS Index	Channel	632668	633334	634000	Max. Tune-up
80M	DFT-s-OFDM QPSK	1	1	20.93	20.85	20.88
BW	MCS Index	Channel	632334	633334	634332	Max. Tune-up
70M	DFT-s-OFDM QPSK	1	1	20.83	20.91	20.92
BW	MCS Index	Channel	632000	633334	634666	Max. Tune-up
60M	DFT-s-OFDM QPSK	1	1	20.83	20.90	20.83
BW	MCS Index	Channel	631668	633334	635000	Max. Tune-up
50M	DFT-s-OFDM QPSK	1	1	20.81	20.84	20.84
BW	MCS Index	Channel	631334	633334	635332	Max. Tune-up
40M	DFT-s-OFDM QPSK	1	1	20.81	20.85	20.81
BW	MCS Index	Channel	631000	633334	635666	Max. Tune-up
30M	DFT-s-OFDM QPSK	1	1	20.88	20.83	20.90
BW	MCS Index	Channel	630668	633334	636000	Max. Tune-up
20M	DFT-s-OFDM QPSK	1	1	20.95	20.94	20.83
BW	MCS Index	Channel	630334	633334	636332	Max. Tune-up
10M	DFT-s-OFDM QPSK	1	1	20.90	20.85	20.83

n77 (SCS 30 kHz) (Ant6) 3700MHz-3800MHz						
BW	MCS Index	RB Size	RB Offset	Low	Mid	High
		Channel		650000	656000	662000
100M	DFT-s-OFDM P22 BPSK	Frequency (MHz)		3750	3840	3930
		1	1	21.03	20.94	21.06
		1	137	21.21	21.08	21.22
		1	271	21.03	20.91	21.00
		135	0	20.65	20.53	20.60
		135	69	21.16	21.08	21.08
		135	138	20.48	20.41	20.55
		270	0	20.63	20.57	20.64
	DFT-s-OFDM QPSK	1	1	21.24	21.16	21.33
		1	137	21.15	21.07	21.17
		1	271	21.03	20.95	21.09
		135	0	20.11	20.02	20.12
		135	69	21.10	20.97	21.19
		135	138	20.02	19.92	20.06
	DFT-s-OFDM 16QAM	270	0	20.04	19.96	20.01
		1	1	20.27	20.20	20.22
		1	1	18.47	18.34	18.45
	DFT-s-OFDM 256QAM	1	1	16.63	16.40	16.62
BW	MCS Index	Channel	649668	656000	662332	Max. Tune-up
50M	DFT-s-OFDM QPSK	1	1	21.09	21.12	21.29
BW	MCS Index	Channel	649334	656000	662666	Max. Tune-up
80M	DFT-s-OFDM QPSK	1	1	21.17	21.11	21.29
BW	MCS Index	Channel	632334	656000	634332	Max. Tune-up
70M	DFT-s-OFDM QPSK	1	1	21.18	21.03	21.28
BW	MCS Index	Channel	649668	656000	663332	Max. Tune-up
60M	DFT-s-OFDM QPSK	1	1	21.23	21.11	21.28
BW	MCS Index	Channel	649334	656000	663666	Max. Tune-up
50M	DFT-s-OFDM QPSK	1	1	21.22	21.08	21.31
BW	MCS Index	Channel	649000	656000	664000	Max. Tune-up
40M	DFT-s-OFDM QPSK	1	1	21.17	21.09	21.32
BW	MCS Index	Channel	647668	656000	664332	Max. Tune-up
30M	DFT-s-OFDM QPSK	1	1	21.17	21.13	21.29
BW	MCS Index	Channel	647334	656000	664666	Max. Tune-up
20M	DFT-s-OFDM QPSK	1	1	21.10	21.11	21.31
BW	MCS Index	Channel	647000	656000	665000	Max. Tune-up
10M	DFT-s-OFDM QPSK	1	1	21.20	21.04	21.35

n78 (SCS 30 kHz) (Ant6) 3450MHz-3550MHz						
BW	MCS Index	RB Size	RB Offset	Mid		Max. Tune-up (dBm)
		Channel		633334		
100M	DFT-s-OFDM P22 BPSK	Frequency (MHz)		3500.01		
		1	1	20.91		22
		1	137	20.46		22
		1	271	20.92		22
		135	0	19.78		22
		135	69	20.43		22
		135	138	20.16		22
		270	0	19.91		22
	DFT-s-OFDM QPSK	1	1	21.04		22
		1	137	20.88		22
		1	271	20.81		22
		135	0	19.25		22
		135	69	20.43		22
		135	138	19.69		22
	DFT-s-OFDM 16QAM	270	0	19.44		21
		1	1	19.24		21
		1	1	17.37		20
	DFT-s-OFDM 256QAM	1	1	15.62		19
BW	MCS Index	Channel	632000	633334	633666	Max. Tune-up
50M	DFT-s-OFDM QPSK	1	1	21.00	20.95	20.90
BW	MCS Index	Channel	632668	633334	634000	Max. Tune-up
80M	DFT-s-OFDM QPSK	1	1	21.01	21.03	20.89
BW	MCS Index	Channel	632334	633334	634332	Max. Tune-up
70M	DFT-s-OFDM QPSK	1	1	20.96	20.96	20.91
BW	MCS Index	Channel	632000	633334	634666	Max. Tune-up
60M	DFT-s-OFDM QPSK	1	1	21.00	20.92	20.95
BW	MCS Index	Channel	631668	633334	635000	Max. Tune-up
50M	DFT-s-OFDM QPSK	1	1	20.90	20.90	21.03
BW	MCS Index	Channel	631334	633334	635332	Max. Tune-up
40M	DFT-s-OFDM QPSK	1	1	21.02	20.90	20.89
BW	MCS Index	Channel	631000	633334	635666	Max. Tune-up
30M	DFT-s-OFDM QPSK	1	1	20.96	21.01	20.91
BW	MCS Index	Channel	630668	633334	636000	Max. Tune-up
20M	DFT-s-OFDM QPSK	1	1	20.95	20.98	20.89
BW	MCS Index	Channel	630334	633334	636332	Max. Tune-up
10M	DFT-s-OFDM QPSK	1	1	21.01	20.94	20.98

ULCA

CA_5B									
Combination 10MHz+10MHz (50RB+50RB)									
PCC Channel	PCC Frequency (MHz)	SCC Channel	SCC Frequency (MHz)	Modulation	PCC		SCC		Tune up Limit (dBm)
					RB Size	RB offset	RB Size	RB offset	Measured Power (dBm)
20450	829	20549	838.9	QPSK	1	49	1	0	22.49
				16QAM	1	49	1	0	21.80
				64QAM	1	49	1	0	20.72
				256QAM	1	49	1	0	17.68
20476	831.6	20575	841.5	QPSK	1	49	1	0	22.38
				16QAM	1	49	1	0	21.84
				64QAM	1	49	1	0	20.86
				256QAM	1	49	1	0	17.90
20501	834.1	20600	844	QPSK	1	49	1	0	22.40
				16QAM	1	49	1	0	21.62
				64QAM	1	49	1	0	20.90
				256QAM	1	49	1	0	17.78

CA_7C									
Combination 20MHz+20MHz (100RB+100RB)									
PCC Channel	PCC Frequency (MHz)	SCC Channel	SCC Frequency (MHz)	Modulation	PCC		SCC		Tune up Limit (dBm)
					RB Size	RB offset	RB Size	RB offset	Measured Power (dBm)
20850	2510	21048	2529.8	QPSK	1	99	1	0	23.13
				16QAM	1	99	1	0	22.39
				64QAM	1	99	1	0	21.63
				256QAM	1	99	1	0	18.62
21001	2525.1	21199	2544.9	QPSK	1	99	1	0	23.17
				16QAM	1	99	1	0	22.43
				64QAM	1	99	1	0	21.59
				256QAM	1	99	1	0	18.37
21152	2540.2	21350	2560	QPSK	1	99	1	0	23.10
				16QAM	1	99	1	0	22.40
				64QAM	1	99	1	0	21.51
				256QAM	1	99	1	0	18.42

CA_38C									
Combination 20MHz+20MHz (100RB+100RB)									
PCC Channel	PCC Frequency (MHz)	SCC Channel	SCC Frequency (MHz)	Modulation	PCC		SCC		Tune up Limit (dBm)
					RB Size	RB offset	RB Size	RB offset	Measured Power (dBm)
37850	2580	38048	2599.8	QPSK	1	99	1	0	23.20
				16QAM	1	99	1	0	22.17
				64QAM	1	99	1	0	21.22
				256QAM	1	99	1	0	18.14
37901	2585.1	38099	2604.9	QPSK	1	99	1	0	23.27
				16QAM	1	99	1	0	22.33
				64QAM	1	99	1	0	21.35
				256QAM	1	99	1	0	18.22
37952	2590.2	38150	2610	QPSK	1	99	1	0	23.10
				16QAM	1	99	1	0	22.33
				64QAM	1	99	1	0	21.17
				256QAM	1	99	1	0	18.22

CA_41C									
Combination 20MHz+20MHz (100RB+100RB)									
PCC Channel	PCC Frequency (MHz)	SCC Channel	SCC Frequency (MHz)	Modulation	PCC		SCC		Tune up Limit (dBm)
					RB Size	RB offset	RB Size	RB offset	Measured Power (dBm)
39750	2506	39948	2525.8	QPSK	1	99	1	0	23.13
				16QAM	1	99	1	0	22.03
				64QAM	1	99	1	0	20.99
				256QAM	1	99	1	0	18.05
40521	2583.1	40719	2602.9	QPSK	1	99	1	0	23.03
				16QAM	1	99	1	0	21.86
				64QAM	1	99	1	0	20.78
				256QAM	1	99	1	0	17.85
41292	2660.2	41490	2680	QPSK	1	99	1	0	23.06
				16QAM	1	99	1	0	21.86
				64QAM	1	99	1	0	21.09
				256QAM	1	99	1	0	18.06

CA_42C Part27Q									
Combination 20MHz+20MHz (100RB+100RB)									
PCC Channel	PCC Frequency (MHz)	SCC Channel	SCC Frequency (MHz)	Modulation	PCC		SCC		Tune up Limit (dBm)
					RB Size	RB offset	RB Size	RB offset	Measured Power (dBm)
42190	3460	42388	3479.8	QPSK	1	99	1	0	22.77
				16QAM	1	99	1	0	21.77
				64QAM	1	99	1	0	20.77
				256QAM	1	99	1	0	17.72
42491	3490.1	42689	3509.9	QPSK	1	99	1	0	22.59
				16QAM	1	99	1	0	21.56
				64QAM	1	99	1	0	20.47
				256QAM	1	99	1	0	17.41
42792	3520.2	42990	3540	QPSK	1	99	1	0	22.48
				16QAM	1	99	1	0	21.36
				64QAM	1	99	1	0	20.59
				256QAM	1	99	1	0	17.61

CA_48C									
Combination 20MHz+20MHz (100RB+100RB)									
PCC Channel	PCC Frequency (MHz)	SCC Channel	SCC Frequency (MHz)	Modulation	PCC		SCC		Tune up Limit (dBm)
					RB Size	RB offset	RB Size	RB offset	Measured Power (dBm)
55340	3560	55538	3579.8	QPSK	1	99	1	0	18.36
				16QAM	1	99	1	0	18.33
				64QAM	1	99	1	0	18.26
				256QAM	1	99	1	0	18.03
55891	3615.1	56089	3634.9	QPSK	1	99	1	0	18.26
				16QAM	1	99	1	0	18.25
				64QAM	1	99	1	0	18.14
				256QAM	1	99	1	0	17.75
56442	3670.2	56640	3690	QPSK	1	99	1	0	18.06
				16QAM	1	99	1	0	18.01
				64QAM	1	99	1	0	17.99
				256QAM	1	99	1	0	17.63

CA_66B									
Combination 10MHz+10MHz (50RB+50RB)									
PCC Channel	PCC Frequency (MHz)	SCC Channel	SCC Frequency (MHz)	Modulation	PCC		SCC		Tune up Limit (dBm)
					RB Size	RB offset	RB Size	RB offset	Measured Power (dBm)
132022	1715	132121	1724.9	QPSK	1	49	1	0	23.30
				16QAM	1	49	1	0	22.59
				64QAM	1	49	1	0	22.06
				256QAM	1	49	1	0	18.84
132373	1750.1	132472	1760	QPSK	1	49	1	0	22.99
				16QAM	1	49	1	0	22.27
				64QAM	1	49	1	0	21.69
				256QAM	1	49	1	0	18.62
132523	1765.1	132622	1775	QPSK	1	49	1	0	23.35
				16QAM	1	49	1	0	22.54
				64QAM	1	49	1	0	22.04
				256QAM	1	49	1	0	18.87

CA_66C									
Combination 20MHz+20MHz (100RB+100RB)									
PCC Channel	PCC Frequency (MHz)	SCC Channel	SCC Frequency (MHz)	Modulation	PCC		SCC		Tune up Limit (dBm)
					RB Size	RB offset	RB Size	RB offset	Measured Power (dBm)
132072	1720	132270	1739.8	QPSK	1	99	1	0	22.96
				16QAM	1	99	1	0	22.34
				64QAM	1	99	1	0	21.84
				256QAM	1	99	1	0	18.64
132323	1745.1	132521	1764.9	QPSK	1	99	1	0	23.15
				16QAM	1	99	1	0	22.42
				64QAM	1	99	1	0	21.90
				256QAM	1	99	1	0	18.93
132374	1750.2	132572	1770	QPSK	1	99	1	0	23.26
				16QAM	1	99	1	0	22.55
				64QAM	1	99	1	0	21.10
				256QAM	1	99	1	0	17.97

DLCA

CA List	PCC							SCC				Power	
	LTE	BW	UL	UL	Mod.	UL#	UL	LTE	BW	DL	DL	With CA	Without CA
	Band	(MHz)	Freq.	Channel		RB	RB	Band	(MHz)	Freq.	Channel	Tx. Power	Tx. Power
			(MHz)				Offset			(MHz)		(dBm)	(dBm)
CA_2A-4A	Band 2	20M	1860	18700	QPSK	1	0	Band 4	20M	2132.5	2175	23.16	23.33
	Band 4	20M	1745	20300	QPSK	1	0	Band 2	20M	1960	900	23.22	23.31
CA_2A-5A	Band 2	20M	1860	18700	QPSK	1	0	Band 5	10M	881.5	2525	23.22	23.33
	Band 5	10M	844	20600	QPSK	1	0	Band 2	20M	1960	900	22.56	22.6
CA_2A-7A	Band 2	20M	1860	18700	QPSK	1	0	Band 7	20M	2655	3100	23.18	23.33
	Band 7	20M	2560	21350	QPSK	1	99	Band 2	20M	1960	900	23.13	23.33
CA_2A-12A	Band 2	20M	1860	18700	QPSK	1	0	Band 12	10M	737.5	5095	23.2	23.33
	Band 12	10M	711	23130	QPSK	1	49	Band 2	20M	1960	900	22.37	22.43
CA_2A-13A	Band 2	20M	1860	18700	QPSK	1	0	Band 13	10M	751	5230	23.15	23.33
	Band 13	10M	782	23230	QPSK	1	0	Band 2	20M	1960	900	22.4	22.58
CA_2A-66A	Band 2	20M	1860	18700	QPSK	1	0	Band 66	20M	2155	66886	23.21	23.33
	Band 66	20M	1770	132572	QPSK	1	0	Band 2	20M	1960	900	23.39	23.56
CA_4A-12A	Band 4	20M	1745	20300	QPSK	1	0	Band 12	10M	737.5	5095	23.19	23.31
	Band 12	10M	711	23130	QPSK	1	49	Band 4	20M	2132.5	2175	22.41	22.43
CA_4A-13A	Band 4	20M	1745	20300	QPSK	1	0	Band 13	10M	751	5230	23.31	23.31
	Band 13	10M	782	23230	QPSK	1	0	Band 4	20M	2132.5	2175	22.37	22.58
CA_5A-7A	Band 5	10M	844	20600	QPSK	1	0	Band 7	20M	2655	3100	22.38	22.6
	Band 7	20M	2560	21350	QPSK	1	99	Band 5	10M	881.5	2525	23.3	23.33
CA_5A-66A	Band 5	10M	844	20600	QPSK	1	0	Band 66	20M	2155	66886	22.45	22.6
	Band 66	20M	1770	132572	QPSK	1	0	Band 5	10M	881.5	2525	23.48	23.56
CA_12A-66A	Band 12	10M	711	23130	QPSK	1	49	Band 66	20M	2155	66886	22.36	22.58
	Band 66	20M	1770	132572	QPSK	1	0	Band 12	10M	737.5	5095	23.35	23.56
CA_13A-66A	Band 13	10M	782	23230	QPSK	1	0	Band 66	20M	2155	66886	22.37	22.58
	Band 66	20M	1770	132572	QPSK	1	0	Band 13	10M	751	5230	23.52	23.56
CA_41A-42A	Band42	20M	3540	42990	QPSK	1	50	Band 41	20M	2593	40620	22.82	22.91
	Band 41	20M	2593	40620	QPSK	1	99	Band 42	20M	3500	42590	23.44	23.48

Reduced Power For Hotspot

LTE Band 30 (Ant2)								
BW	Modulation	RB Size	RB Offset	Mid			3GPP MPR (dB)	Max. Tune-up (dBm)
		Channel		27710				
		Frequency (MHz)		2310				
10M	QPSK	1	0		21.93		0	22
		1	24		21.88		0	22
		1	49		21.87		0	22
		25	0		21.78		1	22
		25	12		21.82		1	22
		25	25		21.76		1	22
		50	0		21.79		1	22
	16QAM	1	0		21.86		1	22
		1	24		21.75		1	22
		1	49		21.75		1	22
		25	0		21.77		2	22
		25	12		21.81		2	22
		25	25		21.70		2	22
		50	0		21.72		2	22
	64QAM	1	0		21.89		2	22
		1	24		21.90		2	22
		1	49		21.86		2	22
		25	0		21.10		3	21.5
		25	12		21.06		3	21.5
		25	25		21.04		3	21.5
		50	0		21.20		3	21.5
	256QAM	1	0		19.20		5	19.5
		1	24		19.24		5	19.5
		1	49		19.18		5	19.5
		25	0		19.10		5	19.5
		25	12		19.10		5	19.5
		25	25		19.04		5	19.5
		50	0		19.02		5	19.5
BW	Modulation	Channel		27685	27710	27735	3GPP MPR (dB)	Max. Tune-up (dBm)
		Frequency (MHz)		2307.5	2310	2312.5		
5M	QPSK	1	0	21.84	21.90	21.90	0	22
		1	12	21.82	21.87	21.78	0	22
		1	24	21.78	21.84	21.85	0	22
		12	0	21.72	21.77	21.78	1	22
		12	6	21.75	21.78	21.75	1	22
		12	13	21.71	21.67	21.73	1	22
		25	0	21.75	21.71	21.69	1	22
	16QAM	1	0	21.85	21.83	21.78	1	22
		1	12	21.68	21.67	21.69	1	22
		1	24	21.71	21.72	21.66	1	22
		12	0	21.68	21.73	21.75	2	22
		12	6	21.71	21.75	21.77	2	22
		12	13	21.70	21.69	21.69	2	22
		25	0	21.72	21.63	21.66	2	22
	64QAM	1	0	21.89	21.89	21.86	2	22
		1	12	21.89	21.81	21.84	2	22
		1	24	21.86	21.84	21.82	2	22
		12	0	21.06	21.09	21.03	3	21.5
		12	6	21.00	21.05	20.99	3	21.5
		12	13	20.96	20.96	20.98	3	21.5
		25	0	21.10	21.11	21.20	3	21.5
	256QAM	1	0	19.16	19.16	19.15	5	19.5
		1	12	19.15	19.22	19.23	5	19.5
		1	24	19.13	19.15	19.11	5	19.5
		12	0	19.01	19.08	19.09	5	19.5
		12	6	19.08	19.10	19.09	5	19.5
		12	13	18.98	19.02	19.04	5	19.5
		25	0	18.96	18.98	18.92	5	19.5

n30 (SCS 15 kHz) (Ant2)							
BW	MCS Index	RB Size	RB Offset	Low	Mid	High	Max. Tune-up (dBm)
		Channel			462000		
		Frequency (MHz)			2310		
10M	DFT-s-OFDM Pi/2 BPSK	1	1		21.79		22
		1	25		21.75		22
		1	50		21.66		22
		25	0		21.69		22
		25	14		21.73		22
		25	27		21.60		22
		50	0		21.59		22
	DFT-s-OFDM QPSK	1	1		21.94		22
		1	25		21.86		22
		1	50		21.93		22
		25	0		21.73		22
		25	14		21.83		22
		25	27		21.89		22
		50	0		21.83		22
	DFT-s-OFDM 16QAM	1	1		21.78		22
	DFT-s-OFDM 64QAM	1	1		21.32		22
	DFT-s-OFDM 256QAM	1	1		19.04		20
BW	MCS Index	Channel		461500	462000	462500	Max. Tune-up
		Frequency (MHz)		2307.5	2310	2312.5	
5M	DFT-s-OFDM QPSK	1	1	21.92	21.95	21.91	22

ENDC Power

LTE Band 7 (Ant1)										
BW	Modulation	RB Size	RB Offset	Low	Mid	High	SCPP MPR (dB)	Max. Time-up (dBm)		
		Channel	20850	21100	21350					
20M	QPSK	Frequency (MHz)	2550	2355	2560					
		1	0	19.03	20.05	20.16	0	0	21	
		1	50	20.30	20.21	20.24	0	0	21	
		1	99	20.11	20.26	20.28	0	0	21	
		50	0	20.11	20.09	20.14	1	1	21	
		50	25	20.06	20.11	20.12	1	1	21	
		50	50	20.21	20.27	20.23	1	1	21	
		100	0	20.14	20.15	20.21	1	1	21	
		1	0	19.92	20.12	20.11	1	1	21	
		1	50	20.13	20.15	20.20	1	1	21	
	16QAM	1	99	20.18	20.18	20.22	1	1	21	
		50	0	20.05	20.13	20.22	2	2	21	
		50	25	20.18	20.18	20.22	2	2	21	
		50	50	19.03	19.13	19.10	2	2	21	
		100	0	20.15	20.20	20.20	2	2	21	
		64QAM	1	0	20.04	20.09	20.15	2	2	21
			1	50	20.22	20.22	20.25	2	2	21
			1	99	20.27	20.23	20.25	2	2	21
			50	0	20.19	20.23	20.19	3	3	21
			50	25	20.14	20.20	20.25	3	3	21
	50		50	20.19	20.23	20.24	3	3	21	
	100		0	20.19	20.18	20.22	3	3	21	
	25QAM		1	0	18.16	18.27	18.23	5	5	19
			1	50	18.17	18.21	18.20	5	5	19
			1	99	18.26	18.34	18.43	5	5	19
		50	0	18.14	18.21	18.26	5	5	19	
		50	25	18.15	18.30	18.21	5	5	19	
		50	50	18.08	18.30	18.26	5	5	19	
		100	0	18.03	18.19	18.17	5	5	19	
15M		QPSK	Channel	20825	21100	21375	SCPP MPR (dB)	Max. Time-up (dBm)		
			Frequency (MHz) <th>2557.5</th> <th>2353</th> <th>2562.5</th> <th>0</th> <th>21</th>	2557.5	2353	2562.5	0	21		
			1	0	19.84	20.03	20.07	0	21	
	1		37	20.10	20.21	20.21	0	21		
	1		74	20.01	20.19	20.19	0	21		
	36		0	20.04	20.01	20.10	1	21		
	36		19	20.04	20.06	20.04	1	21		
	36		39	20.19	20.22	20.23	1	21		
	75		0	20.02	20.09	20.17	1	21		
	1		0	19.66	20.08	20.10	1	21		
	16QAM	1	37	20.03	20.08	20.15	1	21		
		1	74	20.15	20.10	20.19	1	21		
		36	0	20.01	20.04	20.12	2	21		
		36	19	20.17	20.17	20.17	2	21		
		36	39	19.02	19.12	19.08	2	21		
		75	0	20.15	20.10	20.20	2	21		
		64QAM	1	0	20.04	20.01	20.06	2	21	
			1	37	20.16	20.13	20.22	2	21	
			1	74	20.23	20.21	20.23	2	21	
			36	0	20.09	20.21	20.11	3	21	
	36		19	20.06	20.16	20.18	3	21		
	36		39	20.11	20.22	20.18	3	21		
	75		0	20.12	20.11	20.16	3	21		
	25QAM		1	0	18.08	18.17	18.18	5	19	
			1	37	18.11	18.12	18.14	5	19	
			1	74	18.16	18.31	18.14	5	19	
		36	0	18.02	18.12	18.14	5	19		
		36	19	18.13	18.21	18.14	5	19		
		36	39	17.96	18.22	18.23	5	19		
		75	0	17.88	18.07	18.03	5	19		
10M		QPSK	Channel	20800	21100	21400	SCPP MPR (dB)	Max. Time-up (dBm)		
			Frequency (MHz) <th>2550</th> <th>2355</th> <th>2560</th> <th>0</th> <th>21</th>	2550	2355	2560	0	21		
			1	0	19.85	19.96	20.16	0	21	
	1		24	20.03	20.14	20.23	0	21		
	1		49	20.11	20.17	20.20	0	21		
	25		0	20.03	20.01	20.12	1	21		
	25		12	20.06	20.08	20.09	1	21		
	25		25	20.20	20.25	20.19	1	21		
	50		0	19.94	20.14	20.20	1	21		
	1		0	19.88	20.12	20.08	1	21		
	16QAM	1	24	20.09	20.06	20.12	1	21		
		1	49	20.13	20.15	20.15	1	21		
		25	0	19.96	20.11	20.11	2	21		
		25	12	20.12	20.15	20.15	2	21		
		25	25	18.99	19.06	19.03	2	21		
		50	0	20.07	20.17	20.14	2	21		
		64QAM	1	0	20.04	20.04	20.14	2	21	
			1	24	20.20	20.18	20.17	2	21	
			1	49	20.19	20.20	20.22	2	21	
			25	0	20.16	20.13	20.16	3	21	
	25		12	20.13	20.13	20.24	3	21		
	25		25	20.11	20.19	20.16	3	21		
	50		0	20.10	20.17	20.15	3	21		
	25QAM		1	0	18.08	18.21	18.17	5	19	
			1	24	18.08	18.20	18.19	5	19	
			1	49	18.14	18.23	18.30	5	19	
		25	0	18.06	18.14	18.21	5	19		
		25	12	18.13	18.21	18.19	5	19		
		25	25	17.93	18.17	18.19	5	19		
		50	0	17.89	18.07	18.12	5	19		
5M		QPSK	Channel	20775	21100	21425	SCPP MPR (dB)	Max. Time-up (dBm)		
			Frequency (MHz) <th>2562.5</th> <th>2355</th> <th>2567.5</th> <th>0</th> <th>21</th>	2562.5	2355	2567.5	0	21		
			1	0	19.67	19.96	20.15	0	21	
	1		12	20.05	20.20	20.15	0	21		
	1		24	20.04	20.23	20.18	0	21		
	12		0	20.06	20.03	20.14	1	21		
	12		6	20.01	20.03	20.07	1	21		
	12		13	20.15	20.22	20.18	1	21		
	25		0	20.03	20.12	20.16	1	21		
	1		0	19.88	20.03	20.10	1	21		
	16QAM	1	12	20.10	20.05	20.15	1	21		
		1	24	20.15	20.14	20.16	1	21		
		12	0	19.97	20.11	20.16	2	21		
		12	6	20.11	20.09	20.22	2	21		
		12	13	18.97	19.10	19.09	2	21		
		25	0	20.13	20.10	20.20	2	21		
		64QAM	1	0	19.99	20.04	20.08	2	21	
			1	12	20.21	20.16	20.18	2	21	
			1	24	20.27	20.14	20.21	2	21	
			12	0	20.13	20.15	20.15	3	21	
	12		6	20.04	20.16	20.16	3	21		
	12		13	20.16	20.17	20.14	3	21		
	25		0	20.16	20.11	20.19	3	21		
	25QAM		1	0	18.02	18.22	18.17	5	19	
			1	12	18.12	18.08	18.09	5	19	
			1	24	18.19	18.26	18.32	5	19	
		12	0	18.02	18.14	18.23	5	19		
		12	6	18.10	18.29	18.19	5	19		
		12	13	17.93	18.27	18.22	5	19		
		25	0	18.01	18.09	18.02	5	19		

LTE Band 13 (Ant2)								
BW	Modulation	RB Size	RB Offset	Mid		SCPP MPR (dB)	Max. Time-up (dBm)	
		Channel		23250				
10M	QPSK	Frequency (MHz)	0	19.65	0	21		
		1	24	19.54	0 <td>21</td>	21		
		1	49	19.49	0 <td>21</td>	21		
		25	0	19.57	1 <td>21</td>	21		
		25	12	19.56	1 <td>21</td>	21		
		25	25	19.53	1 <td>21</td>	21		
		50	0	19.56	1 <td>21</td>	21		
		1	0	19.34	1 <td>21</td>	21		
		1	24	19.31	1 <td>21</td>	21		
		1	49	19.28	1 <td>21</td>	21		
	16QAM	1	24	19.36	2 <td>21</td>	21		
		25	12	19.35	2 <td>21</td>	21		
		25	25	19.30	2 <td>21</td>	21		
		50	0	19.24	2 <td>21</td>	21		
		1	0	19.38	2 <td>21</td>	21		
		1	24	19.47	2 <td>21</td>	21		
		1	49	19.42	2 <td>21</td>	21		
		25	0	19.47	3 <td>21</td>	21		
		25	12	19.49	3 <td>21</td>	21		
		25	25	19.47	3 <td>21</td>	21		
	64QAM	50	0	19.41	3 <td>21</td>	21		
		1	0	17.63	5 <td>19</td>	19		
		1	24	17.76	5 <td>19</td>	19		
		1	49	17.67	5 <td>19</td>	19		
		25	0	17.57	5 <td>19</td>	19		
		25	12	17.53	5 <td>19</td>	19		
		25	25	17.62	5 <td>19</td>	19		
		50	0	17.44	5 <td>19</td>	19		
		5M	QPSK	Channel	23205	23230	23255	SCPP MPR (dB)
Frequency (MHz) <th>778.5</th> <th>782</th> <th>784.5</th> <th>0</th> <td>21</td>				778.5	782	784.5	0	21
1	0			19.62	19.57	19.58	0	21
1	12			19.47	19.47	19.44	0	21
1	24			19.40	19.49	19.43	0	21
12	0			19.52	19.49	19.53	1	21
12	6			19.56	19.46	19.48	1	21
12	13			19.48	19.46	19.63	1	21
25	0			19.53	19.53	19.48	1	21
1	0			19.33	19.29	19.33	1	21
1	12			19.29	19.29	19.25	1	21
16QAM	1	24	19.27	19.28	19.21	1	21	
	13	0	19.26	19.23	19.26	1	21	
	12	6	19.32	19.33	19.27	1	21	
	12	13	19.26	19.21	19.26	2	21	
	25	0	19.21	19.21	19.24	2	21	
	1	0	19.35	19.36	19.31	2	21	
	1	12	19.43	19.40	19.43	2	21	
	1	24	19.37	19.37	19.40	2	21	
	12	0	19.38	19.43	19.47	3	21	
	12	6	19.49	19.40	19.47	3	21	
	12	13	19.43	19.37	19.40	3	21	
64QAM	25	0	19.35	19.36	19.36	3	21	
	1	0	17.60	17.58	17.59	5 <td>19</td>	19	
	1	12	17.69	17.62	17.71	5 <td>19</td>	19	
	1	24	17.57	17.61	17.69	5 <td>19</td>	19	
	12	0	17.45	17.43	17.43	5 <td>19</td>	19	
	12	13	17.51	17.47	17.46	5 <td>19</td>	19	
	12	13	17.56	17.52	17.50	5 <td>19</td>	19	
	25	0	17.38	17.29	17.29	5 <td>19</td>	19	

n2 (SCS 15 kHz) (Ant3)							
BW	MCS Index	RB Size	RB Offset	Low	Mid	High	Max. Time-up (dB)
		Channel		27000	27000	36000	
ZDM	OFDM + OFDM (1/2 BPS)	Frequency (MHz)		1880	1880	1880	
		1	1	19.60	19.44	19.39	21
		1	53	19.54	19.46	19.38	21
		1	104	19.53	19.40	19.40	21
		50	0	19.51	19.41	19.33	21
		50	28	19.52	19.41	19.37	21
		50	56	19.50	19.40	19.41	21
		100	0	19.65	19.42	19.42	21
		1	1	19.70	19.64	19.51	21
		1	53	19.65	19.48	19.44	21
	1	104	19.66	19.51	19.43	21	
	OFDM + OFDM (QPS)	50	0	19.60	19.45	19.35	21
		50	28	19.60	19.49	19.49	21
		50	56	19.58	19.49	19.37	21
		100	0	19.58	19.45	19.34	21
1		1	19.67	19.54	19.42	21	
OFDM + OFDM (QPS) + OFDM (1/2 BPS)	1	1	19.67	19.54	19.42	21	
	1	1	19.31	19.33	19.10	19.3	
BW	MCS Index	Channel		27000	27000	36000	Max. Time-up
15M	OFDM + OFDM (QPS)	Frequency (MHz)		1880	1880	1880	
	1	1	19.52	19.54	19.40	21	
BW	MCS Index	Channel		37600	37600	36000	Max. Time-up
	1	1	19.63	19.59	19.36	21	
10M	OFDM + OFDM (QPS)	Frequency (MHz)		1880	1880	1880	
	1	1	19.63	19.59	19.36	21	
BW	MCS Index	Channel		37600	37600	36000	Max. Time-up
	1	1	19.63	19.59	19.36	21	
5M	OFDM + OFDM (QPS)	Frequency (MHz)		1880	1880	1880	
	1	1	19.63	19.51	19.43	19.23	

n7 (SCS 15 kHz) (Ant3)							
BW	MCS Index	Channel	RB Size	RB Offset	Low	Mid	High
		Frequency (MHz)	5000	97500	120000		
ZDM	OFDM + OFDM (1/2 BPS)	1	1	19.30	19.40	19.53	21
		1	107	19.31	19.35	19.41	21
		1	214	19.30	19.35	19.40	21
		108	0	19.29	19.34	19.36	21
		108	54	19.44	19.36	19.45	21
		108	108	19.31	19.34	19.34	21
		216	0	19.29	19.25	19.30	21
		1	1	19.57	19.58	19.53	21
		1	107	19.45	19.45	19.54	21
		1	214	19.51	19.44	19.50	21
	OFDM + OFDM (QPS)	108	0	19.31	19.34	19.50	21
		108	54	19.45	19.46	19.51	21
		108	108	19.41	19.39	19.41	21
		216	0	19.31	19.31	19.29	21
		1	1	19.51	19.55	19.52	21
BW	MCS Index	Channel	Frequency (MHz)	17780	37600	36000	Max. Time-up
	10M	OFDM + OFDM (QPS)	1	1	19.53	19.52	19.50
BW	MCS Index	Channel	Frequency (MHz)	37600	37600	36000	Max. Time-up
	10M	OFDM + OFDM (QPS)	1	1	19.53	19.52	19.50
BW	MCS Index	Channel	Frequency (MHz)	37600	37600	36000	Max. Time-up
	10M	OFDM + OFDM (QPS)	1	1	19.53	19.52	19.50
BW	MCS Index	Channel	Frequency (MHz)	37600	37600	36000	Max. Time-up
	10M	OFDM + OFDM (QPS)	1	1	19.53	19.52	19.50

n25 (SCS 15 kHz) (Ant3)							
BW	MCS Index	RB Size	RB Offset	Low	Mid	High	Max. Time-up (dB)
		Channel	Frequency (MHz)	27000	27000	27000	
40M	OFDM + OFDM (1/2 BPS)	1	1	19.73	19.65	19.62	21
		1	107	19.75	19.64	19.61	21
		1	214	19.68	19.49	19.58	21
		108	0	19.60	19.45	19.46	21
		108	54	19.64	19.53	19.57	21
		108	108	19.56	19.38	19.45	21
		216	0	19.68	19.47	19.49	21
		1	1	19.84	19.71	19.79	21
		1	107	19.77	19.65	19.70	21
		1	214	19.82	19.57	19.54	21
	OFDM + OFDM (QPS)	108	0	19.60	19.45	19.55	21
		108	54	19.61	19.60	19.65	21
		108	108	19.48	19.38	19.41	21
		216	0	19.60	19.46	19.57	21
		1	1	19.59	19.39	19.52	21
BW	MCS Index	Channel	Frequency (MHz)	17780	37600	36000	Max. Time-up
	10M	OFDM + OFDM (QPS)	1	1	19.52	19.53	19.56
BW	MCS Index	Channel	Frequency (MHz)	37600	37600	36000	Max. Time-up
	10M	OFDM + OFDM (QPS)	1	1	19.75	19.55	19.70
BW	MCS Index	Channel	Frequency (MHz)	37600	37600	36000	Max. Time-up
	10M	OFDM + OFDM (QPS)	1	1	19.78	19.57	19.67
BW	MCS Index	Channel	Frequency (MHz)	37600	37600	36000	Max. Time-up
	10M	OFDM + OFDM (QPS)	1	1	19.74	19.53	19.64
BW	MCS Index	Channel	Frequency (MHz)	37600	37600	36000	Max. Time-up
	10M	OFDM + OFDM (QPS)	1	1	19.67	19.63	19.59
BW	MCS Index	Channel	Frequency (MHz)	37600	37600	36000	Max. Time-up
	10M	OFDM + OFDM (QPS)	1	1	19.73	19.64	19.68
BW	MCS Index	Channel	Frequency (MHz)	37600	37600	36000	Max. Time-up
	10M	OFDM + OFDM (QPS)	1	1	19.72	19.58	19.72

n38 (SCS 30 kHz) (Ant3)							
BW	MCS Index	RB Size	RB Offset	Low	Mid	High	Max. Time-up (dB)
		Channel	50000	97500	50000		
ZDM	OFDM + OFDM (1/2 BPS)	Frequency (MHz)	2000 <td>2900</td> <td></td> <td></td> <td></td>	2900			
		1	1	19.51	19.47	19.61	21
		1	52	19.53	19.51	19.48	21
		1	104	19.50	19.50	19.54	21
		50	0	19.40	19.37	19.46	21
		50	28	19.51	19.41	19.56	21
		50	56	19.41	19.42	19.46	21
		100	0	19.40	19.37	19.56	21
		1	1	19.62	19.47	19.69	21
		1	52	19.48	19.46	19.60	21
	1	104	19.51	19.46	19.55	21	
	OFDM + OFDM (QPS)	50	0	19.39	19.36	19.43	21
		50	28	19.49	19.40	19.47	21
		50	56	19.38	19.31	19.53	21
		100	0	19.44	19.29	19.39	21
1		1	19.54	19.65	19.76	21	
OFDM + OFDM (QPS) (1/2 BPS)	1	1	19.63	19.63	19.69	21	
	1	1	17.75	17.63	17.90	19.5	
BW	MCS Index	Channel	Frequency (MHz)	2000	32000	32000	Max. Time-up
10M	OFDM + OFDM (QPS)	1	1	19.43	19.41	19.58	21
	MCS Index	Channel	Frequency (MHz)	32000	32000	32000	Max. Time-up
20M	OFDM + OFDM (QPS)	1	1	19.42	19.36	19.53	21

n41 (SCS 30 kHz) (Ant3)							
BW	MCS Index	RB Size	RB Offset	Low	Mid	High	Max. Tune-up (dBm)
		Channel		599202	518998	529900	
		Frequency (MHz)		2546.01	2592.99	2640	
100M	DFT-s-OFDM P2 8PSK	1	1	19.34	19.52	19.47	21
		1	137	19.22	19.41	19.41	21
		1	271	19.30	19.54	19.39	21
		135	0	19.13	19.39	19.32	21
		135	69	19.35	19.45	19.36	21
		135	138	19.24	19.43	19.31	21
		270	0	19.13	19.33	19.20	21
		1	1	19.39	19.65	19.41	21
		1	137	19.51	19.52	19.58	21
		1	271	19.47	19.62	19.58	21
		135	0	19.25	19.41	19.26	21
		135	69	19.36	19.45	19.36	21
		135	138	19.23	19.43	19.19	21
		270	0	19.22	19.33	19.21	21
	DFT-s-OFDM 16QAM	1	1	18.90	19.04	19.08	21
	DFT-s-OFDM 64QAM	1	1	19.26	19.39	19.34	21
	DFT-s-OFDM 256QAM	1	1	17.99	18.28	18.18	19.5
BW	MCS Index	Channel		506200	518998	529996	Max. Tune-up
		Frequency (MHz)		2541	2592.99	2644.98	
90M	DFT-s-OFDM QPSK	1	1	19.21	19.28	19.27	21
BW	MCS Index	Channel		507204	518998	529998	Max. Tune-up
		Frequency (MHz)		2536.02	2592.99	2645.98	
80M	DFT-s-OFDM QPSK	1	1	19.17	19.37	19.18	21
BW	MCS Index	Channel		505202	518998	531000	Max. Tune-up
		Frequency (MHz)		2531.01	2592.99	2655	
70M	DFT-s-OFDM QPSK	1	1	19.17	19.39	19.25	21
BW	MCS Index	Channel		505200	518998	531996	Max. Tune-up
		Frequency (MHz)		2526	2592.99	2658.98	
60M	DFT-s-OFDM QPSK	1	1	19.19	19.40	19.25	21
BW	MCS Index	Channel		504204	518998	532998	Max. Tune-up
		Frequency (MHz)		2521.02	2592.99	2664.98	
50M	DFT-s-OFDM QPSK	1	1	19.26	19.33	19.30	21
BW	MCS Index	Channel		503202	518998	534000	Max. Tune-up
		Frequency (MHz)		2516.01	2592.99	2670	
40M	DFT-s-OFDM QPSK	1	1	19.19	19.40	19.23	21
BW	MCS Index	Channel		502200	518998	534996	Max. Tune-up
		Frequency (MHz)		2511	2592.99	2674.98	
30M	DFT-s-OFDM QPSK	1	1	19.17	19.31	19.26	21
BW	MCS Index	Channel		501204	518998	535998	Max. Tune-up
		Frequency (MHz)		2506.02	2592.99	2678.99	
20M	DFT-s-OFDM QPSK	1	1	19.28	19.26	19.29	21

n48 (SCS 30 kHz) (Ant4)								
BW	MCS Index	RB Size	RB Offset	Low	Mid	High	Max. Tune-up (dBm)	
		Channel			638000	641966		645332
		Frequency (MHz)			3570	3624.99		3679.98
40M	DFT-s-OFDM P2 8PSK	1	1	18.84	18.98	18.95	21	
		1	52	18.99	19.23	19.16	21	
		1	104	18.76	19.08	18.92	21	
		50	0	18.83	19.18	18.95	21	
		50	28	19.02	19.33	19.13	21	
		50	56	18.82	19.18	18.95	21	
		100	0	18.73	18.99	18.86	21	
	DFT-s-OFDM QPSK	1	1	19.34	19.67	19.42	21	
		1	52	19.31	19.49	19.49	21	
		1	104	19.14	19.43	19.34	21	
		50	0	18.92	19.19	19.07	21	
		50	28	19.17	19.44	19.33	21	
		50	56	18.85	19.21	19.02	21	
		100	0	18.89	19.06	18.97	21	
	DFT-s-OFDM 16QAM	1	1	18.85	19.03	19.01	21	
	DFT-s-OFDM 64QAM	1	1	19.45	19.38	19.38	21	
	DFT-s-OFDM 256QAM	1	1	18.17	18.40	18.25	19.5	
BW	MCS Index	Channel			637334	641966	646000	Max. Tune-up
		Frequency (MHz)			3560.01	3624.99	3690	
20M	DFT-s-OFDM QPSK	1	1	18.69	18.94	18.79	21	
BW	MCS Index	Channel			637000	641966	646332	Max. Tune-up
		Frequency (MHz)			3555	3624.99	3694.98	
10M	DFT-s-OFDM QPSK	1	1	18.73	18.80	18.85	21	

n66 (SCS 15 kHz) (Ant3)							
BW	MCS Index	RB Size	RB Offset	Low	Mid	High	Max. Tune-up (dBm)
		Channel		346000	349000	352000	
		Frequency (MHz)		1730	1745	1760	
40M	DFT-s-OFDM P2 8PSK	1	1	19.53	19.57	19.53	21
		1	107	19.45	19.52	19.35	21
		1	214	19.46	19.56	19.37	21
		108	0	19.26	19.43	19.18	21
		108	54	19.52	19.58	19.45	21
		108	108	19.42	19.53	19.41	21
		216	0	19.48	19.55	19.46	21
		1	1	19.66	19.72	19.51	21
		1	107	19.51	19.60	19.56	21
		1	214	19.49	19.53	19.44	21
		108	0	19.33	19.39	19.32	21
		108	54	19.58	19.67	19.49	21
		108	108	19.51	19.59	19.37	21
		216	0	19.51	19.50	19.32	21
	DFT-s-OFDM 16QAM	1	1	19.67	19.66	19.49	21
	DFT-s-OFDM 64QAM	1	1	19.49	19.55	19.51	21
	DFT-s-OFDM 256QAM	1	1	18.16	18.25	18.08	19.5
BW	MCS Index	Channel		346000	349000	353000	Max. Tune-up
		Frequency (MHz)		1725	1745	1765	
30M	DFT-s-OFDM QPSK	1	1	19.63	19.63	19.38	21
BW	MCS Index	Channel		344000	349000	354000	Max. Tune-up
		Frequency (MHz)		1720	1745	1770	
20M	DFT-s-OFDM QPSK	1	1	19.64	19.68	19.41	21
BW	MCS Index	Channel		343000	349000	354500	Max. Tune-up
		Frequency (MHz)		1717.5	1745	1772.5	
15M	DFT-s-OFDM QPSK	1	1	19.63	19.60	19.48	21
BW	MCS Index	Channel		343000	349000	355000	Max. Tune-up
		Frequency (MHz)		1715	1745	1775	
10M	DFT-s-OFDM QPSK	1	1	19.56	19.65	19.44	21
BW	MCS Index	Channel		342000	349000	355500	Max. Tune-up
		Frequency (MHz)		1712.5	1745	1777.5	
5M	DFT-s-OFDM QPSK	1	1	19.65	19.63	19.42	21

WIFI / BT

ZAGREB WILAN		A01 8			
	Male	Chemie	Frequency (MHz)	margin power (dBm)	Time Log (min)
802.11B WLAN	802.11B WLAN	6	10624	14.50	10.00
		6	10637	13.00	10.00
	11a	6	10624	14.50	10.00
		6	10637	13.00	10.00
802.11G WLAN	802.11G WLAN	6	10217	13.50	12.00
		11	10217	12.50	12.00
	11n	6	10217	14.00	12.00
		6	10217	14.00	12.00
2.4GHz WLAN	802.11a+H20+H20	3	10657	16.00	13.00
		3	10657	15.00	13.00
	802.11a+H20+H20	3	10657	16.00	13.00
		3	10657	15.00	13.00
802.11N WLAN	802.11N WLAN	6	10217	10.25	11.00
		6	10217	10.25	11.00
	11n	6	10217	10.25	11.00
		6	10217	10.25	11.00
802.11AC WLAN	802.11AC WLAN	3	10657	16.00	13.00
		3	10657	15.00	13.00
	11n	3	10657	16.00	13.00
		3	10657	15.00	13.00

RGHS WILAN		Ann 8				
Mode	Class	Frequency (Hz)	margin (cm)	Time (s)		
RGH 1.1a-WILAN	40	1.040	11.60	12.00		
	40	1.040	11.77	12.00		
	40	1.020	11.76	12.00		
RGH 1.1a-WFHD MCST	40	1.040	11.60	12.00		
	40	1.040	11.60	12.00		
	40	1.020	11.60	12.00		
RGH 1.1a-WFHD MCST	40	1.040	11.72	12.00		
	40	1.040	11.72	12.00		
	40	1.020	11.72	12.00		
RGH 1.1a-WFHD MCST	40	1.040	11.60	12.00		
	40	1.040	11.60	12.00		
	40	1.020	11.60	12.00		
RGH 1.1a-WFHD MCST	40	1.040	11.64	12.00		
	40	1.040	11.64	12.00		
	40	1.020	11.64	12.00		
RGH 1.1a-WFHD MCST	40	1.040	11.62	12.00		
	40	1.040	11.62	12.00		
	40	1.020	11.62	12.00		
RGH 1.1a-WFHD MCST	40	1.040	11.67	12.00		
	40	1.040	11.67	12.00		
	40	1.020	11.67	12.00		
RGH 1.1a-WFHD MCST	40	1.040	11.63	12.00		
	40	1.040	11.63	12.00		
	40	1.020	11.63	12.00		
RGH 1.1a-WFHD MCST	40	1.040	11.63	12.00		
	40	1.040	11.63	12.00		
	40	1.020	11.63	12.00		

Sitzung WiSe	Art 8				
	Beide	Einzel	Frequenz (min)	Wahlzeitpunkt (min)	Zeit- und Lernzeit
WS 1.1a (Mittel)	90	1500	0,80	0,00	0,00
	90	1500	0,80	0,00	0,00
	90	1500	0,75	0,25	0,00
WS 1.1a (Mittel) WS10	120	1500	0,80	0,15	0,00
	90	1500	0,80	0,80	0,00
	90	1500	0,80	0,80	0,00
WS 1.1a (Mittel) WS11	90	1570	0,80	0,30	0,00
	90	1570	0,80	0,30	0,00
	90	1500	0,80	0,00	0,00
WS 1.1a (Mittel) WS12	90	1500	0,80	0,00	0,00
	90	1500	0,80	0,00	0,00
	90	1500	0,80	0,00	0,00
WS 1.1a (Mittel) WS13	90	1500	0,80	0,00	0,00
	90	1500	0,80	0,00	0,00
	90	1500	0,80	0,00	0,00
WS 1.1a (Mittel) WS14	90	1500	0,80	0,00	0,00
	90	1500	0,80	0,00	0,00
	90	1500	0,80	0,00	0,00
WS 1.1a (Mittel) WS15	90	1500	0,80	0,00	0,00
	90	1500	0,80	0,00	0,00
	90	1500	0,80	0,00	0,00
WS 1.1a (Mittel) WS16	90	1500	0,80	0,00	0,00
	90	1500	0,80	0,00	0,00
	90	1500	0,80	0,00	0,00
WS 1.1a (Mittel) WS17	90	1500	0,80	0,00	0,00
	90	1500	0,80	0,00	0,00
	90	1500	0,80	0,00	0,00
WS 1.1a (Mittel) WS18	90	1500	0,80	0,00	0,00
	90	1500	0,80	0,00	0,00
	90	1500	0,80	0,00	0,00
WS 1.1a (Mittel) WS19	90	1500	0,80	0,00	0,00
	90	1500	0,80	0,00	0,00
	90	1500	0,80	0,00	0,00
WS 1.1a (Mittel) WS20	90	1500	0,80	0,00	0,00
	90	1500	0,80	0,00	0,00
	90	1500	0,80	0,00	0,00
WS 1.1a (Mittel) WS21	90	1500	0,80	0,00	0,00
	90	1500	0,80	0,00	0,00
	90	1500	0,80	0,00	0,00
WS 1.1a (Mittel) WS22	90	1500	0,80	0,00	0,00
	90	1500	0,80	0,00	0,00
	90	1500	0,80	0,00	0,00
WS 1.1a (Mittel) WS23	90	1500	0,80	0,00	0,00
	90	1500	0,80	0,00	0,00
	90	1500	0,80	0,00	0,00
WS 1.1a (Mittel) WS24	90	1500	0,80	0,00	0,00
	90	1500	0,80	0,00	0,00
	90	1500	0,80	0,00	0,00
WS 1.1a (Mittel) WS25	90	1500	0,80	0,00	0,00
	90	1500	0,80	0,00	0,00
	90	1500	0,80	0,00	0,00
WS 1.1a (Mittel) WS26	90	1500	0,80	0,00	0,00
	90	1500	0,80	0,00	0,00
	90	1500	0,80	0,00	0,00
WS 1.1a (Mittel) WS27	90	1500	0,80	0,00	0,00
	90	1500	0,80	0,00	0,00
	90	1500	0,80	0,00	0,00
WS 1.1a (Mittel) WS28	90	1500	0,80	0,00	0,00
	90	1500	0,80	0,00	0,00
	90	1500	0,80	0,00	0,00
WS 1.1a (Mittel) WS29	90	1500	0,80	0,00	0,00
	90	1500	0,80	0,00	0,00
	90	1500	0,80	0,00	0,00
WS 1.1a (Mittel) WS30	90	1500	0,80	0,00	0,00
	90	1500	0,80	0,00	0,00
	90	1500	0,80	0,00	0,00
WS 1.1a (Mittel) WS31	90	1500	0,80	0,00	0,00
	90	1500	0,80	0,00	0,00
	90	1500	0,80	0,00	0,00
WS 1.1a (Mittel) WS32	90	1500	0,80	0,00	0,00
	90	1500	0,80	0,00	0,00
	90	1500	0,80	0,00	0,00
WS 1.1a (Mittel) WS33	90	1500	0,80	0,00	0,00
	90	1500	0,80	0,00	0,00
	90	1500	0,80	0,00	0,00
WS 1.1a (Mittel) WS34	90	1500	0,80	0,00	0,00
	90	1500	0,80	0,00	0,00
	90	1500	0,80	0,00	0,00
WS 1.1a (Mittel) WS35	90	1500	0,80	0,00	0,00
	90	1500	0,80	0,00	0,00
	90	1500	0,80	0,00	0,00
WS 1.1a (Mittel) WS36	90	1500	0,80	0,00	0,00
	90	1500	0,80	0,00	0,00
	90	1500	0,80	0,00	0,00
WS 1.1a (Mittel) WS37	90	1500	0,80	0,00	0,00
	90	1500	0,80	0,00	0,00
	90	1500	0,80	0,00	0,00
WS 1.1a (Mittel) WS38	90	1500	0,80	0,00	0,00
	90	1500	0,80	0,00	0,00
	90	1500	0,80	0,00	0,00
WS 1.1a (Mittel) WS39	90	1500	0,80	0,00	0,00
	90	1500	0,80	0,00	0,00
	90	1500	0,80	0,00	0,00
WS 1.1a (Mittel) WS40	90	1500	0,80	0,00	0,00
	90	1500	0,80	0,00	0,00
	90	1500	0,80	0,00	0,00
WS 1.1a (Mittel) WS41	90	1500	0,80	0,00	0,00
	90	1500	0,80	0,00	0,00
	90	1500	0,80	0,00	0,00
WS 1.1a (Mittel) WS42	90	1500	0,80	0,00	0,00
	90	1500	0,80	0,00	0,00
	90	1500	0,80	0,00	0,00
WS 1.1a (Mittel) WS43	90	1500	0,80	0,00	0,00
	90	1500	0,80	0,00	0,00
	90	1500	0,80	0,00	0,00
WS 1.1a (Mittel) WS44	90	1500	0,80	0,00	0,00
	90	1500	0,80	0,00	0,00
	90	1500	0,80	0,00	0,00
WS 1.1a (Mittel) WS45	90	1500	0,80	0,00	0,00
	90	1500	0,80	0,00	0,00
	90	1500	0,80	0,00	0,00
WS 1.1a (Mittel) WS46	90	1500	0,80	0,00	0,00
	90	1500	0,80	0,00	0,00
	90	1500	0,80	0,00	0,00
WS 1.1a (Mittel) WS47	90	1500	0,80	0,00	0,00
	90	1500	0,80	0,00	0,00
	90	1500	0,80	0,00	0,00
WS 1.1a (Mittel) WS48	90	1500	0,80	0,00	0,00
	90	1500	0,80	0,00	0,00
	90	1500	0,80	0,00	0,00
WS 1.1a (Mittel) WS49	90	1500	0,80	0,00	0,00
	90	1500	0,80	0,00	0,00
	90	1500	0,80	0,00	0,00
WS 1.1a (Mittel) WS50	90	1500	0,80	0,00	0,00
	90	1500	0,80	0,00	0,00
	90	1500	0,80	0,00	0,00
WS 1.1a (Mittel) WS51	90	1500	0,80	0,00	0,00
	90	1500	0,80	0,00	0,00
	90	1500	0,80	0,00	0,00
WS 1.1a (Mittel) WS52	90	1500	0,80	0,00	0,00
	90	1500	0,80	0,00	0,00
	90	1500	0,80	0,00	0,00
WS 1.1a (Mittel) WS53	90	1500	0,80	0,00	0,00
	90	1500	0,80	0,00	0,00
	90	1500	0,80	0,00	0,00
WS 1.1a (Mittel) WS54	90	1500	0,80	0,00	0,00
	90	1500	0,80	0,00	0,00
	90	1500	0,80	0,00	0,00
WS 1.1a (Mittel) WS55	90	1500	0,80	0,00	0,00
	90	1500	0,80	0,00	0,00
	90	1500	0,80	0,00	0,00
WS 1.1a (Mittel) WS56	90	1500	0,80	0,00	0,00
	90	1500	0,80	0,00	0,00
	90	1500	0,80	0,00	0,00
WS 1.1a (Mittel) WS57	90	1500	0,80	0,00	0,00
	90	1500	0,80	0,00	0,00
	90	1500	0,80	0,00	0,00
WS 1.1a (Mittel) WS58	90	1500	0,80	0,00	0,00
	90	1500	0,80	0,00	0,00
	90	1500	0,80	0,00	0,00
WS 1.1a (Mittel) WS59	90	1500	0,80	0,00	0,00
	90	1500	0,80	0,00	0,00
	90	1500	0,80	0,00	0,00
WS 1.1a (Mittel) WS60	90	1500	0,80	0,00	0,00
	90	1500	0,80	0,00	0,00
	90	1500	0,80	0,00	0,00
WS 1.1a (Mittel) WS61	90	1500	0,80	0,00	0,00
	90	1500	0,80	0,00	0,00
	90	1500	0,80	0,00	0,00
WS 1.1a (Mittel) WS62	90	1500	0,80	0,00	0,00
	90	1500	0,80	0,00	0,00
	90	1500	0,80	0,00	0,00
WS 1.1a (Mittel) WS63	90	1500	0,80	0,00	0,00
	90	1500	0,80	0,00	0,00
	90	1500	0,80	0,00	0,00
WS 1.1a (Mittel) WS64	90	1500	0,80	0,00	0,00
	90	1500	0,80	0,00	0,00
	90	1500	0,80	0,00	0,00
WS 1.1a (Mittel) WS65	90	1500	0,80	0,00	0,00
	90	1500	0,80	0,00	0,00
	90	1500	0,80	0,00	0,00
WS 1.1a (Mittel) WS66	90	1500	0,80	0,00	0,00
	90	1500	0,80	0,00	0,00
	90	1500	0,80	0,00	0,00
WS 1.1a (Mittel) WS67	90	1500	0,80	0,00	0,00
	90	1500	0,80	0,00	0,00
	90	1500	0,80	0,00	0,00
WS 1.1a (Mittel) WS68	90	1500	0,80	0,00	0,00
	90	1500	0,80	0,00	0,00
	90	1500	0,80	0,00	0,00
WS 1.1a (Mittel) WS69	90	1500	0,80	0,00	0,00
	90	1500	0,80	0,00	0,00
	90	1500	0,80	0,00	0,00
WS 1.1a (Mittel) WS70	90	1500	0,80	0,00	0,00
	90	1500	0,80	0,00	0,00
	90	1500	0,80	0,00	0,00
WS 1.1a (Mittel) WS71	90	1500	0,80	0,00	0,00
	90	1500	0,80	0,00	0,00
	90	1500	0,80	0,00	0,00
WS 1.1a (Mittel) WS72	90	1500	0,80	0,00	0,00
	90	1500	0,80	0,00	0,00
	90	1500	0,80	0,00	0,00
WS 1.1a (Mittel) WS73	90	1500	0,80	0,00	0,00
	90	1500	0,80	0,00	0,00
	90	1500	0,80	0,00	0,00
WS 1.1a (Mittel) WS74	90	1500	0,80	0,00	0,00
	90	1500	0,80	0,00	0,00
	90	1500	0,80	0,00	0,00
WS 1.1a (Mittel) WS75	90	1500	0,80	0,00	0,00
	90	1500	0,80	0,00	0,00
	90	1500	0,80	0,00	0,00
WS 1.1a (Mittel) WS76	90	1500	0,80	0,00	0,00
	90	1500	0,80	0,00	0,00
	90	1500	0,80	0,00	0,00
WS 1.1a (Mittel) WS77	90	1500	0,80	0,00	0,00
	90	1500	0,80	0,00	0,00
	90	1500	0,80	0,00	0,00
WS 1.1a (Mittel) WS78	90	1500	0,80	0,00	0,00
	90	1500	0,80	0,00	0,00
	90	1500	0,80	0,00	0,00
WS 1.1a (Mittel) WS79	90	1500	0,80	0,00	0,00
	90	1500	0,80	0,00	0,00
	90	1500	0,80	0,00	0,00
WS 1.1a (Mittel) WS80	90	1500	0,80	0,00	0,00
	90	1500	0,80	0,00	0,00
	90	1500	0,80	0,00	0,00
WS 1.1a (Mittel) WS81	90	1500	0,80	0,00	0,00
	90	1500	0,80	0,00	0,00
	90	1500	0,80	0,00	0,00
WS 1.1a (Mittel) WS82	90	1500	0,80	0,00	0,00
	90	1500	0,80	0,00	0,00
	90	1500	0,80	0,00	0,00
WS 1.1a (Mittel) WS83	90	1500	0,80	0,00	0,00
	90	1500	0,80	0,00	0,00
	90	1500	0,80	0,00	0,00
WS 1.1a (Mittel) WS84	90	1500	0,80	0,00	0,00
	90	1500	0,80	0,00	0,00
	90	1500	0,80	0,00	0,00

CHGS W/LN	AUG 8				
	Issue	Class	Frequency	average price	End-of-day
W02 12A-BRDN	1000	10000	10.56	10.00	
	1001	10000	11.75	10.00	
	1002	10000	11.05	10.00	
	1003	10000	11.65	10.00	
	1004	10000	12.00	10.00	
	1005	10000	12.00	10.00	
W02 12A-INTD NCSD	1006	10000	10.00	10.00	
	1007	10000	10.00	10.00	
	1008	10000	10.00	10.00	
	1009	10000	10.00	10.00	
	1010	10000	10.00	10.00	
	1011	10000	10.00	10.00	
W02 12A-INTD NCSD	1012	10000	10.00	10.00	
	1013	10000	10.00	10.00	
	1014	10000	10.00	10.00	
	1015	10000	10.00	10.00	
	1016	10000	10.00	10.00	
	1017	10000	10.00	10.00	
W02 12A-INTD NCSD	1018	10000	10.00	10.00	
	1019	10000	10.00	10.00	
	1020	10000	10.00	10.00	
	1021	10000	10.00	10.00	
	1022	10000	10.00	10.00	
	1023	10000	10.00	10.00	
W02 12A-INTD NCSD	1024	10000	10.00	10.00	
	1025	10000	10.00	10.00	
	1026	10000	10.00	10.00	
	1027	10000	10.00	10.00	
	1028	10000	10.00	10.00	
	1029	10000	10.00	10.00	
W02 12A-INTD NCSD	1030	10000	10.00	10.00	
	1031	10000	10.00	10.00	
	1032	10000	10.00	10.00	
	1033	10000	10.00	10.00	
	1034	10000	10.00	10.00	
	1035	10000	10.00	10.00	
W02 12A-INTD NCSD	1036	10000	10.00	10.00	
	1037	10000	10.00	10.00	
	1038	10000	10.00	10.00	
	1039	10000	10.00	10.00	
	1040	10000	10.00	10.00	
	1041	10000	10.00	10.00	
W02 12A-INTD NCSD	1042	10000	10.00	10.00	
	1043	10000	10.00	10.00	
	1044	10000	10.00	10.00	
	1045	10000	10.00	10.00	
	1046	10000	10.00	10.00	
	1047	10000	10.00	10.00	
W02 12A-INTD NCSD	1048	10000	10.00	10.00	
	1049	10000	10.00	10.00	
	1050	10000	10.00	10.00	
	1051	10000	10.00	10.00	
	1052	10000	10.00	10.00	
	1053	10000	10.00	10.00	
W02 12A-INTD NCSD	1054	10000	10.00	10.00	
	1055	10000	10.00	10.00	
	1056	10000	10.00	10.00	
	1057	10000	10.00	10.00	
	1058	10000	10.00	10.00	
	1059	10000	10.00	10.00	
W02 12A-INTD NCSD	1060	10000	10.00	10.00	
	1061	10000	10.00	10.00	
	1062	10000	10.00	10.00	
	1063	10000	10.00	10.00	
	1064	10000	10.00	10.00	
	1065	10000	10.00	10.00	

[illegible]

A101						
ST	Mode	Class	Frequency (Hz)	Amplitude (mm)	Phase (deg)	Time (s)
BLZ	1M	1	2402	1.27	0.00	0.00
		2	3024	2.43	0.00	0.00
		3	3646	3.64	0.00	0.00
	2M	1	2402	0.64	0.00	0.00
		2	3024	1.28	0.00	0.00
		3	3646	0.91	0.00	0.00
BLZ	S2	1	2402	1.28	0.00	0.00
		2	3024	2.56	0.00	0.00
		3	3646	1.92	0.00	0.00
	SR	1	2402	1.92	0.00	0.00
		2	3024	3.84	0.00	0.00
		3	3646	2.88	0.00	0.00
BELLER	OPSR	1	2402	1.92	0.00	0.00
		2	3024	3.84	0.00	0.00
		3	3646	2.88	0.00	0.00
	OPSRH	1	2402	1.92	0.00	0.00
		2	3024	3.84	0.00	0.00
		3	3646	2.88	0.00	0.00
OPSRH	1	2402	1.92	0.00	0.00	
	2	3024	3.84	0.00	0.00	
	3	3646	2.88	0.00	0.00	

2.4GHz WLAN	AUS 9			
	Mode	Channel	Frequency (MHz)	max power (dBm)
2.4GHz WLAN	802.11b Mbps	1	2412	18.00
		6	2437	18.00
	802.11g Mbps	11	2412	18.00
		13	2424	18.00
	802.11n Mbps	6	2437	18.00
		11	2412	18.00
2.4GHz WLAN	802.11a/b/g/n MCS0	1	2412	18.00
		6	2437	18.00
	802.11a/b/g/n MCS1	1	2412	18.00
		6	2437	18.00
	802.11a/b/g/n MCS2	1	2412	18.00
		6	2437	18.00
2.4GHz WLAN	802.11a/b/g/n MCS3	1	2412	18.00
		6	2437	18.00
	802.11a/b/g/n MCS4	1	2412	18.00
		6	2437	18.00
	802.11a/b/g/n MCS5	1	2412	18.00
		6	2437	18.00
2.4GHz WLAN	802.11a/b/g/n MCS6	1	2412	18.00
		6	2437	18.00
	802.11a/b/g/n MCS7	1	2412	18.00
		6	2437	18.00
	802.11a/b/g/n MCS8	1	2412	18.00
		6	2437	18.00

REGINA MILWAU		Apt 9			
	Block	Class	Frequency	Manager	Time to go
REG 1214-0000		38	1:00	0:00	1:00
		40	1:00	0:00	1:00
		42	1:00	0:00	1:00
		44	1:00	0:00	1:00
REG 1214-0000 MCSD		38	1:00	0:00	1:00
		40	1:00	0:00	1:00
		42	1:00	0:00	1:00
		44	1:00	0:00	1:00
REG 1214-0000 MCSD		38	1:00	0:00	1:00
		40	1:00	0:00	1:00
		42	1:00	0:00	1:00
		44	1:00	0:00	1:00
REG 1214-0000 MCSD		38	1:00	0:00	1:00
		40	1:00	0:00	1:00
		42	1:00	0:00	1:00
		44	1:00	0:00	1:00
REG 1214-0000 MCSD		38	1:00	0:00	1:00
		40	1:00	0:00	1:00
		42	1:00	0:00	1:00
		44	1:00	0:00	1:00
REG 1214-0000 MCSD		38	1:00	0:00	1:00
		40	1:00	0:00	1:00
		42	1:00	0:00	1:00
		44	1:00	0:00	1:00
REG 1214-0000 MCSD		38	1:00	0:00	1:00
		40	1:00	0:00	1:00
		42	1:00	0:00	1:00
		44	1:00	0:00	1:00
REG 1214-0000 MCSD		38	1:00	0:00	1:00
		40	1:00	0:00	1:00
		42	1:00	0:00	1:00
		44	1:00	0:00	1:00
REG 1214-0000 MCSD		38	1:00	0:00	1:00
		40	1:00	0:00	1:00
		42	1:00	0:00	1:00
		44	1:00	0:00	1:00

SCHEM WILSON		Apt 9			
	Model	Channel	Frequency (MHz)	Power (dBm)	Time (min)
B02 L04-000A		50	5.000	0.00	0.00
		51	5.000	0.00	0.00
		52	5.000	0.00	0.00
		53	5.000	0.00	0.00
B02 L04-000A MC90		50	5.000	0.75	0.00
		51	5.000	0.00	0.00
		52	5.000	0.00	0.00
		53	5.000	0.00	0.00
B02 L04-000A MC90		54	5.075	0.00	0.00
		55	5.075	0.00	0.00
		56	5.075	0.00	0.00
		57	5.075	0.00	0.00
B02 L04-000A MC90		50	5.000	0.00	0.00
		51	5.000	0.00	0.00
		52	5.000	0.00	0.00
		53	5.000	0.00	0.00
B02 L04-000A MC90		54	5.075	0.00	0.00
		55	5.075	0.00	0.00
		56	5.075	0.00	0.00
		57	5.075	0.00	0.00
B02 L04-000A MC90		50	5.000	0.00	0.00
		51	5.000	0.00	0.00
		52	5.000	0.00	0.00
		53	5.000	0.00	0.00
B02 L04-000A MC90		54	5.075	0.00	0.00
		55	5.075	0.00	0.00
		56	5.075	0.00	0.00
		57	5.075	0.00	0.00
B02 L04-000A MC90		50	5.000	0.00	0.00
		51	5.000	0.00	0.00
		52	5.000	0.00	0.00
		53	5.000	0.00	0.00
B02 L04-000A MC90		54	5.075	0.00	0.00
		55	5.075	0.00	0.00
		56	5.075	0.00	0.00
		57	5.075	0.00	0.00

SCENE WILAN	AUG 9				
	Scene	Channel	Frequency (MHz)	transmission power (dBm)	Line loss (dB)
R02 13A-Wilans	1001	10001	10.560	12.00	0.00
	1002	10001	10.570	12.00	0.00
	1003	10001	10.580	12.00	0.00
	1004	10001	10.590	12.00	0.00
	1005	10001	10.600	12.00	0.00
	1006	10001	10.610	12.00	0.00
	1007	10001	10.620	12.00	0.00
	1008	10001	10.630	12.00	0.00
	1009	10001	10.640	12.00	0.00
	1010	10001	10.650	12.00	0.00
R02 13A-WFMS MC30	1011	10001	10.660	12.00	0.00
	1012	10001	10.670	12.00	0.00
	1013	10001	10.680	12.00	0.00
	1014	10001	10.690	12.00	0.00
	1015	10001	10.700	12.00	0.00
	1016	10001	10.710	12.00	0.00
	1017	10001	10.720	12.00	0.00
	1018	10001	10.730	12.00	0.00
	1019	10001	10.740	12.00	0.00
	1020	10001	10.750	12.00	0.00
R02 13A-WFMS MC30	1021	10001	10.760	12.00	0.00
	1022	10001	10.770	12.00	0.00
	1023	10001	10.780	12.00	0.00
	1024	10001	10.790	12.00	0.00
	1025	10001	10.800	12.00	0.00
	1026	10001	10.810	12.00	0.00
	1027	10001	10.820	12.00	0.00
	1028	10001	10.830	12.00	0.00
	1029	10001	10.840	12.00	0.00
	1030	10001	10.850	12.00	0.00
R02 13A-WFMS MC30	1031	10001	10.860	12.00	0.00
	1032	10001	10.870	12.00	0.00
	1033	10001	10.880	12.00	0.00
	1034	10001	10.890	12.00	0.00
	1035	10001	10.900	12.00	0.00
	1036	10001	10.910	12.00	0.00
	1037	10001	10.920	12.00	0.00
	1038	10001	10.930	12.00	0.00
	1039	10001	10.940	12.00	0.00
	1040	10001	10.950	12.00	0.00
R02 13A-WFMS MC30	1041	10001	10.960	12.00	0.00
	1042	10001	10.970	12.00	0.00
	1043	10001	10.980	12.00	0.00
	1044	10001	10.990	12.00	0.00
	1045	10001	11.000	12.00	0.00
	1046	10001	11.010	12.00	0.00
	1047	10001	11.020	12.00	0.00
	1048	10001	11.030	12.00	0.00
	1049	10001	11.040	12.00	0.00
	1050	10001	11.050	12.00	0.00
R02 13A-WFMS MC30	1051	10001	11.060	12.00	0.00
	1052	10001	11.070	12.00	0.00
	1053	10001	11.080	12.00	0.00
	1054	10001	11.090	12.00	0.00
	1055	10001	11.100	12.00	0.00
	1056	10001	11.110	12.00	0.00
	1057	10001	11.120	12.00	0.00
	1058	10001	11.130	12.00	0.00
	1059	10001	11.140	12.00	0.00
	1060	10001	11.150	12.00	0.00
R02 13A-WFMS MC30	1061	100			
	1062	100			
	1063	100			
	1064	100			
	1065	100			
	1066	100			
	1067	100			
	1068	100			
	1069	100			
	1070	100			

SOUND WILAN		AUG 9			
	Make	Channel	Frequency (MHz)	Manager (person)	Use (hr)
SOUND WILAN	R02 (2-10-10) (MC)	1500	17.00	00.00	12.00
		1500	17.00	01.00	12.00
		1500	18.00	00.00	12.00
	R02 (2-10-10) (MC)	1500	17.00	7.00	10.00
		1500	17.00	8.00	10.00
		1500	18.00	7.00	10.00
	R02 (2-10-10) (MC)	1500	17.00	0.00	10.00
		1500	17.00	0.00	10.00
		1500	18.00	0.00	10.00
	R02 (2-10-10) (MC)	1500	17.00	7.00	8.00
SOUND WILAN	R02 (2-10-10) (MC)	1500	17.00	7.00	10.00
		1500	17.00	7.00	10.00
		1500	18.00	7.00	10.00
	R02 (2-10-10) (MC)	1500	17.00	7.00	8.00
		1500	17.00	7.00	8.00
		1500	18.00	7.00	8.00
	R02 (2-10-10) (MC)	1500	17.00	7.00	8.00
		1500	17.00	7.00	8.00
		1500	18.00	7.00	8.00
	R02 (2-10-10) (MC)	1500	17.00	7.00	8.00

2.4GHz WLAN		AirM 500			
Mode	Channel	Freq. (MHz)	Channel BW (MHz)	Trans. Rate (Mbps)	
802.11b (Mbps)	1	2412	20.00	11.00	
	6	2437	20.00	11.00	
	11	2462	20.00	11.00	
	16	2487	20.00	11.00	
	21	2512	20.00	11.00	
	26	2537	20.00	11.00	
802.11g (Mbps)	1	2412	20.00	54.00	
	6	2437	20.00	54.00	
	11	2462	20.00	54.00	
	16	2487	20.00	54.00	
	21	2512	20.00	54.00	
	26	2537	20.00	54.00	
802.11a/n (MCS0)	1	2412	20.00	30.00	
	6	2437	20.00	30.00	
	11	2462	20.00	30.00	
	16	2487	20.00	30.00	
	21	2512	20.00	30.00	
	26	2537	20.00	30.00	
802.11a/n (MCS1)	1	2412	20.00	45.00	
	6	2437	20.00	45.00	
	11	2462	20.00	45.00	
	16	2487	20.00	45.00	
	21	2512	20.00	45.00	
	26	2537	20.00	45.00	
802.11a/n (MCS2)	1	2412	20.00	60.00	
	6	2437	20.00	60.00	
	11	2462	20.00	60.00	
	16	2487	20.00	60.00	
	21	2512	20.00	60.00	
	26	2537	20.00	60.00	
802.11a/n (MCS3)	1	2412	20.00	75.00	
	6	2437	20.00	75.00	
	11	2462	20.00	75.00	
	16	2487	20.00	75.00	
	21	2512	20.00	75.00	
	26	2537	20.00	75.00	
802.11a/n (MCS4)	1	2412	20.00	90.00	
	6	2437	20.00	90.00	
	11	2462	20.00	90.00	
	16	2487	20.00	90.00	
	21	2512	20.00	90.00	
	26	2537	20.00	90.00	
802.11a/n (MCS5)	1	2412	20.00	105.00	
	6	2437	20.00	105.00	
	11	2462	20.00	105.00	
	16	2487	20.00	105.00	
	21	2512	20.00	105.00	
	26	2537	20.00	105.00	

ISGN-WLAN	Ann-B-B				
	Mode	Channel	Frequency (MHz)	Antenna Gain (dBi)	Take-off angle (°)
ISGN-11-WLAN	802.11a (5GHz)	36	5150	18.5	50 (50°)
		40	5200	18.5	50 (50°)
		44	5250	18.5	50 (50°)
	802.11n (5GHz)	36	5150	18.5	50 (50°)
		40	5200	18.5	50 (50°)
		44	5250	18.5	50 (50°)
ISGN-22-WLAN	802.11a (2.4GHz)	1	2412	12.5	10 (10°)
		6	2437	12.5	10 (10°)
		11	2462	12.5	10 (10°)
	802.11n (2.4GHz)	1	2412	12.5	10 (10°)
		6	2437	12.5	10 (10°)
		11	2462	12.5	10 (10°)
ISGN-33-WLAN	802.11a (5GHz)	36	5150	18.5	50 (50°)
		40	5200	18.5	50 (50°)
		44	5250	18.5	50 (50°)
	802.11n (5GHz)	36	5150	18.5	50 (50°)
		40	5200	18.5	50 (50°)
		44	5250	18.5	50 (50°)
ISGN-44-WLAN	802.11a (5GHz)	36	5150	18.5	50 (50°)
		40	5200	18.5	50 (50°)
		44	5250	18.5	50 (50°)
	802.11n (5GHz)	36	5150	18.5	50 (50°)
		40	5200	18.5	50 (50°)
		44	5250	18.5	50 (50°)
ISGN-55-WLAN	802.11a (5GHz)	36	5150	18.5	50 (50°)
		40	5200	18.5	50 (50°)
		44	5250	18.5	50 (50°)
	802.11n (5GHz)	36	5150	18.5	50 (50°)
		40	5200	18.5	50 (50°)
		44	5250	18.5	50 (50°)
ISGN-66-WLAN	802.11a (5GHz)	36	5150	18.5	50 (50°)
		40	5200	18.5	50 (50°)
		44	5250	18.5	50 (50°)
	802.11n (5GHz)	36	5150	18.5	50 (50°)
		40	5200	18.5	50 (50°)
		44	5250	18.5	50 (50°)
ISGN-77-WLAN	802.11a (5GHz)	36	5150	18.5	50 (50°)
		40	5200	18.5	50 (50°)
		44	5250	18.5	50 (50°)
	802.11n (5GHz)	36	5150	18.5	50 (50°)
		40	5200	18.5	50 (50°)
		44	5250	18.5	50 (50°)
ISGN-88-WLAN	802.11a (5GHz)	36	5150	18.5	50 (50°)
		40	5200	18.5	50 (50°)
		44	5250	18.5	50 (50°)
	802.11n (5GHz)	36	5150	18.5	50 (50°)
		40	5200	18.5	50 (50°)
		44	5250	18.5	50 (50°)
ISGN-99-WLAN	802.11a (5GHz)	36	5150	18.5	50 (50°)
		40	5200	18.5	50 (50°)
		44	5250	18.5	50 (50°)
	802.11n (5GHz)	36	5150	18.5	50 (50°)
		40	5200	18.5	50 (50°)
		44	5250	18.5	50 (50°)

ICM-WLAN	Ant-Brd				
	Mode	Channel	Frequency (MHz)	Power (mW)	Take-Down (dBm)
WID-EU-60MHz	11a	36	5180	16.84	13.84
	11b	36	5180	15.82	12.82
	11g	36	5180	14.80	11.80
WID-EU-60MHz-MCS0	11a	36	5180	16.84	13.84
	11b	36	5180	15.82	12.82
	11g	36	5180	14.80	11.80
WID-EU-60MHz-MCS2	11a	36	5180	15.82	12.82
	11b	36	5180	14.80	11.80
	11g	36	5180	13.78	10.78
WID-EU-60MHz-MCS3	11a	36	5180	14.80	11.80
	11b	36	5180	13.78	10.78
	11g	36	5180	12.74	9.74
WID-EU-60MHz-MCS4	11a	36	5180	13.78	10.78
	11b	36	5180	12.74	9.74
	11g	36	5180	11.70	8.70
WID-EU-60MHz-MCS5	11a	36	5180	12.74	9.74
	11b	36	5180	11.70	8.70
	11g	36	5180	10.66	7.66
WID-EU-60MHz-MCS6	11a	36	5180	11.70	8.70
	11b	36	5180	10.66	7.66
	11g	36	5180	9.62	6.62
WID-EU-60MHz-MCS7	11a	36	5180	10.66	7.66
	11b	36	5180	9.62	6.62
	11g	36	5180	8.58	5.58
WID-EU-60MHz-MCS8	11a	36	5180	9.62	6.62
	11b	36	5180	8.58	5.58
	11g	36	5180	7.54	4.54
WID-EU-60MHz-MCS9	11a	36	5180	8.58	5.58
	11b	36	5180	7.54	4.54
	11g	36	5180	6.50	3.50
WID-EU-60MHz-MCS10	11a	36	5180	7.54	4.54
	11b	36	5180	6.50	3.50
	11g	36	5180	5.46	2.46
WID-EU-60MHz-MCS11	11a	36	5180	6.50	3.50
	11b	36	5180	5.46	2.46
	11g	36	5180	4.42	1.42
WID-EU-60MHz-MCS12	11a	36	5180	5.46	2.46
	11b	36	5180	4.42	1.42
	11g	36	5180	3.38	0.38
WID-EU-60MHz-MCS13	11a	36	5180	4.42	1.42
	11b	36	5180	3.38	0.38
	11g	36	5180	2.34	-0.66
WID-EU-60MHz-MCS14	11a	36	5180	3.38	0.38
	11b	36	5180	2.34	-0.66
	11g	36	5180	1.30	-1.70
WID-EU-60MHz-MCS15	11a	36	5180	2.34	-0.66
	11b	36	5180	1.30	-1.70
	11g	36	5180	0.26	-2.74
WID-EU-60MHz-MCS16	11a	36	5180	1.30	-1.70
	11b	36	5180	0.26	-2.74
	11g	36	5180	-0.78	-3.78
WID-EU-60MHz-MCS17	11a	36	5180	0.26	-2.74
	11b	36	5180	-0.78	-3.78
	11g	36	5180	-1.82	-4.82
WID-EU-60MHz-MCS18	11a	36	5180	-0.78	-3.78
	11b	36	5180	-1.82	-4.82
	11g	36	5180	-2.86	-5.86
WID-EU-60MHz-MCS19	11a	36	5180	-1.82	-4.82
	11b	36	5180	-2.86	-5.86
	11g	36	5180	-3.90	-6.90
WID-EU-60MHz-MCS20	11a	36	5180	-2.86	-5.86
	11b	36	5180	-3.90	-6.90
	11g	36	5180	-4.94	-7.94
WID-E					

ICHS WLAN	Ann-B				
	Node	Channel	Frequency (MHz)	Channel Bandwidth (MHz)	Transmit Power (dBm)
R02-1-3-Wireless	1001	10000	5.850	10.000	10.000
	1002	10000	5.850	10.000	10.000
	1003	10000	5.850	10.000	10.000
	1004	10000	5.850	10.000	10.000
	1005	10000	5.850	10.000	10.000
	1006	10000	5.850	10.000	10.000
R02-1-2-2-4-100MHz-MCS01	1007	10000	5.850	10.000	10.000
	1008	10000	5.850	10.000	10.000
	1009	10000	5.850	10.000	10.000
	1010	10000	5.850	10.000	10.000
	1011	10000	5.850	10.000	10.000
	1012	10000	5.850	10.000	10.000
R02-1-2-2-4-100MHz-MCS02	1013	10000	5.850	10.000	10.000
	1014	10000	5.850	10.000	10.000
	1015	10000	5.850	10.000	10.000
	1016	10000	5.850	10.000	10.000
	1017	10000	5.850	10.000	10.000
	1018	10000	5.850	10.000	10.000
R02-1-2-2-4-100MHz-MCS03	1019	10000	5.850	10.000	10.000
	1020	10000	5.850	10.000	10.000
	1021	10000	5.850	10.000	10.000
	1022	10000	5.850	10.000	10.000
	1023	10000	5.850	10.000	10.000
	1024	10000	5.850	10.000	10.000
R02-1-2-2-4-100MHz-MCS04	1025	10000	5.850	10.000	10.000
	1026	10000	5.850	10.000	10.000
	1027	10000	5.850	10.000	10.000
	1028	10000	5.850	10.000	10.000
	1029	10000	5.850	10.000	10.000
	1030	10000	5.850	10.000	10.000
R02-1-2-2-4-100MHz-MCS05	1031	10000	5.850	10.000	10.000
	1032	10000	5.850	10.000	10.000
	1033	10000	5.850	10.000	10.000
	1034	10000	5.850	10.000	10.000
	1035	10000	5.850	10.000	10.000
	1036	10000	5.850	10.000	10.000
R02-1-2-2-4-100MHz-MCS06	1037	10000	5.850	10.000	10.000
	1038	10000	5.850	10.000	10.000
	1039	10000	5.850	10.000	10.000
	1040	10000	5.850	10.000	10.000
	1041	10000	5.850	10.000	10.000
	1042	10000	5.850	10.000	10.000
R02-1-2-2-4-100MHz-MCS07	1043	10000	5.850	10.000	10.000
	1044	10000	5.850	10.000	10.000
	1045	10000	5.850	10.000	10.000
	1046	10000	5.850	10.000	10.000
	1047	10000	5.850	10.000	10.000
	1048	10000	5.850	10.000	10.000
R02-1-2-2-4-100MHz-MCS08	1049	10000	5.850	10.000	10.000
	1050	10000	5.850	10.000	10.000
	1051	10000	5.850	10.000	10.000
	1052	10000	5.850	10.000	10.000
	1053	10000	5.850	10.000	10.000
	1054	10000	5.850	10.000	10.000
R02-1-2-2-4-100MHz-MCS09	1055	10000	5.850	10.000	10.000
	1056	10000	5.850	10.000	10.000
	1057	10000	5.850	10.000	10.000

IGNI WILAN	AISI 304				
	Model	Channel	Frequency (MHz)	Power (mW)	Transmit Power (mW)
SISWA WILAN	WIL 11a (Mbps)	1000	17.40	0.00	14.00
	WIL 11b (Mbps)	1000	17.40	0.00	14.00
	WIL 11g (Mbps)	1000	17.40	0.00	14.00
	WIL 11n (Mbps)	1000	17.40	0.00	14.00
	WIL 11ac (Mbps)	1000	17.40	0.00	14.00
	WIL 11ax (Mbps)	1000	17.40	0.00	14.00
	WIL 11be (Mbps)	1000	17.40	0.00	14.00
	WIL 11bt (Mbps)	1000	17.40	0.00	14.00
	WIL 11ce (Mbps)	1000	17.40	0.00	14.00
	WIL 11de (Mbps)	1000	17.40	0.00	14.00
SISWA WILAN	WIL 11a (Mbps)	1000	17.40	0.00	14.00
	WIL 11b (Mbps)	1000	17.40	0.00	14.00
	WIL 11g (Mbps)	1000	17.40	0.00	14.00
	WIL 11n (Mbps)	1000	17.40	0.00	14.00
	WIL 11ac (Mbps)	1000	17.40	0.00	14.00
	WIL 11ax (Mbps)	1000	17.40	0.00	14.00
	WIL 11be (Mbps)	1000	17.40	0.00	14.00
	WIL 11bt (Mbps)	1000	17.40	0.00	14.00
	WIL 11ce (Mbps)	1000	17.40	0.00	14.00
	WIL 11de (Mbps)	1000	17.40	0.00	14.00



Appendix E. Simultaneous Multi-band Transmission Evaluation

The simultaneous transmission evaluation and analysis is shown as below.

Simultaneous Transmission analysis Hotspot SAR

WWAN Band	Exposure Position	1	2	3	4	1+2+3 Summed 1g SAR (W/kg)	1+3+4 Summed 1g SAR (W/kg)
		WWAN	2.4GHz WLAN	5GHz WLAN	Bluetooth		
		1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)		
LTE Band 5	Front at 10mm -	0.790	0.091	0.100	0.014	0.98	0.90
	Rear at 10mm -	0.526	0.160	0.220	0.006	0.91	0.75
	Left side at 10mm -	0.264	0.319	0.218	0.010	0.80	0.49
	Right side at 10mm -	0.432	0.000	0.000	0.000	0.43	0.43
	Top side at 10mm -	0.000	0.069	0.134	0.025	0.20	0.16
	Bottom side at 10mm -	0.251	0.000	0.000	0.000	0.25	0.25
LTE Band 7	Front at 10mm -	0.289	0.091	0.100	0.014	0.48	0.40
	Rear at 10mm -	0.785	0.160	0.220	0.006	1.16	1.01
	Left side at 10mm -	0.000	0.319	0.218	0.010	0.54	0.23
	Right side at 10mm -	0.386	0.000	0.000	0.000	0.39	0.39
	Top side at 10mm -	0.300	0.069	0.134	0.025	0.50	0.46
	Bottom side at 10mm -	0.000	0.000	0.000	0.000	0.00	0.00
LTE Band 12 / 17	Front at 10mm -	0.673	0.091	0.100	0.014	0.86	0.79
	Rear at 10mm -	0.570	0.160	0.220	0.006	0.95	0.80
	Left side at 10mm -	0.235	0.319	0.218	0.010	0.77	0.46
	Right side at 10mm -	0.195	0.000	0.000	0.000	0.20	0.20
	Top side at 10mm -	0.000	0.069	0.134	0.025	0.20	0.16
	Bottom side at 10mm -	0.096	0.000	0.000	0.000	0.10	0.10
LTE Band 13	Front at 10mm -	0.879	0.091	0.100	0.014	1.07	0.99
	Rear at 10mm -	0.778	0.160	0.220	0.006	1.16	1.00
	Left side at 10mm -	0.270	0.319	0.218	0.010	0.81	0.50
	Right side at 10mm -	0.417	0.000	0.000	0.000	0.42	0.42
	Top side at 10mm -	0.000	0.069	0.134	0.025	0.20	0.16
	Bottom side at 10mm -	0.191	0.000	0.000	0.000	0.19	0.19
LTE Band 14	Front at 10mm -	0.899	0.091	0.100	0.014	1.09	1.01
	Rear at 10mm -	0.765	0.160	0.220	0.006	1.14	0.99
	Left side at 10mm -	0.409	0.319	0.218	0.010	0.95	0.64
	Right side at 10mm -	0.365	0.000	0.000	0.000	0.37	0.37
	Top side at 10mm -	0.000	0.069	0.134	0.025	0.20	0.16
	Bottom side at 10mm -	0.204	0.000	0.000	0.000	0.20	0.20
LTE Band 25 / 2	Front at 10mm -	0.322	0.091	0.100	0.014	0.51	0.44
	Rear at 10mm -	0.383	0.160	0.220	0.006	0.76	0.61
	Left side at 10mm -	0.600	0.319	0.218	0.010	0.54	0.23
	Right side at 10mm -	0.789	0.000	0.000	0.000	0.79	0.79
	Top side at 10mm -	0.423	0.069	0.134	0.025	0.63	0.58
	Bottom side at 10mm -	0.000	0.000	0.000	0.000	0.00	0.00
LTE Band 26	Front at 10mm -	0.774	0.091	0.100	0.014	0.96	0.89
	Rear at 10mm -	0.511	0.160	0.220	0.006	0.89	0.74
	Left side at 10mm -	0.392	0.319	0.218	0.010	0.93	0.62
	Right side at 10mm -	0.440	0.000	0.000	0.000	0.44	0.44
	Top side at 10mm -	0.000	0.069	0.134	0.025	0.20	0.16
	Bottom side at 10mm -	0.231	0.000	0.000	0.000	0.23	0.23
LTE Band 30	Front at 10mm -	0.201	0.091	0.100	0.014	0.39	0.32
	Rear at 10mm -	0.632	0.160	0.220	0.006	1.01	0.86
	Left side at 10mm -	0.360	0.319	0.218	0.010	0.90	0.59
	Right side at 10mm -	0.084	0.000	0.000	0.000	0.08	0.08
	Top side at 10mm -	0.000	0.069	0.134	0.025	0.20	0.16
	Bottom side at 10mm -	1.010	0.000	0.000	0.000	1.01	1.01
LTE Band 41 / 38	Front at 10mm -	0.082	0.091	0.100	0.014	0.27	0.20
	Rear at 10mm -	0.395	0.160	0.220	0.006	0.77	0.62
	Left side at 10mm -	0.000	0.319	0.218	0.010	0.54	0.23
	Right side at 10mm -	0.525	0.000	0.000	0.000	0.52	0.52
	Top side at 10mm -	0.103	0.069	0.134	0.025	0.31	0.26
	Bottom side at 10mm -	0.000	0.000	0.000	0.000	0.00	0.00
LTE Band 42(Part12Q)	Front at 10mm -	0.159	0.091	0.100	0.014	0.35	0.27
	Rear at 10mm -	0.319	0.160	0.220	0.006	0.70	0.55
	Left side at 10mm -	0.000	0.319	0.218	0.010	0.54	0.23
	Right side at 10mm -	0.590	0.000	0.000	0.000	0.59	0.59
	Top side at 10mm -	0.000	0.069	0.134	0.025	0.20	0.16
	Bottom side at 10mm -	0.428	0.000	0.000	0.000	0.43	0.43
LTE Band 48 / 43 / 42	Front at 10mm -	0.451	0.091	0.100	0.014	0.64	0.57
	Rear at 10mm -	0.560	0.160	0.220	0.006	0.94	0.79
	Left side at 10mm -	0.000	0.319	0.218	0.010	0.54	0.23
	Right side at 10mm -	0.387	0.000	0.000	0.000	0.39	0.39
	Top side at 10mm -	0.000	0.069	0.134	0.025	0.20	0.16
	Bottom side at 10mm -	0.695	0.000	0.000	0.000	0.69	0.69
LTE Band 66 / 4	Front at 10mm -	0.397	0.091	0.100	0.014	0.59	0.51
	Rear at 10mm -	0.369	0.160	0.220	0.006	0.75	0.59
	Left side at 10mm -	0.000	0.319	0.218	0.010	0.54	0.23
	Right side at 10mm -	0.739	0.000	0.000	0.000	0.74	0.74
	Top side at 10mm -	0.333	0.069	0.134	0.025	0.54	0.49
	Bottom side at 10mm -	0.000	0.000	0.000	0.000	0.00	0.00
LTE Band 71	Front at 10mm -	0.348	0.091	0.100	0.014	0.54	0.46
	Rear at 10mm -	0.406	0.160	0.220	0.006	0.79	0.63
	Left side at 10mm -	0.235	0.319	0.218	0.010	0.77	0.46
	Right side at 10mm -	0.314	0.000	0.000	0.000	0.31	0.31
	Top side at 10mm -	0.000	0.069	0.134	0.025	0.20	0.16
	Bottom side at 10mm -	0.067	0.000	0.000	0.000	0.07	0.07
NR Band n5	Front at 10mm -	0.665	0.091	0.100	0.014	0.86	0.78
	Rear at 10mm -	0.471	0.160	0.220	0.006	0.85	0.70
	Left side at 10mm -	0.342	0.319	0.218	0.010	0.88	0.57
	Right side at 10mm -	0.360	0.000	0.000	0.000	0.36	0.36
	Top side at 10mm -	0.000	0.069	0.134	0.025	0.20	0.16
	Bottom side at 10mm -	0.181	0.000	0.000	0.000	0.18	0.18
NR Band n7	Front at 10mm -	0.446	0.091	0.100	0.014	0.64	0.56
	Rear at 10mm -	0.605	0.160	0.220	0.006	0.96	0.83
	Left side at 10mm -	0.000	0.319	0.218	0.010	0.54	0.23
	Right side at 10mm -	0.367	0.000	0.000	0.000	0.37	0.37
	Top side at 10mm -	0.379	0.069	0.134	0.025	0.58	0.54
	Bottom side at 10mm -	0.000	0.000	0.000	0.000	0.00	0.00
NR Band n12	Front at 10mm -	0.445	0.091	0.100	0.014	0.64	0.56
	Rear at 10mm -	0.487	0.160	0.220	0.006	0.87	0.71
	Left side at 10mm -	0.211	0.319	0.218	0.010	0.75	0.44
	Right side at 10mm -	0.205	0.000	0.000	0.000	0.21	0.21
	Top side at 10mm -	0.000	0.069	0.134	0.025	0.20	0.16
	Bottom side at 10mm -	0.076	0.000	0.000	0.000	0.08	0.08
NR Band n14	Front at 10mm -	0.924	0.091	0.100	0.014	1.11	1.04
	Rear at 10mm -	0.529	0.160	0.220	0.006	0.91	0.75
	Left side at 10mm -	0.453	0.319	0.218	0.010	0.99	0.68
	Right side at 10mm -	0.494	0.000	0.000	0.000	0.49	0.49
	Top side at 10mm -	0.000	0.069	0.134	0.025	0.20	0.16
	Bottom side at 10mm -	0.140	0.000	0.000	0.000	0.14	0.14
NR Band n25 / n2	Front at 10mm -	0.415	0.091	0.100	0.014	0.61	0.53
	Rear at 10mm -	0.409	0.160	0.220	0.006	0.79	0.64
	Left side at 10mm -	0.000	0.319	0.218	0.010	0.54	0.23
	Right side at 10mm -	0.745	0.000	0.000	0.000	0.75	0.75
	Top side at 10mm -	0.352	0.069	0.134	0.025	0.56	0.51
	Bottom side at 10mm -	0.000	0.000	0.000	0.000	0.00	0.00

WWAN Band	Exposure Position	1	2	3	4	1+2+3 Summed 1g SAR (W/kg)	1+3+4 Summed 1g SAR (W/kg)
		WWAN	2.4GHz WLAN	5GHz WLAN	Bluetooth		
		1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)		
NR Band n30	Front at 10mm -	0.267	0.091	0.100	0.014	0.46	0.38
	Rear at 10mm -	0.634	0.160	0.220	0.006	1.01	0.86
	Left side at 10mm -	0.422	0.319	0.218	0.010	0.96	0.65
	Right side at 10mm -	0.095	0.000	0.000	0.000	0.10	0.10
	Top side at 10mm -	0.000	0.069	0.134	0.025	0.20	0.16
	Bottom side at 10mm -	0.969	0.000	0.000	0.000	0.97	0.97
NR Band n41 / n38	Front at 10mm -	0.170	0.091	0.100	0.014	0.36	0.28
	Rear at 10mm -	0.311	0.160	0.220	0.006	0.69	0.54
	Left side at 10mm -	0.000	0.319	0.218	0.010	0.54	0.23
	Right side at 10mm -	0.342	0.000	0.000	0.000	0.34	0.34
	Top side at 10mm -	0.168	0.069	0.134	0.025	0.37	0.33
	Bottom side at 10mm -	0.000	0.000	0.000	0.000	0.00	0.00
NR Band n48	Front at 10mm -	0.261	0.091	0.100	0.014	0.45	0.38
	Rear at 10mm -	0.402	0.160	0.220	0.006	0.78	0.63
	Left side at 10mm -	0.000	0.319	0.218	0.010	0.54	0.23
	Right side at 10mm -	0.591	0.000	0.000	0.000	0.59	0.59
	Top side at 10mm -	0.152	0.069	0.134	0.025	0.36	0.31
	Bottom side at 10mm -	0.438	0.000	0.000	0.000	0.44	0.44
NR Band n66	Front at 10mm -	0.218	0.091	0.100	0.014	0.41	0.33
	Rear at 10mm -	0.217	0.160	0.220	0.006	0.60	0.44
	Left side at 10mm -	0.000	0.319	0.218	0.010	0.54	0.23
	Right side at 10mm -	0.687	0.000	0.000	0.000	0.69	0.69
	Top side at 10mm -	0.065	0.069	0.134	0.025	0.27	0.22
	Bottom side at 10mm -	0.000	0.000	0.000	0.000	0.00	0.00
NR Band n71	Front at 10mm -	0.333	0.091	0.100	0.014	0.52	0.45
	Rear at 10mm -	0.422	0.160	0.220	0.006	0.80	0.65
	Left side at 10mm -	0.274	0.319	0.218	0.010	0.81	0.50
	Right side at 10mm -	0.354	0.000	0.000	0.000	0.35	0.35
	Top side at 10mm -	0.000	0.069	0.134	0.025	0.20	0.16
	Bottom side at 10mm -	0.060	0.000	0.000	0.000	0.06	0.06
NR Band n77 / n78	Front at 10mm -	0.363	0.091	0.100	0.014	0.55	0.48
	Rear at 10mm -	0.678	0.160	0.220	0.006	1.06	0.90
	Left side at 10mm -	0.975	0.319	0.218	0.010	1.51	1.20
	Right side at 10mm -	0.678	0.000	0.000	0.000	0.68	0.68
	Top side at 10mm -	0.301	0.069	0.134	0.025	0.50	0.46
	Bottom side at 10mm -	0.606	0.000	0.000	0.000	0.61	0.61

Simultaneous Transmission analysis Body SAR

WWAN Band	Exposure Position	1	2	3	4	1+2+3 Summed 1g SAR (W/kg)	1+3+4 Summed 1g SAR (W/kg)
		WWAN	2.4GHz WLAN	5GHz WLAN	Bluetooth		
		1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)		
LTE Band 5	Front at 10mm -	0.790	0.091	0.100	0.033	0.98	0.92
	Rear at 10mm -	0.526	0.172	0.244	0.006	0.94	0.78
LTE Band 7	Front at 10mm -	0.289	0.091	0.100	0.033	0.48	0.42
	Rear at 10mm -	0.785	0.172	0.244	0.006	1.20	1.04
LTE Band 12 / 17	Front at 10mm -	0.673	0.091	0.100	0.033	0.86	0.81
	Rear at 10mm -	0.570	0.172	0.244	0.006	0.99	0.82
LTE Band 13	Front at 10mm -	0.879	0.091	0.100	0.033	1.07	1.01
	Rear at 10mm -	0.778	0.172	0.244	0.006	1.19	1.03
LTE Band 14	Front at 10mm -	0.899	0.091	0.100	0.033	1.09	1.03
	Rear at 10mm -	0.765	0.172	0.244	0.006	1.18	1.01
LTE Band 25 / 2	Front at 10mm -	0.322	0.091	0.100	0.033	0.51	0.46
	Rear at 10mm -	0.383	0.172	0.244	0.006	0.80	0.63
LTE Band 26	Front at 10mm -	0.774	0.091	0.100	0.033	0.97	0.91
	Rear at 10mm -	0.511	0.172	0.244	0.006	0.93	0.76
LTE Band 30	Front at 10mm -	0.359	0.091	0.100	0.033	0.55	0.49
	Rear at 10mm -	1.125	0.172	0.244	0.006	1.54	1.38
LTE Band 41 / 38	Front at 10mm -	0.082	0.091	0.100	0.033	0.27	0.22
	Rear at 10mm -	0.395	0.172	0.244	0.006	0.81	0.65
LTE Band 42(Pair27Q)	Front at 10mm -	0.159	0.091	0.100	0.033	0.35	0.29
	Rear at 10mm -	0.319	0.172	0.244	0.006	0.74	0.57
LTE Band 48 / 43 /42	Front at 10mm -	0.451	0.091	0.100	0.033	0.64	0.58
	Rear at 10mm -	0.560	0.172	0.244	0.006	0.98	0.81
LTE Band 66 / 4	Front at 10mm -	0.397	0.091	0.100	0.033	0.59	0.53
	Rear at 10mm -	0.369	0.172	0.244	0.006	0.78	0.62
LTE Band 71	Front at 10mm -	0.348	0.091	0.100	0.033	0.54	0.48
	Rear at 10mm -	0.406	0.172	0.244	0.006	0.82	0.66
NR Band n5	Front at 10mm -	0.665	0.091	0.100	0.033	0.86	0.80
	Rear at 10mm -	0.471	0.172	0.244	0.006	0.89	0.72
NR Band n7	Front at 10mm -	0.446	0.091	0.100	0.033	0.64	0.58
	Rear at 10mm -	0.605	0.172	0.244	0.006	1.02	0.86
NR Band n12	Front at 10mm -	0.445	0.091	0.100	0.033	0.64	0.58
	Rear at 10mm -	0.487	0.172	0.244	0.006	0.90	0.74
NR Band n14	Front at 10mm -	0.924	0.091	0.100	0.033	1.12	1.06
	Rear at 10mm -	0.529	0.172	0.244	0.006	0.95	0.78
NR Band n25 / n2	Front at 10mm -	0.415	0.091	0.100	0.033	0.61	0.55
	Rear at 10mm -	0.409	0.172	0.244	0.006	0.83	0.66
NR Band n30	Front at 10mm -	0.482	0.091	0.100	0.033	0.67	0.61
	Rear at 10mm -	1.144	0.172	0.244	0.006	1.56	1.39
NR Band n41 / n38	Front at 10mm -	0.170	0.091	0.100	0.033	0.36	0.30
	Rear at 10mm -	0.311	0.172	0.244	0.006	0.73	0.56
NR Band n48	Front at 10mm -	0.261	0.091	0.100	0.033	0.45	0.39
	Rear at 10mm -	0.515	0.172	0.244	0.006	0.93	0.77
NR Band n66	Front at 10mm -	0.218	0.091	0.100	0.033	0.41	0.35
	Rear at 10mm -	0.217	0.172	0.244	0.006	0.63	0.47
NR Band n71	Front at 10mm -	0.333	0.091	0.100	0.033	0.52	0.47
	Rear at 10mm -	0.422	0.172	0.244	0.006	0.84	0.67
NR Band n77 / n78	Front at 10mm -	0.363	0.091	0.100	0.033	0.55	0.50
	Rear at 10mm -	0.678	0.172	0.244	0.006	1.09	0.93

WWAN Band		Exposure Position	1	2	3	4	5	1+2+3+4 Summed 1g SAR (W/kg)	1+2+4+5 Summed 1g SAR (W/kg)	
			LTE	NR	2.4GHz WLAN	5GHz WLAN	Bluetooth			
			1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)			
NR Band n2 (Ant1)	LTE Band 5 (Ant2)	Front at 10mm -	0.790	0.415	0.091	0.100	0.014	1.40	1.32	
		Rear at 10mm -	0.526	0.409	0.160	0.220	0.006	1.32	1.16	
		Left side at 10mm -	0.264	0.000	0.319	0.218	0.010	0.80	0.49	
		Right side at 10mm -	0.432	0.745	0.000	0.000	0.000	1.18	1.18	
		Top side at 10mm -	0.000	0.352	0.069	0.134	0.025	0.56	0.51	
		Bottom side at 10mm -	0.251	0.000	0.000	0.000	0.000	0.25	0.25	
	LTE Band 12 (Ant2)	Front at 10mm -	0.673	0.415	0.091	0.100	0.014	1.28	1.20	
		Rear at 10mm -	0.570	0.409	0.160	0.220	0.006	1.36	1.21	
		Left side at 10mm -	0.235	0.000	0.319	0.218	0.010	0.77	0.46	
		Right side at 10mm -	0.195	0.745	0.000	0.000	0.000	0.94	0.94	
		Top side at 10mm -	0.000	0.352	0.069	0.134	0.025	0.56	0.51	
		Bottom side at 10mm -	0.096	0.000	0.000	0.000	0.000	0.10	0.10	
	LTE Band 13 (Ant2)	Front at 10mm -	0.444	0.415	0.091	0.100	0.014	1.05	0.97	
		Rear at 10mm -	0.444	0.409	0.160	0.220	0.006	1.23	1.08	
		Left side at 10mm -	0.444	0.000	0.319	0.218	0.010	0.98	0.67	
		Right side at 10mm -	0.444	0.745	0.000	0.000	0.000	1.19	1.19	
		Top side at 10mm -	0.444	0.352	0.069	0.134	0.025	1.00	0.95	
		Bottom side at 10mm -	0.444	0.000	0.000	0.000	0.000	0.44	0.44	
	LTE Band 14 (Ant2)	Front at 10mm -	0.456	0.415	0.091	0.100	0.014	1.06	0.99	
		Rear at 10mm -	0.456	0.409	0.160	0.220	0.006	1.25	1.09	
		Left side at 10mm -	0.456	0.000	0.319	0.218	0.010	0.99	0.68	
		Right side at 10mm -	0.456	0.745	0.000	0.000	0.000	1.20	1.20	
		Top side at 10mm -	0.456	0.352	0.069	0.134	0.025	1.01	0.97	
		Bottom side at 10mm -	0.456	0.000	0.000	0.000	0.000	0.46	0.46	
	LTE Band 71 (Ant2)	Front at 10mm -	0.348	0.415	0.091	0.100	0.014	0.95	0.88	
		Rear at 10mm -	0.406	0.409	0.160	0.220	0.006	1.19	1.04	
		Left side at 10mm -	0.235	0.000	0.319	0.218	0.010	0.77	0.46	
		Right side at 10mm -	0.314	0.745	0.000	0.000	0.000	1.06	1.06	
		Top side at 10mm -	0.000	0.352	0.069	0.134	0.025	0.56	0.51	
		Bottom side at 10mm -	0.067	0.000	0.000	0.000	0.000	0.07	0.07	
	NR Band n2 (Ant3)	LTE Band 7 (Ant1)	Front at 10mm -	0.378	0.063	0.091	0.100	0.014	0.65	0.58
			Rear at 10mm -	0.378	0.108	0.160	0.220	0.006	0.87	0.71
			Left side at 10mm -	0.378	0.000	0.319	0.218	0.010	0.92	0.61
			Right side at 10mm -	0.378	0.572	0.000	0.000	0.000	0.95	0.95
			Top side at 10mm -	0.378	0.039	0.069	0.134	0.025	0.62	0.58
			Bottom side at 10mm -	0.378	0.000	0.000	0.000	0.000	0.38	0.38
		LTE Band 66 (Ant2)	Front at 10mm -	0.397	0.083	0.091	0.100	0.014	0.67	0.59
			Rear at 10mm -	0.369	0.108	0.160	0.220	0.006	0.86	0.70
			Left side at 10mm -	0.000	0.000	0.319	0.218	0.010	0.54	0.23
			Right side at 10mm -	0.739	0.572	0.000	0.000	0.000	1.31	1.31
Top side at 10mm -			0.333	0.039	0.069	0.134	0.025	0.57	0.53	
Bottom side at 10mm -			0.000	0.000	0.000	0.000	0.000	0.00	0.00	
NR Band n5 (Ant2)		LTE Band 2 (Ant1)	Front at 10mm -	0.322	0.665	0.091	0.100	0.014	1.18	1.10
			Rear at 10mm -	0.3						

WWAN Band		Exposure Position	1	2	3	4	5	1+2+3+4 Summed 1g SAR (W/kg)	1+2+4+5 Summed 1g SAR (W/kg)	
			LTE	NR	2.4GHz WLAN	5GHz WLAN	Bluetooth			
			1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)			
NR Band n12 (Ant2)	LTE Band 2 (Ant1)	Front at 10mm -	0.322	0.445	0.091	0.100	0.014	0.96	0.88	
		Rear at 10mm -	0.383	0.487	0.160	0.220	0.006	1.25	1.10	
		Left side at 10mm -	0.000	0.211	0.319	0.218	0.010	0.75	0.44	
		Right side at 10mm -	0.719	0.205	0.000	0.000	0.000	0.92	0.92	
		Top side at 10mm -	0.423	0.000	0.069	0.134	0.025	0.63	0.58	
		Bottom side at 10mm -	0.000	0.076	0.000	0.000	0.000	0.08	0.08	
	LTE Band 7 (Ant1)	Front at 10mm -	0.378	0.445	0.091	0.100	0.014	1.01	0.94	
		Rear at 10mm -	0.378	0.487	0.160	0.220	0.006	1.24	1.09	
		Left side at 10mm -	0.378	0.211	0.319	0.218	0.010	1.13	0.82	
		Right side at 10mm -	0.378	0.205	0.000	0.000	0.000	0.58	0.58	
		Top side at 10mm -	0.378	0.000	0.069	0.134	0.025	0.58	0.54	
		Bottom side at 10mm -	0.378	0.076	0.000	0.000	0.000	0.45	0.45	
	LTE Band 66 (Ant1)	Front at 10mm -	0.397	0.445	0.091	0.100	0.014	1.03	0.96	
		Rear at 10mm -	0.369	0.487	0.160	0.220	0.006	1.23	1.08	
		Left side at 10mm -	0.000	0.211	0.319	0.218	0.010	0.75	0.44	
		Right side at 10mm -	0.739	0.205	0.000	0.000	0.000	0.94	0.94	
		Top side at 10mm -	0.333	0.000	0.069	0.134	0.025	0.54	0.49	
		Bottom side at 10mm -	0.000	0.076	0.000	0.000	0.000	0.08	0.08	
	NR Band n25 (Ant1)	LTE Band 12 (Ant2)	Front at 10mm -	0.673	0.415	0.091	0.100	0.014	1.28	1.20
			Rear at 10mm -	0.570	0.409	0.160	0.220	0.006	1.36	1.21
			Left side at 10mm -	0.235	0.000	0.319	0.218	0.010	0.77	0.46
			Right side at 10mm -	0.195	0.745	0.000	0.000	0.000	0.94	0.94
			Top side at 10mm -	0.000	0.352	0.069	0.134	0.025	0.56	0.51
			Bottom side at 10mm -	0.096	0.000	0.000	0.000	0.000	0.10	0.10
NR Band n25 (Ant3)	LTE Band 48 (Ant7)	Front at 10mm -	0.451	0.083	0.091	0.100	0.014	0.72	0.65	
		Rear at 10mm -	0.560	0.108	0.160	0.220	0.006	1.05	0.89	
		Left side at 10mm -	0.000	0.000	0.319	0.218	0.010	0.54	0.23	
		Right side at 10mm -	0.387	0.572	0.000	0.000	0.000	0.96	0.96	
		Top side at 10mm -	0.000	0.000	0.069	0.134	0.025	0.20	0.16	
		Bottom side at 10mm -	0.695	0.000	0.000	0.000	0.000	0.69	0.69	
	LTE Band 66 (Ant1)	Front at 10mm -	0.397	0.083	0.091	0.100	0.014	0.67	0.59	
		Rear at 10mm -	0.369	0.108	0.160	0.220	0.006	0.86	0.70	
		Left side at 10mm -	0.000	0.000	0.319	0.218	0.010	0.54	0.23	
		Right side at 10mm -	0.739	0.572	0.000	0.000	0.000	1.31	1.31	
		Top side at 10mm -	0.333	0.000	0.069	0.134	0.025	0.54	0.49	
		Bottom side at 10mm -	0.000	0.000	0.000	0.000	0.000	0.00	0.00	
	LTE Band 2 (Ant3)	Front at 10mm -	0.054	0.170	0.091	0.100	0.014	0.41	0.34	
		Rear at 10mm -	0.092	0.311	0.160	0.220	0.006	0.78	0.63	
		Left side at 10mm -	0.000	0.000	0.319	0.218	0.010	0.54	0.23	
		Right side at 10mm -	0.412	0.171	0.000	0.000	0.000	0.58	0.58	
		Top side at 10mm -	0.000	0.168	0.069	0.134	0.025	0.37	0.33	
		Bottom side at 10mm -	0.000	0.000	0.000	0.000	0.000	0.00	0.00	
		LTE Band 4 (Ant3)	Front at 10mm -	0.093	0.170	0.091	0.100	0.014	0.45	0.38
			Rear at 10mm -	0.060	0.311	0.160	0.220	0.006	0.75	0.60
			Left side at 10mm -	0.000	0.000	0.319	0.218	0.010	0.54	0.23
			Right side at 10mm -	0.316	0.171	0.000	0.000	0.000	0.49	0.49
			Top side at 10mm -	0.000	0.168	0.069	0.134	0.025	0.37	0.33
			Bottom side at 10mm -	0.000	0.000	0.000	0.000	0.000	0.00	0.00
LTE Band 5 (Ant2)	Front at 10mm -	0.790	0.170	0.091	0.100	0.014	1.15	1.07		
	Rear at 10mm -	0.526	0.311	0.160	0.220	0.006	1.22	1.06		
	Left side at 10mm -	0.264	0.000	0.319	0.218	0.010	0.80	0.49		
	Right side at 10mm -	0.432	0.171	0.000	0.000	0.000	0.60	0.60		
	Top side at 10mm -	0.000	0.168	0.069	0.134	0.025	0.37	0.33		
	Bottom side at 10mm -	0.251	0.000	0.000	0.000	0.000	0.25	0.25		
	LTE Band 12 (Ant2)	Front at 10mm -	0.673	0.170	0.091	0.100	0.014	1.03	0.96	
		Rear at 10mm -	0.570	0.311	0.160	0.220	0.006	1.26	1.11	
		Left side at 10mm -	0.235	0.000	0.319	0.218	0.010	0.77	0.46	
		Right side at 10mm -	0.195	0.171	0.000	0.000	0.000	0.37	0.37	
		Top side at 10mm -	0.000	0.168	0.069	0.134	0.025	0.37	0.33	
		Bottom side at 10mm -	0.096	0.000	0.000	0.000	0.000	0.10	0.10	
LTE Band 66 (Ant3)	Front at 10mm -	0.093	0.170	0.091	0.100	0.014	0.45	0.38		
	Rear at 10mm -	0.060	0.311	0.160	0.220	0.006	0.75	0.60		
	Left side at 10mm -	0.000	0.000	0.319	0.218	0.010	0.54	0.23		
	Right side at 10mm -	0.316	0.171	0.000	0.000	0.000	0.49	0.49		
	Top side at 10mm -	0.000	0.168	0.069	0.134	0.025	0.37	0.33		
	Bottom side at 10mm -	0.000	0.000	0.000	0.000	0.000	0.00	0.00		
	LTE Band 71 (Ant2)	Front at 10mm -	0.348	0.170	0.091	0.100	0.014	0.71	0.63	
		Rear at 10mm -	0.406	0.311	0.160	0.220	0.006	1.10	0.94	
		Left side at 10mm -	0.235	0.000	0.319	0.218	0.010	0.77	0.46	
		Right side at 10mm -	0.314	0.171	0.000	0.000	0.000	0.49	0.49	
		Top side at 10mm -	0.000	0.168	0.069	0.134	0.025	0.37	0.33	
		Bottom side at 10mm -	0.067	0.000	0.000	0.000	0.000	0.07	0.07	
NR Band n38 (Ant3)	LTE Band 4 (Ant1)	Front at 10mm -	0.397	0.093	0.091	0.100	0.014	0.68	0.60	
		Rear at 10mm -	0.369	0.150	0.160	0.220	0.006	0.90	0.74	
		Left side at 10mm -	0.000	0.000	0.319	0.218	0.010	0.54	0.23	
		Right side at 10mm -	0.739	0.299	0.000	0.000	0.000	1.04	1.04	
		Top side at 10mm -	0.333	0.000	0.069	0.134	0.025	0.54	0.49	
		Bottom side at 10mm -	0.000	0.000	0.000	0.000	0.000	0.00	0.00	
	LTE Band 66 (Ant1)	Front at 10mm -	0.397	0.093	0.091	0.100	0.014	0.68	0.60	
		Rear at 10mm -	0.369	0.150	0.160	0.220	0.006	0.90	0.74	
		Left side at 10mm -	0.000	0.000	0.319	0.218	0.010	0.54	0.23	
		Right side at 10mm -	0.739	0.299	0.000	0.000	0.000	1.04	1.04	
		Top side at 10mm -	0.333	0.000	0.069	0.134	0.025	0.54	0.49	
		Bottom side at 10mm -	0.000	0.000	0.000	0.000	0.000	0.00	0.00	
LTE Band 2 (Ant3)	Front at 10mm -	0.054	0.170	0.091	0.100	0.014	0.41	0.34		
	Rear at 10mm -	0.092	0.311	0.160	0.220	0.006	0.78	0.63		
	Left side at 10mm -	0.000	0.000	0.319	0.218	0.010	0.54	0.23		
	Right side at 10mm -	0.412	0.171	0.000	0.000	0.000	0.58	0.58		
	Top side at 10mm -	0.000	0.168	0.069	0.134	0.025	0.37	0.33		
	Bottom side at 10mm -	0.000	0.000	0.000	0.000	0.000	0.00	0.00		
	LTE Band 4 (Ant3)	Front at 10mm -	0.093	0.170	0.091	0.100	0.014	0.45	0.38	
		Rear at 10mm -	0.060	0.311	0.160	0.220	0.006	0.75	0.60	
		Left side at 10mm -	0.000	0.000	0.319	0.218	0.010	0.54	0.23	
		Right side at 10mm -	0.316	0.171	0.000	0.000	0.000	0.49	0.49	
		Top side at 10mm -	0.000	0.168	0.069	0.134	0.025	0.37	0.33	
		Bottom side at 10mm -	0.000	0.000	0.000	0.000	0.000	0.00	0.00	
LTE Band 5 (Ant2)	Front at 10mm -	0.790	0.170	0.091	0.100	0.014	1.15	1.07		
	Rear at 10mm -	0.526	0.311	0.160	0.220	0.006	1.22	1.06		
	Left side at 10mm -	0.264	0.000	0.319	0.218	0.010	0.80	0.49		
	Right side at 10mm -	0.432	0.171	0.000	0.000	0.000	0.60	0.60		
	Top side at 10mm -	0.000	0.168	0.069	0.134	0.025	0.37	0.33		
	Bottom side at 10mm -	0.251	0.000	0.000	0.000	0.000	0.25	0.25		
	LTE Band 12 (Ant2)	Front at 10mm -	0.673	0.170	0.091	0.100	0.014	1.03	0.96	
		Rear at 10mm -	0.570	0.311	0.160	0.220	0.006	1.26	1.11	
		Left side at 10mm -	0.235	0.000	0.319	0.218	0.010	0.77	0.46	
		Right side at 10mm -	0.195	0.171	0.000	0.000	0.000	0.37	0.37	
		Top side at 10mm -	0.000	0.168	0.069	0.134	0.025	0.37	0.33	
		Bottom side at 10mm -	0.096	0.000	0.000	0.000	0.000	0.10	0.10	
Front at 10mm -	Front at 10mm -	0.054	0.170	0.091	0.100	0.014	0.41	0.34		
	Rear at 10mm -	0.092	0.311	0.160	0.220	0.006	0.78	0.63		

WWAN Band		Exposure Position	1	2	3	4	5	1+2+3+4 Summed 1g SAR (W/kg)	1+2+4+5 Summed 1g SAR (W/kg)	
			LTE	NR	2.4GHz WLAN	5GHz WLAN	Bluetooth			
			1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)			
NR Band n41 (Ant3)	LTE Band 25 (Ant3)	Left side at 10mm -	0.000	0.000	0.319	0.218	0.010	0.54	0.23	
		Right side at 10mm -	0.412	0.171	0.000	0.000	0.000	0.58	0.58	
		Top side at 10mm -	0.000	0.168	0.069	0.134	0.025	0.37	0.33	
		Bottom side at 10mm -	0.000	0.000	0.000	0.000	0.000	0.00	0.00	
	LTE Band 26 (Ant2)	Front at 10mm -	0.774	0.170	0.091	0.100	0.014	1.13	1.06	
		Rear at 10mm -	0.511	0.311	0.160	0.220	0.006	1.20	1.05	
		Left side at 10mm -	0.392	0.000	0.319	0.218	0.010	0.93	0.62	
		Right side at 10mm -	0.440	0.171	0.000	0.000	0.000	0.61	0.61	
	LTE Band 66 (Ant3)	Top side at 10mm -	0.000	0.168	0.069	0.134	0.025	0.37	0.33	
		Bottom side at 10mm -	0.231	0.000	0.000	0.000	0.000	0.23	0.23	
		Front at 10mm -	0.093	0.170	0.091	0.100	0.014	0.45	0.38	
		Rear at 10mm -	0.060	0.311	0.160	0.220	0.006	0.75	0.60	
	LTE Band 71 (Ant2)	Left side at 10mm -	0.000	0.000	0.319	0.218	0.010	0.54	0.23	
		Right side at 10mm -	0.316	0.171	0.000	0.000	0.000	0.49	0.49	
		Top side at 10mm -	0.000	0.168	0.069	0.134	0.025	0.37	0.33	
		Bottom side at 10mm -	0.000	0.000	0.000	0.000	0.000	0.00	0.00	
	NR Band n48 (Ant4)	LTE Band 2 (Ant1)	Front at 10mm -	0.348	0.170	0.091	0.100	0.014	0.71	0.63
			Rear at 10mm -	0.406	0.311	0.160	0.220	0.006	1.10	0.94
			Left side at 10mm -	0.235	0.000	0.319	0.218	0.010	0.77	0.46
			Right side at 10mm -	0.314	0.171	0.000	0.000	0.000	0.49	0.49
		LTE Band 66 (Ant1)	Top side at 10mm -	0.000	0.168	0.069	0.134	0.025	0.37	0.33
			Bottom side at 10mm -	0.067	0.000	0.000	0.000	0.000	0.07	0.07
			Front at 10mm -	0.397	0.093	0.091	0.100	0.014	0.68	0.60
			Rear at 10mm -	0.369	0.150	0.160	0.220	0.006	0.90	0.74
NR Band n66 (Ant1)		LTE Band 5 (Ant2)	Left side at 10mm -	0.000	0.000	0.319	0.218	0.010	0.54	0.23
			Right side at 10mm -	0.739	0.299	0.000	0.000	0.000	1.04	1.04
			Top side at 10mm -	0.333	0.000	0.069	0.134	0.025	0.54	0.49
			Bottom side at 10mm -	0.000	0.000	0.000	0.000	0.000	0.00	0.00
		LTE Band 12 (Ant2)	Front at 10mm -	0.322	0.238	0.091	0.100	0.014	0.75	0.67
			Rear at 10mm -	0.383	0.216	0.160	0.220	0.006	0.98	0.82
			Left side at 10mm -	0.000	0.000	0.319	0.218	0.010	0.54	0.23
			Right side at 10mm -	0.719	0.348	0.000	0.000	0.000	1.07	1.07
		LTE Band 13 (Ant2)	Top side at 10mm -	0.423	0.152	0.069	0.134	0.025	0.78	0.73
			Bottom side at 10mm -	0.000	0.000	0.000	0.000	0.000	0.00	0.00
			Front at 10mm -	0.397	0.238	0.091	0.100	0.014	0.83	0.75
			Rear at 10mm -	0.369	0.216	0.160	0.220	0.006	0.96	0.81
		LTE Band 14 (Ant2)	Left side at 10mm -	0.000	0.000	0.319	0.218	0.010	0.54	0.23
			Right side at 10mm -	0.739	0.348	0.000	0.000	0.000	1.09	1.09
			Top side at 10mm -	0.333	0.152	0.069	0.134	0.025	0.69	0.69
			Bottom side at 10mm -	0.000	0.000	0.000	0.000	0.000	0.00	0.00
	LTE Band 71 (Ant2)	Front at 10mm -	0.790	0.261	0.091	0.100	0.014	1.24	1.17	
		Rear at 10mm -	0.526	0.402	0.160	0.220	0.006	1.31	1.15	
		Left side at 10mm -	0.264	0.000	0.319	0.218	0.010	0.80	0.49	
		Right side at 10mm -	0.432	0.591	0.000	0.000	0.000	1.02	1.02	
	LTE Band 48 (Ant7)	Top side at 10mm -	0.000	0.000	0.069	0.134	0.025	0.20	0.16	
		Bottom side at 10mm -	0.251	0.438	0.000	0.000	0.000	0.69	0.69	
		Front at 10mm -	0.790	0.218	0.091	0.100	0.014	1.20	1.12	
		Rear at 10mm -	0.526	0.217	0.160	0.220	0.006	1.12	0.97	
LTE Band 2 (Ant1)	Left side at 10mm -	0.264	0.000	0.319	0.218	0.010	0.80	0.49		
	Right side at 10mm -	0.432	0.687	0.000	0.000	0.000	1.12	1.12		
	Top side at 10mm -	0.000	0.065	0.069	0.134	0.025	0.27	0.22		
	Bottom side at 10mm -	0.251	0.000	0.000	0.000	0.000	0.25	0.25		
LTE Band 66 (Ant1)	Front at 10mm -	0.673	0.218	0.091	0.100	0.014	1.08	1.01		
	Rear at 10mm -	0.570	0.217	0.160	0.220	0.006	1.17	1.01		
	Left side at 10mm -	0.235	0.000	0.319	0.218	0.010	0.77	0.46		
	Right side at 10mm -	0.195	0.687	0.000	0.000	0.000	0.88	0.88		
LTE Band 71 (Ant2)	Top side at 10mm -	0.000	0.065	0.069	0.134	0.025	0.27	0.22		
	Bottom side at 10mm -	0.096	0.000	0.000	0.000	0.000	0.10	0.10		
	Front at 10mm -	0.444	0.218	0.091	0.100	0.014	0.85	0.78		
	Rear at 10mm -	0.444	0.217	0.160	0.220	0.006	1.04	0.89		
LTE Band 13 (Ant2)	Left side at 10mm -	0.444	0.000	0.319	0.218	0.010	0.98	0.67		
	Right side at 10mm -	0.444	0.687	0.000	0.000	0.000	1.13	1.13		
	Top side at 10mm -	0.444	0.065	0.069	0.134	0.025	0.71	0.67		
	Bottom side at 10mm -	0.444	0.000	0.000	0.000	0.000	0.44	0.44		
LTE Band 14 (Ant2)	Front at 10mm -	0.456	0.218	0.091	0.100	0.014	0.87	0.79		
	Rear at 10mm -	0.456	0.217	0.160	0.220	0.006	1.05	0.90		
	Left side at 10mm -	0.456	0.000	0.319	0.218	0.010	0.99	0.68		
	Right side at 10mm -	0.456	0.687	0.000	0.000	0.000	1.14	1.14		
LTE Band 71 (Ant2)	Top side at 10mm -	0.456	0.065	0.069	0.134	0.025	0.73	0.68		
	Bottom side at 10mm -	0.456	0.000	0.000	0.000	0.000	0.46	0.46		
	Front at 10mm -	0.348	0.218	0.091	0.100	0.014	0.76	0.68		
	Rear at 10mm -	0.406	0.217	0.160	0.220	0.006	1.00	0.85		
LTE Band 2 (Ant1)	Left side at 10mm -	0.235	0.000	0.319	0.218	0.010	0.77	0.46		
	Right side at 10mm -	0.314	0.687	0.000	0.000	0.000	1.00	1.00		
	Top side at 10mm -	0.000	0.065	0.069	0.134	0.025	0.27	0.22		
	Bottom side at 10mm -	0.067	0.000	0.000	0.000	0.000	0.07	0.07		
LTE Band 2 (Ant1)	Front at 10mm -	0.322	0.098	0.091	0.100	0.014	0.61	0.53		
	Rear at 10mm -	0.383	0.073	0.160	0.220	0.006	0.84	0.68		
	Left side at 10mm -	0.000	0.000	0.319	0.218	0.010	0.54	0.23		
	Right side at 10mm -	0.719	0.320	0.000	0.000	0.000	1.04	1.04		
LTE Band 7 (Ant1)	Top side at 10mm -	0.423	0.000	0.069	0.134	0.025	0.63	0.58		
	Bottom side at 10mm -	0.000	0.000	0.000	0.000	0.000	0.00	0.00		
	Front at 10mm -	0.378	0.098	0.091	0.100	0.014	0.67	0.59		
	Rear at 10mm -	0.378	0.073	0.160	0.220	0.006	0.83	0.68		
LTE Band 48 (Ant7)	Left side at 10mm -	0.378	0.000	0.319	0.218	0.010	0.92	0.61		
	Right side at 10mm -	0.378	0.320	0.000	0.000	0.000	0.70	0.70		
	Top side at 10mm -	0.378	0.000	0.069	0.134	0.025	0.58	0.54		
	Bottom side at 10mm -	0.378	0.000	0.000	0.000	0.000	0.38	0.38		
LTE Band 7 (Ant1)	Front at 10mm -	0.451	0.098	0.091	0.100	0.014	0.74	0.66		
	Rear at 10mm -	0.560	0.073	0.160	0.220	0.006	1.01	0.86		
	Left side at 10mm -	0.000	0.000	0.319	0.218	0.010	0.54	0.23		
	Right side at 10mm -	0.387	0.320	0.000	0.000	0.000	0.71	0.71		
LTE Band 2 (Ant1)	Top side at 10mm -	0.000	0.000	0.069	0.134	0.025	0.20	0.16		
	Bottom side at 10mm -	0.695	0.000	0.000	0.000	0.000	0.69	0.69		
	Front at 10mm -	0.322	0.333	0.091	0.100	0.014	0.85	0.77		
	Rear at 10mm -	0.383	0.422	0.160	0.220	0.006	1.18	1.03		
LTE Band 7 (Ant1)	Left side at 10mm -	0.000	0.274	0.319	0.218	0.010	0.81	0.50		
	Right side at 10mm -	0.719	0.354	0.000	0.000	0.000	1.07	1.02		
	Top side at 10mm -	0.423	0.000	0.069	0.134	0.025	0.63	0.58		
	Bottom side at 10mm -	0.000	0.060	0.000	0.000	0.000	0.06	0.06		
LTE Band 2 (Ant1)	Front at 10mm -	0.378	0.333	0.091	0.100	0.014	0.90	0.83		
	Rear at 10mm -	0.378	0.422	0.160	0.220	0.006	1.18	1.03		
	Left side at 10mm -	0.378	0.274	0.319	0.218	0.010	1.19	0.88		
	Right side at 10mm -	0.378	0.354	0.000	0.000	0.000	0.73	0.73		
LTE Band 66 (Ant1)	Top side at 10mm -	0.378	0.000	0.069	0.134	0.025	0.58	0.54		
	Bottom side at 10mm -	0.378	0.060	0.000	0.000	0.000	0.44	0.44		
	Front at 10mm -	0.397	0.333	0.091	0.100	0.014	0.92	0.84		
	Rear at 10mm -	0.369	0.422	0.160	0.220	0.006	1.17	1.02		
LTE Band 66 (Ant1)	Left side at 10mm -	0.000	0.274	0.319	0.218	0.010	0.81	0.50		
	Right side at 10mm -	0.739	0.354	0.000	0.000	0.000	1.09	1.09		

WWAN Band		Exposure Position	1	2	3	4	5	1+2+3+4	1+2+4+5		
			LTE	NR	2.4GHz WLAN	5GHz WLAN	Bluetooth	Summed	Summed		
			1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)		
NR Band n77 (Ant7)	LTE Band 5 (Ant2)	Top side at 10mm -	0.333	0.000	0.069	0.134	0.025	0.54	0.49		
		Bottom side at 10mm -	0.000	0.060	0.000	0.000	0.000	0.06	0.06		
		Front at 10mm -	0.790	0.336	0.091	0.100	0.014	1.32	1.24		
		Rear at 10mm -	0.526	0.499	0.160	0.220	0.006	1.40	1.25		
		Left side at 10mm -	0.264	0.000	0.319	0.218	0.010	0.80	0.49		
		Right side at 10mm -	0.432	0.716	0.000	0.000	0.000	1.15	1.15		
	LTE Band 7 (Ant3)	Top side at 10mm -	0.000	0.000	0.069	0.134	0.025	0.20	0.16		
		Bottom side at 10mm -	0.251	0.606	0.000	0.000	0.000	0.86	0.86		
		Front at 10mm -	0.091	0.336	0.091	0.100	0.014	0.62	0.54		
		Rear at 10mm -	0.314	0.499	0.160	0.220	0.006	1.19	1.04		
		Left side at 10mm -	0.000	0.000	0.319	0.218	0.010	0.54	0.23		
		Right side at 10mm -	0.386	0.716	0.000	0.000	0.000	1.10	1.10		
	LTE Band 12 (Ant2)	Top side at 10mm -	0.000	0.000	0.069	0.134	0.025	0.20	0.16		
		Bottom side at 10mm -	0.000	0.606	0.000	0.000	0.000	0.61	0.61		
		Front at 10mm -	0.673	0.336	0.091	0.100	0.014	1.20	1.12		
		Rear at 10mm -	0.570	0.499	0.160	0.220	0.006	1.45	1.29		
		Left side at 10mm -	0.235	0.000	0.319	0.218	0.010	0.77	0.46		
		Right side at 10mm -	0.195	0.716	0.000	0.000	0.000	0.91	0.91		
	LTE Band 13 (Ant2)	Top side at 10mm -	0.000	0.000	0.069	0.134	0.025	0.20	0.16		
		Bottom side at 10mm -	0.000	0.606	0.000	0.000	0.000	0.61	0.61		
		Front at 10mm -	0.444	0.336	0.091	0.100	0.014	0.97	0.89		
		Rear at 10mm -	0.444	0.499	0.160	0.220	0.006	1.32	1.17		
		Left side at 10mm -	0.444	0.000	0.319	0.218	0.010	0.98	0.67		
		Right side at 10mm -	0.444	0.716	0.000	0.000	0.000	1.16	1.16		
	LTE Band 14 (Ant2)	Top side at 10mm -	0.444	0.000	0.069	0.134	0.025	0.65	0.60		
		Bottom side at 10mm -	0.444	0.606	0.000	0.000	0.000	1.05	1.05		
		Front at 10mm -	0.456	0.336	0.091	0.100	0.014	0.98	0.91		
		Rear at 10mm -	0.456	0.499	0.160	0.220	0.006	1.33	1.18		
		Left side at 10mm -	0.456	0.000	0.319	0.218	0.010	0.99	0.68		
		Right side at 10mm -	0.456	0.716	0.000	0.000	0.000	1.17	1.17		
	LTE Band 41 (Ant3)	Top side at 10mm -	0.456	0.000	0.069	0.134	0.025	0.66	0.61		
		Bottom side at 10mm -	0.456	0.606	0.000	0.000	0.000	1.06	1.06		
		Front at 10mm -	0.082	0.336	0.091	0.100	0.014	0.61	0.53		
		Rear at 10mm -	0.254	0.499	0.160	0.220	0.006	1.13	0.98		
		Left side at 10mm -	0.000	0.000	0.319	0.218	0.010	0.54	0.23		
		Right side at 10mm -	0.525	0.716	0.000	0.000	0.000	1.24	1.24		
	NR Band n77 (Ant4)	LTE Band 66 (Ant1)	Top side at 10mm -	0.000	0.000	0.069	0.134	0.025	0.20	0.16	
			Bottom side at 10mm -	0.000	0.606	0.000	0.000	0.000	0.61	0.61	
			Front at 10mm -	0.397	0.536	0.091	0.100	0.014	1.12	1.05	
			Rear at 10mm -	0.369	0.466	0.160	0.220	0.006	1.21	1.06	
			Left side at 10mm -	0.000	0.000	0.319	0.218	0.010	0.54	0.23	
			Right side at 10mm -	0.739	0.301	0.000	0.000	0.000	1.04	1.04	
			Top side at 10mm -	0.333	0.318	0.069	0.134	0.025	0.85	0.81	
			Bottom side at 10mm -	0.000	0.000	0.000	0.000	0.000	0.00	0.00	
NR Band n78 (Ant7)			LTE Band 2 (Ant1)	Front at 10mm -	0.322	0.336	0.091	0.100	0.014	0.85	0.77
				Rear at 10mm -	0.383	0.499	0.160	0.220	0.006	1.26	1.11
	Left side at 10mm -	0.000		0.000	0.319	0.218	0.010	0.54	0.23		
	Right side at 10mm -	0.719		0.716	0.000	0.000	0.000	1.44	1.44		
	Top side at 10mm -	0.423		0.000	0.069	0.134	0.025	0.63	0.58		
	Bottom side at 10mm -	0.000		0.606	0.000	0.000	0.000	0.61	0.61		
	LTE Band 5 (Ant2)	Front at 10mm -		0.790	0.336	0.091	0.100	0.014	1.32	1.24	
		Rear at 10mm -		0.526	0.499	0.160	0.220	0.006	1.40	1.25	
		Left side at 10mm -		0.264	0.000	0.319	0.218	0.010	0.80	0.49	
		Right side at 10mm -		0.432	0.716	0.000	0.000	0.000	1.15	1.15	
Top side at 10mm -		0.000	0.000	0.069	0.134	0.025	0.20	0.16			
Bottom side at 10mm -		0.251	0.606	0.000	0.000	0.000	0.86	0.86			
LTE Band 12 (Ant2)	Front at 10mm -	0.673	0.336	0.091	0.100	0.014	1.20	1.12			
	Rear at 10mm -	0.570	0.499	0.160	0.220	0.006	1.45	1.29			
	Left side at 10mm -	0.235	0.000	0.319	0.218	0.010	0.77	0.46			
	Right side at 10mm -	0.195	0.716	0.000	0.000	0.000	0.91	0.91			
	Top side at 10mm -	0.000	0.000	0.069	0.134	0.025	0.20	0.16			
	Bottom side at 10mm -	0.096	0.606	0.000	0.000	0.000	0.70	0.70			
LTE Band 13 (Ant2)	Front at 10mm -	0.444	0.336	0.091	0.100	0.014	0.97	0.89			
	Rear at 10mm -	0.444	0.499	0.160	0.220	0.006	1.32	1.17			
	Left side at 10mm -	0.444	0.000	0.319	0.218	0.010	0.98	0.67			
	Right side at 10mm -	0.444	0.716	0.000	0.000	0.000	1.16	1.16			
	Top side at 10mm -	0.444	0.000	0.069	0.134	0.025	0.65	0.60			
	Bottom side at 10mm -	0.444	0.606	0.000	0.000	0.000	1.05	1.05			
LTE Band 26 (Ant2)	Front at 10mm -	0.774	0.336	0.091	0.100	0.014	1.30	1.22			
	Rear at 10mm -	0.511	0.499	0.160	0.220	0.006	1.39	1.24			
	Left side at 10mm -	0.392	0.000	0.319	0.218	0.010	0.93	0.62			
	Right side at 10mm -	0.440	0.716	0.000	0.000	0.000	1.16	1.16			
	Top side at 10mm -	0.000	0.000	0.069	0.134	0.025	0.20	0.16			
	Bottom side at 10mm -	0.231	0.606	0.000	0.000	0.000	0.84	0.84			
LTE Band 38 (Ant3)	Front at 10mm -	0.082	0.336	0.091	0.100	0.014	0.61	0.53			
	Rear at 10mm -	0.254	0.499	0.160	0.220	0.006	1.13	0.98			
	Left side at 10mm -	0.000	0.000	0.319	0.218	0.010	0.54	0.23			
	Right side at 10mm -	0.452	0.716	0.000	0.000	0.000	1.17	1.17			
	Top side at 10mm -	0.000	0.000	0.069	0.134	0.025	0.20	0.16			
	Bottom side at 10mm -	0.000	0.606	0.000	0.000	0.000	0.61	0.61			
LTE Band 41 (Ant3)	Front at 10mm -	0.082	0.336	0.091	0.100	0.014	0.61	0.53			
	Rear at 10mm -	0.254	0.499	0.160	0.220	0.006	1.13	0.98			
	Left side at 10mm -	0.000	0.000	0.319	0.218	0.010	0.54	0.23			
	Right side at 10mm -	0.452	0.716	0.000	0.000	0.000	1.17	1.17			
	Top side at 10mm -	0.000	0.000	0.069	0.134	0.025	0.20	0.16			
	Bottom side at 10mm -	0.000	0.606	0.000	0.000	0.000	0.61	0.61			
LTE Band 71 (Ant2)	Front at 10mm -	0.348	0.336	0.091	0.100	0.014	0.87	0.80			
	Rear at 10mm -	0.406	0.499	0.160	0.220	0.006	1.28	1.13			
	Left side at 10mm -	0.235	0.000	0.319	0.218	0.010	0.77	0.46			
	Right side at 10mm -	0.314	0.716	0.000	0.000	0.000	1.03	1.03			
	Top side at 10mm -	0.000	0.000	0.069	0.134	0.025	0.20	0.16			
	Bottom side at 10mm -	0.067	0.606	0.000	0.000	0.000	0.67	0.67			
NR Band n78 (Ant4)	LTE Band 2 (Ant1)	Front at 10mm -	0.322	0.536	0.091	0.100	0.014	1.05	0.97		
		Rear at 10mm -	0.383	0.466	0.160	0.220	0.006	1.23	1.07		
		Left side at 10mm -	0.000	0.000	0.319	0.218	0.010	0.54	0.23		
		Right side at 10mm -	0.719	0.301	0.000	0.000	0.000	1.02	1.02		
		Top side at 10mm -	0.423	0.318	0.069	0.134	0.025	0.94	0.90		
		Bottom side at 10mm -	0.000	0.000	0.000	0.000	0.000	0.00	0.00		
	LTE Band 4 (Ant1)	Front at 10mm -	0.397	0.536	0.091	0.100	0.014	1.12	1.05		
		Rear at 10mm -	0.369	0.466	0.160	0.220	0.006	1.21	1.06		
		Left side at 10mm -	0.000	0.000	0.319	0.218	0.010	0.54	0.23		
		Right side at 10mm -	0.739	0.301	0.000	0.000	0.000	1.04	1.04		
		Top side at 10mm -	0.333	0.318	0.069	0.134	0.025	0.85	0.81		
		Bottom side at 10mm -	0.000	0.000	0.000	0.000	0.000	0.00	0.00		
	LTE Band 66 (Ant1)	Front at 10mm -	0.397	0.536	0.091	0.100	0.014	1.12	1.05		
		Rear at 10mm -	0.369	0.466	0.160	0.220	0.006	1.21	1.06		
		Left side at 10mm -	0.000	0.000	0.319	0.218	0.010	0.54	0.23		
		Right side at 10mm -	0.739	0.301	0.000	0.000	0.000	1.04	1.04		
Bottom side at 10mm -	0.000	0.000	0.000	0.000	0.000	0.00	0.00				

Simultaneous Transmission analysis Body SAR(EN-DC)

WWAN Band		Exposure Position	1		2		3		4		5		1+2+3+4 Summed 1g SAR (W/kg)	1+2+4+5 Summed 1g SAR (W/kg)
			LTE 1g SAR (W/kg)	NR 1g SAR (W/kg)	2.4GHz WLAN 1g SAR (W/kg)	5GHz WLAN 1g SAR (W/kg)	Bluetooth 1g SAR (W/kg)							
NR Band n2 (Ant1)	LTE Band 5 (Ant2)	Front at 10mm -	0.790	0.415	0.091	0.100	0.033	1.40	1.34					
		Rear at 10mm -	0.526	0.409	0.172	0.244	0.006	1.35	1.19					
	LTE Band 12 (Ant2)	Front at 10mm -	0.673	0.415	0.091	0.100	0.033	1.28	1.22					
		Rear at 10mm -	0.570	0.409	0.172	0.244	0.006	1.40	1.23					
	LTE Band 13 (Ant2)	Front at 10mm -	0.444	0.415	0.091	0.100	0.033	1.05	0.99					
		Rear at 10mm -	0.444	0.409	0.172	0.244	0.006	1.27	1.10					
	LTE Band 14 (Ant2)	Front at 10mm -	0.456	0.415	0.091	0.100	0.033	1.06	1.00					
		Rear at 10mm -	0.456	0.409	0.172	0.244	0.006	1.28	1.12					
	LTE Band 71 (Ant2)	Front at 10mm -	0.348	0.415	0.091	0.100	0.033	0.95	0.90					
		Rear at 10mm -	0.406	0.409	0.172	0.244	0.006	1.23	1.07					
NR Band n2 (Ant3)	LTE Band 7 (Ant1)	Front at 10mm -	0.378	0.083	0.091	0.100	0.033	0.65	0.59					
		Rear at 10mm -	0.378	0.108	0.172	0.244	0.006	0.90	0.74					
	LTE Band 66 (Ant1)	Front at 10mm -	0.397	0.083	0.091	0.100	0.033	0.67	0.61					
		Rear at 10mm -	0.369	0.108	0.172	0.244	0.006	0.89	0.73					
NR Band n5 (Ant2)	LTE Band 2 (Ant1)	Front at 10mm -	0.322	0.665	0.091	0.100	0.033	1.18	1.12					
		Rear at 10mm -	0.383	0.471	0.172	0.244	0.006	1.27	1.10					
	LTE Band 7 (Ant1)	Front at 10mm -	0.378	0.665	0.091	0.100	0.033	1.23	1.18					
		Rear at 10mm -	0.378	0.471	0.172	0.244	0.006	1.27	1.10					
	LTE Band 48 (Ant7)	Front at 10mm -	0.451	0.665	0.091	0.100	0.033	1.31	1.25					
		Rear at 10mm -	0.560	0.471	0.172	0.244	0.006	1.45	1.28					
	LTE Band 66 (Ant1)	Front at 10mm -	0.397	0.665	0.091	0.100	0.033	1.25	1.20					
		Rear at 10mm -	0.369	0.471	0.172	0.244	0.006	1.26	1.09					
NR Band n7 (Ant1)	LTE Band 2 (Ant3)	Front at 10mm -	0.054	0.446	0.091	0.100	0.033	0.69	0.63					
		Rear at 10mm -	0.092	0.605	0.172	0.244	0.006	1.11	0.95					
	LTE Band 5 (Ant2)	Front at 10mm -	0.790	0.446	0.091	0.100	0.033	1.43	1.37					
		Rear at 10mm -	0.526	0.605	0.172	0.244	0.006	1.55	1.38					
	LTE Band 12 (Ant2)	Front at 10mm -	0.673	0.446	0.091	0.100	0.033	1.31	1.25					
		Rear at 10mm -	0.570	0.605	0.172	0.244	0.006	1.59	1.43					
	LTE Band 13 (Ant2)	Front at 10mm -	0.444	0.446	0.091	0.100	0.033	1.08	1.02					
		Rear at 10mm -	0.444	0.605	0.172	0.244	0.006	1.47	1.30					
	LTE Band 71 (Ant2)	Front at 10mm -	0.348	0.446	0.091	0.100	0.033	0.98	0.93					
		Rear at 10mm -	0.406	0.605	0.172	0.244	0.006	1.43	1.26					
NR Band n7 (Ant3)	LTE Band 2 (Ant1)	Front at 10mm -	0.322	0.144	0.091	0.100	0.033	0.66	0.60					
		Rear at 10mm -	0.383	0.410	0.172	0.244	0.006	1.21	1.04					
	LTE Band 66 (Ant1)	Front at 10mm -	0.397	0.144	0.091	0.100	0.033	0.73	0.67					
		Rear at 10mm -	0.369	0.410	0.172	0.244	0.006	1.19	1.03					
NR Band n12 (Ant2)	LTE Band 2 (Ant1)	Front at 10mm -	0.322	0.445	0.091	0.100	0.033	0.96	0.90					
		Rear at 10mm -	0.383	0.487	0.172	0.244	0.006	1.29	1.12					
	LTE Band 7 (Ant1)	Front at 10mm -	0.378	0.445	0.091	0.100	0.033	1.01	0.96					
		Rear at 10mm -	0.378	0.487	0.172	0.244	0.006	1.28	1.11					
NR Band n12 (Ant1)	LTE Band 66 (Ant1)	Front at 10mm -	0.397	0.445	0.091	0.100	0.033	1.03	0.98					
		Rear at 10mm -	0.369	0.487	0.172	0.244	0.006	1.27	1.11					
NR Band n25 (Ant2)	LTE Band 12 (Ant2)	Front at 10mm -	0.673	0.415	0.091	0.100	0.033	1.28	1.22					
		Rear at 10mm -	0.570	0.409	0.172	0.244	0.006	1.40	1.23					
NR Band n25 (Ant3)	LTE Band 48 (Ant7)	Front at 10mm -	0.451	0.083	0.091	0.100	0.033	0.72	0.67					
		Rear at 10mm -	0.560	0.108	0.172	0.244	0.006	1.08	0.92					
	LTE Band 66 (Ant1)	Front at 10mm -	0.397	0.083	0.091	0.100	0.033	0.67	0.61					
		Rear at 10mm -	0.369	0.108	0.172	0.244	0.006	0.89	0.73					
NR Band n38 (Ant1)	LTE Band 2 (Ant3)	Front at 10mm -	0.054	0.170	0.091	0.100	0.033	0.41	0.36					
		Rear at 10mm -	0.092	0.311	0.172	0.244	0.006	0.82	0.65					
	LTE Band 4 (Ant3)	Front at 10mm -	0.093	0.170	0.091	0.100	0.033	0.45	0.40					
		Rear at 10mm -	0.060	0.311	0.172	0.244	0.006	0.79	0.62					
	LTE Band 5 (Ant2)	Front at 10mm -	0.790	0.170	0.091	0.100	0.033	1.15	1.09					
		Rear at 10mm -	0.526	0.311	0.172	0.244	0.006	1.25	1.09					
	LTE Band 12 (Ant2)	Front at 10mm -	0.673	0.170	0.091	0.100	0.033	1.03	0.98					
		Rear at 10mm -	0.570	0.311	0.172	0.244	0.006	1.30	1.13					
	LTE Band 66 (Ant3)	Front at 10mm -	0.093	0.170	0.091	0.100	0.033	0.45	0.40					
		Rear at 10mm -	0.060	0.311	0.172	0.244	0.006	0.79	0.62					
NR Band n38 (Ant3)	LTE Band 71 (Ant2)	Front at 10mm -	0.348	0.170	0.091	0.100	0.033	0.71	0.65					
		Rear at 10mm -	0.406	0.311	0.172	0.244	0.006	1.13	0.97					
	LTE Band 4 (Ant1)	Front at 10mm -	0.397	0.093	0.091	0.100	0.033	0.68	0.62					
		Rear at 10mm -	0.369	0.150	0.172	0.244	0.006	0.93	0.77					
NR Band n38 (Ant1)	LTE Band 66 (Ant1)	Front at 10mm -	0.397	0.093	0.091	0.100	0.033	0.68	0.62					
		Rear at 10mm -	0.369	0.150	0.172	0.244	0.006	0.93	0.77					
	LTE Band 2 (Ant3)	Front at 10mm -	0.054	0.170	0.091	0.100	0.033	0.41	0.36					
		Rear at 10mm -	0.092	0.311	0.172	0.244	0.006	0.82	0.65					
NR Band n41 (Ant1)	LTE Band 4 (Ant3)	Front at 10mm -	0.093	0.170	0.091	0.100	0.033	0.45	0.40					
		Rear at 10mm -	0.060	0.311	0.172	0.244	0.006	0.79	0.62					
	LTE Band 5 (Ant2)	Front at 10mm -	0.790	0.170	0.091	0.100	0.033	1.15	1.09					
		Rear at 10mm -	0.526	0.311	0.172	0.244	0.006	1.25	1.09					
	LTE Band 12 (Ant2)	Front at 10mm -	0.673	0.170	0.091	0.100	0.033	1.03	0.98					
		Rear at 10mm -	0.570	0.311	0.172	0.244	0.006	1.30	1.13					
	LTE Band 25 (Ant3)	Front at 10mm -	0.054	0.170	0.091	0.100	0.033	0.41	0.36					
		Rear at 10mm -	0.092	0.311	0.172	0.244	0.006	0.82	0.65					
	LTE Band 26 (Ant2)	Front at 10mm -	0.774	0.170	0.091	0.100	0.033	1.13	1.08					
		Rear at 10mm -	0.511	0.311	0.172	0.244	0.006	1.24	1.07					
NR Band n41 (Ant3)	LTE Band 66 (Ant3)	Front at 10mm -	0.093	0.170	0.091	0.100	0.033	0.45	0.40					
		Rear at 10mm -	0.060	0.311	0.172	0.244	0.006	0.79	0.62					
	LTE Band 71 (Ant2)	Front at 10mm -	0.348	0.170	0.091	0.100	0.033	0.71	0.65					
		Rear at 10mm -	0.406	0.311	0.172	0.244	0.006	1.13	0.97					
NR Band n48 (Ant4)	LTE Band 66 (Ant1)	Front at 10mm -	0.397	0.093	0.091	0.100	0.033	0.68	0.62					
		Rear at 10mm -	0.369	0.150	0.172	0.244	0.006	0.93	0.77					
NR Band n48 (Ant5)	LTE Band 2 (Ant1)	Front at 10mm -	0.322	0.238	0.091	0.100	0.033	0.75	0.69					
		Rear at 10mm -	0.383	0.216	0.172	0.244	0.006	1.02	0.85					
	LTE Band 66 (Ant1)	Front at 10mm -	0.397	0.238	0.091	0.100	0.033	0.83	0.77					
		Rear at 10mm -	0.369	0.216	0.172	0.244	0.006	1.00	0.84					
NR Band n48 (Ant7)	LTE Band 5 (Ant2)	Front at 10mm -	0.790	0.261	0.091	0.100	0.033	1.24	1.18					
		Rear at 10mm -	0.526	0.516	0.172	0.244	0.006	1.46	1.29					
NR Band n66 (Ant1)	LTE Band 5 (Ant2)	Front at 10mm -	0.790	0.218	0.091	0.100	0.033	1.20	1.14					
		Rear at 10mm -	0.526	0.217	0.172	0.244	0.006	1.16	0.99					
	LTE Band 12 (Ant2)	Front at 10mm -	0.673	0.218	0.091	0.100	0.033	1.08	1.02					
		Rear at 10mm -	0.570	0.217	0.172	0.244	0.006	1.20	1.04					
	LTE Band 13 (Ant2)	Front at 10mm -	0.444	0.218	0.091	0.100	0.033	0.85	0.80					
		Rear at 10mm -	0.444	0.217	0.172	0.244	0.006	1.08	0.91					
	LTE Band 14 (Ant2)	Front at 10mm -	0.456	0.218	0.091	0.100	0.033	0.87	0.81					
	Rear at 10mm -	0.456	0.217	0.172	0.244	0.006	1.09	0.92						
NR Band n66 (Ant3)	LTE Band 71 (Ant2)	Front at 10mm -	0.348	0.218	0.091	0.100	0.033	0.76	0.70					
		Rear at 10mm -	0.406	0.217	0.172	0.244	0.006	1.04	0.87					
	LTE Band 2 (Ant1)	Front at 10mm -	0.322	0.098	0.091	0.100	0.033	0.61	0.55					
		Rear at 10mm -	0.383	0.073	0.172	0.244	0.006	0.87	0.71					
NR Band n66 (Ant7)	LTE Band 7 (Ant1)	Front at 10mm -	0.378	0.098	0.091	0.100	0.033	0.67	0.61					
		Rear at 10mm -	0.378	0.073	0.172	0.244	0.006							

WWAN Band		Exposure Position	1	2	3	4	5	1+2+3+4	1+2+4+5
			LTE	NR	2.4GHz WLAN	5GHz WLAN	Bluetooth	Summed	Summed
			1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)
NR Band n77 (Ant7)	(Ant1)	Rear at 10mm -	0.369	0.422	0.172	0.244	0.006	1.21	1.04
	LTE Band 5 (Ant2)	Front at 10mm -	0.790	0.336	0.091	0.100	0.033	1.32	1.26
		Rear at 10mm -	0.526	0.499	0.172	0.244	0.006	1.44	1.28
	LTE Band 7 (Ant3)	Front at 10mm -	0.091	0.336	0.091	0.100	0.033	0.62	0.56
		Rear at 10mm -	0.314	0.499	0.172	0.244	0.006	1.23	1.06
	LTE Band 12 (Ant2)	Front at 10mm -	0.673	0.336	0.091	0.100	0.033	1.20	1.14
		Rear at 10mm -	0.570	0.499	0.172	0.244	0.006	1.48	1.32
	LTE Band 13 (Ant2)	Front at 10mm -	0.444	0.336	0.091	0.100	0.033	0.97	0.91
		Rear at 10mm -	0.444	0.499	0.172	0.244	0.006	1.36	1.19
	LTE Band 14 (Ant2)	Front at 10mm -	0.456	0.336	0.091	0.100	0.033	0.98	0.93
		Rear at 10mm -	0.456	0.499	0.172	0.244	0.006	1.37	1.21
	LTE Band 41 (Ant3)	Front at 10mm -	0.082	0.336	0.091	0.100	0.033	0.61	0.55
		Rear at 10mm -	0.254	0.499	0.172	0.244	0.006	1.17	1.00
	NR Band n77 (Ant4)	LTE Band 66 (Ant1)	Front at 10mm -	0.397	0.468	0.091	0.100	0.033	1.06
	Rear at 10mm -	0.369	0.678	0.172	0.244	0.006	1.46	1.30	
NR Band n78 (Ant7)	LTE Band 2 (Ant1)	Front at 10mm -	0.322	0.336	0.091	0.100	0.033	0.85	0.79
		Rear at 10mm -	0.383	0.499	0.172	0.244	0.006	1.30	1.13
	LTE Band 5 (Ant2)	Front at 10mm -	0.790	0.336	0.091	0.100	0.033	1.32	1.26
		Rear at 10mm -	0.526	0.499	0.172	0.244	0.006	1.44	1.28
	LTE Band 12 (Ant2)	Front at 10mm -	0.673	0.336	0.091	0.100	0.033	1.20	1.14
		Rear at 10mm -	0.570	0.499	0.172	0.244	0.006	1.48	1.32
	LTE Band 13 (Ant2)	Front at 10mm -	0.444	0.336	0.091	0.100	0.033	0.97	0.91
		Rear at 10mm -	0.444	0.499	0.172	0.244	0.006	1.36	1.19
	LTE Band 26 (Ant2)	Front at 10mm -	0.774	0.336	0.091	0.100	0.033	1.30	1.24
		Rear at 10mm -	0.511	0.499	0.172	0.244	0.006	1.43	1.26
	LTE Band 38 (Ant3)	Front at 10mm -	0.082	0.336	0.091	0.100	0.033	0.61	0.55
		Rear at 10mm -	0.254	0.499	0.172	0.244	0.006	1.17	1.00
	LTE Band 41 (Ant3)	Front at 10mm -	0.082	0.336	0.091	0.100	0.033	0.61	0.55
		Rear at 10mm -	0.254	0.499	0.172	0.244	0.006	1.17	1.00
	LTE Band 71 (Ant2)	Front at 10mm -	0.348	0.336	0.091	0.100	0.033	0.88	0.82
		Rear at 10mm -	0.406	0.499	0.172	0.244	0.006	1.32	1.15
NR Band n78 (Ant4)	LTE Band 2 (Ant1)	Front at 10mm -	0.322	0.468	0.091	0.100	0.033	0.98	0.92
		Rear at 10mm -	0.383	0.678	0.172	0.244	0.006	1.48	1.31
	LTE Band 4 (Ant1)	Front at 10mm -	0.397	0.468	0.091	0.100	0.033	1.06	1.00
		Rear at 10mm -	0.369	0.678	0.172	0.244	0.006	1.46	1.30
	LTE Band 66 (Ant1)	Front at 10mm -	0.397	0.468	0.091	0.100	0.033	1.06	1.00
		Rear at 10mm -	0.369	0.678	0.172	0.244	0.006	1.46	1.30



Appendix F. Photographs of EUT and Setup