

Test Mode:	802.11b-Antenna2	Test Date:	2023-10-21
Test Channel:	11	Test Engineer:	Stone Zhang
Remark:	1. Other frequency was 20dB below limit line within 1-18GHz, there is not show in the report. 2. This is the worst case of Radiated Emission for 1-18GHz.		

Frequency (MHz)	Level (dBμV/m)	Factor (dB)	Limit (dBμV/m)	Margin (dB)	Detector	Polarization
1196.0000	41.54	-14.33	54.00	12.46	AV	Horizontal
1200.0000	45.71	-14.33	74.00	28.29	PK	Horizontal
1594.0000	42.01	-13.51	54.00	11.99	AV	Horizontal
1596.0000	48.82	-13.50	74.00	25.18	PK	Horizontal
4920.0000	49.62	-2.37	74.00	24.38	PK	Horizontal
4920.0000	38.33	-2.37	54.00	15.67	AV	Horizontal
7320.0000	51.68	3.69	74.00	22.32	PK	Horizontal
7445.0000	43.47	3.89	54.00	10.53	AV	Horizontal
1330.0000	48.89	-14.12	74.00	25.11	PK	Vertical
1332.0000	43.91	-14.12	54.00	10.09	AV	Vertical
1784.0000	42.44	-12.62	54.00	11.56	AV	Vertical
1804.0000	49.10	-12.51	74.00	24.90	PK	Vertical
4800.0000	36.90	-2.61	54.00	17.10	AV	Vertical
4920.0000	47.89	-2.37	74.00	26.11	PK	Vertical
7020.0000	51.60	2.95	74.00	22.40	PK	Vertical
7045.0000	42.17	2.95	54.00	11.83	AV	Vertical

Test Mode:	802.11n20-MIMO	Test Date:	2023-10-21
Test Channel:	01	Test Engineer:	Stone Zhang
Remark:	1. Other frequency was 20dB below limit line within 1-18GHz, there is not show in the report. 2. This is the worst case of Radiated Emission for 1-18GHz.		

Frequency (MHz)	Level (dBμV/m)	Factor (dB)	Limit (dBμV/m)	Margin (dB)	Detector	Polarization
1120.0000	43.55	-14.44	74.00	30.45	PK	Horizontal
1120.0000	38.73	-14.44	54.00	15.27	AV	Horizontal
1328.0000	44.45	-14.12	74.00	29.55	PK	Horizontal
1330.0000	40.38	-14.12	54.00	13.62	AV	Horizontal
4825.0000	50.01	-2.61	74.00	23.99	PK	Horizontal
4825.0000	41.24	-2.61	54.00	12.76	AV	Horizontal
7365.0000	43.10	3.86	54.00	10.90	AV	Horizontal
7405.0000	52.52	3.72	74.00	21.48	PK	Horizontal
1110.0000	46.86	-14.46	74.00	27.14	PK	Vertical
1120.0000	43.00	-14.44	54.00	11.00	AV	Vertical
1328.0000	50.76	-14.12	74.00	23.24	PK	Vertical
1332.0000	46.42	-14.12	54.00	7.58	AV	Vertical
4820.0000	52.32	-2.61	74.00	21.68	PK	Vertical
4820.0000	43.08	-2.61	54.00	10.92	AV	Vertical
7010.0000	50.94	2.95	74.00	23.06	PK	Vertical
7240.0000	42.56	3.47	54.00	11.44	AV	Vertical

Test Mode:	802.11n20-MIMO	Test Date:	2023-10-21
Test Channel:	06	Test Engineer:	Stone Zhang
Remark:	1. Other frequency was 20dB below limit line within 1-18GHz, there is not show in the report. 2. This is the worst case of Radiated Emission for 1-18GHz		

Frequency (MHz)	Level (dBμV/m)	Factor (dB)	Limit (dBμV/m)	Margin (dB)	Detector	Polarization
1152.0000	48.33	-14.38	74.00	25.67	PK	Horizontal
1152.0000	41.65	-14.38	54.00	12.35	AV	Horizontal
1328.0000	43.31	-14.12	74.00	30.69	PK	Horizontal
1330.0000	38.94	-14.12	54.00	15.06	AV	Horizontal
4870.0000	51.96	-2.52	74.00	22.04	PK	Horizontal
4875.0000	42.54	-2.49	54.00	11.46	AV	Horizontal
7350.0000	51.96	3.93	74.00	22.04	PK	Horizontal
7350.0000	43.36	3.93	54.00	10.64	AV	Horizontal
1118.0000	47.11	-14.44	74.00	26.89	PK	Vertical
1120.0000	41.49	-14.44	54.00	12.51	AV	Vertical
1328.0000	48.86	-14.12	74.00	25.14	PK	Vertical
1328.0000	40.53	-14.12	54.00	13.47	AV	Vertical
2132.0000	45.79	-10.92	54.00	8.21	AV	Vertical
2134.0000	50.47	-10.90	74.00	23.53	PK	Vertical
4870.0000	50.88	-2.52	74.00	23.12	PK	Vertical
4875.0000	42.34	-2.49	54.00	11.66	AV	Vertical

Test Mode:	802.11n20-MIMO	Test Date:	2023-10-21
Test Channel:	11	Test Engineer:	Stone Zhang
Remark:	1. Other frequency was 20dB below limit line within 1-18GHz, there is not show in the report. 2. This is the worst case of Radiated Emission for 1-18GHz.		

Frequency (MHz)	Level (dBμV/m)	Factor (dB)	Limit (dBμV/m)	Margin (dB)	Detector	Polarization
1132.0000	38.76	-14.42	54.00	15.24	AV	Horizontal
1150.0000	43.51	-14.38	74.00	30.49	PK	Horizontal
1330.0000	44.85	-14.12	74.00	29.15	PK	Horizontal
1332.0000	39.98	-14.12	54.00	14.02	AV	Horizontal
4920.0000	52.93	-2.37	74.00	21.07	PK	Horizontal
4920.0000	42.15	-2.37	54.00	11.85	AV	Horizontal
7045.0000	50.83	2.95	74.00	23.17	PK	Horizontal
7160.0000	42.39	3.22	54.00	11.61	AV	Horizontal
1112.0000	47.01	-14.45	74.00	26.99	PK	Vertical
1120.0000	43.70	-14.44	54.00	10.30	AV	Vertical
1328.0000	42.15	-14.12	54.00	11.85	AV	Vertical
1330.0000	46.03	-14.12	74.00	27.97	PK	Vertical
4920.0000	51.49	-2.37	74.00	22.51	PK	Vertical
4920.0000	44.12	-2.37	54.00	9.88	AV	Vertical
7765.0000	52.94	4.25	74.00	21.06	PK	Vertical
7775.0000	44.01	4.19	54.00	9.99	AV	Vertical

2) For Antenna RD542109NB87-2

Test Mode:	802.11b-Antenna1	Test Date:	2023-10-21
Test Channel:	01	Test Engineer:	Stone Zhang
Remark:	1. Other frequency was 20dB below limit line within 1-18GHz, there is not show in the report. 2. This is the worst case of Radiated Emission for 1-18GHz.		

Frequency (MHz)	Level (dBμV/m)	Factor (dB)	Limit (dBμV/m)	Margin (dB)	Detector	Polarization
1112.0000	48.15	-14.45	74.00	25.85	PK	Horizontal
1112.0000	42.96	-14.45	54.00	11.04	AV	Horizontal
1594.0000	44.09	-13.51	54.00	9.91	AV	Horizontal
1596.0000	48.61	-13.50	74.00	25.39	PK	Horizontal
4820.0000	57.01	-2.61	74.00	16.99	PK	Horizontal
4820.0000	43.68	-2.61	54.00	10.32	AV	Horizontal
9100.0000	53.02	6.54	74.00	20.98	PK	Horizontal
9310.0000	45.50	7.39	54.00	8.50	AV	Horizontal
1114.0000	47.77	-14.45	74.00	26.23	PK	Vertical
1114.0000	42.33	-14.45	54.00	11.67	AV	Vertical
1756.0000	50.16	-12.80	74.00	23.84	PK	Vertical
1756.0000	43.08	-12.80	54.00	10.92	AV	Vertical
4820.0000	41.77	-2.61	54.00	12.23	AV	Vertical
4820.0000	53.62	-2.61	74.00	20.38	PK	Vertical
6375.0000	53.51	1.44	74.00	20.49	PK	Vertical
6385.0000	43.88	1.48	54.00	10.12	AV	Vertical

Test Mode:	802.11b-Antenna1	Test Date:	2023-10-21
Test Channel:	06	Test Engineer:	Stone Zhang
Remark:	1. Other frequency was 20dB below limit line within 1-18GHz, there is not show in the report. 2. This is the worst case of Radiated Emission for 1-18GHz.		

Frequency (MHz)	Level (dBμV/m)	Factor (dB)	Limit (dBμV/m)	Margin (dB)	Detector	Polarization
1114.0000	42.99	-14.45	54.00	11.01	AV	Horizontal
1140.0000	47.35	-14.40	74.00	26.65	PK	Horizontal
1594.0000	42.60	-13.51	54.00	11.40	AV	Horizontal
1596.0000	47.22	-13.50	74.00	26.78	PK	Horizontal
4870.0000	54.05	-2.52	74.00	19.95	PK	Horizontal
4870.0000	42.61	-2.52	54.00	11.39	AV	Horizontal
9095.0000	54.00	6.52	74.00	20.00	PK	Horizontal
9295.0000	44.76	7.36	54.00	9.24	AV	Horizontal
1118.0000	48.04	-14.44	74.00	25.96	PK	Vertical
1118.0000	43.33	-14.44	54.00	10.67	AV	Vertical
1766.0000	50.49	-12.74	74.00	23.51	PK	Vertical
1766.0000	45.23	-12.74	54.00	8.77	AV	Vertical
4870.0000	42.40	-2.52	54.00	11.60	AV	Vertical
4870.0000	54.15	-2.52	74.00	19.85	PK	Vertical
6370.0000	43.46	1.43	54.00	10.54	AV	Vertical
6385.0000	51.54	1.48	74.00	22.46	PK	Vertical

Test Mode:	802.11b-Antenna1	Test Date:	2023-10-21
Test Channel:	11	Test Engineer:	Stone Zhang
Remark:	1. Other frequency was 20dB below limit line within 1-18GHz, there is not show in the report. 2. This is the worst case of Radiated Emission for 1-18GHz.		

Frequency (MHz)	Level (dBμV/m)	Factor (dB)	Limit (dBμV/m)	Margin (dB)	Detector	Polarization
1232.0000	47.46	-14.27	74.00	26.54	PK	Horizontal
1232.0000	42.69	-14.27	54.00	11.31	AV	Horizontal
1596.0000	48.13	-13.50	74.00	25.87	PK	Horizontal
1596.0000	42.99	-13.50	54.00	11.01	AV	Horizontal
4920.0000	41.35	-2.37	54.00	12.65	AV	Horizontal
4920.0000	53.28	-2.37	74.00	20.72	PK	Horizontal
8705.0000	53.88	5.63	74.00	20.12	PK	Horizontal
9050.0000	44.54	6.29	54.00	9.46	AV	Horizontal
1246.0000	41.43	-14.24	54.00	12.57	AV	Vertical
1258.0000	47.61	-14.22	74.00	26.39	PK	Vertical
1588.0000	43.53	-13.53	54.00	10.47	AV	Vertical
1594.0000	49.22	-13.51	74.00	24.78	PK	Vertical
4920.0000	42.12	-2.37	54.00	11.88	AV	Vertical
4920.0000	53.10	-2.37	74.00	20.90	PK	Vertical
6375.0000	43.39	1.44	54.00	10.61	AV	Vertical
6380.0000	51.94	1.46	74.00	22.06	PK	Vertical

Test Mode:	802.11b-Antenna2	Test Date:	2023-10-21
Test Channel:	01	Test Engineer:	Stone Zhang
Remark:	1. Other frequency was 20dB below limit line within 1-18GHz, there is not show in the report. 2. This is the worst case of Radiated Emission for 1-18GHz		

Frequency (MHz)	Level (dBμV/m)	Factor (dB)	Limit (dBμV/m)	Margin (dB)	Detector	Polarization
1200.0000	43.16	-14.33	54.00	10.84	AV	Horizontal
1222.0000	49.03	-14.29	74.00	24.97	PK	Horizontal
1594.0000	44.85	-13.51	54.00	9.15	AV	Horizontal
1596.0000	48.06	-13.50	74.00	25.94	PK	Horizontal
4820.0000	43.69	-2.61	54.00	10.31	AV	Horizontal
4820.0000	56.19	-2.61	74.00	17.81	PK	Horizontal
7885.0000	51.94	3.86	74.00	22.06	PK	Horizontal
8295.0000	44.44	4.79	54.00	9.56	AV	Horizontal
1114.0000	48.11	-14.45	74.00	25.89	PK	Vertical
1122.0000	42.89	-14.43	54.00	11.11	AV	Vertical
1542.0000	48.96	-13.69	74.00	25.04	PK	Vertical
1598.0000	46.25	-13.50	54.00	7.75	AV	Vertical
4820.0000	41.92	-2.61	54.00	12.08	AV	Vertical
4820.0000	53.91	-2.61	74.00	20.09	PK	Vertical
6380.0000	43.42	1.46	54.00	10.58	AV	Vertical
6395.0000	50.50	1.51	74.00	23.50	PK	Vertical

Test Mode:	802.11b-Antenna2	Test Date:	2023-10-21
Test Channel:	06	Test Engineer:	Stone Zhang
Remark:	1. Other frequency was 20dB below limit line within 1-18GHz, there is not show in the report. 2. This is the worst case of Radiated Emission for 1-18GHz		

Frequency (MHz)	Level (dBμV/m)	Factor (dB)	Limit (dBμV/m)	Margin (dB)	Detector	Polarization
1224.0000	43.37	-14.29	54.00	10.63	AV	Horizontal
1230.0000	47.50	-14.27	74.00	26.50	PK	Horizontal
1594.0000	46.65	-13.51	74.00	27.35	PK	Horizontal
1594.0000	41.28	-13.51	54.00	12.72	AV	Horizontal
4870.0000	42.72	-2.52	54.00	11.28	AV	Horizontal
4870.0000	54.53	-2.52	74.00	19.47	PK	Horizontal
8320.0000	52.93	4.97	74.00	21.07	PK	Horizontal
8705.0000	43.65	5.63	54.00	10.35	AV	Horizontal
1118.0000	43.55	-14.44	54.00	10.45	AV	Vertical
1120.0000	46.93	-14.44	74.00	27.07	PK	Vertical
1594.0000	48.43	-13.51	54.00	5.57	AV	Vertical
1600.0000	49.56	-13.49	74.00	24.44	PK	Vertical
4870.0000	42.65	-2.52	54.00	11.35	AV	Vertical
4870.0000	54.48	-2.52	74.00	19.52	PK	Vertical
6390.0000	49.78	1.49	74.00	24.22	PK	Vertical
6395.0000	43.76	1.51	54.00	10.24	AV	Vertical

Test Mode:	802.11b-Antenna2	Test Date:	2023-10-21
Test Channel:	11	Test Engineer:	Stone Zhang
Remark:	1. Other frequency was 20dB below limit line within 1-18GHz, there is not show in the report. 2. This is the worst case of Radiated Emission for 1-18GHz.		

Frequency (MHz)	Level (dBμV/m)	Factor (dB)	Limit (dBμV/m)	Margin (dB)	Detector	Polarization
1332.0000	49.74	-14.12	74.00	24.26	PK	Horizontal
1332.0000	48.95	-14.12	54.00	5.05	AV	Horizontal
1592.0000	47.54	-13.52	74.00	26.46	PK	Horizontal
1594.0000	43.73	-13.51	54.00	10.27	AV	Horizontal
4920.0000	52.91	-2.37	74.00	21.09	PK	Horizontal
4920.0000	41.52	-2.37	54.00	12.48	AV	Horizontal
8340.0000	52.29	5.14	74.00	21.71	PK	Horizontal
8345.0000	44.76	5.18	54.00	9.24	AV	Horizontal
1264.0000	49.14	-14.21	74.00	24.86	PK	Vertical
1266.0000	41.54	-14.21	54.00	12.46	AV	Vertical
1594.0000	46.74	-13.51	54.00	7.26	AV	Vertical
1596.0000	49.77	-13.50	74.00	24.23	PK	Vertical
4920.0000	52.99	-2.37	74.00	21.01	PK	Vertical
4920.0000	40.77	-2.37	54.00	13.23	AV	Vertical
7935.0000	52.81	4.32	74.00	21.19	PK	Vertical
8805.0000	44.84	6.12	54.00	9.16	AV	Vertical

Test Mode:	802.11n20-MIMO	Test Date:	2023-10-21
Test Channel:	01	Test Engineer:	Stone Zhang
Remark:	1. Other frequency was 20dB below limit line within 1-18GHz, there is not show in the report. 2. This is the worst case of Radiated Emission for 1-18GHz.		

Frequency (MHz)	Level (dBμV/m)	Factor (dB)	Limit (dBμV/m)	Margin (dB)	Detector	Polarization
1118.0000	41.68	-14.44	54.00	12.32	AV	Horizontal
1140.0000	47.67	-14.40	74.00	26.33	PK	Horizontal
1594.0000	43.34	-13.51	54.00	10.66	AV	Horizontal
1600.0000	47.44	-13.49	74.00	26.56	PK	Horizontal
7425.0000	43.12	3.81	54.00	10.88	AV	Horizontal
7440.0000	51.83	3.87	74.00	22.17	PK	Horizontal
9095.0000	53.12	6.52	74.00	20.88	PK	Horizontal
9310.0000	44.45	7.39	54.00	9.55	AV	Horizontal
1598.0000	49.93	-13.50	74.00	24.07	PK	Vertical
1598.0000	47.90	-13.50	54.00	6.10	AV	Vertical
3185.0000	39.03	-6.15	54.00	14.97	AV	Vertical
3195.0000	48.37	-6.15	74.00	25.63	PK	Vertical
3985.0000	45.57	-4.87	74.00	28.43	PK	Vertical
3995.0000	36.98	-4.82	54.00	17.02	AV	Vertical
6375.0000	41.93	1.44	54.00	12.07	AV	Vertical
6380.0000	50.45	1.46	74.00	23.55	PK	Vertical

Test Mode:	802.11n20-MIMO	Test Date:	2023-10-21
Test Channel:	06	Test Engineer:	Stone Zhang
Remark:	1. Other frequency was 20dB below limit line within 1-18GHz, there is not show in the report. 2. This is the worst case of Radiated Emission for 1-18GHz		

Frequency (MHz)	Level (dBμV/m)	Factor (dB)	Limit (dBμV/m)	Margin (dB)	Detector	Polarization
1142.0000	48.08	-14.40	74.00	25.92	PK	Horizontal
1200.0000	42.32	-14.33	54.00	11.68	AV	Horizontal
1594.0000	46.56	-13.51	74.00	27.44	PK	Horizontal
1596.0000	40.38	-13.50	54.00	13.62	AV	Horizontal
6375.0000	39.96	1.44	54.00	14.04	AV	Horizontal
6405.0000	49.37	1.50	74.00	24.63	PK	Horizontal
9010.0000	53.78	6.15	74.00	20.22	PK	Horizontal
9305.0000	45.21	7.40	54.00	8.79	AV	Horizontal
1250.0000	48.12	-14.24	74.00	25.88	PK	Vertical
1250.0000	43.02	-14.24	54.00	10.98	AV	Vertical
1594.0000	44.81	-13.51	54.00	9.19	AV	Vertical
1596.0000	48.67	-13.50	74.00	25.33	PK	Vertical
3995.0000	37.20	-4.82	54.00	16.80	AV	Vertical
3995.0000	46.08	-4.82	74.00	27.92	PK	Vertical
6375.0000	42.48	1.44	54.00	11.52	AV	Vertical
6375.0000	49.69	1.44	74.00	24.31	PK	Vertical

Test Mode:	802.11n20-MIMO	Test Date:	2023-10-21
Test Channel:	11	Test Engineer:	Stone Zhang
Remark:	1. Other frequency was 20dB below limit line within 1-18GHz, there is not show in the report. 2. This is the worst case of Radiated Emission for 1-18GHz.		

Frequency (MHz)	Level (dBμV/m)	Factor (dB)	Limit (dBμV/m)	Margin (dB)	Detector	Polarization
1176.0000	46.45	-14.36	74.00	27.55	PK	Horizontal
1204.0000	41.38	-14.32	54.00	12.62	AV	Horizontal
1596.0000	43.92	-13.50	54.00	10.08	AV	Horizontal
1598.0000	47.94	-13.50	74.00	26.06	PK	Horizontal
6010.0000	48.46	0.22	74.00	25.54	PK	Horizontal
6030.0000	38.63	0.30	54.00	15.37	AV	Horizontal
7055.0000	51.47	2.97	74.00	22.53	PK	Horizontal
7065.0000	42.49	3.01	54.00	11.51	AV	Horizontal
1198.0000	49.26	-14.33	74.00	24.74	PK	Vertical
1198.0000	45.69	-14.33	54.00	8.31	AV	Vertical
1328.0000	42.38	-14.12	54.00	11.62	AV	Vertical
1330.0000	49.57	-14.12	74.00	24.43	PK	Vertical
6370.0000	46.07	1.43	54.00	7.93	AV	Vertical
6380.0000	55.15	1.46	74.00	18.85	PK	Vertical
8285.0000	53.49	4.76	74.00	20.51	PK	Vertical
8320.0000	44.71	4.97	54.00	9.29	AV	Vertical

3) For Antenna RD542109NB87-3

Test Mode:	802.11b-Antenna1	Test Date:	2023-10-21
Test Channel:	01	Test Engineer:	Stone Zhang
Remark:	1. Other frequency was 20dB below limit line within 1-18GHz, there is not show in the report. 2. This is the worst case of Radiated Emission for 1-18GHz.		

Frequency (MHz)	Level (dBμV/m)	Factor (dB)	Limit (dBμV/m)	Margin (dB)	Detector	Polarization
1168.0000	49.74	-14.36	74.00	24.26	PK	Horizontal
1195.0000	42.86	-14.34	54.00	11.14	AV	Horizontal
1596.0000	49.25	-13.50	74.00	24.75	PK	Horizontal
1596.0000	48.50	-13.50	54.00	5.50	AV	Horizontal
4820.0000	43.11	-2.61	54.00	10.89	AV	Horizontal
4820.0000	55.65	-2.61	74.00	18.35	PK	Horizontal
7090.0000	42.94	3.12	54.00	11.06	AV	Horizontal
7365.0000	52.60	3.86	74.00	21.40	PK	Horizontal
1493.0000	50.57	-13.84	74.00	23.43	PK	Vertical
1493.0000	47.23	-13.84	54.00	6.77	AV	Vertical
1992.0000	52.03	-11.82	74.00	21.97	PK	Vertical
1992.0000	44.89	-11.82	54.00	9.11	AV	Vertical
4820.0000	41.49	-2.61	54.00	12.51	AV	Vertical
4820.0000	53.92	-2.61	74.00	20.08	PK	Vertical
7095.0000	52.48	3.15	74.00	21.52	PK	Vertical
7325.0000	43.23	3.73	54.00	10.77	AV	Vertical

Test Mode:	802.11b-Antenna1	Test Date:	2023-10-21
Test Channel:	06	Test Engineer:	Stone Zhang
Remark:	1. Other frequency was 20dB below limit line within 1-18GHz, there is not show in the report. 2. This is the worst case of Radiated Emission for 1-18GHz.		

Frequency (MHz)	Level (dBμV/m)	Factor (dB)	Limit (dBμV/m)	Margin (dB)	Detector	Polarization
1182.0000	47.06	-14.35	74.00	26.94	PK	Horizontal
1198.0000	43.37	-14.33	54.00	10.63	AV	Horizontal
1594.0000	43.74	-13.51	54.00	10.26	AV	Horizontal
1596.0000	48.66	-13.50	74.00	25.34	PK	Horizontal
4870.0000	53.71	-2.52	74.00	20.29	PK	Horizontal
4870.0000	42.10	-2.52	54.00	11.90	AV	Horizontal
7805.0000	52.77	4.03	74.00	21.23	PK	Horizontal
7920.0000	44.15	4.10	54.00	9.85	AV	Horizontal
1330.0000	48.59	-14.12	74.00	25.41	PK	Vertical
1330.0000	46.74	-14.12	54.00	7.26	AV	Vertical
1782.0000	50.63	-12.64	74.00	23.37	PK	Vertical
1782.0000	44.22	-12.64	54.00	9.78	AV	Vertical
4870.0000	41.36	-2.52	54.00	12.64	AV	Vertical
4870.0000	51.73	-2.52	74.00	22.27	PK	Vertical
8735.0000	53.75	5.66	74.00	20.25	PK	Vertical
9285.0000	45.62	7.26	54.00	8.38	AV	Vertical

Test Mode:	802.11b-Antenna1	Test Date:	2023-10-21
Test Channel:	11	Test Engineer:	Stone Zhang
Remark:	1. Other frequency was 20dB below limit line within 1-18GHz, there is not show in the report. 2. This is the worst case of Radiated Emission for 1-18GHz.		

Frequency (MHz)	Level (dBμV/m)	Factor (dB)	Limit (dBμV/m)	Margin (dB)	Detector	Polarization
1730.0000	43.37	-12.91	54.00	10.63	AV	Horizontal
1734.0000	47.84	-12.89	74.00	26.16	PK	Horizontal
2126.0000	43.12	-10.96	54.00	10.88	AV	Horizontal
2126.0000	47.87	-10.96	74.00	26.13	PK	Horizontal
4920.0000	57.15	-2.37	74.00	16.85	PK	Horizontal
4920.0000	45.11	-2.37	54.00	8.89	AV	Horizontal
9035.0000	54.34	6.24	74.00	19.66	PK	Horizontal
9300.0000	45.83	7.42	54.00	8.17	AV	Horizontal
1496.0000	50.04	-13.83	74.00	23.96	PK	Vertical
1496.0000	46.77	-13.83	54.00	7.23	AV	Vertical
1764.0000	50.69	-12.75	74.00	23.31	PK	Vertical
1764.0000	44.39	-12.75	54.00	9.61	AV	Vertical
4920.0000	44.21	-2.37	54.00	9.79	AV	Vertical
4920.0000	56.66	-2.37	74.00	17.34	PK	Vertical
8750.0000	55.22	5.67	74.00	18.78	PK	Vertical
8995.0000	44.82	6.09	54.00	9.18	AV	Vertical

Test Mode:	802.11b-Antenna2	Test Date:	2023-10-21
Test Channel:	01	Test Engineer:	Stone Zhang
Remark:	1. Other frequency was 20dB below limit line within 1-18GHz, there is not show in the report. 2. This is the worst case of Radiated Emission for 1-18GHz		

Frequency (MHz)	Level (dBμV/m)	Factor (dB)	Limit (dBμV/m)	Margin (dB)	Detector	Polarization
1594.0000	46.30	-13.51	54.00	7.70	AV	Horizontal
1596.0000	48.17	-13.50	74.00	25.83	PK	Horizontal
3980.0000	45.66	-4.90	74.00	28.34	PK	Horizontal
3985.0000	35.61	-4.87	54.00	18.39	AV	Horizontal
7060.0000	51.29	2.99	74.00	22.71	PK	Horizontal
7280.0000	43.01	3.50	54.00	10.99	AV	Horizontal
8700.0000	53.83	5.62	74.00	20.17	PK	Horizontal
9080.0000	45.06	6.44	54.00	8.94	AV	Horizontal
1196.0000	48.90	-14.33	74.00	25.10	PK	Vertical
1196.0000	44.20	-14.33	54.00	9.80	AV	Vertical
4795.0000	47.03	-2.62	74.00	26.97	PK	Vertical
4795.0000	39.67	-2.62	54.00	14.33	AV	Vertical
6380.0000	50.96	1.46	74.00	23.04	PK	Vertical
6385.0000	42.02	1.48	54.00	11.98	AV	Vertical
7950.0000	53.96	4.53	74.00	20.04	PK	Vertical
8345.0000	44.97	5.18	54.00	9.03	AV	Vertical

Test Mode:	802.11b-Antenna2	Test Date:	2023-10-21
Test Channel:	06	Test Engineer:	Stone Zhang
Remark:	1. Other frequency was 20dB below limit line within 1-18GHz, there is not show in the report. 2. This is the worst case of Radiated Emission for 1-18GHz		

Frequency (MHz)	Level (dBμV/m)	Factor (dB)	Limit (dBμV/m)	Margin (dB)	Detector	Polarization
1596.0000	49.21	-13.50	74.00	24.79	PK	Horizontal
1598.0000	46.91	-13.50	54.00	7.09	AV	Horizontal
2124.0000	47.52	-10.97	74.00	26.48	PK	Horizontal
2124.0000	42.22	-10.97	54.00	11.78	AV	Horizontal
4870.0000	46.70	-2.52	74.00	27.30	PK	Horizontal
4870.0000	37.32	-2.52	54.00	16.68	AV	Horizontal
7765.0000	52.70	4.25	74.00	21.30	PK	Horizontal
7945.0000	43.96	4.46	54.00	10.04	AV	Horizontal
1594.0000	49.98	-13.51	74.00	24.02	PK	Vertical
1598.0000	46.29	-13.50	54.00	7.71	AV	Vertical
3185.0000	38.04	-6.15	54.00	15.96	AV	Vertical
3190.0000	49.50	-6.15	74.00	24.50	PK	Vertical
4870.0000	48.17	-2.52	74.00	25.83	PK	Vertical
4870.0000	37.78	-2.52	54.00	16.22	AV	Vertical
6375.0000	43.48	1.44	54.00	10.52	AV	Vertical
6400.0000	51.15	1.53	74.00	22.85	PK	Vertical

Test Mode:	802.11b-Antenna2	Test Date:	2023-10-21
Test Channel:	11	Test Engineer:	Stone Zhang
Remark:	1. Other frequency was 20dB below limit line within 1-18GHz, there is not show in the report. 2. This is the worst case of Radiated Emission for 1-18GHz.		

Frequency (MHz)	Level (dBμV/m)	Factor (dB)	Limit (dBμV/m)	Margin (dB)	Detector	Polarization
1598.0000	48.08	-13.50	74.00	25.92	PK	Horizontal
1598.0000	46.96	-13.50	54.00	7.04	AV	Horizontal
1952.0000	48.33	-11.98	74.00	25.67	PK	Horizontal
1954.0000	45.73	-11.98	54.00	8.27	AV	Horizontal
4920.0000	37.17	-2.37	54.00	16.83	AV	Horizontal
4920.0000	47.52	-2.37	74.00	26.48	PK	Horizontal
7570.0000	52.47	3.79	74.00	21.53	PK	Horizontal
7780.0000	44.67	4.16	54.00	9.33	AV	Horizontal
1594.0000	51.20	-13.51	74.00	22.80	PK	Vertical
1594.0000	48.68	-13.51	54.00	5.32	AV	Vertical
3980.0000	48.10	-4.90	74.00	25.90	PK	Vertical
3980.0000	38.07	-4.90	54.00	15.93	AV	Vertical
4920.0000	38.01	-2.37	54.00	15.99	AV	Vertical
4920.0000	48.35	-2.37	74.00	25.65	PK	Vertical
7925.0000	53.03	4.17	74.00	20.97	PK	Vertical
7950.0000	44.92	4.53	54.00	9.08	AV	Vertical

Test Mode:	802.11n20-MIMO	Test Date:	2023-10-21
Test Channel:	01	Test Engineer:	Stone Zhang
Remark:	1. Other frequency was 20dB below limit line within 1-18GHz, there is not show in the report. 2. This is the worst case of Radiated Emission for 1-18GHz.		

Frequency (MHz)	Level (dBμV/m)	Factor (dB)	Limit (dBμV/m)	Margin (dB)	Detector	Polarization
1120.0000	40.15	-14.44	54.00	13.85	AV	Horizontal
1134.0000	44.00	-14.41	74.00	30.00	PK	Horizontal
1518.0000	40.89	-13.77	74.00	33.11	PK	Horizontal
1642.0000	35.02	-13.26	54.00	18.98	AV	Horizontal
3920.0000	35.21	-5.15	54.00	18.79	AV	Horizontal
4110.0000	44.35	-4.54	74.00	29.65	PK	Horizontal
7020.0000	43.50	2.95	54.00	10.50	AV	Horizontal
7315.0000	52.31	3.65	74.00	21.69	PK	Horizontal
1114.0000	48.23	-14.45	74.00	25.77	PK	Vertical
1114.0000	41.81	-14.45	54.00	12.19	AV	Vertical
1328.0000	50.54	-14.12	74.00	23.46	PK	Vertical
1328.0000	43.26	-14.12	54.00	10.74	AV	Vertical
3980.0000	45.24	-4.90	74.00	28.76	PK	Vertical
3980.0000	35.54	-4.90	54.00	18.46	AV	Vertical
7005.0000	51.52	2.95	74.00	22.48	PK	Vertical
7195.0000	42.75	3.52	54.00	11.25	AV	Vertical

Test Mode:	802.11n20-MIMO	Test Date:	2023-10-21
Test Channel:	06	Test Engineer:	Stone Zhang
Remark:	1. Other frequency was 20dB below limit line within 1-18GHz, there is not show in the report. 2. This is the worst case of Radiated Emission for 1-18GHz		

Frequency (MHz)	Level (dBμV/m)	Factor (dB)	Limit (dBμV/m)	Margin (dB)	Detector	Polarization
1146.0000	45.53	-14.39	74.00	28.47	PK	Horizontal
1152.0000	39.77	-14.38	54.00	14.23	AV	Horizontal
4250.0000	45.18	-4.01	74.00	28.82	PK	Horizontal
4325.0000	35.25	-3.69	54.00	18.75	AV	Horizontal
6060.0000	48.92	0.39	74.00	25.08	PK	Horizontal
6100.0000	39.46	0.42	54.00	14.54	AV	Horizontal
7000.0000	51.78	2.95	74.00	22.22	PK	Horizontal
7020.0000	42.92	2.95	54.00	11.08	AV	Horizontal
1162.0000	47.41	-14.37	74.00	26.59	PK	Vertical
1162.0000	42.13	-14.37	54.00	11.87	AV	Vertical
1328.0000	47.86	-14.12	74.00	26.14	PK	Vertical
1332.0000	41.70	-14.12	54.00	12.30	AV	Vertical
4550.0000	36.57	-2.69	54.00	17.43	AV	Vertical
4730.0000	45.20	-2.77	74.00	28.80	PK	Vertical
7200.0000	51.94	3.57	74.00	22.06	PK	Vertical
7465.0000	43.78	3.89	54.00	10.22	AV	Vertical