


Appendix-C Field Strength of Spurious Radiation-LTE

For LTE:

Project Information			
Mode:	LTE	Band:	Band 2
Bandwidth:	20MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	申状
Remark:	Polarity: X		

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1870.94	113.69	-93.48	20.21	-	-	Horizontal	NA
2	1967.15	42.27	-93.37	-51.10	-	-	Horizontal	NA
3	2998.00	40.66	-88.70	-48.04	-13.00	35.04	Horizontal	PASS
4	14678.00	37.19	-86.11	-48.92	-13.00	35.92	Horizontal	PASS
5	17351.50	35.60	-82.46	-46.86	-13.00	33.86	Horizontal	PASS

Project Information

Mode:	LTE	Band:	Band 2
Bandwidth:	20MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	申状
Remark:	Polarity: X		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1871.14	112.72	-93.48	19.24	-	-	Vertical	NA
2	1954.75	50.40	-93.41	-43.01	-	-	Vertical	NA
3	2807.09	41.37	-89.43	-48.06	-13.00	35.06	Vertical	PASS
4	15246.00	36.11	-86.01	-49.90	-13.00	36.90	Vertical	PASS
5	17360.50	36.08	-82.81	-46.73	-13.00	33.73	Vertical	PASS

Project Information

Mode:	LTE	Band:	Band 4
Bandwidth:	20MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	申状
Remark:	Polarity: X		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1723.50	112.74	-94.04	18.70	-	-	Horizontal	NA
2	2131.60	41.17	-92.95	-51.78	-	-	Horizontal	NA
3	2974.60	40.75	-88.85	-48.10	-13.00	35.10	Horizontal	PASS
4	15247.00	34.00	-85.98	-51.98	-13.00	38.98	Horizontal	PASS
5	17348.00	33.88	-82.49	-48.61	-13.00	35.61	Horizontal	PASS

Project Information

Mode:	LTE	Band:	Band 4
Bandwidth:	20MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	申状
Remark:	Polarity: X		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1723.50	111.92	-94.04	17.88	-	-	Vertical	NA
2	2141.10	47.03	-92.97	-45.94	-	-	Vertical	NA
3	2964.70	40.70	-88.91	-48.21	-13.00	35.21	Vertical	PASS
4	15066.00	34.08	-86.32	-52.24	-13.00	39.24	Vertical	PASS
5	17353.00	33.25	-82.52	-49.27	-13.00	36.27	Vertical	PASS

Project Information			
Mode:	LTE	Band:	Band 5
Bandwidth:	10MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	申状
Remark:	Polarity: X		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	4025.80	40.77	-106.15	-65.38	-13.00	52.38	Horizontal	PASS
2	6334.75	38.92	-99.04	-60.12	-13.00	47.12	Horizontal	PASS
3	9590.50	36.41	-91.80	-55.39	-13.00	42.39	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	Band 5
Bandwidth:	10MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	申状
Remark:	Polarity: X		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	4302.10	39.36	-104.34	-64.98	-13.00	51.98	Vertical	PASS
2	7384.60	37.14	-96.59	-59.45	-13.00	46.45	Vertical	PASS
3	9487.45	36.97	-92.91	-55.94	-13.00	42.94	Vertical	PASS

Project Information			
Mode:	LTE	Band:	Band 7
Bandwidth:	20MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	申状
Remark:	Polarity: X		

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2526.10	107.48	-90.88	16.60	-	-	Horizontal	NA
2	2993.50	40.93	-88.73	-47.80	-25.00	22.80	Horizontal	PASS
3	10104.00	39.24	-92.07	-52.83	-25.00	27.83	Horizontal	PASS
4	17346.00	33.16	-82.58	-49.42	-25.00	24.42	Horizontal	PASS

Project Information

Mode:	LTE	Band:	Band 7
Bandwidth:	20MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	申状
Remark:	Polarity: X		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2526.10	105.04	-90.88	14.16	-	-	Vertical	NA
2	2663.70	47.97	-90.09	-42.12	-	-	Vertical	NA
3	2986.40	40.86	-88.77	-47.91	-25.00	22.91	Vertical	PASS
4	10104.50	48.07	-92.07	-44.00	-25.00	19.00	Vertical	PASS
5	17369.00	33.90	-83.14	-49.24	-25.00	24.24	Vertical	PASS

Project Information			
Mode:	LTE	Band:	Band 12
Bandwidth:	10MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	申状
Remark:	Polarity: X		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	4787.20	38.83	-102.96	-64.13	-13.00	51.13	Horizontal	PASS
2	7006.00	37.50	-97.24	-59.74	-13.00	46.74	Horizontal	PASS
3	8894.00	36.95	-93.13	-56.18	-13.00	43.18	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	Band 12
Bandwidth:	10MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	申状
Remark:	Polarity: X		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	3604.00	40.47	-107.10	-66.63	-13.00	53.63	Vertical	PASS
2	6335.20	38.18	-99.05	-60.87	-13.00	47.87	Vertical	PASS
3	8907.20	36.81	-93.30	-56.49	-13.00	43.49	Vertical	PASS

Project Information			
Mode:	LTE	Band:	Band 13
Bandwidth:	10MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	申状
Remark:	Polarity: X		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	3456.80	41.86	-107.43	-65.57	-13.00	52.57	Horizontal	PASS
2	5721.20	39.15	-100.23	-61.08	-13.00	48.08	Horizontal	PASS
3	8861.20	36.98	-92.95	-55.97	-13.00	42.97	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	Band 13
Bandwidth:	10MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	申状
Remark:	Polarity: X		

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	4222.40	39.41	-105.31	-65.90	-13.00	52.90	Vertical	PASS
2	5816.80	39.54	-100.08	-60.54	-13.00	47.54	Vertical	PASS
3	8854.40	37.10	-92.90	-55.80	-13.00	42.80	Vertical	PASS

Project Information

Mode:	LTE	Band:	Band 14
Bandwidth:	10MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	申状
Remark:	Polarity: X		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	3466.80	41.82	-107.42	-65.60	-13.00	52.60	Horizontal	PASS
2	6506.00	38.23	-98.86	-60.63	-13.00	47.63	Horizontal	PASS
3	8999.20	37.41	-93.48	-56.07	-13.00	43.07	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	Band 14
Bandwidth:	10MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	申状
Remark:	Polarity: X		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	3790.40	40.87	-106.78	-65.91	-13.00	52.91	Vertical	PASS
2	6429.20	39.00	-99.25	-60.25	-13.00	47.25	Vertical	PASS
3	8918.80	37.11	-93.52	-56.41	-13.00	43.41	Vertical	PASS

Project Information			
Mode:	LTE	Band:	Band 17
Bandwidth:	10MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	申状
Remark:	Polarity: X		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	4366.40	39.71	-104.30	-64.59	-13.00	51.59	Horizontal	PASS
2	6329.60	38.99	-99.01	-60.02	-13.00	47.02	Horizontal	PASS
3	8899.60	37.67	-93.17	-55.50	-13.00	42.50	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	Band 17
Bandwidth:	10MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	申状
Remark:	Polarity: X		

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1411.20	45.93	-114.35	-68.42	-13.00	55.42	Vertical	PASS
2	5740.00	38.93	-100.24	-61.31	-13.00	48.31	Vertical	PASS
3	8869.20	36.70	-92.99	-56.29	-13.00	43.29	Vertical	PASS

Project Information

Mode:	LTE	Band:	Band 25
Bandwidth:	20MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	申状
Remark:	Polarity: X		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1873.64	113.58	-93.47	20.11	-	-	Horizontal	NA
2	1969.35	43.53	-93.36	-49.83	-	-	Horizontal	NA
3	2995.30	40.95	-88.72	-47.77	-13.00	34.77	Horizontal	PASS
4	14670.00	36.71	-85.89	-49.18	-13.00	36.18	Horizontal	PASS
5	17352.00	35.83	-82.48	-46.65	-13.00	33.65	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	Band 25
Bandwidth:	20MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	申状
Remark:	Polarity: X		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1873.64	112.89	-93.47	19.42	-	-	Vertical	NA
2	1970.65	50.36	-93.35	-42.99	-	-	Vertical	NA
3	2992.60	40.96	-88.74	-47.78	-13.00	34.78	Vertical	PASS
4	14663.00	36.69	-85.70	-49.01	-13.00	36.01	Vertical	PASS
5	17358.50	35.62	-82.73	-47.11	-13.00	34.11	Vertical	PASS

Project Information			
Mode:	LTE	Band:	Band 26(814-824)
Bandwidth:	10MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	申状
Remark:	Polarity: X		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	4234.40	39.28	-105.22	-65.94	-13.00	52.94	Horizontal	PASS
2	6296.00	38.53	-98.89	-60.36	-13.00	47.36	Horizontal	PASS
3	8889.20	37.13	-93.10	-55.97	-13.00	42.97	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	Band 26(814-824)
Bandwidth:	10MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	申状
Remark:	Polarity: X		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	4308.00	39.15	-104.33	-65.18	-13.00	52.18	Vertical	PASS
2	6310.80	38.62	-98.91	-60.29	-13.00	47.29	Vertical	PASS
3	8882.00	36.95	-93.06	-56.11	-13.00	43.11	Vertical	PASS

Project Information			
Mode:	LTE	Band:	Band 26(824-849)
Bandwidth:	10MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	申状
Remark:	Polarity: X		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	4785.20	40.27	-102.97	-62.70	-13.00	49.70	Horizontal	PASS
2	7292.40	38.09	-96.04	-57.95	-13.00	44.95	Horizontal	PASS
3	8881.20	37.09	-93.07	-55.98	-13.00	42.98	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	Band 26(824-849)
Bandwidth:	10MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	申状
Remark:	Polarity: X		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	4523.60	39.09	-104.41	-65.32	-13.00	52.32	Vertical	PASS
2	6328.40	38.84	-99.01	-60.17	-13.00	47.17	Vertical	PASS
3	8872.00	37.62	-93.01	-55.39	-13.00	42.39	Vertical	PASS

Project Information			
Mode:	LTE	Band:	Band 30
Bandwidth:	10MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	申状
Remark:	Polarity: X		

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2305.60	107.93	-91.89	16.04	-	-	Horizontal	NA
2	2973.70	40.97	-88.85	-47.88	-40.00	7.88	Horizontal	PASS
3	15251.00	34.04	-85.93	-51.89	-40.00	11.89	Horizontal	PASS
4	17345.00	33.26	-82.62	-49.36	-40.00	9.36	Horizontal	PASS

Project Information

Mode:	LTE	Band:	Band 30
Bandwidth:	10MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	申状
Remark:	Polarity: X		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2305.70	111.21	-91.89	19.32	-	-	Vertical	NA
2	2358.00	46.98	-91.99	-45.01	-	-	Vertical	NA
3	4611.00	43.83	-103.83	-60.00	-40.00	20.00	Vertical	PASS
4	9222.50	44.75	-92.57	-47.82	-40.00	7.82	Vertical	PASS
5	17354.50	33.04	-82.58	-49.54	-40.00	9.54	Vertical	PASS

Project Information

Mode:	LTE	Band:	Band 38
Bandwidth:	20MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	申状
Remark:	Polarity: X		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2586.20	107.76	-90.55	17.21	-	-	Horizontal	NA
2	2984.50	40.93	-88.79	-47.86	-25.00	22.86	Horizontal	PASS
3	14665.50	33.98	-85.77	-51.79	-25.00	26.79	Horizontal	PASS
4	17352.50	33.09	-82.50	-49.41	-25.00	24.41	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	Band 38
Bandwidth:	20MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	申状
Remark:	Polarity: X		

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2586.10	103.74	-90.55	13.19	-	-	Vertical	NA
2	2995.10	40.95	-88.72	-47.77	-25.00	22.77	Vertical	PASS
3	10344.50	45.17	-91.52	-46.35	-25.00	21.35	Vertical	PASS
4	17344.50	33.78	-82.66	-48.88	-25.00	23.88	Vertical	PASS

Project Information

Mode:	LTE	Band:	Band 41
Bandwidth:	20MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	申状
Remark:	Polarity: X		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2584.10	109.73	-90.57	19.16	-	-	Horizontal	NA
2	2997.00	40.99	-88.71	-47.72	-25.00	22.72	Horizontal	PASS
3	15079.50	34.42	-86.27	-51.85	-25.00	26.85	Horizontal	PASS
4	17363.50	33.97	-82.93	-48.96	-25.00	23.96	Horizontal	PASS

Project Information

Mode:	LTE	Band:	Band 41
Bandwidth:	20MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	申状
Remark:	Polarity: X		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2584.00	105.57	-90.57	15.00	-	-	Vertical	NA
2	2991.40	41.00	-88.74	-47.74	-25.00	22.74	Vertical	PASS
3	5168.00	42.73	-102.04	-59.31	-25.00	34.31	Vertical	PASS
4	10336.50	44.03	-91.51	-47.48	-25.00	22.48	Vertical	PASS

Project Information			
Mode:	LTE	Band:	Band 42(3450-3550MHz)
Bandwidth:	20MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	申状
Remark:	Polarity: X		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	3491.23	116.77	-88.93	27.84	-	-	Horizontal	NA
2	6367.73	41.68	-80.07	-38.39	-13.00	25.39	Horizontal	PASS
3	6981.85	42.06	-97.15	-55.09	-13.00	42.09	Horizontal	PASS
4	17997.32	33.01	-81.51	-48.50	-13.00	35.50	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	Band 42(3450-3550MHz)
Bandwidth:	20MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	申状
Remark:	Polarity: X		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	3491.23	112.21	-88.93	23.28	-	-	Vertical	NA
2	6351.50	40.72	-79.88	-39.16	-13.00	26.16	Vertical	PASS
3	6982.23	48.75	-97.14	-48.39	-13.00	35.39	Vertical	PASS
4	10473.63	39.09	-90.92	-51.83	-13.00	38.83	Vertical	PASS

Project Information			
Mode:	LTE	Band:	Band 42(3550-3600MHz)
Bandwidth:	20MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	申状
Remark:	Polarity: X		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	3566.03	116.88	-88.83	28.05	-	-	Horizontal	NA
2	6116.65	41.46	-80.75	-39.29	-13.00	26.29	Horizontal	PASS
3	7132.50	46.02	-97.70	-51.68	-13.00	38.68	Horizontal	PASS
4	17344.50	33.97	-83.20	-49.23	-13.00	36.23	Horizontal	PASS


Project Information			
Mode:	LTE	Band:	Band 42(3550-3600MHz)
Bandwidth:	20MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	申状
Remark:	Polarity: X		

Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	3566.30	111.97	-88.82	23.15	-	-	Vertical	NA
2	6322.35	41.05	-80.22	-39.17	-13.00	26.17	Vertical	PASS
3	7132.12	52.79	-97.68	-44.89	-13.00	31.89	Vertical	PASS
4	10698.27	38.63	-91.69	-53.06	-13.00	40.06	Vertical	PASS


Project Information			
Mode:	LTE	Band:	Band 43(3600-3700MHz)
Bandwidth:	20MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	申状
Remark:	Polarity: X		

Test Graph

Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	3641.10	112.82	-88.55	24.27	-	-	Horizontal	NA
2	6488.73	40.48	-79.83	-39.35	-13.00	26.35	Horizontal	PASS
3	7282.00	40.45	-96.25	-55.80	-13.00	42.80	Horizontal	PASS
4	17991.57	32.42	-81.59	-49.17	-13.00	36.17	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	Band 43(3600-3700MHz)
Bandwidth:	20MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	申状
Remark:	Polarity: X		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	3641.10	111.63	-88.55	23.08	-	-	Vertical	NA
2	6346.83	40.82	-79.91	-39.09	-13.00	26.09	Vertical	PASS
3	7282.00	49.02	-96.25	-47.23	-13.00	34.23	Vertical	PASS
4	17872.73	32.64	-81.56	-48.92	-13.00	35.92	Vertical	PASS

Project Information			
Mode:	LTE	Band:	Band 48
Bandwidth:	20MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	申状
Remark:	Polarity: X		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	3616.08	111.65	-88.64	23.01	-	-	Horizontal	NA
2	6362.50	31.80	-80.00	-48.20	-40.00	8.20	Horizontal	PASS
3	7232.17	39.79	-95.97	-56.18	-40.00	16.18	Horizontal	PASS
4	17883.47	32.63	-81.70	-49.07	-40.00	9.07	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	Band 48
Bandwidth:	20MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	申状
Remark:	Polarity: X		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	3616.08	111.58	-88.64	22.94	-	-	Vertical	NA
2	6351.78	32.32	-79.89	-47.57	-40.00	7.57	Vertical	PASS
3	7231.78	46.77	-95.96	-49.19	-40.00	9.19	Vertical	PASS
4	17981.60	32.65	-81.73	-49.08	-40.00	9.08	Vertical	PASS

Project Information			
Mode:	LTE	Band:	Band 66
Bandwidth:	20MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	申状
Remark:	Polarity: X		

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1746.20	112.08	-93.97	18.11	-	-	Horizontal	NA
2	2992.90	41.52	-88.73	-47.21	-13.00	34.21	Horizontal	PASS
3	14665.00	34.05	-85.75	-51.70	-13.00	38.70	Horizontal	PASS
4	17339.50	33.82	-82.88	-49.06	-13.00	36.06	Horizontal	PASS

Project Information

Mode:	LTE	Band:	Band 66
Bandwidth:	20MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	申状
Remark:	Polarity: X		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1746.10	110.46	-93.97	16.49	-	-	Vertical	NA
2	2148.00	48.11	-92.99	-44.88	-	-	Vertical	NA
3	2996.90	40.60	-88.71	-48.11	-13.00	35.11	Vertical	PASS
4	15248.50	34.33	-85.95	-51.62	-13.00	38.62	Vertical	PASS
5	17342.00	33.71	-82.77	-49.06	-13.00	36.06	Vertical	PASS

Project Information			
Mode:	LTE	Band:	Band 71
Bandwidth:	20MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	申状
Remark:	Polarity: X		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2014.80	46.44	-113.51	-67.07	-13.00	54.07	Horizontal	PASS
2	5481.60	39.75	-101.23	-61.48	-13.00	48.48	Horizontal	PASS
3	8901.60	37.29	-93.20	-55.91	-13.00	42.91	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	Band 71
Bandwidth:	20MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	申状
Remark:	Polarity: X		

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1343.20	47.41	-114.21	-66.80	-13.00	53.80	Vertical	PASS
2	6350.00	39.00	-99.13	-60.13	-13.00	47.13	Vertical	PASS
3	8928.80	37.95	-93.70	-55.75	-13.00	42.75	Vertical	PASS

For LTE CA:

Project Information			
Mode:	LTE	Band:	CA_2C
Bandwidth:	20MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	申状
Remark:	Polarity: X		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1879.00	108.41	-93.46	14.95	-	-	Horizontal	NA
2	1958.20	42.14	-93.40	-51.26	-	-	Horizontal	NA
3	2985.80	39.54	-88.78	-49.24	-13.00	36.24	Horizontal	PASS
4	14611.00	37.56	-86.26	-48.70	-13.00	35.70	Horizontal	PASS
5	17853.50	38.76	-82.50	-43.74	-13.00	30.74	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	CA_2C
Bandwidth:	20MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	申状
Remark:	Polarity: X		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1879.00	108.25	-93.46	14.79	-	-	Vertical	NA
2	1957.40	50.28	-93.40	-43.12	-	-	Vertical	NA
3	2989.00	39.49	-88.76	-49.27	-13.00	36.27	Vertical	PASS
4	15236.00	37.76	-86.24	-48.48	-13.00	35.48	Vertical	PASS
5	17352.50	38.59	-82.50	-43.91	-13.00	30.91	Vertical	PASS

Project Information			
Mode:	LTE	Band:	CA_5B
Bandwidth:	10MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	申状
Remark:	Polarity: X		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1713.20	54.72	-114.14	-59.42	-13.00	46.42	Horizontal	PASS
2	2594.00	45.68	-110.63	-64.95	-13.00	51.95	Horizontal	PASS
3	8835.20	37.10	-93.13	-56.03	-13.00	43.03	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	CA_5B
Bandwidth:	10MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	申状
Remark:	Polarity: X		

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	5480.80	40.09	-101.24	-61.15	-13.00	48.15	Vertical	PASS
2	7300.40	37.46	-95.89	-58.43	-13.00	45.43	Vertical	PASS
3	8868.40	36.81	-92.99	-56.18	-13.00	43.18	Vertical	PASS

Project Information

Mode:	LTE	Band:	CA_7C
Bandwidth:	20MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	申状
Remark:	Polarity: X		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2533.90	104.03	-90.86	13.17	-	-	Horizontal	NA
2	2975.70	40.91	-88.84	-47.93	-25.00	22.93	Horizontal	PASS
3	14334.00	34.30	-86.30	-52.00	-25.00	27.00	Horizontal	PASS
4	17350.50	33.46	-82.42	-48.96	-25.00	23.96	Horizontal	PASS

Project Information

Mode:	LTE	Band:	CA_7C
Bandwidth:	20MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	申状
Remark:	Polarity: X		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2536.10	103.65	-90.86	12.79	-	-	Vertical	NA
2	2938.60	40.74	-89.05	-48.31	-25.00	23.31	Vertical	PASS
3	10140.00	48.77	-92.04	-43.27	-25.00	18.27	Vertical	PASS
4	17346.00	33.00	-82.58	-49.58	-25.00	24.58	Vertical	PASS

Project Information			
Mode:	LTE	Band:	CA_12B
Bandwidth:	20MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	申状
Remark:	Polarity: X		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1745.85	68.62	-113.97	-45.35	-13.00	32.35	Horizontal	PASS
2	1764.05	67.00	-113.96	-46.96	-13.00	33.96	Horizontal	PASS
3	2439.20	47.30	-111.35	-64.05	-13.00	51.05	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	CA_12B
Bandwidth:	20MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	申状
Remark:	Polarity: X		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2433.95	47.65	-111.47	-63.82	-13.00	50.82	Vertical	PASS
2	6304.60	38.57	-98.87	-60.30	-13.00	47.30	Vertical	PASS
3	7918.10	37.47	-95.60	-58.13	-13.00	45.13	Vertical	PASS

Project Information			
Mode:	LTE	Band:	CA_41C
Bandwidth:	20MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	申状
Remark:	Polarity: X		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2594.00	106.74	-90.50	16.24	-	-	Horizontal	NA
2	2998.10	40.62	-88.70	-48.08	-25.00	23.08	Horizontal	PASS
3	5283.50	41.11	-101.69	-60.58	-25.00	35.58	Horizontal	PASS
4	17348.50	32.87	-82.47	-49.60	-25.00	24.60	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	CA_41C
Bandwidth:	20MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	申状
Remark:	Polarity: X		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2594.00	104.77	-90.50	14.27	-	-	Vertical	NA
2	2985.70	40.67	-88.78	-48.11	-25.00	23.11	Vertical	PASS
3	10372.00	42.63	-91.64	-49.01	-25.00	24.01	Vertical	PASS
4	17351.00	33.38	-82.44	-49.06	-25.00	24.06	Vertical	PASS

Project Information			
Mode:	LTE	Band:	CA_48C
Bandwidth:	20MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	申状
Remark:	Polarity: X		

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	3623.78	102.17	-87.04	15.13	-	-	Horizontal	NA
2	6308.05	31.36	-78.59	-47.23	-40.00	7.23	Horizontal	PASS
3	14082.72	35.56	-87.10	-51.54	-40.00	11.54	Horizontal	PASS
4	17988.50	32.59	-81.64	-49.05	-40.00	9.05	Horizontal	PASS

Project Information

Mode:	LTE	Band:	CA_48C
Bandwidth:	20MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	申状
Remark:	Polarity: X		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	3624.05	103.20	-87.04	16.16	-	-	Vertical	NA
2	6285.50	31.67	-78.73	-47.06	-40.00	7.06	Vertical	PASS
3	15232.33	34.01	-85.90	-51.89	-40.00	11.89	Vertical	PASS
4	17860.47	32.86	-81.41	-48.55	-40.00	8.55	Vertical	PASS

Project Information

Mode:	LTE	Band:	CA_66C
Bandwidth:	20MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	申状
Remark:	Polarity: X		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1756.00	106.84	-93.94	12.90	-	-	Horizontal	NA
2	2825.80	41.05	-89.33	-48.28	-13.00	35.28	Horizontal	PASS
3	15110.00	34.54	-86.34	-51.80	-13.00	38.80	Horizontal	PASS
4	17357.00	33.27	-82.67	-49.40	-13.00	36.40	Horizontal	PASS

Project Information

Mode:	LTE	Band:	CA_66C
Bandwidth:	20MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	申状
Remark:	Polarity: X		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1756.00	102.67	-93.94	8.73	-	-	Vertical	NA
2	2150.90	47.56	-92.99	-45.43	-	-	Vertical	NA
3	2990.50	40.71	-88.75	-48.04	-13.00	35.04	Vertical	PASS
4	13822.00	34.85	-86.98	-52.13	-13.00	39.13	Vertical	PASS
5	17345.00	33.18	-82.62	-49.44	-13.00	36.44	Vertical	PASS

Project Information

Mode:	LTE	Band:	CA_66B
Bandwidth:	20MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	申状
Remark:	Polarity: X		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1754.50	106.41	-93.94	12.47	-	-	Horizontal	NA
2	2999.70	40.57	-88.69	-48.12	-13.00	35.12	Horizontal	PASS
3	15072.00	34.15	-86.30	-52.15	-13.00	39.15	Horizontal	PASS
4	17334.00	33.73	-83.14	-49.41	-13.00	36.41	Horizontal	PASS

Project Information

Mode:	LTE	Band:	CA_66B
Bandwidth:	20MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	申状
Remark:	Polarity: X		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1754.50	102.21	-93.94	8.27	-	-	Vertical	NA
2	2150.90	46.87	-92.99	-46.12	-	-	Vertical	NA
3	2997.40	40.68	-88.71	-48.03	-13.00	35.03	Vertical	PASS
4	14665.50	33.70	-85.77	-52.07	-13.00	39.07	Vertical	PASS
5	17369.50	33.62	-83.16	-49.54	-13.00	36.54	Vertical	PASS

Project Information			
Mode:	LTE CA	Band:	CA_2A-12A
Bandwidth:	20MHz+10MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	申状
Remark:	Polarity: X		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1888.90	110.07	-93.43	16.64	-	-	Horizontal	NA
2	1967.90	43.15	-93.36	-50.21	-	-	Horizontal	NA
3	2998.40	40.87	-88.70	-47.83	-13.00	34.83	Horizontal	PASS
4	14659.00	34.47	-85.59	-51.12	-13.00	38.12	Horizontal	PASS
5	17352.00	33.29	-82.48	-49.19	-13.00	36.19	Horizontal	PASS

Project Information			
Mode:	LTE CA	Band:	CA_2A-12A
Bandwidth:	20MHz+10MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	申状
Remark:	Polarity: X		

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1889.00	109.59	-93.43	16.16	-	-	Vertical	NA
2	1954.80	49.46	-93.41	-43.95	-	-	Vertical	NA
3	2992.80	41.05	-88.73	-47.68	-13.00	34.68	Vertical	PASS
4	14602.50	34.45	-86.46	-52.01	-13.00	39.01	Vertical	PASS
5	17347.00	33.02	-82.53	-49.51	-13.00	36.51	Vertical	PASS

Project Information

Mode:	LTE CA	Band:	CA_2A-13A
Bandwidth:	20MHz+10MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	申状
Remark:	Polarity: X		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1888.80	111.45	-93.43	18.02	-	-	Horizontal	NA
2	1968.10	43.26	-93.36	-50.10	-	-	Horizontal	NA
3	2964.20	40.82	-88.91	-48.09	-13.00	35.09	Horizontal	PASS
4	14362.50	34.22	-86.17	-51.95	-13.00	38.95	Horizontal	PASS
5	17345.50	33.21	-82.60	-49.39	-13.00	36.39	Horizontal	PASS

Project Information

Mode:	LTE CA	Band:	CA_2A-13A
Bandwidth:	20MHz+10MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	申状
Remark:	Polarity: X		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1888.90	111.26	-93.43	17.83	-	-	Vertical	NA
2	1956.60	49.19	-93.41	-44.22	-	-	Vertical	NA
3	2986.00	40.87	-88.78	-47.91	-13.00	34.91	Vertical	PASS
4	15073.00	34.54	-86.29	-51.75	-13.00	38.75	Vertical	PASS
5	17983.00	33.52	-82.66	-49.14	-13.00	36.14	Vertical	PASS

Project Information

Mode:	LTE CA	Band:	CA_2A-14A
Bandwidth:	20MHz+10MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	申状
Remark:	Polarity: X		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1888.90	111.15	-93.43	17.72	-	-	Horizontal	NA
2	1967.30	43.78	-93.37	-49.59	-	-	Horizontal	NA
3	2994.70	40.93	-88.72	-47.79	-13.00	34.79	Horizontal	PASS
4	15079.00	35.08	-86.27	-51.19	-13.00	38.19	Horizontal	PASS
5	17353.00	33.32	-82.52	-49.20	-13.00	36.20	Horizontal	PASS

Project Information			
Mode:	LTE CA	Band:	CA_2A-14A
Bandwidth:	20MHz+10MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	申状
Remark:	Polarity: X		

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1888.80	110.67	-93.43	17.24	-	-	Vertical	NA
2	1953.60	49.64	-93.41	-43.77	-	-	Vertical	NA
3	2998.10	41.02	-88.70	-47.68	-13.00	34.68	Vertical	PASS
4	14351.50	34.19	-85.94	-51.75	-13.00	38.75	Vertical	PASS
5	17357.00	33.02	-82.67	-49.65	-13.00	36.65	Vertical	PASS

Project Information

Mode:	LTE CA	Band:	CA_2A-66A
Bandwidth:	20MHz+20MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	申状
Remark:	Polarity: X		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1746.00	87.16	-73.97	13.19	-	-	Horizontal	NA
2	1888.80	88.73	-73.43	15.30	-	-	Horizontal	NA
3	2979.80	31.33	-68.82	-37.49	-13.00	24.49	Horizontal	PASS
4	15252.00	25.80	-65.94	-40.14	-13.00	27.14	Horizontal	PASS
5	17818.00	28.49	-62.92	-34.43	-13.00	21.43	Horizontal	PASS

Project Information

Mode:	LTE CA	Band:	CA_2A-66A
Bandwidth:	20MHz+20MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	申状
Remark:	Polarity: X		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1746.20	87.73	-73.97	13.76	-	-	Vertical	NA
2	1888.80	88.38	-73.43	14.95	-	-	Vertical	NA
3	2999.60	30.95	-68.69	-37.74	-13.00	24.74	Vertical	PASS
4	15229.00	26.72	-66.41	-39.69	-13.00	26.69	Vertical	PASS
5	17882.50	28.44	-62.84	-34.40	-13.00	21.40	Vertical	PASS

Project Information

Mode:	LTE CA	Band:	CA_2A-4A
Bandwidth:	20MHz+20MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	申状
Remark:	Polarity: X		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1723.60	86.96	-74.04	12.92	-	-	Horizontal	NA
2	1888.80	87.14	-73.43	13.71	-	-	Horizontal	NA
3	2998.00	31.22	-68.70	-37.48	-13.00	24.48	Horizontal	PASS
4	15113.50	26.51	-66.39	-39.88	-13.00	26.88	Horizontal	PASS
5	17835.00	28.21	-62.68	-34.47	-13.00	21.47	Horizontal	PASS

Project Information			
Mode:	LTE CA	Band:	CA_2A-4A
Bandwidth:	20MHz+20MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	申状
Remark:	Polarity: X		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1723.60	90.37	-74.04	16.33	-	-	Vertical	NA
2	1889.00	86.14	-73.43	12.71	-	-	Vertical	NA
3	2997.40	30.92	-68.71	-37.79	-13.00	24.79	Vertical	PASS
4	3645.50	23.54	-86.93	-63.39	-13.00	50.39	Vertical	PASS
5	17869.50	28.09	-62.69	-34.60	-13.00	21.60	Vertical	PASS

Project Information			
Mode:	LTE CA	Band:	CA_2A-5A
Bandwidth:	20MHz+10MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	申状
Remark:	Polarity: X		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1888.80	87.55	-73.43	14.12	-	-	Horizontal	NA
2	2970.00	30.96	-68.88	-37.92	-13.00	24.92	Horizontal	PASS
3	15053.50	26.48	-66.36	-39.88	-13.00	26.88	Horizontal	PASS
4	17854.00	27.98	-62.51	-34.53	-13.00	21.53	Horizontal	PASS

Project Information			
Mode:	LTE CA	Band:	CA_2A-5A
Bandwidth:	20MHz+10MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	申状
Remark:	Polarity: X		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1889.00	85.96	-73.43	12.53	-	-	Vertical	NA
2	2985.40	31.01	-68.78	-37.77	-13.00	24.77	Vertical	PASS
3	15129.50	26.49	-66.61	-40.12	-13.00	27.12	Vertical	PASS
4	17963.50	28.40	-62.92	-34.52	-13.00	21.52	Vertical	PASS

Project Information			
Mode:	LTE CA	Band:	CA_2A-71A
Bandwidth:	20MHz+20MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	申状
Remark:	Polarity: X		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1888.80	88.06	-73.43	14.63	-	-	Horizontal	NA
2	2999.40	31.21	-68.69	-37.48	-13.00	24.48	Horizontal	PASS
3	14368.00	25.95	-66.29	-40.34	-13.00	27.34	Horizontal	PASS
4	17984.50	28.17	-62.64	-34.47	-13.00	21.47	Horizontal	PASS

Project Information			
Mode:	LTE CA	Band:	CA_2A-71A
Bandwidth:	20MHz+20MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	申状
Remark:	Polarity: X		

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1889.00	86.01	-73.43	12.58	-	-	Vertical	NA
2	2998.60	30.67	-68.70	-38.03	-13.00	25.03	Vertical	PASS
3	15046.50	26.33	-66.53	-40.20	-13.00	27.20	Vertical	PASS
4	17883.50	28.26	-62.85	-34.59	-13.00	21.59	Vertical	PASS

Project Information

Mode:	LTE CA	Band:	CA_2A-7A
Bandwidth:	20MHz+20MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	申状
Remark:	Polarity: X		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1889.00	86.91	-73.43	13.48	-	-	Horizontal	NA
2	2526.00	85.94	-70.88	15.06	-	-	Horizontal	NA
3	2877.20	28.12	-69.23	-41.11	-25.00	16.11	Horizontal	PASS
4	15254.50	25.60	-65.98	-40.38	-25.00	15.38	Horizontal	PASS
5	17841.50	28.19	-62.59	-34.40	-25.00	9.40	Horizontal	PASS

Project Information			
Mode:	LTE CA	Band:	CA_2A-7A
Bandwidth:	20MHz+20MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	申状
Remark:	Polarity: X		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1889.00	87.94	-73.43	14.51	-	-	Vertical	NA
2	2526.00	83.27	-70.88	12.39	-	-	Vertical	NA
3	2999.10	27.40	-68.70	-41.30	-25.00	16.30	Vertical	PASS
4	10104.00	27.56	-72.07	-44.51	-25.00	19.51	Vertical	PASS
5	17876.00	28.35	-62.77	-34.42	-25.00	9.42	Vertical	PASS

Project Information			
Mode:	LTE CA	Band:	CA_2A-17A
Bandwidth:	10MHz+10MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	申状
Remark:	Polarity: X		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1884.40	99.43	-74.99	24.44	-	-	Horizontal	NA
2	3295.50	46.16	-87.89	-41.73	-13.00	28.73	Horizontal	PASS
3	3527.50	29.85	-87.31	-57.46	-13.00	44.46	Horizontal	PASS
4	3760.50	27.57	-87.24	-59.67	-13.00	46.67	Horizontal	PASS

Project Information			
Mode:	LTE CA	Band:	CA_2A-17A
Bandwidth:	10MHz+10MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	申状
Remark:	Polarity: X		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1884.40	99.29	-74.99	24.30	-	-	Vertical	NA
2	2116.80	38.13	-74.72	-36.59	-	-	Vertical	NA
3	3295.50	47.24	-87.89	-40.65	-13.00	27.65	Vertical	PASS
4	3528.00	35.97	-87.32	-51.35	-13.00	38.35	Vertical	PASS
5	17975.50	28.61	-62.76	-34.15	-13.00	21.15	Vertical	PASS

Project Information			
Mode:	LTE CA	Band:	CA_2A-30A
Bandwidth:	20MHz+10MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	申状
Remark:	Polarity: X		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1888.80	116.64	-94.97	21.67	-	-	Horizontal	NA
2	1927.80	35.29	-94.69	-59.40	-40.00	19.40	Horizontal	PASS

Project Information			
Mode:	LTE CA	Band:	CA_2A-30A
Bandwidth:	10MHz+20MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	申状
Remark:	Polarity: X		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2305.60	110.68	-94.19	16.49	-	-	Horizontal	NA
2	2357.30	44.44	-93.82	-49.38	-	-	Horizontal	NA
3	2966.10	35.82	-90.60	-54.78	-40.00	14.78	Horizontal	PASS
4	14338.00	34.92	-86.21	-51.29	-40.00	11.29	Horizontal	PASS
5	17348.50	33.18	-82.47	-49.29	-40.00	9.29	Horizontal	PASS

Project Information			
Mode:	LTE CA	Band:	CA_2A-30A
Bandwidth:	20MHz+10MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	申状
Remark:	Polarity: X		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1888.90	113.93	-94.97	18.96	-	-	Vertical	NA
2	1964.50	35.70	-94.66	-58.96	-40.00	18.96	Vertical	PASS

Project Information			
Mode:	LTE CA	Band:	CA_2A-30A
Bandwidth:	10MHz+20MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	申状
Remark:	Polarity: X		

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2305.60	113.04	-94.19	18.85	-	-	Vertical	NA
2	2352.10	49.71	-93.82	-44.11	-	-	Vertical	NA
3	2886.40	36.31	-90.60	-54.29	-40.00	14.29	Vertical	PASS
4	4611.00	43.51	-103.83	-60.32	-40.00	20.32	Vertical	PASS
5	9222.50	40.07	-92.57	-52.50	-40.00	12.50	Vertical	PASS

Project Information

Mode:	LTE CA	Band:	CA_2A-26A (814-824)
Bandwidth:	20MHz+10MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	申状
Remark:	Polarity: X		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1889.00	94.93	-74.97	19.96	-	-	Horizontal	NA
2	2978.80	32.16	-70.73	-38.57	-13.00	25.57	Horizontal	PASS
3	15289.00	26.72	-66.56	-39.84	-13.00	26.84	Horizontal	PASS
4	17846.50	27.81	-62.51	-34.70	-13.00	21.70	Horizontal	PASS

Project Information			
Mode:	LTE CA	Band:	CA_2A-26A (814-824)
Bandwidth:	20MHz+10MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	申状
Remark:	Polarity: X		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1889.00	96.91	-74.97	21.94	-	-	Vertical	NA
2	1962.40	36.21	-74.64	-38.43	-	-	Vertical	NA
3	2867.60	32.56	-70.71	-38.15	-13.00	25.15	Vertical	PASS
4	15142.50	27.02	-66.80	-39.78	-13.00	26.78	Vertical	PASS
5	17836.50	28.42	-62.66	-34.24	-13.00	21.24	Vertical	PASS

Project Information			
Mode:	LTE CA	Band:	CA_2A-26A (824-849)
Bandwidth:	20MHz+15MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	申状
Remark:	Polarity: X		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1888.80	94.93	-74.97	19.96	-	-	Horizontal	NA
2	2903.60	31.84	-70.50	-38.66	-13.00	25.66	Horizontal	PASS
3	15095.50	25.74	-66.22	-40.48	-13.00	27.48	Horizontal	PASS
4	17826.00	28.45	-62.81	-34.36	-13.00	21.36	Horizontal	PASS

Project Information			
Mode:	LTE CA	Band:	CA_2A-26A (824-849)
Bandwidth:	20MHz+15MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	申状
Remark:	Polarity: X		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1889.00	96.85	-74.97	21.88	-	-	Vertical	NA
2	1968.20	35.81	-74.70	-38.89	-	-	Vertical	NA
3	2954.00	32.16	-70.48	-38.32	-13.00	25.32	Vertical	PASS
4	15240.50	25.94	-66.13	-40.19	-13.00	27.19	Vertical	PASS
5	17844.50	28.01	-62.54	-34.53	-13.00	21.53	Vertical	PASS

Project Information			
Mode:	LTE CA	Band:	CA_4A-12A
Bandwidth:	20MHz+10MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	申状
Remark:	Polarity: X		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1741.30	88.59	-73.98	14.61	-	-	Horizontal	NA
2	2998.70	40.73	-68.70	-27.97	-13.00	14.97	Horizontal	PASS
3	15296.50	26.70	-66.69	-39.99	-13.00	26.99	Horizontal	PASS
4	17875.00	28.12	-62.76	-34.64	-13.00	21.64	Horizontal	PASS

Project Information			
Mode:	LTE CA	Band:	CA_4A-12A
Bandwidth:	20MHz+10MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	申状
Remark:	Polarity: X		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1741.50	85.75	-73.98	11.77	-	-	Vertical	NA
2	2974.80	40.67	-68.85	-28.18	-13.00	15.18	Vertical	PASS
3	10032.50	22.44	-71.58	-49.14	-13.00	36.14	Vertical	PASS
4	17348.00	27.80	-62.49	-34.69	-13.00	21.69	Vertical	PASS

Project Information			
Mode:	LTE CA	Band:	CA_4A-5A
Bandwidth:	20MHz+10MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	申状
Remark:	Polarity: X		

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1741.40	88.91	-73.98	14.93	-	-	Horizontal	NA
2	2964.90	40.95	-68.91	-27.96	-13.00	14.96	Horizontal	PASS
3	15226.50	26.16	-66.47	-40.31	-13.00	27.31	Horizontal	PASS
4	17351.00	27.57	-62.44	-34.87	-13.00	21.87	Horizontal	PASS

Project Information

Mode:	LTE CA	Band:	CA_4A-12A
Bandwidth:	20MHz+10MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	申状
Remark:	Polarity: X		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1741.50	86.41	-73.98	12.43	-	-	Vertical	NA
2	2755.40	41.30	-69.58	-28.28	-13.00	15.28	Vertical	PASS
3	15054.00	25.86	-66.36	-40.50	-13.00	27.50	Vertical	PASS
4	17803.50	29.11	-63.14	-34.03	-13.00	21.03	Vertical	PASS

Project Information

Mode:	LTE CA	Band:	CA_4A-71A
Bandwidth:	20MHz+20MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	申状
Remark:	Polarity: X		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1741.30	88.28	-73.98	14.30	-	-	Horizontal	NA
2	2993.40	40.93	-68.73	-27.80	-13.00	14.80	Horizontal	PASS
3	15077.00	25.97	-66.28	-40.31	-13.00	27.31	Horizontal	PASS
4	17893.50	28.44	-62.97	-34.53	-13.00	21.53	Horizontal	PASS

Project Information			
Mode:	LTE CA	Band:	CA_4A-71A
Bandwidth:	20MHz+20MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	申状
Remark:	Polarity: X		

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1741.30	85.91	-73.98	11.93	-	-	Vertical	NA
2	2975.00	40.55	-68.85	-28.30	-13.00	15.30	Vertical	PASS
3	15263.00	25.82	-66.12	-40.30	-13.00	27.30	Vertical	PASS
4	17839.00	28.36	-62.62	-34.26	-13.00	21.26	Vertical	PASS

Project Information

Mode:	LTE CA	Band:	CA_4A-7A
Bandwidth:	20MHz+20MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	申状
Remark:	Polarity: X		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1741.30	108.63	-84.87	23.76	-	-	Horizontal	NA
2	2526.00	100.88	-83.37	17.51	-	-	Horizontal	NA
3	2959.40	37.53	-80.53	-43.00	-25.00	18.00	Horizontal	PASS
4	15245.50	28.83	-76.02	-47.19	-25.00	22.19	Horizontal	PASS
5	17838.50	29.03	-72.62	-43.59	-25.00	18.59	Horizontal	PASS

Project Information			
Mode:	LTE CA	Band:	CA_4A-7A
Bandwidth:	20MHz+20MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	申状
Remark:	Polarity: X		

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1741.40	104.64	-84.87	19.77	-	-	Vertical	NA
2	2526.10	99.15	-83.37	15.78	-	-	Vertical	NA
3	2957.00	37.44	-80.51	-43.07	-25.00	18.07	Vertical	PASS
4	4844.00	36.85	-93.36	-56.51	-25.00	31.51	Vertical	PASS
5	10104.50	36.20	-82.07	-45.87	-25.00	20.87	Vertical	PASS

Project Information

Mode:	LTE CA	Band:	CA_4A-17A
Bandwidth:	10MHz+10MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	申状
Remark:	Polarity: X		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1737.00	96.48	-74.91	21.57	-	-	Horizontal	NA
2	2116.90	36.00	-74.72	-38.72	-	-	Horizontal	NA
3	3148.00	34.71	-87.99	-53.28	-13.00	40.28	Horizontal	PASS
4	3528.00	31.85	-87.32	-55.47	-13.00	42.47	Horizontal	PASS
5	17865.50	28.34	-62.64	-34.30	-13.00	21.30	Horizontal	PASS

Project Information

Mode:	LTE CA	Band:	CA_4A-17A
Bandwidth:	10MHz+10MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	申状
Remark:	Polarity: X		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1736.80	95.28	-74.91	20.37	-	-	Vertical	NA
2	2117.00	39.49	-74.72	-35.23	-	-	Vertical	NA
3	3148.00	41.70	-87.99	-46.29	-13.00	33.29	Vertical	PASS
4	3528.00	32.46	-87.32	-54.86	-13.00	41.86	Vertical	PASS
5	17876.00	28.71	-62.77	-34.06	-13.00	21.06	Vertical	PASS

Project Information			
Mode:	LTE CA	Band:	CA_4A-30A
Bandwidth:	20MHz+10MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	申状
Remark:	Polarity: X		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1689.50	51.08	-95.22	-44.14	-	-	Horizontal	NA
2	1741.50	114.64	-94.87	19.77	-	-	Horizontal	NA
3	1972.50	35.78	-94.74	-58.96	-40.00	18.96	Horizontal	PASS

Project Information			
Mode:	LTE CA	Band:	CA_4A-30A
Bandwidth:	10MHz+20MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	申状
Remark:	Polarity: X		

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2125.50	41.06	-94.70	-53.64	-	-	Horizontal	NA
2	2305.60	110.62	-94.19	16.43	-	-	Horizontal	NA
3	2352.20	44.54	-93.82	-49.28	-	-	Horizontal	NA
4	2927.40	36.08	-90.48	-54.40	-40.00	14.40	Horizontal	PASS
5	4611.00	41.33	-103.83	-62.50	-40.00	22.50	Horizontal	PASS
6	17346.50	33.31	-82.56	-49.25	-40.00	9.25	Horizontal	PASS

Project Information

Mode:	LTE CA	Band:	CA_4A-30A
Bandwidth:	20MHz+10MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	申状
Remark:	Polarity: X		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1689.40	52.92	-95.22	-42.30	-	-	Vertical	NA
2	1741.40	114.33	-94.87	19.46	-	-	Vertical	NA
3	1987.20	35.65	-94.90	-59.25	-40.00	19.25	Vertical	PASS

Project Information			
Mode:	LTE CA	Band:	CA_4A-30A
Bandwidth:	10MHz+20MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	申状
Remark:	Polarity: X		

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2127.50	50.96	-94.70	-43.74	-	-	Vertical	NA
2	2305.70	112.17	-94.19	17.98	-	-	Vertical	NA
3	2351.90	49.53	-93.81	-44.28	-	-	Vertical	NA
4	2951.80	35.63	-90.46	-54.83	-40.00	14.83	Vertical	PASS
5	5224.50	43.71	-102.17	-58.46	-40.00	18.46	Vertical	PASS
6	9222.50	40.11	-92.57	-52.46	-40.00	12.46	Vertical	PASS

Project Information

Mode:	LTE CA	Band:	CA_5A-25A
Bandwidth:	10MHz+20MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	申状
Remark:	Polarity: X		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1873.70	87.28	-73.47	13.81	-	-	Horizontal	NA
2	2972.00	29.41	-68.86	-39.45	-13.00	26.45	Horizontal	PASS
3	15108.00	26.38	-66.31	-39.93	-13.00	26.93	Horizontal	PASS
4	17895.00	28.54	-62.99	-34.45	-13.00	21.45	Horizontal	PASS

Project Information

Mode:	LTE CA	Band:	CA_5A-25A
Bandwidth:	10MHz+20MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	申状
Remark:	Polarity: X		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1873.50	86.90	-73.47	13.43	-	-	Vertical	NA
2	2975.60	29.52	-68.84	-39.32	-13.00	26.32	Vertical	PASS
3	15243.50	25.92	-66.06	-40.14	-13.00	27.14	Vertical	PASS
4	17840.00	28.23	-62.61	-34.38	-13.00	21.38	Vertical	PASS

Project Information

Mode:	LTE CA	Band:	CA_5A-66A
Bandwidth:	10MHz+20MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	申状
Remark:	Polarity: X		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1746.00	88.25	-73.97	14.28	-	-	Horizontal	NA
2	2858.60	41.00	-69.20	-28.20	-13.00	15.20	Horizontal	PASS
3	8838.00	22.30	-72.68	-50.38	-13.00	37.38	Horizontal	PASS
4	17830.50	28.46	-62.75	-34.29	-13.00	21.29	Horizontal	PASS

Project Information

Mode:	LTE CA	Band:	CA_5A-66A
Bandwidth:	10MHz+20MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	申状
Remark:	Polarity: X		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1746.00	86.70	-73.97	12.73	-	-	Vertical	NA
2	2971.20	40.63	-68.87	-28.24	-13.00	15.24	Vertical	PASS
3	8858.50	20.93	-72.71	-51.78	-13.00	38.78	Vertical	PASS
4	17867.50	28.35	-62.66	-34.31	-13.00	21.31	Vertical	PASS

Project Information

Mode:	LTE CA	Band:	CA_5A-7A
Bandwidth:	10MHz+20MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	申状
Remark:	Polarity: X		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2526.00	84.78	-70.88	13.90	-	-	Horizontal	NA
2	2947.10	29.60	-69.02	-39.42	-25.00	14.42	Horizontal	PASS
3	15080.50	26.63	-66.27	-39.64	-25.00	14.64	Horizontal	PASS
4	17866.00	28.46	-62.65	-34.19	-25.00	9.19	Horizontal	PASS

Project Information

Mode:	LTE CA	Band:	CA_5A-7A
Bandwidth:	10MHz+20MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	申状
Remark:	Polarity: X		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2526.20	82.71	-70.88	11.83	-	-	Vertical	NA
2	2994.80	29.16	-68.72	-39.56	-25.00	14.56	Vertical	PASS
3	10104.00	27.48	-72.07	-44.59	-25.00	19.59	Vertical	PASS
4	17996.50	28.09	-62.47	-34.38	-25.00	9.38	Vertical	PASS

Project Information

Mode:	LTE CA	Band:	CA_5A-30A
Bandwidth:	10MHz+10MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	申状
Remark:	Polarity: X		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2305.40	110.87	-94.19	16.68	-	-	Horizontal	NA
2	2354.60	43.81	-93.81	-50.00	-	-	Horizontal	NA
3	2986.20	37.00	-90.80	-53.80	-40.00	13.80	Horizontal	PASS
4	6962.00	40.02	-97.66	-57.64	-40.00	17.64	Horizontal	PASS
5	17348.50	32.87	-82.47	-49.60	-40.00	9.60	Horizontal	PASS

Project Information			
Mode:	LTE CA	Band:	CA_5A-30A
Bandwidth:	10MHz+10MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	申状
Remark:	Polarity: X		

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2305.60	112.42	-94.19	18.23	-	-	Vertical	NA
2	2352.00	50.97	-93.82	-42.85	-	-	Vertical	NA
3	4611.00	43.63	-103.83	-60.20	-40.00	20.20	Vertical	PASS
4	9222.00	39.96	-92.57	-52.61	-40.00	12.61	Vertical	PASS
5	17364.00	33.64	-82.95	-49.31	-40.00	9.31	Vertical	PASS

Project Information

Mode:	LTE CA	Band:	CA_7A-12A
Bandwidth:	20MHz+10MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	申状
Remark:	Polarity: X		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2543.80	85.66	-70.83	14.83	-	-	Horizontal	NA
2	2841.00	29.74	-69.24	-39.50	-25.00	14.50	Horizontal	PASS
3	15263.50	25.88	-66.13	-40.25	-25.00	15.25	Horizontal	PASS
4	17851.50	28.13	-62.48	-34.35	-25.00	9.35	Horizontal	PASS

Project Information

Mode:	LTE CA	Band:	CA_7A-12A
Bandwidth:	20MHz+10MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	申状
Remark:	Polarity: X		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2543.90	82.79	-70.83	11.96	-	-	Vertical	NA
2	2882.40	29.46	-69.23	-39.77	-25.00	14.77	Vertical	PASS
3	10175.50	26.99	-71.87	-44.88	-25.00	19.88	Vertical	PASS
4	17849.50	27.68	-62.47	-34.79	-25.00	9.79	Vertical	PASS

Project Information			
Mode:	LTE CA	Band:	CA_7A-26A (814-824)
Bandwidth:	20MHz+10MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	申状
Remark:	Polarity: X		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2543.90	87.33	-70.83	16.50	-	-	Horizontal	NA
2	2987.20	29.47	-68.77	-39.30	-25.00	14.30	Horizontal	PASS
3	15246.00	25.45	-66.01	-40.56	-25.00	15.56	Horizontal	PASS
4	17868.50	28.16	-62.68	-34.52	-25.00	9.52	Horizontal	PASS

Project Information			
Mode:	LTE CA	Band:	CA_7A-26A (814-824)
Bandwidth:	20MHz+10MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	申状
Remark:	Polarity: X		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2543.80	85.27	-70.83	14.44	-	-	Vertical	NA
2	10175.50	29.51	-71.87	-42.36	-25.00	17.36	Vertical	PASS
3	13416.00	24.99	-68.21	-43.22	-25.00	18.22	Vertical	PASS
4	17849.00	27.87	-62.47	-34.60	-25.00	9.60	Vertical	PASS

Project Information			
Mode:	LTE CA	Band:	CA_7A-26A (824-849)
Bandwidth:	20MHz+10MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	申状
Remark:	Polarity: X		

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2543.80	87.62	-70.83	16.79	-	-	Horizontal	NA
2	2972.40	29.47	-68.86	-39.39	-25.00	14.39	Horizontal	PASS
3	12405.00	24.19	-69.63	-45.44	-25.00	20.44	Horizontal	PASS
4	17841.50	27.93	-62.59	-34.66	-25.00	9.66	Horizontal	PASS

Project Information

Mode:	LTE CA	Band:	CA_7A-26A (824-849)
Bandwidth:	20MHz+10MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	申状
Remark:	Polarity: X		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2543.90	85.07	-70.83	14.24	-	-	Vertical	NA
2	2982.20	29.76	-68.80	-39.04	-25.00	14.04	Vertical	PASS
3	10175.50	29.27	-71.87	-42.60	-25.00	17.60	Vertical	PASS
4	17858.00	28.22	-62.55	-34.33	-25.00	9.33	Vertical	PASS

Project Information

Mode:	LTE CA	Band:	CA_7A-66A
Bandwidth:	20MHz+10MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	申状
Remark:	Polarity: X		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1746.10	86.54	-73.97	12.57	-	-	Horizontal	NA
2	2543.90	85.94	-70.83	15.11	-	-	Horizontal	NA
3	2988.00	29.39	-68.76	-39.37	-25.00	14.37	Horizontal	PASS
4	15250.50	25.69	-65.92	-40.23	-25.00	15.23	Horizontal	PASS
5	17826.00	28.30	-62.81	-34.51	-25.00	9.51	Horizontal	PASS

Project Information

Mode:	LTE CA	Band:	CA_7A-66A
Bandwidth:	20MHz+20MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	申状
Remark:	Polarity: X		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1746.00	90.06	-73.97	16.09	-	-	Vertical	NA
2	2544.00	83.41	-70.83	12.58	-	-	Vertical	NA
3	2923.40	29.92	-69.13	-39.21	-25.00	14.21	Vertical	PASS
4	10175.50	28.51	-71.87	-43.36	-25.00	18.36	Vertical	PASS
5	17935.00	28.23	-63.09	-34.86	-25.00	9.86	Vertical	PASS

Project Information

Mode:	LTE CA	Band:	CA_7A-71A
Bandwidth:	20MHz+20MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	申状
Remark:	Polarity: X		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2543.90	85.85	-70.83	15.02	-	-	Horizontal	NA
2	2948.90	29.92	-69.00	-39.08	-25.00	14.08	Horizontal	PASS
3	15096.50	25.80	-66.21	-40.41	-25.00	15.41	Horizontal	PASS
4	17884.00	27.99	-62.86	-34.87	-25.00	9.87	Horizontal	PASS

Project Information

Mode:	LTE CA	Band:	CA_7A-71A
Bandwidth:	20MHz+20MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	申状
Remark:	Polarity: X		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2543.90	82.75	-70.83	11.92	-	-	Vertical	NA
2	2984.70	29.10	-68.78	-39.68	-25.00	14.68	Vertical	PASS
3	10175.50	27.27	-71.87	-44.60	-25.00	19.60	Vertical	PASS
4	17855.50	27.97	-62.53	-34.56	-25.00	9.56	Vertical	PASS

Project Information

Mode:	LTE CA	Band:	CA_7A-25A
Bandwidth:	20MHz+20MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	申状
Remark:	Polarity: X		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1873.70	87.18	-73.47	13.71	-	-	Horizontal	NA
2	2543.80	86.84	-70.83	16.01	-	-	Horizontal	NA
3	2969.50	29.35	-68.88	-39.53	-25.00	14.53	Horizontal	PASS
4	15128.00	26.64	-66.59	-39.95	-25.00	14.95	Horizontal	PASS
5	17978.00	28.09	-62.73	-34.64	-25.00	9.64	Horizontal	PASS

Project Information

Mode:	LTE CA	Band:	CA_7A-25A
Bandwidth:	20MHz+20MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	申状
Remark:	Polarity: X		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1873.70	88.03	-73.47	14.56	-	-	Vertical	NA
2	2543.90	84.12	-70.83	13.29	-	-	Vertical	NA
3	2862.30	29.79	-69.21	-39.42	-25.00	14.42	Vertical	PASS
4	10175.50	27.33	-71.87	-44.54	-25.00	19.54	Vertical	PASS
5	17855.50	28.56	-62.53	-33.97	-25.00	8.97	Vertical	PASS

Project Information

Mode:	LTE CA	Band:	CA_7A-13A
Bandwidth:	20MHz+10MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	申状
Remark:	Polarity: X		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2544.00	112.71	-93.46	19.25	-	-	Horizontal	NA
2	2658.80	42.87	-92.38	-49.51	-25.00	24.51	Horizontal	PASS
3	2926.90	37.49	-90.48	-52.99	-25.00	27.99	Horizontal	PASS
4	10176.00	38.58	-91.86	-53.28	-25.00	28.28	Horizontal	PASS
5	17352.50	33.21	-82.50	-49.29	-25.00	24.29	Horizontal	PASS

Project Information

Mode:	LTE CA	Band:	CA_7A-13A
Bandwidth:	20MHz+10MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	申状
Remark:	Polarity: X		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2544.00	110.29	-93.46	16.83	-	-	Vertical	NA
2	2658.50	49.69	-92.39	-42.70	-25.00	17.70	Vertical	PASS
3	2982.20	38.43	-90.76	-52.33	-25.00	27.33	Vertical	PASS
4	10175.50	46.82	-91.87	-45.05	-25.00	20.05	Vertical	PASS
5	12719.50	38.32	-89.71	-51.39	-25.00	26.39	Vertical	PASS

Project Information

Mode:	LTE CA	Band:	CA_12A-25A
Bandwidth:	10MHz+20MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	申状
Remark:	Polarity: X		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1873.70	107.69	-93.47	14.22	-	-	Horizontal	NA
2	1968.60	42.58	-93.35	-50.77	-	-	Horizontal	NA
3	2999.60	40.67	-88.69	-48.02	-13.00	35.02	Horizontal	PASS
4	15076.00	35.03	-86.28	-51.25	-13.00	38.25	Horizontal	PASS
5	17351.50	33.31	-82.46	-49.15	-13.00	36.15	Horizontal	PASS

Project Information

Mode:	LTE CA	Band:	CA_12A-25A
Bandwidth:	10MHz+20MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	申状
Remark:	Polarity: X		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1873.70	109.23	-93.47	15.76	-	-	Vertical	NA
2	1966.10	48.14	-93.36	-45.22	-	-	Vertical	NA
3	2970.50	40.91	-88.87	-47.96	-13.00	34.96	Vertical	PASS
4	15071.00	34.30	-86.30	-52.00	-13.00	39.00	Vertical	PASS
5	17361.00	34.00	-82.83	-48.83	-13.00	35.83	Vertical	PASS

Project Information			
Mode:	LTE CA	Band:	CA_12A-30A
Bandwidth:	10MHz+10MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	申状
Remark:	Polarity: X		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1766.20	45.43	-93.93	-48.50	-40.00	8.50	Horizontal	PASS
2	2305.60	107.46	-91.89	15.57	-	-	Horizontal	NA
3	2999.50	40.74	-88.69	-47.95	-40.00	7.95	Horizontal	PASS
4	17347.00	33.35	-82.53	-49.18	-40.00	9.18	Horizontal	PASS

Project Information			
Mode:	LTE CA	Band:	CA_12A-30A
Bandwidth:	10MHz+10MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	申状
Remark:	Polarity: X		

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1780.60	40.54	-93.91	-53.37	-40.00	13.37	Vertical	PASS
2	2305.60	106.42	-91.89	14.53	-	-	Vertical	NA
3	2992.10	40.75	-88.74	-47.99	-40.00	7.99	Vertical	PASS
4	9222.00	42.63	-92.57	-49.94	-40.00	9.94	Vertical	PASS

Project Information

Mode:	LTE CA	Band:	CA_12A-66A
Bandwidth:	10MHz+20MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	申状
Remark:	Polarity: X		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1746.00	109.18	-93.97	15.21	-	-	Horizontal	NA
2	2995.70	40.93	-88.72	-47.79	-13.00	34.79	Horizontal	PASS
3	5287.50	41.30	-101.63	-60.33	-13.00	47.33	Horizontal	PASS
4	17350.00	33.23	-82.40	-49.17	-13.00	36.17	Horizontal	PASS

Project Information

Mode:	LTE CA	Band:	CA_12A-66A
Bandwidth:	10MHz+20MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	申状
Remark:	Polarity: X		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1746.10	107.40	-93.97	13.43	-	-	Vertical	NA
2	2157.70	46.39	-92.98	-46.59	-	-	Vertical	NA
3	2996.50	40.94	-88.71	-47.77	-13.00	34.77	Vertical	PASS
4	12807.00	37.72	-89.34	-51.62	-13.00	38.62	Vertical	PASS
5	17351.50	33.54	-82.46	-48.92	-13.00	35.92	Vertical	PASS

Project Information

Mode:	LTE CA	Band:	CA_13A-66A
Bandwidth:	10MHz+20MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	申状
Remark:	Polarity: X		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1746.20	109.15	-93.97	15.18	-	-	Horizontal	NA
2	2982.40	40.94	-88.80	-47.86	-13.00	34.86	Horizontal	PASS
3	13847.00	34.96	-86.58	-51.62	-13.00	38.62	Horizontal	PASS
4	17351.00	33.25	-82.44	-49.19	-13.00	36.19	Horizontal	PASS

Project Information

Mode:	LTE CA	Band:	CA_13A-66A
Bandwidth:	10MHz+20MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	申状
Remark:	Polarity: X		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1746.10	107.13	-93.97	13.16	-	-	Vertical	NA
2	2148.10	46.36	-92.99	-46.63	-	-	Vertical	NA
3	2990.10	41.26	-88.75	-47.49	-13.00	34.49	Vertical	PASS
4	14645.00	34.26	-85.46	-51.20	-13.00	38.20	Vertical	PASS
5	17358.00	33.47	-82.71	-49.24	-13.00	36.24	Vertical	PASS

Project Information			
Mode:	LTE CA	Band:	CA_14A-30A
Bandwidth:	10MHz+10MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	申状
Remark:	Polarity: X		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2305.60	106.90	-91.89	15.01	-	-	Horizontal	NA
2	2989.30	41.05	-88.76	-47.71	-40.00	7.71	Horizontal	PASS
3	15078.50	34.78	-86.27	-51.49	-40.00	11.49	Horizontal	PASS
4	17346.00	33.10	-82.58	-49.48	-40.00	9.48	Horizontal	PASS

Project Information			
Mode:	LTE CA	Band:	CA_14A-30A
Bandwidth:	10MHz+10MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	申状
Remark:	Polarity: X		

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2305.60	106.47	-91.89	14.58	-	-	Vertical	NA
2	2991.90	41.06	-88.74	-47.68	-40.00	7.68	Vertical	PASS
3	9222.50	41.11	-92.57	-51.46	-40.00	11.46	Vertical	PASS
4	17360.00	33.91	-82.79	-48.88	-40.00	8.88	Vertical	PASS

Project Information

Mode:	LTE CA	Band:	CA_14A-66A
Bandwidth:	10MHz+20MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	申状
Remark:	Polarity: X		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1746.00	109.26	-93.97	15.29	-	-	Horizontal	NA
2	2996.80	41.18	-88.71	-47.53	-13.00	34.53	Horizontal	PASS
3	15272.00	34.67	-86.27	-51.60	-13.00	38.60	Horizontal	PASS
4	17348.50	33.35	-82.47	-49.12	-13.00	36.12	Horizontal	PASS

Project Information

Mode:	LTE CA	Band:	CA_14A-66A
Bandwidth:	10MHz+20MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	申状
Remark:	Polarity: X		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1746.20	107.68	-93.97	13.71	-	-	Vertical	NA
2	2158.80	46.63	-92.98	-46.35	-	-	Vertical	NA
3	2968.70	41.20	-88.88	-47.68	-13.00	34.68	Vertical	PASS
4	14369.50	34.57	-86.32	-51.75	-13.00	38.75	Vertical	PASS
5	17350.00	33.61	-82.40	-48.79	-13.00	35.79	Vertical	PASS

Project Information			
Mode:	LTE CA	Band:	CA_25A-26A (814-824)
Bandwidth:	20MHz+10MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	申状
Remark:	Polarity: X		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1891.40	89.32	-73.43	15.89	-	-	Horizontal	NA
2	2958.20	31.38	-68.95	-37.57	-13.00	24.57	Horizontal	PASS
3	15264.00	25.80	-66.14	-40.34	-13.00	27.34	Horizontal	PASS
4	17896.50	28.36	-63.01	-34.65	-13.00	21.65	Horizontal	PASS

Project Information			
Mode:	LTE CA	Band:	CA_25A-26A (814-824)
Bandwidth:	20MHz+10MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	申状
Remark:	Polarity: X		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1891.40	87.90	-73.43	14.47	-	-	Vertical	NA
2	2980.00	31.03	-68.81	-37.78	-13.00	24.78	Vertical	PASS
3	15251.00	26.41	-65.93	-39.52	-13.00	26.52	Vertical	PASS
4	17350.00	27.43	-62.40	-34.97	-13.00	21.97	Vertical	PASS

Project Information			
Mode:	LTE CA	Band:	CA_25A-26A (824-849)
Bandwidth:	20MHz+10MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	申状
Remark:	Polarity: X		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1891.40	89.20	-73.43	15.77	-	-	Horizontal	NA
2	2992.40	31.08	-68.74	-37.66	-13.00	24.66	Horizontal	PASS
3	15057.50	26.43	-66.34	-39.91	-13.00	26.91	Horizontal	PASS
4	17996.00	28.35	-62.49	-34.14	-13.00	21.14	Horizontal	PASS

Project Information			
Mode:	LTE CA	Band:	CA_25A-26A (824-849)
Bandwidth:	20MHz+10MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	申状
Remark:	Polarity: X		

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1891.40	87.89	-73.43	14.46	-	-	Vertical	NA
2	2969.80	30.95	-68.88	-37.93	-13.00	24.93	Vertical	PASS
3	15092.50	25.94	-66.23	-40.29	-13.00	27.29	Vertical	PASS
4	17810.50	28.57	-63.04	-34.47	-13.00	21.47	Vertical	PASS

Project Information

Mode:	LTE CA	Band:	CA_25A-66A
Bandwidth:	20MHz+20MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	申状
Remark:	Polarity: X		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1746.20	85.34	-73.97	11.37	-	-	Horizontal	NA
2	1891.40	87.19	-73.43	13.76	-	-	Horizontal	NA
3	2999.60	30.79	-68.69	-37.90	-13.00	24.90	Horizontal	PASS
4	15098.00	26.84	-66.21	-39.37	-13.00	26.37	Horizontal	PASS
5	17862.00	27.89	-62.61	-34.72	-13.00	21.72	Horizontal	PASS

Project Information

Mode:	LTE CA	Band:	CA_25A-66A
Bandwidth:	20MHz+20MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	申状
Remark:	Polarity: X		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1746.00	88.95	-73.97	14.98	-	-	Vertical	NA
2	1891.40	85.17	-73.43	11.74	-	-	Vertical	NA
3	2996.20	30.77	-68.71	-37.94	-13.00	24.94	Vertical	PASS
4	15307.00	26.67	-66.97	-40.30	-13.00	27.30	Vertical	PASS
5	17882.50	28.24	-62.84	-34.60	-13.00	21.60	Vertical	PASS

Project Information

Mode:	LTE CA	Band:	CA_30A-66A
Bandwidth:	10MHz+20MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	申状
Remark:	Polarity: X		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1694.10	51.33	-95.21	-43.88	-	-	Horizontal	NA
2	1746.00	114.38	-94.83	19.55	-	-	Horizontal	NA
3	1963.30	35.47	-94.65	-59.18	-40.00	19.18	Horizontal	PASS

Project Information

Mode:	LTE CA	Band:	CA_30A-66A
Bandwidth:	10MHz+20MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	申状
Remark:	Polarity: X		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2314.50	109.62	-94.12	15.50	-	-	Horizontal	NA
2	2352.00	44.25	-93.82	-49.57	-	-	Horizontal	NA
3	2928.50	36.05	-90.47	-54.42	-40.00	14.42	Horizontal	PASS
4	15236.00	34.94	-86.24	-51.30	-40.00	11.30	Horizontal	PASS
5	17339.50	33.52	-82.88	-49.36	-40.00	9.36	Horizontal	PASS

Project Information

Mode:	LTE CA	Band:	CA_30A-66A
Bandwidth:	10MHz+20MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	申状
Remark:	Polarity: X		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1694.00	51.97	-95.21	-43.24	-	-	Vertical	NA
2	1746.10	114.38	-94.83	19.55	-	-	Vertical	NA
3	1952.00	35.61	-94.53	-58.92	-40.00	18.92	Vertical	PASS

Project Information

Mode:	LTE CA	Band:	CA_30A-66A
Bandwidth:	10MHz+20MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	申状
Remark:	Polarity: X		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2150.80	49.43	-94.66	-45.23	-	-	Vertical	NA
2	2314.40	111.75	-94.12	17.63	-	-	Vertical	NA
3	2353.90	49.27	-93.81	-44.54	-	-	Vertical	NA
4	4629.00	45.44	-103.73	-58.29	-40.00	18.29	Vertical	PASS
5	9257.50	40.97	-92.60	-51.63	-40.00	11.63	Vertical	PASS
6	17365.50	33.89	-83.00	-49.11	-40.00	9.11	Vertical	PASS

Project Information			
Mode:	LTE CA	Band:	CA_66A-71A
Bandwidth:	20MHz+20MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	申状
Remark:	Polarity: X		

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1763.80	86.63	-73.93	12.70	-	-	Horizontal	NA
2	2991.70	31.72	-68.74	-37.02	-13.00	24.02	Horizontal	PASS
3	15153.00	26.44	-66.91	-40.47	-13.00	27.47	Horizontal	PASS
4	17335.50	28.70	-63.06	-34.36	-13.00	21.36	Horizontal	PASS

Project Information

Mode:	LTE CA	Band:	CA_66A-71A
Bandwidth:	20MHz+20MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	申状
Remark:	Polarity: X		

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1763.80	84.67	-73.93	10.74	-	-	Vertical	NA
2	2999.90	32.39	-68.69	-36.30	-13.00	23.30	Vertical	PASS
3	15100.00	26.06	-66.20	-40.14	-13.00	27.14	Vertical	PASS
4	17851.50	28.03	-62.48	-34.45	-13.00	21.45	Vertical	PASS