










Frequency Stability for SA

Test Result

Frequency Error VS. Voltage

Voltage										
Band	SCS	Bandwidth	Modulation	Channel	RB Config	Voltage	Temperature	Deviation (Hz)	Deviation (ppm)	Verdict
N66	15	40	DFT-PI2BPSK	M	Outer_Full	VL	NT	19.00	0.01	PASS
N66	15	40	DFT-PI2BPSK	M	Outer_Full	VN	NT	1.00	0.00	PASS
N66	15	40	DFT-PI2BPSK	M	Outer_Full	VH	NT	10.00	0.01	PASS
N66	15	40	CP-QPSK	M	Outer_Full	VL	NT	2.00	0.00	PASS
N66	15	40	CP-QPSK	M	Outer_Full	VN	NT	11.00	0.01	PASS
N66	15	40	CP-QPSK	M	Outer_Full	VH	NT	4.00	0.00	PASS

Frequency Error VS. Temperature

Temperature										
Band	SCS	Bandwidth	Modulation	Channel	RB Config	Voltage	Temperature	Deviation (Hz)	Deviation (ppm)	Verdict
N66	15	40	DFT-PI2BPSK	M	Outer_Full	NV	-30	4.000000	0.002292	PASS
N66	15	40	DFT-PI2BPSK	M	Outer_Full	NV	-20	10.000000	0.005731	PASS
N66	15	40	DFT-PI2BPSK	M	Outer_Full	NV	-10	8.000000	0.004585	PASS
N66	15	40	DFT-PI2BPSK	M	Outer_Full	NV	0	8.000000	0.004585	PASS
N66	15	40	DFT-PI2BPSK	M	Outer_Full	NV	10	9.000000	0.005158	PASS
N66	15	40	DFT-PI2BPSK	M	Outer_Full	NV	20	18.000000	0.010315	PASS
N66	15	40	DFT-PI2BPSK	M	Outer_Full	NV	30	9.000000	0.005158	PASS
N66	15	40	DFT-PI2BPSK	M	Outer_Full	NV	40	2.000000	0.001146	PASS
N66	15	40	DFT-PI2BPSK	M	Outer_Full	NV	50	12.000000	0.006877	PASS
N66	15	40	CP-QPSK	M	Outer_Full	NV	-30	13.000000	0.007450	PASS
N66	15	40	CP-QPSK	M	Outer_Full	NV	-20	11.000000	0.006304	PASS
N66	15	40	CP-QPSK	M	Outer_Full	NV	-10	11.000000	0.006304	PASS
N66	15	40	CP-QPSK	M	Outer_Full	NV	0	1.000000	0.000573	PASS
N66	15	40	CP-QPSK	M	Outer_Full	NV	10	4.000000	0.002292	PASS
N66	15	40	CP-QPSK	M	Outer_Full	NV	20	4.000000	0.002292	PASS
N66	15	40	CP-QPSK	M	Outer_Full	NV	30	14.000000	0.008023	PASS
N66	15	40	CP-QPSK	M	Outer_Full	NV	40	11.000000	0.006304	PASS
N66	15	40	CP-QPSK	M	Outer_Full	NV	50	2.000000	0.001146	PASS