


Project Information			
Mode:	NSA	Band:	DC_7A_n77A(3450~3550MHz)
Bandwidth:	20MHz+100MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	申状
Remark:	Polarity: X		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2526.20	108.52	-93.37	15.15	-	-	Vertical	NA
2	2943.80	37.28	-90.45	-53.17	-25.00	28.17	Vertical	PASS

Project Information			
Mode:	NSA	Band:	DC_7A_n77A(3450~3550MHz)
Bandwidth:	20MHz+100MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	申状
Remark:	Polarity: X		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	3451.15	112.83	-88.97	23.86	-	-	Vertical	NA
2	6901.73	51.71	-96.97	-45.26	-25.00	20.26	Vertical	PASS
3	10104.48	45.33	-91.96	-46.63	-25.00	21.63	Vertical	PASS
4	12630.27	38.36	-89.52	-51.16	-25.00	26.16	Vertical	PASS

Project Information			
Mode:	NSA	Band:	DC_7A_n77A(3700~3980MHz)
Bandwidth:	20MHz+100MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	申状
Remark:	Polarity: X		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2526.00	110.00	-93.37	16.63	-	-	Horizontal	NA
2	2986.40	38.05	-90.80	-52.75	-25.00	27.75	Horizontal	PASS

Project Information			
Mode:	NSA	Band:	DC_7A_n77A(3700~3980MHz)
Bandwidth:	20MHz+100MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	申状
Remark:	Polarity: X		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	3791.00	113.82	-88.23	25.59	-	-	Horizontal	NA
2	6321.50	41.79	-80.23	-38.44	-25.00	13.44	Horizontal	PASS
3	7582.15	50.05	-96.15	-46.10	-25.00	21.10	Horizontal	PASS
4	17848.97	32.07	-81.31	-49.24	-25.00	24.24	Horizontal	PASS

Project Information			
Mode:	NSA	Band:	DC_7A_n77A(3700~3980MHz)
Bandwidth:	20MHz+100MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	申状
Remark:	Polarity: X		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2526.10	108.40	-93.37	15.03	-	-	Vertical	NA
2	2912.50	37.44	-90.49	-53.05	-25.00	28.05	Vertical	PASS

Project Information			
Mode:	NSA	Band:	DC_7A_n77A(3700~3980MHz)
Bandwidth:	20MHz+100MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	申状
Remark:	Polarity: X		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	3791.00	109.82	-88.23	21.59	-	-	Vertical	NA
2	7582.15	55.36	-96.15	-40.79	-25.00	15.79	Vertical	PASS
3	10104.48	46.11	-91.96	-45.85	-25.00	20.85	Vertical	PASS
4	12630.65	39.19	-89.51	-50.32	-25.00	25.32	Vertical	PASS

Project Information			
Mode:	NSA	Band:	DC_48A_n2A
Bandwidth:	20MHz+40MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	申状
Remark:	Polarity: X		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1860.70	118.28	-95.11	23.17	-	-	Horizontal	NA
2	1950.60	43.28	-94.51	-51.23	-	-	Horizontal	NA
3	2911.20	37.58	-90.50	-52.92	-40.00	12.92	Horizontal	PASS

Project Information			
Mode:	NSA	Band:	DC_48A_n2A
Bandwidth:	20MHz+40MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	申状
Remark:	Polarity: X		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	3616.00	110.00	-88.64	21.36	-	-	Horizontal	NA
2	6364.20	32.31	-80.02	-47.71	-40.00	7.71	Horizontal	PASS
3	15251.50	33.64	-85.36	-51.72	-40.00	11.72	Horizontal	PASS
4	17977.38	32.99	-81.80	-48.81	-40.00	8.81	Horizontal	PASS

Project Information			
Mode:	NSA	Band:	DC_48A_n2A
Bandwidth:	20MHz+40MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	申状
Remark:	Polarity: X		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1860.50	118.13	-95.11	23.02	-	-	Vertical	NA
2	1961.30	51.82	-94.63	-42.81	-	-	Vertical	NA
3	2936.40	37.86	-90.46	-52.60	-40.00	12.60	Vertical	PASS

Project Information			
Mode:	NSA	Band:	DC_48A_n2A
Bandwidth:	20MHz+40MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	申状
Remark:	Polarity: X		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	3616.00	108.35	-88.64	19.71	-	-	Vertical	NA
2	6393.78	32.65	-80.35	-47.70	-40.00	7.70	Vertical	PASS
3	7232.17	41.08	-95.97	-54.89	-40.00	14.89	Vertical	PASS
4	17871.58	33.16	-81.55	-48.39	-40.00	8.39	Vertical	PASS

Project Information			
Mode:	NSA	Band:	DC_48A_n66A
Bandwidth:	20MHz+40MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	申状
Remark:	Polarity: X		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1725.60	115.47	-95.00	20.47	-	-	Horizontal	NA
2	2154.70	41.40	-94.65	-53.25	-	-	Horizontal	NA
3	2959.30	38.05	-90.53	-52.48	-40.00	12.48	Horizontal	PASS

Project Information			
Mode:	NSA	Band:	DC_48A_n66A
Bandwidth:	20MHz+40MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	申状
Remark:	Polarity: X		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	3615.83	109.39	-88.64	20.75	-	-	Horizontal	NA
2	6333.23	32.50	-80.09	-47.59	-40.00	7.59	Horizontal	PASS
3	13715.48	34.85	-86.63	-51.78	-40.00	11.78	Horizontal	PASS
4	17990.03	33.68	-81.61	-47.93	-40.00	7.93	Horizontal	PASS

Project Information			
Mode:	NSA	Band:	DC_48A_n66A
Bandwidth:	20MHz+40MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	申状
Remark:	Polarity: X		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1725.60	115.52	-95.00	20.52	-	-	Vertical	NA
2	2129.10	49.66	-94.70	-45.04	-	-	Vertical	NA
3	2871.40	37.72	-90.70	-52.98	-40.00	12.98	Vertical	PASS

Project Information			
Mode:	NSA	Band:	DC_48A_n66A
Bandwidth:	20MHz+40MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	申状
Remark:	Polarity: X		

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	3616.00	108.47	-88.64	19.83	-	-	Vertical	NA
2	6332.18	32.45	-80.10	-47.65	-40.00	7.65	Vertical	PASS
3	7232.17	40.11	-95.97	-55.86	-40.00	15.86	Vertical	PASS
4	17986.58	32.98	-81.66	-48.68	-40.00	8.68	Vertical	PASS

Project Information

Mode:	NSA	Band:	DC_25A_n41A
Bandwidth:	20MHz+100MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	申状
Remark:	Polarity: X		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1873.70	97.05	-75.04	22.01	-	-	Horizontal	NA
2	2544.10	94.42	-73.46	20.96	-	-	Horizontal	NA
3	2641.90	41.47	-72.59	-31.12	-	-	Horizontal	NA
4	2967.50	33.45	-70.62	-37.17	-25.00	12.17	Horizontal	PASS
5	15089.00	26.23	-66.24	-40.01	-25.00	15.01	Horizontal	PASS
6	17851.00	28.22	-62.47	-34.25	-25.00	9.25	Horizontal	PASS

Project Information

Mode:	NSA	Band:	DC_25A_n41A
Bandwidth:	20MHz+100MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	申状
Remark:	Polarity: X		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1873.50	96.60	-75.04	21.56	-	-	Vertical	NA
2	2544.00	92.46	-73.46	19.00	-	-	Vertical	NA
3	2642.00	39.21	-72.59	-33.38	-	-	Vertical	NA
4	2912.10	33.24	-70.50	-37.26	-25.00	12.26	Vertical	PASS
5	15113.50	26.97	-66.39	-39.42	-25.00	14.42	Vertical	PASS
6	17861.00	28.63	-62.59	-33.96	-25.00	8.96	Vertical	PASS

Project Information			
Mode:	NSA	Band:	DC_5A_n12A
Bandwidth:	10MHz+15MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	申状
Remark:	Polarity: X		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	3460.40	41.64	-107.42	-65.78	-13.00	52.78	Horizontal	PASS
2	6237.60	39.13	-99.37	-60.24	-13.00	47.24	Horizontal	PASS
3	8889.60	36.98	-93.11	-56.13	-13.00	43.13	Horizontal	PASS

Project Information			
Mode:	NSA	Band:	DC_5A_n12A
Bandwidth:	10MHz+15MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	申状
Remark:	Polarity: X		

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	3458.40	41.48	-107.42	-65.94	-13.00	52.94	Vertical	PASS
2	6344.40	38.98	-99.10	-60.12	-13.00	47.12	Vertical	PASS
3	8843.20	36.69	-92.99	-56.30	-13.00	43.30	Vertical	PASS

For NR CA:

Project Information			
Mode:	NR CA	Band:	CA_n2A_n48A
Bandwidth:	40MHz+40MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	申状
Remark:	Polarity: X		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1860.80	116.40	-95.11	21.29	-	-	Horizontal	NA
2	2886.50	37.79	-90.60	-52.81	-40.00	12.81	Horizontal	PASS

Project Information			
Mode:	NR CA	Band:	CA_n2A_n48A
Bandwidth:	40MHz+40MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	申状
Remark:	Polarity: X		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	3606.20	110.08	-88.67	21.41	-	-	Horizontal	NA
2	5466.63	36.84	-82.35	-45.51	-40.00	5.51	Horizontal	PASS
3	7211.85	41.40	-95.98	-54.58	-40.00	14.58	Horizontal	PASS
4	17852.80	32.38	-81.30	-48.92	-40.00	8.92	Horizontal	PASS

Project Information			
Mode:	NR CA	Band:	CA_n2A_n48A
Bandwidth:	40MHz+40MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	申状
Remark:	Polarity: X		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1860.60	116.23	-95.11	21.12	-	-	Vertical	NA
2	2940.90	37.64	-90.45	-52.81	-40.00	12.81	Vertical	PASS

Project Information			
Mode:	NR CA	Band:	CA_n2A_n48A
Bandwidth:	40MHz+40MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	申状
Remark:	Polarity: X		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	3606.20	104.45	-88.67	15.78	-	-	Vertical	NA
2	5466.80	34.33	-82.35	-48.02	-40.00	8.02	Vertical	PASS
3	7211.85	47.22	-95.98	-48.76	-40.00	8.76	Vertical	PASS
4	17346.03	34.64	-83.14	-48.50	-40.00	8.50	Vertical	PASS

Project Information			
Mode:	NR CA	Band:	CA_n2A_n41A(2496-2690MHz)
Bandwidth:	40MHz+100MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	申状
Remark:	Polarity: X		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1860.70	107.63	-85.11	22.52	-	-	Horizontal	NA
2	2544.10	99.33	-83.46	15.87	-	-	Horizontal	NA
3	2970.50	33.48	-80.65	-47.17	-25.00	22.17	Horizontal	PASS
4	10809.50	27.87	-81.06	-53.19	-25.00	28.19	Horizontal	PASS
5	17826.50	29.08	-72.81	-43.73	-25.00	18.73	Horizontal	PASS

Project Information			
Mode:	NR CA	Band:	CA_n2A_n41A(2496-2690MHz)
Bandwidth:	40MHz+100MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	申状
Remark:	Polarity: X		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1860.60	106.51	-85.11	21.40	-	-	Vertical	NA
2	2544.00	96.37	-83.46	12.91	-	-	Vertical	NA
3	2915.10	33.03	-80.49	-47.46	-25.00	22.46	Vertical	PASS
4	8465.00	28.70	-84.13	-55.43	-25.00	30.43	Vertical	PASS
5	17878.00	29.01	-72.79	-43.78	-25.00	18.78	Vertical	PASS

Project Information			
Mode:	NR CA	Band:	CA_n2A_n77A(3450-3550MHz)
Bandwidth:	40MHz+100MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	申状
Remark:	Polarity: X		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1860.48	96.82	-75.11	21.71	-	-	Horizontal	NA
2	3451.08	89.24	-68.97	20.27	-	-	Horizontal	NA
3	6353.98	32.35	-59.91	-27.56	-13.00	14.56	Horizontal	PASS
4	15250.73	25.77	-65.33	-39.56	-13.00	26.56	Horizontal	PASS
5	17860.47	28.46	-61.41	-32.95	-13.00	19.95	Horizontal	PASS

Project Information			
Mode:	NR CA	Band:	CA_n2A_n77A(3450-3550MHz)
Bandwidth:	40MHz+100MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	申状
Remark:	Polarity: X		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1860.48	94.69	-75.11	19.58	-	-	Vertical	NA
2	3450.80	87.21	-68.97	18.24	-	-	Vertical	NA
3	6352.60	31.95	-59.90	-27.95	-13.00	14.95	Vertical	PASS
4	6901.73	30.21	-76.97	-46.76	-13.00	33.76	Vertical	PASS
5	17885.00	28.47	-61.73	-33.26	-13.00	20.26	Vertical	PASS

Project Information			
Mode:	NR CA	Band:	CA_n2A_n77A(3700-3980MHz)
Bandwidth:	40MHz+100MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	申状
Remark:	Polarity: X		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1860.75	96.34	-75.11	21.23	-	-	Horizontal	NA
2	3790.98	86.26	-68.23	18.03	-	-	Horizontal	NA
3	6330.33	32.53	-60.12	-27.59	-13.00	14.59	Horizontal	PASS
4	7582.15	23.64	-76.15	-52.51	-13.00	39.51	Horizontal	PASS
5	17854.72	28.89	-61.33	-32.44	-13.00	19.44	Horizontal	PASS

Project Information			
Mode:	NR CA	Band:	CA_n2A_n77A(3700-3980MHz)
Bandwidth:	40MHz+100MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	申状
Remark:	Polarity: X		

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1860.75	95.09	-75.11	19.98	-	-	Vertical	NA
2	3790.98	84.45	-68.23	16.22	-	-	Vertical	NA
3	6421.90	32.68	-60.34	-27.66	-13.00	14.66	Vertical	PASS
4	7581.77	30.15	-76.15	-46.00	-13.00	33.00	Vertical	PASS
5	17845.90	28.10	-61.45	-33.35	-13.00	20.35	Vertical	PASS

Project Information

Mode:	NR CA	Band:	CA_n5A_n48A
Bandwidth:	20MHz+40MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	申状
Remark:	Polarity: X		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	3605.90	107.58	-88.67	18.91	-	-	Horizontal	NA
2	6315.20	32.67	-80.32	-47.65	-40.00	7.65	Horizontal	PASS
3	13694.78	34.22	-85.88	-51.66	-40.00	11.66	Horizontal	PASS
4	17858.93	32.57	-81.38	-48.81	-40.00	8.81	Horizontal	PASS

Project Information			
Mode:	NR CA	Band:	CA_n5A_n48A
Bandwidth:	20MHz+40MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	申状
Remark:	Polarity: X		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	3606.18	105.89	-88.67	17.22	-	-	Vertical	NA
2	6138.93	33.19	-80.82	-47.63	-40.00	7.63	Vertical	PASS
3	7212.23	41.74	-95.98	-54.24	-40.00	14.24	Vertical	PASS
4	17989.65	32.77	-81.62	-48.85	-40.00	8.85	Vertical	PASS

Project Information			
Mode:	NR CA	Band:	CA_n5A_n77A(3450-3550MHz)
Bandwidth:	20MHz+100MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	申状
Remark:	Polarity: X		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	3451.08	109.12	-88.97	20.15	-	-	Horizontal	NA
2	6317.68	37.35	-80.28	-42.93	-13.00	29.93	Horizontal	PASS
3	13711.27	34.99	-86.42	-51.43	-13.00	38.43	Horizontal	PASS
4	17862.00	32.36	-81.43	-49.07	-13.00	36.07	Horizontal	PASS

Project Information			
Mode:	NR CA	Band:	CA_n5A_n77A(3450-3550MHz)
Bandwidth:	20MHz+100MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	申状
Remark:	Polarity: X		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	3451.08	106.94	-88.97	17.97	-	-	Vertical	NA
2	6351.23	37.21	-79.88	-42.67	-13.00	29.67	Vertical	PASS
3	6902.12	43.70	-96.98	-53.28	-13.00	40.28	Vertical	PASS
4	17993.10	32.92	-81.57	-48.65	-13.00	35.65	Vertical	PASS


Project Information			
Mode:	NR CA	Band:	CA_n5A_n77A(3700-3980MHz)
Bandwidth:	20MHz+100MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	申状
Remark:	Polarity: X		

Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	3790.98	108.19	-88.23	19.96	-	-	Horizontal	NA
2	6346.55	36.79	-79.91	-43.12	-13.00	30.12	Horizontal	PASS
3	13696.32	34.41	-85.86	-51.45	-13.00	38.45	Horizontal	PASS
4	17994.63	33.19	-81.55	-48.36	-13.00	35.36	Horizontal	PASS


Project Information			
Mode:	NR CA	Band:	CA_n5A_n77A(3700-3980MHz)
Bandwidth:	20MHz+100MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	申状
Remark:	Polarity: X		

Test Graph

Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	3790.98	106.98	-88.23	18.75	-	-	Vertical	NA
2	6443.63	37.30	-80.27	-42.97	-13.00	29.97	Vertical	PASS
3	7582.15	41.17	-96.15	-54.98	-13.00	41.98	Vertical	PASS
4	17998.85	33.14	-81.48	-48.34	-13.00	35.34	Vertical	PASS

Project Information			
Mode:	NR CA	Band:	CA_n7A_n77A(3450-3550MHz)
Bandwidth:	40MHz+100MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	申状
Remark:	Polarity: X		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2515.50	112.66	-93.31	19.35	-	-	Horizontal	NA
2	2923.80	40.80	-90.47	-49.67	-25.00	24.67	Horizontal	PASS

Project Information			
Mode:	NR CA	Band:	CA_n7A_n77A(3450-3550MHz)
Bandwidth:	40MHz+100MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	申状
Remark:	Polarity: X		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	3450.98	112.98	-88.97	24.01	-	-	Horizontal	NA
2	6323.43	41.25	-80.21	-38.96	-25.00	13.96	Horizontal	PASS
3	6902.12	45.69	-96.98	-51.29	-25.00	26.29	Horizontal	PASS
4	10062.32	39.00	-91.62	-52.62	-25.00	27.62	Horizontal	PASS

Project Information			
Mode:	NR CA	Band:	CA_n7A_n77A(3450-3550MHz)
Bandwidth:	40MHz+100MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	申状
Remark:	Polarity: X		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2515.60	109.95	-93.31	16.64	-	-	Vertical	NA
2	2891.50	41.02	-90.57	-49.55	-25.00	24.55	Vertical	PASS

Project Information			
Mode:	NR CA	Band:	CA_n7A_n77A(3450-3550MHz)
Bandwidth:	40MHz+100MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	申状
Remark:	Polarity: X		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	3451.15	111.30	-88.97	22.33	-	-	Vertical	NA
2	6902.12	54.22	-96.98	-42.76	-25.00	17.76	Vertical	PASS
3	10062.32	47.95	-91.62	-43.67	-25.00	18.67	Vertical	PASS
4	12578.52	39.19	-90.14	-50.95	-25.00	25.95	Vertical	PASS

Project Information			
Mode:	NR CA	Band:	CA_n7A_n77A(3700-3980MHz)
Bandwidth:	40MHz+100MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	申状
Remark:	Polarity: X		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2515.60	113.04	-93.31	19.73	-	-	Horizontal	NA
2	2970.90	41.48	-90.65	-49.17	-25.00	24.17	Horizontal	PASS

Project Information			
Mode:	NR CA	Band:	CA_n7A_n77A(3700-3980MHz)
Bandwidth:	40MHz+100MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	申状
Remark:	Polarity: X		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	3701.05	114.34	-88.74	25.60	-	-	Horizontal	NA
2	6312.93	41.19	-80.35	-39.16	-25.00	14.16	Horizontal	PASS
3	7402.37	47.00	-95.60	-48.60	-25.00	23.60	Horizontal	PASS
4	10062.32	41.62	-91.62	-50.00	-25.00	25.00	Horizontal	PASS

Project Information			
Mode:	NR CA	Band:	CA_n7A_n77A(3700-3980MHz)
Bandwidth:	40MHz+100MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	申状
Remark:	Polarity: X		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2515.50	109.68	-93.31	16.37	-	-	Vertical	NA
2	2911.10	40.72	-90.50	-49.78	-25.00	24.78	Vertical	PASS

Project Information			
Mode:	NR CA	Band:	CA_n7A_n77A(3700-3980MHz)
Bandwidth:	40MHz+100MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	申状
Remark:	Polarity: X		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	3701.05	108.83	-88.74	20.09	-	-	Vertical	NA
2	7401.98	52.53	-95.59	-43.06	-25.00	18.06	Vertical	PASS
3	10062.32	48.77	-91.62	-42.85	-25.00	17.85	Vertical	PASS
4	12578.13	40.21	-90.14	-49.93	-25.00	24.93	Vertical	PASS

Project Information			
Mode:	NR CA	Band:	CA_n12A_n77A(3700-3980MHz)
Bandwidth:	15MHz+100MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	申状
Remark:	Polarity: X		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	3790.98	108.83	-88.23	20.60	-	-	Horizontal	NA
2	6382.85	37.48	-80.23	-42.75	-13.00	29.75	Horizontal	PASS
3	13686.73	34.41	-85.93	-51.52	-13.00	38.52	Horizontal	PASS
4	17963.20	33.18	-82.00	-48.82	-13.00	35.82	Horizontal	PASS

Project Information			
Mode:	NR CA	Band:	CA_n12A_n77A(3700-3980MHz)
Bandwidth:	15MHz+100MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	申状
Remark:	Polarity: X		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	3790.98	107.06	-88.23	18.83	-	-	Vertical	NA
2	6339.40	36.89	-80.00	-43.11	-13.00	30.11	Vertical	PASS
3	7582.53	41.00	-96.14	-55.14	-13.00	42.14	Vertical	PASS
4	17847.82	33.14	-81.36	-48.22	-13.00	35.22	Vertical	PASS

Project Information			
Mode:	NR CA	Band:	CA_n12A_n77A(3450-3550MHz)
Bandwidth:	15MHz+100MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	申状
Remark:	Polarity: X		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	3451.08	108.05	-88.97	19.08	-	-	Horizontal	NA
2	6366.35	37.07	-80.04	-42.97	-13.00	29.97	Horizontal	PASS
3	15244.60	33.94	-85.49	-51.55	-13.00	38.55	Horizontal	PASS
4	17846.67	32.56	-81.42	-48.86	-13.00	35.86	Horizontal	PASS

Project Information			
Mode:	NR CA	Band:	CA_n12A_n77A(3450-3550MHz)
Bandwidth:	15MHz+100MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	申状
Remark:	Polarity: X		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	3451.08	107.35	-88.97	18.38	-	-	Vertical	NA
2	6348.48	37.58	-79.89	-42.31	-13.00	29.31	Vertical	PASS
3	6902.12	41.23	-96.98	-55.75	-13.00	42.75	Vertical	PASS
4	17346.80	33.71	-83.12	-49.41	-13.00	36.41	Vertical	PASS

Project Information			
Mode:	NR CA	Band:	CA_n13A_n77A(3450-3550MHz)
Bandwidth:	10MHz+100MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	申状
Remark:	Polarity: X		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	3451.08	112.22	-88.97	23.25	-	-	Horizontal	NA
2	6328.40	37.35	-80.15	-42.80	-13.00	29.80	Horizontal	PASS
3	6902.12	40.01	-96.98	-56.97	-13.00	43.97	Horizontal	PASS
4	17979.68	33.35	-81.76	-48.41	-13.00	35.41	Horizontal	PASS

Project Information			
Mode:	NR CA	Band:	CA_n13A_n77A(3450-3550MHz)
Bandwidth:	10MHz+100MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	申状
Remark:	Polarity: X		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	3451.08	111.00	-88.97	22.03	-	-	Vertical	NA
2	6329.78	37.18	-80.13	-42.95	-13.00	29.95	Vertical	PASS
3	6901.73	45.40	-96.97	-51.57	-13.00	38.57	Vertical	PASS
4	17988.12	33.00	-81.64	-48.64	-13.00	35.64	Vertical	PASS

Project Information			
Mode:	NR CA	Band:	CA_n13A_n77A(3700-3980MHz)
Bandwidth:	10MHz+100MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	申状
Remark:	Polarity: X		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	3790.98	114.08	-88.23	25.85	-	-	Horizontal	NA
2	6352.33	36.80	-79.89	-43.09	-13.00	30.09	Horizontal	PASS
3	13689.42	34.82	-85.92	-51.10	-13.00	38.10	Horizontal	PASS
4	17988.50	33.17	-81.64	-48.47	-13.00	35.47	Horizontal	PASS

Project Information			
Mode:	NR CA	Band:	CA_n13A_n77A(3700-3980MHz)
Bandwidth:	10MHz+100MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	申状
Remark:	Polarity: X		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	3790.98	110.34	-88.23	22.11	-	-	Vertical	NA
2	6342.15	37.06	-79.97	-42.91	-13.00	29.91	Vertical	PASS
3	7582.15	44.68	-96.15	-51.47	-13.00	38.47	Vertical	PASS
4	17982.37	32.47	-81.72	-49.25	-13.00	36.25	Vertical	PASS

Project Information			
Mode:	NR CA	Band:	CA_n14A_n77A(3450-3550MHz)
Bandwidth:	10MHz+100MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	申状
Remark:	Polarity: X		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	3451.08	109.97	-88.97	21.00	-	-	Horizontal	NA
2	6151.85	37.80	-80.87	-43.07	-13.00	30.07	Horizontal	PASS
3	14609.03	34.49	-86.47	-51.98	-13.00	38.98	Horizontal	PASS
4	17848.20	32.38	-81.34	-48.96	-13.00	35.96	Horizontal	PASS

Project Information			
Mode:	NR CA	Band:	CA_n14A_n77A(3450-3550MHz)
Bandwidth:	10MHz+100MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	申状
Remark:	Polarity: X		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	3451.08	107.13	-88.97	18.16	-	-	Vertical	NA
2	6352.33	36.75	-79.89	-43.14	-13.00	30.14	Vertical	PASS
3	6902.12	40.40	-96.98	-56.58	-13.00	43.58	Vertical	PASS
4	17998.47	32.53	-81.50	-48.97	-13.00	35.97	Vertical	PASS

Project Information			
Mode:	NR CA	Band:	CA_n14A_n77A(3700-3980MHz)
Bandwidth:	10MHz+100MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	申状
Remark:	Polarity: X		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	3790.98	109.50	-88.23	21.27	-	-	Horizontal	NA
2	6099.88	37.56	-80.69	-43.13	-13.00	30.13	Horizontal	PASS
3	13682.90	34.29	-85.97	-51.68	-13.00	38.68	Horizontal	PASS
4	17996.55	33.19	-81.52	-48.33	-13.00	35.33	Horizontal	PASS

Project Information			
Mode:	NR CA	Band:	CA_n14A_n77A(3700-3980MHz)
Bandwidth:	10MHz+100MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	申状
Remark:	Polarity: X		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	3790.98	106.63	-88.23	18.40	-	-	Vertical	NA
2	6350.68	36.84	-79.88	-43.04	-13.00	30.04	Vertical	PASS
3	7582.15	40.20	-96.15	-55.95	-13.00	42.95	Vertical	PASS
4	17847.82	32.67	-81.36	-48.69	-13.00	35.69	Vertical	PASS

Project Information			
Mode:	NR CA	Band:	CA_n26(814-824MHz)_n66A
Bandwidth:	10MHz+40MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	申状
Remark:	Polarity: X		

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1725.70	112.01	-95.00	17.01	-	-	Horizontal	NA
2	2982.40	41.18	-90.76	-49.58	-13.00	36.58	Horizontal	PASS
3	14659.50	34.14	-85.60	-51.46	-13.00	38.46	Horizontal	PASS
4	17987.00	33.74	-82.60	-48.86	-13.00	35.86	Horizontal	PASS

Project Information

Mode:	NR CA	Band:	CA_n26(814-824MHz)_n66A
Bandwidth:	10MHz+40MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	申状
Remark:	Polarity: X		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1725.60	113.93	-95.00	18.93	-	-	Vertical	NA
2	2127.40	45.79	-94.70	-48.91	-	-	Vertical	NA
3	2995.40	40.97	-90.89	-49.92	-13.00	36.92	Vertical	PASS
4	14491.00	35.30	-87.10	-51.80	-13.00	38.80	Vertical	PASS
5	17339.50	33.74	-82.88	-49.14	-13.00	36.14	Vertical	PASS

Project Information			
Mode:	NR CA	Band:	CA_n26(824-849MHz)_n66A
Bandwidth:	20MHz+40MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	申状
Remark:	Polarity: X		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1725.50	111.75	-95.00	16.75	-	-	Horizontal	NA
2	2803.40	41.41	-91.12	-49.71	-13.00	36.71	Horizontal	PASS
3	15075.00	34.10	-86.29	-52.19	-13.00	39.19	Horizontal	PASS
4	17335.50	33.75	-83.06	-49.31	-13.00	36.31	Horizontal	PASS

Project Information			
Mode:	NR CA	Band:	CA_n26(824-849MHz)_n66A
Bandwidth:	20MHz+40MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	申状
Remark:	Polarity: X		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1725.60	114.34	-95.00	19.34	-	-	Vertical	NA
2	2126.90	45.22	-94.70	-49.48	-	-	Vertical	NA
3	2915.00	41.26	-90.49	-49.23	-13.00	36.23	Vertical	PASS
4	14665.50	34.64	-85.77	-51.13	-13.00	38.13	Vertical	PASS
5	17345.00	32.98	-82.62	-49.64	-13.00	36.64	Vertical	PASS

Project Information			
Mode:	NR CA	Band:	CA_n26(824-849MHz)_n70A
Bandwidth:	20MHz+15MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	申状
Remark:	Polarity: X		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1695.40	109.79	-95.21	14.58	-	-	Horizontal	NA
2	1998.70	41.77	-95.01	-53.24	-	-	Horizontal	NA
3	2880.10	40.87	-90.64	-49.77	-13.00	36.77	Horizontal	PASS
4	15251.50	34.07	-85.93	-51.86	-13.00	38.86	Horizontal	PASS
5	17365.50	34.24	-83.00	-48.76	-13.00	35.76	Horizontal	PASS

Project Information			
Mode:	NR CA	Band:	CA_n26(824-849MHz)_n70A
Bandwidth:	20MHz+15MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	申状
Remark:	Polarity: X		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1695.50	117.58	-95.21	22.37	-	-	Vertical	NA
2	1998.40	50.35	-95.01	-44.66	-	-	Vertical	NA
3	2947.00	40.93	-90.45	-49.52	-13.00	36.52	Vertical	PASS
4	13831.50	35.27	-86.83	-51.56	-13.00	38.56	Vertical	PASS
5	17362.50	33.59	-82.89	-49.30	-13.00	36.30	Vertical	PASS

Project Information			
Mode:	NR CA	Band:	CA_n26(814-824MHz)_n70A
Bandwidth:	10MHz+15MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	申状
Remark:	Polarity: X		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1695.40	109.71	-95.21	14.50	-	-	Horizontal	NA
2	1997.90	41.64	-95.01	-53.37	-	-	Horizontal	NA
3	2921.50	41.05	-90.48	-49.43	-13.00	36.43	Horizontal	PASS
4	4072.00	42.78	-106.05	-63.27	-13.00	50.27	Horizontal	PASS
5	17351.00	33.92	-82.44	-48.52	-13.00	35.52	Horizontal	PASS

Project Information			
Mode:	NR CA	Band:	CA_n26(814-824MHz)_n70A
Bandwidth:	10MHz+15MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	申状
Remark:	Polarity: X		

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1695.50	117.30	-95.21	22.09	-	-	Vertical	NA
2	1998.80	50.40	-95.02	-44.62	-	-	Vertical	NA
3	2984.20	41.47	-90.78	-49.31	-13.00	36.31	Vertical	PASS
4	4072.00	43.49	-106.05	-62.56	-13.00	49.56	Vertical	PASS
5	17350.50	33.33	-82.42	-49.09	-13.00	36.09	Vertical	PASS

Project Information

Mode:	NR CA	Band:	CA_n25A_n38A
Bandwidth:	40MHz+40MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	申状
Remark:	Polarity: X		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1863.30	96.41	-75.09	21.32	-	-	Horizontal	NA
2	2576.10	90.27	-73.35	16.92	-	-	Horizontal	NA
3	2967.50	33.78	-70.62	-36.84	-25.00	11.84	Horizontal	PASS
4	15101.50	26.32	-66.22	-39.90	-25.00	14.90	Horizontal	PASS
5	17817.00	28.57	-62.95	-34.38	-25.00	9.38	Horizontal	PASS

Project Information

Mode:	NR CA	Band:	CA_n25A_n38A
Bandwidth:	40MHz+40MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	申状
Remark:	Polarity: X		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1863.00	97.01	-75.09	21.92	-	-	Vertical	NA
2	2576.00	86.60	-73.35	13.25	-	-	Vertical	NA
3	2871.50	33.55	-70.70	-37.15	-25.00	12.15	Vertical	PASS
4	15245.50	26.52	-66.02	-39.50	-25.00	14.50	Vertical	PASS
5	17842.00	27.93	-62.58	-34.65	-25.00	9.65	Vertical	PASS

Project Information			
Mode:	NR CA	Band:	CA_n25A_n48A
Bandwidth:	40MHz+40MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	申状
Remark:	Polarity: X		

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1863.20	115.89	-95.09	20.80	-	-	Horizontal	NA
2	2885.30	37.75	-90.60	-52.85	-40.00	12.85	Horizontal	PASS

Project Information

Mode:	NR CA	Band:	CA_n25A_n48A
Bandwidth:	40MHz+40MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	申状
Remark:	Polarity: X		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	3606.03	110.33	-88.67	21.66	-	-	Horizontal	NA
2	5469.08	35.29	-82.32	-47.03	-40.00	7.03	Horizontal	PASS
3	7211.85	42.33	-95.98	-53.65	-40.00	13.65	Horizontal	PASS
4	17993.10	32.58	-81.57	-48.99	-40.00	8.99	Horizontal	PASS

Project Information			
Mode:	NR CA	Band:	CA_n25A_n48A
Bandwidth:	40MHz+40MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	申状
Remark:	Polarity: X		

Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1863.10	116.23	-95.09	21.14	-	-	Vertical	NA
2	2901.70	37.54	-90.51	-52.97	-40.00	12.97	Vertical	PASS