

Appendix-B NR Band n26(824-849)

Effective (Isotropic) Radiated Power Output Data for SA

Test Result

Condition	Band	SCS	BW (MHz)	Channel	NR Mod	RB Config	Power (dBm)	ERP (dBm)	Limit (dBm)	Verdict
NTNV	N26-824-849	15	5	L	DFT-PI2BPSK	Outer_Full	23.44	22.61	38.45	PASS
NTNV	N26-824-849	15	5	L	DFT-PI2BPSK	Inner_Full	24.48	23.65	38.45	PASS
NTNV	N26-824-849	15	5	L	DFT-PI2BPSK	Inner_1RB_Left	24.4	23.57	38.45	PASS
NTNV	N26-824-849	15	5	L	DFT-PI2BPSK	Inner_1RB_Right	24.4	23.57	38.45	PASS
NTNV	N26-824-849	15	5	L	DFT-QPSK	Outer_Full	23.55	22.72	38.45	PASS
NTNV	N26-824-849	15	5	L	DFT-QPSK	Inner_Full	24.54	23.71	38.45	PASS
NTNV	N26-824-849	15	5	L	DFT-QPSK	Inner_1RB_Left	24.55	23.72	38.45	PASS
NTNV	N26-824-849	15	5	L	DFT-QPSK	Inner_1RB_Right	24.45	23.62	38.45	PASS
NTNV	N26-824-849	15	5	L	DFT-16QAM	Outer_Full	22.63	21.8	38.45	PASS
NTNV	N26-824-849	15	5	L	DFT-16QAM	Inner_Full	23.52	22.69	38.45	PASS
NTNV	N26-824-849	15	5	L	DFT-16QAM	Inner_1RB_Left	23.65	22.82	38.45	PASS
NTNV	N26-824-849	15	5	L	DFT-16QAM	Inner_1RB_Right	23.68	22.85	38.45	PASS
NTNV	N26-824-849	15	5	L	DFT-64QAM	Outer_Full	22.1	21.27	38.45	PASS
NTNV	N26-824-849	15	5	L	DFT-64QAM	Inner_Full	22.03	21.2	38.45	PASS
NTNV	N26-824-849	15	5	L	DFT-64QAM	Inner_1RB_Left	22.16	21.33	38.45	PASS
NTNV	N26-824-849	15	5	L	DFT-64QAM	Inner_1RB_Right	22.17	21.34	38.45	PASS
NTNV	N26-824-849	15	5	L	DFT-256QAM	Outer_Full	19.53	21.3	38.45	PASS
NTNV	N26-824-849	15	5	L	DFT-256QAM	Inner_Full	19.42	21.19	38.45	PASS

NTNV	N26-824-849	15	5	L	DFT-256QAM	Inner_1RB_Left	19.55	20.72	38.45	PASS
NTNV	N26-824-849	15	5	L	DFT-256QAM	Inner_1RB_Right	19.56	20.73	38.45	PASS
NTNV	N26-824-849	15	5	M	DFT-PI2BPSK	Outer_Full	23.61	22.78	38.45	PASS
NTNV	N26-824-849	15	5	M	DFT-PI2BPSK	Inner_Full	24.61	23.78	38.45	PASS
NTNV	N26-824-849	15	5	M	DFT-PI2BPSK	Inner_1RB_Left	24.53	23.7	38.45	PASS
NTNV	N26-824-849	15	5	M	DFT-PI2BPSK	Inner_1RB_Right	24.59	23.76	38.45	PASS
NTNV	N26-824-849	15	5	M	DFT-QPSK	Outer_Full	23.72	22.89	38.45	PASS
NTNV	N26-824-849	15	5	M	DFT-QPSK	Inner_Full	24.81	23.98	38.45	PASS
NTNV	N26-824-849	15	5	M	DFT-QPSK	Inner_1RB_Left	24.69	23.86	38.45	PASS
NTNV	N26-824-849	15	5	M	DFT-QPSK	Inner_1RB_Right	24.62	23.79	38.45	PASS
NTNV	N26-824-849	15	5	M	DFT-16QAM	Outer_Full	22.8	21.97	38.45	PASS
NTNV	N26-824-849	15	5	M	DFT-16QAM	Inner_Full	23.85	23.02	38.45	PASS
NTNV	N26-824-849	15	5	M	DFT-16QAM	Inner_1RB_Left	23.91	23.08	38.45	PASS
NTNV	N26-824-849	15	5	M	DFT-16QAM	Inner_1RB_Right	24.04	23.21	38.45	PASS
NTNV	N26-824-849	15	5	M	DFT-64QAM	Outer_Full	22.26	21.43	38.45	PASS
NTNV	N26-824-849	15	5	M	DFT-64QAM	Inner_Full	22.19	21.36	38.45	PASS
NTNV	N26-824-849	15	5	M	DFT-64QAM	Inner_1RB_Left	22.33	21.5	38.45	PASS
NTNV	N26-824-849	15	5	M	DFT-64QAM	Inner_1RB_Right	22.35	21.52	38.45	PASS
NTNV	N26-824-849	15	5	M	DFT-256QAM	Outer_Full	19.55	21.42	38.45	PASS
NTNV	N26-824-849	15	5	M	DFT-256QAM	Inner_Full	19.56	21.33	38.45	PASS
NTNV	N26-824-849	15	5	M	DFT-256QAM	Inner_1RB_Left	19.63	21.1	38.45	PASS
NTNV	N26-824-849	15	5	M	DFT-256QAM	Inner_1RB_Right	19.76	20.93	38.45	PASS

NTNV	N26-824-849	15	5	H	DFT-PI2BPSK	Outer_Full	23.59	22.76	38.45	PASS
NTNV	N26-824-849	15	5	H	DFT-PI2BPSK	Inner_Full	24.66	23.83	38.45	PASS
NTNV	N26-824-849	15	5	H	DFT-PI2BPSK	Inner_1RB_Left	24.57	23.74	38.45	PASS
NTNV	N26-824-849	15	5	H	DFT-PI2BPSK	Inner_1RB_Right	24.52	23.69	38.45	PASS
NTNV	N26-824-849	15	5	H	DFT-QPSK	Outer_Full	23.76	22.93	38.45	PASS
NTNV	N26-824-849	15	5	H	DFT-QPSK	Inner_Full	24.76	23.93	38.45	PASS
NTNV	N26-824-849	15	5	H	DFT-QPSK	Inner_1RB_Left	24.74	23.91	38.45	PASS
NTNV	N26-824-849	15	5	H	DFT-QPSK	Inner_1RB_Right	24.66	23.83	38.45	PASS
NTNV	N26-824-849	15	5	H	DFT-16QAM	Outer_Full	22.77	21.94	38.45	PASS
NTNV	N26-824-849	15	5	H	DFT-16QAM	Inner_Full	23.7	22.87	38.45	PASS
NTNV	N26-824-849	15	5	H	DFT-16QAM	Inner_1RB_Left	23.79	22.96	38.45	PASS
NTNV	N26-824-849	15	5	H	DFT-16QAM	Inner_1RB_Right	23.87	23.04	38.45	PASS
NTNV	N26-824-849	15	5	H	DFT-64QAM	Outer_Full	22.3	21.47	38.45	PASS
NTNV	N26-824-849	15	5	H	DFT-64QAM	Inner_Full	22.23	21.4	38.45	PASS
NTNV	N26-824-849	15	5	H	DFT-64QAM	Inner_1RB_Left	22.41	21.58	38.45	PASS
NTNV	N26-824-849	15	5	H	DFT-64QAM	Inner_1RB_Right	22.39	21.56	38.45	PASS
NTNV	N26-824-849	15	5	H	DFT-256QAM	Outer_Full	19.7	21.47	38.45	PASS
NTNV	N26-824-849	15	5	H	DFT-256QAM	Inner_Full	19.58	21.35	38.45	PASS
NTNV	N26-824-849	15	5	H	DFT-256QAM	Inner_1RB_Left	19.78	20.95	38.45	PASS
NTNV	N26-824-849	15	5	H	DFT-256QAM	Inner_1RB_Right	19.76	20.93	38.45	PASS
NTNV	N26-824-849	15	10	L	DFT-PI2BPSK	Outer_Full	24.12	23.29	38.45	PASS
NTNV	N26-824-849	15	10	L	DFT-PI2BPSK	Inner_Full	24.64	23.81	38.45	PASS

NTNV	N26-824-849	15	10	L	DFT-PI2BPSK	Inner_1RB_Left	24.79	23.96	38.45	PASS
NTNV	N26-824-849	15	10	L	DFT-PI2BPSK	Inner_1RB_Right	24.72	23.89	38.45	PASS
NTNV	N26-824-849	15	10	L	DFT-QPSK	Outer_Full	23.64	22.81	38.45	PASS
NTNV	N26-824-849	15	10	L	DFT-QPSK	Inner_Full	24.63	23.8	38.45	PASS
NTNV	N26-824-849	15	10	L	DFT-QPSK	Inner_1RB_Left	24.62	23.79	38.45	PASS
NTNV	N26-824-849	15	10	L	DFT-QPSK	Inner_1RB_Right	24.58	23.75	38.45	PASS
NTNV	N26-824-849	15	10	L	DFT-16QAM	Outer_Full	22.61	21.78	38.45	PASS
NTNV	N26-824-849	15	10	L	DFT-16QAM	Inner_Full	23.61	22.78	38.45	PASS
NTNV	N26-824-849	15	10	L	DFT-16QAM	Inner_1RB_Left	23.85	23.02	38.45	PASS
NTNV	N26-824-849	15	10	L	DFT-16QAM	Inner_1RB_Right	23.53	22.7	38.45	PASS
NTNV	N26-824-849	15	10	L	DFT-64QAM	Outer_Full	22.14	21.31	38.45	PASS
NTNV	N26-824-849	15	10	L	DFT-64QAM	Inner_Full	22.13	21.3	38.45	PASS
NTNV	N26-824-849	15	10	L	DFT-64QAM	Inner_1RB_Left	21.94	21.11	38.45	PASS
NTNV	N26-824-849	15	10	L	DFT-64QAM	Inner_1RB_Right	21.9	21.07	38.45	PASS
NTNV	N26-824-849	15	10	L	DFT-256QAM	Outer_Full	19.5	21.37	38.45	PASS
NTNV	N26-824-849	15	10	L	DFT-256QAM	Inner_Full	19.59	21.39	38.45	PASS
NTNV	N26-824-849	15	10	L	DFT-256QAM	Inner_1RB_Left	19.85	21.02	38.45	PASS
NTNV	N26-824-849	15	10	L	DFT-256QAM	Inner_1RB_Right	19.88	21.05	38.45	PASS
NTNV	N26-824-849	15	10	M	DFT-PI2BPSK	Outer_Full	24.3	23.47	38.45	PASS
NTNV	N26-824-849	15	10	M	DFT-PI2BPSK	Inner_Full	24.75	23.92	38.45	PASS
NTNV	N26-824-849	15	10	M	DFT-PI2BPSK	Inner_1RB_Left	24.9	24.07	38.45	PASS
NTNV	N26-824-849	15	10	M	DFT-PI2BPSK	Inner_1RB_Right	25	24.17	38.45	PASS

NTNV	N26-824-849	15	10	M	DFT-QPSK	Outer_Full	23.77	22.94	38.45	PASS
NTNV	N26-824-849	15	10	M	DFT-QPSK	Inner_Full	24.73	23.9	38.45	PASS
NTNV	N26-824-849	15	10	M	DFT-QPSK	Inner_1RB_Left	24.78	23.95	38.45	PASS
NTNV	N26-824-849	15	10	M	DFT-QPSK	Inner_1RB_Right	24.89	24.06	38.45	PASS
NTNV	N26-824-849	15	10	M	DFT-16QAM	Outer_Full	22.78	21.95	38.45	PASS
NTNV	N26-824-849	15	10	M	DFT-16QAM	Inner_Full	23.78	22.95	38.45	PASS
NTNV	N26-824-849	15	10	M	DFT-16QAM	Inner_1RB_Left	23.91	23.08	38.45	PASS
NTNV	N26-824-849	15	10	M	DFT-16QAM	Inner_1RB_Right	24	23.17	38.45	PASS
NTNV	N26-824-849	15	10	M	DFT-64QAM	Outer_Full	22.29	21.46	38.45	PASS
NTNV	N26-824-849	15	10	M	DFT-64QAM	Inner_Full	22.27	21.44	38.45	PASS
NTNV	N26-824-849	15	10	M	DFT-64QAM	Inner_1RB_Left	22.54	21.71	38.45	PASS
NTNV	N26-824-849	15	10	M	DFT-64QAM	Inner_1RB_Right	22.57	21.74	38.45	PASS
NTNV	N26-824-849	15	10	M	DFT-256QAM	Outer_Full	19.73	21.5	38.45	PASS
NTNV	N26-824-849	15	10	M	DFT-256QAM	Inner_Full	19.72	21.49	38.45	PASS
NTNV	N26-824-849	15	10	M	DFT-256QAM	Inner_1RB_Left	19.61	21.17	38.45	PASS
NTNV	N26-824-849	15	10	M	DFT-256QAM	Inner_1RB_Right	19.44	21.21	38.45	PASS
NTNV	N26-824-849	15	10	H	DFT-PI2BPSK	Outer_Full	24.31	23.48	38.45	PASS
NTNV	N26-824-849	15	10	H	DFT-PI2BPSK	Inner_Full	24.86	24.03	38.45	PASS
NTNV	N26-824-849	15	10	H	DFT-PI2BPSK	Inner_1RB_Left	24.88	24.05	38.45	PASS
NTNV	N26-824-849	15	10	H	DFT-PI2BPSK	Inner_1RB_Right	24.87	24.04	38.45	PASS
NTNV	N26-824-849	15	10	H	DFT-QPSK	Outer_Full	23.81	22.98	38.45	PASS
NTNV	N26-824-849	15	10	H	DFT-QPSK	Inner_Full	24.87	24.04	38.45	PASS

NTNV	N26-824-849	15	10	H	DFT-QPSK	Inner_1RB_Left	24.93	24.1	38.45	PASS
NTNV	N26-824-849	15	10	H	DFT-QPSK	Inner_1RB_Right	24.89	24.06	38.45	PASS
NTNV	N26-824-849	15	10	H	DFT-16QAM	Outer_Full	22.84	22.01	38.45	PASS
NTNV	N26-824-849	15	10	H	DFT-16QAM	Inner_Full	23.82	22.99	38.45	PASS
NTNV	N26-824-849	15	10	H	DFT-16QAM	Inner_1RB_Left	23.71	22.88	38.45	PASS
NTNV	N26-824-849	15	10	H	DFT-16QAM	Inner_1RB_Right	23.7	22.87	38.45	PASS
NTNV	N26-824-849	15	10	H	DFT-64QAM	Outer_Full	22.36	21.53	38.45	PASS
NTNV	N26-824-849	15	10	H	DFT-64QAM	Inner_Full	22.29	21.46	38.45	PASS
NTNV	N26-824-849	15	10	H	DFT-64QAM	Inner_1RB_Left	22.1	21.27	38.45	PASS
NTNV	N26-824-849	15	10	H	DFT-64QAM	Inner_1RB_Right	22.34	21.51	38.45	PASS
NTNV	N26-824-849	15	10	H	DFT-256QAM	Outer_Full	19.78	21.55	38.45	PASS
NTNV	N26-824-849	15	10	H	DFT-256QAM	Inner_Full	19.79	21.56	38.45	PASS
NTNV	N26-824-849	15	10	H	DFT-256QAM	Inner_1RB_Left	19.47	21.24	38.45	PASS
NTNV	N26-824-849	15	10	H	DFT-256QAM	Inner_1RB_Right	19.43	21.2	38.45	PASS
NTNV	N26-824-849	15	15	L	DFT-PI2BPSK	Outer_Full	24.26	23.43	38.45	PASS
NTNV	N26-824-849	15	15	L	DFT-PI2BPSK	Inner_Full	24.82	23.99	38.45	PASS
NTNV	N26-824-849	15	15	L	DFT-PI2BPSK	Inner_1RB_Left	24.7	23.87	38.45	PASS
NTNV	N26-824-849	15	15	L	DFT-PI2BPSK	Inner_1RB_Right	24.74	23.91	38.45	PASS
NTNV	N26-824-849	15	15	L	DFT-QPSK	Outer_Full	23.81	22.98	38.45	PASS
NTNV	N26-824-849	15	15	L	DFT-QPSK	Inner_Full	24.77	23.94	38.45	PASS
NTNV	N26-824-849	15	15	L	DFT-QPSK	Inner_1RB_Left	24.62	23.79	38.45	PASS
NTNV	N26-824-849	15	15	L	DFT-QPSK	Inner_1RB_Right	24.7	23.87	38.45	PASS

NTNV	N26-824-849	15	15	L	DFT-16QAM	Outer_Full	22.84	22.01	38.45	PASS
NTNV	N26-824-849	15	15	L	DFT-16QAM	Inner_Full	23.76	22.93	38.45	PASS
NTNV	N26-824-849	15	15	L	DFT-16QAM	Inner_1RB_Left	23.87	23.04	38.45	PASS
NTNV	N26-824-849	15	15	L	DFT-16QAM	Inner_1RB_Right	23.69	22.86	38.45	PASS
NTNV	N26-824-849	15	15	L	DFT-64QAM	Outer_Full	22.22	21.39	38.45	PASS
NTNV	N26-824-849	15	15	L	DFT-64QAM	Inner_Full	22.21	21.38	38.45	PASS
NTNV	N26-824-849	15	15	L	DFT-64QAM	Inner_1RB_Left	22.34	21.51	38.45	PASS
NTNV	N26-824-849	15	15	L	DFT-64QAM	Inner_1RB_Right	22.42	21.59	38.45	PASS
NTNV	N26-824-849	15	15	L	DFT-256QAM	Outer_Full	19.7	21.47	38.45	PASS
NTNV	N26-824-849	15	15	L	DFT-256QAM	Inner_Full	19.53	21.4	38.45	PASS
NTNV	N26-824-849	15	15	L	DFT-256QAM	Inner_1RB_Left	19.71	20.88	38.45	PASS
NTNV	N26-824-849	15	15	L	DFT-256QAM	Inner_1RB_Right	19.64	21.11	38.45	PASS
NTNV	N26-824-849	15	15	M	DFT-PI2BPSK	Outer_Full	24.29	23.46	38.45	PASS
NTNV	N26-824-849	15	15	M	DFT-PI2BPSK	Inner_Full	24.83	24	38.45	PASS
NTNV	N26-824-849	15	15	M	DFT-PI2BPSK	Inner_1RB_Left	24.76	23.93	38.45	PASS
NTNV	N26-824-849	15	15	M	DFT-PI2BPSK	Inner_1RB_Right	24.87	24.04	38.45	PASS
NTNV	N26-824-849	15	15	M	DFT-QPSK	Outer_Full	23.78	22.95	38.45	PASS
NTNV	N26-824-849	15	15	M	DFT-QPSK	Inner_Full	24.7	23.87	38.45	PASS
NTNV	N26-824-849	15	15	M	DFT-QPSK	Inner_1RB_Left	24.7	23.87	38.45	PASS
NTNV	N26-824-849	15	15	M	DFT-QPSK	Inner_1RB_Right	24.81	23.98	38.45	PASS
NTNV	N26-824-849	15	15	M	DFT-16QAM	Outer_Full	22.76	21.93	38.45	PASS
NTNV	N26-824-849	15	15	M	DFT-16QAM	Inner_Full	23.75	22.92	38.45	PASS

NTNV	N26-824-849	15	15	M	DFT-16QAM	Inner_1RB_Left	23.68	22.85	38.45	PASS
NTNV	N26-824-849	15	15	M	DFT-16QAM	Inner_1RB_Right	24.04	23.21	38.45	PASS
NTNV	N26-824-849	15	15	M	DFT-64QAM	Outer_Full	22.2	21.37	38.45	PASS
NTNV	N26-824-849	15	15	M	DFT-64QAM	Inner_Full	22.15	21.32	38.45	PASS
NTNV	N26-824-849	15	15	M	DFT-64QAM	Inner_1RB_Left	22.01	21.18	38.45	PASS
NTNV	N26-824-849	15	15	M	DFT-64QAM	Inner_1RB_Right	22.1	21.27	38.45	PASS
NTNV	N26-824-849	15	15	M	DFT-256QAM	Outer_Full	19.59	21.46	38.45	PASS
NTNV	N26-824-849	15	15	M	DFT-256QAM	Inner_Full	19.59	21.39	38.45	PASS
NTNV	N26-824-849	15	15	M	DFT-256QAM	Inner_1RB_Left	19.68	21.15	38.45	PASS
NTNV	N26-824-849	15	15	M	DFT-256QAM	Inner_1RB_Right	19.43	21.2	38.45	PASS
NTNV	N26-824-849	15	15	H	DFT-PI2BPSK	Outer_Full	24.26	23.43	38.45	PASS
NTNV	N26-824-849	15	15	H	DFT-PI2BPSK	Inner_Full	24.81	23.98	38.45	PASS
NTNV	N26-824-849	15	15	H	DFT-PI2BPSK	Inner_1RB_Left	24.67	23.84	38.45	PASS
NTNV	N26-824-849	15	15	H	DFT-PI2BPSK	Inner_1RB_Right	24.7	23.87	38.45	PASS
NTNV	N26-824-849	15	15	H	DFT-QPSK	Outer_Full	23.72	22.89	38.45	PASS
NTNV	N26-824-849	15	15	H	DFT-QPSK	Inner_Full	24.75	23.92	38.45	PASS
NTNV	N26-824-849	15	15	H	DFT-QPSK	Inner_1RB_Left	24.57	23.74	38.45	PASS
NTNV	N26-824-849	15	15	H	DFT-QPSK	Inner_1RB_Right	24.52	23.69	38.45	PASS
NTNV	N26-824-849	15	15	H	DFT-16QAM	Outer_Full	22.76	21.93	38.45	PASS
NTNV	N26-824-849	15	15	H	DFT-16QAM	Inner_Full	23.76	22.93	38.45	PASS
NTNV	N26-824-849	15	15	H	DFT-16QAM	Inner_1RB_Left	23.76	22.93	38.45	PASS
NTNV	N26-824-849	15	15	H	DFT-16QAM	Inner_1RB_Right	23.81	22.98	38.45	PASS

NTNV	N26-824-849	15	15	H	DFT-64QAM	Outer_Full	22.2	21.37	38.45	PASS
NTNV	N26-824-849	15	15	H	DFT-64QAM	Inner_Full	22.2	21.37	38.45	PASS
NTNV	N26-824-849	15	15	H	DFT-64QAM	Inner_1RB_Left	21.95	21.12	38.45	PASS
NTNV	N26-824-849	15	15	H	DFT-64QAM	Inner_1RB_Right	21.9	21.07	38.45	PASS
NTNV	N26-824-849	15	15	H	DFT-256QAM	Outer_Full	19.58	21.45	38.45	PASS
NTNV	N26-824-849	15	15	H	DFT-256QAM	Inner_Full	19.58	21.45	38.45	PASS
NTNV	N26-824-849	15	15	H	DFT-256QAM	Inner_1RB_Left	19.61	21.08	38.45	PASS
NTNV	N26-824-849	15	15	H	DFT-256QAM	Inner_1RB_Right	19.45	18.62	38.45	PASS
NTNV	N26-824-849	15	20	L	DFT-PI2BPSK	Outer_Full	24.31	23.48	38.45	PASS
NTNV	N26-824-849	15	20	L	DFT-PI2BPSK	Inner_Full	24.84	24.01	38.45	PASS
NTNV	N26-824-849	15	20	L	DFT-PI2BPSK	Inner_1RB_Left	24.81	23.98	38.45	PASS
NTNV	N26-824-849	15	20	L	DFT-PI2BPSK	Inner_1RB_Right	24.91	24.08	38.45	PASS
NTNV	N26-824-849	15	20	L	DFT-QPSK	Outer_Full	23.81	22.98	38.45	PASS
NTNV	N26-824-849	15	20	L	DFT-QPSK	Inner_Full	24.83	24	38.45	PASS
NTNV	N26-824-849	15	20	L	DFT-QPSK	Inner_1RB_Left	24.6	23.77	38.45	PASS
NTNV	N26-824-849	15	20	L	DFT-QPSK	Inner_1RB_Right	24.77	23.94	38.45	PASS
NTNV	N26-824-849	15	20	L	DFT-16QAM	Outer_Full	22.79	21.96	38.45	PASS
NTNV	N26-824-849	15	20	L	DFT-16QAM	Inner_Full	23.75	22.92	38.45	PASS
NTNV	N26-824-849	15	20	L	DFT-16QAM	Inner_1RB_Left	23.93	23.1	38.45	PASS
NTNV	N26-824-849	15	20	L	DFT-16QAM	Inner_1RB_Right	23.97	23.14	38.45	PASS
NTNV	N26-824-849	15	20	L	DFT-64QAM	Outer_Full	22.27	21.44	38.45	PASS
NTNV	N26-824-849	15	20	L	DFT-64QAM	Inner_Full	22.25	21.42	38.45	PASS

NTNV	N26-824-849	15	20	L	DFT-64QAM	Inner_1RB_Left	21.96	21.13	38.45	PASS
NTNV	N26-824-849	15	20	L	DFT-64QAM	Inner_1RB_Right	22.03	21.2	38.45	PASS
NTNV	N26-824-849	15	20	L	DFT-256QAM	Outer_Full	19.56	21.43	38.45	PASS
NTNV	N26-824-849	15	20	L	DFT-256QAM	Inner_Full	19.58	21.45	38.45	PASS
NTNV	N26-824-849	15	20	L	DFT-256QAM	Inner_1RB_Left	19.6	21.07	38.45	PASS
NTNV	N26-824-849	15	20	L	DFT-256QAM	Inner_1RB_Right	19.41	21.18	38.45	PASS
NTNV	N26-824-849	15	20	M	DFT-PI2BPSK	Outer_Full	24.3	23.47	38.45	PASS
NTNV	N26-824-849	15	20	M	DFT-PI2BPSK	Inner_Full	24.86	24.03	38.45	PASS
NTNV	N26-824-849	15	20	M	DFT-PI2BPSK	Inner_1RB_Left	24.75	23.92	38.45	PASS
NTNV	N26-824-849	15	20	M	DFT-PI2BPSK	Inner_1RB_Right	24.91	24.08	38.45	PASS
NTNV	N26-824-849	15	20	M	DFT-QPSK	Outer_Full	23.9	23.07	38.45	PASS
NTNV	N26-824-849	15	20	M	DFT-QPSK	Inner_Full	24.72	23.89	38.45	PASS
NTNV	N26-824-849	15	20	M	DFT-QPSK	Inner_1RB_Left	24.73	23.9	38.45	PASS
NTNV	N26-824-849	15	20	M	DFT-QPSK	Inner_1RB_Right	24.82	23.99	38.45	PASS
NTNV	N26-824-849	15	20	M	DFT-16QAM	Outer_Full	22.77	21.94	38.45	PASS
NTNV	N26-824-849	15	20	M	DFT-16QAM	Inner_Full	23.73	22.9	38.45	PASS
NTNV	N26-824-849	15	20	M	DFT-16QAM	Inner_1RB_Left	23.55	22.72	38.45	PASS
NTNV	N26-824-849	15	20	M	DFT-16QAM	Inner_1RB_Right	23.7	22.87	38.45	PASS
NTNV	N26-824-849	15	20	M	DFT-64QAM	Outer_Full	22.33	21.5	38.45	PASS
NTNV	N26-824-849	15	20	M	DFT-64QAM	Inner_Full	22.29	21.46	38.45	PASS
NTNV	N26-824-849	15	20	M	DFT-64QAM	Inner_1RB_Left	22.38	21.55	38.45	PASS
NTNV	N26-824-849	15	20	M	DFT-64QAM	Inner_1RB_Right	22.3	21.47	38.45	PASS


NTNV	N26-824-849	15	20	M	DFT-256QAM	Outer_Full	19.73	21.5	38.45	PASS
NTNV	N26-824-849	15	20	M	DFT-256QAM	Inner_Full	19.72	21.49	38.45	PASS
NTNV	N26-824-849	15	20	M	DFT-256QAM	Inner_1RB_Left	19.87	21.04	38.45	PASS
NTNV	N26-824-849	15	20	M	DFT-256QAM	Inner_1RB_Right	19.86	21.03	38.45	PASS
NTNV	N26-824-849	15	20	H	DFT-PI2BPSK	Outer_Full	24.25	23.42	38.45	PASS
NTNV	N26-824-849	15	20	H	DFT-PI2BPSK	Inner_Full	24.87	24.04	38.45	PASS
NTNV	N26-824-849	15	20	H	DFT-PI2BPSK	Inner_1RB_Left	24.81	23.98	38.45	PASS
NTNV	N26-824-849	15	20	H	DFT-PI2BPSK	Inner_1RB_Right	24.7	23.87	38.45	PASS
NTNV	N26-824-849	15	20	H	DFT-QPSK	Outer_Full	23.85	23.02	38.45	PASS
NTNV	N26-824-849	15	20	H	DFT-QPSK	Inner_Full	24.75	23.92	38.45	PASS
NTNV	N26-824-849	15	20	H	DFT-QPSK	Inner_1RB_Left	24.79	23.96	38.45	PASS
NTNV	N26-824-849	15	20	H	DFT-QPSK	Inner_1RB_Right	24.64	23.81	38.45	PASS
NTNV	N26-824-849	15	20	H	DFT-16QAM	Outer_Full	22.87	22.04	38.45	PASS
NTNV	N26-824-849	15	20	H	DFT-16QAM	Inner_Full	23.7	22.87	38.45	PASS
NTNV	N26-824-849	15	20	H	DFT-16QAM	Inner_1RB_Left	23.58	22.75	38.45	PASS
NTNV	N26-824-849	15	20	H	DFT-16QAM	Inner_1RB_Right	23.54	22.71	38.45	PASS
NTNV	N26-824-849	15	20	H	DFT-64QAM	Outer_Full	22.34	21.51	38.45	PASS
NTNV	N26-824-849	15	20	H	DFT-64QAM	Inner_Full	22.25	21.42	38.45	PASS
NTNV	N26-824-849	15	20	H	DFT-64QAM	Inner_1RB_Left	22.43	21.6	38.45	PASS
NTNV	N26-824-849	15	20	H	DFT-64QAM	Inner_1RB_Right	22.31	21.48	38.45	PASS
NTNV	N26-824-849	15	20	H	DFT-256QAM	Outer_Full	19.75	21.52	38.45	PASS
NTNV	N26-824-849	15	20	H	DFT-256QAM	Inner_Full	19.7	21.47	38.45	PASS


NTNV	N26- 824-849	15	20	H	DFT- 256QAM	Inner_1RB_Left	19.86	21.03	38.45	PASS
NTNV	N26- 824-849	15	20	H	DFT- 256QAM	Inner_1RB_Right	19.83	21	38.45	PASS

Peak-to-Average Ratio for SA**Peak-to-Average Ratio(CCDF)****Test Result**

Band	SCS	Bandwidth	Modulation	Channel	RB Config	Result	Limit	Verdict
N26-824-849	15	20	DFT-256QAM	L	Outer_Full	6.67	≤13	PASS
N26-824-849	15	20	CP-256QAM	L	Outer_Full	8.34	≤13	PASS
N26-824-849	15	20	DFT-256QAM	M	Outer_Full	6.62	≤13	PASS
N26-824-849	15	20	CP-256QAM	M	Outer_Full	8.34	≤13	PASS
N26-824-849	15	20	DFT-256QAM	H	Outer_Full	6.61	≤13	PASS
N26-824-849	15	20	CP-256QAM	H	Outer_Full	8.42	≤13	PASS

Test Graphs





26dB Bandwidth and Occupied Bandwidth for SA**Test Result**

Band	SCS	Bandwidth	Modulation	Channel	RB Config	Result (99%)	Result (26dB)	Verdict
N26-824-849	15	5	DFT-Pi2BPSK	L	Outer_Full	4.4696	4.967	PASS
N26-824-849	15	5	DFT-QPSK	L	Outer_Full	4.4594	4.969	PASS
N26-824-849	15	5	DFT-16QAM	L	Outer_Full	4.4814	5.073	PASS
N26-824-849	15	5	DFT-64QAM	L	Outer_Full	4.4641	4.960	PASS
N26-824-849	15	5	DFT-256QAM	L	Outer_Full	4.4725	5.029	PASS
N26-824-849	15	5	CP-QPSK	L	Outer_Full	4.4671	5.187	PASS
N26-824-849	15	5	CP-16QAM	L	Outer_Full	4.5005	5.208	PASS
N26-824-849	15	5	CP-64QAM	L	Outer_Full	4.4812	5.112	PASS
N26-824-849	15	5	CP-256QAM	L	Outer_Full	4.4824	5.167	PASS
N26-824-849	15	5	DFT-Pi2BPSK	M	Outer_Full	4.4701	4.972	PASS
N26-824-849	15	5	DFT-QPSK	M	Outer_Full	4.4668	4.993	PASS
N26-824-849	15	5	DFT-16QAM	M	Outer_Full	4.4751	4.973	PASS
N26-824-849	15	5	DFT-64QAM	M	Outer_Full	4.4742	5.076	PASS
N26-824-849	15	5	DFT-256QAM	M	Outer_Full	4.4847	5.061	PASS
N26-824-849	15	5	CP-QPSK	M	Outer_Full	4.4872	5.267	PASS
N26-824-849	15	5	CP-16QAM	M	Outer_Full	4.5038	5.240	PASS
N26-824-849	15	5	CP-64QAM	M	Outer_Full	4.4903	5.222	PASS
N26-824-849	15	5	CP-256QAM	M	Outer_Full	4.4852	5.180	PASS
N26-824-849	15	5	DFT-Pi2BPSK	H	Outer_Full	4.4828	5.129	PASS
N26-824-849	15	5	DFT-QPSK	H	Outer_Full	4.4648	4.947	PASS
N26-824-849	15	5	DFT-16QAM	H	Outer_Full	4.4920	5.109	PASS
N26-824-849	15	5	DFT-64QAM	H	Outer_Full	4.4706	4.890	PASS
N26-824-849	15	5	DFT-256QAM	H	Outer_Full	4.4789	5.033	PASS
N26-824-849	15	5	CP-QPSK	H	Outer_Full	4.4803	5.165	PASS
N26-824-849	15	5	CP-16QAM	H	Outer_Full	4.5017	5.215	PASS
N26-824-849	15	5	CP-64QAM	H	Outer_Full	4.4950	5.090	PASS
N26-824-849	15	5	CP-256QAM	H	Outer_Full	4.4924	5.179	PASS
N26-824-849	15	10	DFT-Pi2BPSK	L	Outer_Full	8.9252	9.668	PASS
N26-824-849	15	10	DFT-QPSK	L	Outer_Full	8.9276	9.620	PASS
N26-824-849	15	10	DFT-16QAM	L	Outer_Full	8.9613	9.746	PASS
N26-824-849	15	10	DFT-64QAM	L	Outer_Full	8.9482	9.602	PASS
N26-824-849	15	10	DFT-256QAM	L	Outer_Full	8.9389	9.714	PASS
N26-824-849	15	10	CP-QPSK	L	Outer_Full	9.2912	10.17	PASS
N26-824-849	15	10	CP-16QAM	L	Outer_Full	9.2963	10.12	PASS
N26-824-849	15	10	CP-64QAM	L	Outer_Full	9.2998	10.11	PASS
N26-824-849	15	10	CP-256QAM	L	Outer_Full	9.2998	10.19	PASS
N26-824-849	15	10	DFT-Pi2BPSK	M	Outer_Full	8.9251	9.649	PASS
N26-824-849	15	10	DFT-QPSK	M	Outer_Full	8.9285	9.654	PASS
N26-824-849	15	10	DFT-16QAM	M	Outer_Full	8.9560	9.746	PASS
N26-824-849	15	10	DFT-64QAM	M	Outer_Full	8.9443	9.668	PASS

N26-824-849	15	10	DFT-256QAM	M	Outer_Full	8.9293	9.634	PASS
N26-824-849	15	10	CP-QPSK	M	Outer_Full	9.2881	10.21	PASS
N26-824-849	15	10	CP-16QAM	M	Outer_Full	9.2776	10.08	PASS
N26-824-849	15	10	CP-64QAM	M	Outer_Full	9.2830	10.10	PASS
N26-824-849	15	10	CP-256QAM	M	Outer_Full	9.3079	10.09	PASS
N26-824-849	15	10	DFT-PI2BPSK	H	Outer_Full	8.9334	9.675	PASS
N26-824-849	15	10	DFT-QPSK	H	Outer_Full	8.9276	9.672	PASS
N26-824-849	15	10	DFT-16QAM	H	Outer_Full	8.9532	9.644	PASS
N26-824-849	15	10	DFT-64QAM	H	Outer_Full	8.9428	9.539	PASS
N26-824-849	15	10	DFT-256QAM	H	Outer_Full	8.9278	9.561	PASS
N26-824-849	15	10	CP-QPSK	H	Outer_Full	9.2986	10.11	PASS
N26-824-849	15	10	CP-16QAM	H	Outer_Full	9.2896	10.06	PASS
N26-824-849	15	10	CP-64QAM	H	Outer_Full	9.2860	9.997	PASS
N26-824-849	15	10	CP-256QAM	H	Outer_Full	9.3176	10.08	PASS
N26-824-849	15	15	DFT-PI2BPSK	L	Outer_Full	13.436	14.35	PASS
N26-824-849	15	15	DFT-QPSK	L	Outer_Full	13.432	14.40	PASS
N26-824-849	15	15	DFT-16QAM	L	Outer_Full	13.453	14.43	PASS
N26-824-849	15	15	DFT-64QAM	L	Outer_Full	13.416	14.33	PASS
N26-824-849	15	15	DFT-256QAM	L	Outer_Full	13.443	14.24	PASS
N26-824-849	15	15	CP-QPSK	L	Outer_Full	14.133	15.13	PASS
N26-824-849	15	15	CP-16QAM	L	Outer_Full	14.132	15.09	PASS
N26-824-849	15	15	CP-64QAM	L	Outer_Full	14.156	15.14	PASS
N26-824-849	15	15	CP-256QAM	L	Outer_Full	14.128	15.10	PASS
N26-824-849	15	15	DFT-PI2BPSK	M	Outer_Full	13.397	14.25	PASS
N26-824-849	15	15	DFT-QPSK	M	Outer_Full	13.402	14.32	PASS
N26-824-849	15	15	DFT-16QAM	M	Outer_Full	13.420	14.32	PASS
N26-824-849	15	15	DFT-64QAM	M	Outer_Full	13.392	14.32	PASS
N26-824-849	15	15	DFT-256QAM	M	Outer_Full	13.416	14.25	PASS
N26-824-849	15	15	CP-QPSK	M	Outer_Full	14.092	15.03	PASS
N26-824-849	15	15	CP-16QAM	M	Outer_Full	14.104	15.07	PASS
N26-824-849	15	15	CP-64QAM	M	Outer_Full	14.125	15.03	PASS
N26-824-849	15	15	CP-256QAM	M	Outer_Full	14.080	15.05	PASS
N26-824-849	15	15	DFT-PI2BPSK	H	Outer_Full	13.386	14.36	PASS
N26-824-849	15	15	DFT-QPSK	H	Outer_Full	13.402	14.19	PASS
N26-824-849	15	15	DFT-16QAM	H	Outer_Full	13.407	13.86	PASS
N26-824-849	15	15	DFT-64QAM	H	Outer_Full	13.381	14.28	PASS
N26-824-849	15	15	DFT-256QAM	H	Outer_Full	13.415	14.30	PASS
N26-824-849	15	15	CP-QPSK	H	Outer_Full	14.080	14.98	PASS
N26-824-849	15	15	CP-16QAM	H	Outer_Full	14.100	14.97	PASS
N26-824-849	15	15	CP-64QAM	H	Outer_Full	14.131	15.14	PASS
N26-824-849	15	15	CP-256QAM	H	Outer_Full	14.084	15.05	PASS
N26-824-849	15	20	DFT-PI2BPSK	L	Outer_Full	17.894	18.86	PASS
N26-824-849	15	20	DFT-QPSK	L	Outer_Full	17.890	18.83	PASS
N26-824-849	15	20	DFT-16QAM	L	Outer_Full	17.910	18.95	PASS
N26-824-849	15	20	DFT-64QAM	L	Outer_Full	17.919	18.99	PASS

N26-824-849	15	20	DFT-256QAM	L	Outer_Full	17.886	18.86	PASS
N26-824-849	15	20	CP-QPSK	L	Outer_Full	18.938	20.04	PASS
N26-824-849	15	20	CP-16QAM	L	Outer_Full	18.950	20.01	PASS
N26-824-849	15	20	CP-64QAM	L	Outer_Full	18.973	19.39	PASS
N26-824-849	15	20	CP-256QAM	L	Outer_Full	19.011	20.07	PASS
N26-824-849	15	20	DFT-PI2BPSK	M	Outer_Full	17.871	18.85	PASS
N26-824-849	15	20	DFT-QPSK	M	Outer_Full	17.880	18.88	PASS
N26-824-849	15	20	DFT-16QAM	M	Outer_Full	17.859	18.84	PASS
N26-824-849	15	20	DFT-64QAM	M	Outer_Full	17.879	18.87	PASS
N26-824-849	15	20	DFT-256QAM	M	Outer_Full	17.844	18.80	PASS
N26-824-849	15	20	CP-QPSK	M	Outer_Full	18.897	20.03	PASS
N26-824-849	15	20	CP-16QAM	M	Outer_Full	18.950	20.07	PASS
N26-824-849	15	20	CP-64QAM	M	Outer_Full	18.909	20.00	PASS
N26-824-849	15	20	CP-256QAM	M	Outer_Full	18.956	20.06	PASS
N26-824-849	15	20	DFT-PI2BPSK	H	Outer_Full	17.849	18.93	PASS
N26-824-849	15	20	DFT-QPSK	H	Outer_Full	17.833	18.78	PASS
N26-824-849	15	20	DFT-16QAM	H	Outer_Full	17.843	18.85	PASS
N26-824-849	15	20	DFT-64QAM	H	Outer_Full	17.866	18.90	PASS
N26-824-849	15	20	DFT-256QAM	H	Outer_Full	17.823	18.77	PASS
N26-824-849	15	20	CP-QPSK	H	Outer_Full	18.898	20.08	PASS
N26-824-849	15	20	CP-16QAM	H	Outer_Full	18.935	20.16	PASS
N26-824-849	15	20	CP-64QAM	H	Outer_Full	18.911	20.02	PASS
N26-824-849	15	20	CP-256QAM	H	Outer_Full	18.966	20.02	PASS

Test Graphs

