


Project Information

Mode:	LTE CA	Band:	CA_14A-66A
Bandwidth:	10MHz+20MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	Shen Zhuang
Remark:	Polarity: X		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1746.00	109.26	-93.97	15.29	-	-	Horizontal	NA
2	2996.80	41.18	-88.71	-47.53	-13.00	34.53	Horizontal	PASS
3	15272.00	34.67	-86.27	-51.60	-13.00	38.60	Horizontal	PASS
4	17348.50	33.35	-82.47	-49.12	-13.00	36.12	Horizontal	PASS

Project Information

Mode:	LTE CA	Band:	CA_14A-66A
Bandwidth:	10MHz+20MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	Shen Zhuang
Remark:	Polarity: X		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1746.20	107.68	-93.97	13.71	-	-	Vertical	NA
2	2158.80	46.63	-92.98	-46.35	-	-	Vertical	NA
3	2968.70	41.20	-88.88	-47.68	-13.00	34.68	Vertical	PASS
4	14369.50	34.57	-86.32	-51.75	-13.00	38.75	Vertical	PASS
5	17350.00	33.61	-82.40	-48.79	-13.00	35.79	Vertical	PASS

Project Information			
Mode:	LTE CA	Band:	CA_25A-26A (814-824)
Bandwidth:	20MHz+10MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	Shen Zhuang
Remark:	Polarity: X		

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1891.40	89.32	-73.43	15.89	-	-	Horizontal	NA
2	2958.20	31.38	-68.95	-37.57	-13.00	24.57	Horizontal	PASS
3	15264.00	25.80	-66.14	-40.34	-13.00	27.34	Horizontal	PASS
4	17896.50	28.36	-63.01	-34.65	-13.00	21.65	Horizontal	PASS

Project Information

Mode:	LTE CA	Band:	CA_25A-26A (814-824)
Bandwidth:	20MHz+10MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	Shen Zhuang
Remark:	Polarity: X		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1891.40	87.90	-73.43	14.47	-	-	Vertical	NA
2	2980.00	31.03	-68.81	-37.78	-13.00	24.78	Vertical	PASS
3	15251.00	26.41	-65.93	-39.52	-13.00	26.52	Vertical	PASS
4	17350.00	27.43	-62.40	-34.97	-13.00	21.97	Vertical	PASS

Project Information

Mode:	LTE CA	Band:	CA_25A-26A (824-849)
Bandwidth:	20MHz+10MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	Shen Zhuang
Remark:	Polarity: X		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1891.40	89.20	-73.43	15.77	-	-	Horizontal	NA
2	2992.40	31.08	-68.74	-37.66	-13.00	24.66	Horizontal	PASS
3	15057.50	26.43	-66.34	-39.91	-13.00	26.91	Horizontal	PASS
4	17996.00	28.35	-62.49	-34.14	-13.00	21.14	Horizontal	PASS

Project Information

Mode:	LTE CA	Band:	CA_25A-26A (824-849)
Bandwidth:	20MHz+10MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	Shen Zhuang
Remark:	Polarity: X		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1891.40	87.89	-73.43	14.46	-	-	Vertical	NA
2	2969.80	30.95	-68.88	-37.93	-13.00	24.93	Vertical	PASS
3	15092.50	25.94	-66.23	-40.29	-13.00	27.29	Vertical	PASS
4	17810.50	28.57	-63.04	-34.47	-13.00	21.47	Vertical	PASS

Project Information

Mode:	LTE CA	Band:	CA_25A-66A
Bandwidth:	20MHz+20MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	Shen Zhuang
Remark:	Polarity: X		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1746.20	85.34	-73.97	11.37	-	-	Horizontal	NA
2	1891.40	87.19	-73.43	13.76	-	-	Horizontal	NA
3	2999.60	30.79	-68.69	-37.90	-13.00	24.90	Horizontal	PASS
4	15098.00	26.84	-66.21	-39.37	-13.00	26.37	Horizontal	PASS
5	17862.00	27.89	-62.61	-34.72	-13.00	21.72	Horizontal	PASS

Project Information

Mode:	LTE CA	Band:	CA_25A-66A
Bandwidth:	20MHz+20MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	Shen Zhuang
Remark:	Polarity: X		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1746.00	88.95	-73.97	14.98	-	-	Vertical	NA
2	1891.40	85.17	-73.43	11.74	-	-	Vertical	NA
3	2996.20	30.77	-68.71	-37.94	-13.00	24.94	Vertical	PASS
4	15307.00	26.67	-66.97	-40.30	-13.00	27.30	Vertical	PASS
5	17882.50	28.24	-62.84	-34.60	-13.00	21.60	Vertical	PASS

Project Information

Mode:	LTE CA	Band:	CA_30A-66A
Bandwidth:	10MHz+20MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	Shen Zhuang
Remark:	Polarity: X		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1694.10	51.33	-95.21	-43.88	-	-	Horizontal	NA
2	1746.00	114.38	-94.83	19.55	-	-	Horizontal	NA
3	1963.30	35.47	-94.65	-59.18	-40.00	19.18	Horizontal	PASS

Project Information

Mode:	LTE CA	Band:	CA_30A-66A
Bandwidth:	10MHz+20MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	Shen Zhuang
Remark:	Polarity: X		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2314.50	109.62	-94.12	15.50	-	-	Horizontal	NA
2	2352.00	44.25	-93.82	-49.57	-	-	Horizontal	NA
3	2928.50	36.05	-90.47	-54.42	-40.00	14.42	Horizontal	PASS
4	15236.00	34.94	-86.24	-51.30	-40.00	11.30	Horizontal	PASS
5	17339.50	33.52	-82.88	-49.36	-40.00	9.36	Horizontal	PASS

Project Information

Mode:	LTE CA	Band:	CA_30A-66A
Bandwidth:	10MHz+20MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	Shen Zhuang
Remark:	Polarity: X		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1694.00	51.97	-95.21	-43.24	-	-	Vertical	NA
2	1746.10	114.38	-94.83	19.55	-	-	Vertical	NA
3	1952.00	35.61	-94.53	-58.92	-40.00	18.92	Vertical	PASS

Project Information

Mode:	LTE CA	Band:	CA_30A-66A
Bandwidth:	10MHz+20MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	Shen Zhuang
Remark:	Polarity: X		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2150.80	49.43	-94.66	-45.23	-	-	Vertical	NA
2	2314.40	111.75	-94.12	17.63	-	-	Vertical	NA
3	2353.90	49.27	-93.81	-44.54	-	-	Vertical	NA
4	4629.00	45.44	-103.73	-58.29	-40.00	18.29	Vertical	PASS
5	9257.50	40.97	-92.60	-51.63	-40.00	11.63	Vertical	PASS
6	17365.50	33.89	-83.00	-49.11	-40.00	9.11	Vertical	PASS

Project Information

Mode:	LTE CA	Band:	CA_66A-71A
Bandwidth:	20MHz+20MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	Shen Zhuang
Remark:	Polarity: X		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1763.80	86.63	-73.93	12.70	-	-	Horizontal	NA
2	2991.70	31.72	-68.74	-37.02	-13.00	24.02	Horizontal	PASS
3	15153.00	26.44	-66.91	-40.47	-13.00	27.47	Horizontal	PASS
4	17335.50	28.70	-63.06	-34.36	-13.00	21.36	Horizontal	PASS

Project Information

Mode:	LTE CA	Band:	CA_66A-71A
Bandwidth:	20MHz+20MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	Shen Zhuang
Remark:	Polarity: X		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1763.80	84.67	-73.93	10.74	-	-	Vertical	NA
2	2999.90	32.39	-68.69	-36.30	-13.00	23.30	Vertical	PASS
3	15100.00	26.06	-66.20	-40.14	-13.00	27.14	Vertical	PASS
4	17851.50	28.03	-62.48	-34.45	-13.00	21.45	Vertical	PASS

Test on the worst case:**For LTE:**

Project Information			
Mode:	LTE	Band:	2
Bandwidth	20MHz	Channel	Mid
IMEI:	868640070000439	Engineer:	Ou Shuyan
Remark:			


Test Graph

Data List						
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Margin [dB]	Polarity	Verdict
1	1877.80	117.66	-95.02	-	Vertical	NA
2	2958.20	44.97	-90.52	32.55	Vertical	PASS
3	6107.00	40.37	-99.99	46.62	Vertical	PASS
4	17861.50	37.87	-82.60	31.73	Vertical	PASS

Project Information

Mode:	LTE	Band:	4
Bandwidth	20MHz	Channel	Mid
IMEI:	868640070000439	Engineer:	Ou Shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Margin [dB]	Polarity	Verdict
1	1723.60	123.14	-95.01	-	Vertical	NA
2	2127.40	47.16	-94.70	-	Vertical	NA
3	2962.60	45.00	-90.57	32.57	Vertical	PASS
4	15239.00	37.07	-86.17	36.10	Vertical	PASS
5	17352.50	38.09	-82.50	31.41	Vertical	PASS

Project Information

Mode:	LTE	Band:	5
Bandwidth	10MHz	Channel	Mid
IMEI:	868640070000439	Engineer:	Ou Shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Margin [dB]	Polarity	Verdict
1	2848.00	41.65	-109.48	54.83	Horizontal	PASS
2	6240.00	38.97	-99.37	47.40	Horizontal	PASS
3	8900.00	36.49	-93.17	43.68	Horizontal	PASS

Project Information

Mode:	LTE	Band:	7
Bandwidth	20MHz	Channel	Mid
IMEI:	868640070000439	Engineer:	Ou Shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Margin [dB]	Polarity	Verdict
1	2526.00	113.51	-93.37	-	Vertical	NA
2	10104.00	50.42	-92.07	16.65	Vertical	PASS
3	12630.50	41.62	-90.18	23.56	Vertical	PASS
4	17856.00	37.76	-82.53	19.77	Vertical	PASS

Project Information			
Mode:	LTE	Band:	12
Bandwidth	10MHz	Channel	Mid
IMEI:	868640070000439	Engineer:	Ou Shuyan
Remark:			

Test Graph




Data List						
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Margin [dB]	Polarity	Verdict
1	1722.40	45.72	-114.10	55.38	Horizontal	PASS
2	6307.05	39.97	-98.89	45.92	Horizontal	PASS
3	7963.95	38.58	-95.49	43.91	Horizontal	PASS

Project Information

Mode:	LTE	Band:	13
Bandwidth	10MHz	Channel	Mid
IMEI:	868640070000439	Engineer:	Ou Shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Margin [dB]	Polarity	Verdict
1	1548.10	44.46	-114.05	56.59	Vertical	PASS
2	2419.37	50.05	-111.81	48.76	Vertical	PASS
3	7946.57	38.07	-95.48	44.41	Vertical	PASS

Project Information

Mode:	LTE	Band:	14
Bandwidth	10MHz	Channel	Mid
IMEI:	868640070000439	Engineer:	Ou Shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Margin [dB]	Polarity	Verdict
1	5127.20	39.92	-101.93	49.01	Horizontal	PASS
2	6997.83	38.40	-97.22	45.82	Horizontal	PASS
3	7892.20	37.99	-95.70	44.71	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	17
Bandwidth	10MHz	Channel	Mid
IMEI:	868640070000439	Engineer:	Ou Shuyan
Remark:			

Test Graph




Data List						
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Margin [dB]	Polarity	Verdict
1	2278.43	43.79	-112.41	55.62	Horizontal	PASS
2	5542.07	39.36	-100.52	48.16	Horizontal	PASS
3	7912.73	38.26	-95.63	44.37	Horizontal	PASS

Project Information

Mode:	LTE	Band:	25
Bandwidth	20MHz	Channel	Mid
IMEI:	868640070000439	Engineer:	Ou Shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Margin [dB]	Polarity	Verdict
1	1873.60	112.28	-95.04	-	Horizontal	NA
2	1970.00	50.31	-94.72	-	Horizontal	NA
3	2914.40	31.59	-90.49	45.90	Horizontal	PASS
4	15086.00	37.34	-86.25	35.91	Horizontal	PASS
5	17852.00	37.96	-82.49	31.53	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	26(814-824MHz)
Bandwidth	10MHz	Channel	Mid
IMEI:	868640070000439	Engineer:	Ou Shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Margin [dB]	Polarity	Verdict
1	3422.40	40.54	-107.47	53.93	Horizontal	PASS
2	5557.20	38.43	-100.45	49.02	Horizontal	PASS
3	8905.60	36.44	-93.27	43.83	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	26(824-849MHz)
Bandwidth	15MHz	Channel	Mid
IMEI:	868640070000439	Engineer:	Ou Shuyan
Remark:			

Test Graph




Data List						
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Margin [dB]	Polarity	Verdict
1	5710.00	38.22	-100.23	49.01	Horizontal	PASS
2	7327.60	37.10	-96.38	46.28	Horizontal	PASS
3	8905.20	36.25	-93.27	44.02	Horizontal	PASS

Project Information

Mode:	LTE	Band:	30
Bandwidth	20MHz	Channel	Mid
IMEI:	868640070000439	Engineer:	Ou Shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Margin [dB]	Polarity	Verdict
1	2305.50	113.14	-94.19	-	Vertical	NA
2	9222.50	46.28	-92.57	6.29	Vertical	PASS
3	11528.00	38.66	-90.49	11.83	Vertical	PASS
4	17351.00	32.22	-82.44	10.22	Vertical	PASS

Project Information

Mode:	LTE	Band:	38
Bandwidth	20MHz	Channel	Mid
IMEI:	868640070000439	Engineer:	Ou Shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Margin [dB]	Polarity	Verdict
1	2586.10	111.42	-93.29	-	Vertical	NA
2	2988.80	36.90	-90.83	28.93	Vertical	PASS
3	10344.00	47.83	-91.52	18.69	Vertical	PASS
4	17837.00	38.50	-82.65	19.15	Vertical	PASS

Project Information

Mode:	LTE	Band:	41
Bandwidth	20MHz	Channel	Mid
IMEI:	868640070000439	Engineer:	Ou Shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Margin [dB]	Polarity	Verdict
1	2584.00	111.99	-93.31	-	Vertical	NA
2	10336.50	45.37	-91.51	21.14	Vertical	PASS
3	15246.50	36.98	-86.00	24.02	Vertical	PASS
4	17353.50	38.34	-82.54	19.20	Vertical	PASS

Project Information

Mode:	LTE	Band:	42(3450-3550MHz)
Bandwidth	20MHz	Channel	Mid
IMEI:	868640070000439	Engineer:	Ou Shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Margin [dB]	Polarity	Verdict
1	3451.08	113.14	-88.97	-	Vertical	NA
2	6407.05	36.88	-80.39	30.51	Vertical	PASS
3	6902.12	43.91	-96.98	40.07	Vertical	PASS
4	10353.27	37.83	-91.48	40.65	Vertical	PASS

Project Information

Mode:	LTE	Band:	42(3550-3600MHz)
Bandwidth	20MHz	Channel	Mid
IMEI:	868640070000439	Engineer:	Ou Shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Margin [dB]	Polarity	Verdict
1	3566.03	110.05	-88.83	-	Vertical	NA
2	7132.14	50.57	-97.68	7.11	Vertical	PASS
3	10698.41	38.49	-91.69	13.20	Vertical	PASS
4	17849.73	31.49	-81.28	9.79	Vertical	PASS

Project Information

Mode:	LTE	Band:	43(3600-3700MHz)
Bandwidth	20MHz	Channel	Mid
IMEI:	868640070000439	Engineer:	Ou Shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Margin [dB]	Polarity	Verdict
1	3740.93	111.59	-88.65	-	Vertical	NA
2	7482.10	47.23	-96.62	36.39	Vertical	PASS
3	11223.05	36.71	-90.53	40.82	Vertical	PASS
4	15075.55	34.35	-86.14	38.79	Vertical	PASS

Project Information

Mode:	LTE	Band:	48
Bandwidth	20MHz	Channel	Mid
IMEI:	868640070000439	Engineer:	Ou Shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Margin [dB]	Polarity	Verdict
1	3616.08	108.33	-88.64	-	Vertical	NA
2	6350.13	29.15	-79.87	10.72	Vertical	PASS
3	13690.42	33.14	-85.91	12.77	Vertical	PASS
4	17860.85	32.01	-81.41	9.40	Vertical	PASS

Project Information

Mode:	LTE	Band:	66
Bandwidth	20MHz	Channel	Mid
IMEI:	868640070000439	Engineer:	Ou Shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Margin [dB]	Polarity	Verdict
1	1746.00	113.63	-94.83	-	Horizontal	NA
2	2153.20	52.99	-94.65	-	Horizontal	NA
3	2937.00	44.91	-90.46	32.55	Horizontal	PASS
4	15059.50	37.58	-86.34	35.76	Horizontal	PASS
5	17986.50	38.16	-82.61	31.45	Horizontal	PASS

Project Information

Mode:	LTE	Band:	71
Bandwidth	20MHz	Channel	Mid
IMEI:	868640070000439	Engineer:	Ou Shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Margin [dB]	Polarity	Verdict
1	4800.65	38.46	-102.90	51.44	Horizontal	PASS
2	6314.75	38.48	-98.93	47.45	Horizontal	PASS
3	7960.45	37.01	-95.49	45.48	Horizontal	PASS

For LTE CA:

Project Information			
Mode:	LTE	Band:	2C
Bandwidth	20+20MHz	Channel	Mid
IMEI:	868640070000439	Engineer:	Ou Shuyan
Remark:			


Test Graph



Data List						
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Margin [dB]	Polarity	Verdict
1	1889.00	110.45	-94.97	-	Horizontal	NA
2	2945.00	44.79	-90.45	32.66	Horizontal	PASS
3	15083.00	37.33	-86.26	35.93	Horizontal	PASS
4	17364.50	38.83	-82.97	31.14	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	5B
Bandwidth	10+10MHz	Channel	Mid
IMEI:	868640070000439	Engineer:	Ou Shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Margin [dB]	Polarity	Verdict
1	6287.80	38.08	-98.97	47.89	Horizontal	PASS
2	7196.75	37.63	-96.79	46.16	Horizontal	PASS
3	7945.40	37.45	-95.48	45.03	Horizontal	PASS

Project Information

Mode:	LTE	Band:	7C
Bandwidth	20+20MHz	Channel	Mid
IMEI:	868640070000439	Engineer:	Ou Shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Margin [dB]	Polarity	Verdict
1	2549.10	108.60	-93.48	-	Vertical	NA
2	2666.30	45.89	-92.31	-	Vertical	NA
3	2953.70	40.28	-90.48	25.20	Vertical	PASS
4	10200.50	46.25	-91.71	20.46	Vertical	PASS
5	17871.00	38.24	-82.71	19.47	Vertical	PASS

Project Information

Mode:	LTE	Band:	12B
Bandwidth	5+10MHz	Channel	Mid
IMEI:	868640070000439	Engineer:	Ou Shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Margin [dB]	Polarity	Verdict
1	2520.75	63.09	-111.32	35.23	Vertical	PASS
2	6321.75	38.28	-98.97	47.69	Vertical	PASS
3	7972.00	36.96	-95.52	45.56	Vertical	PASS

Project Information

Mode:	LTE	Band:	48C
Bandwidth	20+20MHz	Channel	Mid
IMEI:	868640070000439	Engineer:	Ou Shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Margin [dB]	Polarity	Verdict
1	3625.98	105.14	-88.60	-	Vertical	NA
2	6350.68	29.54	-79.88	10.34	Vertical	PASS
3	13698.86	33.82	-85.85	12.03	Vertical	PASS
4	17850.11	31.61	-81.27	9.66	Vertical	PASS

Project Information

Mode:	LTE	Band:	66B
Bandwidth	10+10MHz	Channel	Mid
IMEI:	868640070000439	Engineer:	Ou Shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Margin [dB]	Polarity	Verdict
1	1769.60	108.68	-94.78	-	Horizontal	NA
2	2162.60	54.73	-94.62	-	Horizontal	NA
3	2990.00	45.30	-90.84	32.54	Horizontal	PASS
4	3840.00	41.86	-106.57	51.71	Horizontal	PASS
5	17879.50	38.04	-82.81	31.77	Horizontal	PASS

Project Information

Mode:	LTE	Band:	66C
Bandwidth	20+20MHz	Channel	Mid
IMEI:	868640070000439	Engineer:	Ou Shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Margin [dB]	Polarity	Verdict
1	1754.00	109.11	-94.80	-	Horizontal	NA
2	2142.80	54.62	-94.67	-	Horizontal	NA
3	2910.20	45.01	-90.50	32.49	Horizontal	PASS
4	15058.00	37.36	-86.34	35.98	Horizontal	PASS
5	17989.00	38.94	-82.57	30.63	Horizontal	PASS

Project Information

Mode:	LTE	Band:	CA_2A_4A
Bandwidth	20+20MHz	Channel	Mid
IMEI:	868640070000439	Engineer:	Ou Shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Margin [dB]	Polarity	Verdict
1	1723.60	105.73	-85.28	-	Vertical	NA
2	1871.20	104.20	-84.97	-	Vertical	NA
3	2954.20	35.68	-79.99	31.31	Vertical	PASS
4	15259.50	37.19	-86.07	35.88	Vertical	PASS
5	17852.00	38.18	-82.49	31.31	Vertical	PASS

Project Information

Mode:	LTE	Band:	CA_2A_66A
Bandwidth	20+20MHz	Channel	Mid
IMEI:	868640070000439	Engineer:	Ou Shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Margin [dB]	Polarity	Verdict
1	1746.20	101.49	-85.10	-	Vertical	NA
2	1871.00	103.88	-84.97	-	Vertical	NA
3	2978.80	35.49	-79.96	31.47	Vertical	PASS
4	15243.50	36.83	-86.06	36.23	Vertical	PASS
5	17851.50	38.14	-82.48	31.34	Vertical	PASS

Project Information

Mode:	LTE	Band:	CA_2A_7A
Bandwidth	20+20MHz	Channel	Mid
IMEI:	868640070000439	Engineer:	Ou Shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Margin [dB]	Polarity	Verdict
1	1871.00	103.62	-84.97	-	Horizontal	NA
2	2526.00	103.34	-83.04	-	Horizontal	NA
3	2972.20	37.35	-79.91	17.56	Horizontal	PASS
4	15250.50	36.70	-85.92	24.22	Horizontal	PASS
5	17877.00	38.68	-82.78	19.10	Horizontal	PASS

Project Information

Mode:	LTE	Band:	CA_2A_30A
Bandwidth	20+10MHz	Channel	Mid
IMEI:	868640070000439	Engineer:	Ou Shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Margin [dB]	Polarity	Verdict
1	2305.55	93.09	-83.72	-	Vertical	NA
2	2963.40	29.46	-79.95	10.49	Vertical	PASS
3	9222.50	43.43	-92.57	9.14	Vertical	PASS
4	17336.00	34.14	-83.04	8.90	Vertical	PASS

Project Information

Mode:	LTE	Band:	CA_4A_7A
Bandwidth	20+20MHz	Channel	Mid
IMEI:	868640070000439	Engineer:	Ou Shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Margin [dB]	Polarity	Verdict
1	1723.60	102.53	-85.28	-	Horizontal	NA
2	2129.80	45.68	-84.49	-	Horizontal	NA
3	2530.60	102.46	-82.96	-	Horizontal	NA
4	2931.60	37.15	-80.23	18.08	Horizontal	PASS
5	14640.50	36.27	-85.56	24.29	Horizontal	PASS
6	17350.50	37.71	-82.42	19.71	Horizontal	PASS

Project Information

Mode:	LTE	Band:	CA_4A_30A
Bandwidth	20+10MHz	Channel	Mid
IMEI:	868640070000439	Engineer:	Ou Shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Margin [dB]	Polarity	Verdict
1	2126.60	45.59	-84.46	-	Horizontal	NA
2	2305.60	92.86	-83.72	-	Horizontal	NA
3	2355.65	47.00	-83.71	-	Horizontal	NA
4	2942.90	29.46	-80.09	10.63	Horizontal	PASS
5	14373.50	34.75	-86.40	11.65	Horizontal	PASS
6	17351.00	32.78	-82.44	9.66	Horizontal	PASS

Project Information

Mode:	LTE	Band:	CA_7A_66A
Bandwidth	20+20MHz	Channel	Mid
IMEI:	868640070000439	Engineer:	Ou Shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Margin [dB]	Polarity	Verdict
1	1746.20	103.35	-85.10	-	Vertical	NA
2	2526.00	101.00	-83.04	-	Vertical	NA
3	2986.00	36.58	-80.08	18.50	Vertical	PASS
4	10104.50	46.63	-92.07	20.44	Vertical	PASS
5	17340.50	38.26	-82.84	19.58	Vertical	PASS

Project Information

Mode:	LTE	Band:	CA_7A_25A
Bandwidth	20+20MHz	Channel	Mid
IMEI:	868640070000439	Engineer:	Ou Shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Margin [dB]	Polarity	Verdict
1	1873.50	101.85	-84.97	-	Vertical	NA
2	2526.30	100.50	-83.04	-	Vertical	NA
3	2959.50	37.16	-79.97	17.81	Vertical	PASS
4	10104.50	46.88	-92.07	20.19	Vertical	PASS
5	17841.50	38.71	-82.59	18.88	Vertical	PASS

Project Information

Mode:	LTE	Band:	CA_25A_66A
Bandwidth	20+20MHz	Channel	Mid
IMEI:	868640070000439	Engineer:	Ou Shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Margin [dB]	Polarity	Verdict
1	1746.20	101.79	-85.10	-	Vertical	NA
2	1873.60	104.17	-84.97	-	Vertical	NA
3	1959.40	34.43	-84.77	-	Vertical	NA
4	2149.80	35.71	-84.68	-	Vertical	NA
5	2963.80	31.38	-79.95	35.57	Vertical	PASS
6	15253.00	36.66	-85.96	36.30	Vertical	PASS
7	17877.50	38.08	-82.78	31.70	Vertical	PASS

Project Information			
Mode:	LTE	Band:	CA_30A_66A
Bandwidth	10+20MHz	Channel	Mid
IMEI:	868640070000439	Engineer:	Ou Shuyan
Remark:			

Test Graph



Data List						
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Margin [dB]	Polarity	Verdict
1	2152.20	36.12	-84.65	-	Vertical	NA
2	2305.60	93.12	-83.72	-	Vertical	NA
3	2353.90	36.83	-83.69	-	Vertical	NA
4	2997.95	29.75	-80.29	10.54	Vertical	PASS
5	9222.50	43.04	-92.57	9.53	Vertical	PASS
6	17350.50	32.35	-82.42	10.07	Vertical	PASS

~The End~