


Project Information

Mode:	NSA	Band:	DC_25A_n41A(2496-2690MHz)
Bandwidth	20+100MHz	Channel	Mid
IMEI:	868640070000439	Engineer:	Ou Shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Margin [dB]	Polarity	Verdict
1	1873.60	107.55	-84.97	-	Vertical	NA
2	2544.00	99.10	-82.72	-	Vertical	NA
3	2970.20	37.03	-79.92	17.89	Vertical	PASS
4	10175.50	40.38	-91.87	26.49	Vertical	PASS
5	17848.00	38.22	-82.49	19.27	Vertical	PASS

Project Information

Mode:	NSA	Band:	DC_2A_n7A
Bandwidth	20+40MHz	Channel	Mid
IMEI:	868640070000439	Engineer:	Ou Shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Margin [dB]	Polarity	Verdict
1	1871.10	95.98	-79.70	-	Vertical	NA
2	2515.60	93.84	-77.93	-	Vertical	NA
3	2965.00	36.88	-74.88	13.00	Vertical	PASS
4	5267.50	43.62	-101.91	33.29	Vertical	PASS
5	10062.50	45.45	-91.65	21.20	Vertical	PASS

Project Information

Mode:	NSA	Band:	DC_66A_n7A
Bandwidth	20+40MHz	Channel	Mid
IMEI:	868640070000439	Engineer:	Ou Shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Margin [dB]	Polarity	Verdict
1	1746.00	96.71	-79.78	-	Vertical	NA
2	2515.50	93.87	-77.93	-	Vertical	NA
3	2989.00	37.02	-75.18	13.16	Vertical	PASS
4	5277.00	44.37	-101.78	32.41	Vertical	PASS
5	10062.50	45.94	-91.65	20.71	Vertical	PASS

Project Information

Mode:	NSA	Band:	DC_2A_n30A
Bandwidth	20+10MHz	Channel	Mid
IMEI:	868640070000439	Engineer:	Ou Shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Margin [dB]	Polarity	Verdict
1	1871.00	101.36	-84.97	-	Vertical	NA
2	1957.60	36.22	-84.75	-	Vertical	NA
3	2305.40	99.53	-83.72	-	Vertical	NA
4	2357.50	37.50	-83.73	-	Vertical	NA
5	2975.40	31.03	-79.91	8.88	Vertical	PASS
6	5266.00	45.35	-101.93	16.58	Vertical	PASS
7	9221.50	39.71	-92.57	12.86	Vertical	PASS

Project Information

Mode:	NSA	Band:	DC_66A_n30A
Bandwidth	20+10MHz	Channel	Mid
IMEI:	868640070000439	Engineer:	Ou Shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Margin [dB]	Polarity	Verdict
1	1746.10	101.84	-85.10	-	Vertical	NA
2	2151.50	34.99	-84.66	-	Vertical	NA
3	2305.30	99.72	-83.72	-	Vertical	NA
4	2352.20	37.79	-83.67	-	Vertical	NA
5	2967.70	31.00	-79.93	8.93	Vertical	PASS
6	5287.50	43.86	-101.63	17.77	Vertical	PASS
7	9221.50	38.75	-92.57	13.82	Vertical	PASS

Project Information

Mode:	NSA	Band:	DC_5A_n12A
Bandwidth	10+15MHz	Channel	Mid
IMEI:	868640070000439	Engineer:	Ou Shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Margin [dB]	Polarity	Verdict
1	1664.00	54.96	-114.12	46.16	Horizontal	PASS
2	2436.00	54.85	-111.43	43.58	Horizontal	PASS
3	4160.40	40.32	-105.41	52.09	Horizontal	PASS

Project Information

Mode:	NSA	Band:	DC_48A_n66A
Bandwidth	20+40MHz	Channel	Mid
IMEI:	868640070000439	Engineer:	Ou Shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Margin [dB]	Polarity	Verdict
1	3616.18	107.14	-88.47	-	Vertical	NA
2	6247.65	29.57	-81.05	11.48	Vertical	PASS
3	7232.19	38.29	-95.97	17.68	Vertical	PASS
4	17997.70	31.28	-81.50	10.22	Vertical	PASS

For NR CA:

Project Information			
Mode:	SA CA	Band:	CA_n2A_n48A
Bandwidth	40+40MHz	Channel	Mid
IMEI:	868640070000439	Engineer:	Ou Shuyan
Remark:			


Test Graph



Data List						
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Margin [dB]	Polarity	Verdict
1	3606.03	107.11	-88.49	-	Vertical	NA
2	6110.63	30.82	-81.50	10.68	Vertical	PASS
3	7211.87	44.04	-95.98	11.94	Vertical	PASS
4	17968.95	31.79	-81.91	10.12	Vertical	PASS

Project Information			
Mode:	SA CA	Band:	CA_n25A_n48A
Bandwidth	40+40MHz	Channel	Mid
IMEI:	868640070000439	Engineer:	Ou Shuyan
Remark:			

Test Graph




Data List						
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Margin [dB]	Polarity	Verdict
1	3606.20	107.07	-88.49	-	Vertical	NA
2	6234.70	29.63	-80.96	11.33	Vertical	PASS
3	7211.87	40.08	-95.98	15.90	Vertical	PASS
4	17986.58	31.85	-81.66	9.81	Vertical	PASS

Project Information

Mode:	SA CA	Band:	CA_n25A_n38A
Bandwidth	40+40MHz	Channel	Mid
IMEI:	868640070000439	Engineer:	Ou Shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Margin [dB]	Polarity	Verdict
1	1860.70	107.78	-84.97	-	Vertical	NA
2	2576.10	96.46	-82.38	-	Vertical	NA
3	2987.70	37.35	-80.11	17.76	Vertical	PASS
4	10304.50	37.92	-91.46	28.54	Vertical	PASS
5	17860.50	38.07	-82.58	19.51	Vertical	PASS

Project Information			
Mode:	SA CA	Band:	CA_n25A_n41A(2496-2690MHz)
Bandwidth	40+100MHz	Channel	Mid
IMEI:	868640070000439	Engineer:	Ou Shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Margin [dB]	Polarity	Verdict
1	1860.80	108.24	-84.97	-	Vertical	NA
2	2543.90	100.10	-82.73	-	Vertical	NA
3	2894.60	37.17	-80.60	18.43	Vertical	PASS
4	10175.50	40.69	-91.87	26.18	Vertical	PASS
5	17847.50	37.96	-82.49	19.53	Vertical	PASS

Project Information			
Mode:	SA CA	Band:	CA_n2A_n41A(2496-2690MHz)
Bandwidth	40+100MHz	Channel	Mid
IMEI:	868640070000439	Engineer:	Ou Shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Margin [dB]	Polarity	Verdict
1	1860.60	103.99	-84.97	-	Horizontal	NA
2	2544.00	103.41	-82.72	-	Horizontal	NA
3	2975.30	36.94	-79.91	17.97	Horizontal	PASS
4	15069.00	36.95	-86.31	24.36	Horizontal	PASS
5	17348.00	37.52	-82.49	19.97	Horizontal	PASS

Project Information			
Mode:	SA CA	Band:	CA_n30A_n77A(3450-3550MHz)
Bandwidth	10+100MHz	Channel	Mid
IMEI:	868640070000439	Engineer:	Ou Shuyan
Remark:			


Test Graph



Data List						
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Margin [dB]	Polarity	Verdict
1	3450.98	107.91	-88.75	-	Vertical	NA
2	6298.75	29.26	-80.78	11.52	Vertical	PASS
3	6902.13	48.27	-96.98	8.71	Vertical	PASS
4	17847.43	31.50	-81.38	9.88	Vertical	PASS

Project Information			
Mode:	SA CA	Band:	CA_n30A_n77A(3700-3980MHz)
Bandwidth	10+100MHz	Channel	Mid
IMEI:	868640070000439	Engineer:	Ou Shuyan
Remark:			


Test Graph



Data List						
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Margin [dB]	Polarity	Verdict
1	3791.00	108.93	-88.11	-	Vertical	NA
2	6487.75	28.43	-80.42	11.99	Vertical	PASS
3	7582.19	47.68	-96.15	8.47	Vertical	PASS
4	17861.23	31.30	-81.42	10.12	Vertical	PASS

Project Information			
Mode:	SA CA	Band:	CA_n48A_n66A
Bandwidth	40+40MHz	Channel	Mid
IMEI:	868640070000439	Engineer:	Ou Shuyan
Remark:			

Test Graph




Data List						
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Margin [dB]	Polarity	Verdict
1	3606.03	99.04	-88.49	-	Horizontal	NA
2	6232.78	29.96	-80.95	10.99	Horizontal	PASS
3	13663.59	33.30	-86.11	12.81	Horizontal	PASS
4	17887.30	32.00	-81.76	9.76	Horizontal	PASS

Project Information

Mode:	SA CA	Band:	CA_n41A(2496-2690MHz)_n66A
Bandwidth	100+40MHz	Channel	Mid
IMEI:	868640070000439	Engineer:	Ou Shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Margin [dB]	Polarity	Verdict
1	1725.60	104.69	-85.27	-	Horizontal	NA
2	2544.10	100.37	-82.72	-	Horizontal	NA
3	2962.70	36.41	-79.95	18.54	Horizontal	PASS
4	15078.50	37.40	-86.27	23.87	Horizontal	PASS
5	17863.50	38.02	-82.62	19.60	Horizontal	PASS

Project Information

Mode:	SA CA	Band:	CA_n38A_n66A
Bandwidth	40+40MHz	Channel	Mid
IMEI:	868640070000439	Engineer:	Ou Shuyan
Remark:			

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Margin [dB]	Polarity	Verdict
1	1725.70	98.45	-79.95	-	Horizontal	NA
2	2576.10	93.87	-77.26	-	Horizontal	NA
3	2940.10	32.46	-75.02	17.56	Horizontal	PASS
4	15084.00	37.37	-86.25	23.88	Horizontal	PASS
5	17836.00	38.14	-82.67	19.53	Horizontal	PASS

~The End~