




Fig.143




Fig.144




Fig.145




Fig.146




Fig.147




Fig.148




Fig.149




Fig.150




Fig.151




Fig.152




Fig.153




Fig.154




Fig.155




Fig.156




Fig.157




Fig.158




Fig.159




Fig.160




Fig.161




Fig.162




Fig.163




Fig.164




Fig.165




Fig.166




Fig.167




Fig.168




Fig.169




Fig.170




Fig.171




Fig.172




Fig.173




Fig.174




Fig.175




Fig.176

7 Frequency Stability

Temperature(°C)	Voltage	Test Result (ppm) N78 Mid Channel DFT-QPSK											
		10M	15M	20M	25M	30M	40M	50M	60M	70M	80M	90M	100M
-30	NV	---	---	---	---	---	---	---	---	---	---	---	0.00
-20	NV	---	---	---	---	---	---	---	---	---	---	---	0.00
-10	NV	---	---	---	---	---	---	---	---	---	---	---	0.00
0	NV	---	---	---	---	---	---	---	---	---	---	---	0.00
+10	NV	---	---	---	---	---	---	---	---	---	---	---	0.00
+20	NV	---	---	---	---	---	---	---	---	---	---	---	0.00
+30	NV	---	---	---	---	---	---	---	---	---	---	---	0.00
+40	NV	---	---	---	---	---	---	---	---	---	---	---	0.00
+50	NV	---	---	---	---	---	---	---	---	---	---	---	0.00
+20	LV	---	---	---	---	---	---	---	---	---	---	---	0.00
+20	HV	---	---	---	---	---	---	---	---	---	---	---	0.00

8 Effective Radiated Power and Effective Isotropic Radiated Power

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)	ERP /EIRP (dBm)	ERP /EIRP (W)
DFT-QPSK	3455.01	630334	10	15kHz	Inner_1RB_Left	26.79	24.7	0.295
					Inner_1RB_Right	26.77	24.68	0.294
					Inner_Full	26.80	24.71	0.296
	3500.01	633334			Inner_1RB_Left	25.45	23.36	0.217
					Inner_1RB_Right	25.44	23.35	0.216
					Inner_Full	25.32	23.23	0.210
	3545.01	636334			Inner_1RB_Left	24.94	22.85	0.193
					Inner_1RB_Right	25.38	23.29	0.213
					Inner_Full	25.15	23.06	0.202
DFT-16QAM	3455.01	630334			Inner_1RB_Left	25.93	23.84	0.242
					Inner_1RB_Right	25.93	23.84	0.242
					Inner_Full	25.83	23.74	0.237
	3500.01	633334			Inner_1RB_Left	24.99	22.9	0.195
					Inner_1RB_Right	24.99	22.9	0.195
					Inner_Full	24.79	22.7	0.186
	3545.01	636334			Inner_1RB_Left	24.61	22.52	0.179
					Inner_1RB_Right	24.80	22.71	0.187
					Inner_Full	24.56	22.47	0.177
DFT-64QAM	3455.01	630334			Inner_1RB_Left	24.05	21.96	0.157
					Inner_1RB_Right	24.06	21.97	0.157
					Inner_Full	24.15	22.06	0.161
	3500.01	633334			Inner_1RB_Left	23.41	21.32	0.136
					Inner_1RB_Right	23.37	21.28	0.134
					Inner_Full	23.26	21.17	0.131
	3545.01	636334			Inner_1RB_Left	23.10	21.01	0.126
					Inner_1RB_Right	23.17	21.08	0.128
					Inner_Full	23.04	20.95	0.124
DFT-256QAM	3455.01	630334			Inner_1RB_Left	23.98	21.89	0.155
					Inner_1RB_Right	24.14	22.05	0.160
					Inner_Full	24.15	22.06	0.161
	3500.01	633334			Inner_1RB_Left	23.39	21.3	0.135
					Inner_1RB_Right	23.30	21.21	0.132
					Inner_Full	23.22	21.13	0.130
	3545.01	636334			Inner_1RB_Left	23.22	21.13	0.130
					Inner_1RB_Right	22.42	20.33	0.108
					Inner Full	21.91	19.82	0.096

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)	ERP /EIRP (dBm)	ERP /EIRP (W)
CP-QPSK	3455.01	630334	10	15kHz	Inner_1RB_Left	25.91	23.82	0.241
					Inner_1RB_Right	25.31	23.22	0.210
					Inner_Full	25.18	23.09	0.204
	3500.01	633334			Inner_1RB_Left	25.45	23.36	0.217
					Inner_1RB_Right	25.49	23.4	0.219
					Inner_Full	25.35	23.26	0.212
	3545.01	636334			Inner_1RB_Left	25.18	23.09	0.204
					Inner_1RB_Right	25.50	23.41	0.219
					Inner_Full	25.14	23.05	0.202
CP-16QAM	3455.01	630334			Inner_1RB_Left	24.52	22.43	0.175
					Inner_1RB_Right	24.59	22.5	0.178
					Inner_Full	24.62	22.53	0.179
	3500.01	633334			Inner_1RB_Left	24.99	22.9	0.195
					Inner_1RB_Right	24.74	22.65	0.184
					Inner_Full	24.83	22.74	0.188
	3545.01	636334			Inner_1RB_Left	24.45	22.36	0.172
					Inner_1RB_Right	24.65	22.56	0.180
					Inner_Full	24.56	22.47	0.177
CP-64QAM	3455.01	630334			Inner_1RB_Left	23.08	20.99	0.126
					Inner_1RB_Right	23.24	21.15	0.130
					Inner_Full	23.09	21	0.126
	3500.01	633334			Inner_1RB_Left	23.37	21.28	0.134
					Inner_1RB_Right	23.41	21.32	0.136
					Inner_Full	23.26	21.17	0.131
	3545.01	636334			Inner_1RB_Left	23.00	20.91	0.123
					Inner_1RB_Right	22.92	20.83	0.121
					Inner_Full	22.43	20.34	0.108
CP-256QAM	3455.01	630334			Inner_1RB_Left	23.00	20.91	0.123
					Inner_1RB_Right	23.29	21.2	0.132
					Inner_Full	23.06	20.97	0.125
	3500.01	633334			Inner_1RB_Left	23.33	21.24	0.133
					Inner_1RB_Right	23.32	21.23	0.133
					Inner_Full	23.24	21.15	0.130
	3545.01	636334			Inner_1RB_Left	22.55	20.46	0.111
					Inner_1RB_Right	23.23	21.14	0.130
					Inner_Full	22.27	20.18	0.104

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)	ERP /EIRP (dBm)	ERP /EIRP (W)
DFT-QPSK	3457.5	630500	15	15kHz	Inner_1RB_Left	25.11	23.02	0.200
					Inner_1RB_Right	25.30	23.21	0.209
					Inner_Full	25.35	23.26	0.212
	3500.01	633334			Inner_1RB_Left	25.70	23.61	0.230
					Inner_1RB_Right	25.38	23.29	0.213
					Inner_Full	25.47	23.38	0.218
	3542.49	636166			Inner_1RB_Left	25.08	22.99	0.199
					Inner_1RB_Right	25.36	23.27	0.212
					Inner_Full	25.28	23.19	0.208
DFT-16QAM	3457.5	630500			Inner_1RB_Left	24.75	22.66	0.185
					Inner_1RB_Right	24.92	22.83	0.192
					Inner_Full	24.74	22.65	0.184
	3500.01	633334			Inner_1RB_Left	25.06	22.97	0.198
					Inner_1RB_Right	25.13	23.04	0.201
					Inner_Full	24.89	22.8	0.191
	3542.49	636166			Inner_1RB_Left	24.68	22.59	0.182
					Inner_1RB_Right	25.03	22.94	0.197
					Inner_Full	24.81	22.72	0.187
DFT-64QAM	3457.5	630500			Inner_1RB_Left	24.84	22.75	0.188
					Inner_1RB_Right	24.11	22.02	0.159
					Inner_Full	25.04	22.95	0.197
	3500.01	633334			Inner_1RB_Left	23.68	21.59	0.144
					Inner_1RB_Right	23.59	21.5	0.141
					Inner_Full	24.17	22.08	0.161
	3542.49	636166			Inner_1RB_Left	23.28	21.19	0.132
					Inner_1RB_Right	23.60	21.51	0.142
					Inner_Full	24.24	22.15	0.164
DFT-256QAM	3457.5	630500			Inner_1RB_Left	24.05	21.96	0.157
					Inner_1RB_Right	22.45	20.36	0.109
					Inner_Full	22.12	20.03	0.101
	3500.01	633334			Inner_1RB_Left	24.18	22.09	0.162
					Inner_1RB_Right	22.36	20.27	0.106
					Inner_Full	22.15	20.06	0.101
	3542.49	636166			Inner_1RB_Left	21.94	19.85	0.097
					Inner_1RB_Right	23.45	21.36	0.137
					Inner Full	22.17	20.08	0.102

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)	ERP /EIRP (dBm)	ERP /EIRP (W)
CP-QPSK	3457.5	630500	15	15kHz	Inner_1RB_Left	25.66	23.57	0.228
					Inner_1RB_Right	25.75	23.66	0.232
					Inner_Full	25.75	23.66	0.232
	3500.01	633334			Inner_1RB_Left	25.79	23.7	0.234
					Inner_1RB_Right	25.67	23.58	0.228
					Inner_Full	25.47	23.38	0.218
	3542.49	636166			Inner_1RB_Left	25.69	23.6	0.229
					Inner_1RB_Right	25.57	23.48	0.223
					Inner_Full	25.31	23.22	0.210
CP-16QAM	3457.5	630500			Inner_1RB_Left	24.09	22	0.158
					Inner_1RB_Right	24.23	22.14	0.164
					Inner_Full	23.95	21.86	0.153
	3500.01	633334			Inner_1RB_Left	25.16	23.07	0.203
					Inner_1RB_Right	25.16	23.07	0.203
					Inner_Full	24.97	22.88	0.194
	3542.49	636166			Inner_1RB_Left	24.69	22.6	0.182
					Inner_1RB_Right	25.05	22.96	0.198
					Inner_Full	24.74	22.65	0.184
CP-64QAM	3457.5	630500			Inner_1RB_Left	22.11	20.02	0.100
					Inner_1RB_Right	23.64	21.55	0.143
					Inner_Full	22.66	20.57	0.114
	3500.01	633334			Inner_1RB_Left	23.48	21.39	0.138
					Inner_1RB_Right	23.47	21.38	0.137
					Inner_Full	23.39	21.3	0.135
	3542.49	636166			Inner_1RB_Left	23.09	21	0.126
					Inner_1RB_Right	23.41	21.32	0.136
					Inner_Full	23.08	20.99	0.126
CP-256QAM	3457.5	630500			Inner_1RB_Left	23.69	21.6	0.145
					Inner_1RB_Right	23.36	21.27	0.134
					Inner_Full	23.48	21.39	0.138
	3500.01	633334			Inner_1RB_Left	23.47	21.38	0.137
					Inner_1RB_Right	23.85	21.76	0.150
					Inner_Full	23.40	21.31	0.135
	3542.49	636166			Inner_1RB_Left	23.06	20.97	0.125
					Inner_1RB_Right	23.54	21.45	0.140
					Inner Full	23.33	21.24	0.133

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)	ERP /EIRP (dBm)	ERP /EIRP (W)
DFT-QPSK	3460.02	630668	20	15kHz	Inner_1RB_Left	26.70	24.61	0.289
					Inner_1RB_Right	26.01	23.92	0.247
					Inner_Full	26.97	24.88	0.308
	3500.01	633334			Inner_1RB_Left	25.57	23.48	0.223
					Inner_1RB_Right	25.40	23.31	0.214
					Inner_Full	25.42	23.33	0.215
	3540	636000			Inner_1RB_Left	25.19	23.1	0.204
					Inner_1RB_Right	25.40	23.31	0.214
					Inner_Full	25.25	23.16	0.207
DFT-16QAM	3460.02	630668			Inner_1RB_Left	25.88	23.79	0.239
					Inner_1RB_Right	25.91	23.82	0.241
					Inner_Full	25.92	23.83	0.242
	3500.01	633334			Inner_1RB_Left	24.92	22.83	0.192
					Inner_1RB_Right	24.85	22.76	0.189
					Inner_Full	24.89	22.8	0.191
	3540	636000			Inner_1RB_Left	24.63	22.54	0.179
					Inner_1RB_Right	24.71	22.62	0.183
					Inner_Full	24.71	22.62	0.183
DFT-64QAM	3460.02	630668			Inner_1RB_Left	23.90	21.81	0.152
					Inner_1RB_Right	24.10	22.01	0.159
					Inner_Full	24.41	22.32	0.171
	3500.01	633334			Inner_1RB_Left	23.35	21.26	0.134
					Inner_1RB_Right	23.23	21.14	0.130
					Inner_Full	23.24	21.15	0.130
	3540	636000			Inner_1RB_Left	23.11	21.02	0.126
					Inner_1RB_Right	23.31	21.22	0.132
					Inner_Full	23.04	20.95	0.124
DFT-256QAM	3460.02	630668			Inner_1RB_Left	23.93	21.84	0.153
					Inner_1RB_Right	24.11	22.02	0.159
					Inner_Full	24.25	22.16	0.164
	3500.01	633334			Inner_1RB_Left	23.34	21.25	0.133
					Inner_1RB_Right	23.21	21.12	0.129
					Inner_Full	23.33	21.24	0.133
	3540	636000			Inner_1RB_Left	23.05	20.96	0.125
					Inner_1RB_Right	23.25	21.16	0.131
					Inner Full	23.19	21.1	0.129

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)	ERP /EIRP (dBm)	ERP /EIRP (W)
CP-QPSK	3460.02	630668	20	15kHz	Inner_1RB_Left	26.75	24.66	0.292
					Inner_1RB_Right	26.96	24.87	0.307
					Inner_Full	26.90	24.81	0.303
	3500.01	633334			Inner_1RB_Left	25.45	23.36	0.217
					Inner_1RB_Right	25.20	23.11	0.205
					Inner_Full	25.44	23.35	0.216
	3540	636000			Inner_1RB_Left	25.24	23.15	0.207
					Inner_1RB_Right	25.36	23.27	0.212
					Inner_Full	25.23	23.14	0.206
CP-16QAM	3460.02	630668			Inner_1RB_Left	25.86	23.77	0.238
					Inner_1RB_Right	26.03	23.94	0.248
					Inner_Full	25.92	23.83	0.242
	3500.01	633334			Inner_1RB_Left	24.84	22.75	0.188
					Inner_1RB_Right	24.83	22.74	0.188
					Inner_Full	24.93	22.84	0.192
	3540	636000			Inner_1RB_Left	24.63	22.54	0.179
					Inner_1RB_Right	24.88	22.79	0.190
					Inner_Full	24.68	22.59	0.182
CP-64QAM	3460.02	630668			Inner_1RB_Left	24.04	21.95	0.157
					Inner_1RB_Right	24.23	22.14	0.164
					Inner_Full	24.13	22.04	0.160
	3500.01	633334			Inner_1RB_Left	23.42	21.33	0.136
					Inner_1RB_Right	23.22	21.13	0.130
					Inner_Full	24.81	22.72	0.187
	3540	636000			Inner_1RB_Left	23.02	20.93	0.124
					Inner_1RB_Right	23.28	21.19	0.132
					Inner_Full	23.17	21.08	0.128
CP-256QAM	3460.02	630668			Inner_1RB_Left	24.04	21.95	0.157
					Inner_1RB_Right	24.22	22.13	0.163
					Inner_Full	24.19	22.1	0.162
	3500.01	633334			Inner_1RB_Left	24.85	22.76	0.189
					Inner_1RB_Right	24.09	22	0.158
					Inner_Full	24.08	21.99	0.158
	3540	636000			Inner_1RB_Left	23.07	20.98	0.125
					Inner_1RB_Right	23.25	21.16	0.131
					Inner Full	23.15	21.06	0.128

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)	ERP /EIRP (dBm)	ERP /EIRP (W)
DFT-QPSK	3462.51	630834	25	15kHz	Inner_1RB_Left	25.62	23.53	0.225
					Inner_1RB_Right	26.14	24.05	0.254
					Inner_Full	26.09	24	0.251
	3500.01	633334			Inner_1RB_Left	27.06	24.97	0.314
					Inner_1RB_Right	26.82	24.73	0.297
					Inner_Full	27.00	24.91	0.310
	3537.51	635834			Inner_1RB_Left	26.74	24.65	0.292
					Inner_1RB_Right	26.85	24.76	0.299
					Inner_Full	26.87	24.78	0.301
DFT-16QAM	3462.51	630834			Inner_1RB_Left	23.84	21.75	0.150
					Inner_1RB_Right	24.29	22.2	0.166
					Inner_Full	24.40	22.31	0.170
	3500.01	633334			Inner_1RB_Left	26.00	23.91	0.246
					Inner_1RB_Right	25.63	23.54	0.226
					Inner_Full	25.98	23.89	0.245
	3537.51	635834			Inner_1RB_Left	25.97	23.88	0.244
					Inner_1RB_Right	26.02	23.93	0.247
					Inner_Full	25.82	23.73	0.236
DFT-64QAM	3462.51	630834			Inner_1RB_Left	22.05	19.96	0.099
					Inner_1RB_Right	22.56	20.47	0.111
					Inner_Full	22.26	20.17	0.104
	3500.01	633334			Inner_1RB_Left	24.41	22.32	0.171
					Inner_1RB_Right	23.74	21.65	0.146
					Inner_Full	24.38	22.29	0.169
	3537.51	635834			Inner_1RB_Left	23.74	21.65	0.146
					Inner_1RB_Right	24.19	22.1	0.162
					Inner_Full	24.28	22.19	0.166
DFT-256QAM	3462.51	630834			Inner_1RB_Left	22.09	20	0.100
					Inner_1RB_Right	22.30	20.21	0.105
					Inner_Full	22.24	20.15	0.104
	3500.01	633334			Inner_1RB_Left	24.43	22.34	0.171
					Inner_1RB_Right	24.10	22.01	0.159
					Inner_Full	24.41	22.32	0.171
	3537.51	635834			Inner_1RB_Left	23.74	21.65	0.146
					Inner_1RB_Right	23.84	21.75	0.150
					Inner Full	24.27	22.18	0.165

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)	ERP /EIRP (dBm)	ERP /EIRP (W)
CP-QPSK	3462.51	630834	25	15kHz	Inner_1RB_Left	25.90	23.81	0.240
					Inner_1RB_Right	25.79	23.7	0.234
					Inner_Full	25.79	23.7	0.234
	3500.01	633334			Inner_1RB_Left	27.12	25.03	0.318
					Inner_1RB_Right	26.85	24.76	0.299
					Inner_Full	26.85	24.76	0.299
	3537.51	635834			Inner_1RB_Left	26.78	24.69	0.294
					Inner_1RB_Right	26.87	24.78	0.301
					Inner_Full	26.94	24.85	0.305
CP-16QAM	3462.51	630834			Inner_1RB_Left	24.04	21.95	0.157
					Inner_1RB_Right	24.08	21.99	0.158
					Inner_Full	24.13	22.04	0.160
	3500.01	633334			Inner_1RB_Left	26.24	24.15	0.260
					Inner_1RB_Right	25.96	23.87	0.244
					Inner_Full	25.63	23.54	0.226
	3537.51	635834			Inner_1RB_Left	25.96	23.87	0.244
					Inner_1RB_Right	25.75	23.66	0.232
					Inner_Full	26.03	23.94	0.248
CP-64QAM	3462.51	630834			Inner_1RB_Left	23.18	21.09	0.129
					Inner_1RB_Right	23.45	21.36	0.137
					Inner_Full	23.39	21.3	0.135
	3500.01	633334			Inner_1RB_Left	24.35	22.26	0.168
					Inner_1RB_Right	23.67	21.58	0.144
					Inner_Full	24.06	21.97	0.157
	3537.51	635834			Inner_1RB_Left	24.13	22.04	0.160
					Inner_1RB_Right	23.83	21.74	0.149
					Inner_Full	24.20	22.11	0.163
CP-256QAM	3462.51	630834			Inner_1RB_Left	24.09	22	0.158
					Inner_1RB_Right	24.34	22.25	0.168
					Inner_Full	24.31	22.22	0.167
	3500.01	633334			Inner_1RB_Left	24.07	21.98	0.158
					Inner_1RB_Right	23.76	21.67	0.147
					Inner_Full	24.10	22.01	0.159
	3537.51	635834			Inner_1RB_Left	23.77	21.68	0.147
					Inner_1RB_Right	23.82	21.73	0.149
					Inner_Full	23.83	21.74	0.149

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)	ERP /EIRP (dBm)	ERP /EIRP (W)
DFT-QPSK	3465	631000	30	15kHz	Inner_1RB_Left	25.15	23.06	0.202
					Inner_1RB_Right	25.30	23.21	0.209
					Inner_Full	25.41	23.32	0.215
	3500.01	633334			Inner_1RB_Left	25.54	23.45	0.221
					Inner_1RB_Right	25.16	23.07	0.203
					Inner_Full	25.33	23.24	0.211
	3534.99	635666			Inner_1RB_Left	25.36	23.27	0.212
					Inner_1RB_Right	25.18	23.09	0.204
					Inner_Full	25.26	23.17	0.207
DFT-16QAM	3465	631000			Inner_1RB_Left	24.49	22.4	0.174
					Inner_1RB_Right	24.69	22.6	0.182
					Inner_Full	24.92	22.83	0.192
	3500.01	633334			Inner_1RB_Left	25.04	22.95	0.197
					Inner_1RB_Right	24.38	22.29	0.169
					Inner_Full	24.75	22.66	0.185
	3534.99	635666			Inner_1RB_Left	24.56	22.47	0.177
					Inner_1RB_Right	24.72	22.63	0.183
					Inner_Full	24.74	22.65	0.184
DFT-64QAM	3465	631000			Inner_1RB_Left	23.13	21.04	0.127
					Inner_1RB_Right	23.31	21.22	0.132
					Inner_Full	24.40	22.31	0.170
	3500.01	633334			Inner_1RB_Left	23.41	21.32	0.136
					Inner_1RB_Right	22.90	20.81	0.121
					Inner_Full	23.19	21.1	0.129
	3534.99	635666			Inner_1RB_Left	23.08	20.99	0.126
					Inner_1RB_Right	23.11	21.02	0.126
					Inner_Full	23.18	21.09	0.129
DFT-256QAM	3465	631000			Inner_1RB_Left	23.85	21.76	0.150
					Inner_1RB_Right	24.05	21.96	0.157
					Inner_Full	24.37	22.28	0.169
	3500.01	633334			Inner_1RB_Left	23.44	21.35	0.136
					Inner_1RB_Right	22.98	20.89	0.123
					Inner_Full	23.29	21.2	0.132
	3534.99	635666			Inner_1RB_Left	23.05	20.96	0.125
					Inner_1RB_Right	23.12	21.03	0.127
					Inner Full	23.17	21.08	0.128

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)	ERP /EIRP (dBm)	ERP /EIRP (W)
CP-QPSK	3465	631000	30	15kHz	Inner_1RB_Left	26.71	24.62	0.290
					Inner_1RB_Right	26.99	24.9	0.309
					Inner_Full	27.03	24.94	0.312
	3500.01	633334			Inner_1RB_Left	25.57	23.48	0.223
					Inner_1RB_Right	25.00	22.91	0.195
					Inner_Full	25.31	23.22	0.210
	3534.99	635666			Inner_1RB_Left	25.30	23.21	0.209
					Inner_1RB_Right	25.16	23.07	0.203
					Inner_Full	25.23	23.14	0.206
CP-16QAM	3465	631000			Inner_1RB_Left	25.73	23.64	0.231
					Inner_1RB_Right	26.11	24.02	0.252
					Inner_Full	25.92	23.83	0.242
	3500.01	633334			Inner_1RB_Left	25.05	22.96	0.198
					Inner_1RB_Right	24.36	22.27	0.169
					Inner_Full	24.80	22.71	0.187
	3534.99	635666			Inner_1RB_Left	24.55	22.46	0.176
					Inner_1RB_Right	24.50	22.41	0.174
					Inner_Full	24.69	22.6	0.182
CP-64QAM	3465	631000			Inner_1RB_Left	23.95	21.86	0.153
					Inner_1RB_Right	24.18	22.09	0.162
					Inner_Full	24.41	22.32	0.171
	3500.01	633334			Inner_1RB_Left	23.48	21.39	0.138
					Inner_1RB_Right	22.90	20.81	0.121
					Inner_Full	23.50	21.41	0.138
	3534.99	635666			Inner_1RB_Left	23.16	21.07	0.128
					Inner_1RB_Right	23.03	20.94	0.124
					Inner_Full	23.22	21.13	0.130
CP-256QAM	3465	631000			Inner_1RB_Left	23.82	21.73	0.149
					Inner_1RB_Right	24.21	22.12	0.163
					Inner_Full	24.36	22.27	0.169
	3500.01	633334			Inner_1RB_Left	23.50	21.41	0.138
					Inner_1RB_Right	23.55	21.46	0.140
					Inner_Full	24.30	22.21	0.166
	3534.99	635666			Inner_1RB_Left	23.18	21.09	0.129
					Inner_1RB_Right	23.09	21	0.126
					Inner Full	23.15	21.06	0.128

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)	ERP /EIRP (dBm)	ERP /EIRP (W)
DFT-QPSK	3470.01	631334	40	15kHz	Inner_1RB_Left	25.06	22.97	0.198
					Inner_1RB_Right	24.88	22.79	0.190
					Inner_Full	25.47	23.38	0.218
	3500.01	633334			Inner_1RB_Left	25.48	23.39	0.218
					Inner_1RB_Right	24.88	22.79	0.190
					Inner_Full	25.18	23.09	0.204
	3530.01	635334			Inner_1RB_Left	26.31	24.22	0.264
					Inner_1RB_Right	26.48	24.39	0.275
					Inner_Full	26.66	24.57	0.286
DFT-16QAM	3470.01	631334			Inner_1RB_Left	24.49	22.4	0.174
					Inner_1RB_Right	24.34	22.25	0.168
					Inner_Full	24.95	22.86	0.193
	3500.01	633334			Inner_1RB_Left	24.97	22.88	0.194
					Inner_1RB_Right	24.40	22.31	0.170
					Inner_Full	24.68	22.59	0.182
	3530.01	635334			Inner_1RB_Left	25.37	23.28	0.213
					Inner_1RB_Right	25.45	23.36	0.217
					Inner_Full	25.62	23.53	0.225
DFT-64QAM	3470.01	631334			Inner_1RB_Left	22.89	20.8	0.120
					Inner_1RB_Right	22.92	20.83	0.121
					Inner_Full	23.30	21.21	0.132
	3500.01	633334			Inner_1RB_Left	23.21	21.12	0.129
					Inner_1RB_Right	22.82	20.73	0.118
					Inner_Full	23.11	21.02	0.126
	3530.01	635334			Inner_1RB_Left	23.64	21.55	0.143
					Inner_1RB_Right	23.74	21.65	0.146
					Inner_Full	24.07	21.98	0.158
DFT-256QAM	3470.01	631334			Inner_1RB_Left	22.91	20.82	0.121
					Inner_1RB_Right	22.90	20.81	0.121
					Inner_Full	23.36	21.27	0.134
	3500.01	633334			Inner_1RB_Left	23.43	21.34	0.136
					Inner_1RB_Right	22.74	20.65	0.116
					Inner_Full	23.10	21.01	0.126
	3530.01	635334			Inner_1RB_Left	23.57	21.48	0.141
					Inner_1RB_Right	23.77	21.68	0.147
					Inner Full	24.10	22.01	0.159

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)	ERP /EIRP (dBm)	ERP /EIRP (W)
CP-QPSK	3470.01	631334	40	15kHz	Inner_1RB_Left	24.87	22.78	0.190
					Inner_1RB_Right	24.93	22.84	0.192
					Inner_Full	25.46	23.37	0.217
	3500.01	633334			Inner_1RB_Left	25.43	23.34	0.216
					Inner_1RB_Right	24.87	22.78	0.190
					Inner_Full	25.21	23.12	0.205
	3530.01	635334			Inner_1RB_Left	26.30	24.21	0.264
					Inner_1RB_Right	26.44	24.35	0.272
					Inner_Full	26.71	24.62	0.290
CP-16QAM	3470.01	631334			Inner_1RB_Left	24.29	22.2	0.166
					Inner_1RB_Right	24.33	22.24	0.167
					Inner_Full	24.95	22.86	0.193
	3500.01	633334			Inner_1RB_Left	24.79	22.7	0.186
					Inner_1RB_Right	24.28	22.19	0.166
					Inner_Full	24.69	22.6	0.182
	3530.01	635334			Inner_1RB_Left	25.44	23.35	0.216
					Inner_1RB_Right	25.46	23.37	0.217
					Inner_Full	25.58	23.49	0.223
CP-64QAM	3470.01	631334			Inner_1RB_Left	22.84	20.75	0.119
					Inner_1RB_Right	22.91	20.82	0.121
					Inner_Full	23.35	21.26	0.134
	3500.01	633334			Inner_1RB_Left	23.37	21.28	0.134
					Inner_1RB_Right	22.79	20.7	0.117
					Inner_Full	23.07	20.98	0.125
	3530.01	635334			Inner_1RB_Left	23.53	21.44	0.139
					Inner_1RB_Right	23.70	21.61	0.145
					Inner_Full	24.08	21.99	0.158
CP-256QAM	3470.01	631334			Inner_1RB_Left	22.84	20.75	0.119
					Inner_1RB_Right	22.90	20.81	0.121
					Inner_Full	23.35	21.26	0.134
	3500.01	633334			Inner_1RB_Left	23.18	21.09	0.129
					Inner_1RB_Right	22.80	20.71	0.118
					Inner_Full	23.14	21.05	0.127
	3530.01	635334			Inner_1RB_Left	23.52	21.43	0.139
					Inner_1RB_Right	23.68	21.59	0.144
					Inner_Full	24.13	22.04	0.160

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)	ERP /EIRP (dBm)	ERP /EIRP (W)
DFT-QPSK	3475.02	631668	50	15kHz	Inner_1RB_Left	26.67	24.58	0.287
					Inner_1RB_Right	26.36	24.27	0.267
					Inner_Full	27.06	24.97	0.314
	3500.01	633334			Inner_1RB_Left	25.37	23.28	0.213
					Inner_1RB_Right	24.82	22.73	0.187
					Inner_Full	25.20	23.11	0.205
	3525	635000			Inner_1RB_Left	26.67	24.58	0.287
					Inner_1RB_Right	26.71	24.62	0.290
					Inner_Full	26.95	24.86	0.306
DFT-16QAM	3475.02	631668			Inner_1RB_Left	25.86	23.77	0.238
					Inner_1RB_Right	25.49	23.4	0.219
					Inner_Full	26.03	23.94	0.248
	3500.01	633334			Inner_1RB_Left	25.17	23.08	0.203
					Inner_1RB_Right	24.57	22.48	0.177
					Inner_Full	24.71	22.62	0.183
	3525	635000			Inner_1RB_Left	25.54	23.45	0.221
					Inner_1RB_Right	26.01	23.92	0.247
					Inner_Full	25.96	23.87	0.244
DFT-64QAM	3475.02	631668			Inner_1RB_Left	24.07	21.98	0.158
					Inner_1RB_Right	23.62	21.53	0.142
					Inner_Full	24.42	22.33	0.171
	3500.01	633334			Inner_1RB_Left	23.38	21.29	0.135
					Inner_1RB_Right	23.07	20.98	0.125
					Inner_Full	23.18	21.09	0.129
	3525	635000			Inner_1RB_Left	23.74	21.65	0.146
					Inner_1RB_Right	24.14	22.05	0.160
					Inner_Full	24.33	22.24	0.167
DFT-256QAM	3475.02	631668			Inner_1RB_Left	24.07	21.98	0.158
					Inner_1RB_Right	23.40	21.31	0.135
					Inner_Full	24.39	22.3	0.170
	3500.01	633334			Inner_1RB_Left	23.36	21.27	0.134
					Inner_1RB_Right	23.05	20.96	0.125
					Inner_Full	23.15	21.06	0.128
	3525	635000			Inner_1RB_Left	23.73	21.64	0.146
					Inner_1RB_Right	23.82	21.73	0.149
					Inner Full	24.33	22.24	0.167

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)	ERP /EIRP (dBm)	ERP /EIRP (W)
CP-QPSK	3475.02	631668	50	15kHz	Inner_1RB_Left	26.74	24.65	0.292
					Inner_1RB_Right	26.35	24.26	0.267
					Inner_Full	27.09	25	0.316
	3500.01	633334			Inner_1RB_Left	25.31	23.22	0.210
					Inner_1RB_Right	24.86	22.77	0.189
					Inner_Full	25.29	23.2	0.209
	3525	635000			Inner_1RB_Left	26.39	24.3	0.269
					Inner_1RB_Right	26.73	24.64	0.291
					Inner_Full	26.81	24.72	0.296
CP-16QAM	3475.02	631668			Inner_1RB_Left	25.94	23.85	0.243
					Inner_1RB_Right	25.51	23.42	0.220
					Inner_Full	26.05	23.96	0.249
	3500.01	633334			Inner_1RB_Left	25.01	22.92	0.196
					Inner_1RB_Right	24.57	22.48	0.177
					Inner_Full	24.75	22.66	0.185
	3525	635000			Inner_1RB_Left	25.72	23.63	0.231
					Inner_1RB_Right	25.56	23.47	0.222
					Inner_Full	25.67	23.58	0.228
CP-64QAM	3475.02	631668			Inner_1RB_Left	23.84	21.75	0.150
					Inner_1RB_Right	23.43	21.34	0.136
					Inner_Full	24.38	22.29	0.169
	3500.01	633334			Inner_1RB_Left	23.59	21.5	0.141
					Inner_1RB_Right	22.85	20.76	0.119
					Inner_Full	23.08	20.99	0.126
	3525	635000			Inner_1RB_Left	23.21	21.12	0.129
					Inner_1RB_Right	23.67	21.58	0.144
					Inner_Full	24.06	21.97	0.157
CP-256QAM	3475.02	631668			Inner_1RB_Left	23.82	21.73	0.149
					Inner_1RB_Right	23.63	21.54	0.143
					Inner_Full	24.38	22.29	0.169
	3500.01	633334			Inner_1RB_Left	23.38	21.29	0.135
					Inner_1RB_Right	23.09	21	0.126
					Inner_Full	23.09	21	0.126
	3525	635000			Inner_1RB_Left	23.19	21.1	0.129
					Inner_1RB_Right	23.38	21.29	0.135
					Inner Full	23.85	21.76	0.150

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)	ERP /EIRP (dBm)	ERP /EIRP (W)
DFT-QPSK	3455.01	630334	10	30kHz	Inner_1RB_Left	25.57	23.48	0.223
					Inner_1RB_Right	25.47	23.38	0.218
					Inner_Full	25.64	23.55	0.226
	3500.01	633334			Inner_1RB_Left	26.76	24.67	0.293
					Inner_1RB_Right	26.58	24.49	0.281
					Inner_Full	26.78	24.69	0.294
	3545.01	636334			Inner_1RB_Left	26.71	24.62	0.290
					Inner_1RB_Right	25.64	23.55	0.226
					Inner_Full	26.67	24.58	0.287
DFT-16QAM	3455.01	630334			Inner_1RB_Left	23.99	21.9	0.155
					Inner_1RB_Right	23.90	21.81	0.152
					Inner_Full	24.03	21.94	0.156
	3500.01	633334			Inner_1RB_Left	25.54	23.45	0.221
					Inner_1RB_Right	25.46	23.37	0.217
					Inner_Full	25.89	23.8	0.240
	3545.01	636334			Inner_1RB_Left	24.64	22.55	0.180
					Inner_1RB_Right	24.76	22.67	0.185
					Inner_Full	24.65	22.56	0.180
DFT-64QAM	3455.01	630334			Inner_1RB_Left	21.74	19.65	0.092
					Inner_1RB_Right	21.77	19.68	0.093
					Inner_Full	21.89	19.8	0.095
	3500.01	633334			Inner_1RB_Left	24.38	22.29	0.169
					Inner_1RB_Right	24.42	22.33	0.171
					Inner_Full	24.19	22.1	0.162
	3545.01	636334			Inner_1RB_Left	24.78	22.69	0.186
					Inner_1RB_Right	24.79	22.7	0.186
					Inner_Full	24.69	22.6	0.182
DFT-256QAM	3455.01	630334			Inner_1RB_Left	21.77	19.68	0.093
					Inner_1RB_Right	21.70	19.61	0.091
					Inner_Full	21.83	19.74	0.094
	3500.01	633334			Inner_1RB_Left	24.37	22.28	0.169
					Inner_1RB_Right	24.42	22.33	0.171
					Inner_Full	24.31	22.22	0.167
	3545.01	636334			Inner_1RB_Left	24.75	22.66	0.185
					Inner_1RB_Right	24.72	22.63	0.183
					Inner Full	24.73	22.64	0.184

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)	ERP /EIRP (dBm)	ERP /EIRP (W)
CP-QPSK	3455.01	630334	10	30kHz	Inner_1RB_Left	25.31	23.22	0.210
					Inner_1RB_Right	25.57	23.48	0.223
					Inner_Full	25.69	23.6	0.229
	3500.01	633334			Inner_1RB_Left	26.85	24.76	0.299
					Inner_1RB_Right	26.68	24.59	0.288
					Inner_Full	26.78	24.69	0.294
	3545.01	636334			Inner_1RB_Left	24.69	22.6	0.182
					Inner_1RB_Right	24.69	22.6	0.182
					Inner_Full	24.65	22.56	0.180
CP-16QAM	3455.01	630334			Inner_1RB_Left	24.00	21.91	0.155
					Inner_1RB_Right	24.10	22.01	0.159
					Inner_Full	24.02	21.93	0.156
	3500.01	633334			Inner_1RB_Left	25.70	23.61	0.230
					Inner_1RB_Right	25.46	23.37	0.217
					Inner_Full	25.86	23.77	0.238
	3545.01	636334			Inner_1RB_Left	-34.84	-36.93	0.000
					Inner_1RB_Right	24.72	22.63	0.183
					Inner_Full	24.70	22.61	0.182
CP-64QAM	3455.01	630334			Inner_1RB_Left	21.75	19.66	0.092
					Inner_1RB_Right	21.76	19.67	0.093
					Inner_Full	21.79	19.7	0.093
	3500.01	633334			Inner_1RB_Left	24.56	22.47	0.177
					Inner_1RB_Right	24.40	22.31	0.170
					Inner_Full	24.31	22.22	0.167
	3545.01	636334			Inner_1RB_Left	24.76	22.67	0.185
					Inner_1RB_Right	24.74	22.65	0.184
					Inner_Full	24.78	22.69	0.186
CP-256QAM	3455.01	630334			Inner_1RB_Left	21.82	19.73	0.094
					Inner_1RB_Right	21.73	19.64	0.092
					Inner_Full	21.89	19.8	0.095
	3500.01	633334			Inner_1RB_Left	24.62	22.53	0.179
					Inner_1RB_Right	24.37	22.28	0.169
					Inner_Full	24.15	22.06	0.161
	3545.01	636334			Inner_1RB_Left	24.68	22.59	0.182
					Inner_1RB_Right	24.82	22.73	0.187
					Inner Full	24.81	22.72	0.187

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)	ERP /EIRP (dBm)	ERP /EIRP (W)
DFT-QPSK	3457.5	630500	15	30kHz	Inner_1RB_Left	24.88	22.79	0.190
					Inner_1RB_Right	24.01	21.92	0.156
					Inner_Full	24.96	22.87	0.194
	3500.01	633334			Inner_1RB_Left	25.34	23.25	0.211
					Inner_1RB_Right	25.00	22.91	0.195
					Inner_Full	25.27	23.18	0.208
	3542.49	636166			Inner_1RB_Left	24.81	22.72	0.187
					Inner_1RB_Right	24.80	22.71	0.187
					Inner_Full	24.90	22.81	0.191
DFT-16QAM	3457.5	630500			Inner_1RB_Left	24.33	22.24	0.167
					Inner_1RB_Right	24.25	22.16	0.164
					Inner_Full	24.50	22.41	0.174
	3500.01	633334			Inner_1RB_Left	24.69	22.6	0.182
					Inner_1RB_Right	24.61	22.52	0.179
					Inner_Full	24.67	22.58	0.181
	3542.49	636166			Inner_1RB_Left	24.08	21.99	0.158
					Inner_1RB_Right	24.34	22.25	0.168
					Inner_Full	24.25	22.16	0.164
DFT-64QAM	3457.5	630500			Inner_1RB_Left	22.61	20.52	0.113
					Inner_1RB_Right	23.08	20.99	0.126
					Inner_Full	22.71	20.62	0.115
	3500.01	633334			Inner_1RB_Left	22.99	20.9	0.123
					Inner_1RB_Right	22.83	20.74	0.119
					Inner_Full	22.87	20.78	0.120
	3542.49	636166			Inner_1RB_Left	22.33	20.24	0.106
					Inner_1RB_Right	23.01	20.92	0.124
					Inner_Full	22.59	20.5	0.112
DFT-256QAM	3457.5	630500			Inner_1RB_Left	23.06	20.97	0.125
					Inner_1RB_Right	23.05	20.96	0.125
					Inner_Full	22.75	20.66	0.116
	3500.01	633334			Inner_1RB_Left	23.36	21.27	0.134
					Inner_1RB_Right	22.78	20.69	0.117
					Inner_Full	23.08	20.99	0.126
	3542.49	636166			Inner_1RB_Left	22.74	20.65	0.116
					Inner_1RB_Right	22.60	20.51	0.112
					Inner_Full	22.59	20.5	0.112

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)	ERP /EIRP (dBm)	ERP /EIRP (W)
CP-QPSK	3457.5	630500	15	30kHz	Inner_1RB_Left	24.74	22.65	0.184
					Inner_1RB_Right	25.08	22.99	0.199
					Inner_Full	24.97	22.88	0.194
	3500.01	633334			Inner_1RB_Left	25.17	23.08	0.203
					Inner_1RB_Right	24.98	22.89	0.195
					Inner_Full	25.19	23.1	0.204
	3542.49	636166			Inner_1RB_Left	24.63	22.54	0.179
					Inner_1RB_Right	24.74	22.65	0.184
					Inner_Full	24.82	22.73	0.187
CP-16QAM	3457.5	630500			Inner_1RB_Left	24.25	22.16	0.164
					Inner_1RB_Right	24.21	22.12	0.163
					Inner_Full	24.55	22.46	0.176
	3500.01	633334			Inner_1RB_Left	24.74	22.65	0.184
					Inner_1RB_Right	24.55	22.46	0.176
					Inner_Full	24.65	22.56	0.180
	3542.49	636166			Inner_1RB_Left	24.04	21.95	0.157
					Inner_1RB_Right	24.39	22.3	0.170
					Inner_Full	24.32	22.23	0.167
CP-64QAM	3457.5	630500			Inner_1RB_Left	22.58	20.49	0.112
					Inner_1RB_Right	23.12	21.03	0.127
					Inner_Full	22.89	20.8	0.120
	3500.01	633334			Inner_1RB_Left	23.39	21.3	0.135
					Inner_1RB_Right	23.22	21.13	0.130
					Inner_Full	23.02	20.93	0.124
	3542.49	636166			Inner_1RB_Left	22.81	20.72	0.118
					Inner_1RB_Right	23.06	20.97	0.125
					Inner_Full	22.85	20.76	0.119
CP-256QAM	3457.5	630500			Inner_1RB_Left	22.58	20.49	0.112
					Inner_1RB_Right	22.59	20.5	0.112
					Inner_Full	22.97	20.88	0.122
	3500.01	633334			Inner_1RB_Left	22.97	20.88	0.122
					Inner_1RB_Right	22.81	20.72	0.118
					Inner_Full	23.18	21.09	0.129
	3542.49	636166			Inner_1RB_Left	22.71	20.62	0.115
					Inner_1RB_Right	22.60	20.51	0.112
					Inner Full	22.85	20.76	0.119

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)	ERP /EIRP (dBm)	ERP /EIRP (W)
DFT-QPSK	3460.02	630668	20	30kHz	Inner_1RB_Left	26.29	24.2	0.263
					Inner_1RB_Right	26.39	24.3	0.269
					Inner_Full	26.57	24.48	0.281
	3500.01	633334			Inner_1RB_Left	25.16	23.07	0.203
					Inner_1RB_Right	24.97	22.88	0.194
					Inner_Full	25.10	23.01	0.200
	3540	636000			Inner_1RB_Left	26.01	23.92	0.247
					Inner_1RB_Right	26.21	24.12	0.258
					Inner_Full	26.34	24.25	0.266
DFT-16QAM	3460.02	630668			Inner_1RB_Left	25.20	23.11	0.205
					Inner_1RB_Right	25.18	23.09	0.204
					Inner_Full	25.48	23.39	0.218
	3500.01	633334			Inner_1RB_Left	24.48	22.39	0.173
					Inner_1RB_Right	24.19	22.1	0.162
					Inner_Full	24.57	22.48	0.177
	3540	636000			Inner_1RB_Left	24.83	22.74	0.188
					Inner_1RB_Right	25.10	23.01	0.200
					Inner_Full	25.33	23.24	0.211
DFT-64QAM	3460.02	630668			Inner_1RB_Left	24.07	21.98	0.158
					Inner_1RB_Right	24.06	21.97	0.157
					Inner_Full	23.87	21.78	0.151
	3500.01	633334			Inner_1RB_Left	22.77	20.68	0.117
					Inner_1RB_Right	23.02	20.93	0.124
					Inner_Full	23.04	20.95	0.124
	3540	636000			Inner_1RB_Left	23.61	21.52	0.142
					Inner_1RB_Right	23.79	21.7	0.148
					Inner_Full	23.63	21.54	0.143
DFT-256QAM	3460.02	630668			Inner_1RB_Left	24.17	22.08	0.161
					Inner_1RB_Right	23.92	21.83	0.152
					Inner_Full	23.91	21.82	0.152
	3500.01	633334			Inner_1RB_Left	22.72	20.63	0.116
					Inner_1RB_Right	22.99	20.9	0.123
					Inner_Full	22.99	20.9	0.123
	3540	636000			Inner_1RB_Left	23.82	21.73	0.149
					Inner_1RB_Right	23.99	21.9	0.155
					Inner Full	23.64	21.55	0.143

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)	ERP /EIRP (dBm)	ERP /EIRP (W)
CP-QPSK	3460.02	630668	20	30kHz	Inner_1RB_Left	26.37	24.28	0.268
					Inner_1RB_Right	26.24	24.15	0.260
					Inner_Full	26.56	24.47	0.280
	3500.01	633334			Inner_1RB_Left	25.08	22.99	0.199
					Inner_1RB_Right	24.78	22.69	0.186
					Inner_Full	25.16	23.07	0.203
	3540	636000			Inner_1RB_Left	26.06	23.97	0.249
					Inner_1RB_Right	26.21	24.12	0.258
					Inner_Full	26.38	24.29	0.269
CP-16QAM	3460.02	630668			Inner_1RB_Left	25.22	23.13	0.206
					Inner_1RB_Right	25.21	23.12	0.205
					Inner_Full	25.45	23.36	0.217
	3500.01	633334			Inner_1RB_Left	24.42	22.33	0.171
					Inner_1RB_Right	24.38	22.29	0.169
					Inner_Full	24.67	22.58	0.181
	3540	636000			Inner_1RB_Left	24.90	22.81	0.191
					Inner_1RB_Right	25.13	23.04	0.201
					Inner_Full	25.31	23.22	0.210
CP-64QAM	3460.02	630668			Inner_1RB_Left	24.14	22.05	0.160
					Inner_1RB_Right	23.89	21.8	0.151
					Inner_Full	23.84	21.75	0.150
	3500.01	633334			Inner_1RB_Left	23.31	21.22	0.132
					Inner_1RB_Right	22.56	20.47	0.111
					Inner_Full	22.96	20.87	0.122
	3540	636000			Inner_1RB_Left	23.64	21.55	0.143
					Inner_1RB_Right	24.00	21.91	0.155
					Inner_Full	23.71	21.62	0.145
CP-256QAM	3460.02	630668			Inner_1RB_Left	24.10	22.01	0.159
					Inner_1RB_Right	24.06	21.97	0.157
					Inner_Full	23.87	21.78	0.151
	3500.01	633334			Inner_1RB_Left	22.79	20.7	0.117
					Inner_1RB_Right	22.98	20.89	0.123
					Inner_Full	23.05	20.96	0.125
	3540	636000			Inner_1RB_Left	23.80	21.71	0.148
					Inner_1RB_Right	24.04	21.95	0.157
					Inner Full	23.69	21.6	0.145

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)	ERP /EIRP (dBm)	ERP /EIRP (W)
DFT-QPSK	3462.51	630834	25	30kHz	Inner_1RB_Left	24.39	22.3	0.170
					Inner_1RB_Right	24.70	22.61	0.182
					Inner_Full	24.63	22.54	0.179
	3500.01	633334			Inner_1RB_Left	26.32	24.23	0.265
					Inner_1RB_Right	26.24	24.15	0.260
					Inner_Full	26.50	24.41	0.276
	3537.51	635834			Inner_1RB_Left	26.12	24.03	0.253
					Inner_1RB_Right	26.07	23.98	0.250
					Inner_Full	26.40	24.31	0.270
DFT-16QAM	3462.51	630834			Inner_1RB_Left	24.26	22.17	0.165
					Inner_1RB_Right	24.02	21.93	0.156
					Inner_Full	24.12	22.03	0.160
	3500.01	633334			Inner_1RB_Left	25.30	23.21	0.209
					Inner_1RB_Right	25.21	23.12	0.205
					Inner_Full	22.34	20.25	0.106
	3537.51	635834			Inner_1RB_Left	25.21	23.12	0.205
					Inner_1RB_Right	25.23	23.14	0.206
					Inner_Full	25.48	23.39	0.218
DFT-64QAM	3462.51	630834			Inner_1RB_Left	22.70	20.61	0.115
					Inner_1RB_Right	22.92	20.83	0.121
					Inner_Full	22.57	20.48	0.112
	3500.01	633334			Inner_1RB_Left	23.88	21.79	0.151
					Inner_1RB_Right	23.80	21.71	0.148
					Inner_Full	23.97	21.88	0.154
	3537.51	635834			Inner_1RB_Left	23.43	21.34	0.136
					Inner_1RB_Right	23.49	21.4	0.138
					Inner_Full	23.91	21.82	0.152
DFT-256QAM	3462.51	630834			Inner_1RB_Left	22.70	20.61	0.115
					Inner_1RB_Right	22.87	20.78	0.120
					Inner_Full	22.59	20.5	0.112
	3500.01	633334			Inner_1RB_Left	21.85	19.76	0.095
					Inner_1RB_Right	21.56	19.47	0.089
					Inner_Full	21.92	19.83	0.096
	3537.51	635834			Inner_1RB_Left	21.70	19.61	0.091
					Inner_1RB_Right	21.47	19.38	0.087
					Inner Full	21.79	19.7	0.093

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)	ERP /EIRP (dBm)	ERP /EIRP (W)
CP-QPSK	3462.51	630834	25	30kHz	Inner_1RB_Left	24.43	22.34	0.171
					Inner_1RB_Right	24.61	22.52	0.179
					Inner_Full	24.69	22.6	0.182
	3500.01	633334			Inner_1RB_Left	24.86	22.77	0.189
					Inner_1RB_Right	25.65	23.56	0.227
					Inner_Full	24.94	22.85	0.193
	3537.51	635834			Inner_1RB_Left	24.61	22.52	0.179
					Inner_1RB_Right	24.69	22.6	0.182
					Inner_Full	25.69	23.6	0.229
CP-16QAM	3462.51	630834			Inner_1RB_Left	24.23	22.14	0.164
					Inner_1RB_Right	24.27	22.18	0.165
					Inner_Full	24.12	22.03	0.160
	3500.01	633334			Inner_1RB_Left	24.49	22.4	0.174
					Inner_1RB_Right	24.43	22.34	0.171
					Inner_Full	24.43	22.34	0.171
	3537.51	635834			Inner_1RB_Left	24.22	22.13	0.163
					Inner_1RB_Right	24.27	22.18	0.165
					Inner_Full	24.36	22.27	0.169
CP-64QAM	3462.51	630834			Inner_1RB_Left	22.67	20.58	0.114
					Inner_1RB_Right	23.05	20.96	0.125
					Inner_Full	22.59	20.5	0.112
	3500.01	633334			Inner_1RB_Left	22.89	20.8	0.120
					Inner_1RB_Right	22.80	20.71	0.118
					Inner_Full	22.90	20.81	0.121
	3537.51	635834			Inner_1RB_Left	22.63	20.54	0.113
					Inner_1RB_Right	22.69	20.6	0.115
					Inner_Full	22.80	20.71	0.118
CP-256QAM	3462.51	630834			Inner_1RB_Left	22.79	20.7	0.117
					Inner_1RB_Right	22.87	20.78	0.120
					Inner_Full	22.47	20.38	0.109
	3500.01	633334			Inner_1RB_Left	22.06	19.97	0.099
					Inner_1RB_Right	19.79	17.7	0.059
					Inner_Full	20.05	17.96	0.063
	3537.51	635834			Inner_1RB_Left	19.81	17.72	0.059
					Inner_1RB_Right	19.77	17.68	0.059
					Inner Full	19.95	17.86	0.061

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)	ERP /EIRP (dBm)	ERP /EIRP (W)
DFT-QPSK	3465	631000	30	30kHz	Inner_1RB_Left	26.32	24.23	0.265
					Inner_1RB_Right	26.37	24.28	0.268
					Inner_Full	26.59	24.5	0.282
	3500.01	633334			Inner_1RB_Left	25.19	23.1	0.204
					Inner_1RB_Right	24.88	22.79	0.190
					Inner_Full	25.10	23.01	0.200
	3534.99	635666			Inner_1RB_Left	24.90	22.81	0.191
					Inner_1RB_Right	24.85	22.76	0.189
					Inner_Full	24.98	22.89	0.195
DFT-16QAM	3465	631000			Inner_1RB_Left	25.24	23.15	0.207
					Inner_1RB_Right	25.28	23.19	0.208
					Inner_Full	25.60	23.51	0.224
	3500.01	633334			Inner_1RB_Left	24.61	22.52	0.179
					Inner_1RB_Right	24.03	21.94	0.156
					Inner_Full	24.54	22.45	0.176
	3534.99	635666			Inner_1RB_Left	24.33	22.24	0.167
					Inner_1RB_Right	24.27	22.18	0.165
					Inner_Full	24.34	22.25	0.168
DFT-64QAM	3465	631000			Inner_1RB_Left	23.86	21.77	0.150
					Inner_1RB_Right	24.15	22.06	0.161
					Inner_Full	23.99	21.9	0.155
	3500.01	633334			Inner_1RB_Left	23.00	20.91	0.123
					Inner_1RB_Right	22.37	20.28	0.107
					Inner_Full	22.87	20.78	0.120
	3534.99	635666			Inner_1RB_Left	22.93	20.84	0.121
					Inner_1RB_Right	23.02	20.93	0.124
					Inner_Full	22.80	20.71	0.118
DFT-256QAM	3465	631000	Inner_1RB_Left	23.96	21.87	0.154		
			Inner_1RB_Right	24.16	22.07	0.161		
			Inner_Full	24.04	21.95	0.157		
	3500.01	633334	Inner_1RB_Left	22.93	20.84	0.121		
			Inner_1RB_Right	22.40	20.31	0.107		
			Inner_Full	22.92	20.83	0.121		
	3534.99	635666	Inner_1RB_Left	22.93	20.84	0.121		
			Inner_1RB_Right	22.54	20.45	0.111		
			Inner Full	22.71	20.62	0.115		

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)	ERP /EIRP (dBm)	ERP /EIRP (W)
CP-QPSK	3465	631000	30	30kHz	Inner_1RB_Left	26.39	24.3	0.269
					Inner_1RB_Right	26.38	24.29	0.269
					Inner_Full	26.39	24.3	0.269
	3500.01	633334			Inner_1RB_Left	25.32	23.23	0.210
					Inner_1RB_Right	24.87	22.78	0.190
					Inner_Full	25.06	22.97	0.198
	3534.99	635666			Inner_1RB_Left	24.71	22.62	0.183
					Inner_1RB_Right	24.73	22.64	0.184
					Inner_Full	24.90	22.81	0.191
CP-16QAM	3465	631000			Inner_1RB_Left	25.18	23.09	0.204
					Inner_1RB_Right	25.25	23.16	0.207
					Inner_Full	25.30	23.21	0.209
	3500.01	633334			Inner_1RB_Left	24.78	22.69	0.186
					Inner_1RB_Right	24.23	22.14	0.164
					Inner_Full	24.45	22.36	0.172
	3534.99	635666			Inner_1RB_Left	24.25	22.16	0.164
					Inner_1RB_Right	24.20	22.11	0.163
					Inner_Full	24.26	22.17	0.165
CP-64QAM	3465	631000			Inner_1RB_Left	23.96	21.87	0.154
					Inner_1RB_Right	23.96	21.87	0.154
					Inner_Full	23.95	21.86	0.153
	3500.01	633334			Inner_1RB_Left	22.98	20.89	0.123
					Inner_1RB_Right	22.87	20.78	0.120
					Inner_Full	22.98	20.89	0.123
	3534.99	635666			Inner_1RB_Left	22.91	20.82	0.121
					Inner_1RB_Right	22.99	20.9	0.123
					Inner_Full	22.73	20.64	0.116
CP-256QAM	3465	631000			Inner_1RB_Left	23.95	21.86	0.153
					Inner_1RB_Right	24.19	22.1	0.162
					Inner_Full	23.99	21.9	0.155
	3500.01	633334			Inner_1RB_Left	23.40	21.31	0.135
					Inner_1RB_Right	22.40	20.31	0.107
					Inner_Full	22.92	20.83	0.121
	3534.99	635666			Inner_1RB_Left	22.91	20.82	0.121
					Inner_1RB_Right	22.99	20.9	0.123
					Inner Full	22.83	20.74	0.119

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)	ERP /EIRP (dBm)	ERP /EIRP (W)
DFT-QPSK	3470.01	631334	40	30kHz	Inner_1RB_Left	26.21	24.12	0.258
					Inner_1RB_Right	25.85	23.76	0.238
					Inner_Full	26.58	24.49	0.281
	3500.01	633334			Inner_1RB_Left	25.03	22.94	0.197
					Inner_1RB_Right	24.34	22.25	0.168
					Inner_Full	24.91	22.82	0.191
	3530.01	635334			Inner_1RB_Left	24.48	22.39	0.173
					Inner_1RB_Right	24.55	22.46	0.176
					Inner_Full	24.88	22.79	0.190
DFT-16QAM	3470.01	631334			Inner_1RB_Left	24.85	22.76	0.189
					Inner_1RB_Right	24.81	22.72	0.187
					Inner_Full	25.48	23.39	0.218
	3500.01	633334			Inner_1RB_Left	24.43	22.34	0.171
					Inner_1RB_Right	23.81	21.72	0.149
					Inner_Full	24.35	22.26	0.168
	3530.01	635334			Inner_1RB_Left	24.10	22.01	0.159
					Inner_1RB_Right	24.15	22.06	0.161
					Inner_Full	24.32	22.23	0.167
DFT-64QAM	3470.01	631334			Inner_1RB_Left	23.83	21.74	0.149
					Inner_1RB_Right	23.61	21.52	0.142
					Inner_Full	23.89	21.8	0.151
	3500.01	633334			Inner_1RB_Left	23.22	21.13	0.130
					Inner_1RB_Right	22.56	20.47	0.111
					Inner_Full	22.79	20.7	0.117
	3530.01	635334			Inner_1RB_Left	22.20	20.11	0.103
					Inner_1RB_Right	22.34	20.25	0.106
					Inner_Full	22.84	20.75	0.119
DFT-256QAM	3470.01	631334			Inner_1RB_Left	23.76	21.67	0.147
					Inner_1RB_Right	23.56	21.47	0.140
					Inner_Full	23.82	21.73	0.149
	3500.01	633334			Inner_1RB_Left	22.75	20.66	0.116
					Inner_1RB_Right	22.02	19.93	0.098
					Inner_Full	22.73	20.64	0.116
	3530.01	635334			Inner_1RB_Left	22.71	20.62	0.115
					Inner_1RB_Right	22.75	20.66	0.116
					Inner Full	22.73	20.64	0.116

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)	ERP /EIRP (dBm)	ERP /EIRP (W)
CP-QPSK	3470.01	631334	40	30kHz	Inner_1RB_Left	26.11	24.02	0.252
					Inner_1RB_Right	25.83	23.74	0.237
					Inner_Full	25.86	23.77	0.238
	3500.01	633334			Inner_1RB_Left	24.99	22.9	0.195
					Inner_1RB_Right	24.39	22.3	0.170
					Inner_Full	24.87	22.78	0.190
	3530.01	635334			Inner_1RB_Left	24.58	22.49	0.177
					Inner_1RB_Right	24.72	22.63	0.183
					Inner_Full	24.84	22.75	0.188
CP-16QAM	3470.01	631334			Inner_1RB_Left	24.97	22.88	0.194
					Inner_1RB_Right	24.78	22.69	0.186
					Inner_Full	24.82	22.73	0.187
	3500.01	633334			Inner_1RB_Left	24.36	22.27	0.169
					Inner_1RB_Right	23.76	21.67	0.147
					Inner_Full	24.35	22.26	0.168
	3530.01	635334			Inner_1RB_Left	24.07	21.98	0.158
					Inner_1RB_Right	24.05	21.96	0.157
					Inner_Full	24.22	22.13	0.163
CP-64QAM	3470.01	631334			Inner_1RB_Left	23.98	21.89	0.155
					Inner_1RB_Right	23.70	21.61	0.145
					Inner_Full	23.74	21.65	0.146
	3500.01	633334			Inner_1RB_Left	22.72	20.63	0.116
					Inner_1RB_Right	22.65	20.56	0.114
					Inner_Full	22.75	20.66	0.116
	3530.01	635334			Inner_1RB_Left	22.28	20.19	0.104
					Inner_1RB_Right	22.35	20.26	0.106
					Inner_Full	22.70	20.61	0.115
CP-256QAM	3470.01	631334			Inner_1RB_Left	23.69	21.6	0.145
					Inner_1RB_Right	23.45	21.36	0.137
					Inner_Full	23.39	21.3	0.135
	3500.01	633334			Inner_1RB_Left	23.22	21.13	0.130
					Inner_1RB_Right	22.09	20	0.100
					Inner_Full	22.77	20.68	0.117
	3530.01	635334			Inner_1RB_Left	22.25	20.16	0.104
					Inner_1RB_Right	22.33	20.24	0.106
					Inner Full	22.68	20.59	0.115

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)	ERP /EIRP (dBm)	ERP /EIRP (W)
DFT-QPSK	3475.02	631668	50	30kHz	Inner_1RB_Left	26.26	24.17	0.261
					Inner_1RB_Right	25.97	23.88	0.244
					Inner_Full	26.87	24.78	0.301
	3500.01	633334			Inner_1RB_Left	25.12	23.03	0.201
					Inner_1RB_Right	24.52	22.43	0.175
					Inner_Full	24.91	22.82	0.191
	3525	635000			Inner_1RB_Left	24.70	22.61	0.182
					Inner_1RB_Right	24.80	22.71	0.187
					Inner_Full	25.03	22.94	0.197
DFT-16QAM	3475.02	631668			Inner_1RB_Left	25.20	23.11	0.205
					Inner_1RB_Right	24.71	22.62	0.183
					Inner_Full	25.80	23.71	0.235
	3500.01	633334			Inner_1RB_Left	24.39	22.3	0.170
					Inner_1RB_Right	23.92	21.83	0.152
					Inner_Full	24.40	22.31	0.170
	3525	635000			Inner_1RB_Left	24.29	22.2	0.166
					Inner_1RB_Right	24.22	22.13	0.163
					Inner_Full	24.47	22.38	0.173
DFT-64QAM	3475.02	631668			Inner_1RB_Left	23.89	21.8	0.151
					Inner_1RB_Right	23.75	21.66	0.147
					Inner_Full	24.17	22.08	0.161
	3500.01	633334			Inner_1RB_Left	22.91	20.82	0.121
					Inner_1RB_Right	22.17	20.08	0.102
					Inner_Full	22.74	20.65	0.116
	3525	635000			Inner_1RB_Left	22.40	20.31	0.107
					Inner_1RB_Right	22.56	20.47	0.111
					Inner_Full	22.83	20.74	0.119
DFT-256QAM	3475.02	631668			Inner_1RB_Left	23.79	21.7	0.148
					Inner_1RB_Right	23.73	21.64	0.146
					Inner_Full	24.20	22.11	0.163
	3500.01	633334			Inner_1RB_Left	22.89	20.8	0.120
					Inner_1RB_Right	22.16	20.07	0.102
					Inner_Full	22.71	20.62	0.115
	3525	635000			Inner_1RB_Left	22.83	20.74	0.119
					Inner_1RB_Right	23.02	20.93	0.124
					Inner Full	22.84	20.75	0.119

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)	ERP /EIRP (dBm)	ERP /EIRP (W)
CP-QPSK	3475.02	631668	50	30kHz	Inner_1RB_Left	26.26	24.17	0.261
					Inner_1RB_Right	25.97	23.88	0.244
					Inner_Full	26.87	24.78	0.301
	3500.01	633334			Inner_1RB_Left	25.12	23.03	0.201
					Inner_1RB_Right	24.52	22.43	0.175
					Inner_Full	24.91	22.82	0.191
	3525	635000			Inner_1RB_Left	24.70	22.61	0.182
					Inner_1RB_Right	24.80	22.71	0.187
					Inner_Full	25.03	22.94	0.197
CP-16QAM	3475.02	631668			Inner_1RB_Left	25.20	23.11	0.205
					Inner_1RB_Right	24.71	22.62	0.183
					Inner_Full	25.80	23.71	0.235
	3500.01	633334			Inner_1RB_Left	24.39	22.3	0.170
					Inner_1RB_Right	23.92	21.83	0.152
					Inner_Full	24.40	22.31	0.170
	3525	635000			Inner_1RB_Left	24.29	22.2	0.166
					Inner_1RB_Right	24.22	22.13	0.163
					Inner_Full	24.47	22.38	0.173
CP-64QAM	3475.02	631668			Inner_1RB_Left	23.89	21.8	0.151
					Inner_1RB_Right	23.75	21.66	0.147
					Inner_Full	24.17	22.08	0.161
	3500.01	633334			Inner_1RB_Left	22.91	20.82	0.121
					Inner_1RB_Right	22.17	20.08	0.102
					Inner_Full	22.74	20.65	0.116
	3525	635000			Inner_1RB_Left	22.40	20.31	0.107
					Inner_1RB_Right	22.56	20.47	0.111
					Inner_Full	22.83	20.74	0.119
CP-256QAM	3475.02	631668			Inner_1RB_Left	23.79	21.7	0.148
					Inner_1RB_Right	23.73	21.64	0.146
					Inner_Full	24.20	22.11	0.163
	3500.01	633334			Inner_1RB_Left	22.89	20.8	0.120
					Inner_1RB_Right	22.16	20.07	0.102
					Inner_Full	22.71	20.62	0.115
	3525	635000			Inner_1RB_Left	22.83	20.74	0.119
					Inner_1RB_Right	23.02	20.93	0.124
					Inner Full	22.84	20.75	0.119

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)	ERP /EIRP (dBm)	ERP /EIRP (W)
DFT-QPSK	3480	632000	60	30kHz	Inner_1RB_Left	26.39	24.3	0.269
					Inner_1RB_Right	26.06	23.97	0.249
					Inner_Full	26.04	23.95	0.248
	3500.01	633334			Inner_1RB_Left	24.99	22.9	0.195
					Inner_1RB_Right	24.56	22.47	0.177
					Inner_Full	24.86	22.77	0.189
	3519.99	634666			Inner_1RB_Left	24.85	22.76	0.189
					Inner_1RB_Right	25.02	22.93	0.196
					Inner_Full	24.93	22.84	0.192
DFT-16QAM	3480	632000			Inner_1RB_Left	25.19	23.1	0.204
					Inner_1RB_Right	24.90	22.81	0.191
					Inner_Full	24.89	22.8	0.191
	3500.01	633334			Inner_1RB_Left	24.38	22.29	0.169
					Inner_1RB_Right	24.24	22.15	0.164
					Inner_Full	24.27	22.18	0.165
	3519.99	634666			Inner_1RB_Left	24.30	22.21	0.166
					Inner_1RB_Right	24.30	22.21	0.166
					Inner_Full	24.37	22.28	0.169
DFT-64QAM	3480	632000			Inner_1RB_Left	24.02	21.93	0.156
					Inner_1RB_Right	23.73	21.64	0.146
					Inner_Full	23.77	21.68	0.147
	3500.01	633334			Inner_1RB_Left	22.90	20.81	0.121
					Inner_1RB_Right	22.59	20.5	0.112
					Inner_Full	22.75	20.66	0.116
	3519.99	634666			Inner_1RB_Left	22.42	20.33	0.108
					Inner_1RB_Right	22.99	20.9	0.123
					Inner_Full	22.81	20.72	0.118
DFT-256QAM	3480	632000			Inner_1RB_Left	24.08	21.99	0.158
					Inner_1RB_Right	23.69	21.6	0.145
					Inner_Full	23.55	21.46	0.140
	3500.01	633334			Inner_1RB_Left	22.91	20.82	0.121
					Inner_1RB_Right	22.17	20.08	0.102
					Inner_Full	22.80	20.71	0.118
	3519.99	634666			Inner_1RB_Left	22.91	20.82	0.121
					Inner_1RB_Right	22.97	20.88	0.122
					Inner Full	22.79	20.7	0.117

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)	ERP /EIRP (dBm)	ERP /EIRP (W)
CP-QPSK	3480	632000	60	30kHz	Inner_1RB_Left	24.63	22.54	0.179
					Inner_1RB_Right	24.47	22.38	0.173
					Inner_Full	25.18	23.09	0.204
	3500.01	633334			Inner_1RB_Left	24.99	22.9	0.195
					Inner_1RB_Right	24.11	22.02	0.159
					Inner_Full	24.80	22.71	0.187
	3519.99	634666			Inner_1RB_Left	26.62	24.53	0.284
					Inner_1RB_Right	26.35	24.26	0.267
					Inner_Full	26.58	24.49	0.281
CP-16QAM	3480	632000			Inner_1RB_Left	24.49	22.4	0.174
					Inner_1RB_Right	24.08	21.99	0.158
					Inner_Full	24.73	22.64	0.184
	3500.01	633334			Inner_1RB_Left	24.32	22.23	0.167
					Inner_1RB_Right	23.63	21.54	0.143
					Inner_Full	24.26	22.17	0.165
	3519.99	634666			Inner_1RB_Left	25.22	23.13	0.206
					Inner_1RB_Right	24.90	22.81	0.191
					Inner_Full	25.50	23.41	0.219
CP-64QAM	3480	632000			Inner_1RB_Left	22.38	20.29	0.107
					Inner_1RB_Right	22.58	20.49	0.112
					Inner_Full	23.08	20.99	0.126
	3500.01	633334			Inner_1RB_Left	23.00	20.91	0.123
					Inner_1RB_Right	22.22	20.13	0.103
					Inner_Full	22.58	20.49	0.112
	3519.99	634666			Inner_1RB_Left	24.28	22.19	0.166
					Inner_1RB_Right	23.87	21.78	0.151
					Inner_Full	23.92	21.83	0.152
CP-256QAM	3480	632000			Inner_1RB_Left	23.03	20.94	0.124
					Inner_1RB_Right	22.59	20.5	0.112
					Inner_Full	23.00	20.91	0.123
	3500.01	633334			Inner_1RB_Left	23.04	20.95	0.124
					Inner_1RB_Right	21.79	19.7	0.093
					Inner_Full	22.63	20.54	0.113
	3519.99	634666			Inner_1RB_Left	24.18	22.09	0.162
					Inner_1RB_Right	24.03	21.94	0.156
					Inner Full	23.45	21.36	0.137

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)	ERP /EIRP (dBm)	ERP /EIRP (W)
DFT-QPSK	3485.01	632334	70	30kHz	Inner_1RB_Left	24.58	22.49	0.177
					Inner_1RB_Right	24.46	22.37	0.173
					Inner_Full	25.17	23.08	0.203
	3500.01	633334			Inner_1RB_Left	24.82	22.73	0.187
					Inner_1RB_Right	24.15	22.06	0.161
					Inner_Full	24.80	22.71	0.187
	3515.01	634334			Inner_1RB_Left	25.38	23.29	0.213
					Inner_1RB_Right	25.24	23.15	0.207
					Inner_Full	25.45	23.36	0.217
DFT-16QAM	3485.01	632334			Inner_1RB_Left	24.07	21.98	0.158
					Inner_1RB_Right	24.06	21.97	0.157
					Inner_Full	24.69	22.6	0.182
	3500.01	633334			Inner_1RB_Left	24.23	22.14	0.164
					Inner_1RB_Right	23.69	21.6	0.145
					Inner_Full	24.23	22.14	0.164
	3515.01	634334			Inner_1RB_Left	24.07	21.98	0.158
					Inner_1RB_Right	23.80	21.71	0.148
					Inner_Full	23.98	21.89	0.155
DFT-64QAM	3485.01	632334			Inner_1RB_Left	22.37	20.28	0.107
					Inner_1RB_Right	22.49	20.4	0.110
					Inner_Full	23.04	20.95	0.124
	3500.01	633334			Inner_1RB_Left	23.09	21	0.126
					Inner_1RB_Right	21.78	19.69	0.093
					Inner_Full	22.61	20.52	0.113
	3515.01	634334			Inner_1RB_Left	21.70	19.61	0.091
					Inner_1RB_Right	21.65	19.56	0.090
					Inner_Full	21.82	19.73	0.094
DFT-256QAM	3485.01	632334			Inner_1RB_Left	22.91	20.82	0.121
					Inner_1RB_Right	21.96	19.87	0.097
					Inner_Full	23.03	20.94	0.124
	3500.01	633334			Inner_1RB_Left	22.53	20.44	0.111
					Inner_1RB_Right	22.28	20.19	0.104
					Inner_Full	22.59	20.5	0.112
	3515.01	634334			Inner_1RB_Left	21.75	19.66	0.092
					Inner_1RB_Right	21.65	19.56	0.090
					Inner Full	21.78	19.69	0.093

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)	ERP /EIRP (dBm)	ERP /EIRP (W)
CP-QPSK	3485.01	632334	70	30kHz	Inner_1RB_Left	25.37	23.28	0.213
					Inner_1RB_Right	25.35	23.26	0.212
					Inner_Full	25.36	23.27	0.212
	3500.01	633334			Inner_1RB_Left	24.97	22.88	0.194
					Inner_1RB_Right	24.94	22.85	0.193
					Inner_Full	25.01	22.92	0.196
	3515.01	634334			Inner_1RB_Left	23.98	21.89	0.155
					Inner_1RB_Right	23.98	21.89	0.155
					Inner_Full	23.96	21.87	0.154
CP-16QAM	3485.01	632334			Inner_1RB_Left	24.31	22.22	0.167
					Inner_1RB_Right	24.31	22.22	0.167
					Inner_Full	24.29	22.2	0.166
	3500.01	633334			Inner_1RB_Left	23.96	21.87	0.154
					Inner_1RB_Right	23.89	21.8	0.151
					Inner_Full	23.94	21.85	0.153
	3515.01	634334			Inner_1RB_Left	23.38	21.29	0.135
					Inner_1RB_Right	23.48	21.39	0.138
					Inner_Full	23.46	21.37	0.137
CP-64QAM	3485.01	632334			Inner_1RB_Left	23.80	21.71	0.148
					Inner_1RB_Right	23.72	21.63	0.146
					Inner_Full	23.75	21.66	0.147
	3500.01	633334			Inner_1RB_Left	23.40	21.31	0.135
					Inner_1RB_Right	23.40	21.31	0.135
					Inner_Full	23.36	21.27	0.134
	3515.01	634334			Inner_1RB_Left	21.23	19.14	0.082
					Inner_1RB_Right	21.25	19.16	0.082
					Inner_Full	21.28	19.19	0.083
CP-256QAM	3485.01	632334			Inner_1RB_Left	23.76	21.67	0.147
					Inner_1RB_Right	23.73	21.64	0.146
					Inner_Full	23.76	21.67	0.147
	3500.01	633334			Inner_1RB_Left	23.40	21.31	0.135
					Inner_1RB_Right	23.40	21.31	0.135
					Inner_Full	23.35	21.26	0.134
	3515.01	634334			Inner_1RB_Left	21.26	19.17	0.083
					Inner_1RB_Right	21.26	19.17	0.083
					Inner_Full	21.30	19.21	0.083

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)	ERP /EIRP (dBm)	ERP /EIRP (W)
DFT-QPSK	3490.02	632668	80	30kHz	Inner_1RB_Left	25.35	23.26	0.212
					Inner_1RB_Right	25.44	23.35	0.216
					Inner_Full	25.35	23.26	0.212
	3500.01	633334			Inner_1RB_Left	24.98	22.89	0.195
					Inner_1RB_Right	24.97	22.88	0.194
					Inner_Full	24.97	22.88	0.194
	3510	634000			Inner_1RB_Left	23.97	21.88	0.154
					Inner_1RB_Right	23.96	21.87	0.154
					Inner_Full	23.97	21.88	0.154
DFT-16QAM	3490.02	632668			Inner_1RB_Left	24.30	22.21	0.166
					Inner_1RB_Right	24.32	22.23	0.167
					Inner_Full	24.30	22.21	0.166
	3500.01	633334			Inner_1RB_Left	23.92	21.83	0.152
					Inner_1RB_Right	23.91	21.82	0.152
					Inner_Full	23.91	21.82	0.152
	3510	634000			Inner_1RB_Left	23.44	21.35	0.136
					Inner_1RB_Right	23.43	21.34	0.136
					Inner_Full	23.44	21.35	0.136
DFT-64QAM	3490.02	632668			Inner_1RB_Left	23.70	21.61	0.145
					Inner_1RB_Right	23.73	21.64	0.146
					Inner_Full	23.73	21.64	0.146
	3500.01	633334			Inner_1RB_Left	23.35	21.26	0.134
					Inner_1RB_Right	23.27	21.18	0.131
					Inner_Full	23.32	21.23	0.133
	3510	634000			Inner_1RB_Left	21.26	19.17	0.083
					Inner_1RB_Right	21.24	19.15	0.082
					Inner_Full	21.27	19.18	0.083
DFT-256QAM	3490.02	632668			Inner_1RB_Left	23.72	21.63	0.146
					Inner_1RB_Right	23.71	21.62	0.145
					Inner_Full	23.66	21.57	0.144
	3500.01	633334			Inner_1RB_Left	23.39	21.3	0.135
					Inner_1RB_Right	23.36	21.27	0.134
					Inner_Full	23.38	21.29	0.135
	3510	634000			Inner_1RB_Left	21.31	19.22	0.084
					Inner_1RB_Right	21.25	19.16	0.082
					Inner Full	21.27	19.18	0.083

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)	ERP /EIRP (dBm)	ERP /EIRP (W)
CP-QPSK	3490.02	632668	80	30kHz	Inner_1RB_Left	25.26	23.17	0.207
					Inner_1RB_Right	24.62	22.53	0.179
					Inner_Full	25.04	22.95	0.197
	3500.01	633334			Inner_1RB_Left	26.03	23.94	0.248
					Inner_1RB_Right	25.44	23.35	0.216
					Inner_Full	25.84	23.75	0.237
	3510	634000			Inner_1RB_Left	25.97	23.88	0.244
					Inner_1RB_Right	25.74	23.65	0.232
					Inner_Full	25.68	23.59	0.229
CP-16QAM	3490.02	632668			Inner_1RB_Left	23.34	21.25	0.133
					Inner_1RB_Right	23.24	21.15	0.130
					Inner_Full	23.32	21.23	0.133
	3500.01	633334			Inner_1RB_Left	24.84	22.75	0.188
					Inner_1RB_Right	24.34	22.25	0.168
					Inner_Full	24.83	22.74	0.188
	3510	634000			Inner_1RB_Left	25.01	22.92	0.196
					Inner_1RB_Right	24.57	22.48	0.177
					Inner_Full	24.67	22.58	0.181
CP-64QAM	3490.02	632668			Inner_1RB_Left	21.24	19.15	0.082
					Inner_1RB_Right	20.58	18.49	0.071
					Inner_Full	21.16	19.07	0.081
	3500.01	633334			Inner_1RB_Left	23.27	21.18	0.131
					Inner_1RB_Right	22.74	20.65	0.116
					Inner_Full	23.18	21.09	0.129
	3510	634000			Inner_1RB_Left	23.72	21.63	0.146
					Inner_1RB_Right	22.98	20.89	0.123
					Inner_Full	22.97	20.88	0.122
CP-256QAM	3490.02	632668			Inner_1RB_Left	21.35	19.26	0.084
					Inner_1RB_Right	20.74	18.65	0.073
					Inner_Full	21.22	19.13	0.082
	3500.01	633334			Inner_1RB_Left	23.61	21.52	0.142
					Inner_1RB_Right	23.09	21	0.126
					Inner_Full	23.15	21.06	0.128
	3510	634000			Inner_1RB_Left	23.73	21.64	0.146
					Inner_1RB_Right	22.98	20.89	0.123
					Inner_Full	22.99	20.9	0.123

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)	ERP /EIRP (dBm)	ERP /EIRP (W)
DFT-QPSK	3495	633000	90	30kHz	Inner_1RB_Left	25.19	23.1	0.204
					Inner_1RB_Right	24.64	22.55	0.180
					Inner_Full	24.61	22.52	0.179
	3500.01	633334			Inner_1RB_Left	25.96	23.87	0.244
					Inner_1RB_Right	25.46	23.37	0.217
					Inner_Full	25.45	23.36	0.217
	3504.99	633666			Inner_1RB_Left	26.00	23.91	0.246
					Inner_1RB_Right	25.66	23.57	0.228
					Inner_Full	25.76	23.67	0.233
DFT-16QAM	3495	633000			Inner_1RB_Left	23.81	21.72	0.149
					Inner_1RB_Right	22.74	20.65	0.116
					Inner_Full	22.72	20.63	0.116
	3500.01	633334			Inner_1RB_Left	24.89	22.8	0.191
					Inner_1RB_Right	24.61	22.52	0.179
					Inner_Full	24.38	22.29	0.169
	3504.99	633666			Inner_1RB_Left	25.02	22.93	0.196
					Inner_1RB_Right	24.67	22.58	0.181
					Inner_Full	24.68	22.59	0.182
DFT-64QAM	3495	633000			Inner_1RB_Left	21.35	19.26	0.084
					Inner_1RB_Right	20.65	18.56	0.072
					Inner_Full	20.66	18.57	0.072
	3500.01	633334			Inner_1RB_Left	23.23	21.14	0.130
					Inner_1RB_Right	23.10	21.01	0.126
					Inner_Full	23.12	21.03	0.127
	3504.99	633666			Inner_1RB_Left	23.32	21.23	0.133
					Inner_1RB_Right	23.04	20.95	0.124
					Inner_Full	23.38	21.29	0.135
DFT-256QAM	3495	633000			Inner_1RB_Left	21.36	19.27	0.085
					Inner_1RB_Right	20.68	18.59	0.072
					Inner_Full	20.71	18.62	0.073
	3500.01	633334			Inner_1RB_Left	23.60	21.51	0.142
					Inner_1RB_Right	23.10	21.01	0.126
					Inner_Full	22.74	20.65	0.116
	3504.99	633666			Inner_1RB_Left	23.40	21.31	0.135
					Inner_1RB_Right	23.03	20.94	0.124
					Inner Full	23.03	20.94	0.124

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)	ERP /EIRP (dBm)	ERP /EIRP (W)
CP-QPSK	3495	633000	90	30kHz	Inner_1RB_Left	24.22	22.13	0.163
					Inner_1RB_Right	23.94	21.85	0.153
					Inner_Full	24.63	22.54	0.179
	3500.01	633334			Inner_1RB_Left	25.78	23.69	0.234
					Inner_1RB_Right	25.46	23.37	0.217
					Inner_Full	25.82	23.73	0.236
	3504.99	633666			Inner_1RB_Left	24.19	22.1	0.162
					Inner_1RB_Right	24.04	21.95	0.157
					Inner_Full	24.21	22.12	0.163
CP-16QAM	3495	633000			Inner_1RB_Left	23.59	21.5	0.141
					Inner_1RB_Right	23.87	21.78	0.151
					Inner_Full	24.10	22.01	0.159
	3500.01	633334			Inner_1RB_Left	24.68	22.59	0.182
					Inner_1RB_Right	24.32	22.23	0.167
					Inner_Full	24.78	22.69	0.186
	3504.99	633666			Inner_1RB_Left	23.67	21.58	0.144
					Inner_1RB_Right	23.63	21.54	0.143
					Inner_Full	23.62	21.53	0.142
CP-64QAM	3495	633000			Inner_1RB_Left	22.01	19.92	0.098
					Inner_1RB_Right	21.58	19.49	0.089
					Inner_Full	22.48	20.39	0.109
	3500.01	633334			Inner_1RB_Left	23.12	21.03	0.127
					Inner_1RB_Right	22.74	20.65	0.116
					Inner_Full	23.24	21.15	0.130
	3504.99	633666			Inner_1RB_Left	21.88	19.79	0.095
					Inner_1RB_Right	22.35	20.26	0.106
					Inner_Full	22.13	20.04	0.101
CP-256QAM	3495	633000			Inner_1RB_Left	21.92	19.83	0.096
					Inner_1RB_Right	21.60	19.51	0.089
					Inner_Full	22.43	20.34	0.108
	3500.01	633334			Inner_1RB_Left	23.49	21.4	0.138
					Inner_1RB_Right	23.11	21.02	0.126
					Inner_Full	23.26	21.17	0.131
	3504.99	633666			Inner_1RB_Left	22.43	20.34	0.108
					Inner_1RB_Right	22.29	20.2	0.105
					Inner_Full	22.09	20	0.100

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)	ERP /EIRP (dBm)	ERP /EIRP (W)
DFT-QPSK	3500.01	633334	100	30kHz	Inner_1RB_Left	24.67	22.58	0.181
					Inner_1RB_Right	24.11	22.02	0.159
					Inner_Full	24.86	22.77	0.189
DFT-16QAM	3500.01	633334			Inner_1RB_Left	22.64	20.55	0.114
					Inner_1RB_Right	22.39	20.3	0.107
					Inner_Full	23.25	21.16	0.131
DFT-64QAM	3500.01	633334			Inner_1RB_Left	20.71	18.62	0.073
					Inner_1RB_Right	20.41	18.32	0.068
					Inner_Full	21.07	18.98	0.079
DFT-256QAM	3500.01	633334			Inner_1RB_Left	20.74	18.65	0.073
					Inner_1RB_Right	20.39	18.3	0.068
					Inner_Full	21.05	18.96	0.079
CP-QPSK	3500.01	633334			Inner_1RB_Left	24.72	22.63	0.183
					Inner_1RB_Right	24.44	22.35	0.172
					Inner_Full	24.45	22.36	0.172
CP-16QAM	3500.01	633334			Inner_1RB_Left	22.65	20.56	0.114
					Inner_1RB_Right	23.03	20.94	0.124
					Inner_Full	22.40	20.31	0.107
CP-64QAM	3500.01	633334			Inner_1RB_Left	20.80	18.71	0.074
					Inner_1RB_Right	20.53	18.44	0.070
					Inner_Full	20.46	18.37	0.069
CP-256QAM	3500.01	633334			Inner_1RB_Left	20.77	18.68	0.074
					Inner_1RB_Right	20.52	18.43	0.070
					Inner_Full	20.38	18.29	0.067

MIMO:

Modulation	Carrier frequency (MHz)	UL Channel	B W	SCS	RB Config	ANT1 (dBm)	ANT2 (dBm)	Total (dBm)	ERP /EIRP (dBm)	ERP /EIR P (W)
CP-QPSK	3455.01	630334	10	30kHz	Inner_1RB_Left	21.47	23.13	25.39	23.3	0.214
					Inner_1RB_Right	21.65	23.13	25.46	23.37	0.217
					Inner_Full	21.53	23.31	25.52	23.43	0.220
	3500.01	633334			Inner_1RB_Left	21.99	23.62	25.89	23.8	0.240
					Inner_1RB_Right	21.91	23.56	25.82	23.73	0.236
					Inner_Full	21.93	23.83	25.99	23.9	0.245
	3545.01	636334			Inner_1RB_Left	21.79	23.26	25.60	23.51	0.224
					Inner_1RB_Right	21.8	23.28	25.61	23.52	0.225
					Inner_Full	21.81	23.28	25.62	23.53	0.225
CP-16QAM	3455.01	630334			Inner_1RB_Left	21.16	22.52	24.90	22.81	0.191
					Inner_1RB_Right	21.32	22.56	24.99	22.9	0.195
					Inner_Full	21.17	22.7	25.01	22.92	0.196
	3500.01	633334			Inner_1RB_Left	21.72	23.07	25.46	23.37	0.217
					Inner_1RB_Right	21.71	23.03	25.43	23.34	0.216
					Inner_Full	21.59	23.18	25.47	23.38	0.218
	3545.01	636334			Inner_1RB_Left	21.5	22.67	25.13	23.04	0.201
					Inner_1RB_Right	21.56	22.7	25.18	23.09	0.204
					Inner_Full	21.41	22.84	25.19	23.1	0.204
CP-64QAM	3455.01	630334			Inner_1RB_Left	19.81	20.49	23.17	21.08	0.128
					Inner_1RB_Right	19.65	21.43	23.64	21.55	0.143
					Inner_Full	20.07	20.6	23.35	21.26	0.134
	3500.01	633334			Inner_1RB_Left	20.03	21.82	24.03	21.94	0.156
					Inner_1RB_Right	20.02	21.84	24.03	21.94	0.156
					Inner_Full	20.43	20.72	23.59	21.5	0.141
	3545.01	636334			Inner_1RB_Left	19.79	21.48	23.73	21.64	0.146
					Inner_1RB_Right	19.84	21.59	23.81	21.72	0.149
					Inner_Full	19.76	21.27	23.59	21.5	0.141
CP-256QAM	3455.01	630334	Inner_1RB_Left	16.4	18.19	20.40	18.31	0.068		
			Inner_1RB_Right	17.01	17.36	20.20	18.11	0.065		
			Inner_Full	16.61	18.29	20.54	18.45	0.070		
	3500.01	633334	Inner_1RB_Left	16.82	18.76	20.91	18.82	0.076		
			Inner_1RB_Right	17.24	17.5	20.38	18.29	0.067		
			Inner_Full	16.99	18.8	21.00	18.91	0.078		
	3545.01	636334	Inner_1RB_Left	17.11	17	20.07	17.98	0.063		
			Inner_1RB_Right	17.24	17.08	20.17	18.08	0.064		
			Inner_Full	17.11	17.08	20.11	18.02	0.063		

Modulation	Carrier frequency (MHz)	UL Channel	B W	SCS	RB Config	ANT1 (dBm)	ANT2 (dBm)	Total (dBm)	ERP /EIRP (dBm)	ERP /EIR P (W)
CP-QPSK	3457.5	630500	15	30kHz	Inner_1RB_Left	21.55	23.14	25.43	23.34	0.216
					Inner_1RB_Right	21.62	23.22	25.50	23.41	0.219
					Inner_Full	21.62	23.31	25.56	23.47	0.222
	3500.01	633334			Inner_1RB_Left	21.95	23.57	25.85	23.76	0.238
					Inner_1RB_Right	21.85	23.55	25.79	23.7	0.234
					Inner_Full	21.88	23.71	25.90	23.81	0.240
	3542.49	636166			Inner_1RB_Left	21.91	23.47	25.77	23.68	0.233
					Inner_1RB_Right	21.91	23.43	25.75	23.66	0.232
					Inner_Full	20.47	22.04	24.34	22.25	0.168
CP-16QAM	3457.5	630500			Inner_1RB_Left	21.19	22.57	24.94	22.85	0.193
					Inner_1RB_Right	21.39	22.65	25.08	22.99	0.199
					Inner_Full	21.31	22.78	25.12	23.03	0.201
	3500.01	633334			Inner_1RB_Left	21.8	23.04	25.47	23.38	0.218
					Inner_1RB_Right	21.66	22.97	25.37	23.28	0.213
					Inner_Full	21.57	23.17	25.45	23.36	0.217
	3542.49	636166			Inner_1RB_Left	21.67	22.83	25.30	23.21	0.209
					Inner_1RB_Right	21.66	22.88	25.32	23.23	0.210
					Inner_Full	21.51	23.01	25.33	23.24	0.211
CP-64QAM	3457.5	630500			Inner_1RB_Left	19.59	21.27	23.52	21.43	0.139
					Inner_1RB_Right	19.7	21.42	23.65	21.56	0.143
					Inner_Full	20.19	20.72	23.47	21.38	0.137
	3500.01	633334			Inner_1RB_Left	20.04	21.83	24.04	21.95	0.157
					Inner_1RB_Right	20.27	20.04	23.17	21.08	0.128
					Inner_Full	20.1	21.59	23.92	21.83	0.152
	3542.49	636166			Inner_1RB_Left	19.89	21.77	23.94	21.85	0.153
					Inner_1RB_Right	19.9	21.71	23.91	21.82	0.152
					Inner_Full	20.46	20.53	23.51	21.42	0.139
CP-256QAM	3457.5	630500			Inner_1RB_Left	16.44	18.28	20.47	18.38	0.069
					Inner_1RB_Right	16.5	18.39	20.56	18.47	0.070
					Inner_Full	17.13	17.48	20.32	18.23	0.067
	3500.01	633334			Inner_1RB_Left	16.87	18.79	20.95	18.86	0.077
					Inner_1RB_Right	17.42	17.8	20.62	18.53	0.071
					Inner_Full	17.05	18.76	21.00	18.91	0.078
	3542.49	636166			Inner_1RB_Left	17.26	16.06	19.71	17.62	0.058
					Inner_1RB_Right	17.39	17.42	20.42	18.33	0.068
					Inner_Full	16.99	18.67	20.92	18.83	0.076