

Modulation	Carrier frequency (MHz)	UL Channel l	B W	SCS	RB Config	ANT1 (dBm)	ANT2 (dBm)	Total (dBm)	ERP /EIRP (dBm)	ERP /EIR P (W)
CP-QPSK	3460.02	630668	20	30kHz	Inner_1RB_Left	21.58	23.16	25.45	23.36	0.217
					Inner_1RB_Right	21.61	23.24	25.51	23.42	0.220
					Inner_Full	21.67	23.44	25.65	23.56	0.227
	3500.01	633334			Inner_1RB_Left	21.97	23.53	25.83	23.74	0.237
					Inner_1RB_Right	21.84	23.52	25.77	23.68	0.233
					Inner_Full	21.94	23.69	25.91	23.82	0.241
	3540	636000			Inner_1RB_Left	21.91	23.36	25.71	23.62	0.230
					Inner_1RB_Right	21.87	23.35	25.68	23.59	0.229
					Inner_Full	21.84	23.48	25.75	23.66	0.232
CP-16QAM	3460.02	630668			Inner_1RB_Left	21.28	22.58	24.99	22.9	0.195
					Inner_1RB_Right	21.32	22.65	25.05	22.96	0.198
					Inner_Full	21.32	22.81	25.14	23.05	0.202
	3500.01	633334			Inner_1RB_Left	21.61	22.95	25.34	23.25	0.211
					Inner_1RB_Right	21.48	22.89	25.25	23.16	0.207
					Inner_Full	21.55	23.13	25.42	23.33	0.215
	3540	636000			Inner_1RB_Left	21.63	22.83	25.28	23.19	0.208
					Inner_1RB_Right	21.52	22.83	25.23	23.14	0.206
					Inner_Full	21.41	22.96	25.26	23.17	0.207
CP-64QAM	3460.02	630668			Inner_1RB_Left	19.65	20.39	23.05	20.96	0.125
					Inner_1RB_Right	20.12	20.5	23.32	21.23	0.133
					Inner_Full	19.83	21.33	23.65	21.56	0.143
	3500.01	633334			Inner_1RB_Left	20.04	21.74	23.98	21.89	0.155
					Inner_1RB_Right	20.41	20.6	23.52	21.43	0.139
					Inner_Full	20.07	21.69	23.97	21.88	0.154
	3540	636000			Inner_1RB_Left	19.92	21.6	23.85	21.76	0.150
					Inner_1RB_Right	20.42	20.36	23.40	21.31	0.135
					Inner_Full	19.96	21.5	23.81	21.72	0.149
CP-256QAM	3460.02	630668			Inner_1RB_Left	16.98	16.5	19.76	17.67	0.058
					Inner_1RB_Right	16.9	17.34	20.14	18.05	0.064
					Inner_Full	16.73	18.44	20.68	18.59	0.072
	3500.01	633334			Inner_1RB_Left	17.46	16.22	19.89	17.8	0.060
					Inner_1RB_Right	17.2	17.49	20.36	18.27	0.067
					Inner_Full	16.95	18.74	20.95	18.86	0.077
	3540	636000			Inner_1RB_Left	16.67	18.51	20.70	18.61	0.073
					Inner_1RB_Right	17.23	17.26	20.26	18.17	0.066
					Inner_Full	16.88	18.56	20.81	18.72	0.074

Modulation	Carrier frequency (MHz)	UL Channel	B W	SCS	RB Config	ANT1 (dBm)	ANT2 (dBm)	Total (dBm)	ERP /EIRP (dBm)	ERP /EIR P (W)
CP-QPSK	3462.51	630834	25	30kHz	Inner_1RB_Left	21.81	23.35	25.66	23.57	0.228
					Inner_1RB_Right	21.6	23.32	25.55	23.46	0.222
					Inner_Full	21.8	23.63	25.82	23.73	0.236
	3500.01	633334			Inner_1RB_Left	21.86	23.5	25.77	23.68	0.233
					Inner_1RB_Right	21.75	23.47	25.70	23.61	0.230
					Inner_Full	21.92	23.76	25.95	23.86	0.243
	3537.51	635834			Inner_1RB_Left	21.81	23.29	25.62	23.53	0.225
					Inner_1RB_Right	21.76	23.19	25.54	23.45	0.221
					Inner_Full	21.83	23.41	25.70	23.61	0.230
CP-16QAM	3462.51	630834			Inner_1RB_Left	21.38	22.78	25.15	23.06	0.202
					Inner_1RB_Right	21.33	22.76	25.11	23.02	0.200
					Inner_Full	21.46	23.1	25.37	23.28	0.213
	3500.01	633334			Inner_1RB_Left	21.61	22.93	25.33	23.24	0.211
					Inner_1RB_Right	21.56	22.9	25.29	23.2	0.209
					Inner_Full	21.54	23.22	25.47	23.38	0.218
	3537.51	635834			Inner_1RB_Left	21.63	22.71	25.21	23.12	0.205
					Inner_1RB_Right	21.58	22.67	25.17	23.08	0.203
					Inner_Full	21.42	22.92	25.24	23.15	0.207
CP-64QAM	3462.51	630834			Inner_1RB_Left	19.72	21.47	23.69	21.6	0.145
					Inner_1RB_Right	20.04	20.54	23.31	21.22	0.132
					Inner_Full	19.97	21.53	23.83	21.74	0.149
	3500.01	633334			Inner_1RB_Left	20.02	20.59	23.32	21.23	0.133
					Inner_1RB_Right	19.85	21.71	23.89	21.8	0.151
					Inner_Full	20.38	20.68	23.54	21.45	0.140
	3537.51	635834			Inner_1RB_Left	19.87	21.48	23.76	21.67	0.147
					Inner_1RB_Right	20.46	20.14	23.31	21.22	0.132
					Inner_Full	19.89	21.37	23.70	21.61	0.145
CP-256QAM	3462.51	630834			Inner_1RB_Left	16.98	17.32	20.16	18.07	0.064
					Inner_1RB_Right	16.81	17.45	20.15	18.06	0.064
					Inner_Full	16.87	18.66	20.87	18.78	0.076
	3500.01	633334			Inner_1RB_Left	16.7	18.72	20.84	18.75	0.075
					Inner_1RB_Right	17.14	17.56	20.37	18.28	0.067
					Inner_Full	16.96	18.79	20.98	18.89	0.077
	3537.51	635834			Inner_1RB_Left	17.07	17.27	20.18	18.09	0.064
					Inner_1RB_Right	17.18	16.87	20.04	17.95	0.062
					Inner_Full	16.85	18.48	20.75	18.66	0.073

Modulation	Carrier frequency (MHz)	UL Channel l	B W	SCS	RB Config	ANT1 (dBm)	ANT2 (dBm)	Total (dBm)	ERP /EIRP (dBm)	ERP /EIR P (W)
CP-QPSK	3465	631000	30	30kHz	Inner_1RB_Left	21.6	23.14	25.45	23.36	0.217
					Inner_1RB_Right	21.63	23.32	25.57	23.48	0.223
					Inner_Full	21.68	23.44	25.66	23.57	0.228
	3500.01	633334			Inner_1RB_Left	21.76	23.45	25.70	23.61	0.230
					Inner_1RB_Right	21.94	23.59	25.85	23.76	0.238
					Inner_Full	21.93	23.72	25.93	23.84	0.242
	3534.99	635666			Inner_1RB_Left	21.93	23.5	25.80	23.71	0.235
					Inner_1RB_Right	21.94	23.4	25.74	23.65	0.232
					Inner_Full	21.97	23.66	25.91	23.82	0.241
CP-16QAM	3465	631000			Inner_1RB_Left	21.16	22.54	24.91	22.82	0.191
					Inner_1RB_Right	21.36	22.75	25.12	23.03	0.201
					Inner_Full	21.28	22.93	25.19	23.1	0.204
	3500.01	633334			Inner_1RB_Left	21.52	22.91	25.28	23.19	0.208
					Inner_1RB_Right	21.76	22.99	25.43	23.34	0.216
					Inner_Full	21.51	23.2	25.45	23.36	0.217
	3534.99	635666			Inner_1RB_Left	21.74	22.92	25.38	23.29	0.213
					Inner_1RB_Right	21.64	22.79	25.26	23.17	0.207
					Inner_Full	21.6	23.13	25.44	23.35	0.216
CP-64QAM	3465	631000			Inner_1RB_Left	19.6	21.26	23.52	21.43	0.139
					Inner_1RB_Right	20.26	20.44	23.36	21.27	0.134
					Inner_Full	19.76	21.33	23.63	21.54	0.143
	3500.01	633334			Inner_1RB_Left	19.87	21.64	23.85	21.76	0.150
					Inner_1RB_Right	19.99	17.9	22.08	19.99	0.100
					Inner_Full	20	21.62	23.90	21.81	0.152
	3534.99	635666			Inner_1RB_Left	20.05	19.51	22.80	20.71	0.118
					Inner_1RB_Right	20.46	20.32	23.40	21.31	0.135
					Inner_Full	20.07	21.58	23.90	21.81	0.152
CP-256QAM	3465	631000			Inner_1RB_Left	16.34	18.28	20.43	18.34	0.068
					Inner_1RB_Right	16.88	17.35	20.13	18.04	0.064
					Inner_Full	16.73	18.49	20.71	18.62	0.073
	3500.01	633334			Inner_1RB_Left	16.65	18.66	20.78	18.69	0.074
					Inner_1RB_Right	17.21	17.45	20.34	18.25	0.067
					Inner_Full	16.94	18.75	20.95	18.86	0.077
	3534.99	635666			Inner_1RB_Left	17.36	16.6	20.01	17.92	0.062
					Inner_1RB_Right	17.24	17.28	20.27	18.18	0.066
					Inner_Full	17.04	18.7	20.96	18.87	0.077

Modulation	Carrier frequency (MHz)	UL Channel	B W	SCS	RB Config	ANT1 (dBm)	ANT2 (dBm)	Total (dBm)	ERP /EIRP (dBm)	ERP /EIR P (W)
CP-QPSK	3470.01	631334	40	30kHz	Inner_1RB_Left	21.53	23.02	25.35	23.26	0.212
					Inner_1RB_Right	21.59	23.19	25.47	23.38	0.218
					Inner_Full	21.66	23.47	25.67	23.58	0.228
	3500.01	633334			Inner_1RB_Left	21.42	23.2	25.41	23.32	0.215
					Inner_1RB_Right	21.71	23.32	25.60	23.51	0.224
					Inner_Full	21.87	23.66	25.87	23.78	0.239
	3530.01	635334			Inner_1RB_Left	21.55	23.18	25.45	23.36	0.217
					Inner_1RB_Right	21.67	23.16	25.49	23.4	0.219
					Inner_Full	21.9	23.54	25.81	23.72	0.236
CP-16QAM	3470.01	631334			Inner_1RB_Left	21.14	22.44	24.85	22.76	0.189
					Inner_1RB_Right	21.37	22.66	25.07	22.98	0.199
					Inner_Full	21.27	22.97	25.21	23.12	0.205
	3500.01	633334			Inner_1RB_Left	21.23	22.62	24.99	22.9	0.195
					Inner_1RB_Right	21.57	22.74	25.20	23.11	0.205
					Inner_Full	21.46	23.12	25.38	23.29	0.213
	3530.01	635334			Inner_1RB_Left	21.31	22.64	25.04	22.95	0.197
					Inner_1RB_Right	21.57	22.68	25.17	23.08	0.203
					Inner_Full	21.54	23.02	25.35	23.26	0.212
CP-64QAM	3470.01	631334			Inner_1RB_Left	19.47	21.24	23.45	21.36	0.137
					Inner_1RB_Right	19.81	20.29	23.07	20.98	0.125
					Inner_Full	19.79	21.46	23.72	21.63	0.146
	3500.01	633334			Inner_1RB_Left	19.6	20.41	23.03	20.94	0.124
					Inner_1RB_Right	20.27	20.38	23.34	21.25	0.133
					Inner_Full	20	21.61	23.89	21.8	0.151
	3530.01	635334			Inner_1RB_Left	19.52	21.43	23.59	21.5	0.141
					Inner_1RB_Right	19.74	21.34	23.62	21.53	0.142
					Inner_Full	20.37	20.46	23.43	21.34	0.136
CP-256QAM	3470.01	631334			Inner_1RB_Left	16.76	17.01	19.90	17.81	0.060
					Inner_1RB_Right	16.85	17.23	20.05	17.96	0.063
					Inner_Full	16.75	18.57	20.76	18.67	0.074
	3500.01	633334			Inner_1RB_Left	16.36	18.43	20.53	18.44	0.070
					Inner_1RB_Right	17.22	17.42	20.33	18.24	0.067
					Inner_Full	16.91	18.74	20.93	18.84	0.077
	3530.01	635334			Inner_1RB_Left	16.41	18.37	20.51	18.42	0.070
					Inner_1RB_Right	16.93	17.01	19.98	17.89	0.062
					Inner_Full	16.94	18.63	20.88	18.79	0.076

Modulation	Carrier frequency (MHz)	UL Channel l	B W	SCS	RB Config	ANT1 (dBm)	ANT2 (dBm)	Total (dBm)	ERP /EIRP (dBm)	ERP /EIR P (W)
CP-QPSK	3475.02	631668	50	30kHz	Inner_1RB_Left	21.89	23.38	25.71	23.62	0.230
					Inner_1RB_Right	21.79	23.43	25.70	23.61	0.230
					Inner_Full	21.76	23.68	25.84	23.75	0.237
	3500.01	633334			Inner_1RB_Left	21.64	23.47	25.66	23.57	0.228
					Inner_1RB_Right	22.01	23.51	25.83	23.74	0.237
					Inner_Full	21.91	23.72	25.92	23.83	0.242
	3525	635000			Inner_1RB_Left	21.65	23.26	25.54	23.45	0.221
					Inner_1RB_Right	21.83	23.23	25.60	23.51	0.224
					Inner_Full	21.79	23.5	25.74	23.65	0.232
CP-16QAM	3475.02	631668			Inner_1RB_Left	21.43	22.78	25.17	23.08	0.203
					Inner_1RB_Right	21.65	22.89	25.32	23.23	0.210
					Inner_Full	21.43	23.13	25.37	23.28	0.213
	3500.01	633334			Inner_1RB_Left	21.38	22.85	25.19	23.1	0.204
					Inner_1RB_Right	21.81	22.96	25.43	23.34	0.216
					Inner_Full	21.58	23.2	25.48	23.39	0.218
	3525	635000			Inner_1RB_Left	21.44	22.67	25.11	23.02	0.200
					Inner_1RB_Right	21.65	22.69	25.21	23.12	0.205
					Inner_Full	21.45	22.95	25.27	23.18	0.208
CP-64QAM	3475.02	631668			Inner_1RB_Left	19.87	20.69	23.31	21.22	0.132
					Inner_1RB_Right	19.93	21.6	23.86	21.77	0.150
					Inner_Full	20.32	20.85	23.60	21.51	0.142
	3500.01	633334			Inner_1RB_Left	19.79	21.56	23.77	21.68	0.147
					Inner_1RB_Right	20.14	21.72	24.01	21.92	0.156
					Inner_Full	20.43	20.7	23.58	21.49	0.141
	3525	635000			Inner_1RB_Left	19.75	21.41	23.67	21.58	0.144
					Inner_1RB_Right	19.98	21.44	23.78	21.69	0.148
					Inner_Full	20.32	20.4	23.37	21.28	0.134
CP-256QAM	3475.02	631668			Inner_1RB_Left	16.6	18.56	20.70	18.61	0.073
					Inner_1RB_Right	17.08	17.57	20.34	18.25	0.067
					Inner_Full	16.84	18.7	20.88	18.79	0.076
	3500.01	633334			Inner_1RB_Left	16.58	18.64	20.74	18.65	0.073
					Inner_1RB_Right	17.3	17.51	20.42	18.33	0.068
					Inner_Full	17.02	18.78	21.00	18.91	0.078
	3525	635000			Inner_1RB_Left	16.95	17	19.99	17.9	0.062
					Inner_1RB_Right	17.21	17.23	20.23	18.14	0.065
					Inner_Full	16.9	18.53	20.80	18.71	0.074

Modulation	Carrier frequency (MHz)	UL Channel l	B W	SCS	RB Config	ANT1 (dBm)	ANT2 (dBm)	Total (dBm)	ERP /EIRP (dBm)	ERP /EIR P (W)
CP-QPSK	3480	632000	60	30kHz	Inner_1RB_Left	21.79	23.27	25.60	23.51	0.224
					Inner_1RB_Right	21.75	23.44	25.69	23.6	0.229
					Inner_Full	21.72	23.59	25.77	23.68	0.233
	3500.01	633334			Inner_1RB_Left	21.68	23.35	25.61	23.52	0.225
					Inner_1RB_Right	22.06	23.46	25.83	23.74	0.237
					Inner_Full	21.86	23.69	25.88	23.79	0.239
	3519.99	634666			Inner_1RB_Left	21.93	23.44	25.76	23.67	0.233
					Inner_1RB_Right	22.08	23.43	25.82	23.73	0.236
					Inner_Full	21.95	23.67	25.90	23.81	0.240
CP-16QAM	3480	632000			Inner_1RB_Left	21.36	22.7	25.09	23	0.200
					Inner_1RB_Right	21.68	22.88	25.33	23.24	0.211
					Inner_Full	21.32	23.08	25.30	23.21	0.209
	3500.01	633334			Inner_1RB_Left	21.48	22.79	25.19	23.1	0.204
					Inner_1RB_Right	21.91	22.85	25.42	23.33	0.215
					Inner_Full	21.5	23.18	25.43	23.34	0.216
	3519.99	634666			Inner_1RB_Left	21.73	23.02	25.43	23.34	0.216
					Inner_1RB_Right	21.93	22.96	25.49	23.4	0.219
					Inner_Full	21.6	23.18	25.47	23.38	0.218
CP-64QAM	3480	632000			Inner_1RB_Left	19.71	19.22	22.48	20.39	0.109
					Inner_1RB_Right	20.34	20.52	23.44	21.35	0.136
					Inner_Full	19.83	21.49	23.75	21.66	0.147
	3500.01	633334			Inner_1RB_Left	19.69	21.57	23.74	21.65	0.146
					Inner_1RB_Right	20.11	21.75	24.02	21.93	0.156
					Inner_Full	20.44	20.68	23.57	21.48	0.141
	3519.99	634666			Inner_1RB_Left	19.89	21.65	23.87	21.78	0.151
					Inner_1RB_Right	20.65	20.45	23.56	21.47	0.140
					Inner_Full	20.08	21.63	23.93	21.84	0.153
CP-256QAM	3480	632000			Inner_1RB_Left	16.53	11.44	17.70	15.61	0.036
					Inner_1RB_Right	17.12	17.44	20.29	18.2	0.066
					Inner_Full	16.78	18.64	20.82	18.73	0.075
	3500.01	633334			Inner_1RB_Left	16.64	11.51	17.80	15.71	0.037
					Inner_1RB_Right	17.67	17.63	20.66	18.57	0.072
					Inner_Full	16.94	18.72	20.93	18.84	0.077
	3519.99	634666			Inner_1RB_Left	16.79	18.67	20.84	18.75	0.075
					Inner_1RB_Right	17.43	17.32	20.39	18.3	0.068
					Inner_Full	17.05	18.81	21.03	18.94	0.078

Modulation	Carrier frequency (MHz)	UL Channel	B W	SCS	RB Config	ANT1 (dBm)	ANT2 (dBm)	Total (dBm)	ERP /EIRP (dBm)	ERP /EIR P (W)
CP-QPSK	3485.01	632334	70	30kHz	Inner_1RB_Left	21.26	22.89	25.16	23.07	0.203
					Inner_1RB_Right	21.58	23.15	25.45	23.36	0.217
					Inner_Full	20.25	21.89	24.16	22.07	0.161
	3500.01	633334			Inner_1RB_Left	21.52	23.12	25.40	23.31	0.214
					Inner_1RB_Right	21.61	23.18	25.48	23.39	0.218
					Inner_Full	20.46	22.12	24.38	22.29	0.169
	3515.01	634334			Inner_1RB_Left	21.37	23.12	25.34	23.25	0.211
					Inner_1RB_Right	21.66	23.18	25.50	23.41	0.219
					Inner_Full	20.4	22.01	24.29	22.2	0.166
CP-16QAM	3485.01	632334			Inner_1RB_Left	21.08	22.32	24.75	22.66	0.185
					Inner_1RB_Right	21.46	22.61	25.08	22.99	0.199
					Inner_Full	20.25	21.93	24.18	22.09	0.162
	3500.01	633334			Inner_1RB_Left	21.37	22.58	25.03	22.94	0.197
					Inner_1RB_Right	21.49	22.59	25.09	23	0.200
					Inner_Full	20.44	22.16	24.39	22.3	0.170
	3515.01	634334			Inner_1RB_Left	21.25	22.57	24.97	22.88	0.194
					Inner_1RB_Right	21.61	22.68	25.19	23.1	0.204
					Inner_Full	20.41	22.01	24.29	22.2	0.166
CP-64QAM	3485.01	632334			Inner_1RB_Left	19.51	21.05	23.36	21.27	0.134
					Inner_1RB_Right	20.29	20.38	23.35	21.26	0.134
					Inner_Full	19.72	21.43	23.67	21.58	0.144
	3500.01	633334			Inner_1RB_Left	19.77	20.43	23.12	21.03	0.127
					Inner_1RB_Right	19.88	21.34	23.68	21.59	0.144
					Inner_Full	20.45	20.82	23.65	21.56	0.143
	3515.01	634334			Inner_1RB_Left	19.63	21.26	23.53	21.44	0.139
					Inner_1RB_Right	20.52	20.31	23.43	21.34	0.136
					Inner_Full	19.85	21.54	23.79	21.7	0.148
CP-256QAM	3485.01	632334			Inner_1RB_Left	16.6	17.05	19.84	17.75	0.060
					Inner_1RB_Right	17.12	17.2	20.17	18.08	0.064
					Inner_Full	16.68	18.51	20.70	18.61	0.073
	3500.01	633334			Inner_1RB_Left	16.5	18.42	20.58	18.49	0.071
					Inner_1RB_Right	17.13	17.21	20.18	18.09	0.064
					Inner_Full	16.89	18.76	20.94	18.85	0.077
	3515.01	634334			Inner_1RB_Left	16.39	16.18	19.30	17.21	0.053
					Inner_1RB_Right	17.22	17.22	20.23	18.14	0.065
					Inner_Full	16.89	18.65	20.87	18.78	0.076

Modulation	Carrier frequency (MHz)	UL Channel l	B W	SCS	RB Config	ANT1 (dBm)	ANT2 (dBm)	Total (dBm)	ERP /EIRP (dBm)	ERP /EIR P (W)
CP-QPSK	3490.02	632668	80	30kHz	Inner_1RB_Left	21.1	22.86	25.08	22.99	0.199
					Inner_1RB_Right	21.5	23.1	25.38	23.29	0.213
					Inner_Full	21.7	23.56	25.74	23.65	0.232
	3500.01	633334			Inner_1RB_Left	21.43	23.07	25.34	23.25	0.211
					Inner_1RB_Right	21.57	23.08	25.40	23.31	0.214
					Inner_Full	21.83	23.7	25.88	23.79	0.239
	3510	634000			Inner_1RB_Left	21.27	23.06	25.27	23.18	0.208
					Inner_1RB_Right	21.55	23.13	25.42	23.33	0.215
					Inner_Full	20.37	21.99	24.27	22.18	0.165
CP-16QAM	3490.02	632668			Inner_1RB_Left	21.14	22.28	24.76	22.67	0.185
					Inner_1RB_Right	21.4	22.51	25.00	22.91	0.195
					Inner_Full	21.36	23.02	25.28	23.19	0.208
	3500.01	633334			Inner_1RB_Left	21.33	22.45	24.94	22.85	0.193
					Inner_1RB_Right	21.46	22.54	25.04	22.95	0.197
					Inner_Full	21.49	23.16	25.42	23.33	0.215
	3510	634000			Inner_1RB_Left	21.2	22.45	24.88	22.79	0.190
					Inner_1RB_Right	21.5	22.52	25.05	22.96	0.198
					Inner_Full	21.51	23.2	25.45	23.36	0.217
CP-64QAM	3490.02	632668			Inner_1RB_Left	19.46	21.04	23.33	21.24	0.133
					Inner_1RB_Right	19.77	21.35	23.64	21.55	0.143
					Inner_Full	20.34	20.72	23.54	21.45	0.140
	3500.01	633334			Inner_1RB_Left	19.72	20.39	23.08	20.99	0.126
					Inner_1RB_Right	19.8	21.3	23.62	21.53	0.142
					Inner_Full	20.48	20.77	23.64	21.55	0.143
	3510	634000			Inner_1RB_Left	19.58	21.18	23.46	21.37	0.137
					Inner_1RB_Right	19.84	21.34	23.66	21.57	0.144
					Inner_Full	20.52	20.74	23.64	21.55	0.143
CP-256QAM	3490.02	632668			Inner_1RB_Left	16.24	18.12	20.29	18.2	0.066
					Inner_1RB_Right	17.3	17.4	20.36	18.27	0.067
					Inner_Full	16.81	18.61	20.81	18.72	0.074
	3500.01	633334			Inner_1RB_Left	16.47	18.34	20.52	18.43	0.070
					Inner_1RB_Right	17.09	17.13	20.12	18.03	0.064
					Inner_Full	16.91	18.73	20.92	18.83	0.076
	3510	634000			Inner_1RB_Left	16.7	17.09	19.91	17.82	0.061
					Inner_1RB_Right	17.13	16.86	20.01	17.92	0.062
					Inner_Full	16.96	18.78	20.97	18.88	0.077

Modulation	Carrier frequency (MHz)	UL Channel I	B W	SCS	RB Config	ANT1 (dBm)	ANT2 (dBm)	Total (dBm)	ERP /EIRP (dBm)	ERP /EIR P (W)
CP-QPSK	3495	633000	90	30kHz	Inner_1RB_Left	21.01	22.77	24.99	22.9	0.195
					Inner_1RB_Right	21.5	22.99	25.32	23.23	0.210
					Inner_Full	21.59	23.42	25.61	23.52	0.225
	3500.01	633334			Inner_1RB_Left	21.26	22.93	25.19	23.1	0.204
					Inner_1RB_Right	21.42	22.93	25.25	23.16	0.207
					Inner_Full	21.8	23.63	25.82	23.73	0.236
	3504.99	633666			Inner_1RB_Left	21.37	23.04	25.30	23.21	0.209
					Inner_1RB_Right	21.35	22.87	25.19	23.1	0.204
					Inner_Full	21.87	23.73	25.91	23.82	0.241
CP-16QAM	3495	633000			Inner_1RB_Left	21.1	22.2	24.70	22.61	0.182
					Inner_1RB_Right	21.53	22.45	25.02	22.93	0.196
					Inner_Full	21.25	22.89	25.16	23.07	0.203
	3500.01	633334			Inner_1RB_Left	21.2	22.33	24.81	22.72	0.187
					Inner_1RB_Right	21.47	22.39	24.96	22.87	0.194
					Inner_Full	21.42	23.17	25.39	23.3	0.214
	3504.99	633666			Inner_1RB_Left	21.34	22.41	24.92	22.83	0.192
					Inner_1RB_Right	21.35	22.33	24.88	22.79	0.190
					Inner_Full	21.54	23.28	25.51	23.42	0.220
CP-64QAM	3495	633000			Inner_1RB_Left	19.34	20.82	23.15	21.06	0.128
					Inner_1RB_Right	19.81	21.08	23.50	21.41	0.138
					Inner_Full	20.21	20.48	23.36	21.27	0.134
	3500.01	633334			Inner_1RB_Left	19.58	21.03	23.38	21.29	0.135
					Inner_1RB_Right	20.37	20.07	23.23	21.14	0.130
					Inner_Full	19.91	21.56	23.82	21.73	0.149
	3504.99	633666			Inner_1RB_Left	19.69	21.13	23.48	21.39	0.138
					Inner_1RB_Right	20.29	20.09	23.20	21.11	0.129
					Inner_Full	20	21.65	23.91	21.82	0.152
CP-256QAM	3495	633000			Inner_1RB_Left	16.43	17.26	19.88	17.79	0.060
					Inner_1RB_Right	17.09	16.99	20.05	17.96	0.063
					Inner_Full	16.7	18.44	20.67	18.58	0.072
	3500.01	633334			Inner_1RB_Left	16.36	18.22	20.40	18.31	0.068
					Inner_1RB_Right	17.11	17.08	20.11	18.02	0.063
					Inner_Full	16.89	18.67	20.88	18.79	0.076
	3504.99	633666			Inner_1RB_Left	16.5	18.33	20.52	18.43	0.070
					Inner_1RB_Right	16.98	16.93	19.97	17.88	0.061
					Inner_Full	16.98	18.76	20.97	18.88	0.077

Modulation	Carrier frequency (MHz)	UL Channel	B W	SCS	RB Config	ANT1 (dBm)	ANT2 (dBm)	Total (dBm)	ERP /EIRP (dBm)	ERP /EIR P (W)
CP-QPSK	3500.01	633334	100	30kHz	Inner_1RB_Left	20.96	22.68	24.91	22.82	0.191
					Inner_1RB_Right	21.27	22.76	25.09	23	0.200
					Inner_Full	21.83	23.67	25.86	23.77	0.238
CP-16QAM	3500.01	633334			Inner_1RB_Left	21.35	21.37	24.37	22.28	0.169
					Inner_1RB_Right	21.13	20.81	23.98	21.89	0.155
					Inner_Full	21.49	23.12	25.39	23.3	0.214
CP-64QAM	3500.01	633334			Inner_1RB_Left	19.37	20.9	23.21	21.12	0.129
					Inner_1RB_Right	19.59	20.96	23.34	21.25	0.133
					Inner_Full	19.92	21.59	23.85	21.76	0.150
CP-256QAM	3500.01	633334			Inner_1RB_Left	16.19	18.06	20.24	18.15	0.065
					Inner_1RB_Right	17.25	17.13	20.20	18.11	0.065
					Inner_Full	16.95	18.71	20.93	18.84	0.077