



Report No.: SUZR/2021/C001402

Rev.: 01

Page: 1 of 121

Appendix



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南楼 邮编: 215000

t (86-512) 62992980 www.sgsgroup.com.cn
t (86-512) 62992980 sgs.china@sgs.com

Effective (Isotropic) Radiated Power Output Data for SA

Test Result

Band	SCS	Bandwidth	Modulation	Channel	RB Config	Power (dBm)	EIRP (dBm)	Limit (dBm)	Verdict
N66	15	5	DFT-PI2BPSK	Low	Inner_1RB_Left	23.86	26.62	30	PASS
N66	15	5	DFT-PI2BPSK	Low	Inner_1RB_Right	23.52	26.28	30	PASS
N66	15	5	DFT-PI2BPSK	Low	Inner_Full	23.02	25.78	30	PASS
N66	15	5	DFT-PI2BPSK	Mid	Inner_1RB_Left	23.41	26.17	30	PASS
N66	15	5	DFT-PI2BPSK	Mid	Inner_1RB_Right	23.98	26.74	30	PASS
N66	15	5	DFT-PI2BPSK	Mid	Inner_Full	23.52	26.28	30	PASS
N66	15	5	DFT-PI2BPSK	High	Inner_1RB_Left	23.91	26.67	30	PASS
N66	15	5	DFT-PI2BPSK	High	Inner_1RB_Right	23.98	26.74	30	PASS
N66	15	5	DFT-PI2BPSK	High	Inner_Full	23.21	25.97	30	PASS
N66	15	5	DFT-QPSK	Low	Inner_1RB_Left	23.88	26.64	30	PASS
N66	15	5	DFT-QPSK	Low	Inner_1RB_Right	23.22	25.98	30	PASS
N66	15	5	DFT-QPSK	Low	Inner_Full	23.24	26.00	30	PASS
N66	15	5	DFT-QPSK	Mid	Inner_1RB_Left	23.12	25.88	30	PASS
N66	15	5	DFT-QPSK	Mid	Inner_1RB_Right	23.24	26.00	30	PASS
N66	15	5	DFT-QPSK	Mid	Inner_Full	23.24	26.00	30	PASS
N66	15	5	DFT-QPSK	High	Inner_1RB_Left	23.25	26.01	30	PASS
N66	15	5	DFT-QPSK	High	Inner_1RB_Right	23.52	26.28	30	PASS
N66	15	5	DFT-QPSK	High	Inner_Full	23.21	25.97	30	PASS
N66	15	5	DFT-16QAM	Low	Inner_1RB_Left	22.83	25.59	30	PASS
N66	15	5	DFT-16QAM	Low	Inner_1RB_Right	22.89	25.65	30	PASS
N66	15	5	DFT-16QAM	Low	Inner_Full	23.14	25.90	30	PASS
N66	15	5	DFT-16QAM	Mid	Inner_1RB_Left	22.98	25.74	30	PASS
N66	15	5	DFT-16QAM	Mid	Inner_1RB_Right	23.14	25.90	30	PASS
N66	15	5	DFT-16QAM	Mid	Inner_Full	23.23	25.99	30	PASS
N66	15	5	DFT-16QAM	High	Inner_1RB_Left	22.86	25.62	30	PASS
N66	15	5	DFT-16QAM	High	Inner_1RB_Right	22.90	25.66	30	PASS
N66	15	5	DFT-16QAM	High	Inner_Full	23.11	25.87	30	PASS
N66	15	5	DFT-64QAM	Low	Inner_1RB_Left	21.55	24.31	30	PASS
N66	15	5	DFT-64QAM	Low	Inner_1RB_Right	21.62	24.38	30	PASS
N66	15	5	DFT-64QAM	Low	Inner_Full	21.60	24.36	30	PASS
N66	15	5	DFT-64QAM	Mid	Inner_1RB_Left	21.71	24.47	30	PASS
N66	15	5	DFT-64QAM	Mid	Inner_1RB_Right	21.55	24.31	30	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000
中国·苏州·中国（江苏）自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南楼 邮编: 215000

t (86-512) 62992980 www.sgsgroup.com.cn
t (86-512) 62992980 sgs.china@sgs.com

Report No.: SUZR/2021/C001402

Rev.: 01

Page: 3 of 121

N66	15	5	DFT-64QAM	Mid	Inner_Full	21.69	24.45	30	PASS
N66	15	5	DFT-64QAM	High	Inner_1RB_Left	21.55	24.31	30	PASS
N66	15	5	DFT-64QAM	High	Inner_1RB_Right	21.64	24.40	30	PASS
N66	15	5	DFT-64QAM	High	Inner_Full	21.45	24.21	30	PASS
N66	15	5	DFT-256QAM	Low	Inner_1RB_Left	19.72	22.48	30	PASS
N66	15	5	DFT-256QAM	Low	Inner_1RB_Right	19.84	22.60	30	PASS
N66	15	5	DFT-256QAM	Low	Inner_Full	19.50	22.26	30	PASS
N66	15	5	DFT-256QAM	Mid	Inner_1RB_Left	19.88	22.64	30	PASS
N66	15	5	DFT-256QAM	Mid	Inner_1RB_Right	19.86	22.62	30	PASS
N66	15	5	DFT-256QAM	Mid	Inner_Full	19.59	22.35	30	PASS
N66	15	5	DFT-256QAM	High	Inner_1RB_Left	19.47	22.23	30	PASS
N66	15	5	DFT-256QAM	High	Inner_1RB_Right	19.58	22.34	30	PASS
N66	15	5	DFT-256QAM	High	Inner_Full	19.48	22.24	30	PASS
N66	15	5	CP-QPSK	Low	Inner_1RB_Left	23.79	26.55	30	PASS
N66	15	5	CP-QPSK	Low	Inner_1RB_Right	23.24	26.00	30	PASS
N66	15	5	CP-QPSK	Low	Inner_Full	23.63	26.39	30	PASS
N66	15	5	CP-QPSK	Mid	Inner_1RB_Left	23.25	26.01	30	PASS
N66	15	5	CP-QPSK	Mid	Inner_1RB_Right	23.78	26.54	30	PASS
N66	15	5	CP-QPSK	Mid	Inner_Full	23.24	26.00	30	PASS
N66	15	5	CP-QPSK	High	Inner_1RB_Left	23.85	26.61	30	PASS
N66	15	5	CP-QPSK	High	Inner_1RB_Right	23.54	26.30	30	PASS
N66	15	5	CP-QPSK	High	Inner_Full	23.95	26.71	30	PASS
N66	15	5	CP-16QAM	Low	Inner_1RB_Left	22.35	25.11	30	PASS
N66	15	5	CP-16QAM	Low	Inner_1RB_Right	22.75	25.51	30	PASS
N66	15	5	CP-16QAM	Low	Inner_Full	22.17	24.93	30	PASS
N66	15	5	CP-16QAM	Mid	Inner_1RB_Left	21.85	24.61	30	PASS
N66	15	5	CP-16QAM	Mid	Inner_1RB_Right	21.92	24.68	30	PASS
N66	15	5	CP-16QAM	Mid	Inner_Full	22.16	24.92	30	PASS
N66	15	5	CP-16QAM	High	Inner_1RB_Left	21.93	24.69	30	PASS
N66	15	5	CP-16QAM	High	Inner_1RB_Right	21.99	24.75	30	PASS
N66	15	5	CP-16QAM	High	Inner_Full	22.07	24.83	30	PASS
N66	15	5	CP-64QAM	Low	Inner_1RB_Left	20.36	23.12	30	PASS
N66	15	5	CP-64QAM	Low	Inner_1RB_Right	20.67	23.43	30	PASS
N66	15	5	CP-64QAM	Low	Inner_Full	20.58	23.34	30	PASS
N66	15	5	CP-64QAM	Mid	Inner_1RB_Left	20.97	23.73	30	PASS
N66	15	5	CP-64QAM	Mid	Inner_1RB_Right	20.68	23.44	30	PASS
N66	15	5	CP-64QAM	Mid	Inner_Full	20.60	23.36	30	PASS
N66	15	5	CP-64QAM	High	Inner_1RB_Left	20.60	23.36	30	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号6号厂房南楼 邮编: 215000

t (86-512) 62992980 www.sgs.com.cn
t (86-512) 62992980 sgs.china@sgs.com

Report No.: SUZR/2021/C001402

Rev.: 01

Page: 4 of 121

N66	15	5	CP-64QAM	High	Inner_1RB_Right	20.73	23.49	30	PASS
N66	15	5	CP-64QAM	High	Inner_Full	20.51	23.27	30	PASS
N66	15	5	CP-256QAM	Low	Inner_1RB_Left	17.79	20.55	30	PASS
N66	15	5	CP-256QAM	Low	Inner_1RB_Right	17.98	20.74	30	PASS
N66	15	5	CP-256QAM	Low	Inner_Full	17.52	20.28	30	PASS
N66	15	5	CP-256QAM	Mid	Inner_1RB_Left	17.68	20.44	30	PASS
N66	15	5	CP-256QAM	Mid	Inner_1RB_Right	17.69	20.45	30	PASS
N66	15	5	CP-256QAM	Mid	Inner_Full	17.85	20.61	30	PASS
N66	15	5	CP-256QAM	High	Inner_1RB_Left	17.47	20.23	30	PASS
N66	15	5	CP-256QAM	High	Inner_1RB_Right	17.58	20.34	30	PASS
N66	15	5	CP-256QAM	High	Inner_Full	17.46	20.22	30	PASS
N66	15	10	DFT-PI2BPSK	Low	Inner_1RB_Left	23.98	26.74	30	PASS
N66	15	10	DFT-PI2BPSK	Low	Inner_1RB_Right	23.85	26.61	30	PASS
N66	15	10	DFT-PI2BPSK	Low	Inner_Full	23.79	26.55	30	PASS
N66	15	10	DFT-PI2BPSK	Mid	Inner_1RB_Left	23.89	26.65	30	PASS
N66	15	10	DFT-PI2BPSK	Mid	Inner_1RB_Right	23.75	26.51	30	PASS
N66	15	10	DFT-PI2BPSK	Mid	Inner_Full	23.59	26.35	30	PASS
N66	15	10	DFT-PI2BPSK	High	Inner_1RB_Left	23.92	26.68	30	PASS
N66	15	10	DFT-PI2BPSK	High	Inner_1RB_Right	23.85	26.61	30	PASS
N66	15	10	DFT-PI2BPSK	High	Inner_Full	23.79	26.55	30	PASS
N66	15	10	DFT-QPSK	Low	Inner_1RB_Left	23.54	26.30	30	PASS
N66	15	10	DFT-QPSK	Low	Inner_1RB_Right	23.24	26.00	30	PASS
N66	15	10	DFT-QPSK	Low	Inner_Full	23.24	26.00	30	PASS
N66	15	10	DFT-QPSK	Mid	Inner_1RB_Left	23.26	26.02	30	PASS
N66	15	10	DFT-QPSK	Mid	Inner_1RB_Right	23.51	26.27	30	PASS
N66	15	10	DFT-QPSK	Mid	Inner_Full	23.93	26.69	30	PASS
N66	15	10	DFT-QPSK	High	Inner_1RB_Left	23.93	26.69	30	PASS
N66	15	10	DFT-QPSK	High	Inner_1RB_Right	23.85	26.61	30	PASS
N66	15	10	DFT-QPSK	High	Inner_Full	23.79	26.55	30	PASS
N66	15	10	DFT-16QAM	Low	Inner_1RB_Left	23.23	25.99	30	PASS
N66	15	10	DFT-16QAM	Low	Inner_1RB_Right	23.51	26.27	30	PASS
N66	15	10	DFT-16QAM	Low	Inner_Full	23.20	25.96	30	PASS
N66	15	10	DFT-16QAM	Mid	Inner_1RB_Left	23.41	26.17	30	PASS
N66	15	10	DFT-16QAM	Mid	Inner_1RB_Right	23.33	26.09	30	PASS
N66	15	10	DFT-16QAM	Mid	Inner_Full	23.26	26.02	30	PASS
N66	15	10	DFT-16QAM	High	Inner_1RB_Left	23.05	25.81	30	PASS
N66	15	10	DFT-16QAM	High	Inner_1RB_Right	23.35	26.11	30	PASS
N66	15	10	DFT-16QAM	High	Inner_Full	23.04	25.80	30	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000
中国·苏州·中国（江苏）自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南楼 邮编：215000

t (86-512) 62992980 www.sgs.com.cn
t (86-512) 62992980 sgs.china@sgs.com

Report No.: SUZR/2021/C001402

Rev.: 01

Page: 5 of 121

N66	15	10	DFT-64QAM	Low	Inner_1RB_Left	21.59	24.35	30	PASS
N66	15	10	DFT-64QAM	Low	Inner_1RB_Right	21.83	24.59	30	PASS
N66	15	10	DFT-64QAM	Low	Inner_Full	21.65	24.41	30	PASS
N66	15	10	DFT-64QAM	Mid	Inner_1RB_Left	21.75	24.51	30	PASS
N66	15	10	DFT-64QAM	Mid	Inner_1RB_Right	21.78	24.54	30	PASS
N66	15	10	DFT-64QAM	Mid	Inner_Full	21.69	24.45	30	PASS
N66	15	10	DFT-64QAM	High	Inner_1RB_Left	21.46	24.22	30	PASS
N66	15	10	DFT-64QAM	High	Inner_1RB_Right	21.75	24.51	30	PASS
N66	15	10	DFT-64QAM	High	Inner_Full	21.48	24.24	30	PASS
N66	15	10	DFT-256QAM	Low	Inner_1RB_Left	19.59	22.35	30	PASS
N66	15	10	DFT-256QAM	Low	Inner_1RB_Right	19.86	22.62	30	PASS
N66	15	10	DFT-256QAM	Low	Inner_Full	19.56	22.32	30	PASS
N66	15	10	DFT-256QAM	Mid	Inner_1RB_Left	19.73	22.49	30	PASS
N66	15	10	DFT-256QAM	Mid	Inner_1RB_Right	19.76	22.52	30	PASS
N66	15	10	DFT-256QAM	Mid	Inner_Full	19.59	22.35	30	PASS
N66	15	10	DFT-256QAM	High	Inner_1RB_Left	19.50	22.26	30	PASS
N66	15	10	DFT-256QAM	High	Inner_1RB_Right	19.74	22.50	30	PASS
N66	15	10	DFT-256QAM	High	Inner_Full	19.42	22.18	30	PASS
N66	15	10	CP-QPSK	Low	Inner_1RB_Left	23.95	26.71	30	PASS
N66	15	10	CP-QPSK	Low	Inner_1RB_Right	23.84	26.60	30	PASS
N66	15	10	CP-QPSK	Low	Inner_Full	23.75	26.51	30	PASS
N66	15	10	CP-QPSK	Mid	Inner_1RB_Left	23.91	26.67	30	PASS
N66	15	10	CP-QPSK	Mid	Inner_1RB_Right	23.81	26.57	30	PASS
N66	15	10	CP-QPSK	Mid	Inner_Full	22.02	24.78	30	PASS
N66	15	10	CP-QPSK	High	Inner_1RB_Left	23.52	26.28	30	PASS
N66	15	10	CP-QPSK	High	Inner_1RB_Right	23.46	26.22	30	PASS
N66	15	10	CP-QPSK	High	Inner_Full	23.95	26.71	30	PASS
N66	15	10	CP-16QAM	Low	Inner_1RB_Left	22.06	24.82	30	PASS
N66	15	10	CP-16QAM	Low	Inner_1RB_Right	22.20	24.96	30	PASS
N66	15	10	CP-16QAM	Low	Inner_Full	22.17	24.93	30	PASS
N66	15	10	CP-16QAM	Mid	Inner_1RB_Left	22.21	24.97	30	PASS
N66	15	10	CP-16QAM	Mid	Inner_1RB_Right	22.21	24.97	30	PASS
N66	15	10	CP-16QAM	Mid	Inner_Full	22.16	24.92	30	PASS
N66	15	10	CP-16QAM	High	Inner_1RB_Left	22.65	25.41	30	PASS
N66	15	10	CP-16QAM	High	Inner_1RB_Right	22.10	24.86	30	PASS
N66	15	10	CP-16QAM	High	Inner_Full	22.02	24.78	30	PASS
N66	15	10	CP-64QAM	Low	Inner_1RB_Left	20.68	23.44	30	PASS
N66	15	10	CP-64QAM	Low	Inner_1RB_Right	20.96	23.72	30	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000
中国·苏州·中国（江苏）自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南楼 邮编：215000

t (86-512) 62992980 www.sgs.com.cn
t (86-512) 62992980 sgs.china@sgs.com

Report No.: SUZR/2021/C001402

Rev.: 01

Page: 6 of 121

N66	15	10	CP-64QAM	Low	Inner_Full	20.69	23.45	30	PASS
N66	15	10	CP-64QAM	Mid	Inner_1RB_Left	20.76	23.52	30	PASS
N66	15	10	CP-64QAM	Mid	Inner_1RB_Right	20.58	23.34	30	PASS
N66	15	10	CP-64QAM	Mid	Inner_Full	20.68	23.44	30	PASS
N66	15	10	CP-64QAM	High	Inner_1RB_Left	20.40	23.16	30	PASS
N66	15	10	CP-64QAM	High	Inner_1RB_Right	20.69	23.45	30	PASS
N66	15	10	CP-64QAM	High	Inner_Full	20.58	23.34	30	PASS
N66	15	10	CP-256QAM	Low	Inner_1RB_Left	17.52	20.28	30	PASS
N66	15	10	CP-256QAM	Low	Inner_1RB_Right	17.74	20.50	30	PASS
N66	15	10	CP-256QAM	Low	Inner_Full	17.62	20.38	30	PASS
N66	15	10	CP-256QAM	Mid	Inner_1RB_Left	17.73	20.49	30	PASS
N66	15	10	CP-256QAM	Mid	Inner_1RB_Right	17.71	20.47	30	PASS
N66	15	10	CP-256QAM	Mid	Inner_Full	17.65	20.41	30	PASS
N66	15	10	CP-256QAM	High	Inner_1RB_Left	17.49	20.25	30	PASS
N66	15	10	CP-256QAM	High	Inner_1RB_Right	17.58	20.34	30	PASS
N66	15	10	CP-256QAM	High	Inner_Full	17.49	20.25	30	PASS
N66	15	15	DFT-PI2BPSK	Low	Inner_1RB_Left	22.62	25.38	30	PASS
N66	15	15	DFT-PI2BPSK	Low	Inner_1RB_Right	22.56	25.32	30	PASS
N66	15	15	DFT-PI2BPSK	Low	Inner_Full	22.72	25.48	30	PASS
N66	15	15	DFT-PI2BPSK	Mid	Inner_1RB_Left	23.95	26.71	30	PASS
N66	15	15	DFT-PI2BPSK	Mid	Inner_1RB_Right	23.96	26.72	30	PASS
N66	15	15	DFT-PI2BPSK	Mid	Inner_Full	23.96	26.72	30	PASS
N66	15	15	DFT-PI2BPSK	High	Inner_1RB_Left	23.87	26.63	30	PASS
N66	15	15	DFT-PI2BPSK	High	Inner_1RB_Right	23.90	26.66	30	PASS
N66	15	15	DFT-PI2BPSK	High	Inner_Full	23.85	26.61	30	PASS
N66	15	15	DFT-QPSK	Low	Inner_1RB_Left	22.56	25.32	30	PASS
N66	15	15	DFT-QPSK	Low	Inner_1RB_Right	22.58	25.34	30	PASS
N66	15	15	DFT-QPSK	Low	Inner_Full	22.72	25.48	30	PASS
N66	15	15	DFT-QPSK	Mid	Inner_1RB_Left	23.98	26.74	30	PASS
N66	15	15	DFT-QPSK	Mid	Inner_1RB_Right	23.79	26.55	30	PASS
N66	15	15	DFT-QPSK	Mid	Inner_Full	23.52	26.28	30	PASS
N66	15	15	DFT-QPSK	High	Inner_1RB_Left	23.89	26.65	30	PASS
N66	15	15	DFT-QPSK	High	Inner_1RB_Right	23.97	26.73	30	PASS
N66	15	15	DFT-QPSK	High	Inner_Full	23.68	26.44	30	PASS
N66	15	15	DFT-16QAM	Low	Inner_1RB_Left	21.44	24.20	30	PASS
N66	15	15	DFT-16QAM	Low	Inner_1RB_Right	21.72	24.48	30	PASS
N66	15	15	DFT-16QAM	Low	Inner_Full	21.77	24.53	30	PASS
N66	15	15	DFT-16QAM	Mid	Inner_1RB_Left	23.14	25.90	30	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000
中国·苏州·中国（江苏）自由贸易试验区苏州片区苏州工业园区润胜路1号厂房南楼 邮编：215000

t (86-512) 62992980 www.sgsgroup.com.cn
t (86-512) 62992980 sgs.china@sgs.com

Report No.: SUZR/2021/C001402

Rev.: 01

Page: 7 of 121

N66	15	15	DFT-16QAM	Mid	Inner_1RB_Right	23.12	25.88	30	PASS
N66	15	15	DFT-16QAM	Mid	Inner_Full	23.17	25.93	30	PASS
N66	15	15	DFT-16QAM	High	Inner_1RB_Left	23.04	25.80	30	PASS
N66	15	15	DFT-16QAM	High	Inner_1RB_Right	22.83	25.59	30	PASS
N66	15	15	DFT-16QAM	High	Inner_Full	22.99	25.75	30	PASS
N66	15	15	DFT-64QAM	Low	Inner_1RB_Left	20.93	23.69	30	PASS
N66	15	15	DFT-64QAM	Low	Inner_1RB_Right	21.14	23.90	30	PASS
N66	15	15	DFT-64QAM	Low	Inner_Full	21.19	23.95	30	PASS
N66	15	15	DFT-64QAM	Mid	Inner_1RB_Left	21.41	24.17	30	PASS
N66	15	15	DFT-64QAM	Mid	Inner_1RB_Right	21.46	24.22	30	PASS
N66	15	15	DFT-64QAM	Mid	Inner_Full	21.68	24.44	30	PASS
N66	15	15	DFT-64QAM	High	Inner_1RB_Left	21.36	24.12	30	PASS
N66	15	15	DFT-64QAM	High	Inner_1RB_Right	21.32	24.08	30	PASS
N66	15	15	DFT-64QAM	High	Inner_Full	21.55	24.31	30	PASS
N66	15	15	DFT-256QAM	Low	Inner_1RB_Left	18.81	21.57	30	PASS
N66	15	15	DFT-256QAM	Low	Inner_1RB_Right	18.92	21.68	30	PASS
N66	15	15	DFT-256QAM	Low	Inner_Full	19.08	21.84	30	PASS
N66	15	15	DFT-256QAM	Mid	Inner_1RB_Left	19.36	22.12	30	PASS
N66	15	15	DFT-256QAM	Mid	Inner_1RB_Right	19.44	22.20	30	PASS
N66	15	15	DFT-256QAM	Mid	Inner_Full	19.60	22.36	30	PASS
N66	15	15	DFT-256QAM	High	Inner_1RB_Left	19.23	21.99	30	PASS
N66	15	15	DFT-256QAM	High	Inner_1RB_Right	19.35	22.11	30	PASS
N66	15	15	DFT-256QAM	High	Inner_Full	19.44	22.20	30	PASS
N66	15	15	CP-QPSK	Low	Inner_1RB_Left	23.47	26.23	30	PASS
N66	15	15	CP-QPSK	Low	Inner_1RB_Right	23.77	26.53	30	PASS
N66	15	15	CP-QPSK	Low	Inner_Full	23.39	26.15	30	PASS
N66	15	15	CP-QPSK	Mid	Inner_1RB_Left	23.59	26.35	30	PASS
N66	15	15	CP-QPSK	Mid	Inner_1RB_Right	23.69	26.45	30	PASS
N66	15	15	CP-QPSK	Mid	Inner_Full	23.94	26.70	30	PASS
N66	15	15	CP-QPSK	High	Inner_1RB_Left	23.89	26.65	30	PASS
N66	15	15	CP-QPSK	High	Inner_1RB_Right	23.98	26.74	30	PASS
N66	15	15	CP-QPSK	High	Inner_Full	23.59	26.35	30	PASS
N66	15	15	CP-16QAM	Low	Inner_1RB_Left	21.94	24.70	30	PASS
N66	15	15	CP-16QAM	Low	Inner_1RB_Right	22.05	24.81	30	PASS
N66	15	15	CP-16QAM	Low	Inner_Full	21.94	24.70	30	PASS
N66	15	15	CP-16QAM	Mid	Inner_1RB_Left	23.54	26.30	30	PASS
N66	15	15	CP-16QAM	Mid	Inner_1RB_Right	23.84	26.60	30	PASS
N66	15	15	CP-16QAM	Mid	Inner_Full	23.92	26.68	30	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000
中国·苏州·中国（江苏）自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南楼 邮编：215000

t (86-512) 62992980 www.sgs.com.cn
t (86-512) 62992980 sgs.china@sgs.com

Report No.: SUZR/2021/C001402

Rev.: 01

Page: 8 of 121

N66	15	15	CP-16QAM	High	Inner_1RB_Left	21.83	24.59	30	PASS
N66	15	15	CP-16QAM	High	Inner_1RB_Right	22.38	25.14	30	PASS
N66	15	15	CP-16QAM	High	Inner_Full	22.12	24.88	30	PASS
N66	15	15	CP-64QAM	Low	Inner_1RB_Left	20.08	22.84	30	PASS
N66	15	15	CP-64QAM	Low	Inner_1RB_Right	20.26	23.02	30	PASS
N66	15	15	CP-64QAM	Low	Inner_Full	20.39	23.15	30	PASS
N66	15	15	CP-64QAM	Mid	Inner_1RB_Left	20.54	23.30	30	PASS
N66	15	15	CP-64QAM	Mid	Inner_1RB_Right	20.59	23.35	30	PASS
N66	15	15	CP-64QAM	Mid	Inner_Full	20.53	23.29	30	PASS
N66	15	15	CP-64QAM	High	Inner_1RB_Left	20.30	23.06	30	PASS
N66	15	15	CP-64QAM	High	Inner_1RB_Right	20.62	23.38	30	PASS
N66	15	15	CP-64QAM	High	Inner_Full	20.36	23.12	30	PASS
N66	15	15	CP-256QAM	Low	Inner_1RB_Left	17.24	20.00	30	PASS
N66	15	15	CP-256QAM	Low	Inner_1RB_Right	17.46	20.22	30	PASS
N66	15	15	CP-256QAM	Low	Inner_Full	17.51	20.27	30	PASS
N66	15	15	CP-256QAM	Mid	Inner_1RB_Left	17.31	20.07	30	PASS
N66	15	15	CP-256QAM	Mid	Inner_1RB_Right	17.47	20.23	30	PASS
N66	15	15	CP-256QAM	Mid	Inner_Full	17.55	20.31	30	PASS
N66	15	15	CP-256QAM	High	Inner_1RB_Left	17.23	19.99	30	PASS
N66	15	15	CP-256QAM	High	Inner_1RB_Right	17.14	19.90	30	PASS
N66	15	15	CP-256QAM	High	Inner_Full	17.50	20.26	30	PASS
N66	15	20	DFT-PI2BPSK	Low	Inner_1RB_Left	23.99	26.75	30	PASS
N66	15	20	DFT-PI2BPSK	Low	Inner_1RB_Right	23.68	26.44	30	PASS
N66	15	20	DFT-PI2BPSK	Low	Inner_Full	23.96	26.72	30	PASS
N66	15	20	DFT-PI2BPSK	Mid	Inner_1RB_Left	23.85	26.61	30	PASS
N66	15	20	DFT-PI2BPSK	Mid	Inner_1RB_Right	23.96	26.72	30	PASS
N66	15	20	DFT-PI2BPSK	Mid	Inner_Full	23.72	26.48	30	PASS
N66	15	20	DFT-PI2BPSK	High	Inner_1RB_Left	23.89	26.65	30	PASS
N66	15	20	DFT-PI2BPSK	High	Inner_1RB_Right	23.69	26.45	30	PASS
N66	15	20	DFT-PI2BPSK	High	Inner_Full	23.85	26.61	30	PASS
N66	15	20	DFT-QPSK	Low	Inner_1RB_Left	23.97	26.73	30	PASS
N66	15	20	DFT-QPSK	Low	Inner_1RB_Right	23.94	26.70	30	PASS
N66	15	20	DFT-QPSK	Low	Inner_Full	23.68	26.44	30	PASS
N66	15	20	DFT-QPSK	Mid	Inner_1RB_Left	23.79	26.55	30	PASS
N66	15	20	DFT-QPSK	Mid	Inner_1RB_Right	23.54	26.30	30	PASS
N66	15	20	DFT-QPSK	Mid	Inner_Full	23.96	26.72	30	PASS
N66	15	20	DFT-QPSK	High	Inner_1RB_Left	23.84	26.60	30	PASS
N66	15	20	DFT-QPSK	High	Inner_1RB_Right	23.76	26.52	30	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000
中国·苏州·中国（江苏）自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南楼 邮编：215000

t (86-512) 62992980 www.sgsgroup.com.cn
t (86-512) 62992980 sgs.china@sgs.com

Report No.: SUZR/2021/C001402

Rev.: 01

Page: 9 of 121

N66	15	20	DFT-QPSK	High	Inner_Full	23.94	26.70	30	PASS
N66	15	20	DFT-16QAM	Low	Inner_1RB_Left	23.17	25.93	30	PASS
N66	15	20	DFT-16QAM	Low	Inner_1RB_Right	22.87	25.63	30	PASS
N66	15	20	DFT-16QAM	Low	Inner_Full	23.08	25.84	30	PASS
N66	15	20	DFT-16QAM	Mid	Inner_1RB_Left	23.17	25.93	30	PASS
N66	15	20	DFT-16QAM	Mid	Inner_1RB_Right	23.13	25.89	30	PASS
N66	15	20	DFT-16QAM	Mid	Inner_Full	23.23	25.99	30	PASS
N66	15	20	DFT-16QAM	High	Inner_1RB_Left	22.82	25.58	30	PASS
N66	15	20	DFT-16QAM	High	Inner_1RB_Right	23.04	25.80	30	PASS
N66	15	20	DFT-16QAM	High	Inner_Full	22.95	25.71	30	PASS
N66	15	20	DFT-64QAM	Low	Inner_1RB_Left	21.49	24.25	30	PASS
N66	15	20	DFT-64QAM	Low	Inner_1RB_Right	21.72	24.48	30	PASS
N66	15	20	DFT-64QAM	Low	Inner_Full	21.67	24.43	30	PASS
N66	15	20	DFT-64QAM	Mid	Inner_1RB_Left	21.52	24.28	30	PASS
N66	15	20	DFT-64QAM	Mid	Inner_1RB_Right	21.51	24.27	30	PASS
N66	15	20	DFT-64QAM	Mid	Inner_Full	21.71	24.47	30	PASS
N66	15	20	DFT-64QAM	High	Inner_1RB_Left	21.21	23.97	30	PASS
N66	15	20	DFT-64QAM	High	Inner_1RB_Right	21.47	24.23	30	PASS
N66	15	20	DFT-64QAM	High	Inner_Full	21.45	24.21	30	PASS
N66	15	20	DFT-256QAM	Low	Inner_1RB_Left	19.85	22.61	30	PASS
N66	15	20	DFT-256QAM	Low	Inner_1RB_Right	19.65	22.41	30	PASS
N66	15	20	DFT-256QAM	Low	Inner_Full	19.51	22.27	30	PASS
N66	15	20	DFT-256QAM	Mid	Inner_1RB_Left	19.62	22.38	30	PASS
N66	15	20	DFT-256QAM	Mid	Inner_1RB_Right	19.63	22.39	30	PASS
N66	15	20	DFT-256QAM	Mid	Inner_Full	19.66	22.42	30	PASS
N66	15	20	DFT-256QAM	High	Inner_1RB_Left	19.32	22.08	30	PASS
N66	15	20	DFT-256QAM	High	Inner_1RB_Right	19.58	22.34	30	PASS
N66	15	20	DFT-256QAM	High	Inner_Full	19.40	22.16	30	PASS
N66	15	20	CP-QPSK	Low	Inner_1RB_Left	23.89	26.65	30	PASS
N66	15	20	CP-QPSK	Low	Inner_1RB_Right	23.23	25.99	30	PASS
N66	15	20	CP-QPSK	Low	Inner_Full	23.59	26.35	30	PASS
N66	15	20	CP-QPSK	Mid	Inner_1RB_Left	23.86	26.62	30	PASS
N66	15	20	CP-QPSK	Mid	Inner_1RB_Right	23.79	26.55	30	PASS
N66	15	20	CP-QPSK	Mid	Inner_Full	23.97	26.73	30	PASS
N66	15	20	CP-QPSK	High	Inner_1RB_Left	23.86	26.62	30	PASS
N66	15	20	CP-QPSK	High	Inner_1RB_Right	23.25	26.01	30	PASS
N66	15	20	CP-QPSK	High	Inner_Full	23.48	26.24	30	PASS
N66	15	20	CP-16QAM	Low	Inner_1RB_Left	21.77	24.53	30	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000
中国·苏州·中国（江苏）自由贸易试验区苏州片区苏州工业园区润胜路1号6号厂房南楼 邮编：215000

t (86-512) 62992980 www.sgs.com.cn
t (86-512) 62992980 sgs.china@sgs.com

Report No.: SUZR/2021/C001402

Rev.: 01

Page: 10 of 121

N66	15	20	CP-16QAM	Low	Inner_1RB_Right	21.97	24.73	30	PASS
N66	15	20	CP-16QAM	Low	Inner_Full	22.10	24.86	30	PASS
N66	15	20	CP-16QAM	Mid	Inner_1RB_Left	22.15	24.91	30	PASS
N66	15	20	CP-16QAM	Mid	Inner_1RB_Right	22.07	24.83	30	PASS
N66	15	20	CP-16QAM	Mid	Inner_Full	22.21	24.97	30	PASS
N66	15	20	CP-16QAM	High	Inner_1RB_Left	21.90	24.66	30	PASS
N66	15	20	CP-16QAM	High	Inner_1RB_Right	22.17	24.93	30	PASS
N66	15	20	CP-16QAM	High	Inner_Full	21.97	24.73	30	PASS
N66	15	20	CP-64QAM	Low	Inner_1RB_Left	20.39	23.15	30	PASS
N66	15	20	CP-64QAM	Low	Inner_1RB_Right	20.53	23.29	30	PASS
N66	15	20	CP-64QAM	Low	Inner_Full	20.43	23.19	30	PASS
N66	15	20	CP-64QAM	Mid	Inner_1RB_Left	20.42	23.18	30	PASS
N66	15	20	CP-64QAM	Mid	Inner_1RB_Right	20.25	23.01	30	PASS
N66	15	20	CP-64QAM	Mid	Inner_Full	20.63	23.39	30	PASS
N66	15	20	CP-64QAM	High	Inner_1RB_Left	20.17	22.93	30	PASS
N66	15	20	CP-64QAM	High	Inner_1RB_Right	20.43	23.19	30	PASS
N66	15	20	CP-64QAM	High	Inner_Full	20.42	23.18	30	PASS
N66	15	20	CP-256QAM	Low	Inner_1RB_Left	17.50	20.26	30	PASS
N66	15	20	CP-256QAM	Low	Inner_1RB_Right	17.69	20.45	30	PASS
N66	15	20	CP-256QAM	Low	Inner_Full	17.58	20.34	30	PASS
N66	15	20	CP-256QAM	Mid	Inner_1RB_Left	17.74	20.50	30	PASS
N66	15	20	CP-256QAM	Mid	Inner_1RB_Right	17.53	20.29	30	PASS
N66	15	20	CP-256QAM	Mid	Inner_Full	17.69	20.45	30	PASS
N66	15	20	CP-256QAM	High	Inner_1RB_Left	17.44	20.20	30	PASS
N66	15	20	CP-256QAM	High	Inner_1RB_Right	17.54	20.30	30	PASS
N66	15	20	CP-256QAM	High	Inner_Full	17.48	20.24	30	PASS
N66	15	25	DFT-PI2BPSK	Low	Inner_1RB_Left	24.02	26.78	30	PASS
N66	15	25	DFT-PI2BPSK	Low	Inner_1RB_Right	23.91	26.67	30	PASS
N66	15	25	DFT-PI2BPSK	Low	Inner_Full	23.91	26.67	30	PASS
N66	15	25	DFT-QPSK	Low	Inner_1RB_Left	23.67	26.43	30	PASS
N66	15	25	DFT-QPSK	Low	Inner_1RB_Right	23.95	26.71	30	PASS
N66	15	25	DFT-QPSK	Low	Inner_Full	24.06	26.82	30	PASS
N66	15	25	DFT-16QAM	Low	Inner_1RB_Left	22.75	25.51	30	PASS
N66	15	25	DFT-16QAM	Low	Inner_1RB_Right	23.02	25.78	30	PASS
N66	15	25	DFT-16QAM	Low	Inner_Full	23.39	26.15	30	PASS
N66	15	25	DFT-64QAM	Low	Inner_1RB_Left	22.27	25.03	30	PASS
N66	15	25	DFT-64QAM	Low	Inner_1RB_Right	22.52	25.28	30	PASS
N66	15	25	DFT-64QAM	Low	Inner_Full	21.84	24.60	30	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南 邮编: 215000

t (86-512) 62992980 www.sgs.com.cn
t (86-512) 62992980 sgs.china@sgs.com

Report No.: SUZR/2021/C001402

Rev.: 01

Page: 11 of 121

N66	15	25	DFT-256QAM	Low	Inner_1RB_Left	20.16	22.92	30	PASS
N66	15	25	DFT-256QAM	Low	Inner_1RB_Right	20.25	23.01	30	PASS
N66	15	25	DFT-256QAM	Low	Inner_Full	19.88	22.64	30	PASS
N66	15	25	CP-QPSK	Low	Inner_1RB_Left	21.75	24.51	30	PASS
N66	15	25	CP-QPSK	Low	Inner_1RB_Right	21.95	24.71	30	PASS
N66	15	25	CP-QPSK	Low	Inner_Full	22.81	25.57	30	PASS
N66	15	25	CP-16QAM	Low	Inner_1RB_Left	21.65	24.41	30	PASS
N66	15	25	CP-16QAM	Low	Inner_1RB_Right	21.88	24.64	30	PASS
N66	15	25	CP-16QAM	Low	Inner_Full	22.27	25.03	30	PASS
N66	15	25	CP-64QAM	Low	Inner_1RB_Left	21.23	23.99	30	PASS
N66	15	25	CP-64QAM	Low	Inner_1RB_Right	21.49	24.25	30	PASS
N66	15	25	CP-64QAM	Low	Inner_Full	20.79	23.55	30	PASS
N66	15	25	CP-256QAM	Low	Inner_1RB_Left	18.11	20.87	30	PASS
N66	15	25	CP-256QAM	Low	Inner_1RB_Right	18.38	21.14	30	PASS
N66	15	25	CP-256QAM	Low	Inner_Full	17.85	20.61	30	PASS
N66	15	25	DFT-PI2BPSK	Mid	Inner_1RB_Left	23.57	26.33	30	PASS
N66	15	25	DFT-PI2BPSK	Mid	Inner_1RB_Right	23.82	26.58	30	PASS
N66	15	25	DFT-PI2BPSK	Mid	Inner_Full	23.73	26.49	30	PASS
N66	15	25	DFT-QPSK	Mid	Inner_1RB_Left	22.96	25.72	30	PASS
N66	15	25	DFT-QPSK	Mid	Inner_1RB_Right	23.71	26.47	30	PASS
N66	15	25	DFT-QPSK	Mid	Inner_Full	23.68	26.44	30	PASS
N66	15	25	DFT-16QAM	Mid	Inner_1RB_Left	22.01	24.77	30	PASS
N66	15	25	DFT-16QAM	Mid	Inner_1RB_Right	22.82	25.58	30	PASS
N66	15	25	DFT-16QAM	Mid	Inner_Full	23.55	26.31	30	PASS
N66	15	25	DFT-64QAM	Mid	Inner_1RB_Left	21.67	24.43	30	PASS
N66	15	25	DFT-64QAM	Mid	Inner_1RB_Right	22.42	25.18	30	PASS
N66	15	25	DFT-64QAM	Mid	Inner_Full	22.94	25.70	30	PASS
N66	15	25	DFT-256QAM	Mid	Inner_1RB_Left	19.26	22.02	30	PASS
N66	15	25	DFT-256QAM	Mid	Inner_1RB_Right	19.99	22.75	30	PASS
N66	15	25	DFT-256QAM	Mid	Inner_Full	20.87	23.63	30	PASS
N66	15	25	CP-QPSK	Mid	Inner_1RB_Left	20.96	23.72	30	PASS
N66	15	25	CP-QPSK	Mid	Inner_1RB_Right	21.74	24.50	30	PASS
N66	15	25	CP-QPSK	Mid	Inner_Full	23.87	26.63	30	PASS
N66	15	25	CP-16QAM	Mid	Inner_1RB_Left	20.91	23.67	30	PASS
N66	15	25	CP-16QAM	Mid	Inner_1RB_Right	21.73	24.49	30	PASS
N66	15	25	CP-16QAM	Mid	Inner_Full	23.36	26.12	30	PASS
N66	15	25	CP-64QAM	Mid	Inner_1RB_Left	20.35	23.11	30	PASS
N66	15	25	CP-64QAM	Mid	Inner_1RB_Right	21.17	23.93	30	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南楼 邮编: 215000

t (86-512) 62992980 www.sgsgroup.com.cn
t (86-512) 62992980 sgs.china@sgs.com

Report No.: SUZR/2021/C001402

Rev.: 01

Page: 12 of 121

N66	15	25	CP-64QAM	Mid	Inner_Full	21.83	24.59	30	PASS
N66	15	25	CP-256QAM	Mid	Inner_1RB_Left	17.62	20.38	30	PASS
N66	15	25	CP-256QAM	Mid	Inner_1RB_Right	18.37	21.13	30	PASS
N66	15	25	CP-256QAM	Mid	Inner_Full	18.88	21.64	30	PASS
N66	15	25	DFT-PI2BPSK	High	Inner_1RB_Left	23.17	25.93	30	PASS
N66	15	25	DFT-PI2BPSK	High	Inner_1RB_Right	23.44	26.20	30	PASS
N66	15	25	DFT-PI2BPSK	High	Inner_Full	23.22	25.98	30	PASS
N66	15	25	DFT-QPSK	High	Inner_1RB_Left	24.15	26.91	30	PASS
N66	15	25	DFT-QPSK	High	Inner_1RB_Right	23.16	25.92	30	PASS
N66	15	25	DFT-QPSK	High	Inner_Full	22.84	25.60	30	PASS
N66	15	25	DFT-16QAM	High	Inner_1RB_Left	23.33	26.09	30	PASS
N66	15	25	DFT-16QAM	High	Inner_1RB_Right	23.67	26.43	30	PASS
N66	15	25	DFT-16QAM	High	Inner_Full	23.70	26.46	30	PASS
N66	15	25	DFT-64QAM	High	Inner_1RB_Left	22.81	25.57	30	PASS
N66	15	25	DFT-64QAM	High	Inner_1RB_Right	23.13	25.89	30	PASS
N66	15	25	DFT-64QAM	High	Inner_Full	22.16	24.92	30	PASS
N66	15	25	DFT-256QAM	High	Inner_1RB_Left	20.73	23.49	30	PASS
N66	15	25	DFT-256QAM	High	Inner_1RB_Right	21.08	23.84	30	PASS
N66	15	25	DFT-256QAM	High	Inner_Full	20.14	22.90	30	PASS
N66	15	25	CP-QPSK	High	Inner_1RB_Left	22.32	25.08	30	PASS
N66	15	25	CP-QPSK	High	Inner_1RB_Right	22.68	25.44	30	PASS
N66	15	25	CP-QPSK	High	Inner_Full	23.15	25.91	30	PASS
N66	15	25	CP-16QAM	High	Inner_1RB_Left	22.30	25.06	30	PASS
N66	15	25	CP-16QAM	High	Inner_1RB_Right	22.58	25.34	30	PASS
N66	15	25	CP-16QAM	High	Inner_Full	22.67	25.43	30	PASS
N66	15	25	CP-64QAM	High	Inner_1RB_Left	21.72	24.48	30	PASS
N66	15	25	CP-64QAM	High	Inner_1RB_Right	22.08	24.84	30	PASS
N66	15	25	CP-64QAM	High	Inner_Full	21.15	23.91	30	PASS
N66	15	25	CP-256QAM	High	Inner_1RB_Left	18.88	21.64	30	PASS
N66	15	25	CP-256QAM	High	Inner_1RB_Right	19.26	22.02	30	PASS
N66	15	25	CP-256QAM	High	Inner_Full	18.16	20.92	30	PASS
N66	15	30	DFT-PI2BPSK	Low	Inner_1RB_Left	23.88	26.64	30	PASS
N66	15	30	DFT-PI2BPSK	Low	Inner_1RB_Right	23.58	26.34	30	PASS
N66	15	30	DFT-PI2BPSK	Low	Inner_Full	23.91	26.67	30	PASS
N66	15	30	DFT-PI2BPSK	Mid	Inner_1RB_Left	23.86	26.62	30	PASS
N66	15	30	DFT-PI2BPSK	Mid	Inner_1RB_Right	23.94	26.70	30	PASS
N66	15	30	DFT-PI2BPSK	Mid	Inner_Full	23.69	26.45	30	PASS
N66	15	30	DFT-PI2BPSK	High	Inner_1RB_Left	23.98	26.74	30	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号厂房南楼 邮编: 215000

t (86-512) 62992980 www.sgs.com.cn
t (86-512) 62992980 sgs.china@sgs.com

Report No.: SUZR/2021/C001402

Rev.: 01

Page: 13 of 121

N66	15	30	DFT-PI2BPSK	High	Inner_1RB_Right	23.85	26.61	30	PASS
N66	15	30	DFT-PI2BPSK	High	Inner_Full	23.79	26.55	30	PASS
N66	15	30	DFT-QPSK	Low	Inner_1RB_Left	23.83	26.59	30	PASS
N66	15	30	DFT-QPSK	Low	Inner_1RB_Right	23.96	26.72	30	PASS
N66	15	30	DFT-QPSK	Low	Inner_Full	23.54	26.30	30	PASS
N66	15	30	DFT-QPSK	Mid	Inner_1RB_Left	23.97	26.73	30	PASS
N66	15	30	DFT-QPSK	Mid	Inner_1RB_Right	23.97	26.73	30	PASS
N66	15	30	DFT-QPSK	Mid	Inner_Full	23.85	26.61	30	PASS
N66	15	30	DFT-QPSK	High	Inner_1RB_Left	23.96	26.72	30	PASS
N66	15	30	DFT-QPSK	High	Inner_1RB_Right	23.94	26.70	30	PASS
N66	15	30	DFT-QPSK	High	Inner_Full	24.05	26.81	30	PASS
N66	15	30	DFT-16QAM	Low	Inner_1RB_Left	22.88	25.64	30	PASS
N66	15	30	DFT-16QAM	Low	Inner_1RB_Right	23.19	25.95	30	PASS
N66	15	30	DFT-16QAM	Low	Inner_Full	23.20	25.96	30	PASS
N66	15	30	DFT-16QAM	Mid	Inner_1RB_Left	23.16	25.92	30	PASS
N66	15	30	DFT-16QAM	Mid	Inner_1RB_Right	23.04	25.80	30	PASS
N66	15	30	DFT-16QAM	Mid	Inner_Full	23.26	26.02	30	PASS
N66	15	30	DFT-16QAM	High	Inner_1RB_Left	22.94	25.70	30	PASS
N66	15	30	DFT-16QAM	High	Inner_1RB_Right	23.05	25.81	30	PASS
N66	15	30	DFT-16QAM	High	Inner_Full	23.06	25.82	30	PASS
N66	15	30	DFT-64QAM	Low	Inner_1RB_Left	21.25	24.01	30	PASS
N66	15	30	DFT-64QAM	Low	Inner_1RB_Right	21.59	24.35	30	PASS
N66	15	30	DFT-64QAM	Low	Inner_Full	21.70	24.46	30	PASS
N66	15	30	DFT-64QAM	Mid	Inner_1RB_Left	21.48	24.24	30	PASS
N66	15	30	DFT-64QAM	Mid	Inner_1RB_Right	21.40	24.16	30	PASS
N66	15	30	DFT-64QAM	Mid	Inner_Full	21.71	24.47	30	PASS
N66	15	30	DFT-64QAM	High	Inner_1RB_Left	21.38	24.14	30	PASS
N66	15	30	DFT-64QAM	High	Inner_1RB_Right	21.47	24.23	30	PASS
N66	15	30	DFT-64QAM	High	Inner_Full	21.51	24.27	30	PASS
N66	15	30	DFT-256QAM	Low	Inner_1RB_Left	19.30	22.06	30	PASS
N66	15	30	DFT-256QAM	Low	Inner_1RB_Right	19.62	22.38	30	PASS
N66	15	30	DFT-256QAM	Low	Inner_Full	19.64	22.40	30	PASS
N66	15	30	DFT-256QAM	Mid	Inner_1RB_Left	19.41	22.17	30	PASS
N66	15	30	DFT-256QAM	Mid	Inner_1RB_Right	19.55	22.31	30	PASS
N66	15	30	DFT-256QAM	Mid	Inner_Full	19.70	22.46	30	PASS
N66	15	30	DFT-256QAM	High	Inner_1RB_Left	19.55	22.31	30	PASS
N66	15	30	DFT-256QAM	High	Inner_1RB_Right	19.61	22.37	30	PASS
N66	15	30	DFT-256QAM	High	Inner_Full	19.50	22.26	30	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000
中国·苏州·中国（江苏）自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南楼 邮编：215000

t (86-512) 62992980 www.sgs.com.cn
t (86-512) 62992980 sgs.china@sgs.com

Report No.: SUZR/2021/C001402

Rev.: 01

Page: 14 of 121

N66	15	30	CP-QPSK	Low	Inner_1RB_Left	23.88	26.64	30	PASS
N66	15	30	CP-QPSK	Low	Inner_1RB_Right	23.94	26.70	30	PASS
N66	15	30	CP-QPSK	Low	Inner_Full	23.68	26.44	30	PASS
N66	15	30	CP-QPSK	Mid	Inner_1RB_Left	23.82	26.58	30	PASS
N66	15	30	CP-QPSK	Mid	Inner_1RB_Right	23.97	26.73	30	PASS
N66	15	30	CP-QPSK	Mid	Inner_Full	23.84	26.60	30	PASS
N66	15	30	CP-QPSK	High	Inner_1RB_Left	23.97	26.73	30	PASS
N66	15	30	CP-QPSK	High	Inner_1RB_Right	23.85	26.61	30	PASS
N66	15	30	CP-QPSK	High	Inner_Full	23.65	26.41	30	PASS
N66	15	30	CP-16QAM	Low	Inner_1RB_Left	22.87	25.63	30	PASS
N66	15	30	CP-16QAM	Low	Inner_1RB_Right	23.15	25.91	30	PASS
N66	15	30	CP-16QAM	Low	Inner_Full	23.20	25.96	30	PASS
N66	15	30	CP-16QAM	Mid	Inner_1RB_Left	23.15	25.91	30	PASS
N66	15	30	CP-16QAM	Mid	Inner_1RB_Right	23.03	25.79	30	PASS
N66	15	30	CP-16QAM	Mid	Inner_Full	23.24	26.00	30	PASS
N66	15	30	CP-16QAM	High	Inner_1RB_Left	22.97	25.73	30	PASS
N66	15	30	CP-16QAM	High	Inner_1RB_Right	23.02	25.78	30	PASS
N66	15	30	CP-16QAM	High	Inner_Full	23.07	25.83	30	PASS
N66	15	30	CP-64QAM	Low	Inner_1RB_Left	21.26	24.02	30	PASS
N66	15	30	CP-64QAM	Low	Inner_1RB_Right	21.56	24.32	30	PASS
N66	15	30	CP-64QAM	Low	Inner_Full	21.68	24.44	30	PASS
N66	15	30	CP-64QAM	Mid	Inner_1RB_Left	21.48	24.24	30	PASS
N66	15	30	CP-64QAM	Mid	Inner_1RB_Right	21.41	24.17	30	PASS
N66	15	30	CP-64QAM	Mid	Inner_Full	21.72	24.48	30	PASS
N66	15	30	CP-64QAM	High	Inner_1RB_Left	21.39	24.15	30	PASS
N66	15	30	CP-64QAM	High	Inner_1RB_Right	21.50	24.26	30	PASS
N66	15	30	CP-64QAM	High	Inner_Full	21.48	24.24	30	PASS
N66	15	30	CP-256QAM	Low	Inner_1RB_Left	19.34	22.10	30	PASS
N66	15	30	CP-256QAM	Low	Inner_1RB_Right	19.51	22.27	30	PASS
N66	15	30	CP-256QAM	Low	Inner_Full	19.69	22.45	30	PASS
N66	15	30	CP-256QAM	Mid	Inner_1RB_Left	19.53	22.29	30	PASS
N66	15	30	CP-256QAM	Mid	Inner_1RB_Right	19.53	22.29	30	PASS
N66	15	30	CP-256QAM	Mid	Inner_Full	19.72	22.48	30	PASS
N66	15	30	CP-256QAM	High	Inner_1RB_Left	19.45	22.21	30	PASS
N66	15	30	CP-256QAM	High	Inner_1RB_Right	19.46	22.22	30	PASS
N66	15	30	CP-256QAM	High	Inner_Full	19.52	22.28	30	PASS
N66	15	40	DFT-PI2BPSK	Low	Inner_1RB_Left	23.82	26.58	30	PASS
N66	15	40	DFT-PI2BPSK	Low	Inner_1RB_Right	23.85	26.61	30	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000
中国·苏州·中国（江苏）自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南楼 邮编：215000

t (86-512) 62992980 www.sgsgroup.com.cn
t (86-512) 62992980 sgs.china@sgs.com

Report No.: SUZR/2021/C001402

Rev.: 01

Page: 15 of 121

N66	15	40	DFT-PI2BPSK	Low	Inner_Full	23.75	26.51	30	PASS
N66	15	40	DFT-PI2BPSK	Mid	Inner_1RB_Left	23.96	26.72	30	PASS
N66	15	40	DFT-PI2BPSK	Mid	Inner_1RB_Right	23.94	26.70	30	PASS
N66	15	40	DFT-PI2BPSK	Mid	Inner_Full	23.93	26.69	30	PASS
N66	15	40	DFT-PI2BPSK	High	Inner_1RB_Left	23.52	26.28	30	PASS
N66	15	40	DFT-PI2BPSK	High	Inner_1RB_Right	23.56	26.32	30	PASS
N66	15	40	DFT-PI2BPSK	High	Inner_Full	23.41	26.17	30	PASS
N66	15	40	DFT-QPSK	Low	Inner_1RB_Left	23.96	26.72	30	PASS
N66	15	40	DFT-QPSK	Low	Inner_1RB_Right	23.82	26.58	30	PASS
N66	15	40	DFT-QPSK	Low	Inner_Full	23.79	26.55	30	PASS
N66	15	40	DFT-QPSK	Mid	Inner_1RB_Left	23.85	26.61	30	PASS
N66	15	40	DFT-QPSK	Mid	Inner_1RB_Right	23.61	26.37	30	PASS
N66	15	40	DFT-QPSK	Mid	Inner_Full	23.93	26.69	30	PASS
N66	15	40	DFT-QPSK	High	Inner_1RB_Left	23.85	26.61	30	PASS
N66	15	40	DFT-QPSK	High	Inner_1RB_Right	23.79	26.55	30	PASS
N66	15	40	DFT-QPSK	High	Inner_Full	23.83	26.59	30	PASS
N66	15	40	DFT-16QAM	Low	Inner_1RB_Left	23.12	25.88	30	PASS
N66	15	40	DFT-16QAM	Low	Inner_1RB_Right	23.37	26.13	30	PASS
N66	15	40	DFT-16QAM	Low	Inner_Full	23.23	25.99	30	PASS
N66	15	40	DFT-16QAM	Mid	Inner_1RB_Left	23.28	26.04	30	PASS
N66	15	40	DFT-16QAM	Mid	Inner_1RB_Right	23.23	25.99	30	PASS
N66	15	40	DFT-16QAM	Mid	Inner_Full	23.21	25.97	30	PASS
N66	15	40	DFT-16QAM	High	Inner_1RB_Left	23.36	26.12	30	PASS
N66	15	40	DFT-16QAM	High	Inner_1RB_Right	23.35	26.11	30	PASS
N66	15	40	DFT-16QAM	High	Inner_Full	23.16	25.92	30	PASS
N66	15	40	DFT-64QAM	Low	Inner_1RB_Left	21.49	24.25	30	PASS
N66	15	40	DFT-64QAM	Low	Inner_1RB_Right	21.76	24.52	30	PASS
N66	15	40	DFT-64QAM	Low	Inner_Full	21.76	24.52	30	PASS
N66	15	40	DFT-64QAM	Mid	Inner_1RB_Left	21.65	24.41	30	PASS
N66	15	40	DFT-64QAM	Mid	Inner_1RB_Right	21.56	24.32	30	PASS
N66	15	40	DFT-64QAM	Mid	Inner_Full	21.71	24.47	30	PASS
N66	15	40	DFT-64QAM	High	Inner_1RB_Left	21.74	24.50	30	PASS
N66	15	40	DFT-64QAM	High	Inner_1RB_Right	21.73	24.49	30	PASS
N66	15	40	DFT-64QAM	High	Inner_Full	21.61	24.37	30	PASS
N66	15	40	DFT-256QAM	Low	Inner_1RB_Left	19.52	22.28	30	PASS
N66	15	40	DFT-256QAM	Low	Inner_1RB_Right	19.90	22.66	30	PASS
N66	15	40	DFT-256QAM	Low	Inner_Full	19.64	22.40	30	PASS
N66	15	40	DFT-256QAM	Mid	Inner_1RB_Left	19.77	22.53	30	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000
中国·苏州·中国（江苏）自由贸易试验区苏州片区苏州工业园区润胜路1号厂房南楼 邮编：215000

t (86-512) 62992980 www.sgsgroup.com.cn
t (86-512) 62992980 sgs.china@sgs.com

Report No.: SUZR/2021/C001402

Rev.: 01

Page: 16 of 121

N66	15	40	DFT-256QAM	Mid	Inner_1RB_Right	19.70	22.46	30	PASS
N66	15	40	DFT-256QAM	Mid	Inner_Full	19.66	22.42	30	PASS
N66	15	40	DFT-256QAM	High	Inner_1RB_Left	19.86	22.62	30	PASS
N66	15	40	DFT-256QAM	High	Inner_1RB_Right	19.72	22.48	30	PASS
N66	15	40	DFT-256QAM	High	Inner_Full	19.53	22.29	30	PASS
N66	15	40	CP-QPSK	Low	Inner_1RB_Left	23.72	26.48	30	PASS
N66	15	40	CP-QPSK	Low	Inner_1RB_Right	23.84	26.60	30	PASS
N66	15	40	CP-QPSK	Low	Inner_Full	23.73	26.49	30	PASS
N66	15	40	CP-QPSK	Mid	Inner_1RB_Left	23.85	26.61	30	PASS
N66	15	40	CP-QPSK	Mid	Inner_1RB_Right	23.75	26.51	30	PASS
N66	15	40	CP-QPSK	Mid	Inner_Full	23.75	26.51	30	PASS
N66	15	40	CP-QPSK	High	Inner_1RB_Left	23.85	26.61	30	PASS
N66	15	40	CP-QPSK	High	Inner_1RB_Right	23.98	26.74	30	PASS
N66	15	40	CP-QPSK	High	Inner_Full	23.72	26.48	30	PASS
N66	15	40	CP-16QAM	Low	Inner_1RB_Left	23.12	25.88	30	PASS
N66	15	40	CP-16QAM	Low	Inner_1RB_Right	23.37	26.13	30	PASS
N66	15	40	CP-16QAM	Low	Inner_Full	23.25	26.01	30	PASS
N66	15	40	CP-16QAM	Mid	Inner_1RB_Left	23.29	26.05	30	PASS
N66	15	40	CP-16QAM	Mid	Inner_1RB_Right	23.23	25.99	30	PASS
N66	15	40	CP-16QAM	Mid	Inner_Full	23.26	26.02	30	PASS
N66	15	40	CP-16QAM	High	Inner_1RB_Left	23.38	26.14	30	PASS
N66	15	40	CP-16QAM	High	Inner_1RB_Right	23.35	26.11	30	PASS
N66	15	40	CP-16QAM	High	Inner_Full	23.16	25.92	30	PASS
N66	15	40	CP-64QAM	Low	Inner_1RB_Left	21.48	24.24	30	PASS
N66	15	40	CP-64QAM	Low	Inner_1RB_Right	21.76	24.52	30	PASS
N66	15	40	CP-64QAM	Low	Inner_Full	21.72	24.48	30	PASS
N66	15	40	CP-64QAM	Mid	Inner_1RB_Left	21.65	24.41	30	PASS
N66	15	40	CP-64QAM	Mid	Inner_1RB_Right	21.52	24.28	30	PASS
N66	15	40	CP-64QAM	Mid	Inner_Full	21.70	24.46	30	PASS
N66	15	40	CP-64QAM	High	Inner_1RB_Left	21.72	24.48	30	PASS
N66	15	40	CP-64QAM	High	Inner_1RB_Right	21.67	24.43	30	PASS
N66	15	40	CP-64QAM	High	Inner_Full	21.64	24.40	30	PASS
N66	15	40	CP-256QAM	Low	Inner_1RB_Left	19.54	22.30	30	PASS
N66	15	40	CP-256QAM	Low	Inner_1RB_Right	19.90	22.66	30	PASS
N66	15	40	CP-256QAM	Low	Inner_Full	19.67	22.43	30	PASS
N66	15	40	CP-256QAM	Mid	Inner_1RB_Left	19.65	22.41	30	PASS
N66	15	40	CP-256QAM	Mid	Inner_1RB_Right	19.70	22.46	30	PASS
N66	15	40	CP-256QAM	Mid	Inner_Full	19.66	22.42	30	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000
中国·苏州·中国（江苏）自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南楼 邮编：215000

t (86-512) 62992980 www.sgs.com.cn
t (86-512) 62992980 sgs.china@sgs.com

Report No.: SUZR/2021/C001402

Rev.: 01

Page: 17 of 121

N66	15	40	CP-256QAM	High	Inner_1RB_Left	19.83	22.59	30	PASS
N66	15	40	CP-256QAM	High	Inner_1RB_Right	19.88	22.64	30	PASS
N66	15	40	CP-256QAM	High	Inner_Full	19.67	22.43	30	PASS
N66	30	10	DFT-PI2BPSK	Low	Inner_1RB_Left	24.32	27.08	30	PASS
N66	30	10	DFT-PI2BPSK	Low	Inner_1RB_Right	24.21	26.97	30	PASS
N66	30	10	DFT-PI2BPSK	Low	Inner_Full	24.21	26.97	30	PASS
N66	30	10	DFT-QPSK	Low	Inner_1RB_Left	23.97	26.73	30	PASS
N66	30	10	DFT-QPSK	Low	Inner_1RB_Right	24.25	27.01	30	PASS
N66	30	10	DFT-QPSK	Low	Inner_Full	24.36	27.12	30	PASS
N66	30	10	DFT-16QAM	Low	Inner_1RB_Left	23.05	25.81	30	PASS
N66	30	10	DFT-16QAM	Low	Inner_1RB_Right	23.32	26.08	30	PASS
N66	30	10	DFT-16QAM	Low	Inner_Full	23.69	26.45	30	PASS
N66	30	10	DFT-64QAM	Low	Inner_1RB_Left	22.57	25.33	30	PASS
N66	30	10	DFT-64QAM	Low	Inner_1RB_Right	22.82	25.58	30	PASS
N66	30	10	DFT-64QAM	Low	Inner_Full	22.14	24.90	30	PASS
N66	30	10	DFT-256QAM	Low	Inner_1RB_Left	20.46	23.22	30	PASS
N66	30	10	DFT-256QAM	Low	Inner_1RB_Right	20.55	23.31	30	PASS
N66	30	10	DFT-256QAM	Low	Inner_Full	20.18	22.94	30	PASS
N66	30	10	CP-QPSK	Low	Inner_1RB_Left	22.05	24.81	30	PASS
N66	30	10	CP-QPSK	Low	Inner_1RB_Right	22.25	25.01	30	PASS
N66	30	10	CP-QPSK	Low	Inner_Full	23.11	25.87	30	PASS
N66	30	10	CP-16QAM	Low	Inner_1RB_Left	21.95	24.71	30	PASS
N66	30	10	CP-16QAM	Low	Inner_1RB_Right	22.18	24.94	30	PASS
N66	30	10	CP-16QAM	Low	Inner_Full	22.57	25.33	30	PASS
N66	30	10	CP-64QAM	Low	Inner_1RB_Left	21.53	24.29	30	PASS
N66	30	10	CP-64QAM	Low	Inner_1RB_Right	21.79	24.55	30	PASS
N66	30	10	CP-64QAM	Low	Inner_Full	21.09	23.85	30	PASS
N66	30	10	CP-256QAM	Low	Inner_1RB_Left	18.41	21.17	30	PASS
N66	30	10	CP-256QAM	Low	Inner_1RB_Right	18.68	21.44	30	PASS
N66	30	10	CP-256QAM	Low	Inner_Full	18.15	20.91	30	PASS
N66	30	10	DFT-PI2BPSK	Mid	Inner_1RB_Left	23.87	26.63	30	PASS
N66	30	10	DFT-PI2BPSK	Mid	Inner_1RB_Right	24.12	26.88	30	PASS
N66	30	10	DFT-PI2BPSK	Mid	Inner_Full	24.03	26.79	30	PASS
N66	30	10	DFT-QPSK	Mid	Inner_1RB_Left	23.26	26.02	30	PASS
N66	30	10	DFT-QPSK	Mid	Inner_1RB_Right	24.01	26.77	30	PASS
N66	30	10	DFT-QPSK	Mid	Inner_Full	23.98	26.74	30	PASS
N66	30	10	DFT-16QAM	Mid	Inner_1RB_Left	22.31	25.07	30	PASS
N66	30	10	DFT-16QAM	Mid	Inner_1RB_Right	23.12	25.88	30	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南楼 邮编: 215000

t (86-512) 62992980 www.sgsgroup.com.cn
t (86-512) 62992980 sgs.china@sgs.com

Report No.: SUZR/2021/C001402

Rev.: 01

Page: 18 of 121

N66	30	10	DFT-16QAM	Mid	Inner_Full	23.85	26.61	30	PASS
N66	30	10	DFT-64QAM	Mid	Inner_1RB_Left	21.97	24.73	30	PASS
N66	30	10	DFT-64QAM	Mid	Inner_1RB_Right	22.72	25.48	30	PASS
N66	30	10	DFT-64QAM	Mid	Inner_Full	23.24	26.00	30	PASS
N66	30	10	DFT-256QAM	Mid	Inner_1RB_Left	19.56	22.32	30	PASS
N66	30	10	DFT-256QAM	Mid	Inner_1RB_Right	20.29	23.05	30	PASS
N66	30	10	DFT-256QAM	Mid	Inner_Full	21.17	23.93	30	PASS
N66	30	10	CP-QPSK	Mid	Inner_1RB_Left	21.26	24.02	30	PASS
N66	30	10	CP-QPSK	Mid	Inner_1RB_Right	22.04	24.80	30	PASS
N66	30	10	CP-QPSK	Mid	Inner_Full	24.17	26.93	30	PASS
N66	30	10	CP-16QAM	Mid	Inner_1RB_Left	21.21	23.97	30	PASS
N66	30	10	CP-16QAM	Mid	Inner_1RB_Right	22.03	24.79	30	PASS
N66	30	10	CP-16QAM	Mid	Inner_Full	23.66	26.42	30	PASS
N66	30	10	CP-64QAM	Mid	Inner_1RB_Left	20.65	23.41	30	PASS
N66	30	10	CP-64QAM	Mid	Inner_1RB_Right	21.47	24.23	30	PASS
N66	30	10	CP-64QAM	Mid	Inner_Full	22.13	24.89	30	PASS
N66	30	10	CP-256QAM	Mid	Inner_1RB_Left	17.92	20.68	30	PASS
N66	30	10	CP-256QAM	Mid	Inner_1RB_Right	18.67	21.43	30	PASS
N66	30	10	CP-256QAM	Mid	Inner_Full	19.18	21.94	30	PASS
N66	30	10	DFT-PI2BPSK	High	Inner_1RB_Left	23.47	26.23	30	PASS
N66	30	10	DFT-PI2BPSK	High	Inner_1RB_Right	23.74	26.50	30	PASS
N66	30	10	DFT-PI2BPSK	High	Inner_Full	23.52	26.28	30	PASS
N66	30	10	DFT-QPSK	High	Inner_1RB_Left	24.45	27.21	30	PASS
N66	30	10	DFT-QPSK	High	Inner_1RB_Right	23.46	26.22	30	PASS
N66	30	10	DFT-QPSK	High	Inner_Full	23.14	25.90	30	PASS
N66	30	10	DFT-16QAM	High	Inner_1RB_Left	23.63	26.39	30	PASS
N66	30	10	DFT-16QAM	High	Inner_1RB_Right	23.97	26.73	30	PASS
N66	30	10	DFT-16QAM	High	Inner_Full	24.00	26.76	30	PASS
N66	30	10	DFT-64QAM	High	Inner_1RB_Left	23.11	25.87	30	PASS
N66	30	10	DFT-64QAM	High	Inner_1RB_Right	23.43	26.19	30	PASS
N66	30	10	DFT-64QAM	High	Inner_Full	22.46	25.22	30	PASS
N66	30	10	DFT-256QAM	High	Inner_1RB_Left	21.03	23.79	30	PASS
N66	30	10	DFT-256QAM	High	Inner_1RB_Right	21.38	24.14	30	PASS
N66	30	10	DFT-256QAM	High	Inner_Full	20.44	23.20	30	PASS
N66	30	10	CP-QPSK	High	Inner_1RB_Left	22.62	25.38	30	PASS
N66	30	10	CP-QPSK	High	Inner_1RB_Right	22.98	25.74	30	PASS
N66	30	10	CP-QPSK	High	Inner_Full	23.45	26.21	30	PASS
N66	30	10	CP-16QAM	High	Inner_1RB_Left	22.60	25.36	30	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000
中国·苏州·中国（江苏）自由贸易试验区苏州片区苏州工业园区润胜路1号6号厂房南楼 邮编：215000

t (86-512) 62992980 www.sgsgroup.com.cn
t (86-512) 62992980 sgs.china@sgs.com



Report No.: SUZR/2021/C001402

Rev.: 01

Page: 19 of 121

N66	30	10	CP-16QAM	High	Inner_1RB_Right	22.88	25.64	30	PASS
N66	30	10	CP-16QAM	High	Inner_Full	22.97	25.73	30	PASS
N66	30	10	CP-64QAM	High	Inner_1RB_Left	22.02	24.78	30	PASS
N66	30	10	CP-64QAM	High	Inner_1RB_Right	22.38	25.14	30	PASS
N66	30	10	CP-64QAM	High	Inner_Full	21.45	24.21	30	PASS
N66	30	10	CP-256QAM	High	Inner_1RB_Left	19.18	21.94	30	PASS
N66	30	10	CP-256QAM	High	Inner_1RB_Right	19.56	22.32	30	PASS
N66	30	10	CP-256QAM	High	Inner_Full	18.46	21.22	30	PASS
N66	30	15	DFT-PI2BPSK	Low	Inner_1RB_Left	23.52	26.28	30	PASS
N66	30	15	DFT-PI2BPSK	Low	Inner_1RB_Right	23.21	25.97	30	PASS
N66	30	15	DFT-PI2BPSK	Low	Inner_Full	23.76	26.52	30	PASS
N66	30	15	DFT-QPSK	Low	Inner_1RB_Left	23.56	26.32	30	PASS
N66	30	15	DFT-QPSK	Low	Inner_1RB_Right	22.25	25.01	30	PASS
N66	30	15	DFT-QPSK	Low	Inner_Full	22.87	25.63	30	PASS
N66	30	15	DFT-16QAM	Low	Inner_1RB_Left	23.89	26.65	30	PASS
N66	30	15	DFT-16QAM	Low	Inner_1RB_Right	21.77	24.53	30	PASS
N66	30	15	DFT-16QAM	Low	Inner_Full	22.34	25.10	30	PASS
N66	30	15	DFT-64QAM	Low	Inner_1RB_Left	23.43	26.19	30	PASS
N66	30	15	DFT-64QAM	Low	Inner_1RB_Right	19.77	22.53	30	PASS
N66	30	15	DFT-64QAM	Low	Inner_Full	20.37	23.13	30	PASS
N66	30	15	DFT-256QAM	Low	Inner_1RB_Left	21.34	24.10	30	PASS
N66	30	15	DFT-256QAM	Low	Inner_1RB_Right	21.16	23.92	30	PASS
N66	30	15	DFT-256QAM	Low	Inner_Full	21.80	24.56	30	PASS
N66	30	15	CP-QPSK	Low	Inner_1RB_Left	24.36	27.12	30	PASS
N66	30	15	CP-QPSK	Low	Inner_1RB_Right	21.32	24.08	30	PASS
N66	30	15	CP-QPSK	Low	Inner_Full	21.82	24.58	30	PASS
N66	30	15	CP-16QAM	Low	Inner_1RB_Left	23.89	26.65	30	PASS
N66	30	15	CP-16QAM	Low	Inner_1RB_Right	20.64	23.40	30	PASS
N66	30	15	CP-16QAM	Low	Inner_Full	21.30	24.06	30	PASS
N66	30	15	CP-64QAM	Low	Inner_1RB_Left	22.38	25.14	30	PASS
N66	30	15	CP-64QAM	Low	Inner_1RB_Right	17.83	20.59	30	PASS
N66	30	15	CP-64QAM	Low	Inner_Full	18.40	21.16	30	PASS
N66	30	15	CP-256QAM	Low	Inner_1RB_Left	19.42	22.18	30	PASS
N66	30	15	CP-256QAM	Low	Inner_1RB_Right	23.78	26.54	30	PASS
N66	30	15	CP-256QAM	Low	Inner_Full	23.21	25.97	30	PASS
N66	30	15	DFT-PI2BPSK	Mid	Inner_1RB_Left	20.07	22.83	30	PASS
N66	30	15	DFT-PI2BPSK	Mid	Inner_1RB_Right	21.04	23.80	30	PASS
N66	30	15	DFT-PI2BPSK	Mid	Inner_Full	23.96	26.72	30	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000
中国·苏州·中国（江苏）自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南楼 邮编：215000

t (86-512) 62992980 www.sgs.com
t (86-512) 62992980 sgs.china@sgs.com



Report No.: SUZR/2021/C001402

Rev.: 01

Page: 20 of 121

N66	30	15	DFT-QPSK	Mid	Inner_1RB_Right	22.91	25.67	30	PASS
N66	30	15	DFT-QPSK	Mid	Inner_Full	23.46	26.22	30	PASS
N66	30	15	DFT-QPSK	Mid	Inner_1RB_Left	23.84	26.60	30	PASS
N66	30	15	DFT-16QAM	Mid	Inner_1RB_Right	21.95	24.71	30	PASS
N66	30	15	DFT-16QAM	Mid	Inner_Full	22.57	25.33	30	PASS
N66	30	15	DFT-16QAM	Mid	Inner_1RB_Left	23.54	26.30	30	PASS
N66	30	15	DFT-64QAM	Mid	Inner_1RB_Right	21.47	24.23	30	PASS
N66	30	15	DFT-64QAM	Mid	Inner_Full	22.04	24.80	30	PASS
N66	30	15	DFT-64QAM	Mid	Inner_1RB_Left	23.13	25.89	30	PASS
N66	30	15	DFT-256QAM	Mid	Inner_1RB_Right	19.47	22.23	30	PASS
N66	30	15	DFT-256QAM	Mid	Inner_Full	20.07	22.83	30	PASS
N66	30	15	DFT-256QAM	Mid	Inner_1RB_Left	21.04	23.80	30	PASS
N66	30	15	CP-QPSK	Mid	Inner_1RB_Right	20.86	23.62	30	PASS
N66	30	15	CP-QPSK	Mid	Inner_Full	21.50	24.26	30	PASS
N66	30	15	CP-QPSK	Mid	Inner_1RB_Left	24.06	26.82	30	PASS
N66	30	15	CP-16QAM	Mid	Inner_1RB_Right	21.02	23.78	30	PASS
N66	30	15	CP-16QAM	Mid	Inner_Full	21.52	24.28	30	PASS
N66	30	15	CP-16QAM	Mid	Inner_1RB_Left	23.59	26.35	30	PASS
N66	30	15	CP-64QAM	Mid	Inner_1RB_Right	20.34	23.10	30	PASS
N66	30	15	CP-64QAM	Mid	Inner_Full	21.00	23.76	30	PASS
N66	30	15	CP-64QAM	Mid	Inner_1RB_Left	22.08	24.84	30	PASS
N66	30	15	CP-256QAM	Mid	Inner_1RB_Right	17.53	20.29	30	PASS
N66	30	15	CP-256QAM	Mid	Inner_Full	18.10	20.86	30	PASS
N66	30	15	CP-256QAM	Mid	Inner_1RB_Left	19.12	21.88	30	PASS
N66	30	15	DFT-PI2BPSK	High	Inner_1RB_Right	24.04	26.80	30	PASS
N66	30	15	DFT-PI2BPSK	High	Inner_Full	24.12	26.88	30	PASS
N66	30	15	DFT-PI2BPSK	High	Inner_1RB_Left	24.36	27.12	30	PASS
N66	30	15	DFT-QPSK	High	Inner_1RB_Right	23.49	26.25	30	PASS
N66	30	15	DFT-QPSK	High	Inner_Full	24.18	26.94	30	PASS
N66	30	15	DFT-QPSK	High	Inner_1RB_Left	24.33	27.09	30	PASS
N66	30	15	DFT-16QAM	High	Inner_1RB_Right	22.56	25.32	30	PASS
N66	30	15	DFT-16QAM	High	Inner_Full	23.32	26.08	30	PASS
N66	30	15	DFT-16QAM	High	Inner_1RB_Left	23.98	26.74	30	PASS
N66	30	15	DFT-64QAM	High	Inner_1RB_Right	22.09	24.85	30	PASS
N66	30	15	DFT-64QAM	High	Inner_Full	22.78	25.54	30	PASS
N66	30	15	DFT-64QAM	High	Inner_1RB_Left	22.46	25.22	30	PASS
N66	30	15	DFT-256QAM	High	Inner_1RB_Right	20.09	22.85	30	PASS
N66	30	15	DFT-256QAM	High	Inner_Full	20.76	23.52	30	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南楼 邮编: 215000

t (86-512) 62992980 www.sgs.com.cn
t (86-512) 62992980 sgs.china@sgs.com



Report No.: SUZR/2021/C001402

Rev.: 01

Page: 21 of 121

N66	30	15	DFT-256QAM	High	Inner_1RB_Left	20.34	23.10	30	PASS
N66	30	15	CP-QPSK	High	Inner_1RB_Right	21.57	24.33	30	PASS
N66	30	15	CP-QPSK	High	Inner_Full	22.22	24.98	30	PASS
N66	30	15	CP-QPSK	High	Inner_1RB_Left	23.39	26.15	30	PASS
N66	30	15	CP-16QAM	High	Inner_1RB_Right	21.59	24.35	30	PASS
N66	30	15	CP-16QAM	High	Inner_Full	22.23	24.99	30	PASS
N66	30	15	CP-16QAM	High	Inner_1RB_Left	22.94	25.70	30	PASS
N66	30	15	CP-64QAM	High	Inner_1RB_Right	20.99	23.75	30	PASS
N66	30	15	CP-64QAM	High	Inner_Full	21.68	24.44	30	PASS
N66	30	15	CP-64QAM	High	Inner_1RB_Left	21.39	24.15	30	PASS
N66	30	15	CP-256QAM	High	Inner_1RB_Right	18.13	20.89	30	PASS
N66	30	15	CP-256QAM	High	Inner_Full	18.79	21.55	30	PASS
N66	30	15	CP-256QAM	High	Inner_1RB_Left	18.46	21.22	30	PASS
N66	30	20	DFT-PI2BPSK	Low	Inner_1RB_Right	24.45	27.21	30	PASS
N66	30	20	DFT-PI2BPSK	Low	Inner_Full	24.36	27.12	30	PASS
N66	30	20	DFT-PI2BPSK	Low	Inner_1RB_Left	24.32	27.08	30	PASS
N66	30	20	DFT-QPSK	Low	Inner_1RB_Right	23.97	26.73	30	PASS
N66	30	20	DFT-QPSK	Low	Inner_Full	24.25	27.01	30	PASS
N66	30	20	DFT-QPSK	Low	Inner_1RB_Left	24.31	27.07	30	PASS
N66	30	20	DFT-16QAM	Low	Inner_1RB_Right	23.05	25.81	30	PASS
N66	30	20	DFT-16QAM	Low	Inner_Full	23.32	26.08	30	PASS
N66	30	20	DFT-16QAM	Low	Inner_1RB_Left	23.69	26.45	30	PASS
N66	30	20	DFT-64QAM	Low	Inner_1RB_Right	22.57	25.33	30	PASS
N66	30	20	DFT-64QAM	Low	Inner_Full	22.82	25.58	30	PASS
N66	30	20	DFT-64QAM	Low	Inner_1RB_Left	22.14	24.90	30	PASS
N66	30	20	DFT-256QAM	Low	Inner_1RB_Right	20.46	23.22	30	PASS
N66	30	20	DFT-256QAM	Low	Inner_Full	20.55	23.31	30	PASS
N66	30	20	DFT-256QAM	Low	Inner_1RB_Left	20.18	22.94	30	PASS
N66	30	20	CP-QPSK	Low	Inner_1RB_Right	22.05	24.81	30	PASS
N66	30	20	CP-QPSK	Low	Inner_Full	22.25	25.01	30	PASS
N66	30	20	CP-QPSK	Low	Inner_1RB_Left	23.11	25.87	30	PASS
N66	30	20	CP-16QAM	Low	Inner_1RB_Right	21.95	24.71	30	PASS
N66	30	20	CP-16QAM	Low	Inner_Full	22.18	24.94	30	PASS
N66	30	20	CP-16QAM	Low	Inner_1RB_Left	22.57	25.33	30	PASS
N66	30	20	CP-64QAM	Low	Inner_1RB_Right	21.53	24.29	30	PASS
N66	30	20	CP-64QAM	Low	Inner_Full	21.79	24.55	30	PASS
N66	30	20	CP-64QAM	Low	Inner_1RB_Left	21.09	23.85	30	PASS
N66	30	20	CP-256QAM	Low	Inner_1RB_Right	18.41	21.17	30	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南楼 邮编: 215000

t (86-512) 62992980 www.sgsgroup.com.cn
t (86-512) 62992980 sgs.china@sgs.com



Report No.: SUZR/2021/C001402

Rev.: 01

Page: 22 of 121

N66	30	20	CP-256QAM	Low	Inner_Full	18.68	21.44	30	PASS
N66	30	20	CP-256QAM	Low	Inner_1RB_Left	18.15	20.91	30	PASS
N66	30	20	DFT-PI2BPSK	Mid	Inner_1RB_Right	23.87	26.63	30	PASS
N66	30	20	DFT-PI2BPSK	Mid	Inner_Full	24.25	27.01	30	PASS
N66	30	20	DFT-PI2BPSK	Mid	Inner_1RB_Left	24.45	27.21	30	PASS
N66	30	20	DFT-QPSK	Mid	Inner_1RB_Right	23.26	26.02	30	PASS
N66	30	20	DFT-QPSK	Mid	Inner_Full	24.01	26.77	30	PASS
N66	30	20	DFT-QPSK	Mid	Inner_1RB_Left	24.21	26.97	30	PASS
N66	30	20	DFT-16QAM	Mid	Inner_1RB_Right	22.31	25.07	30	PASS
N66	30	20	DFT-16QAM	Mid	Inner_Full	23.12	25.88	30	PASS
N66	30	20	DFT-16QAM	Mid	Inner_1RB_Left	23.96	26.72	30	PASS
N66	30	20	DFT-64QAM	Mid	Inner_1RB_Right	21.97	24.73	30	PASS
N66	30	20	DFT-64QAM	Mid	Inner_Full	22.72	25.48	30	PASS
N66	30	20	DFT-64QAM	Mid	Inner_1RB_Left	23.24	26.00	30	PASS
N66	30	20	DFT-256QAM	Mid	Inner_1RB_Right	19.56	22.32	30	PASS
N66	30	20	DFT-256QAM	Mid	Inner_Full	20.29	23.05	30	PASS
N66	30	20	DFT-256QAM	Mid	Inner_1RB_Left	21.17	23.93	30	PASS
N66	30	20	CP-QPSK	Mid	Inner_1RB_Right	21.26	24.02	30	PASS
N66	30	20	CP-QPSK	Mid	Inner_Full	22.04	24.80	30	PASS
N66	30	20	CP-QPSK	Mid	Inner_1RB_Left	24.17	26.93	30	PASS
N66	30	20	CP-16QAM	Mid	Inner_1RB_Right	21.21	23.97	30	PASS
N66	30	20	CP-16QAM	Mid	Inner_Full	22.03	24.79	30	PASS
N66	30	20	CP-16QAM	Mid	Inner_1RB_Left	23.66	26.42	30	PASS
N66	30	20	CP-64QAM	Mid	Inner_1RB_Right	20.65	23.41	30	PASS
N66	30	20	CP-64QAM	Mid	Inner_Full	21.47	24.23	30	PASS
N66	30	20	CP-64QAM	Mid	Inner_1RB_Left	22.13	24.89	30	PASS
N66	30	20	CP-256QAM	Mid	Inner_1RB_Right	17.92	20.68	30	PASS
N66	30	20	CP-256QAM	Mid	Inner_Full	18.67	21.43	30	PASS
N66	30	20	CP-256QAM	Mid	Inner_1RB_Left	19.18	21.94	30	PASS
N66	30	20	DFT-PI2BPSK	High	Inner_1RB_Right	23.56	26.32	30	PASS
N66	30	20	DFT-PI2BPSK	High	Inner_Full	23.52	26.28	30	PASS
N66	30	20	DFT-PI2BPSK	High	Inner_1RB_Left	22.36	25.12	30	PASS
N66	30	20	DFT-QPSK	High	Inner_1RB_Right	22.54	25.30	30	PASS
N66	30	20	DFT-QPSK	High	Inner_Full	23.63	26.39	30	PASS
N66	30	20	DFT-QPSK	High	Inner_1RB_Left	23.41	26.17	30	PASS
N66	30	20	DFT-16QAM	High	Inner_1RB_Right	23.63	26.39	30	PASS
N66	30	20	DFT-16QAM	High	Inner_Full	23.97	26.73	30	PASS
N66	30	20	DFT-16QAM	High	Inner_1RB_Left	24.00	26.76	30	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号6号厂房南楼 邮编: 215000

t (86-512) 62992980 www.sgs.com.cn
t (86-512) 62992980 sgs.china@sgs.com

Report No.: SUZR/2021/C001402

Rev.: 01

Page: 23 of 121

N66	30	20	DFT-64QAM	High	Inner_1RB_Right	23.11	25.87	30	PASS
N66	30	20	DFT-64QAM	High	Inner_Full	23.43	26.19	30	PASS
N66	30	20	DFT-64QAM	High	Inner_1RB_Left	22.46	25.22	30	PASS
N66	30	20	DFT-256QAM	High	Inner_1RB_Right	21.03	23.79	30	PASS
N66	30	20	DFT-256QAM	High	Inner_Full	21.38	24.14	30	PASS
N66	30	20	DFT-256QAM	High	Inner_1RB_Left	20.44	23.20	30	PASS
N66	30	20	CP-QPSK	High	Inner_1RB_Right	22.62	25.38	30	PASS
N66	30	20	CP-QPSK	High	Inner_Full	22.98	25.74	30	PASS
N66	30	20	CP-QPSK	High	Inner_1RB_Left	23.45	26.21	30	PASS
N66	30	20	CP-16QAM	High	Inner_1RB_Right	22.60	25.36	30	PASS
N66	30	20	CP-16QAM	High	Inner_Full	22.88	25.64	30	PASS
N66	30	20	CP-16QAM	High	Inner_1RB_Left	22.97	25.73	30	PASS
N66	30	20	CP-64QAM	High	Inner_1RB_Right	22.02	24.78	30	PASS
N66	30	20	CP-64QAM	High	Inner_Full	22.38	25.14	30	PASS
N66	30	20	CP-64QAM	High	Inner_1RB_Left	21.45	24.21	30	PASS
N66	30	20	CP-256QAM	High	Inner_1RB_Right	19.18	21.94	30	PASS
N66	30	20	CP-256QAM	High	Inner_Full	19.56	22.32	30	PASS
N66	30	20	CP-256QAM	High	Inner_1RB_Left	18.46	21.22	30	PASS
N66	30	25	DFT-PI2BPSK	low	Inner_Full	23.52	26.28	30	PASS
N66	30	25	DFT-PI2BPSK	low	Inner_1RB_Left	23.14	25.90	30	PASS
N66	30	25	DFT-PI2BPSK	low	Inner_1RB_Right	23.41	26.17	30	PASS
N66	30	25	DFT-QPSK	low	Inner_Full	22.68	25.44	30	PASS
N66	30	25	DFT-QPSK	low	Inner_1RB_Left	23.23	25.99	30	PASS
N66	30	25	DFT-QPSK	low	Inner_1RB_Right	23.45	26.21	30	PASS
N66	30	25	DFT-16QAM	low	Inner_Full	21.72	24.48	30	PASS
N66	30	25	DFT-16QAM	low	Inner_1RB_Left	22.34	25.10	30	PASS
N66	30	25	DFT-16QAM	low	Inner_1RB_Right	24.46	27.22	30	PASS
N66	30	25	DFT-64QAM	low	Inner_Full	21.24	24.00	30	PASS
N66	30	25	DFT-64QAM	low	Inner_1RB_Left	21.81	24.57	30	PASS
N66	30	25	DFT-64QAM	low	Inner_1RB_Right	22.90	25.66	30	PASS
N66	30	25	DFT-256QAM	low	Inner_Full	19.24	22.00	30	PASS
N66	30	25	DFT-256QAM	low	Inner_1RB_Left	19.84	22.60	30	PASS
N66	30	25	DFT-256QAM	low	Inner_1RB_Right	20.81	23.57	30	PASS
N66	30	25	CP-QPSK	low	Inner_Full	20.63	23.39	30	PASS
N66	30	25	CP-QPSK	low	Inner_1RB_Left	21.27	24.03	30	PASS
N66	30	25	CP-QPSK	low	Inner_1RB_Right	23.83	26.59	30	PASS
N66	30	25	CP-16QAM	low	Inner_Full	20.79	23.55	30	PASS
N66	30	25	CP-16QAM	low	Inner_1RB_Left	21.29	24.05	30	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000
中国·苏州·中国（江苏）自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南楼 邮编：215000

t (86-512) 62992980 www.sgs.com.cn
t (86-512) 62992980 sgs.china@sgs.com

Report No.: SUZR/2021/C001402

Rev.: 01

Page: 24 of 121

N66	30	25	CP-16QAM	low	Inner_1RB_Right	23.36	26.12	30	PASS
N66	30	25	CP-64QAM	low	Inner_Full	20.11	22.87	30	PASS
N66	30	25	CP-64QAM	low	Inner_1RB_Left	20.77	23.53	30	PASS
N66	30	25	CP-64QAM	low	Inner_1RB_Right	21.85	24.61	30	PASS
N66	30	25	CP-256QAM	low	Inner_Full	17.30	20.06	30	PASS
N66	30	25	CP-256QAM	low	Inner_1RB_Left	17.87	20.63	30	PASS
N66	30	25	CP-256QAM	low	Inner_1RB_Right	18.89	21.65	30	PASS
N66	30	25	DFT-PI2BPSK	mid	Inner_Full	24.47	27.23	30	PASS
N66	30	25	DFT-PI2BPSK	mid	Inner_1RB_Left	23.78	26.54	30	PASS
N66	30	25	DFT-PI2BPSK	mid	Inner_1RB_Right	23.10	25.86	30	PASS
N66	30	25	DFT-QPSK	mid	Inner_Full	22.68	25.44	30	PASS
N66	30	25	DFT-QPSK	mid	Inner_1RB_Left	23.23	25.99	30	PASS
N66	30	25	DFT-QPSK	mid	Inner_1RB_Right	24.37	27.13	30	PASS
N66	30	25	DFT-16QAM	mid	Inner_Full	21.72	24.48	30	PASS
N66	30	25	DFT-16QAM	mid	Inner_1RB_Left	22.34	25.10	30	PASS
N66	30	25	DFT-16QAM	mid	Inner_1RB_Right	24.46	27.22	30	PASS
N66	30	25	DFT-64QAM	mid	Inner_Full	21.24	24.00	30	PASS
N66	30	25	DFT-64QAM	mid	Inner_1RB_Left	21.81	24.57	30	PASS
N66	30	25	DFT-64QAM	mid	Inner_1RB_Right	22.90	25.66	30	PASS
N66	30	25	DFT-256QAM	mid	Inner_Full	19.24	22.00	30	PASS
N66	30	25	DFT-256QAM	mid	Inner_1RB_Left	19.84	22.60	30	PASS
N66	30	25	DFT-256QAM	mid	Inner_1RB_Right	20.81	23.57	30	PASS
N66	30	25	CP-QPSK	mid	Inner_Full	20.63	23.39	30	PASS
N66	30	25	CP-QPSK	mid	Inner_1RB_Left	21.27	24.03	30	PASS
N66	30	25	CP-QPSK	mid	Inner_1RB_Right	23.83	26.59	30	PASS
N66	30	25	CP-16QAM	mid	Inner_Full	20.79	23.55	30	PASS
N66	30	25	CP-16QAM	mid	Inner_1RB_Left	21.29	24.05	30	PASS
N66	30	25	CP-16QAM	mid	Inner_1RB_Right	23.36	26.12	30	PASS
N66	30	25	CP-64QAM	mid	Inner_Full	20.11	22.87	30	PASS
N66	30	25	CP-64QAM	mid	Inner_1RB_Left	20.77	23.53	30	PASS
N66	30	25	CP-64QAM	mid	Inner_1RB_Right	21.85	24.61	30	PASS
N66	30	25	CP-256QAM	mid	Inner_Full	17.30	20.06	30	PASS
N66	30	25	CP-256QAM	mid	Inner_1RB_Left	17.87	20.63	30	PASS
N66	30	25	CP-256QAM	mid	Inner_1RB_Right	18.89	21.65	30	PASS
N66	30	25	DFT-PI2BPSK	High	Inner_Full	23.81	26.57	30	PASS
N66	30	25	DFT-PI2BPSK	High	Inner_1RB_Left	24.47	27.23	30	PASS
N66	30	25	DFT-PI2BPSK	High	Inner_1RB_Right	23.51	26.27	30	PASS
N66	30	25	DFT-QPSK	High	Inner_Full	23.26	26.02	30	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000
中国·苏州·中国（江苏）自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南楼 邮编：215000

t (86-512) 62992980 www.sgs.com.cn
t (86-512) 62992980 sgs.china@sgs.com



Report No.: SUZR/2021/C001402

Rev.: 01

Page: 25 of 121

N66	30	25	DFT-QPSK	High	Inner_1RB_Left	23.95	26.71	30	PASS
N66	30	25	DFT-QPSK	High	Inner_1RB_Right	23.41	26.17	30	PASS
N66	30	25	DFT-16QAM	High	Inner_Full	22.33	25.09	30	PASS
N66	30	25	DFT-16QAM	High	Inner_1RB_Left	23.09	25.85	30	PASS
N66	30	25	DFT-16QAM	High	Inner_1RB_Right	23.75	26.51	30	PASS
N66	30	25	DFT-64QAM	High	Inner_Full	21.86	24.62	30	PASS
N66	30	25	DFT-64QAM	High	Inner_1RB_Left	22.55	25.31	30	PASS
N66	30	25	DFT-64QAM	High	Inner_1RB_Right	22.23	24.99	30	PASS
N66	30	25	DFT-256QAM	High	Inner_Full	19.86	22.62	30	PASS
N66	30	25	DFT-256QAM	High	Inner_1RB_Left	20.53	23.29	30	PASS
N66	30	25	DFT-256QAM	High	Inner_1RB_Right	20.11	22.87	30	PASS
N66	30	25	CP-QPSK	High	Inner_Full	21.34	24.10	30	PASS
N66	30	25	CP-QPSK	High	Inner_1RB_Left	21.99	24.75	30	PASS
N66	30	25	CP-QPSK	High	Inner_1RB_Right	23.16	25.92	30	PASS
N66	30	25	CP-16QAM	High	Inner_Full	21.36	24.12	30	PASS
N66	30	25	CP-16QAM	High	Inner_1RB_Left	22.00	24.76	30	PASS
N66	30	25	CP-16QAM	High	Inner_1RB_Right	22.71	25.47	30	PASS
N66	30	25	CP-64QAM	High	Inner_Full	20.76	23.52	30	PASS
N66	30	25	CP-64QAM	High	Inner_1RB_Left	21.45	24.21	30	PASS
N66	30	25	CP-64QAM	High	Inner_1RB_Right	21.16	23.92	30	PASS
N66	30	25	CP-256QAM	High	Inner_Full	17.90	20.66	30	PASS
N66	30	25	CP-256QAM	High	Inner_1RB_Left	18.56	21.32	30	PASS
N66	30	25	CP-256QAM	High	Inner_1RB_Right	18.23	20.99	30	PASS
N66	30	30	DFT-PI2BPSK	Low	Inner_Full	24.34	27.10	30	PASS
N66	30	30	DFT-PI2BPSK	Low	Inner_1RB_Left	23.44	26.20	30	PASS
N66	30	30	DFT-PI2BPSK	Low	Inner_1RB_Right	24.43	27.19	30	PASS
N66	30	30	DFT-QPSK	Low	Inner_Full	23.74	26.50	30	PASS
N66	30	30	DFT-QPSK	Low	Inner_1RB_Left	24.02	26.78	30	PASS
N66	30	30	DFT-QPSK	Low	Inner_1RB_Right	24.43	27.19	30	PASS
N66	30	30	DFT-16QAM	Low	Inner_Full	22.82	25.58	30	PASS
N66	30	30	DFT-16QAM	Low	Inner_1RB_Left	23.09	25.85	30	PASS
N66	30	30	DFT-16QAM	Low	Inner_1RB_Right	23.46	26.22	30	PASS
N66	30	30	DFT-64QAM	Low	Inner_Full	22.34	25.10	30	PASS
N66	30	30	DFT-64QAM	Low	Inner_1RB_Left	22.59	25.35	30	PASS
N66	30	30	DFT-64QAM	Low	Inner_1RB_Right	21.91	24.67	30	PASS
N66	30	30	DFT-256QAM	Low	Inner_Full	20.23	22.99	30	PASS
N66	30	30	DFT-256QAM	Low	Inner_1RB_Left	20.32	23.08	30	PASS
N66	30	30	DFT-256QAM	Low	Inner_1RB_Right	19.95	22.71	30	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000
中国·苏州·中国（江苏）自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南楼 邮编：215000

t (86-512) 62992980 www.sgsgroup.com.cn
t (86-512) 62992980 sgs.china@sgs.com