

SAR TEST REPORT



The following samples were submitted and identified on behalf of the client as:

Equipment Under Test	LTE module
Brand Name	Fibocom
Model No.	L850-GL
Company Name	Fibocom Wireless Inc.
Company Address	5/F, Tower A, Technology Building II, 1057 Nanhai Blvd, Navshanm Shenshen, China
Standards	IEEE/ANSI C95.1-1992, IEEE 1528-2013
FCC ID	ZMOL850GLD-D2
Date of Receipt	Sep. 03, 2020
Date of Test(s)	Sep. 08, 2020 ~ Oct. 06, 2020
Date of Issue	Dec. 01, 2020

In the configuration tested, the EUT complied with the standards specified above.

Remarks:

This report details the results of the testing carried out on one sample, the results contained in this test report do not relate to other samples of the same product. The manufacturer should ensure that all products in series production are in conformity with the product sample detailed in this report.

This report may only be reproduced and distributed in full. If the product in this report is used in any configuration other than that detailed in the report, the manufacturer must ensure the new system complies with all relevant standards. Any mention of SGS Taiwan Ltd. Central RF Lab or testing done by SGS Taiwan Ltd. Central RF Lab in connection with distribution or use of the product described in this report must be approved by SGS Taiwan Ltd. Central RF Lab in writing.

Signed on behalf of SGS

Clerk / Ruby Ou	Supervisor / Afu Chen	Asst. Manager / John Yeh
Ruby Ou	Afu Chen	John Teh

Date: Dec. 01, 2020

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Revision History

Report Number	Revision	Description	Issue Date
EN/2020/80008	Rev.00	Initial creation of document	Dec. 01, 2020

Note:

1. Measurement results in the original test report EN/2020/80007 are fully leveraged in this test report EN/2020/80008.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Contents

0. Guidance applied	4
1. General Information	5
1.1 Testing Laboratory	5
1.2 Details of Applicant	5
1.3 Description of EUT	6
1.3.1 LTE Downlink CA specification	140
1.4 Test Environment	145
1.5 Operation Description	145
1.6 Proximity sensor operation description	154
1.7 The SAR Measurement System	162
1.8 System Components	164
1.9 SAR System Verification	166
1.10 Tissue Simulant Fluid for the Frequency Band	168
1.11 Evaluation Procedures	173
1.12 Probe Calibration Procedures	174
1.13 Test Standards and Limits	177
2. Summary of Results	179
2.1 Decision rules	179
2.2 Summary of Results	179
2.3 Reporting statements of conformity	210
3. Simultaneous Transmission Analysis	211
3.1 Estimated SAR calculation	212
3.2 SPLSR evaluation and analysis	212
4. Instruments List	247
5. Measurements	249
6. SAR System Performance Verification	318
7. Uncertainty Budget	345
Appendices	347
EN202080008 SAR_Appendix A Photographs	347
EN202080008 SAR_Appendix B DAE & Probe Cal. Certificate	347
EN202080008 SAR_Appendix C Phantom Description & Dipole Cal. Certificate	347

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

0. Guidance applied

The SAR testing method and procedure for this device is in accordance with the following standards:

IEEE/ANSI C95.1-1992

IEEE 1528-2013

KDB616217D04v01r02

KDB865664D01v01r04

KDB865664D02v01r02

KDB941225D01v03r01

KDB941225D05v02r05

KDB941225D05Av01r02

KDB447498D01v06

KDB248227D01v02r02

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

1. General Information

1.1 Testing Laboratory

SGS Taiwan Ltd. Central RF Lab	
1F, No. 8, Alley 15, Lane 120, Sec. 1, NeiHu Road, Neihu District, Taipei City, 11493, Taiwan.	
FCC Designation Number	TW0029
Tel	+886-2-2299-3279
Fax	+886-2-2298-0488
Internet	http://www.tw.sgs.com/

1.2 Details of Applicant

Company Name	Fibocom Wireless Inc.
Company Address	5/F, Tower A, Technology Building II, 1057 Nanhai Blvd, Navsham Shenshen, China

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路134號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

1.3 Description of EUT

Equipment Under Test	Portable Computer		
Brand Name	DELL		
Model No.	P139G		
FCC ID	ZMOL850GLD-D2		
Integrated Module	WLAN	Brand Name : Qualcomm Atheros Model Name : QCNFA344A	
	WLAN	Brand Name : Intel Model Name : AX201NGW	
	WWAN	Brand Name : Fibocom Model Name : L850-GL	
Mode of Operation	<input checked="" type="checkbox"/> WCDMA <input checked="" type="checkbox"/> HSDPA <input checked="" type="checkbox"/> HSUPA <input checked="" type="checkbox"/> HSPA+ <input checked="" type="checkbox"/> DC-HSDPA <input checked="" type="checkbox"/> LTE FDD <input checked="" type="checkbox"/> LTE TDD <input checked="" type="checkbox"/> WLAN802.11 a/b/g/n/ac/ax(20M/40M/80M/160M) <input checked="" type="checkbox"/> Bluetooth		
	WCDMA	100%	
	LTE FDD	100%	
	LTE TDD	63.3%	
	WLAN802.11 a/b/g/n/ac/ax(20M/40M/80M/160M)	Refer to page 133-138	
Duty Cycle	Bluetooth	86.56%	
	WCDMA Band II	1850	— 1910
	WCDMA Band IV	1710	— 1755
	WCDMA Band V	824	— 849
	LTE FDD Band 2	1850	— 1910
	LTE FDD Band 4	1710	— 1755
	LTE FDD Band 5	824	— 849
TX Frequency Range (MHz)	LTE FDD Band 7	2500	— 2570

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

TX Frequency Range (MHz)	LTE FDD Band 12	699	—	716
	LTE FDD Band 13	777	—	787
	LTE FDD Band 17	704	—	716
	LTE FDD Band 26	814	—	849
	LTE FDD Band 30	2305	—	2315
	LTE TDD Band 38	2570	—	2620
	LTE TDD Band 41	2496	—	2690
	LTE FDD Band 66	1710	—	1780
	WLAN802.11 b/g/n/ax(20M)	2412	—	2472
	WLAN802.11 n/ax(40M)	2422	—	2462
	WLAN802.11 a/n/ac/ax(20M) 5.2G	5180	—	5240
	WLAN802.11 n/ac/ax(40M) 5.2G	5190	—	5230
	WLAN802.11 ac/ax(80M) 5.2G		5210	
	WLAN802.11 ac/ax(160M) 5.2G		5250	
	WLAN802.11 a/n/ac/ax(20M) 5.3G	5260	—	5320
	WLAN802.11 n/ac/ax(40M) 5.3G	5270	—	5310
	WLAN802.11 ac/ax(80M) 5.3G		5290	
	WLAN802.11 a/n/ac/ax(20M) 5.6G	5500	—	5720
	WLAN802.11 n/ac/ax(40M) 5.6G	5510	—	5710
	WLAN802.11 ac/ax(80M) 5.6G	5530	—	5690
	WLAN802.11 ac/ax(160M) 5.6G		5570	
	WLAN802.11 a/n/ac/ax(20M) 5.8G	5745	—	5825
	WLAN802.11 n/ac/ax(40M) 5.8G	5755	—	5795
	WLAN802.11 ac/ax(80M) 5.8G		5775	
	Bluetooth	2402	—	2480
Channel Number (ARFCN)	WCDMA Band II	9262	—	9538
	WCDMA Band IV	1312	—	1513
	WCDMA Band V	4132	—	4233

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Channel Number (ARFCN)	LTE FDD Band 2	18607	—	19193
	LTE FDD Band 4	19957	—	20393
	LTE FDD Band 5	20407	—	20643
	LTE FDD Band 7	20775	—	21425
	LTE FDD Band 12	23017	—	23173
	LTE FDD Band 13	23205	—	23255
	LTE FDD Band 17	23755	—	23825
	LTE FDD Band 26	26697	—	27033
	LTE FDD Band 30	27685	—	27735
	LTE TDD Band 38	37775	—	38225
	LTE TDD Band 41	39675	—	41565
	LTE FDD Band 66	131979	—	132665
	WLAN802.11 b/g/n/ax(20M)	1	—	13
	WLAN802.11 n/ax(40M)	3	—	11
	WLAN802.11 a/n/ac/ax(20M) 5.2G	36	—	48
	WLAN802.11 n/ac/ax(40M) 5.2G	38	—	46
	WLAN802.11 ac/ax(80M) 5.2G		42	
	WLAN802.11 ac/ax(160M) 5.2G		50	
	WLAN802.11 a/n/ac/ax(20M) 5.3G	52	—	64
	WLAN802.11 n/ac/ax(40M) 5.3G	54	—	62
	WLAN802.11 ac/ax(80M) 5.3G	58		
	WLAN802.11 a/n/ac/ax(20M) 5.6G	100	—	144
	WLAN802.11 n/ac/ax(40M) 5.6G	102	—	142
	WLAN802.11 ac/ax(80M) 5.6G	106	—	138
	WLAN802.11 ac/ax(160M) 5.6G		114	
	WLAN802.11 a/n/ac/ax(20M) 5.8G	149	—	165
	WLAN802.11 n/ac/ax(40M) 5.8G	151	—	159
	WLAN802.11 ac/ax(80M) 5.8G		155	
	Bluetooth	0	—	78

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Tablet mode**HONG-BO**

Max. SAR (1 g) (Unit: W/Kg)				
Band	Measured	Reported	Channel	Position
WCDMA Band II	0.34	0.34	9538	Top side
WCDMA Band IV	0.80	0.81	1312	Top side
WCDMA Band V	1.00	1.00	4183	Top side
LTE FDD Band 2	0.57	0.57	18700	Top side
LTE FDD Band 5	0.84	0.92	20600	Top side
LTE FDD Band 7	0.45	0.49	21350	Top side
LTE FDD Band 12	0.72	0.98	23130	Top side
LTE FDD Band 13	1.10	1.14	23230	Top side
LTE FDD Band 26	1.12	1.19	26965	Top side
LTE FDD Band 30	0.55	0.57	27710	Top side
LTE TDD Band 38	0.69	0.69	38150	Top side
LTE TDD Band 41	0.63	0.83	41055	Top side
LTE FDD Band 66	0.76	0.76	132572	Top side

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

WNC

Max. SAR (1 g) (Unit: W/Kg)				
Band	Measured	Reported	Channel	Position
WCDMA Band II	0.65	0.65	9538	Top side
WCDMA Band IV	0.94	0.94	1312	Top side
WCDMA Band V	0.95	0.95	4183	Top side
LTE FDD Band 2	0.75	0.75	18700	Top side
LTE FDD Band 5	1.11	1.17	20600	Top side
LTE FDD Band 7	0.82	0.90	21350	Top side
LTE FDD Band 12	0.79	0.94	23060	Top side
LTE FDD Band 13	1.07	1.11	23230	Top side
LTE FDD Band 26	1.03	1.15	26865	Top side
LTE FDD Band 30	0.15	0.16	27710	Back side
LTE TDD Band 38	0.64	0.64	38150	Top side
LTE TDD Band 41	0.73	0.74	41055	Top side
LTE FDD Band 66	0.92	1.01	132072	Top side

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

HONG-BO

Max. SAR (1g) (Unit: W/Kg)					
Antenna	Band	Measured	Reported	Channel	Position
Main	WLAN 802.11b	0.57	0.66	6	Left side
	WLAN 802.11n(40M) 5.2G	0.28	0.33	46	Left side
	WLAN 802.11ac(80M) 5.3G	0.34	0.40	58	Left side
	WLAN 802.11ac(80M) 5.6G	0.37	0.42	106	Left side
	WLAN 802.11n(40M) 5.8G	0.41	0.48	151	Left side
Aux	WLAN 802.11b	0.90	0.96	1	Back side
	Bluetooth(GFSK)	0.12	0.14	78	Back side
	WLAN 802.11n(40M) 5.2G	0.75	0.88	46	Back side
	WLAN 802.11ac(80M) 5.3G	0.73	0.79	58	Back side
	WLAN 802.11ac(80M) 5.6G	1.06	1.14	138	Back side
	WLAN 802.11n(40M) 5.8G	0.92	1.09	159	Back side

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

WNC

Max. SAR (1g) (Unit: W/Kg)					
Antenna	Band	Measured	Reported	Channel	Position
Main	WLAN 802.11b	0.62	0.71	6	Left side
	WLAN 802.11n(40M) 5.2G	0.37	0.44	46	Left side
	WLAN 802.11ac(80M) 5.3G	0.37	0.42	58	Left side
	WLAN 802.11ac(80M) 5.6G	0.39	0.45	106	Left side
	WLAN 802.11n(40M) 5.8G	0.43	0.50	151	Left side
Aux	WLAN 802.11b	1.10	1.17	1	Back side
	Bluetooth(GFSK)	0.11	0.13	78	Back side
	WLAN 802.11n(40M) 5.2G	0.56	0.66	46	Back side
	WLAN 802.11ac(80M) 5.3G	0.55	0.59	58	Back side
	WLAN 802.11ac(80M) 5.6G	0.63	0.68	138	Back side
	WLAN 802.11n(40M) 5.8G	0.61	0.72	159	Back side

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Antenna Information

WLAN

Notebook mode										
Vendor	HONG-BO									
Antenna	Main (PIFA)					Aux (PIFA)				
Part Number	025.901RE.0001(260-29062)					025.901RF.0001(260-29063)				
Frequency	2400~2500	5150~5250	5250~5350	5470~5725	5725~5850	2400~2500	5150~5250	5250~5350	5470~5725	5725~5850
Gain (dBi)	-0.79	-3.40	-3.54	-3.43	-3.34	0.31	-2.99	-2.47	-4.31	-4.59
Vendor	WNC									
Antenna	Main (PIFA)					Aux (PIFA)				
Part Number	025.901RE.0011(81ELAW15.G20)					025.901RF.0011(81EABG15.G08)				
Frequency	2400~2500	5150~5250	5250~5350	5470~5725	5725~5850	2400~2500	5150~5250	5250~5350	5470~5725	5725~5850
Gain (dBi)	1.41	-0.40	-0.52	0.07	0.07	-0.07	0.46	0.57	2.78	3.21
Tablet mode										
Vendor	HONG-BO									
Antenna	Main (PIFA)					Aux (PIFA)				
Part Number	025.901RE.0001(260-29062)					025.901RF.0001(260-29063)				
Frequency	2400~2500	5150~5250	5250~5350	5470~5725	5725~5850	2400~2500	5150~5250	5250~5350	5470~5725	5725~5850
Gain (dBi)	-3.11	-3.71	-3.87	-3.77	-3.51	-5.06	-4.67	-4.58	-5.25	-5.07
Vendor	WNC									
Antenna	Main (PIFA)					Aux (PIFA)				
Part Number	025.901RE.0011(81ELAW15.G20)					025.901RF.0011(81EABG15.G08)				
Frequency	2400~2500	5150~5250	5250~5350	5470~5725	5725~5850	2400~2500	5150~5250	5250~5350	5470~5725	5725~5850
Gain (dBi)	-0.36	-3.05	-2.54	-1.91	-1.98	-3.07	2.19	2.75	2.92	2.78

WWAN

Vendor	WNC						
Antenna	WWAN Main						
Part Number	025.901RE.0011(81ELAW15.G20)						
Frequency	699~716	777~787	814~849	1710~1780	1850~1910	2305~2315	2496~2690
Gain (dBi)	-1.70	-1.99	-0.87	-0.31	0.25	3.21	1.13
Vendor	HB						
Antenna	WWAN Main						
Part Number	025.901RE.0001(260 2 9062)						
Frequency	699~716	777~787	814~849	1710~1780	1850~1910	2305~2315	2496~2690
Gain (dBi)	-1.74	-3.31	-1.87	-2.67	0.23	1.31	-1.00
Tablet mode							
Vendor	WNC						
Antenna	WWAN Main						
Part Number	025.901RE.0011(81ELAW15.G20)						
Frequency	699~716	777~787	814~849	1710~1780	1850~1910	2305~2315	2496~2690
Gain (dBi)	-2.19	-2.90	-2.86	-0.84	0.14	0.71	-0.47
Vendor	HB						
Antenna	WWAN Main						
Part Number	025.901RE.0001(260 2 9062)						
Frequency	699~716	777~787	814~849	1710~1780	1850~1910	2305~2315	2496~2690
Gain (dBi)	-1.56	-4.32	-5.06	-2.50	-1.14	-0.19	-1.37

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

WCDMA Band II / Band IV / Band V - HSDPA / HSUPA / HSPA+ / DC-HSDPA conducted power table (Full power):

Unit: dBm

Band		WCDMA II		
TX Channel		9262	9400	9538
Frequency (MHz)		1852.4	1880	1907.6
Max. Rated Avg. Power+Max. Tolerance (dBm)		24.50		
3GPP Rel 99	RMC 12.2Kbps	23.65	23.64	23.76
3GPP Rel 5	HSDPA Subtest-1	23.38	23.47	23.61
	HSDPA Subtest-2	22.39	22.47	22.61
	HSDPA Subtest-3	21.90	21.94	22.11
	HSDPA Subtest-4	21.68	21.71	21.81
	HSUPA Subtest-1	22.93	23.02	23.11
3GPP Rel 6	HSUPA Subtest-2	23.43	23.44	23.62
	HSUPA Subtest-3	21.91	21.97	22.13
	HSUPA Subtest-4	23.33	23.44	23.63
	HSUPA Subtest-5	22.37	22.48	22.62
3GPP Rel 7	HSPA+	23.23	23.24	23.38
3GPP Rel 8	DC-HSDPA Subtest-1	23.27	23.28	23.50
	DC-HSDPA Subtest-2	22.29	22.38	22.47
	DC-HSDPA Subtest-3	21.67	21.83	21.94
	DC-HSDPA Subtest-4	21.53	21.60	21.72
Band		WCDMA IV		
TX Channel		1312	1412	1513
Frequency (MHz)		1712.4	1732.4	1752.6
Max. Rated Avg. Power+Max. Tolerance (dBm)		24.50		
3GPP Rel 99	RMC 12.2Kbps	23.36	23.35	23.54
3GPP Rel 5	HSDPA Subtest-1	22.71	23.13	23.45
	HSDPA Subtest-2	22.16	22.17	22.41
	HSDPA Subtest-3	21.71	21.66	21.91
	HSDPA Subtest-4	21.48	21.41	21.65
	HSUPA Subtest-1	22.73	22.75	22.96
3GPP Rel 6	HSUPA Subtest-2	23.24	23.21	23.49
	HSUPA Subtest-3	21.70	21.71	21.95
	HSUPA Subtest-4	23.20	23.24	23.49
	HSUPA Subtest-5	22.22	22.25	22.47
3GPP Rel 7	HSPA+	22.64	23.07	23.30
3GPP Rel 8	DC-HSDPA Subtest-1	22.50	23.03	23.30
	DC-HSDPA Subtest-2	22.08	22.01	22.29
	DC-HSDPA Subtest-3	21.59	21.61	21.74
	DC-HSDPA Subtest-4	21.29	21.26	21.44
Band		WCDMA V		
TX Channel		4132	4183	4233
Frequency (MHz)		826.4	836.6	846.6
Max. Rated Avg. Power+Max. Tolerance (dBm)		24.50		
3GPP Rel 99	RMC 12.2Kbps	23.92	23.97	23.84
3GPP Rel 5	HSDPA Subtest-1	23.49	23.81	23.69
	HSDPA Subtest-2	22.58	23.39	22.84
	HSDPA Subtest-3	22.11	22.93	22.35
	HSDPA Subtest-4	21.86	22.69	22.11
	HSUPA Subtest-1	22.96	23.79	23.32
3GPP Rel 6	HSUPA Subtest-2	23.43	23.80	23.82
	HSUPA Subtest-3	22.00	22.83	22.32
	HSUPA Subtest-4	23.45	23.80	23.80
	HSUPA Subtest-5	22.50	23.37	22.82
3GPP Rel 7	HSPA+	23.25	23.62	23.45
3GPP Rel 8	DC-HSDPA Subtest-1	23.43	23.63	23.53
	DC-HSDPA Subtest-2	22.47	23.15	22.65
	DC-HSDPA Subtest-3	21.97	22.74	22.30
	DC-HSDPA Subtest-4	21.70	22.48	22.06

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

WCDMA Band II / Band IV / Band V - HSDPA / HSUPA / HSPA+ / DC-HSDPA conducted power table (Reduced power):

Unit: dBm

Band		WCDMA II		
TX Channel		9262	9400	9538
Frequency (MHz)		1852.4	1880	1907.6
Max. Rated Avg. Power+Max. Tolerance (dBm)		21.00		
3GPP Rel 99	RMC 12.2Kbps	20.97	20.99	21.00
3GPP Rel 5	HSDPA Subtest-1	20.94	20.81	20.75
	HSDPA Subtest-2	19.96	19.85	19.81
	HSDPA Subtest-3	19.66	19.57	19.52
	HSDPA Subtest-4	19.60	19.52	19.42
	HSUPA Subtest-1	20.01	19.92	19.96
3GPP Rel 6	HSUPA Subtest-2	20.39	20.30	20.23
	HSUPA Subtest-3	19.66	19.54	19.48
	HSUPA Subtest-4	20.84	20.83	20.77
	HSUPA Subtest-5	19.78	19.76	19.73
3GPP Rel 7	HSPA+	20.72	20.57	20.64
3GPP Rel 8	DC-HSDPA Subtest-1	20.80	20.63	20.63
	DC-HSDPA Subtest-2	19.81	19.74	19.63
	DC-HSDPA Subtest-3	19.48	19.34	19.41
	DC-HSDPA Subtest-4	19.37	19.43	19.33
Band		WCDMA IV		
TX Channel		1312	1412	1513
Frequency (MHz)		1712.4	1732.4	1752.6
Max. Rated Avg. Power+Max. Tolerance (dBm)		20.00		
3GPP Rel 99	RMC 12.2Kbps	19.99	19.92	19.96
3GPP Rel 5	HSDPA Subtest-1	19.83	19.82	19.93
	HSDPA Subtest-2	18.88	18.92	19.01
	HSDPA Subtest-3	18.49	18.61	18.70
	HSDPA Subtest-4	18.44	18.53	18.62
	HSUPA Subtest-1	18.95	18.99	19.06
3GPP Rel 6	HSUPA Subtest-2	19.33	19.32	19.48
	HSUPA Subtest-3	18.57	18.58	18.69
	HSUPA Subtest-4	19.85	19.86	19.95
	HSUPA Subtest-5	18.79	18.81	18.88
3GPP Rel 7	HSPA+	19.70	19.62	19.85
3GPP Rel 8	DC-HSDPA Subtest-1	19.62	19.59	19.87
	DC-HSDPA Subtest-2	18.66	18.83	18.83
	DC-HSDPA Subtest-3	18.27	18.44	18.51
	DC-HSDPA Subtest-4	18.39	18.35	18.45
Band		WCDMA V		
TX Channel		4132	4183	4233
Frequency (MHz)		826.4	836.6	846.6
Max. Rated Avg. Power+Max. Tolerance (dBm)		21.00		
3GPP Rel 99	RMC 12.2Kbps	20.96	21.00	20.97
3GPP Rel 5	HSDPA Subtest-1	20.88	20.90	20.94
	HSDPA Subtest-2	19.94	19.99	20.03
	HSDPA Subtest-3	19.65	19.70	19.70
	HSDPA Subtest-4	19.57	19.67	19.63
	HSUPA Subtest-1	20.00	20.04	20.07
3GPP Rel 6	HSUPA Subtest-2	20.37	20.39	20.42
	HSUPA Subtest-3	19.60	19.64	19.69
	HSUPA Subtest-4	20.87	20.88	20.92
	HSUPA Subtest-5	19.78	19.85	19.89
3GPP Rel 7	HSPA+	20.78	20.84	20.79
3GPP Rel 8	DC-HSDPA Subtest-1	20.72	20.66	20.80
	DC-HSDPA Subtest-2	19.87	19.75	19.81
	DC-HSDPA Subtest-3	19.41	19.56	19.49
	DC-HSDPA Subtest-4	19.37	19.61	19.53

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Sub-Test for HSDPA

SUB-TEST	β_c	β_d	β_d (SF)	β_c/β_d	β_{HS} (Note 1, Note 2)	CM (dB) (Note 3)	MPR (dB) (Note 3)
1	2/15	15/15	64	2/15	4/15	0.0	0.0
2	12/15	15/15	64	12/15	24/15	1.0	0.0
3	15/15	8/15	64	15/8	30/15	1.5	0.5
4	15/15	4/15	64	15/4	30/15	1.5	0.5

Sub-Test for HSUPA

SUB-TEST	β_c	β_d	β_d (SF)	β_c/β_d	β_{HS} (Note 1)	β_{ec}	β_{ed} (Note 5) (Note 6)	β_{ed} (SF)	β_{ed} (Codes)	CM (dB) (Note 2)	MPR (dB) (Note 2)	AG Index (Note 6)	E-TFCI
1	11/15	15/15	64	11/15	22/15	209/225	1309/225	4	1	1.0	0.0	20	75
2	6/15	15/15	64	6/15	12/15	12/15	94/75	4	1	3.0	2.0	12	67
3	15/15	9/15	64	15/9	30/15	30/15	$\beta_{ed1}: 47/15$ $\beta_{ed2}: 47/15$	4 4	2	2.0	1.0	15	92
4	2/15	15/15	64	2/15	4/15	2/15	56/75	4	1	3.0	2.0	17	71
5	15/15	15/15	64	15/15	30/15	24/15	134/15	4	1	1.0	0.0	21	81

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

LTE FDD Band 2 / Band 4 / Band 5 / Band 7 / Band 12 / Band 13 / Band 17 / Band 26 / Band 30 / Band 66 power table (Full power):

FDD Band 2								
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
20	QPSK	1 RB	0	1860	18700	23.64	24	0
				1880	18900	23.78	24	0
				1900	19100	23.65	24	0
			50	1860	18700	23.47	24	0
				1880	18900	23.66	24	0
				1900	19100	23.58	24	0
			99	1860	18700	23.59	24	0
				1880	18900	23.64	24	0
				1900	19100	23.53	24	0
		50 RB	0	1860	18700	22.58	23	0-1
				1880	18900	22.77	23	0-1
				1900	19100	22.52	23	0-1
			25	1860	18700	22.49	23	0-1
				1880	18900	22.69	23	0-1
				1900	19100	22.46	23	0-1
			50	1860	18700	22.49	23	0-1
				1880	18900	22.70	23	0-1
				1900	19100	22.43	23	0-1
		100RB	0	1860	18700	22.65	23	0-1
				1880	18900	22.82	23	0-1
				1900	19100	22.81	23	0-1
	16-QAM	1 RB	0	1860	18700	22.95	23	0-1
				1880	18900	22.97	23	0-1
				1900	19100	22.90	23	0-1
			50	1860	18700	22.79	23	0-1
				1880	18900	22.96	23	0-1
				1900	19100	22.84	23	0-1
		50 RB	99	1860	18700	22.96	23	0-1
				1880	18900	22.91	23	0-1
				1900	19100	22.77	23	0-1
			0	1860	18700	21.68	22	0-2
				1880	18900	21.78	22	0-2
				1900	19100	21.57	22	0-2
			25	1860	18700	21.58	22	0-2
				1880	18900	21.69	22	0-2
				1900	19100	21.63	22	0-2
		100RB	50	1860	18700	21.57	22	0-2
				1880	18900	21.70	22	0-2
				1900	19100	21.71	22	0-2
			0	1860	18700	21.72	22	0-2
				1880	18900	21.82	22	0-2
				1900	19100	21.91	22	0-2

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路134號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

FDD Band 2								
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
15	QPSK	1 RB	0	1857.5	18675	23.35	24	0
				1880	18900	23.48	24	0
				1902.5	19125	23.42	24	0
			36	1857.5	18675	23.22	24	0
				1880	18900	23.33	24	0
				1902.5	19125	23.37	24	0
			74	1857.5	18675	23.32	24	0
				1880	18900	23.25	24	0
				1902.5	19125	23.29	24	0
		36 RB	0	1857.5	18675	22.31	23	0-1
				1880	18900	22.44	23	0-1
				1902.5	19125	22.36	23	0-1
			18	1857.5	18675	22.19	23	0-1
				1880	18900	22.36	23	0-1
				1902.5	19125	22.33	23	0-1
			37	1857.5	18675	22.16	23	0-1
				1880	18900	22.43	23	0-1
				1902.5	19125	22.47	23	0-1
		75RB	75RB	1857.5	18675	22.38	23	0-1
				1880	18900	22.48	23	0-1
				1902.5	19125	22.63	23	0-1
			1 RB	1857.5	18675	22.59	23	0-1
				1880	18900	22.59	23	0-1
				1902.5	19125	22.61	23	0-1
		16-QAM	36	1857.5	18675	22.43	23	0-1
				1880	18900	22.62	23	0-1
				1902.5	19125	22.53	23	0-1
			74	1857.5	18675	22.53	23	0-1
				1880	18900	22.55	23	0-1
				1902.5	19125	22.53	23	0-1
			0	1857.5	18675	21.40	22	0-2
				1880	18900	21.56	22	0-2
				1902.5	19125	21.34	22	0-2
		36 RB	18	1857.5	18675	21.28	22	0-2
				1880	18900	21.40	22	0-2
				1902.5	19125	21.38	22	0-2
			37	1857.5	18675	21.20	22	0-2
				1880	18900	21.49	22	0-2
				1902.5	19125	21.48	22	0-2
			75RB	1857.5	18675	21.47	22	0-2
				1880	18900	21.51	22	0-2
				1902.5	19125	21.65	22	0-2

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路134號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

FDD Band 2								
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
10	QPSK	1 RB	0	1855	18650	23.31	24	0
				1880	18900	23.39	24	0
				1905	19150	23.35	24	0
			25	1855	18650	23.21	24	0
				1880	18900	23.27	24	0
				1905	19150	23.32	24	0
		25 RB	49	1855	18650	23.23	24	0
				1880	18900	23.23	24	0
				1905	19150	23.22	24	0
			0	1855	18650	22.24	23	0-1
				1880	18900	22.39	23	0-1
				1905	19150	22.31	23	0-1
			12	1855	18650	22.13	23	0-1
				1880	18900	22.34	23	0-1
				1905	19150	22.31	23	0-1
		50RB	25	1855	18650	22.08	23	0-1
				1880	18900	22.39	23	0-1
				1905	19150	22.38	23	0-1
			50RB	1855	18650	22.36	23	0-1
				1880	18900	22.41	23	0-1
				1905	19150	22.59	23	0-1
16-QAM	16-QAM	1 RB	0	1855	18650	22.54	23	0-1
				1880	18900	22.50	23	0-1
				1905	19150	22.54	23	0-1
			25	1855	18650	22.38	23	0-1
				1880	18900	22.56	23	0-1
				1905	19150	22.45	23	0-1
		25 RB	49	1855	18650	22.52	23	0-1
				1880	18900	22.49	23	0-1
				1905	19150	22.44	23	0-1
			0	1855	18650	21.38	22	0-2
				1880	18900	21.55	22	0-2
				1905	19150	21.25	22	0-2
			12	1855	18650	21.28	22	0-2
				1880	18900	21.31	22	0-2
				1905	19150	21.33	22	0-2
		50RB	25	1855	18650	21.14	22	0-2
				1880	18900	21.43	22	0-2
				1905	19150	21.47	22	0-2
			50RB	1855	18650	21.40	22	0-2
				1880	18900	21.48	22	0-2
				1905	19150	21.60	22	0-2

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路134號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

FDD Band 2								
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
5	QPSK	1 RB	0	1852.5	18625	23.26	24	0
				1880	18900	23.38	24	0
				1907.5	19175	23.30	24	0
			12	1852.5	18625	23.21	24	0
				1880	18900	23.23	24	0
				1907.5	19175	23.24	24	0
			24	1852.5	18625	23.14	24	0
				1880	18900	23.14	24	0
				1907.5	19175	23.19	24	0
		12 RB	0	1852.5	18625	22.23	23	0-1
				1880	18900	22.39	23	0-1
				1907.5	19175	22.23	23	0-1
			6	1852.5	18625	22.12	23	0-1
				1880	18900	22.31	23	0-1
				1907.5	19175	22.24	23	0-1
			13	1852.5	18625	22.07	23	0-1
				1880	18900	22.38	23	0-1
				1907.5	19175	22.34	23	0-1
		25RB	0	1852.5	18625	22.34	23	0-1
				1880	18900	22.37	23	0-1
				1907.5	19175	22.52	23	0-1
			6	1852.5	18625	22.52	23	0-1
				1880	18900	22.42	23	0-1
				1907.5	19175	22.47	23	0-1
		16-QAM	0	1852.5	18625	22.30	23	0-1
				1880	18900	22.56	23	0-1
				1907.5	19175	22.42	23	0-1
			12	1852.5	18625	22.50	23	0-1
				1880	18900	22.42	23	0-1
				1907.5	19175	22.38	23	0-1
			24	1852.5	18625	21.32	22	0-2
				1880	18900	21.50	22	0-2
				1907.5	19175	21.19	22	0-2
			6	1852.5	18625	21.26	22	0-2
				1880	18900	21.27	22	0-2
				1907.5	19175	21.25	22	0-2
			13	1852.5	18625	21.14	22	0-2
				1880	18900	21.42	22	0-2
				1907.5	19175	21.47	22	0-2
		25RB	0	1852.5	18625	21.37	22	0-2
				1880	18900	21.43	22	0-2
				1907.5	19175	21.52	22	0-2

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路134號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

FDD Band 2								
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
3	QPSK	1 RB	0	1851.5	18615	23.24	24	0
				1880	18900	23.36	24	0
				1908.5	19185	23.28	24	0
			7	1851.5	18615	23.21	24	0
				1880	18900	23.17	24	0
				1908.5	19185	23.20	24	0
		14	1851.5	18615	23.06	24	0	0
			1880	18900	23.06	24	0	0
			1908.5	19185	23.17	24	0	0
		8 RB	0	1851.5	18615	22.19	23	0-1
				1880	18900	22.32	23	0-1
				1908.5	19185	22.17	23	0-1
			4	1851.5	18615	22.07	23	0-1
				1880	18900	22.30	23	0-1
				1908.5	19185	22.19	23	0-1
			7	1851.5	18615	22.01	23	0-1
				1880	18900	22.34	23	0-1
				1908.5	19185	22.34	23	0-1
		15RB	1851.5	18615	22.25	23	0-1	
			1880	18900	22.33	23	0-1	
			1908.5	19185	22.46	23	0-1	
			0	1851.5	18615	22.48	23	0-1
				1880	18900	22.35	23	0-1
				1908.5	19185	22.39	23	0-1
		1 RB	7	1851.5	18615	22.30	23	0-1
				1880	18900	22.52	23	0-1
				1908.5	19185	22.42	23	0-1
			14	1851.5	18615	22.47	23	0-1
				1880	18900	22.41	23	0-1
				1908.5	19185	22.34	23	0-1
		16-QAM	0	1851.5	18615	21.24	22	0-2
				1880	18900	21.49	22	0-2
				1908.5	19185	21.18	22	0-2
			4	1851.5	18615	21.18	22	0-2
				1880	18900	21.22	22	0-2
				1908.5	19185	21.18	22	0-2
			7	1851.5	18615	21.07	22	0-2
				1880	18900	21.33	22	0-2
				1908.5	19185	21.46	22	0-2
		15RB	1851.5	18615	21.30	22	0-2	
			1880	18900	21.40	22	0-2	
			1908.5	19185	21.46	22	0-2	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路134號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

FDD Band 2								
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
1.4	QPSK	1 RB	0	1850.7	18607	23.23	24	0
				1880	18900	23.27	24	0
				1909.3	19193	23.26	24	0
			2	1850.7	18607	23.19	24	0
				1880	18900	23.13	24	0
				1909.3	19193	23.12	24	0
		3 RB	5	1850.7	18607	23.10	24	0
				1880	18900	23.05	24	0
				1909.3	19193	23.11	24	0
			0	1850.7	18607	23.03	24	0
				1880	18900	23.21	24	0
				1909.3	19193	23.12	24	0
			2	1850.7	18607	23.15	24	0
				1880	18900	23.17	24	0
				1909.3	19193	23.02	24	0
		6RB	3	1850.7	18607	23.09	24	0
				1880	18900	23.21	24	0
				1909.3	19193	23.12	24	0
			6RB	1850.7	18607	22.20	23	0-1
				1880	18900	22.29	23	0-1
				1909.3	19193	22.37	23	0-1
1.4	16-QAM	1 RB	0	1850.7	18607	22.41	23	0-1
				1880	18900	22.30	23	0-1
				1909.3	19193	22.33	23	0-1
			2	1850.7	18607	22.26	23	0-1
				1880	18900	22.51	23	0-1
				1909.3	19193	22.33	23	0-1
		3 RB	5	1850.7	18607	22.42	23	0-1
				1880	18900	22.35	23	0-1
				1909.3	19193	22.28	23	0-1
			0	1850.7	18607	22.20	23	0-1
				1880	18900	22.47	23	0-1
				1909.3	19193	22.18	23	0-1
			2	1850.7	18607	22.15	23	0-1
				1880	18900	22.14	23	0-1
				1909.3	19193	22.15	23	0-1
		6RB	3	1850.7	18607	22.02	23	0-1
				1880	18900	22.24	23	0-1
				1909.3	19193	22.44	23	0-1
			6RB	1850.7	18607	21.26	22	0-2
				1880	18900	21.35	22	0-2
				1909.3	19193	21.42	22	0-2

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路134號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

FDD Band 4								
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
20	QPSK	1 RB	0	1720	20050	23.56	24	0
				1732.5	20175	23.59	24	0
				1745	20300	23.58	24	0
			50	1720	20050	23.48	24	0
				1732.5	20175	23.26	24	0
				1745	20300	23.48	24	0
		50 RB	99	1720	20050	23.33	24	0
				1732.5	20175	23.34	24	0
				1745	20300	23.43	24	0
			0	1720	20050	22.54	23	0-1
				1732.5	20175	22.57	23	0-1
				1745	20300	22.42	23	0-1
			25	1720	20050	22.53	23	0-1
				1732.5	20175	22.21	23	0-1
				1745	20300	22.36	23	0-1
		100RB	50	1720	20050	22.43	23	0-1
				1732.5	20175	22.26	23	0-1
				1745	20300	22.40	23	0-1
			100RB	1720	20050	22.26	23	0-1
				1732.5	20175	22.38	23	0-1
				1745	20300	22.25	23	0-1
16-QAM	16-QAM	1 RB	0	1720	20050	22.71	23	0-1
				1732.5	20175	22.76	23	0-1
				1745	20300	22.57	23	0-1
			50	1720	20050	22.65	23	0-1
				1732.5	20175	22.47	23	0-1
				1745	20300	22.65	23	0-1
		50 RB	99	1720	20050	22.55	23	0-1
				1732.5	20175	22.55	23	0-1
				1745	20300	22.77	23	0-1
			0	1720	20050	21.62	22	0-2
				1732.5	20175	21.43	22	0-2
				1745	20300	21.46	22	0-2
			25	1720	20050	21.61	22	0-2
				1732.5	20175	21.35	22	0-2
				1745	20300	21.53	22	0-2
		100RB	50	1720	20050	21.50	22	0-2
				1732.5	20175	21.34	22	0-2
				1745	20300	21.67	22	0-2
			100RB	1720	20050	21.73	22	0-2
				1732.5	20175	21.45	22	0-2
				1745	20300	21.70	22	0-2

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路134號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

FDD Band 4								
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
15	QPSK	1 RB	0	1717.5	20025	22.71	24	0
				1732.5	20175	22.78	24	0
				1747.5	20325	22.63	24	0
			36	1717.5	20025	22.80	24	0
				1732.5	20175	22.47	24	0
				1747.5	20325	22.69	24	0
			74	1717.5	20025	22.60	24	0
				1732.5	20175	22.61	24	0
				1747.5	20325	22.89	24	0
		36 RB	0	1717.5	20025	21.84	23	0-1
				1732.5	20175	21.65	23	0-1
				1747.5	20325	21.65	23	0-1
			18	1717.5	20025	21.78	23	0-1
				1732.5	20175	21.48	23	0-1
				1747.5	20325	21.70	23	0-1
			37	1717.5	20025	21.62	23	0-1
				1732.5	20175	21.57	23	0-1
				1747.5	20325	21.91	23	0-1
		75RB	0	1717.5	20025	21.87	23	0-1
				1732.5	20175	21.67	23	0-1
				1747.5	20325	21.94	23	0-1
			18	1717.5	20025	22.01	23	0-1
				1732.5	20175	22.02	23	0-1
				1747.5	20325	21.95	23	0-1
		16-QAM	0	1717.5	20025	22.05	23	0-1
				1732.5	20175	21.80	23	0-1
				1747.5	20325	21.97	23	0-1
			74	1717.5	20025	21.91	23	0-1
				1732.5	20175	21.86	23	0-1
				1747.5	20325	22.13	23	0-1
			0	1717.5	20025	20.86	22	0-2
				1732.5	20175	20.72	22	0-2
				1747.5	20325	20.63	22	0-2
			18	1717.5	20025	20.79	22	0-2
				1732.5	20175	20.54	22	0-2
				1747.5	20325	20.75	22	0-2
			37	1717.5	20025	20.68	22	0-2
				1732.5	20175	20.55	22	0-2
				1747.5	20325	20.86	22	0-2
		75RB	0	1717.5	20025	21.00	22	0-2
				1732.5	20175	20.66	22	0-2
				1747.5	20325	20.88	22	0-2

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路134號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

FDD Band 4								
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
10	QPSK	1 RB	0	1715	20000	22.64	24	0
				1732.5	20175	22.75	24	0
				1750	20350	22.55	24	0
			25	1715	20000	22.71	24	0
				1732.5	20175	22.59	24	0
				1750	20350	22.66	24	0
		25 RB	49	1715	20000	22.52	24	0
				1732.5	20175	22.61	24	0
				1750	20350	22.82	24	0
			0	1715	20000	21.82	23	0-1
				1732.5	20175	21.57	23	0-1
				1750	20350	21.62	23	0-1
			12	1715	20000	21.75	23	0-1
				1732.5	20175	21.43	23	0-1
				1750	20350	21.67	23	0-1
		50RB	25	1715	20000	21.62	23	0-1
				1732.5	20175	21.53	23	0-1
				1750	20350	21.82	23	0-1
			50RB	1715	20000	21.87	23	0-1
				1732.5	20175	21.64	23	0-1
				1750	20350	21.90	23	0-1
16-QAM	16-QAM	1 RB	0	1715	20000	21.98	23	0-1
				1732.5	20175	22.01	23	0-1
				1750	20350	21.90	23	0-1
			25	1715	20000	22.02	23	0-1
				1732.5	20175	21.71	23	0-1
				1750	20350	21.91	23	0-1
		25 RB	49	1715	20000	21.85	23	0-1
				1732.5	20175	21.80	23	0-1
				1750	20350	22.06	23	0-1
			0	1715	20000	20.79	22	0-2
				1732.5	20175	20.65	22	0-2
				1750	20350	20.55	22	0-2
			12	1715	20000	20.78	22	0-2
				1732.5	20175	20.48	22	0-2
				1750	20350	20.71	22	0-2
		50RB	25	1715	20000	20.65	22	0-2
				1732.5	20175	20.54	22	0-2
				1750	20350	20.85	22	0-2
			50RB	1715	20000	20.99	22	0-2
				1732.5	20175	20.62	22	0-2
				1750	20350	20.80	22	0-2

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路134號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

FDD Band 4								
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
5	QPSK	1 RB	0	1712.5	19975	22.56	24	0
				1732.5	20175	22.72	24	0
				1752.5	20375	22.46	24	0
			12	1712.5	19975	22.62	24	0
				1732.5	20175	22.51	24	0
				1752.5	20375	22.63	24	0
			24	1712.5	19975	22.52	24	0
				1732.5	20175	22.60	24	0
				1752.5	20375	22.80	24	0
		12 RB	0	1712.5	19975	21.73	23	0-1
				1732.5	20175	21.51	23	0-1
				1752.5	20375	21.56	23	0-1
			6	1712.5	19975	21.75	23	0-1
				1732.5	20175	21.66	23	0-1
				1752.5	20375	21.59	23	0-1
			13	1712.5	19975	21.57	23	0-1
				1732.5	20175	21.46	23	0-1
				1752.5	20375	21.82	23	0-1
		25RB	0	1712.5	19975	21.82	23	0-1
				1732.5	20175	21.55	23	0-1
				1752.5	20375	21.90	23	0-1
			6	1712.5	19975	21.97	23	0-1
				1732.5	20175	21.99	23	0-1
				1752.5	20375	21.87	23	0-1
		16-QAM	0	1712.5	19975	21.95	23	0-1
				1732.5	20175	21.71	23	0-1
				1752.5	20375	21.89	23	0-1
			12	1712.5	19975	21.80	23	0-1
				1732.5	20175	21.76	23	0-1
				1752.5	20375	21.97	23	0-1
			24	1712.5	19975	20.77	22	0-2
				1732.5	20175	20.64	22	0-2
				1752.5	20375	20.54	22	0-2
			6	1712.5	19975	20.77	22	0-2
				1732.5	20175	20.41	22	0-2
				1752.5	20375	20.63	22	0-2
			13	1712.5	19975	20.62	22	0-2
				1732.5	20175	20.52	22	0-2
				1752.5	20375	20.80	22	0-2
		25RB	0	1712.5	19975	20.90	22	0-2
				1732.5	20175	20.58	22	0-2
				1752.5	20375	20.75	22	0-2

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路134號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

FDD Band 4								
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
3	QPSK	1 RB	0	1711.5	19965	22.50	24	0
				1732.5	20175	22.59	24	0
				1753.5	20385	22.54	24	0
			7	1711.5	19965	22.47	24	0
				1732.5	20175	22.40	24	0
				1753.5	20385	22.59	24	0
		14	1711.5	19965	22.50	24	0	0
			1732.5	20175	22.55	24	0	0
			1753.5	20385	22.76	24	0	0
		8 RB	0	1711.5	19965	21.64	23	0-1
				1732.5	20175	21.50	23	0-1
				1753.5	20385	21.51	23	0-1
			4	1711.5	19965	21.66	23	0-1
				1732.5	20175	21.58	23	0-1
				1753.5	20385	21.55	23	0-1
			7	1711.5	19965	21.43	23	0-1
				1732.5	20175	21.49	23	0-1
				1753.5	20385	21.72	23	0-1
		15RB	1711.5	19965	21.71	23	0-1	
			1732.5	20175	21.41	23	0-1	
			1753.5	20385	21.85	23	0-1	
			1 RB	1711.5	19965	21.91	23	0-1
				1732.5	20175	21.87	23	0-1
				1753.5	20385	21.77	23	0-1
			7	1711.5	19965	21.79	23	0-1
				1732.5	20175	21.59	23	0-1
				1753.5	20385	21.73	23	0-1
		16-QAM	14	1711.5	19965	21.65	23	0-1
				1732.5	20175	21.64	23	0-1
				1753.5	20385	21.91	23	0-1
			0	1711.5	19965	20.68	22	0-2
				1732.5	20175	20.55	22	0-2
				1753.5	20385	20.44	22	0-2
			4	1711.5	19965	20.68	22	0-2
				1732.5	20175	20.56	22	0-2
				1753.5	20385	20.57	22	0-2
			7	1711.5	19965	20.51	22	0-2
				1732.5	20175	20.52	22	0-2
				1753.5	20385	20.67	22	0-2
		15RB	1711.5	19965	20.82	22	0-2	
			1732.5	20175	20.48	22	0-2	
			1753.5	20385	20.70	22	0-2	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路134號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

FDD Band 4								
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
1.4	QPSK	1 RB	0	1710.7	19957	22.50	24	0
				1732.5	20175	22.54	24	0
				1754.3	20393	22.46	24	0
			2	1710.7	19957	22.41	24	0
				1732.5	20175	22.52	24	0
				1754.3	20393	22.50	24	0
		3 RB	5	1710.7	19957	22.46	24	0
				1732.5	20175	22.53	24	0
				1754.3	20393	22.74	24	0
			0	1710.7	19957	22.50	24	0
				1732.5	20175	22.43	24	0
				1754.3	20393	22.63	24	0
			2	1710.7	19957	22.57	24	0
				1732.5	20175	22.60	24	0
				1754.3	20393	22.52	24	0
		6RB	3	1710.7	19957	22.54	24	0
				1732.5	20175	22.52	24	0
				1754.3	20393	22.55	24	0
			6RB	1710.7	19957	21.71	23	0-1
				1732.5	20175	21.72	23	0-1
				1754.3	20393	21.85	23	0-1
1.4	16-QAM	1 RB	0	1710.7	19957	21.85	23	0-1
				1732.5	20175	21.81	23	0-1
				1754.3	20393	21.74	23	0-1
			2	1710.7	19957	21.73	23	0-1
				1732.5	20175	21.50	23	0-1
				1754.3	20393	21.69	23	0-1
		3 RB	5	1710.7	19957	21.61	23	0-1
				1732.5	20175	21.62	23	0-1
				1754.3	20393	21.89	23	0-1
			0	1710.7	19957	21.60	23	0-1
				1732.5	20175	21.70	23	0-1
				1754.3	20393	21.72	23	0-1
			2	1710.7	19957	21.69	23	0-1
				1732.5	20175	21.52	23	0-1
				1754.3	20393	21.72	23	0-1
		6RB	3	1710.7	19957	21.53	23	0-1
				1732.5	20175	21.61	23	0-1
				1754.3	20393	21.59	23	0-1
			6RB	1710.7	19957	20.74	22	0-2
				1732.5	20175	20.46	22	0-2
				1754.3	20393	20.65	22	0-2

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路134號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

FDD Band 5								
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
10	QPSK	1 RB	0	829	20450	23.51	25	0
				836.5	20525	23.60	25	0
				844	20600	23.54	25	0
			25	829	20450	23.37	25	0
				836.5	20525	23.47	25	0
				844	20600	23.52	25	0
		25 RB	49	829	20450	23.44	25	0
				836.5	20525	23.50	25	0
				844	20600	23.53	25	0
			0	829	20450	22.52	24	0-1
				836.5	20525	22.49	24	0-1
				844	20600	22.61	24	0-1
			12	829	20450	22.51	24	0-1
				836.5	20525	22.54	24	0-1
				844	20600	22.61	24	0-1
		50RB	25	829	20450	22.57	24	0-1
				836.5	20525	22.65	24	0-1
				844	20600	22.62	24	0-1
			50RB	829	20450	22.53	24	0-1
				836.5	20525	22.55	24	0-1
				844	20600	22.45	24	0-1
16-QAM	16-QAM	1 RB	0	829	20450	22.72	24	0-1
				836.5	20525	22.92	24	0-1
				844	20600	22.86	24	0-1
			25	829	20450	22.71	24	0-1
				836.5	20525	22.82	24	0-1
				844	20600	22.83	24	0-1
		25 RB	49	829	20450	22.84	24	0-1
				836.5	20525	22.87	24	0-1
				844	20600	22.86	24	0-1
			0	829	20450	21.64	23	0-2
				836.5	20525	21.70	23	0-2
				844	20600	21.71	23	0-2
			12	829	20450	21.61	23	0-2
				836.5	20525	21.66	23	0-2
				844	20600	21.80	23	0-2
		500RB	25	829	20450	21.67	23	0-2
				836.5	20525	21.69	23	0-2
				844	20600	21.78	23	0-2
			500RB	829	20450	21.67	23	0-2
				836.5	20525	21.64	23	0-2
				844	20600	21.85	23	0-2

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路134號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

FDD Band 5								
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
5	QPSK	1 RB	0	826.5	20425	23.28	25	0
				836.5	20525	23.59	25	0
				846.5	20625	23.45	25	0
			12	826.5	20425	23.36	25	0
				836.5	20525	23.39	25	0
				846.5	20625	23.43	25	0
			24	826.5	20425	23.48	25	0
				836.5	20525	23.47	25	0
				846.5	20625	23.48	25	0
		12 RB	0	826.5	20425	22.50	24	0-1
				836.5	20525	22.54	24	0-1
				846.5	20625	22.59	24	0-1
			6	826.5	20425	22.50	24	0-1
				836.5	20525	22.53	24	0-1
				846.5	20625	22.65	24	0-1
			13	826.5	20425	22.48	24	0-1
				836.5	20525	22.52	24	0-1
				846.5	20625	22.58	24	0-1
		25RB	0	826.5	20425	22.53	24	0-1
				836.5	20525	22.51	24	0-1
				846.5	20625	22.66	24	0-1
			6	826.5	20425	22.65	24	0-1
				836.5	20525	22.87	24	0-1
				846.5	20625	22.77	24	0-1
		16-QAM	0	826.5	20425	22.64	24	0-1
				836.5	20525	22.82	24	0-1
				846.5	20625	22.77	24	0-1
			12	826.5	20425	22.79	24	0-1
				836.5	20525	22.81	24	0-1
				846.5	20625	22.82	24	0-1
			24	826.5	20425	21.61	23	0-2
				836.5	20525	21.66	23	0-2
				846.5	20625	21.67	23	0-2
			6	826.5	20425	21.56	23	0-2
				836.5	20525	21.59	23	0-2
				846.5	20625	21.77	23	0-2
			13	826.5	20425	21.60	23	0-2
				836.5	20525	21.65	23	0-2
				846.5	20625	21.71	23	0-2
		25RB	0	826.5	20425	21.63	23	0-2
				836.5	20525	21.57	23	0-2
				846.5	20625	21.82	23	0-2

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路134號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

FDD Band 5									
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)	
3	QPSK	1 RB	0	825.5	20415	23.21	25	0	
				836.5	20525	23.55	25	0	
				847.5	20635	23.41	25	0	
			7	825.5	20415	23.28	25	0	
				836.5	20525	23.35	25	0	
				847.5	20635	23.41	25	0	
			14	825.5	20415	23.43	25	0	
		8 RB		836.5	20525	23.45	25	0	
				847.5	20635	23.40	25	0	
				825.5	20415	22.44	24	0-1	
		0	836.5	20525	22.46	24	0-1		
			847.5	20635	22.56	24	0-1		
			825.5	20415	22.49	24	0-1		
		4	836.5	20525	22.46	24	0-1		
			847.5	20635	22.56	24	0-1		
			825.5	20415	22.42	24	0-1		
		15RB	7	836.5	20525	22.50	24	0-1	
				847.5	20635	22.54	24	0-1	
				825.5	20415	22.51	24	0-1	
			15RB	836.5	20525	22.49	24	0-1	
				847.5	20635	22.66	24	0-1	
				825.5	20415	22.59	24	0-1	
	16-QAM	1 RB	0	836.5	20525	22.85	24	0-1	
				847.5	20635	22.75	24	0-1	
			7	825.5	20415	22.62	24	0-1	
				836.5	20525	22.78	24	0-1	
				847.5	20635	22.74	24	0-1	
			14	825.5	20415	22.78	24	0-1	
				836.5	20525	22.78	24	0-1	
		8 RB	0	847.5	20635	22.81	24	0-1	
				825.5	20415	21.56	23	0-2	
				836.5	20525	21.61	23	0-2	
			4	847.5	20635	21.61	23	0-2	
				825.5	20415	21.53	23	0-2	
				836.5	20525	21.55	23	0-2	
				847.5	20635	21.71	23	0-2	
		15RB	7	825.5	20415	21.51	23	0-2	
				836.5	20525	21.64	23	0-2	
				847.5	20635	21.69	23	0-2	
			15RB	825.5	20415	21.62	23	0-2	
				836.5	20525	21.48	23	0-2	
				847.5	20635	21.77	23	0-2	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路134號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

FDD Band 5								
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
1.4	QPSK	1 RB	0	824.7	20407	23.24	25	0
				836.5	20525	23.47	25	0
				848.3	20643	23.34	25	0
			2	824.7	20407	23.25	25	0
				836.5	20525	23.35	25	0
				848.3	20643	23.38	25	0
		3 RB	5	824.7	20407	23.36	25	0
				836.5	20525	23.39	25	0
				848.3	20643	23.31	25	0
			0	824.7	20407	23.24	25	0
				836.5	20525	23.25	25	0
				848.3	20643	23.36	25	0
			2	824.7	20407	23.24	25	0
				836.5	20525	23.23	25	0
				848.3	20643	23.31	25	0
		6RB	3	824.7	20407	23.21	25	0
				836.5	20525	23.27	25	0
				848.3	20643	23.25	25	0
			6RB	824.7	20407	22.49	24	0-1
				836.5	20525	22.48	24	0-1
				848.3	20643	22.66	24	0-1
16-QAM	16-QAM	1 RB	0	824.7	20407	22.52	24	0-1
				836.5	20525	22.85	24	0-1
				848.3	20643	22.68	24	0-1
			2	824.7	20407	22.59	24	0-1
				836.5	20525	22.74	24	0-1
				848.3	20643	22.71	24	0-1
		3 RB	5	824.7	20407	22.72	24	0-1
				836.5	20525	22.71	24	0-1
				848.3	20643	22.76	24	0-1
			0	824.7	20407	22.22	24	0-1
				836.5	20525	22.31	24	0-1
				848.3	20643	22.30	24	0-1
			2	824.7	20407	22.23	24	0-1
				836.5	20525	22.22	24	0-1
				848.3	20643	22.41	24	0-1
		6RB	3	824.7	20407	22.20	24	0-1
				836.5	20525	22.28	24	0-1
				848.3	20643	22.34	24	0-1
			6RB	824.7	20407	21.62	23	0-2
				836.5	20525	21.44	23	0-2
				848.3	20643	21.75	23	0-2

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路134號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

FDD Band 7								
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
20	QPSK	1 RB	0	2510	20850	23.21	24	0
				2535	21100	23.08	24	0
				2560	21350	22.96	24	0
			50	2510	20850	23.08	24	0
				2535	21100	22.96	24	0
				2560	21350	22.80	24	0
		50 RB	99	2510	20850	23.15	24	0
				2535	21100	23.07	24	0
				2560	21350	22.91	24	0
			0	2510	20850	21.79	23	0-1
				2535	21100	21.66	23	0-1
				2560	21350	21.51	23	0-1
			25	2510	20850	21.75	23	0-1
				2535	21100	21.63	23	0-1
				2560	21350	21.43	23	0-1
		100RB	50	2510	20850	21.75	23	0-1
				2535	21100	21.61	23	0-1
				2560	21350	21.47	23	0-1
			100RB	2510	20850	21.80	23	0-1
				2535	21100	21.78	23	0-1
				2560	21350	21.56	23	0-1
16-QAM	16-QAM	1 RB	0	2510	20850	21.87	23	0-1
				2535	21100	21.86	23	0-1
				2560	21350	21.62	23	0-1
			50	2510	20850	21.78	23	0-1
				2535	21100	21.77	23	0-1
				2560	21350	21.50	23	0-1
		50 RB	99	2510	20850	21.93	23	0-1
				2535	21100	21.91	23	0-1
				2560	21350	21.66	23	0-1
			0	2510	20850	20.81	22	0-2
				2535	21100	20.71	22	0-2
				2560	21350	20.53	22	0-2
			25	2510	20850	20.76	22	0-2
				2535	21100	20.69	22	0-2
				2560	21350	20.51	22	0-2
		100RB	50	2510	20850	20.81	22	0-2
				2535	21100	20.68	22	0-2
				2560	21350	20.58	22	0-2
			100RB	2510	20850	20.87	22	0-2
				2535	21100	20.86	22	0-2
				2560	21350	20.63	22	0-2

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路134號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

FDD Band 7								
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
15	QPSK	1 RB	0	2507.5	20825	22.70	24	0
				2535	21100	22.63	24	0
				2562.5	21375	22.43	24	0
			36	2507.5	20825	22.60	24	0
				2535	21100	22.50	24	0
				2562.5	21375	22.32	24	0
		36 RB	74	2507.5	20825	22.76	24	0
				2535	21100	22.65	24	0
				2562.5	21375	22.42	24	0
			0	2507.5	20825	22.23	23	0-1
				2535	21100	22.15	23	0-1
				2562.5	21375	21.96	23	0-1
			18	2507.5	20825	22.25	23	0-1
				2535	21100	22.17	23	0-1
				2562.5	21375	21.89	23	0-1
		75RB	37	2507.5	20825	22.23	23	0-1
				2535	21100	22.11	23	0-1
				2562.5	21375	22.02	23	0-1
			75RB	2507.5	20825	22.24	23	0-1
				2535	21100	22.24	23	0-1
				2562.5	21375	22.06	23	0-1
16	16-QAM	1 RB	0	2507.5	20825	22.32	23	0-1
				2535	21100	22.31	23	0-1
				2562.5	21375	22.05	23	0-1
			36	2507.5	20825	22.25	23	0-1
				2535	21100	22.18	23	0-1
				2562.5	21375	21.91	23	0-1
		36 RB	74	2507.5	20825	22.40	23	0-1
				2535	21100	22.34	23	0-1
				2562.5	21375	22.16	23	0-1
			0	2507.5	20825	21.26	22	0-2
				2535	21100	21.16	22	0-2
				2562.5	21375	20.98	22	0-2
			18	2507.5	20825	21.26	22	0-2
				2535	21100	21.15	22	0-2
				2562.5	21375	20.95	22	0-2
		75RB	37	2507.5	20825	21.24	22	0-2
				2535	21100	21.15	22	0-2
				2562.5	21375	20.99	22	0-2
			75RB	2507.5	20825	21.29	22	0-2
				2535	21100	21.31	22	0-2
				2562.5	21375	21.06	22	0-2

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路134號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

FDD Band 7								
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
10	QPSK	1 RB	0	2505	20800	23.14	24	0
				2535	21100	23.03	24	0
				2565	21400	22.77	24	0
			25	2505	20800	23.06	24	0
				2535	21100	22.95	24	0
				2565	21400	22.71	24	0
		25 RB	49	2505	20800	23.13	24	0
				2535	21100	22.98	24	0
				2565	21400	22.85	24	0
			0	2505	20800	22.16	23	0-1
				2535	21100	22.13	23	0-1
				2565	21400	21.95	23	0-1
			12	2505	20800	22.23	23	0-1
				2535	21100	22.13	23	0-1
				2565	21400	21.81	23	0-1
		50RB	25	2505	20800	22.19	23	0-1
				2535	21100	22.09	23	0-1
				2565	21400	22.00	23	0-1
			50RB	2505	20800	22.15	23	0-1
				2535	21100	22.17	23	0-1
				2565	21400	21.97	23	0-1
16-QAM	16-QAM	1 RB	0	2505	20800	22.25	23	0-1
				2535	21100	22.29	23	0-1
				2565	21400	22.02	23	0-1
			25	2505	20800	22.17	23	0-1
				2535	21100	22.15	23	0-1
				2565	21400	21.89	23	0-1
		25 RB	49	2505	20800	22.36	23	0-1
				2535	21100	22.33	23	0-1
				2565	21400	22.15	23	0-1
			0	2505	20800	21.22	22	0-2
				2535	21100	21.15	22	0-2
				2565	21400	20.91	22	0-2
			12	2505	20800	21.20	22	0-2
				2535	21100	21.14	22	0-2
				2565	21400	20.91	22	0-2
		50RB	25	2505	20800	21.19	22	0-2
				2535	21100	21.07	22	0-2
				2565	21400	20.96	22	0-2
			50RB	2505	20800	21.28	22	0-2
				2535	21100	21.28	22	0-2
				2565	21400	20.99	22	0-2

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路134號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

FDD Band 7								
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
5	QPSK	1 RB	0	2502.5	20775	23.08	24	0
				2535	21100	22.98	24	0
				2567.5	21425	22.72	24	0
			12	2502.5	20775	22.97	24	0
				2535	21100	22.93	24	0
				2567.5	21425	22.66	24	0
		24	0	2502.5	20775	23.06	24	0
				2535	21100	22.94	24	0
				2567.5	21425	22.76	24	0
		12 RB	6	2502.5	20775	22.13	23	0-1
				2535	21100	22.13	23	0-1
				2567.5	21425	21.94	23	0-1
			13	2502.5	20775	22.22	23	0-1
				2535	21100	22.11	23	0-1
				2567.5	21425	21.81	23	0-1
		25RB	13	2502.5	20775	22.12	23	0-1
				2535	21100	22.09	23	0-1
				2567.5	21425	21.93	23	0-1
			13	2502.5	20775	22.06	23	0-1
				2535	21100	22.17	23	0-1
				2567.5	21425	21.89	23	0-1
	16-QAM	1 RB	0	2502.5	20775	22.25	23	0-1
				2535	21100	22.27	23	0-1
				2567.5	21425	21.94	23	0-1
			12	2502.5	20775	22.13	23	0-1
				2535	21100	22.13	23	0-1
				2567.5	21425	21.87	23	0-1
		12 RB	24	2502.5	20775	22.33	23	0-1
				2535	21100	22.25	23	0-1
				2567.5	21425	22.06	23	0-1
			13	2502.5	20775	21.22	22	0-2
				2535	21100	21.13	22	0-2
				2567.5	21425	20.88	22	0-2
		25RB	6	2502.5	20775	21.20	22	0-2
				2535	21100	21.10	22	0-2
				2567.5	21425	20.83	22	0-2
			13	2502.5	20775	21.17	22	0-2
				2535	21100	21.06	22	0-2
				2567.5	21425	20.93	22	0-2
				2502.5	20775	21.21	22	0-2
				2535	21100	21.20	22	0-2
				2567.5	21425	20.97	22	0-2

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路134號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

FDD Band 12								
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
10	QPSK	1 RB	0	704	23060	22.80	24	0
				707.5	23095	23.07	24	0
				711	23130	22.93	24	0
			25	704	23060	22.68	24	0
				707.5	23095	22.71	24	0
				711	23130	22.91	24	0
		25 RB	49	704	23060	22.64	24	0
				707.5	23095	22.77	24	0
				711	23130	22.72	24	0
			12	704	23060	21.85	23	0-1
				707.5	23095	21.90	23	0-1
				711	23130	21.89	23	0-1
			25	704	23060	21.82	23	0-1
				707.5	23095	21.84	23	0-1
				711	23130	22.02	23	0-1
		50RB	0	704	23060	21.87	23	0-1
				707.5	23095	22.07	23	0-1
				711	23130	22.04	23	0-1
			12	704	23060	21.90	23	0-1
				707.5	23095	21.94	23	0-1
				711	23130	21.79	23	0-1
			16-QAM	704	23060	22.05	23	0-1
				707.5	23095	22.12	23	0-1
				711	23130	22.05	23	0-1
				704	23060	22.03	23	0-1
				707.5	23095	21.99	23	0-1
				711	23130	22.27	23	0-1
		25 RB	49	704	23060	22.16	23	0-1
				707.5	23095	22.34	23	0-1
				711	23130	22.27	23	0-1
			12	704	23060	21.03	22	0-2
				707.5	23095	20.99	22	0-2
				711	23130	21.05	22	0-2
			25	704	23060	20.95	22	0-2
				707.5	23095	20.91	22	0-2
				711	23130	21.20	22	0-2
		50RB	0	704	23060	20.93	22	0-2
				707.5	23095	21.13	22	0-2
				711	23130	21.16	22	0-2
			12	704	23060	21.00	22	0-2
				707.5	23095	20.97	22	0-2
				711	23130	21.21	22	0-2

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路134號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

FDD Band 12								
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
5	QPSK	1 RB	0	701.5	23035	22.58	24	0
				707.5	23095	22.72	24	0
				713.5	23155	22.67	24	0
			12	701.5	23035	22.68	24	0
				707.5	23095	22.68	24	0
				713.5	23155	22.84	24	0
			24	701.5	23035	22.75	24	0
				707.5	23095	23.01	24	0
				713.5	23155	22.91	24	0
		12 RB	0	701.5	23035	21.80	23	0-1
				707.5	23095	21.84	23	0-1
				713.5	23155	21.88	23	0-1
			6	701.5	23035	21.81	23	0-1
				707.5	23095	21.77	23	0-1
				713.5	23155	21.97	23	0-1
			13	701.5	23035	21.74	23	0-1
				707.5	23095	22.06	23	0-1
				713.5	23155	21.95	23	0-1
		25RB	0	701.5	23035	21.88	23	0-1
				707.5	23095	21.91	23	0-1
				713.5	23155	22.01	23	0-1
			6	701.5	23035	21.88	23	0-1
				707.5	23095	21.91	23	0-1
				713.5	23155	22.01	23	0-1
		16-QAM	0	701.5	23035	21.98	23	0-1
				707.5	23095	22.04	23	0-1
				713.5	23155	22.01	23	0-1
			12	701.5	23035	22.01	23	0-1
				707.5	23095	21.93	23	0-1
				713.5	23155	22.23	23	0-1
			24	701.5	23035	22.08	23	0-1
				707.5	23095	22.31	23	0-1
				713.5	23155	22.20	23	0-1
			0	701.5	23035	21.02	22	0-2
				707.5	23095	20.93	22	0-2
				713.5	23155	21.02	22	0-2
			6	701.5	23035	20.87	22	0-2
				707.5	23095	20.85	22	0-2
				713.5	23155	21.11	22	0-2
			13	701.5	23035	20.89	22	0-2
				707.5	23095	21.05	22	0-2
				713.5	23155	21.14	22	0-2
		25RB	0	701.5	23035	20.97	22	0-2
				707.5	23095	20.96	22	0-2
				713.5	23155	21.15	22	0-2

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路134號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

FDD Band 12								
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
3	QPSK	1 RB	0	700.5	23025	22.35	24	0
				707.5	23095	22.44	24	0
				714.5	23165	22.43	24	0
			7	700.5	23025	22.44	24	0
				707.5	23095	22.40	24	0
				714.5	23165	22.55	24	0
			14	700.5	23025	22.51	24	0
				707.5	23095	22.80	24	0
				714.5	23165	22.63	24	0
		8 RB	0	700.5	23025	21.57	23	0-1
				707.5	23095	21.57	23	0-1
				714.5	23165	21.60	23	0-1
			4	700.5	23025	21.60	23	0-1
				707.5	23095	21.50	23	0-1
				714.5	23165	21.73	23	0-1
			7	700.5	23025	21.50	23	0-1
				707.5	23095	21.80	23	0-1
				714.5	23165	21.67	23	0-1
		15RB	0	700.5	23025	21.68	23	0-1
				707.5	23095	21.64	23	0-1
				714.5	23165	21.77	23	0-1
			4	700.5	23025	21.75	23	0-1
				707.5	23095	21.78	23	0-1
				714.5	23165	21.80	23	0-1
		16-QAM	7	700.5	23025	21.72	23	0-1
				707.5	23095	21.64	23	0-1
				714.5	23165	22.02	23	0-1
			14	700.5	23025	21.82	23	0-1
				707.5	23095	22.06	23	0-1
				714.5	23165	21.92	23	0-1
			0	700.5	23025	20.80	22	0-2
				707.5	23095	20.72	22	0-2
				714.5	23165	20.75	22	0-2
			4	700.5	23025	20.59	22	0-2
				707.5	23095	20.59	22	0-2
				714.5	23165	20.91	22	0-2
			7	700.5	23025	20.61	22	0-2
				707.5	23095	20.84	22	0-2
				714.5	23165	20.89	22	0-2
		15RB	0	700.5	23025	20.68	22	0-2
				707.5	23095	20.75	22	0-2
				714.5	23165	20.86	22	0-2

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路134號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

FDD Band 12								
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
1.4	QPSK	1 RB	0	699.7	23017	22.33	24	0
				707.5	23095	22.44	24	0
				715.3	23173	22.38	24	0
			2	699.7	23017	22.36	24	0
				707.5	23095	22.40	24	0
				715.3	23173	22.46	24	0
		3 RB	5	699.7	23017	22.46	24	0
				707.5	23095	22.80	24	0
				715.3	23173	22.54	24	0
			0	699.7	23017	22.15	24	0
				707.5	23095	22.16	24	0
				715.3	23173	22.12	24	0
			2	699.7	23017	22.12	24	0
				707.5	23095	22.02	24	0
				715.3	23173	22.33	24	0
		6RB	3	699.7	23017	22.03	24	0
				707.5	23095	22.40	24	0
				715.3	23173	22.27	24	0
			6RB	699.7	23017	21.64	23	0-1
				707.5	23095	21.55	23	0-1
				715.3	23173	21.73	23	0-1
16-QAM	16-QAM	1 RB	0	699.7	23017	21.70	23	0-1
				707.5	23095	21.75	23	0-1
				715.3	23173	21.78	23	0-1
			2	699.7	23017	21.65	23	0-1
				707.5	23095	21.58	23	0-1
				715.3	23173	22.02	23	0-1
		3 RB	5	699.7	23017	21.74	23	0-1
				707.5	23095	22.05	23	0-1
				715.3	23173	21.92	23	0-1
			0	699.7	23017	21.07	23	0-1
				707.5	23095	21.02	23	0-1
				715.3	23173	21.02	23	0-1
			2	699.7	23017	21.02	23	0-1
				707.5	23095	21.04	23	0-1
				715.3	23173	21.15	23	0-1
		6RB	3	699.7	23017	21.01	23	0-1
				707.5	23095	21.11	23	0-1
				715.3	23173	21.12	23	0-1
			6RB	699.7	23017	20.65	22	0-2
				707.5	23095	20.74	22	0-2
				715.3	23173	19.28	20	0-2

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路134號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

FDD Band 13								
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
10	QPSK	1 RB	0	782	23230	23.44	24	0
			25	782	23230	23.54	24	0
			49	782	23230	23.53	24	0
		25 RB	0	782	23230	22.50	23	0-1
			12	782	23230	22.51	23	0-1
	16-QAM		25	782	23230	22.54	23	0-1
	1 RB	50RB		23230	22.69	23	0-1	
		0	782	23230	22.70	23	0-1	
		25	782	23230	22.83	23	0-1	
	25 RB	49	782	23230	22.86	23	0-1	
		0	782	23230	21.56	22	0-2	
		12	782	23230	21.59	22	0-2	
		25	782	23230	21.62	22	0-2	
	50RB		782	23230	21.77	22	0-2	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

FDD Band 13								
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
5	QPSK	1 RB	0	779.5	23205	23.21	24	0
				782	23230	23.26	24	0
				784.5	23255	23.44	24	0
			12	779.5	23205	23.27	24	0
				782	23230	23.39	24	0
				784.5	23255	23.34	24	0
			24	779.5	23205	23.40	24	0
				782	23230	23.40	24	0
				784.5	23255	23.35	24	0
		12 RB	0	779.5	23205	22.29	23	0-1
				782	23230	22.37	23	0-1
				784.5	23255	22.42	23	0-1
			6	779.5	23205	22.27	23	0-1
				782	23230	22.38	23	0-1
				784.5	23255	22.37	23	0-1
			13	779.5	23205	22.31	23	0-1
				782	23230	22.46	23	0-1
				784.5	23255	22.47	23	0-1
		25RB	0	779.5	23205	22.28	23	0-1
				782	23230	22.41	23	0-1
				784.5	23255	22.42	23	0-1
			6	779.5	23205	22.28	23	0-1
				782	23230	22.41	23	0-1
				784.5	23255	22.42	23	0-1
		16-QAM	0	779.5	23205	22.49	23	0-1
				782	23230	22.67	23	0-1
				784.5	23255	22.84	23	0-1
			12	779.5	23205	22.56	23	0-1
				782	23230	22.72	23	0-1
				784.5	23255	22.71	23	0-1
			24	779.5	23205	22.68	23	0-1
				782	23230	22.68	23	0-1
				784.5	23255	22.73	23	0-1
			0	779.5	23205	21.29	22	0-2
				782	23230	21.37	22	0-2
				784.5	23255	21.53	22	0-2
			6	779.5	23205	21.27	22	0-2
				782	23230	21.36	22	0-2
				784.5	23255	21.45	22	0-2
			13	779.5	23205	21.34	22	0-2
				782	23230	21.49	22	0-2
				784.5	23255	21.52	22	0-2
		25RB	0	779.5	23205	21.27	22	0-2
				782	23230	21.45	22	0-2
				784.5	23255	21.45	22	0-2

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路134號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

FDD Band 17								
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
10	QPSK	1 RB	0	709	23780	23.10	24	0
				710	23790	23.11	24	0
				711	23800	23.04	24	0
			25	709	23780	22.94	24	0
				710	23790	22.97	24	0
				711	23800	22.99	24	0
		25 RB	49	709	23780	22.87	24	0
				710	23790	22.90	24	0
				711	23800	22.81	24	0
			0	709	23780	21.91	23	0-1
				710	23790	21.91	23	0-1
				711	23800	21.99	23	0-1
			12	709	23780	22.02	23	0-1
				710	23790	22.07	23	0-1
				711	23800	22.11	23	0-1
		50RB	25	709	23780	22.17	23	0-1
				710	23790	22.15	23	0-1
				711	23800	22.09	23	0-1
			50RB	709	23780	22.16	23	0-1
				710	23790	22.17	23	0-1
				711	23800	22.05	23	0-1
16-QAM	16-QAM	1 RB	0	709	23780	22.15	23	0-1
				710	23790	22.17	23	0-1
				711	23800	22.09	23	0-1
			25	709	23780	22.21	23	0-1
				710	23790	22.25	23	0-1
				711	23800	22.31	23	0-1
		25 RB	49	709	23780	22.36	23	0-1
				710	23790	22.33	23	0-1
				711	23800	22.35	23	0-1
			0	709	23780	21.02	22	0-2
				710	23790	21.00	22	0-2
				711	23800	21.08	22	0-2
			12	709	23780	21.09	22	0-2
				710	23790	21.18	22	0-2
				711	23800	21.20	22	0-2
		50RB	25	709	23780	21.26	22	0-2
				710	23790	21.26	22	0-2
				711	23800	21.17	22	0-2
			50RB	709	23780	21.25	22	0-2
				710	23790	21.24	22	0-2
				711	23800	21.25	22	0-2

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路134號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

FDD Band 17								
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
5	QPSK	1 RB	0	706.5	23755	22.79	24	0
				710	23790	22.82	24	0
				713.5	23825	22.80	24	0
			12	706.5	23755	22.93	24	0
				710	23790	22.91	24	0
				713.5	23825	22.95	24	0
			24	706.5	23755	23.04	24	0
				710	23790	23.06	24	0
				713.5	23825	23.04	24	0
		12 RB	0	706.5	23755	21.82	23	0-1
				710	23790	21.88	23	0-1
				713.5	23825	21.96	23	0-1
			6	706.5	23755	21.94	23	0-1
				710	23790	22.02	23	0-1
				713.5	23825	22.08	23	0-1
			13	706.5	23755	22.13	23	0-1
				710	23790	22.13	23	0-1
				713.5	23825	22.09	23	0-1
		25RB	0	706.5	23755	22.09	23	0-1
				710	23790	22.15	23	0-1
				713.5	23825	22.19	23	0-1
			6	706.5	23755	22.11	23	0-1
				710	23790	22.17	23	0-1
				713.5	23825	22.02	23	0-1
		16-QAM	0	706.5	23755	22.19	23	0-1
				710	23790	22.20	23	0-1
				713.5	23825	22.30	23	0-1
			12	706.5	23755	22.32	23	0-1
				710	23790	22.31	23	0-1
				713.5	23825	22.35	23	0-1
			24	706.5	23755	21.02	22	0-2
				710	23790	20.91	22	0-2
				713.5	23825	21.07	22	0-2
			0	706.5	23755	21.01	22	0-2
				710	23790	21.15	22	0-2
				713.5	23825	21.15	22	0-2
		12 RB	6	706.5	23755	21.23	22	0-2
				710	23790	21.26	22	0-2
				713.5	23825	21.14	22	0-2
			13	706.5	23755	21.19	22	0-2
				710	23790	21.15	22	0-2
				713.5	23825	21.24	22	0-2

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路134號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

FDD Band 26								
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
15	QPSK	1 RB	0	821.5	26765	23.07	24	0
				831.5	26865	23.11	24	0
				841.5	26965	23.14	24	0
			36	821.5	26765	22.88	24	0
				831.5	26865	23.03	24	0
				841.5	26965	23.09	24	0
		36 RB	74	821.5	26765	23.05	24	0
				831.5	26865	23.10	24	0
				841.5	26965	23.02	24	0
			0	821.5	26765	22.04	23	0-1
				831.5	26865	22.12	23	0-1
				841.5	26965	22.15	23	0-1
			18	821.5	26765	22.08	23	0-1
				831.5	26865	22.16	23	0-1
				841.5	26965	22.13	23	0-1
		75RB	37	821.5	26765	22.09	23	0-1
				831.5	26865	22.18	23	0-1
				841.5	26965	22.23	23	0-1
			75RB	821.5	26765	22.20	23	0-1
				831.5	26865	22.26	23	0-1
				841.5	26965	22.39	23	0-1
16	16-QAM	1 RB	0	821.5	26765	22.23	23	0-1
				831.5	26865	22.34	23	0-1
				841.5	26965	22.42	23	0-1
			36	821.5	26765	22.36	23	0-1
				831.5	26865	22.42	23	0-1
				841.5	26965	22.36	23	0-1
		36 RB	74	821.5	26765	22.43	23	0-1
				831.5	26865	22.45	23	0-1
				841.5	26965	22.45	23	0-1
			0	821.5	26765	21.14	22	0-2
				831.5	26865	21.19	22	0-2
				841.5	26965	21.23	22	0-2
			18	821.5	26765	21.20	22	0-2
				831.5	26865	21.24	22	0-2
				841.5	26965	21.17	22	0-2
		75RB	37	821.5	26765	21.20	22	0-2
				831.5	26865	21.21	22	0-2
				841.5	26965	21.31	22	0-2
			75RB	821.5	26765	21.32	22	0-2
				831.5	26865	21.36	22	0-2
				841.5	26965	21.38	22	0-2

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路134號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

FDD Band 26								
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
10	QPSK	1 RB	0	819	26740	22.81	24	0
				831.5	26865	23.03	24	0
				844	26990	23.04	24	0
			25	819	26740	22.99	24	0
				831.5	26865	23.10	24	0
				844	26990	22.94	24	0
		25 RB	49	819	26740	23.03	24	0
				831.5	26865	23.02	24	0
				844	26990	23.01	24	0
			0	819	26740	21.99	23	0-1
				831.5	26865	22.12	23	0-1
				844	26990	22.08	23	0-1
			12	819	26740	22.01	23	0-1
				831.5	26865	22.15	23	0-1
				844	26990	22.11	23	0-1
		50RB	25	819	26740	22.02	23	0-1
				831.5	26865	22.09	23	0-1
				844	26990	22.18	23	0-1
			50RB	819	26740	22.20	23	0-1
				831.5	26865	22.17	23	0-1
				844	26990	22.36	23	0-1
16-QAM	16-QAM	1 RB	0	819	26740	22.19	23	0-1
				831.5	26865	22.25	23	0-1
				844	26990	22.38	23	0-1
			25	819	26740	22.32	23	0-1
				831.5	26865	22.36	23	0-1
				844	26990	22.28	23	0-1
		25 RB	49	819	26740	22.34	23	0-1
				831.5	26865	22.45	23	0-1
				844	26990	22.36	23	0-1
			0	819	26740	21.05	22	0-2
				831.5	26865	21.16	22	0-2
				844	26990	21.16	22	0-2
			12	819	26740	21.19	22	0-2
				831.5	26865	21.20	22	0-2
				844	26990	21.10	22	0-2
		50RB	25	819	26740	21.15	22	0-2
				831.5	26865	21.18	22	0-2
				844	26990	21.26	22	0-2
			50RB	819	26740	21.31	22	0-2
				831.5	26865	21.30	22	0-2
				844	26990	21.37	22	0-2

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路134號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

FDD Band 26								
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
5	QPSK	1 RB	0	816.5	26715	22.61	24	0
				831.5	26865	22.83	24	0
				846.5	27015	22.77	24	0
			12	816.5	26715	22.71	24	0
				831.5	26865	22.85	24	0
				846.5	27015	22.73	24	0
			24	816.5	26715	22.77	24	0
				831.5	26865	22.77	24	0
				846.5	27015	22.72	24	0
		12 RB	0	816.5	26715	21.71	23	0-1
				831.5	26865	21.91	23	0-1
				846.5	27015	21.87	23	0-1
			6	816.5	26715	21.74	23	0-1
				831.5	26865	21.89	23	0-1
				846.5	27015	21.86	23	0-1
			13	816.5	26715	21.74	23	0-1
				831.5	26865	21.87	23	0-1
				846.5	27015	21.94	23	0-1
		25RB	0	816.5	26715	22.00	23	0-1
				831.5	26865	21.96	23	0-1
				846.5	27015	22.10	23	0-1
			6	815.5	26705	21.95	23	0-1
				831.5	26865	21.99	23	0-1
				847.5	27025	22.16	23	0-1
		16-QAM	0	815.5	26705	22.10	23	0-1
				831.5	26865	22.11	23	0-1
				847.5	27025	22.08	23	0-1
			12	815.5	26705	22.11	23	0-1
				831.5	26865	22.20	23	0-1
				847.5	27025	22.16	23	0-1
			24	815.5	26705	20.77	22	0-2
				831.5	26865	20.94	22	0-2
				847.5	27025	20.91	22	0-2
			6	815.5	26705	20.94	22	0-2
				831.5	26865	20.99	22	0-2
				847.5	27025	20.83	22	0-2
			13	815.5	26705	20.93	22	0-2
				831.5	26865	20.97	22	0-2
				847.5	27025	21.05	22	0-2
		25RB	0	815.5	26705	21.11	22	0-2
				831.5	26865	21.07	22	0-2
				847.5	27025	21.12	22	0-2

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路134號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

FDD Band 26									
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)	
3	QPSK	1 RB	0	815.5	26705	22.60	24	0	
				831.5	26865	22.74	24	0	
				847.5	27025	22.72	24	0	
			7	815.5	26705	22.63	24	0	
				831.5	26865	22.80	24	0	
				847.5	27025	22.72	24	0	
			14	815.5	26705	22.74	24	0	
		8 RB		831.5	26865	22.71	24	0	
				847.5	27025	22.67	24	0	
				815.5	26705	21.68	23	0-1	
		0	831.5	26865	21.84	23	0-1		
			847.5	27025	21.86	23	0-1		
			815.5	26705	21.72	23	0-1		
		4	831.5	26865	21.87	23	0-1		
			847.5	27025	21.86	23	0-1		
			815.5	26705	21.66	23	0-1		
		15RB	7	831.5	26865	21.84	23	0-1	
				847.5	27025	21.85	23	0-1	
				815.5	26705	21.92	23	0-1	
			15RB	831.5	26865	21.87	23	0-1	
				847.5	27025	22.07	23	0-1	
				815.5	26705	21.88	23	0-1	
	16-QAM	1 RB	0	831.5	26865	21.95	23	0-1	
				847.5	27025	22.14	23	0-1	
			7	815.5	26705	22.01	23	0-1	
				831.5	26865	22.08	23	0-1	
				847.5	27025	21.99	23	0-1	
			14	815.5	26705	22.07	23	0-1	
				831.5	26865	22.17	23	0-1	
		8 RB	0	847.5	27025	22.07	23	0-1	
				815.5	26705	20.71	22	0-2	
				831.5	26865	20.85	22	0-2	
			4	847.5	27025	20.86	22	0-2	
				815.5	26705	20.93	22	0-2	
				831.5	26865	20.90	22	0-2	
			7	847.5	27025	20.79	22	0-2	
		15RB		815.5	26705	20.90	22	0-2	
				831.5	26865	20.93	22	0-2	
				847.5	27025	20.98	22	0-2	
		15RB	815.5	26705	21.06	22	0-2		
			831.5	26865	21.03	22	0-2		
			847.5	27025	21.08	22	0-2		

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路134號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

FDD Band 26								
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
1.4	QPSK	1 RB	0	814.7	26697	22.60	24	0
				831.5	26865	22.65	24	0
				848.3	27033	22.66	24	0
			2	814.7	26697	22.57	24	0
				831.5	26865	22.72	24	0
				848.3	27033	22.66	24	0
		3 RB	5	814.7	26697	22.66	24	0
				831.5	26865	22.69	24	0
				848.3	27033	22.61	24	0
			0	814.7	26697	22.13	24	0
				831.5	26865	22.26	24	0
				848.3	27033	22.28	24	0
			2	814.7	26697	22.19	24	0
				831.5	26865	22.36	24	0
				848.3	27033	22.31	24	0
		6RB	3	814.7	26697	22.11	24	0
				831.5	26865	22.34	24	0
				848.3	27033	22.35	24	0
			6RB	814.7	26697	21.91	23	0-1
				831.5	26865	21.85	23	0-1
				848.3	27033	22.05	23	0-1
1.4	16-QAM	1 RB	0	814.7	26697	21.85	23	0-1
				831.5	26865	21.87	23	0-1
				848.3	27033	22.08	23	0-1
			2	814.7	26697	21.95	23	0-1
				831.5	26865	22.01	23	0-1
				848.3	27033	21.92	23	0-1
		3 RB	5	814.7	26697	22.07	23	0-1
				831.5	26865	22.10	23	0-1
				848.3	27033	22.00	23	0-1
			0	814.7	26697	21.27	23	0-1
				831.5	26865	21.32	23	0-1
				848.3	27033	21.38	23	0-1
			2	814.7	26697	21.37	23	0-1
				831.5	26865	21.24	23	0-1
				848.3	27033	21.33	23	0-1
		6RB	3	814.7	26697	21.35	23	0-1
				831.5	26865	21.43	23	0-1
				848.3	27033	21.54	23	0-1
			6RB	814.7	26697	21.04	22	0-2
				831.5	26865	20.98	22	0-2
				848.3	27033	21.00	22	0-2

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路134號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

FDD Band 30								
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
10	QPSK	1 RB	0	2310	27710	22.78	24	0
			25	2310	27710	22.70	24	0
			49	2310	27710	22.57	24	0
		25 RB	0	2310	27710	21.67	23	0-1
			12	2310	27710	21.53	23	0-1
	16-QAM		25	2310	27710	21.55	23	0-1
	1 RB	50RB	2310	27710	21.59	23	0-1	
		0	2310	27710	21.69	23	0-1	
		25	2310	27710	21.64	23	0-1	
	25 RB	49	2310	27710	21.53	23	0-1	
		0	2310	27710	20.51	22	0-2	
		12	2310	27710	20.54	22	0-2	
		25	2310	27710	20.69	22	0-2	
	50RB		2310	27710	20.60	22	0-2	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

FDD Band 30								
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
5	QPSK	1 RB	0	2307.5	27685	22.69	24	0
				2310	27710	22.39	24	0
				2312.5	27735	22.51	24	0
			12	2307.5	27685	22.62	24	0
				2310	27710	22.53	24	0
				2312.5	27735	22.53	24	0
			24	2307.5	27685	22.56	24	0
				2310	27710	22.64	24	0
				2312.5	27735	22.64	24	0
		12 RB	0	2307.5	27685	21.66	23	0-1
				2310	27710	21.48	23	0-1
				2312.5	27735	21.52	23	0-1
			6	2307.5	27685	21.69	23	0-1
				2310	27710	21.98	23	0-1
				2312.5	27735	21.63	23	0-1
			13	2307.5	27685	21.78	23	0-1
				2310	27710	21.36	23	0-1
				2312.5	27735	21.67	23	0-1
		25RB	0	2307.5	27685	21.29	23	0-1
				2310	27710	21.18	23	0-1
				2312.5	27735	21.13	23	0-1
			6	2307.5	27685	21.67	23	0-1
				2310	27710	21.44	23	0-1
				2312.5	27735	21.44	23	0-1
		16-QAM	0	2307.5	27685	21.51	23	0-1
				2310	27710	21.47	23	0-1
				2312.5	27735	21.40	23	0-1
			12	2307.5	27685	21.54	23	0-1
				2310	27710	21.55	23	0-1
				2312.5	27735	21.56	23	0-1
			24	2307.5	27685	20.64	22	0-2
				2310	27710	20.44	22	0-2
				2312.5	27735	20.52	22	0-2
		12 RB	0	2307.5	27685	20.56	22	0-2
				2310	27710	20.91	22	0-2
				2312.5	27735	20.66	22	0-2
			6	2307.5	27685	20.80	22	0-2
				2310	27710	20.39	22	0-2
				2312.5	27735	20.62	22	0-2
			13	2307.5	27685	20.31	22	0-2
				2310	27710	20.04	22	0-2
				2312.5	27735	20.12	22	0-2

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路134號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

FDD Band 66								
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
20	QPSK	1 RB	0	1720	132072	23.55	24	0
				1745	132322	23.62	24	0
				1770	132572	23.69	24	0
			50	1720	132072	23.51	24	0
				1745	132322	23.42	24	0
				1770	132572	23.37	24	0
		99	0	1720	132072	23.40	24	0
				1745	132322	23.57	24	0
				1770	132572	23.55	24	0
		50 RB	25	1720	132072	22.50	23	0-1
				1745	132322	22.43	23	0-1
				1770	132572	22.59	23	0-1
			50	1720	132072	22.37	23	0-1
				1745	132322	22.35	23	0-1
				1770	132572	22.38	23	0-1
		100RB	0	1720	132072	22.46	23	0-1
				1745	132322	22.42	23	0-1
				1770	132572	22.43	23	0-1
		16-QAM	25	1720	132072	22.71	23	0-1
				1745	132322	22.61	23	0-1
				1770	132572	22.74	23	0-1
			50	1720	132072	22.69	23	0-1
				1745	132322	22.84	23	0-1
				1770	132572	22.99	23	0-1
			99	1720	132072	22.78	23	0-1
				1745	132322	22.71	23	0-1
				1770	132572	22.68	23	0-1
		100RB	0	1720	132072	22.69	23	0-1
				1745	132322	22.88	23	0-1
				1770	132572	22.95	23	0-1
			25	1720	132072	21.44	22	0-2
				1745	132322	21.31	22	0-2
				1770	132572	21.49	22	0-2
			50	1720	132072	21.45	22	0-2
				1745	132322	21.34	22	0-2
				1770	132572	21.32	22	0-2
			50	1720	132072	21.32	22	0-2
				1745	132322	21.39	22	0-2
				1770	132572	21.37	22	0-2
			100RB	1720	132072	21.70	22	0-2
				1745	132322	21.58	22	0-2
				1770	132572	21.63	22	0-2

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路134號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

FDD Band 66								
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
15	QPSK	1 RB	0	1717.5	132047	23.41	24	0
				1745	132322	23.57	24	0
				1772.5	132597	23.60	24	0
			36	1717.5	132047	23.53	24	0
				1745	132322	23.37	24	0
				1772.5	132597	23.34	24	0
		36 RB	74	1717.5	132047	23.35	24	0
				1745	132322	23.60	24	0
				1772.5	132597	23.54	24	0
			0	1717.5	132047	22.41	23	0-1
				1745	132322	22.41	23	0-1
				1772.5	132597	22.58	23	0-1
			18	1717.5	132047	22.52	23	0-1
				1745	132322	22.45	23	0-1
				1772.5	132597	22.37	23	0-1
		75RB	37	1717.5	132047	22.41	23	0-1
				1745	132322	22.39	23	0-1
				1772.5	132597	22.39	23	0-1
			75RB	1717.5	132047	22.63	23	0-1
				1745	132322	22.59	23	0-1
				1772.5	132597	22.64	23	0-1
16	16-QAM	1 RB	0	1717.5	132047	22.67	23	0-1
				1745	132322	22.84	23	0-1
				1772.5	132597	22.96	23	0-1
			36	1717.5	132047	22.72	23	0-1
				1745	132322	22.65	23	0-1
				1772.5	132597	22.61	23	0-1
		36 RB	74	1717.5	132047	22.64	23	0-1
				1745	132322	22.82	23	0-1
				1772.5	132597	22.90	23	0-1
			0	1717.5	132047	21.40	22	0-2
				1745	132322	21.23	22	0-2
				1772.5	132597	21.43	22	0-2
			18	1717.5	132047	21.43	22	0-2
				1745	132322	21.27	22	0-2
				1772.5	132597	21.27	22	0-2
		75RB	37	1717.5	132047	21.32	22	0-2
				1745	132322	21.34	22	0-2
				1772.5	132597	21.30	22	0-2
			75RB	1717.5	132047	21.64	22	0-2
				1745	132322	21.49	22	0-2
				1772.5	132597	21.56	22	0-2

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路134號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

FDD Band 66								
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
10	QPSK	1 RB	0	1715	132022	23.32	24	0
				1745	132322	23.48	24	0
				1775	132622	23.57	24	0
			25	1715	132022	23.51	24	0
				1745	132322	23.28	24	0
				1775	132622	23.32	24	0
		25 RB	49	1715	132022	23.30	24	0
				1745	132322	23.55	24	0
				1775	132622	23.46	24	0
			0	1715	132022	22.33	23	0-1
				1745	132322	22.33	23	0-1
				1775	132622	22.56	23	0-1
			12	1715	132022	22.51	23	0-1
				1745	132322	22.42	23	0-1
				1775	132622	22.33	23	0-1
		50RB	25	1715	132022	22.41	23	0-1
				1745	132322	22.39	23	0-1
				1775	132622	22.31	23	0-1
			50RB	1715	132022	22.59	23	0-1
				1745	132322	22.50	23	0-1
				1775	132622	22.60	23	0-1
16-QAM	16-QAM	1 RB	0	1715	132022	22.62	23	0-1
				1745	132322	22.80	23	0-1
				1775	132622	22.94	23	0-1
			25	1715	132022	22.72	23	0-1
				1745	132322	22.57	23	0-1
				1775	132622	22.52	23	0-1
		25 RB	49	1715	132022	22.62	23	0-1
				1745	132322	22.79	23	0-1
				1775	132622	22.87	23	0-1
			0	1715	132022	21.40	22	0-2
				1745	132322	21.14	22	0-2
				1775	132622	21.34	22	0-2
			12	1715	132022	21.36	22	0-2
				1745	132322	21.19	22	0-2
				1775	132622	21.18	22	0-2
		50RB	25	1715	132022	21.28	22	0-2
				1745	132322	21.28	22	0-2
				1775	132622	21.28	22	0-2
			50RB	1715	132022	21.55	22	0-2
				1745	132322	21.42	22	0-2
				1775	132622	21.53	22	0-2

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路134號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

FDD Band 66								
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
5	QPSK	1 RB	0	1712.5	131997	23.28	24	0
				1745	132322	23.44	24	0
				1777.5	132647	23.53	24	0
			12	1712.5	131997	23.46	24	0
				1745	132322	23.21	24	0
				1777.5	132647	23.30	24	0
		24	0	1712.5	131997	23.22	24	0
				1745	132322	23.52	24	0
				1777.5	132647	23.39	24	0
		12 RB	6	1712.5	131997	22.28	23	0-1
				1745	132322	22.31	23	0-1
				1777.5	132647	22.47	23	0-1
			13	1712.5	131997	22.42	23	0-1
				1745	132322	22.37	23	0-1
				1777.5	132647	22.25	23	0-1
		25RB	13	1712.5	131997	22.41	23	0-1
				1745	132322	22.37	23	0-1
				1777.5	132647	22.25	23	0-1
			0	1712.5	131997	22.53	23	0-1
				1745	132322	22.43	23	0-1
				1777.5	132647	22.55	23	0-1
	16-QAM	1 RB	0	1712.5	131997	22.58	23	0-1
				1745	132322	22.76	23	0-1
				1777.5	132647	22.87	23	0-1
			12	1712.5	131997	22.68	23	0-1
				1745	132322	22.54	23	0-1
				1777.5	132647	22.45	23	0-1
		12 RB	24	1712.5	131997	22.53	23	0-1
				1745	132322	22.74	23	0-1
				1777.5	132647	22.81	23	0-1
			6	1712.5	131997	21.33	22	0-2
				1745	132322	21.09	22	0-2
				1777.5	132647	21.25	22	0-2
		25RB	13	1712.5	131997	21.30	22	0-2
				1745	132322	21.11	22	0-2
				1777.5	132647	21.15	22	0-2
			0	1712.5	131997	21.24	22	0-2
				1745	132322	21.21	22	0-2
				1777.5	132647	21.26	22	0-2

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路134號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

FDD Band 66									
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)	
3	QPSK	1 RB	0	1711.5	131987	23.28	24	0	
				1745	132322	23.43	24	0	
				1778.5	132657	23.53	24	0	
			7	1711.5	131987	23.43	24	0	
				1745	132322	23.19	24	0	
				1778.5	132657	23.28	24	0	
			14	1711.5	131987	23.13	24	0	
		8 RB		1745	132322	23.48	24	0	
				1778.5	132657	23.39	24	0	
				1711.5	131987	22.23	23	0-1	
		0	1745	132322	22.30	23	0-1		
			1778.5	132657	22.40	23	0-1		
			1711.5	131987	22.41	23	0-1		
		4	1745	132322	22.37	23	0-1		
			1778.5	132657	22.19	23	0-1		
			1711.5	131987	22.37	23	0-1		
		15RB	7	1745	132322	22.36	23	0-1	
				1778.5	132657	22.25	23	0-1	
				1711.5	131987	22.46	23	0-1	
			15RB	1745	132322	22.40	23	0-1	
				1778.5	132657	22.48	23	0-1	
				1711.5	131987	22.46	23	0-1	
	16-QAM	1 RB	0	1745	132322	22.58	23	0-1	
				1778.5	132657	22.67	23	0-1	
				1711.5	131987	22.85	23	0-1	
			7	1745	132322	22.63	23	0-1	
				1778.5	132657	22.51	23	0-1	
				1711.5	131987	22.36	23	0-1	
				1745	132322	22.45	23	0-1	
	8 RB	14	1778.5	132657	22.72	23	0-1	0-1	
			0	1711.5	131987	22.45	23	0-1	
				1745	132322	22.72	23	0-1	
				1778.5	132657	22.72	23	0-1	
			4	1711.5	131987	21.25	22	0-2	
				1745	132322	21.00	22	0-2	
				1778.5	132657	21.19	22	0-2	
		7	1711.5	131987	21.26	22	0-2	0-2	
			7	1745	132322	21.03	22	0-2	
				1778.5	132657	21.14	22	0-2	
		15RB	7	1711.5	131987	21.22	22	0-2	
				1745	132322	21.12	22	0-2	
				1778.5	132657	21.21	22	0-2	
			15RB	1711.5	131987	21.47	22	0-2	
				1745	132322	21.36	22	0-2	
				1778.5	132657	21.43	22	0-2	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路134號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

FDD Band 66								
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
1.4	QPSK	1 RB	0	1710.7	131979	23.28	24	0
				1745	132322	23.41	24	0
				1779.3	132665	23.45	24	0
			2	1710.7	131979	23.41	24	0
				1745	132322	23.13	24	0
				1779.3	132665	23.26	24	0
		3 RB	5	1710.7	131979	23.08	24	0
				1745	132322	23.44	24	0
				1779.3	132665	23.36	24	0
			0	1710.7	131979	22.65	24	0
				1745	132322	22.76	24	0
				1779.3	132665	22.89	24	0
			2	1710.7	131979	22.90	24	0
				1745	132322	22.87	24	0
				1779.3	132665	22.63	24	0
		6RB	3	1710.7	131979	22.80	24	0
				1745	132322	22.78	24	0
				1779.3	132665	22.69	24	0
			6RB	1710.7	131979	22.37	23	0-1
				1745	132322	22.37	23	0-1
				1779.3	132665	22.39	23	0-1
1.4	16-QAM	1 RB	0	1710.7	131979	22.57	23	0-1
				1745	132322	22.64	23	0-1
				1779.3	132665	22.82	23	0-1
			2	1710.7	131979	22.62	23	0-1
				1745	132322	22.47	23	0-1
				1779.3	132665	22.32	23	0-1
		3 RB	5	1710.7	131979	22.43	23	0-1
				1745	132322	22.68	23	0-1
				1779.3	132665	22.64	23	0-1
			0	1710.7	131979	22.52	23	0-1
				1745	132322	22.30	23	0-1
				1779.3	132665	22.49	23	0-1
			2	1710.7	131979	22.51	23	0-1
				1745	132322	22.31	23	0-1
				1779.3	132665	22.41	23	0-1
		6RB	3	1710.7	131979	22.44	23	0-1
				1745	132322	22.38	23	0-1
				1779.3	132665	22.43	23	0-1
			6RB	1710.7	131979	21.42	22	0-2
				1745	132322	21.29	22	0-2
				1779.3	132665	21.41	22	0-2

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路134號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

LTE TDD Band 38 / Band 41 power table (Full power):

TDD Band 38								
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
20	QPSK	1 RB	0	2580	37850	22.78	24	0
				2595	38000	22.86	24	0
				2610	38150	22.95	24	0
			50	2580	37850	22.71	24	0
				2595	38000	22.73	24	0
				2610	38150	22.81	24	0
		50 RB	0	2580	37850	22.73	24	0
				2595	38000	22.71	24	0
				2610	38150	22.76	24	0
			25	2580	37850	21.64	23	0-1
				2595	38000	21.63	23	0-1
				2610	38150	21.67	23	0-1
			50	2580	37850	21.67	23	0-1
				2595	38000	21.65	23	0-1
				2610	38150	21.69	23	0-1
		100RB	0	2580	37850	21.69	23	0-1
				2595	38000	21.71	23	0-1
				2610	38150	21.76	23	0-1
			25	2580	37850	21.68	23	0-1
				2595	38000	21.64	23	0-1
				2610	38150	21.71	23	0-1
			50	2580	37850	21.62	23	0-1
				2595	38000	21.56	23	0-1
				2610	38150	21.65	23	0-1
		16-QAM	0	2580	37850	21.64	23	0-1
				2595	38000	21.71	23	0-1
				2610	38150	21.64	23	0-1
			25	2580	37850	21.77	23	0-1
				2595	38000	21.74	23	0-1
				2610	38150	21.78	23	0-1
			50	2580	37850	20.64	22	0-2
				2595	38000	20.58	22	0-2
				2610	38150	20.52	22	0-2
		100RB	0	2580	37850	20.55	22	0-2
				2595	38000	20.48	22	0-2
				2610	38150	20.69	22	0-2
			25	2580	37850	20.54	22	0-2
				2595	38000	20.71	22	0-2
				2610	38150	20.64	22	0-2
			50	2580	37850	20.65	22	0-2
				2595	38000	20.58	22	0-2
				2610	38150	20.62	22	0-2

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路134號

TDD Band 38								
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
15	QPSK	1 RB	0	2577.5	37825	22.67	24	0
				2595	38000	22.69	24	0
				2612.5	38175	22.74	24	0
			36	2577.5	37825	22.57	24	0
				2595	38000	22.59	24	0
				2612.5	38175	22.78	24	0
		36 RB	74	2577.5	37825	22.67	24	0
				2595	38000	22.86	24	0
				2612.5	38175	22.78	24	0
			0	2577.5	37825	21.46	23	0-1
				2595	38000	21.58	23	0-1
				2612.5	38175	21.49	23	0-1
			18	2577.5	37825	21.60	23	0-1
				2595	38000	21.54	23	0-1
				2612.5	38175	21.61	23	0-1
		75RB	37	2577.5	37825	21.60	23	0-1
				2595	38000	21.67	23	0-1
				2612.5	38175	21.75	23	0-1
			75RB	2577.5	37825	21.67	23	0-1
				2595	38000	21.54	23	0-1
				2612.5	38175	21.67	23	0-1
16-QAM	16-QAM	1 RB	0	2577.5	37825	21.51	23	0-1
				2595	38000	21.37	23	0-1
				2612.5	38175	21.56	23	0-1
			36	2577.5	37825	21.59	23	0-1
				2595	38000	21.55	23	0-1
				2612.5	38175	21.46	23	0-1
		36 RB	74	2577.5	37825	21.69	23	0-1
				2595	38000	21.59	23	0-1
				2612.5	38175	21.76	23	0-1
			0	2577.5	37825	20.53	22	0-2
				2595	38000	20.49	22	0-2
				2612.5	38175	20.47	22	0-2
			18	2577.5	37825	20.50	22	0-2
				2595	38000	20.31	22	0-2
				2612.5	38175	20.69	22	0-2
		75RB	37	2577.5	37825	20.35	22	0-2
				2595	38000	20.55	22	0-2
				2612.5	38175	20.59	22	0-2
			75RB	2577.5	37825	20.55	22	0-2
				2595	38000	20.48	22	0-2
				2612.5	38175	20.52	22	0-2

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路134號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

TDD Band 38								
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
10	QPSK	1 RB	0	2575	37800	22.52	24	0
				2595	38000	22.57	24	0
				2615	38200	22.73	24	0
			25	2575	37800	22.57	24	0
				2595	38000	22.46	24	0
				2615	38200	22.76	24	0
		25 RB	49	2575	37800	22.51	24	0
				2595	38000	22.86	24	0
				2615	38200	22.74	24	0
			0	2575	37800	21.38	23	0-1
				2595	38000	21.53	23	0-1
				2615	38200	21.46	23	0-1
			12	2575	37800	21.54	23	0-1
				2595	38000	21.43	23	0-1
				2615	38200	21.55	23	0-1
		50RB	25	2575	37800	21.51	23	0-1
				2595	38000	21.50	23	0-1
				2615	38200	21.61	23	0-1
			50RB	2575	37800	21.50	23	0-1
				2595	38000	21.39	23	0-1
				2615	38200	21.49	23	0-1
16-QAM	16-QAM	1 RB	0	2575	37800	21.36	23	0-1
				2595	38000	21.28	23	0-1
				2615	38200	21.42	23	0-1
			25	2575	37800	21.56	23	0-1
				2595	38000	21.49	23	0-1
				2615	38200	21.37	23	0-1
		25 RB	49	2575	37800	21.56	23	0-1
				2595	38000	21.47	23	0-1
				2615	38200	21.60	23	0-1
			0	2575	37800	20.35	22	0-2
				2595	38000	20.38	22	0-2
				2615	38200	20.43	22	0-2
			12	2575	37800	20.46	22	0-2
				2595	38000	20.24	22	0-2
				2615	38200	20.54	22	0-2
		50RB	25	2575	37800	20.16	22	0-2
				2595	38000	20.43	22	0-2
				2615	38200	20.52	22	0-2
			50RB	2575	37800	20.44	22	0-2
				2595	38000	20.32	22	0-2
				2615	38200	20.48	22	0-2

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路134號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

TDD Band 38								
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
5	QPSK	1 RB	0	2572.5	37775	22.46	24	0
				2595	38000	22.49	24	0
				2617.5	38225	22.64	24	0
			12	2572.5	37775	22.39	24	0
				2595	38000	22.37	24	0
				2617.5	38225	22.58	24	0
			24	2572.5	37775	22.39	24	0
				2595	38000	22.75	24	0
				2617.5	38225	22.59	24	0
		12 RB	0	2572.5	37775	21.29	23	0-1
				2595	38000	21.38	23	0-1
				2617.5	38225	21.41	23	0-1
			6	2572.5	37775	21.46	23	0-1
				2595	38000	21.39	23	0-1
				2617.5	38225	21.42	23	0-1
			13	2572.5	37775	21.44	23	0-1
				2595	38000	21.37	23	0-1
				2617.5	38225	21.50	23	0-1
		25RB	25RB	2572.5	37775	21.50	23	0-1
				2595	38000	21.25	23	0-1
				2617.5	38225	21.45	23	0-1
			1 RB	2572.5	37775	21.29	23	0-1
				2595	38000	21.09	23	0-1
				2617.5	38225	21.33	23	0-1
		16-QAM	12	2572.5	37775	21.41	23	0-1
				2595	38000	21.34	23	0-1
				2617.5	38225	21.22	23	0-1
			24	2572.5	37775	21.52	23	0-1
				2595	38000	21.45	23	0-1
				2617.5	38225	21.60	23	0-1
			0	2572.5	37775	20.22	22	0-2
				2595	38000	20.37	22	0-2
				2617.5	38225	20.38	22	0-2
			6	2572.5	37775	20.32	22	0-2
				2595	38000	20.15	22	0-2
				2617.5	38225	20.41	22	0-2
			13	2572.5	37775	20.04	22	0-2
				2595	38000	20.24	22	0-2
				2617.5	38225	20.46	22	0-2
		25RB	25RB	2572.5	37775	20.32	22	0-2
				2595	38000	20.32	22	0-2
				2617.5	38225	20.43	22	0-2

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路134號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

TDD Band 41								
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
20	QPSK	1 RB	0	2506	39750	22.61	24	0
				2549.5	40185	22.55	24	0
				2593	40620	22.69	24	0
				2636.5	41055	22.78	24	0
				2680	41490	22.73	24	0
			50	2506	39750	22.41	24	0
				2549.5	40185	22.48	24	0
				2593	40620	22.51	24	0
				2636.5	41055	22.65	24	0
				2680	41490	22.62	24	0
			99	2506	39750	22.37	24	0
				2549.5	40185	22.45	24	0
				2593	40620	22.46	24	0
				2636.5	41055	22.74	24	0
				2680	41490	22.71	24	0
		50 RB	0	2506	39750	21.31	23	0-1
				2549.5	40185	21.43	23	0-1
				2593	40620	21.36	23	0-1
				2636.5	41055	21.55	23	0-1
				2680	41490	21.59	23	0-1
			25	2506	39750	21.36	23	0-1
				2549.5	40185	21.37	23	0-1
				2593	40620	21.42	23	0-1
				2636.5	41055	21.49	23	0-1
				2680	41490	21.57	23	0-1
		100RB	50	2506	39750	21.45	23	0-1
				2549.5	40185	21.44	23	0-1
				2593	40620	21.47	23	0-1
				2636.5	41055	21.62	23	0-1
				2680	41490	21.60	23	0-1

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路134號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

TDD Band 41								
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
20	16-QAM	1 RB	0	2506	39750	21.27	23	0-1
				2549.5	40185	21.41	23	0-1
				2593	40620	21.28	23	0-1
				2636.5	41055	21.39	23	0-1
				2680	41490	21.56	23	0-1
			50	2506	39750	21.25	23	0-1
				2549.5	40185	21.46	23	0-1
				2593	40620	21.47	23	0-1
				2636.5	41055	21.49	23	0-1
				2680	41490	21.60	23	0-1
			99	2506	39750	21.61	23	0-1
				2549.5	40185	21.47	23	0-1
				2593	40620	21.61	23	0-1
				2636.5	41055	21.73	23	0-1
				2680	41490	21.62	23	0-1
		50 RB	0	2506	39750	20.28	22	0-2
				2549.5	40185	20.25	22	0-2
				2593	40620	20.23	22	0-2
				2636.5	41055	20.47	22	0-2
				2680	41490	20.58	22	0-2
			25	2506	39750	20.18	22	0-2
				2549.5	40185	20.20	22	0-2
				2593	40620	20.41	22	0-2
				2636.5	41055	20.39	22	0-2
				2680	41490	20.38	22	0-2
		100RB	50	2506	39750	20.32	22	0-2
				2549.5	40185	20.35	22	0-2
				2593	40620	20.30	22	0-2
				2636.5	41055	20.39	22	0-2
				2680	41490	20.60	22	0-2

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路134號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

TDD Band 41								
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
15	QPSK	1 RB	0	2503.5	39725	22.28	24	0
				2548.3	40173	22.36	24	0
				2593	40620	22.31	24	0
				2637.8	41068	22.42	24	0
				2682.5	41515	22.54	24	0
			36	2503.5	39725	22.31	24	0
				2548.3	40173	22.48	24	0
				2593	40620	22.33	24	0
				2637.8	41068	22.65	24	0
				2682.5	41515	22.58	24	0
			74	2503.5	39725	22.50	24	0
				2548.3	40173	22.47	24	0
				2593	40620	22.67	24	0
				2637.8	41068	22.70	24	0
				2682.5	41515	22.61	24	0
		36 RB	0	2503.5	39725	21.26	23	0-1
				2548.3	40173	21.36	23	0-1
				2593	40620	21.24	23	0-1
				2637.8	41068	21.45	23	0-1
				2682.5	41515	21.46	23	0-1
			18	2503.5	39725	21.27	23	0-1
				2548.3	40173	21.36	23	0-1
				2593	40620	21.32	23	0-1
				2637.8	41068	21.43	23	0-1
				2682.5	41515	21.41	23	0-1
		75RB	37	2503.5	39725	21.28	23	0-1
				2548.3	40173	21.29	23	0-1
				2593	40620	21.33	23	0-1
				2637.8	41068	21.43	23	0-1
				2682.5	41515	21.48	23	0-1
				2503.5	39725	21.39	23	0-1
				2548.3	40173	21.40	23	0-1
				2593	40620	21.39	23	0-1
				2637.8	41068	21.38	23	0-1
				2682.5	41515	21.50	23	0-1

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

TDD Band 41								
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
15	16-QAM	1 RB	0	2503.5	39725	21.10	23	0-1
				2548.3	40173	21.39	23	0-1
				2593	40620	21.14	23	0-1
				2637.8	41068	21.24	23	0-1
				2682.5	41515	21.56	23	0-1
			36	2503.5	39725	21.08	23	0-1
				2548.3	40173	21.38	23	0-1
				2593	40620	21.30	23	0-1
				2637.8	41068	21.38	23	0-1
				2682.5	41515	21.51	23	0-1
			74	2503.5	39725	21.45	23	0-1
				2548.3	40173	21.45	23	0-1
				2593	40620	21.57	23	0-1
				2637.8	41068	21.69	23	0-1
				2682.5	41515	21.59	23	0-1
		36 RB	0	2503.5	39725	20.28	22	0-2
				2548.3	40173	20.13	22	0-2
				2593	40620	20.16	22	0-2
				2637.8	41068	20.42	22	0-2
				2682.5	41515	20.42	22	0-2
			18	2503.5	39725	20.02	22	0-2
				2548.3	40173	20.13	22	0-2
				2593	40620	20.26	22	0-2
				2637.8	41068	20.38	22	0-2
				2682.5	41515	20.36	22	0-2
		75RB	37	2503.5	39725	20.30	22	0-2
				2548.3	40173	20.24	22	0-2
				2593	40620	20.16	22	0-2
				2637.8	41068	20.21	22	0-2
				2682.5	41515	20.46	22	0-2

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路134號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

TDD Band 41								
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
10	QPSK	1 RB	0	2501	39700	22.20	24	0
				2547	40160	22.20	24	0
				2593	40620	22.29	24	0
				2639	41080	22.27	24	0
				2685	41540	22.37	24	0
			25	2501	39700	22.19	24	0
				2547	40160	22.43	24	0
				2593	40620	22.24	24	0
				2639	41080	22.62	24	0
				2685	41540	22.55	24	0
			49	2501	39700	22.48	24	0
				2547	40160	22.31	24	0
				2593	40620	22.64	24	0
				2639	41080	22.61	24	0
				2685	41540	22.49	24	0
		25 RB	0	2501	39700	21.24	23	0-1
				2547	40160	21.36	23	0-1
				2593	40620	21.08	23	0-1
				2639	41080	21.37	23	0-1
				2685	41540	21.41	23	0-1
			12	2501	39700	21.19	23	0-1
				2547	40160	21.29	23	0-1
				2593	40620	21.28	23	0-1
				2639	41080	21.24	23	0-1
				2685	41540	21.34	23	0-1
		50RB	25	2501	39700	21.13	23	0-1
				2547	40160	21.17	23	0-1
				2593	40620	21.22	23	0-1
				2639	41080	21.24	23	0-1
				2685	41540	21.36	23	0-1

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路134號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

TDD Band 41								
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
10	16-QAM	1 RB	0	2501	39700	21.26	23	0-1
				2547	40160	21.63	23	0-1
				2593	40620	21.32	23	0-1
				2639	41080	21.36	23	0-1
				2685	41540	21.73	23	0-1
			25	2501	39700	21.26	23	0-1
				2547	40160	21.68	23	0-1
				2593	40620	21.53	23	0-1
				2639	41080	21.57	23	0-1
				2685	41540	21.65	23	0-1
			49	2501	39700	21.69	23	0-1
				2547	40160	21.57	23	0-1
				2593	40620	21.87	23	0-1
				2639	41080	21.87	23	0-1
				2685	41540	21.82	23	0-1
		25 RB	0	2501	39700	20.58	22	0-2
				2547	40160	20.34	22	0-2
				2593	40620	20.30	22	0-2
				2639	41080	20.62	22	0-2
				2685	41540	20.55	22	0-2
			12	2501	39700	20.25	22	0-2
				2547	40160	20.25	22	0-2
				2593	40620	20.43	22	0-2
				2639	41080	20.61	22	0-2
				2685	41540	20.48	22	0-2
		50RB	25	2501	39700	20.54	22	0-2
				2547	40160	20.46	22	0-2
				2593	40620	20.28	22	0-2
				2639	41080	20.45	22	0-2
				2685	41540	20.63	22	0-2
				2501	39700	20.49	22	0-2
				2547	40160	20.54	22	0-2
				2593	40620	20.24	22	0-2
				2639	41080	20.60	22	0-2
				2685	41540	20.83	22	0-2

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

TDD Band 41								
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
5	QPSK	1 RB	0	2498.5	39675	22.17	24	0
				2547.8	40148	22.17	24	0
				2593	40620	22.15	24	0
				2640.3	41093	22.26	24	0
				2687.5	41565	22.34	24	0
			12	2498.5	39675	22.11	24	0
				2547.8	40148	22.39	24	0
				2593	40620	22.15	24	0
				2640.3	41093	22.57	24	0
				2687.5	41565	22.49	24	0
			24	2498.5	39675	22.31	24	0
				2547.8	40148	22.29	24	0
				2593	40620	22.57	24	0
				2640.3	41093	22.60	24	0
				2687.5	41565	22.42	24	0
		12 RB	0	2498.5	39675	21.24	23	0-1
				2547.8	40148	21.17	23	0-1
				2593	40620	21.08	23	0-1
				2640.3	41093	21.20	23	0-1
				2687.5	41565	21.34	23	0-1
			6	2498.5	39675	21.05	23	0-1
				2547.8	40148	21.11	23	0-1
				2593	40620	21.24	23	0-1
				2640.3	41093	21.12	23	0-1
				2687.5	41565	21.27	23	0-1
		25RB	13	2498.5	39675	21.10	23	0-1
				2547.8	40148	21.03	23	0-1
				2593	40620	21.16	23	0-1
				2640.3	41093	21.17	23	0-1
				2687.5	41565	21.31	23	0-1
				2498.5	39675	21.22	23	0-1
				2547.8	40148	21.28	23	0-1
				2593	40620	21.21	23	0-1
				2640.3	41093	21.15	23	0-1
				2687.5	41565	21.21	23	0-1

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

TDD Band 41								
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
5	16-QAM	1 RB	0	2498.5	39675	21.10	23	0-1
				2547.8	40148	21.51	23	0-1
				2593	40620	21.15	23	0-1
				2640.3	41093	21.22	23	0-1
				2687.5	41565	21.57	23	0-1
			12	2498.5	39675	21.06	23	0-1
				2547.8	40148	21.54	23	0-1
				2593	40620	21.42	23	0-1
				2640.3	41093	21.41	23	0-1
				2687.5	41565	21.51	23	0-1
			24	2498.5	39675	21.49	23	0-1
				2547.8	40148	21.31	23	0-1
				2593	40620	21.69	23	0-1
				2640.3	41093	21.62	23	0-1
				2687.5	41565	21.64	23	0-1
			0	2498.5	39675	20.30	22	0-2
				2547.8	40148	20.17	22	0-2
				2593	40620	20.09	22	0-2
				2640.3	41093	20.47	22	0-2
				2687.5	41565	20.44	22	0-2
			6	2498.5	39675	20.08	22	0-2
				2547.8	40148	20.03	22	0-2
				2593	40620	20.14	22	0-2
				2640.3	41093	20.35	22	0-2
				2687.5	41565	20.19	22	0-2
			13	2498.5	39675	20.41	22	0-2
				2547.8	40148	20.18	22	0-2
				2593	40620	20.11	22	0-2
				2640.3	41093	20.32	22	0-2
				2687.5	41565	20.35	22	0-2
			25RB	2498.5	39675	20.36	22	0-2
				2547.8	40148	20.33	22	0-2
				2593	40620	20.05	22	0-2
				2640.3	41093	20.40	22	0-2
				2687.5	41565	20.55	22	0-2

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

LTE FDD Band 2 / Band 4 / Band 5 / Band 7 / Band 12 / Band 13 / Band 17 / Band 26 / Band 30 / Band 66 power table (Reduced power):

FDD Band 2								
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
20	QPSK	1 RB	0	1860	18700	20.49	20.5	0
				1880	18900	20.50	20.5	0
				1900	19100	20.48	20.5	0
			50	1860	18700	20.34	20.5	0
				1880	18900	20.46	20.5	0
				1900	19100	20.42	20.5	0
			99	1860	18700	20.44	20.5	0
				1880	18900	20.48	20.5	0
				1900	19100	20.42	20.5	0
		50 RB	0	1860	18700	20.21	20.5	0
				1880	18900	20.28	20.5	0
				1900	19100	20.11	20.5	0
			25	1860	18700	20.07	20.5	0
				1880	18900	20.22	20.5	0
				1900	19100	20.10	20.5	0
			50	1860	18700	20.08	20.5	0
				1880	18900	20.24	20.5	0
				1900	19100	20.04	20.5	0
		100RB	0	1860	18700	20.29	20.5	0
				1880	18900	20.33	20.5	0
				1900	19100	20.21	20.5	0
	16-QAM	1 RB	0	1860	18700	20.24	20.5	0
				1880	18900	20.21	20.5	0
				1900	19100	20.18	20.5	0
			50	1860	18700	20.04	20.5	0
				1880	18900	20.14	20.5	0
				1900	19100	20.09	20.5	0
		50 RB	99	1860	18700	20.16	20.5	0
				1880	18900	20.11	20.5	0
				1900	19100	20.21	20.5	0
			0	1860	18700	20.21	20.5	0
				1880	18900	20.24	20.5	0
				1900	19100	20.12	20.5	0
			25	1860	18700	20.06	20.5	0
				1880	18900	20.18	20.5	0
				1900	19100	20.17	20.5	0
		100RB	50	1860	18700	20.02	20.5	0
				1880	18900	20.20	20.5	0
				1900	19100	20.24	20.5	0
			0	1860	18700	20.23	20.5	0
				1880	18900	20.32	20.5	0
				1900	19100	20.42	20.5	0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路134號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

FDD Band 2								
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
15	QPSK	1 RB	0	1857.5	18675	20.40	20.5	0
				1880	18900	20.49	20.5	0
				1902.5	19125	20.42	20.5	0
			36	1857.5	18675	20.30	20.5	0
				1880	18900	20.44	20.5	0
				1902.5	19125	20.36	20.5	0
			74	1857.5	18675	20.40	20.5	0
				1880	18900	20.47	20.5	0
				1902.5	19125	20.39	20.5	0
		36 RB	0	1857.5	18675	20.17	20.5	0
				1880	18900	20.27	20.5	0
				1902.5	19125	20.10	20.5	0
			18	1857.5	18675	20.09	20.5	0
				1880	18900	20.16	20.5	0
				1902.5	19125	20.13	20.5	0
			37	1857.5	18675	19.99	20.5	0
				1880	18900	20.18	20.5	0
				1902.5	19125	20.21	20.5	0
		75RB	75RB	1857.5	18675	20.26	20.5	0
				1880	18900	20.27	20.5	0
				1902.5	19125	20.41	20.5	0
			1 RB	1857.5	18675	20.22	20.5	0
				1880	18900	20.13	20.5	0
				1902.5	19125	20.16	20.5	0
		16-QAM	36	1857.5	18675	20.02	20.5	0
				1880	18900	20.07	20.5	0
				1902.5	19125	20.03	20.5	0
			74	1857.5	18675	20.10	20.5	0
				1880	18900	20.05	20.5	0
				1902.5	19125	20.14	20.5	0
			0	1857.5	18675	20.15	20.5	0
				1880	18900	20.24	20.5	0
				1902.5	19125	20.12	20.5	0
			18	1857.5	18675	20.01	20.5	0
				1880	18900	20.14	20.5	0
				1902.5	19125	20.15	20.5	0
			37	1857.5	18675	20.01	20.5	0
				1880	18900	20.18	20.5	0
				1902.5	19125	20.18	20.5	0
		75RB	75RB	1857.5	18675	20.15	20.5	0
				1880	18900	20.32	20.5	0
				1902.5	19125	20.36	20.5	0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路134號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

FDD Band 2								
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
10	QPSK	1 RB	0	1855	18650	20.31	20.5	0
				1880	18900	20.44	20.5	0
				1905	19150	20.41	20.5	0
			25	1855	18650	20.24	20.5	0
				1880	18900	20.44	20.5	0
				1905	19150	20.30	20.5	0
		25 RB	49	1855	18650	20.37	20.5	0
				1880	18900	20.47	20.5	0
				1905	19150	20.34	20.5	0
			0	1855	18650	20.08	20.5	0
				1880	18900	20.21	20.5	0
				1905	19150	20.04	20.5	0
			12	1855	18650	20.04	20.5	0
				1880	18900	20.10	20.5	0
				1905	19150	20.10	20.5	0
		50RB	25	1855	18650	19.92	20.5	0
				1880	18900	20.16	20.5	0
				1905	19150	20.19	20.5	0
			50RB	1855	18650	20.18	20.5	0
				1880	18900	20.18	20.5	0
				1905	19150	20.36	20.5	0
16-QAM	16-QAM	1 RB	0	1855	18650	20.15	20.5	0
				1880	18900	20.13	20.5	0
				1905	19150	20.15	20.5	0
			25	1855	18650	19.99	20.5	0
				1880	18900	19.99	20.5	0
				1905	19150	19.95	20.5	0
		25 RB	49	1855	18650	20.08	20.5	0
				1880	18900	19.98	20.5	0
				1905	19150	20.06	20.5	0
			0	1855	18650	20.10	20.5	0
				1880	18900	20.17	20.5	0
				1905	19150	20.08	20.5	0
			12	1855	18650	19.94	20.5	0
				1880	18900	20.13	20.5	0
				1905	19150	20.11	20.5	0
		50RB	25	1855	18650	19.94	20.5	0
				1880	18900	20.09	20.5	0
				1905	19150	20.15	20.5	0
			50RB	1855	18650	20.15	20.5	0
				1880	18900	20.32	20.5	0
				1905	19150	20.31	20.5	0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路134號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

FDD Band 2								
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
5	QPSK	1 RB	0	1852.5	18625	20.22	20.5	0
				1880	18900	20.36	20.5	0
				1907.5	19175	20.38	20.5	0
			12	1852.5	18625	20.17	20.5	0
				1880	18900	20.38	20.5	0
				1907.5	19175	20.13	20.5	0
		24	0	1852.5	18625	20.32	20.5	0
				1880	18900	20.37	20.5	0
				1907.5	19175	20.31	20.5	0
		12 RB	6	1852.5	18625	20.00	20.5	0
				1880	18900	20.10	20.5	0
				1907.5	19175	20.00	20.5	0
			13	1852.5	18625	19.98	20.5	0
				1880	18900	19.98	20.5	0
				1907.5	19175	19.96	20.5	0
		25RB	0	1852.5	18625	19.92	20.5	0
				1880	18900	20.03	20.5	0
				1907.5	19175	20.06	20.5	0
		16-QAM	1 RB	1852.5	18625	20.14	20.5	0
				1880	18900	20.15	20.5	0
				1907.5	19175	20.27	20.5	0
			12	1852.5	18625	20.11	20.5	0
				1880	18900	19.99	20.5	0
				1907.5	19175	20.04	20.5	0
			24	1852.5	18625	19.92	20.5	0
				1880	18900	19.87	20.5	0
				1907.5	19175	19.95	20.5	0
			12 RB	1852.5	18625	19.93	20.5	0
				1880	18900	19.90	20.5	0
				1907.5	19175	19.94	20.5	0
			0	1852.5	18625	20.04	20.5	0
				1880	18900	20.13	20.5	0
				1907.5	19175	19.99	20.5	0
			6	1852.5	18625	19.86	20.5	0
				1880	18900	20.02	20.5	0
				1907.5	19175	20.02	20.5	0
			13	1852.5	18625	19.85	20.5	0
				1880	18900	19.98	20.5	0
				1907.5	19175	20.00	20.5	0
			25RB	1852.5	18625	20.14	20.5	0
				1880	18900	20.22	20.5	0
				1907.5	19175	20.26	20.5	0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路134號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

FDD Band 2								
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
3	QPSK	1 RB	0	1851.5	18615	20.18	20.5	0
				1880	18900	20.31	20.5	0
				1908.5	19185	20.32	20.5	0
			7	1851.5	18615	20.16	20.5	0
				1880	18900	20.38	20.5	0
				1908.5	19185	20.09	20.5	0
		14	1851.5	18615	20.23	20.5	0	0
			1880	18900	20.34	20.5	0	0
			1908.5	19185	20.24	20.5	0	0
		8 RB	0	1851.5	18615	19.98	20.5	0
				1880	18900	20.04	20.5	0
				1908.5	19185	19.99	20.5	0
			4	1851.5	18615	19.93	20.5	0
				1880	18900	19.91	20.5	0
				1908.5	19185	19.87	20.5	0
			7	1851.5	18615	19.91	20.5	0
				1880	18900	19.94	20.5	0
				1908.5	19185	20.04	20.5	0
		15RB	1851.5	18615	20.06	20.5	0	0
			1880	18900	20.11	20.5	0	0
			1908.5	19185	20.26	20.5	0	0
			16-QAM	1851.5	18615	20.03	20.5	0
				1880	18900	19.90	20.5	0
				1908.5	19185	19.96	20.5	0
				1851.5	18615	19.88	20.5	0
				1880	18900	19.80	20.5	0
				1908.5	19185	19.86	20.5	0
		8 RB	0	1851.5	18615	19.93	20.5	0
				1880	18900	19.83	20.5	0
				1908.5	19185	19.93	20.5	0
			4	1851.5	18615	20.01	20.5	0
				1880	18900	20.05	20.5	0
				1908.5	19185	19.98	20.5	0
			7	1851.5	18615	19.81	20.5	0
				1880	18900	20.00	20.5	0
				1908.5	19185	19.99	20.5	0
		15RB	0	1851.5	18615	19.77	20.5	0
				1880	18900	19.95	20.5	0
				1908.5	19185	19.91	20.5	0
			4	1851.5	18615	20.14	20.5	0
				1880	18900	20.16	20.5	0
				1908.5	19185	20.22	20.5	0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路134號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

FDD Band 2								
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
1.4	QPSK	1 RB	0	1850.7	18607	20.15	20.5	0
				1880	18900	20.31	20.5	0
				1909.3	19193	20.25	20.5	0
			2	1850.7	18607	20.12	20.5	0
				1880	18900	20.38	20.5	0
				1909.3	19193	20.06	20.5	0
		3 RB	5	1850.7	18607	20.23	20.5	0
				1880	18900	20.33	20.5	0
				1909.3	19193	20.21	20.5	0
			0	1850.7	18607	19.97	20.5	0
				1880	18900	19.95	20.5	0
				1909.3	19193	19.91	20.5	0
			2	1850.7	18607	19.92	20.5	0
				1880	18900	19.84	20.5	0
				1909.3	19193	19.84	20.5	0
		6RB	3	1850.7	18607	19.85	20.5	0
				1880	18900	19.89	20.5	0
				1909.3	19193	19.96	20.5	0
			6RB	1850.7	18607	20.04	20.5	0
				1880	18900	20.03	20.5	0
				1909.3	19193	20.26	20.5	0
1.4	16-QAM	1 RB	0	1850.7	18607	20.02	20.5	0
				1880	18900	19.82	20.5	0
				1909.3	19193	19.92	20.5	0
			2	1850.7	18607	19.83	20.5	0
				1880	18900	19.71	20.5	0
				1909.3	19193	19.80	20.5	0
		3 RB	5	1850.7	18607	19.90	20.5	0
				1880	18900	19.75	20.5	0
				1909.3	19193	19.91	20.5	0
			0	1850.7	18607	19.97	20.5	0
				1880	18900	20.01	20.5	0
				1909.3	19193	19.95	20.5	0
			2	1850.7	18607	19.75	20.5	0
				1880	18900	19.93	20.5	0
				1909.3	19193	19.98	20.5	0
		6RB	3	1850.7	18607	19.71	20.5	0
				1880	18900	19.95	20.5	0
				1909.3	19193	19.85	20.5	0
			6RB	1850.7	18607	20.14	20.5	0
				1880	18900	20.08	20.5	0
				1909.3	19193	20.18	20.5	0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路134號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

FDD Band 4								
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
20	QPSK	1 RB	0	1720	20050	19.98	20	0
				1732.5	20175	20.00	20	0
				1745	20300	19.96	20	0
			50	1720	20050	19.82	20	0
				1732.5	20175	19.80	20	0
				1745	20300	19.89	20	0
		50 RB	99	1720	20050	19.92	20	0
				1732.5	20175	19.93	20	0
				1745	20300	19.92	20	0
			0	1720	20050	19.86	20	0
				1732.5	20175	19.91	20	0
				1745	20300	19.87	20	0
			25	1720	20050	19.78	20	0
				1732.5	20175	19.56	20	0
				1745	20300	19.73	20	0
		100RB	50	1720	20050	19.70	20	0
				1732.5	20175	19.55	20	0
				1745	20300	19.85	20	0
			100RB	1720	20050	19.60	20	0
				1732.5	20175	19.77	20	0
				1745	20300	19.71	20	0
16-QAM	16-QAM	1 RB	0	1720	20050	19.72	20	0
				1732.5	20175	19.77	20	0
				1745	20300	19.65	20	0
			50	1720	20050	19.74	20	0
				1732.5	20175	19.47	20	0
				1745	20300	19.64	20	0
		50 RB	99	1720	20050	19.62	20	0
				1732.5	20175	19.60	20	0
				1745	20300	19.77	20	0
			0	1720	20050	19.81	20	0
				1732.5	20175	19.65	20	0
				1745	20300	19.61	20	0
			25	1720	20050	19.75	20	0
				1732.5	20175	19.53	20	0
				1745	20300	19.70	20	0
		100RB	50	1720	20050	19.65	20	0
				1732.5	20175	19.52	20	0
				1745	20300	19.82	20	0
			100RB	1720	20050	19.93	20	0
				1732.5	20175	19.63	20	0
				1745	20300	19.87	20	0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路134號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

FDD Band 4								
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
15	QPSK	1 RB	0	1717.5	20025	19.92	20	0
				1732.5	20175	19.91	20	0
				1747.5	20325	19.88	20	0
			36	1717.5	20025	19.78	20	0
				1732.5	20175	19.74	20	0
				1747.5	20325	19.80	20	0
		36 RB	74	1717.5	20025	19.85	20	0
				1732.5	20175	19.81	20	0
				1747.5	20325	19.91	20	0
			0	1717.5	20025	19.80	20	0
				1732.5	20175	19.67	20	0
				1747.5	20325	19.59	20	0
			18	1717.5	20025	19.76	20	0
				1732.5	20175	19.51	20	0
				1747.5	20325	19.71	20	0
		75RB	37	1717.5	20025	19.62	20	0
				1732.5	20175	19.50	20	0
				1747.5	20325	19.81	20	0
			75RB	1717.5	20025	19.84	20	0
				1732.5	20175	19.58	20	0
				1747.5	20325	19.83	20	0
16-QAM	16-QAM	1 RB	0	1717.5	20025	19.68	20	0
				1732.5	20175	19.76	20	0
				1747.5	20325	19.60	20	0
			36	1717.5	20025	19.71	20	0
				1732.5	20175	19.43	20	0
				1747.5	20325	19.56	20	0
		36 RB	74	1717.5	20025	19.57	20	0
				1732.5	20175	19.56	20	0
				1747.5	20325	19.72	20	0
			0	1717.5	20025	19.72	20	0
				1732.5	20175	19.61	20	0
				1747.5	20325	19.58	20	0
			18	1717.5	20025	19.72	20	0
				1732.5	20175	19.44	20	0
				1747.5	20325	19.70	20	0
		75RB	37	1717.5	20025	19.64	20	0
				1732.5	20175	19.51	20	0
				1747.5	20325	19.76	20	0
			75RB	1717.5	20025	19.55	20	0
				1732.5	20175	19.57	20	0
				1747.5	20325	19.71	20	0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路134號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

FDD Band 4								
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
10	QPSK	1 RB	0	1715	20000	19.81	20	0
				1732.5	20175	19.80	20	0
				1750	20350	19.74	20	0
			25	1715	20000	19.75	20	0
				1732.5	20175	19.68	20	0
				1750	20350	19.70	20	0
		25 RB	49	1715	20000	19.82	20	0
				1732.5	20175	19.74	20	0
				1750	20350	19.84	20	0
			12	1715	20000	19.69	20	0
				1732.5	20175	19.54	20	0
				1750	20350	19.55	20	0
			25	1715	20000	19.69	20	0
				1732.5	20175	19.44	20	0
				1750	20350	19.62	20	0
		50RB	0	1715	20000	19.52	20	0
				1732.5	20175	19.43	20	0
				1750	20350	19.69	20	0
			12	1715	20000	19.72	20	0
				1732.5	20175	19.48	20	0
				1750	20350	19.72	20	0
			16-QAM	1715	20000	19.63	20	0
				1732.5	20175	19.67	20	0
				1750	20350	19.49	20	0
				1715	20000	19.64	20	0
				1732.5	20175	19.33	20	0
				1750	20350	19.42	20	0
		25 RB	49	1715	20000	19.53	20	0
				1732.5	20175	19.42	20	0
				1750	20350	19.57	20	0
			12	1715	20000	19.63	20	0
				1732.5	20175	19.55	20	0
				1750	20350	19.50	20	0
			25	1715	20000	19.66	20	0
				1732.5	20175	19.40	20	0
				1750	20350	19.57	20	0
		50RB	0	1715	20000	19.60	20	0
				1732.5	20175	19.50	20	0
				1750	20350	19.59	20	0
			12	1715	20000	19.39	20	0
				1732.5	20175	19.51	20	0
				1750	20350	19.53	20	0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路134號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

FDD Band 4								
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
5	QPSK	1 RB	0	1712.5	19975	19.67	20	0
				1732.5	20175	19.77	20	0
				1752.5	20375	19.69	20	0
			12	1712.5	19975	19.68	20	0
				1732.5	20175	19.62	20	0
				1752.5	20375	19.57	20	0
		24	0	1712.5	19975	19.69	20	0
				1732.5	20175	19.65	20	0
				1752.5	20375	19.81	20	0
		12 RB	6	1712.5	19975	19.59	20	0
				1732.5	20175	19.47	20	0
				1752.5	20375	19.41	20	0
			13	1712.5	19975	19.56	20	0
				1732.5	20175	19.35	20	0
				1752.5	20375	19.53	20	0
		25RB	13	1712.5	19975	19.42	20	0
				1732.5	20175	19.29	20	0
				1752.5	20375	19.68	20	0
			0	1712.5	19975	19.59	20	0
				1732.5	20175	19.40	20	0
				1752.5	20375	19.64	20	0
	16-QAM	1 RB	0	1712.5	19975	19.55	20	0
				1732.5	20175	19.58	20	0
				1752.5	20375	19.37	20	0
			12	1712.5	19975	19.59	20	0
				1732.5	20175	19.24	20	0
				1752.5	20375	19.31	20	0
		12 RB	24	1712.5	19975	19.41	20	0
				1732.5	20175	19.37	20	0
				1752.5	20375	19.52	20	0
			6	1712.5	19975	19.54	20	0
				1732.5	20175	19.50	20	0
				1752.5	20375	19.41	20	0
		25RB	13	1712.5	19975	19.58	20	0
				1732.5	20175	19.29	20	0
				1752.5	20375	19.42	20	0
			0	1712.5	19975	19.46	20	0
				1732.5	20175	19.41	20	0
				1752.5	20375	19.55	20	0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路134號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

FDD Band 4								
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
3	QPSK	1 RB	0	1711.5	19965	19.67	20	0
				1732.5	20175	19.77	20	0
				1753.5	20385	19.69	20	0
			7	1711.5	19965	19.68	20	0
				1732.5	20175	19.62	20	0
				1753.5	20385	19.57	20	0
		8 RB	14	1711.5	19965	19.69	20	0
				1732.5	20175	19.65	20	0
				1753.5	20385	19.81	20	0
			0	1711.5	19965	19.59	20	0
				1732.5	20175	19.47	20	0
				1753.5	20385	19.41	20	0
			4	1711.5	19965	19.56	20	0
				1732.5	20175	19.35	20	0
				1753.5	20385	19.53	20	0
		15RB	7	1711.5	19965	19.42	20	0
				1732.5	20175	19.29	20	0
				1753.5	20385	19.68	20	0
			15RB	1711.5	19965	19.59	20	0
				1732.5	20175	19.40	20	0
				1753.5	20385	19.64	20	0
	16-QAM	1 RB	0	1711.5	19965	19.55	20	0
				1732.5	20175	19.58	20	0
				1753.5	20385	19.37	20	0
			7	1711.5	19965	19.59	20	0
				1732.5	20175	19.24	20	0
				1753.5	20385	19.31	20	0
		8 RB	14	1711.5	19965	19.41	20	0
				1732.5	20175	19.37	20	0
				1753.5	20385	19.52	20	0
			0	1711.5	19965	19.54	20	0
				1732.5	20175	19.50	20	0
				1753.5	20385	19.41	20	0
			4	1711.5	19965	19.58	20	0
				1732.5	20175	19.29	20	0
				1753.5	20385	19.42	20	0
		15RB	7	1711.5	19965	19.46	20	0
				1732.5	20175	19.41	20	0
				1753.5	20385	19.55	20	0
			15RB	1711.5	19965	19.27	20	0
				1732.5	20175	19.39	20	0
				1753.5	20385	19.42	20	0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路134號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

FDD Band 4								
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
1.4	QPSK	1 RB	0	1710.7	19957	19.66	20	0
				1732.5	20175	19.70	20	0
				1754.3	20393	19.60	20	0
			2	1710.7	19957	19.62	20	0
				1732.5	20175	19.61	20	0
				1754.3	20393	19.49	20	0
		3 RB	5	1710.7	19957	19.65	20	0
				1732.5	20175	19.65	20	0
				1754.3	20393	19.81	20	0
			0	1710.7	19957	19.58	20	0
				1732.5	20175	19.45	20	0
				1754.3	20393	19.33	20	0
			2	1710.7	19957	19.50	20	0
				1732.5	20175	19.26	20	0
				1754.3	20393	19.49	20	0
		6RB	3	1710.7	19957	19.35	20	0
				1732.5	20175	19.28	20	0
				1754.3	20393	19.64	20	0
			6RB	1710.7	19957	19.50	20	0
				1732.5	20175	19.39	20	0
				1754.3	20393	19.60	20	0
1.4	16-QAM	1 RB	0	1710.7	19957	19.50	20	0
				1732.5	20175	19.52	20	0
				1754.3	20393	19.29	20	0
			2	1710.7	19957	19.54	20	0
				1732.5	20175	19.18	20	0
				1754.3	20393	19.22	20	0
		3 RB	5	1710.7	19957	19.39	20	0
				1732.5	20175	19.30	20	0
				1754.3	20393	19.46	20	0
			0	1710.7	19957	19.47	20	0
				1732.5	20175	19.49	20	0
				1754.3	20393	19.38	20	0
			2	1710.7	19957	19.58	20	0
				1732.5	20175	19.28	20	0
				1754.3	20393	19.39	20	0
		6RB	3	1710.7	19957	19.41	20	0
				1732.5	20175	19.41	20	0
				1754.3	20393	19.46	20	0
			6RB	1710.7	19957	19.23	20	0
				1732.5	20175	19.32	20	0
				1754.3	20393	19.39	20	0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路134號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

FDD Band 5								
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
10	QPSK	1 RB	0	829	20450	20.80	21	0
				836.5	20525	20.84	21	0
				844	20600	20.78	21	0
			25	829	20450	20.63	21	0
				836.5	20525	20.74	21	0
				844	20600	20.68	21	0
		25 RB	49	829	20450	20.54	21	0
				836.5	20525	20.83	21	0
				844	20600	20.61	21	0
			0	829	20450	20.33	21	0
				836.5	20525	20.50	21	0
				844	20600	20.53	21	0
			12	829	20450	20.42	21	0
				836.5	20525	20.59	21	0
				844	20600	20.57	21	0
		50RB	25	829	20450	20.41	21	0
				836.5	20525	20.50	21	0
				844	20600	20.53	21	0
			50RB	829	20450	20.41	21	0
				836.5	20525	20.68	21	0
				844	20600	20.62	21	0
16-QAM	16-QAM	1 RB	0	829	20450	20.27	21	0
				836.5	20525	20.46	21	0
				844	20600	20.43	21	0
			25	829	20450	20.27	21	0
				836.5	20525	20.37	21	0
				844	20600	20.44	21	0
		25 RB	49	829	20450	20.37	21	0
				836.5	20525	20.41	21	0
				844	20600	20.48	21	0
			0	829	20450	20.33	21	0
				836.5	20525	20.45	21	0
				844	20600	20.46	21	0
			12	829	20450	20.31	21	0
				836.5	20525	20.41	21	0
				844	20600	20.52	21	0
		500RB	25	829	20450	20.37	21	0
				836.5	20525	20.44	21	0
				844	20600	20.49	21	0
			500RB	829	20450	20.32	21	0
				836.5	20525	20.42	21	0
				844	20600	20.58	21	0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路134號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

FDD Band 5								
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
5	QPSK	1 RB	0	826.5	20425	20.17	21	0
				836.5	20525	20.22	21	0
				846.5	20625	20.38	21	0
			12	826.5	20425	20.16	21	0
				836.5	20525	20.30	21	0
				846.5	20625	20.36	21	0
			24	826.5	20425	20.30	21	0
				836.5	20525	20.32	21	0
				846.5	20625	20.40	21	0
		12 RB	0	826.5	20425	20.22	21	0
				836.5	20525	20.28	21	0
				846.5	20625	20.32	21	0
			6	826.5	20425	20.17	21	0
				836.5	20525	20.32	21	0
				846.5	20625	20.38	21	0
			13	826.5	20425	20.33	21	0
				836.5	20525	20.36	21	0
				846.5	20625	20.45	21	0
		25RB	0	826.5	20425	20.22	21	0
				836.5	20525	20.36	21	0
				846.5	20625	20.42	21	0
			6	826.5	20425	20.50	21	0
				836.5	20525	20.80	21	0
				846.5	20625	20.73	21	0
		16-QAM	0	826.5	20425	20.51	21	0
				836.5	20525	20.66	21	0
				846.5	20625	20.60	21	0
			12	826.5	20425	20.71	21	0
				836.5	20525	20.81	21	0
				846.5	20625	20.77	21	0
			24	826.5	20425	20.32	21	0
				836.5	20525	20.52	21	0
				846.5	20625	20.40	21	0
			0	826.5	20425	20.28	21	0
				836.5	20525	20.48	21	0
				846.5	20625	20.49	21	0
		12 RB	6	826.5	20425	20.41	21	0
				836.5	20525	20.39	21	0
				846.5	20625	20.50	21	0
			13	826.5	20425	20.38	21	0
				836.5	20525	20.37	21	0
				846.5	20625	20.48	21	0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路134號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

FDD Band 5								
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
3	QPSK	1 RB	0	825.5	20415	20.08	21	0
				836.5	20525	20.07	21	0
				847.5	20635	20.35	21	0
			7	825.5	20415	20.02	21	0
				836.5	20525	20.26	21	0
				847.5	20635	20.20	21	0
			14	825.5	20415	20.20	21	0
				836.5	20525	20.27	21	0
				847.5	20635	20.27	21	0
		8 RB	0	825.5	20415	20.15	21	0
				836.5	20525	20.17	21	0
				847.5	20635	20.16	21	0
			4	825.5	20415	20.03	21	0
				836.5	20525	20.23	21	0
				847.5	20635	20.35	21	0
			7	825.5	20415	20.22	21	0
				836.5	20525	20.28	21	0
				847.5	20635	20.31	21	0
		15RB	0	825.5	20415	20.11	21	0
				836.5	20525	20.25	21	0
				847.5	20635	20.29	21	0
			4	825.5	20415	20.34	21	0
				836.5	20525	20.71	21	0
				847.5	20635	20.69	21	0
		16-QAM	7	825.5	20415	20.43	21	0
				836.5	20525	20.56	21	0
				847.5	20635	20.50	21	0
			14	825.5	20415	20.63	21	0
				836.5	20525	20.73	21	0
				847.5	20635	20.66	21	0
			0	825.5	20415	20.29	21	0
				836.5	20525	20.43	21	0
				847.5	20635	20.25	21	0
			4	825.5	20415	20.24	21	0
				836.5	20525	20.38	21	0
				847.5	20635	20.46	21	0
			7	825.5	20415	20.33	21	0
				836.5	20525	20.23	21	0
				847.5	20635	20.37	21	0
		15RB	0	825.5	20415	20.35	21	0
				836.5	20525	20.33	21	0
				847.5	20635	20.36	21	0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路134號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

FDD Band 5								
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
1.4	QPSK	1 RB	0	824.7	20407	19.99	21	0
				836.5	20525	20.06	21	0
				848.3	20643	20.33	21	0
			2	824.7	20407	19.93	21	0
				836.5	20525	20.23	21	0
				848.3	20643	20.14	21	0
		3 RB	5	824.7	20407	20.20	21	0
				836.5	20525	20.24	21	0
				848.3	20643	20.25	21	0
			0	824.7	20407	20.09	21	0
				836.5	20525	20.13	21	0
				848.3	20643	20.10	21	0
			2	824.7	20407	19.96	21	0
				836.5	20525	20.14	21	0
				848.3	20643	20.28	21	0
		6RB	3	824.7	20407	20.19	21	0
				836.5	20525	20.26	21	0
				848.3	20643	20.24	21	0
			6RB	824.7	20407	20.11	21	0
				836.5	20525	20.21	21	0
				848.3	20643	20.20	21	0
16-QAM	16-QAM	1 RB	0	824.7	20407	20.28	21	0
				836.5	20525	20.63	21	0
				848.3	20643	20.64	21	0
			2	824.7	20407	20.34	21	0
				836.5	20525	20.50	21	0
				848.3	20643	20.41	21	0
		3 RB	5	824.7	20407	20.62	21	0
				836.5	20525	20.65	21	0
				848.3	20643	20.66	21	0
			0	824.7	20407	20.20	21	0
				836.5	20525	20.43	21	0
				848.3	20643	20.24	21	0
			2	824.7	20407	20.15	21	0
				836.5	20525	20.34	21	0
				848.3	20643	20.46	21	0
		6RB	3	824.7	20407	20.30	21	0
				836.5	20525	20.21	21	0
				848.3	20643	20.37	21	0
			6RB	824.7	20407	20.27	21	0
				836.5	20525	20.24	21	0
				848.3	20643	20.34	21	0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路134號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

FDD Band 7								
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
20	QPSK	1 RB	0	2510	20850	16.31	16.5	0
				2535	21100	16.29	16.5	0
				2560	21350	16.13	16.5	0
			50	2510	20850	16.18	16.5	0
				2535	21100	16.06	16.5	0
				2560	21350	16.09	16.5	0
		50 RB	99	2510	20850	16.20	16.5	0
				2535	21100	16.16	16.5	0
				2560	21350	16.11	16.5	0
			0	2510	20850	16.01	16.5	0
				2535	21100	15.91	16.5	0
				2560	21350	15.76	16.5	0
			25	2510	20850	15.98	16.5	0
				2535	21100	15.90	16.5	0
				2560	21350	15.74	16.5	0
		100RB	50	2510	20850	16.02	16.5	0
				2535	21100	15.92	16.5	0
				2560	21350	15.83	16.5	0
			100RB	2510	20850	16.08	16.5	0
				2535	21100	16.05	16.5	0
				2560	21350	15.83	16.5	0
20	16-QAM	1 RB	0	2510	20850	15.90	16.5	0
				2535	21100	15.89	16.5	0
				2560	21350	15.84	16.5	0
			50	2510	20850	15.86	16.5	0
				2535	21100	15.80	16.5	0
				2560	21350	15.71	16.5	0
		50 RB	99	2510	20850	15.97	16.5	0
				2535	21100	15.96	16.5	0
				2560	21350	15.77	16.5	0
			0	2510	20850	15.94	16.5	0
				2535	21100	15.90	16.5	0
				2560	21350	15.76	16.5	0
			25	2510	20850	15.91	16.5	0
				2535	21100	15.89	16.5	0
				2560	21350	15.75	16.5	0
		100RB	50	2510	20850	15.99	16.5	0
				2535	21100	15.89	16.5	0
				2560	21350	15.86	16.5	0
			100RB	2510	20850	16.05	16.5	0
				2535	21100	16.06	16.5	0
				2560	21350	15.86	16.5	0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路134號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

FDD Band 7								
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
15	QPSK	1 RB	0	2507.5	20825	15.88	16.5	0
				2535	21100	15.82	16.5	0
				2562.5	21375	15.77	16.5	0
			36	2507.5	20825	15.80	16.5	0
				2535	21100	15.74	16.5	0
				2562.5	21375	15.65	16.5	0
		36 RB	74	2507.5	20825	15.89	16.5	0
				2535	21100	15.95	16.5	0
				2562.5	21375	15.69	16.5	0
			0	2507.5	20825	15.91	16.5	0
				2535	21100	15.82	16.5	0
				2562.5	21375	15.71	16.5	0
			18	2507.5	20825	15.83	16.5	0
				2535	21100	15.81	16.5	0
				2562.5	21375	15.70	16.5	0
		75RB	37	2507.5	20825	15.94	16.5	0
				2535	21100	15.83	16.5	0
				2562.5	21375	15.79	16.5	0
			75RB	2507.5	20825	16.04	16.5	0
				2535	21100	16.02	16.5	0
				2562.5	21375	15.82	16.5	0
16	16-QAM	1 RB	0	2507.5	20825	16.17	16.5	0
				2535	21100	16.10	16.5	0
				2562.5	21375	16.09	16.5	0
			36	2507.5	20825	16.10	16.5	0
				2535	21100	16.05	16.5	0
				2562.5	21375	16.06	16.5	0
		36 RB	74	2507.5	20825	16.25	16.5	0
				2535	21100	16.20	16.5	0
				2562.5	21375	16.10	16.5	0
			0	2507.5	20825	15.96	16.5	0
				2535	21100	15.91	16.5	0
				2562.5	21375	15.76	16.5	0
			18	2507.5	20825	15.94	16.5	0
				2535	21100	15.84	16.5	0
				2562.5	21375	15.71	16.5	0
		75RB	37	2507.5	20825	15.95	16.5	0
				2535	21100	15.90	16.5	0
				2562.5	21375	15.76	16.5	0
			75RB	2507.5	20825	16.01	16.5	0
				2535	21100	16.04	16.5	0
				2562.5	21375	15.81	16.5	0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路134號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

FDD Band 7								
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
10	QPSK	1 RB	0	2505	20800	15.79	16.5	0
				2535	21100	15.82	16.5	0
				2565	21400	15.70	16.5	0
			25	2505	20800	15.71	16.5	0
				2535	21100	15.67	16.5	0
				2565	21400	15.57	16.5	0
		25 RB	49	2505	20800	15.86	16.5	0
				2535	21100	15.88	16.5	0
				2565	21400	15.61	16.5	0
			0	2505	20800	15.88	16.5	0
				2535	21100	15.77	16.5	0
				2565	21400	15.65	16.5	0
			12	2505	20800	15.77	16.5	0
				2535	21100	15.77	16.5	0
				2565	21400	15.64	16.5	0
		50RB	25	2505	20800	15.94	16.5	0
				2535	21100	15.76	16.5	0
				2565	21400	15.73	16.5	0
			50RB	2505	20800	15.97	16.5	0
				2535	21100	15.94	16.5	0
				2565	21400	15.73	16.5	0
16-QAM	16-QAM	1 RB	0	2505	20800	16.09	16.5	0
				2535	21100	16.10	16.5	0
				2565	21400	16.04	16.5	0
			25	2505	20800	16.02	16.5	0
				2535	21100	16.00	16.5	0
				2565	21400	15.98	16.5	0
		25 RB	49	2505	20800	16.25	16.5	0
				2535	21100	16.19	16.5	0
				2565	21400	16.08	16.5	0
			0	2505	20800	15.91	16.5	0
				2535	21100	15.87	16.5	0
				2565	21400	15.70	16.5	0
			12	2505	20800	15.94	16.5	0
				2535	21100	15.76	16.5	0
				2565	21400	15.64	16.5	0
		50RB	25	2505	20800	15.86	16.5	0
				2535	21100	15.83	16.5	0
				2565	21400	15.72	16.5	0
			50RB	2505	20800	15.95	16.5	0
				2535	21100	15.99	16.5	0
				2565	21400	15.76	16.5	0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路134號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

FDD Band 7								
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
5	QPSK	1 RB	0	2502.5	20775	15.77	16.5	0
				2535	21100	15.76	16.5	0
				2567.5	21425	15.69	16.5	0
			12	2502.5	20775	15.67	16.5	0
				2535	21100	15.64	16.5	0
				2567.5	21425	15.54	16.5	0
		24	0	2502.5	20775	15.83	16.5	0
				2535	21100	15.85	16.5	0
				2567.5	21425	15.53	16.5	0
		12 RB	6	2502.5	20775	15.80	16.5	0
				2535	21100	15.75	16.5	0
				2567.5	21425	15.63	16.5	0
			13	2502.5	20775	15.75	16.5	0
				2535	21100	15.76	16.5	0
				2567.5	21425	15.55	16.5	0
		25RB	0	2502.5	20775	15.93	16.5	0
				2535	21100	15.69	16.5	0
				2567.5	21425	15.70	16.5	0
			6	2502.5	20775	15.89	16.5	0
				2535	21100	15.91	16.5	0
				2567.5	21425	15.64	16.5	0
		16-QAM	0	2502.5	20775	16.08	16.5	0
				2535	21100	16.07	16.5	0
				2567.5	21425	15.99	16.5	0
			12	2502.5	20775	15.95	16.5	0
				2535	21100	16.00	16.5	0
				2567.5	21425	15.98	16.5	0
			24	2502.5	20775	16.16	16.5	0
				2535	21100	16.13	16.5	0
				2567.5	21425	16.01	16.5	0
		12 RB	0	2502.5	20775	15.85	16.5	0
				2535	21100	15.83	16.5	0
				2567.5	21425	15.68	16.5	0
			6	2502.5	20775	15.85	16.5	0
				2535	21100	15.75	16.5	0
				2567.5	21425	15.64	16.5	0
			13	2502.5	20775	15.80	16.5	0
				2535	21100	15.75	16.5	0
				2567.5	21425	15.63	16.5	0
		25RB	0	2502.5	20775	15.89	16.5	0
				2535	21100	15.97	16.5	0
				2567.5	21425	15.73	16.5	0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路134號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

FDD Band 12								
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
10	QPSK	1 RB	0	704	23060	21.72	22.5	0
				707.5	23095	21.89	22.5	0
				711	23130	21.79	22.5	0
			25	704	23060	21.61	22.5	0
				707.5	23095	21.54	22.5	0
				711	23130	21.75	22.5	0
		25 RB	49	704	23060	21.58	22.5	0
				707.5	23095	21.66	22.5	0
				711	23130	21.56	22.5	0
			12	704	23060	21.28	22.5	0
				707.5	23095	21.20	22.5	0
				711	23130	21.22	22.5	0
			25	704	23060	21.20	22.5	0
				707.5	23095	21.13	22.5	0
				711	23130	21.22	22.5	0
		50RB	0	704	23060	21.33	22.5	0
				707.5	23095	21.34	22.5	0
				711	23130	21.29	22.5	0
			12	704	23060	21.21	22.5	0
				707.5	23095	21.23	22.5	0
				711	23130	21.14	22.5	0
			16-QAM	704	23060	21.42	22.5	0
				707.5	23095	21.52	22.5	0
				711	23130	21.45	22.5	0
				704	23060	21.49	22.5	0
				707.5	23095	21.40	22.5	0
				711	23130	21.65	22.5	0
		25 RB	49	704	23060	21.57	22.5	0
				707.5	23095	21.70	22.5	0
				711	23130	21.64	22.5	0
			12	704	23060	21.35	22.5	0
				707.5	23095	21.30	22.5	0
				711	23130	21.30	22.5	0
			25	704	23060	21.27	22.5	0
				707.5	23095	21.24	22.5	0
				711	23130	21.39	22.5	0
		50RB	0	704	23060	21.27	22.5	0
				707.5	23095	21.44	22.5	0
				711	23130	21.36	22.5	0
			12	704	23060	21.33	22.5	0
				707.5	23095	21.29	22.5	0
				711	23130	21.46	22.5	0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路134號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

FDD Band 12								
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
5	QPSK	1 RB	0	701.5	23035	21.57	22.5	0
				707.5	23095	21.62	22.5	0
				713.5	23155	21.52	22.5	0
			12	701.5	23035	21.54	22.5	0
				707.5	23095	21.53	22.5	0
				713.5	23155	21.67	22.5	0
		24	0	701.5	23035	21.63	22.5	0
				707.5	23095	21.88	22.5	0
				713.5	23155	21.74	22.5	0
		12 RB	6	701.5	23035	21.28	22.5	0
				707.5	23095	21.13	22.5	0
				713.5	23155	21.16	22.5	0
			13	701.5	23035	21.13	22.5	0
				707.5	23095	21.04	22.5	0
				713.5	23155	21.24	22.5	0
		25RB	0	701.5	23035	21.15	22.5	0
				707.5	23095	21.33	22.5	0
				713.5	23155	21.28	22.5	0
			6	701.5	23035	21.23	22.5	0
				707.5	23095	21.21	22.5	0
				713.5	23155	21.41	22.5	0
		16-QAM	0	701.5	23035	21.36	22.5	0
				707.5	23095	21.49	22.5	0
				713.5	23155	21.37	22.5	0
			12	701.5	23035	21.49	22.5	0
				707.5	23095	21.36	22.5	0
				713.5	23155	21.59	22.5	0
			24	701.5	23035	21.51	22.5	0
				707.5	23095	21.68	22.5	0
				713.5	23155	21.58	22.5	0
			0	701.5	23035	21.27	22.5	0
				707.5	23095	21.22	22.5	0
				713.5	23155	21.28	22.5	0
			6	701.5	23035	21.23	22.5	0
				707.5	23095	21.16	22.5	0
				713.5	23155	21.36	22.5	0
			13	701.5	23035	21.22	22.5	0
				707.5	23095	21.38	22.5	0
				713.5	23155	21.35	22.5	0
			25RB	701.5	23035	21.26	22.5	0
				707.5	23095	21.20	22.5	0
				713.5	23155	21.46	22.5	0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路134號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

FDD Band 12								
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
3	QPSK	1 RB	0	700.5	23025	21.50	22.5	0
				707.5	23095	21.60	22.5	0
				714.5	23165	21.44	22.5	0
			7	700.5	23025	21.48	22.5	0
				707.5	23095	21.53	22.5	0
				714.5	23165	21.58	22.5	0
		14	700.5	23025	21.60	22.5	0	0
			707.5	23095	21.84	22.5	0	0
			714.5	23165	21.72	22.5	0	0
		8 RB	0	700.5	23025	21.21	22.5	0
				707.5	23095	21.10	22.5	0
				714.5	23165	21.09	22.5	0
			4	700.5	23025	21.10	22.5	0
				707.5	23095	20.97	22.5	0
				714.5	23165	21.24	22.5	0
			7	700.5	23025	21.09	22.5	0
				707.5	23095	21.26	22.5	0
				714.5	23165	21.26	22.5	0
		15RB	700.5	23025	21.18	22.5	0	0
			707.5	23095	21.12	22.5	0	0
			714.5	23165	21.40	22.5	0	0
			1 RB	700.5	23025	21.35	22.5	0
				707.5	23095	21.41	22.5	0
				714.5	23165	21.37	22.5	0
			7	700.5	23025	21.44	22.5	0
				707.5	23095	21.32	22.5	0
				714.5	23165	21.54	22.5	0
		16-QAM	14	700.5	23025	21.50	22.5	0
				707.5	23095	21.66	22.5	0
				714.5	23165	21.50	22.5	0
			8 RB	700.5	23025	21.25	22.5	0
				707.5	23095	21.20	22.5	0
				714.5	23165	21.22	22.5	0
			4	700.5	23025	21.22	22.5	0
				707.5	23095	21.15	22.5	0
				714.5	23165	21.31	22.5	0
			7	700.5	23025	21.16	22.5	0
				707.5	23095	21.34	22.5	0
				714.5	23165	21.30	22.5	0
		15RB	700.5	23025	21.23	22.5	0	0
			707.5	23095	21.15	22.5	0	0
			714.5	23165	21.44	22.5	0	0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路134號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

FDD Band 12								
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
1.4	QPSK	1 RB	0	699.7	23017	21.45	22.5	0
				707.5	23095	21.53	22.5	0
				715.3	23173	21.39	22.5	0
			2	699.7	23017	21.44	22.5	0
				707.5	23095	21.46	22.5	0
				715.3	23173	21.57	22.5	0
		3 RB	5	699.7	23017	21.52	22.5	0
				707.5	23095	21.79	22.5	0
				715.3	23173	21.68	22.5	0
			0	699.7	23017	21.21	22.5	0
				707.5	23095	21.03	22.5	0
				715.3	23173	21.08	22.5	0
			2	699.7	23017	21.08	22.5	0
				707.5	23095	20.94	22.5	0
				715.3	23173	21.21	22.5	0
		6RB	3	699.7	23017	21.00	22.5	0
				707.5	23095	21.26	22.5	0
				715.3	23173	21.22	22.5	0
			6RB	699.7	23017	21.09	22.5	0
				707.5	23095	21.11	22.5	0
				715.3	23173	21.34	22.5	0
1.4	16-QAM	1 RB	0	699.7	23017	21.32	22.5	0
				707.5	23095	21.39	22.5	0
				715.3	23173	21.34	22.5	0
			2	699.7	23017	21.36	22.5	0
				707.5	23095	21.24	22.5	0
				715.3	23173	21.48	22.5	0
		3 RB	5	699.7	23017	21.42	22.5	0
				707.5	23095	21.62	22.5	0
				715.3	23173	21.46	22.5	0
			0	699.7	23017	21.22	22.5	0
				707.5	23095	21.20	22.5	0
				715.3	23173	21.19	22.5	0
			2	699.7	23017	21.14	22.5	0
				707.5	23095	21.13	22.5	0
				715.3	23173	21.26	22.5	0
		6RB	3	699.7	23017	21.10	22.5	0
				707.5	23095	21.31	22.5	0
				715.3	23173	21.22	22.5	0
			6RB	699.7	23017	21.20	22.5	0
				707.5	23095	21.08	22.5	0
				715.3	23173	21.42	22.5	0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路134號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

FDD Band 13								
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
10	QPSK	1 RB	0	782	23230	21.92	22	0
			25	782	23230	21.85	22	0
			49	782	23230	21.87	22	0
		25 RB	0	782	23230	21.82	22	0
			12	782	23230	21.75	22	0
			25	782	23230	21.78	22	0
	16-QAM	50RB		782	23230	21.81	22	0
		1 RB	0	782	23230	21.79	22	0
			25	782	23230	21.78	22	0
			49	782	23230	21.79	22	0
		25 RB	0	782	23230	20.80	22	0
			12	782	23230	20.81	22	0
			25	782	23230	20.84	22	0
		50RB		782	23230	20.99	22	0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

FDD Band 13								
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
5	QPSK	1 RB	0	779.5	23205	21.65	22	0
				782	23230	20.93	22	0
				784.5	23255	21.10	22	0
			12	779.5	23205	21.69	22	0
				782	23230	21.46	22	0
				784.5	23255	21.14	22	0
			24	779.5	23205	21.64	22	0
				782	23230	21.45	22	0
				784.5	23255	21.66	22	0
		12 RB	0	779.5	23205	20.73	22	0
				782	23230	21.03	22	0
				784.5	23255	20.28	22	0
			6	779.5	23205	20.54	22	0
				782	23230	20.00	22	0
				784.5	23255	20.53	22	0
			13	779.5	23205	20.29	22	0
				782	23230	20.12	22	0
				784.5	23255	20.19	22	0
		25RB	0	779.5	23205	20.18	22	0
				782	23230	20.23	22	0
				784.5	23255	20.11	22	0
			6	779.5	23205	21.40	22	0
				782	23230	20.96	22	0
				784.5	23255	21.02	22	0
		16-QAM	0	779.5	23205	21.63	22	0
				782	23230	21.39	22	0
				784.5	23255	20.91	22	0
			12	779.5	23205	21.74	22	0
				782	23230	21.29	22	0
				784.5	23255	21.66	22	0
			24	779.5	23205	20.62	22	0
				782	23230	20.83	22	0
				784.5	23255	20.05	22	0
			0	779.5	23205	20.34	22	0
				782	23230	20.18	22	0
				784.5	23255	20.33	22	0
		12 RB	6	779.5	23205	20.15	22	0
				782	23230	20.04	22	0
				784.5	23255	20.07	22	0
			13	779.5	23205	20.16	22	0
				782	23230	20.06	22	0
				784.5	23255	20.03	22	0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路134號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

FDD Band 17								
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
10	QPSK	1 RB	0	709	23780	21.83	22.5	0
				710	23790	21.84	22.5	0
				711	23800	21.78	22.5	0
			25	709	23780	21.69	22.5	0
				710	23790	21.74	22.5	0
				711	23800	21.76	22.5	0
		25 RB	49	709	23780	21.61	22.5	0
				710	23790	21.64	22.5	0
				711	23800	21.57	22.5	0
			12	709	23780	21.11	22.5	0
				710	23790	21.13	22.5	0
				711	23800	21.23	22.5	0
			25	709	23780	21.21	22.5	0
				710	23790	21.31	22.5	0
				711	23800	21.25	22.5	0
		50RB	0	709	23780	21.37	22.5	0
				710	23790	21.38	22.5	0
				711	23800	21.29	22.5	0
			12	709	23780	21.41	22.5	0
				710	23790	21.44	22.5	0
				711	23800	21.42	22.5	0
			16-QAM	709	23780	21.48	22.5	0
				710	23790	21.50	22.5	0
				711	23800	21.45	22.5	0
				709	23780	21.55	22.5	0
				710	23790	21.59	22.5	0
				711	23800	21.68	22.5	0
		25 RB	49	709	23780	21.72	22.5	0
				710	23790	21.74	22.5	0
				711	23800	21.69	22.5	0
			12	709	23780	20.72	22.5	0
				710	23790	20.73	22.5	0
				711	23800	20.82	22.5	0
			25	709	23780	20.81	22.5	0
				710	23790	20.89	22.5	0
				711	23800	20.92	22.5	0
		50RB	0	709	23780	20.93	22.5	0
				710	23790	20.94	22.5	0
				711	23800	20.89	22.5	0
			12	709	23780	20.95	22.5	0
				710	23790	20.94	22.5	0
				711	23800	20.98	22.5	0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路134號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

FDD Band 17								
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
5	QPSK	1 RB	0	706.5	23755	21.59	22.5	0
				710	23790	21.60	22.5	0
				713.5	23825	21.56	22.5	0
			12	706.5	23755	21.61	22.5	0
				710	23790	21.72	22.5	0
				713.5	23825	21.72	22.5	0
		24	0	706.5	23755	21.83	22.5	0
				710	23790	21.79	22.5	0
				713.5	23825	21.72	22.5	0
		12 RB	6	706.5	23755	21.08	22.5	0
				710	23790	21.12	22.5	0
				713.5	23825	21.23	22.5	0
			13	706.5	23755	21.17	22.5	0
				710	23790	21.31	22.5	0
				713.5	23825	21.27	22.5	0
		25RB	0	706.5	23755	21.37	22.5	0
				710	23790	21.35	22.5	0
				713.5	23825	21.26	22.5	0
			12	706.5	23755	21.41	22.5	0
				710	23790	21.32	22.5	0
				713.5	23825	21.38	22.5	0
		16-QAM	0	706.5	23755	21.48	22.5	0
				710	23790	21.46	22.5	0
				713.5	23825	21.37	22.5	0
			12	706.5	23755	21.51	22.5	0
				710	23790	21.50	22.5	0
				713.5	23825	21.66	22.5	0
			24	706.5	23755	21.70	22.5	0
				710	23790	21.71	22.5	0
				713.5	23825	21.60	22.5	0
			0	706.5	23755	20.64	22.5	0
				710	23790	20.66	22.5	0
				713.5	23825	20.74	22.5	0
			6	706.5	23755	20.75	22.5	0
				710	23790	20.86	22.5	0
				713.5	23825	20.85	22.5	0
			13	706.5	23755	20.87	22.5	0
				710	23790	20.87	22.5	0
				713.5	23825	20.82	22.5	0
			25RB	706.5	23755	20.86	22.5	0
				710	23790	20.93	22.5	0
				713.5	23825	20.93	22.5	0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路134號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

FDD Band 26								
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
15	QPSK	1 RB	0	821.5	26765	21.46	22	0
				831.5	26865	21.52	22	0
				841.5	26965	21.75	22	0
			36	821.5	26765	21.23	22	0
				831.5	26865	21.26	22	0
				841.5	26965	21.28	22	0
			74	821.5	26765	21.30	22	0
				831.5	26865	21.25	22	0
				841.5	26965	21.53	22	0
		36 RB	0	821.5	26765	21.21	22	0
				831.5	26865	21.27	22	0
				841.5	26965	21.34	22	0
			18	821.5	26765	21.21	22	0
				831.5	26865	21.32	22	0
				841.5	26965	21.32	22	0
			37	821.5	26765	21.29	22	0
				831.5	26865	21.35	22	0
				841.5	26965	21.45	22	0
		75RB	0	821.5	26765	21.42	22	0
				831.5	26865	21.43	22	0
				841.5	26965	21.59	22	0
			1 RB	821.5	26765	21.49	22	0
				831.5	26865	21.54	22	0
				841.5	26965	21.69	22	0
			36	821.5	26765	21.59	22	0
				831.5	26865	21.66	22	0
				841.5	26965	21.65	22	0
			74	821.5	26765	21.69	22	0
				831.5	26865	21.64	22	0
				841.5	26965	21.71	22	0
		16-QAM	0	821.5	26765	20.26	22	0
				831.5	26865	20.30	22	0
				841.5	26965	20.42	22	0
			18	821.5	26765	20.33	22	0
				831.5	26865	20.33	22	0
				841.5	26965	20.38	22	0
			37	821.5	26765	20.32	22	0
				831.5	26865	20.35	22	0
				841.5	26965	20.49	22	0
		75RB	0	821.5	26765	20.43	22	0
				831.5	26865	20.52	22	0
				841.5	26965	20.60	22	0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路134號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

FDD Band 26								
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
10	QPSK	1 RB	0	819	26740	21.05	22	0
				831.5	26865	21.11	22	0
				844	26990	21.27	22	0
			25	819	26740	21.13	22	0
				831.5	26865	21.25	22	0
				844	26990	21.24	22	0
		25 RB	49	819	26740	21.26	22	0
				831.5	26865	21.07	22	0
				844	26990	21.19	22	0
			0	819	26740	21.08	22	0
				831.5	26865	21.08	22	0
				844	26990	21.25	22	0
			12	819	26740	21.10	22	0
				831.5	26865	21.24	22	0
				844	26990	21.29	22	0
		50RB	25	819	26740	21.13	22	0
				831.5	26865	21.15	22	0
				844	26990	21.30	22	0
			50RB	819	26740	21.31	22	0
				831.5	26865	21.27	22	0
				844	26990	21.59	22	0
16-QAM	16-QAM	1 RB	0	819	26740	21.33	22	0
				831.5	26865	21.48	22	0
				844	26990	21.51	22	0
			25	819	26740	21.54	22	0
				831.5	26865	21.51	22	0
				844	26990	21.65	22	0
		25 RB	49	819	26740	21.64	22	0
				831.5	26865	21.46	22	0
				844	26990	21.69	22	0
			0	819	26740	20.17	22	0
				831.5	26865	20.22	22	0
				844	26990	20.23	22	0
			12	819	26740	20.26	22	0
				831.5	26865	20.25	22	0
				844	26990	20.38	22	0
		50RB	25	819	26740	20.23	22	0
				831.5	26865	20.26	22	0
				844	26990	20.42	22	0
			50RB	819	26740	20.41	22	0
				831.5	26865	20.52	22	0
				844	26990	20.45	22	0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路134號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

FDD Band 26								
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
5	QPSK	1 RB	0	816.5	26715	20.99	22	0
				831.5	26865	21.05	22	0
				846.5	27015	21.17	22	0
			12	816.5	26715	21.06	22	0
				831.5	26865	21.19	22	0
				846.5	27015	21.10	22	0
			24	816.5	26715	21.11	22	0
				831.5	26865	21.02	22	0
				846.5	27015	21.13	22	0
		12 RB	0	816.5	26715	20.95	22	0
				831.5	26865	20.93	22	0
				846.5	27015	21.23	22	0
			6	816.5	26715	21.01	22	0
				831.5	26865	21.14	22	0
				846.5	27015	21.16	22	0
			13	816.5	26715	21.08	22	0
				831.5	26865	21.09	22	0
				846.5	27015	21.28	22	0
		25RB	0	816.5	26715	21.31	22	0
				831.5	26865	21.25	22	0
				846.5	27015	21.40	22	0
			6	815.5	26705	21.26	22	0
				831.5	26865	21.38	22	0
				847.5	27025	21.37	22	0
		16-QAM	12	815.5	26705	21.43	22	0
				831.5	26865	21.49	22	0
				847.5	27025	21.53	22	0
			24	815.5	26705	21.46	22	0
				831.5	26865	21.40	22	0
				847.5	27025	21.63	22	0
			0	815.5	26705	20.12	22	0
				831.5	26865	20.22	22	0
				847.5	27025	20.21	22	0
		12 RB	6	815.5	26705	20.10	22	0
				831.5	26865	20.24	22	0
				847.5	27025	20.26	22	0
			13	815.5	26705	20.10	22	0
				831.5	26865	20.26	22	0
				847.5	27025	20.30	22	0
		25RB	0	815.5	26705	20.39	22	0
				831.5	26865	20.50	22	0
				847.5	27025	20.38	22	0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路134號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

FDD Band 26								
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
3	QPSK	1 RB	0	815.5	26705	20.94	22	0
				831.5	26865	20.91	22	0
				847.5	27025	21.07	22	0
			7	815.5	26705	20.87	22	0
				831.5	26865	21.19	22	0
				847.5	27025	21.05	22	0
			14	815.5	26705	21.02	22	0
				831.5	26865	21.00	22	0
				847.5	27025	20.95	22	0
		8 RB	0	815.5	26705	20.90	22	0
				831.5	26865	20.79	22	0
				847.5	27025	21.05	22	0
			4	815.5	26705	20.90	22	0
				831.5	26865	21.01	22	0
				847.5	27025	21.11	22	0
			7	815.5	26705	20.94	22	0
				831.5	26865	21.05	22	0
				847.5	27025	21.17	22	0
		15RB	0	815.5	26705	21.12	22	0
				831.5	26865	21.23	22	0
				847.5	27025	21.26	22	0
			4	815.5	26705	21.14	22	0
				831.5	26865	21.28	22	0
				847.5	27025	21.25	22	0
		16-QAM	7	815.5	26705	21.36	22	0
				831.5	26865	21.32	22	0
				847.5	27025	21.51	22	0
			14	815.5	26705	21.31	22	0
				831.5	26865	21.35	22	0
				847.5	27025	21.63	22	0
			0	815.5	26705	20.12	22	0
				831.5	26865	20.09	22	0
				847.5	27025	20.11	22	0
			4	815.5	26705	20.06	22	0
				831.5	26865	20.09	22	0
				847.5	27025	20.21	22	0
			7	815.5	26705	20.03	22	0
				831.5	26865	20.21	22	0
				847.5	27025	20.17	22	0
		15RB	0	815.5	26705	20.25	22	0
				831.5	26865	20.40	22	0
				847.5	27025	20.38	22	0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路134號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

FDD Band 26								
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
1.4	QPSK	1 RB	0	814.7	26697	20.94	22	0
				831.5	26865	20.82	22	0
				848.3	27033	21.05	22	0
			2	814.7	26697	20.70	22	0
				831.5	26865	21.02	22	0
				848.3	27033	20.86	22	0
		3 RB	5	814.7	26697	20.83	22	0
				831.5	26865	20.90	22	0
				848.3	27033	20.77	22	0
			0	814.7	26697	20.80	22	0
				831.5	26865	20.65	22	0
				848.3	27033	21.00	22	0
			2	814.7	26697	20.79	22	0
				831.5	26865	20.91	22	0
				848.3	27033	21.03	22	0
		6RB	3	814.7	26697	20.91	22	0
				831.5	26865	20.92	22	0
				848.3	27033	21.10	22	0
			6RB	814.7	26697	20.98	22	0
				831.5	26865	21.05	22	0
				848.3	27033	21.24	22	0
	16-QAM	1 RB	0	814.7	26697	21.11	22	0
				831.5	26865	21.09	22	0
				848.3	27033	21.15	22	0
			2	814.7	26697	21.20	22	0
				831.5	26865	21.16	22	0
				848.3	27033	21.44	22	0
		3 RB	5	814.7	26697	21.26	22	0
				831.5	26865	21.24	22	0
				848.3	27033	21.59	22	0
			0	814.7	26697	20.11	22	0
				831.5	26865	20.03	22	0
				848.3	27033	20.02	22	0
			2	814.7	26697	20.08	22	0
				831.5	26865	20.11	22	0
				848.3	27033	20.03	22	0
		6RB	3	814.7	26697	20.00	22	0
				831.5	26865	20.13	22	0
				848.3	27033	20.05	22	0
			6RB	814.7	26697	20.18	22	0
				831.5	26865	20.21	22	0
				848.3	27033	20.22	22	0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路134號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

FDD Band 30								
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
10	QPSK	1 RB	0	2310	27710	18.59	19	0
			25	2310	27710	18.67	19	0
			49	2310	27710	18.86	19	0
		25 RB	0	2310	27710	18.57	19	0
			12	2310	27710	18.37	19	0
			25	2310	27710	18.35	19	0
	16-QAM	50RB		2310	27710	18.39	19	0
		1 RB	0	2310	27710	18.45	19	0
			25	2310	27710	18.39	19	0
			49	2310	27710	18.76	19	0
		25 RB	0	2310	27710	18.56	19	0
			12	2310	27710	18.39	19	0
			25	2310	27710	18.36	19	0
		50RB		2310	27710	18.43	19	0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

FDD Band 30								
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
5	QPSK	1 RB	0	2307.5	27685	18.38	19	0
				2310	27710	18.30	19	0
				2312.5	27735	18.29	19	0
			12	2307.5	27685	18.39	19	0
				2310	27710	18.33	19	0
				2312.5	27735	18.47	19	0
		24	0	2307.5	27685	18.24	19	0
			12	2310	27710	18.23	19	0
			24	2312.5	27735	18.15	19	0
		12 RB	0	2307.5	27685	18.25	19	0
				2310	27710	18.26	19	0
				2312.5	27735	18.24	19	0
			6	2307.5	27685	18.21	19	0
				2310	27710	18.19	19	0
				2312.5	27735	18.45	19	0
		25RB	13	2307.5	27685	18.21	19	0
				2310	27710	18.21	19	0
				2312.5	27735	18.12	19	0
			25RB	2307.5	27685	18.20	19	0
				2310	27710	18.15	19	0
				2312.5	27735	18.22	19	0
	16-QAM	1 RB	0	2307.5	27685	18.30	19	0
				2310	27710	18.23	19	0
				2312.5	27735	18.15	19	0
			12	2307.5	27685	18.25	19	0
				2310	27710	18.21	19	0
				2312.5	27735	18.35	19	0
		12 RB	24	2307.5	27685	18.16	19	0
				2310	27710	18.04	19	0
				2312.5	27735	18.01	19	0
			0	2307.5	27685	18.25	19	0
				2310	27710	18.13	19	0
				2312.5	27735	18.08	19	0
			6	2307.5	27685	18.05	19	0
				2310	27710	18.02	19	0
				2312.5	27735	18.33	19	0
		25RB	13	2307.5	27685	18.21	19	0
				2310	27710	18.14	19	0
				2312.5	27735	18.02	19	0
			25RB	2307.5	27685	18.18	19	0
				2310	27710	17.99	19	0
				2312.5	27735	18.14	19	0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路134號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

FDD Band 66								
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
20	QPSK	1 RB	0	1720	132072	19.60	20	0
				1745	132322	19.71	20	0
				1770	132572	20.00	20	0
			50	1720	132072	19.46	20	0
				1745	132322	19.46	20	0
				1770	132572	19.54	20	0
		50 RB	99	1720	132072	19.43	20	0
				1745	132322	19.59	20	0
				1770	132572	19.75	20	0
			0	1720	132072	19.66	20	0
				1745	132322	19.64	20	0
				1770	132572	19.69	20	0
			25	1720	132072	19.60	20	0
				1745	132322	19.54	20	0
				1770	132572	19.56	20	0
		100RB	50	1720	132072	19.49	20	0
				1745	132322	19.60	20	0
				1770	132572	19.61	20	0
			100RB	1720	132072	19.70	20	0
				1745	132322	19.76	20	0
				1770	132572	19.80	20	0
16-QAM	16-QAM	1 RB	0	1720	132072	19.73	20	0
				1745	132322	19.94	20	0
				1770	132572	19.98	20	0
			50	1720	132072	19.79	20	0
				1745	132322	19.80	20	0
				1770	132572	19.81	20	0
		50 RB	99	1720	132072	19.75	20	0
				1745	132322	19.98	20	0
				1770	132572	19.99	20	0
			0	1720	132072	19.51	20	0
				1745	132322	19.44	20	0
				1770	132572	19.61	20	0
			25	1720	132072	19.58	20	0
				1745	132322	19.44	20	0
				1770	132572	19.46	20	0
		100RB	50	1720	132072	19.45	20	0
				1745	132322	19.50	20	0
				1770	132572	19.51	20	0
			100RB	1720	132072	19.78	20	0
				1745	132322	19.70	20	0
				1770	132572	19.75	20	0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路134號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

FDD Band 66								
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
15	QPSK	1 RB	0	1717.5	132047	19.38	20	0
				1745	132322	19.58	20	0
				1772.5	132597	19.95	20	0
			36	1717.5	132047	19.54	20	0
				1745	132322	19.46	20	0
				1772.5	132597	19.45	20	0
		36 RB	74	1717.5	132047	19.42	20	0
				1745	132322	19.66	20	0
				1772.5	132597	19.66	20	0
			0	1717.5	132047	19.53	20	0
				1745	132322	19.56	20	0
				1772.5	132597	19.62	20	0
			18	1717.5	132047	19.58	20	0
				1745	132322	19.49	20	0
				1772.5	132597	19.52	20	0
		75RB	37	1717.5	132047	19.41	20	0
				1745	132322	19.60	20	0
				1772.5	132597	19.58	20	0
			75RB	1717.5	132047	19.74	20	0
				1745	132322	19.67	20	0
				1772.5	132597	19.74	20	0
16-QAM	16-QAM	1 RB	0	1717.5	132047	19.66	20	0
				1745	132322	19.94	20	0
				1772.5	132597	19.90	20	0
			36	1717.5	132047	19.74	20	0
				1745	132322	19.78	20	0
				1772.5	132597	19.76	20	0
		36 RB	74	1717.5	132047	19.75	20	0
				1745	132322	19.90	20	0
				1772.5	132597	19.96	20	0
			0	1717.5	132047	19.42	20	0
				1745	132322	19.41	20	0
				1772.5	132597	19.55	20	0
			18	1717.5	132047	19.56	20	0
				1745	132322	19.43	20	0
				1772.5	132597	19.40	20	0
		75RB	37	1717.5	132047	19.39	20	0
				1745	132322	19.50	20	0
				1772.5	132597	19.43	20	0
			75RB	1717.5	132047	19.74	20	0
				1745	132322	19.63	20	0
				1772.5	132597	19.70	20	0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路134號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

FDD Band 66								
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
10	QPSK	1 RB	0	1715	132022	19.32	20	0
				1745	132322	19.56	20	0
				1775	132622	19.91	20	0
			25	1715	132022	19.47	20	0
				1745	132322	19.45	20	0
				1775	132622	19.44	20	0
		25 RB	49	1715	132022	19.37	20	0
				1745	132322	19.64	20	0
				1775	132622	19.63	20	0
			0	1715	132022	19.47	20	0
				1745	132322	19.51	20	0
				1775	132622	19.57	20	0
			12	1715	132022	19.55	20	0
				1745	132322	19.41	20	0
				1775	132622	19.51	20	0
		50RB	25	1715	132022	19.41	20	0
				1745	132322	19.58	20	0
				1775	132622	19.58	20	0
			50RB	1715	132022	19.69	20	0
				1745	132322	19.63	20	0
				1775	132622	19.68	20	0
16-QAM	16-QAM	1 RB	0	1715	132022	19.57	20	0
				1745	132322	19.87	20	0
				1775	132622	19.87	20	0
			25	1715	132022	19.73	20	0
				1745	132322	19.70	20	0
				1775	132622	19.68	20	0
		25 RB	49	1715	132022	19.70	20	0
				1745	132322	19.83	20	0
				1775	132622	19.92	20	0
			0	1715	132022	19.42	20	0
				1745	132322	19.33	20	0
				1775	132622	19.51	20	0
			12	1715	132022	19.54	20	0
				1745	132322	19.36	20	0
				1775	132622	19.36	20	0
		50RB	25	1715	132022	19.38	20	0
				1745	132322	19.47	20	0
				1775	132622	19.38	20	0
			50RB	1715	132022	19.74	20	0
				1745	132322	19.59	20	0
				1775	132622	19.70	20	0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路134號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

FDD Band 66								
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
5	QPSK	1 RB	0	1712.5	131997	19.26	20	0
				1745	132322	19.47	20	0
				1777.5	132647	19.86	20	0
			12	1712.5	131997	19.43	20	0
				1745	132322	19.44	20	0
				1777.5	132647	19.43	20	0
		12 RB	24	1712.5	131997	19.29	20	0
				1745	132322	19.58	20	0
				1777.5	132647	19.63	20	0
			0	1712.5	131997	19.47	20	0
				1745	132322	19.43	20	0
				1777.5	132647	19.51	20	0
			6	1712.5	131997	19.54	20	0
				1745	132322	19.40	20	0
				1777.5	132647	19.44	20	0
		25RB	13	1712.5	131997	19.40	20	0
				1745	132322	19.53	20	0
				1777.5	132647	19.49	20	0
			25RB	1712.5	131997	19.64	20	0
				1745	132322	19.54	20	0
				1777.5	132647	19.59	20	0
	16-QAM	1 RB	0	1712.5	131997	19.52	20	0
				1745	132322	19.84	20	0
				1777.5	132647	19.78	20	0
			12	1712.5	131997	19.73	20	0
				1745	132322	19.69	20	0
				1777.5	132647	19.62	20	0
		12 RB	24	1712.5	131997	19.70	20	0
				1745	132322	19.83	20	0
				1777.5	132647	19.83	20	0
			0	1712.5	131997	19.33	20	0
				1745	132322	19.27	20	0
				1777.5	132647	19.48	20	0
			6	1712.5	131997	19.47	20	0
				1745	132322	19.31	20	0
				1777.5	132647	19.33	20	0
		25RB	13	1712.5	131997	19.35	20	0
				1745	132322	19.46	20	0
				1777.5	132647	19.31	20	0
			25RB	1712.5	131997	19.68	20	0
				1745	132322	19.50	20	0
				1777.5	132647	19.63	20	0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路134號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

FDD Band 66								
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
3	QPSK	1 RB	0	1711.5	131987	19.20	20	0
				1745	132322	19.39	20	0
				1778.5	132657	19.80	20	0
			7	1711.5	131987	19.34	20	0
				1745	132322	19.40	20	0
				1778.5	132657	19.39	20	0
		14	0	1711.5	131987	19.25	20	0
				1745	132322	19.55	20	0
				1778.5	132657	19.57	20	0
			8 RB	1711.5	131987	19.45	20	0
				1745	132322	19.36	20	0
				1778.5	132657	19.48	20	0
		15RB	4	1711.5	131987	19.48	20	0
				1745	132322	19.37	20	0
				1778.5	132657	19.35	20	0
			7	1711.5	131987	19.35	20	0
				1745	132322	19.51	20	0
				1778.5	132657	19.48	20	0
		16-QAM	0	1711.5	131987	19.61	20	0
				1745	132322	19.53	20	0
				1778.5	132657	19.50	20	0
			7	1711.5	131987	19.43	20	0
				1745	132322	19.82	20	0
				1778.5	132657	19.78	20	0
			14	1711.5	131987	19.71	20	0
				1745	132322	19.63	20	0
				1778.5	132657	19.58	20	0
			0	1711.5	131987	19.68	20	0
				1745	132322	19.83	20	0
				1778.5	132657	19.78	20	0
			8 RB	1711.5	131987	19.28	20	0
				1745	132322	19.19	20	0
				1778.5	132657	19.42	20	0
			4	1711.5	131987	19.39	20	0
				1745	132322	19.26	20	0
				1778.5	132657	19.27	20	0
			7	1711.5	131987	19.34	20	0
				1745	132322	19.42	20	0
				1778.5	132657	19.30	20	0
			15RB	1711.5	131987	19.64	20	0
				1745	132322	19.48	20	0
				1778.5	132657	19.62	20	0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路134號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

FDD Band 66								
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
1.4	QPSK	1 RB	0	1710.7	131979	19.15	20	0
				1745	132322	19.32	20	0
				1779.3	132665	19.75	20	0
			2	1710.7	131979	19.26	20	0
				1745	132322	19.36	20	0
				1779.3	132665	19.32	20	0
		3 RB	5	1710.7	131979	19.20	20	0
				1745	132322	19.47	20	0
				1779.3	132665	19.49	20	0
			0	1710.7	131979	19.41	20	0
				1745	132322	19.34	20	0
				1779.3	132665	19.42	20	0
			2	1710.7	131979	19.45	20	0
				1745	132322	19.31	20	0
				1779.3	132665	19.29	20	0
		6RB	3	1710.7	131979	19.30	20	0
				1745	132322	19.45	20	0
				1779.3	132665	19.43	20	0
			6RB	1710.7	131979	19.53	20	0
				1745	132322	19.44	20	0
				1779.3	132665	19.49	20	0
1.4	16-QAM	1 RB	0	1710.7	131979	19.38	20	0
				1745	132322	19.76	20	0
				1779.3	132665	19.75	20	0
			2	1710.7	131979	19.64	20	0
				1745	132322	19.62	20	0
				1779.3	132665	19.54	20	0
		3 RB	5	1710.7	131979	19.60	20	0
				1745	132322	19.82	20	0
				1779.3	132665	19.75	20	0
			0	1710.7	131979	19.20	20	0
				1745	132322	19.12	20	0
				1779.3	132665	19.37	20	0
			2	1710.7	131979	19.36	20	0
				1745	132322	19.23	20	0
				1779.3	132665	19.24	20	0
		6RB	3	1710.7	131979	19.26	20	0
				1745	132322	19.33	20	0
				1779.3	132665	19.25	20	0
			6RB	1710.7	131979	19.60	20	0
				1745	132322	19.39	20	0
				1779.3	132665	19.58	20	0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路134號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

LTE TDD Band 38 / Band 41 power table (Reduced power):

TDD Band 38								
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
20	QPSK	1 RB	0	2580	37850	18.96	19	0
				2595	38000	18.99	19	0
				2610	38150	19.00	19	0
			50	2580	37850	18.88	19	0
				2595	38000	18.89	19	0
				2610	38150	18.99	19	0
		50 RB	0	2580	37850	18.91	19	0
				2595	38000	18.92	19	0
				2610	38150	18.99	19	0
			25	2580	37850	18.73	19	0
				2595	38000	18.72	19	0
				2610	38150	18.85	19	0
			50	2580	37850	18.72	19	0
				2595	38000	18.73	19	0
				2610	38150	18.79	19	0
		100RB	0	2580	37850	18.75	19	0
				2595	38000	18.70	19	0
				2610	38150	18.68	19	0
			25	2580	37850	18.75	19	0
				2595	38000	18.78	19	0
				2610	38150	18.87	19	0
			50	2580	37850	18.70	19	0
				2595	38000	18.66	19	0
				2610	38150	18.75	19	0
		16-QAM	1 RB	2580	37850	18.88	19	0
				2595	38000	18.78	19	0
				2610	38150	18.99	19	0
			50	2580	37850	18.87	19	0
				2595	38000	18.83	19	0
				2610	38150	18.83	19	0
			99	2580	37850	18.92	19	0
				2595	38000	18.89	19	0
				2610	38150	18.98	19	0
			50 RB	2580	37850	18.55	19	0
				2595	38000	18.57	19	0
				2610	38150	18.75	19	0
				2580	37850	18.71	19	0
				2595	38000	18.55	19	0
				2610	38150	18.71	19	0
			50	2580	37850	18.57	19	0
				2595	38000	18.70	19	0
				2610	38150	18.79	19	0
			100RB	2580	37850	18.70	19	0
				2595	38000	18.61	19	0
				2610	38150	18.66	19	0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路134號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

TDD Band 38								
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
15	QPSK	1 RB	0	2577.5	37825	18.78	19	0
				2595	38000	18.82	19	0
				2612.5	38175	18.98	19	0
			36	2577.5	37825	18.79	19	0
				2595	38000	18.72	19	0
				2612.5	38175	18.84	19	0
		36 RB	74	2577.5	37825	18.86	19	0
				2595	38000	18.88	19	0
				2612.5	38175	18.82	19	0
			0	2577.5	37825	18.72	19	0
				2595	38000	18.71	19	0
				2612.5	38175	18.82	19	0
			18	2577.5	37825	18.56	19	0
				2595	38000	18.68	19	0
				2612.5	38175	18.76	19	0
		75RB	37	2577.5	37825	18.69	19	0
				2595	38000	18.78	19	0
				2612.5	38175	18.85	19	0
			2577.5	37825	18.70	19	0	
				2595	38000	18.63	19	0
				2612.5	38175	18.60	19	0
16-QAM	16-QAM	1 RB	0	2577.5	37825	18.76	19	0
				2595	38000	18.63	19	0
				2612.5	38175	18.97	19	0
			36	2577.5	37825	18.71	19	0
				2595	38000	18.83	19	0
				2612.5	38175	18.75	19	0
		36 RB	74	2577.5	37825	18.91	19	0
				2595	38000	18.72	19	0
				2612.5	38175	18.81	19	0
			0	2577.5	37825	18.50	19	0
				2595	38000	18.42	19	0
				2612.5	38175	18.73	19	0
			18	2577.5	37825	18.57	19	0
				2595	38000	18.45	19	0
				2612.5	38175	18.57	19	0
		75RB	37	2577.5	37825	18.45	19	0
				2595	38000	18.60	19	0
				2612.5	38175	18.62	19	0
			2577.5	37825	18.65	19	0	
				2595	38000	18.57	19	0
				2612.5	38175	18.61	19	0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路134號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

TDD Band 38								
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
10	QPSK	1 RB	0	2575	37800	18.68	19	0
				2595	38000	18.81	19	0
				2615	38200	18.98	19	0
			25	2575	37800	18.68	19	0
				2595	38000	18.60	19	0
				2615	38200	18.75	19	0
		25 RB	49	2575	37800	18.86	19	0
				2595	38000	18.71	19	0
				2615	38200	18.67	19	0
			0	2575	37800	18.66	19	0
				2595	38000	18.60	19	0
				2615	38200	18.72	19	0
			12	2575	37800	18.54	19	0
				2595	38000	18.54	19	0
				2615	38200	18.66	19	0
		50RB	25	2575	37800	18.58	19	0
				2595	38000	18.75	19	0
				2615	38200	18.85	19	0
			50RB	2575	37800	18.69	19	0
				2595	38000	18.63	19	0
				2615	38200	18.57	19	0
16-QAM	16-QAM	1 RB	0	2575	37800	18.65	19	0
				2595	38000	18.49	19	0
				2615	38200	18.79	19	0
			25	2575	37800	18.66	19	0
				2595	38000	18.77	19	0
				2615	38200	18.66	19	0
		25 RB	49	2575	37800	18.91	19	0
				2595	38000	18.57	19	0
				2615	38200	18.73	19	0
			0	2575	37800	18.50	19	0
				2595	38000	18.42	19	0
				2615	38200	18.63	19	0
			12	2575	37800	18.40	19	0
				2595	38000	18.43	19	0
				2615	38200	18.57	19	0
		50RB	25	2575	37800	18.45	19	0
				2595	38000	18.59	19	0
				2615	38200	18.58	19	0
			50RB	2575	37800	18.47	19	0
				2595	38000	18.47	19	0
				2615	38200	18.45	19	0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路134號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

TDD Band 38								
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
5	QPSK	1 RB	0	2572.5	37775	18.65	19	0
				2595	38000	18.74	19	0
				2617.5	38225	18.98	19	0
			12	2572.5	37775	18.55	19	0
				2595	38000	18.50	19	0
				2617.5	38225	18.73	19	0
		12 RB	24	2572.5	37775	18.80	19	0
				2595	38000	18.54	19	0
				2617.5	38225	18.62	19	0
			0	2572.5	37775	18.59	19	0
				2595	38000	18.57	19	0
				2617.5	38225	18.67	19	0
			6	2572.5	37775	18.36	19	0
				2595	38000	18.36	19	0
				2617.5	38225	18.62	19	0
		25RB	13	2572.5	37775	18.42	19	0
				2595	38000	18.70	19	0
				2617.5	38225	18.69	19	0
			25RB	2572.5	37775	18.55	19	0
				2595	38000	18.47	19	0
				2617.5	38225	18.47	19	0
5	16-QAM	1 RB	0	2572.5	37775	18.64	19	0
				2595	38000	18.42	19	0
				2617.5	38225	18.72	19	0
			12	2572.5	37775	18.47	19	0
				2595	38000	18.73	19	0
				2617.5	38225	18.66	19	0
		12 RB	24	2572.5	37775	18.75	19	0
				2595	38000	18.49	19	0
				2617.5	38225	18.73	19	0
			0	2572.5	37775	18.45	19	0
				2595	38000	18.36	19	0
				2617.5	38225	18.48	19	0
			6	2572.5	37775	18.32	19	0
				2595	38000	18.24	19	0
				2617.5	38225	18.44	19	0
		25RB	13	2572.5	37775	18.42	19	0
				2595	38000	18.49	19	0
				2617.5	38225	18.45	19	0
			25RB	2572.5	37775	18.40	19	0
				2595	38000	18.45	19	0
				2617.5	38225	18.40	19	0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路134號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

TDD Band 41								
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
20	QPSK	1 RB	0	2506	39750	17.85	18	0
				2549.5	40185	17.97	18	0
				2593	40620	17.80	18	0
				2636.5	41055	17.97	18	0
				2680	41490	18.00	18	0
			50	2506	39750	17.48	18	0
				2549.5	40185	17.46	18	0
				2593	40620	17.49	18	0
				2636.5	41055	17.51	18	0
				2680	41490	17.62	18	0
			99	2506	39750	17.66	18	0
				2549.5	40185	17.51	18	0
				2593	40620	17.64	18	0
				2636.5	41055	17.65	18	0
				2680	41490	17.71	18	0
			0	2506	39750	17.39	18	0
				2549.5	40185	17.41	18	0
				2593	40620	17.38	18	0
				2636.5	41055	17.57	18	0
				2680	41490	17.59	18	0
			25	2506	39750	17.43	18	0
				2549.5	40185	17.39	18	0
				2593	40620	17.44	18	0
				2636.5	41055	17.50	18	0
				2680	41490	17.58	18	0
			50	2506	39750	17.46	18	0
				2549.5	40185	17.42	18	0
				2593	40620	17.51	18	0
				2636.5	41055	17.57	18	0
				2680	41490	17.61	18	0
			100RB	2506	39750	17.52	18	0
				2549.5	40185	17.35	18	0
				2593	40620	17.44	18	0
				2636.5	41055	17.52	18	0
				2680	41490	17.56	18	0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路134號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

TDD Band 41								
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
20	16-QAM	1 RB	0	2506	39750	17.70	18	0
				2549.5	40185	17.92	18	0
				2593	40620	17.74	18	0
				2636.5	41055	17.85	18	0
				2680	41490	17.90	18	0
			50	2506	39750	17.41	18	0
				2549.5	40185	17.46	18	0
				2593	40620	17.30	18	0
				2636.5	41055	17.46	18	0
				2680	41490	17.46	18	0
			99	2506	39750	17.47	18	0
				2549.5	40185	17.40	18	0
				2593	40620	17.46	18	0
				2636.5	41055	17.56	18	0
				2680	41490	17.66	18	0
		50 RB	0	2506	39750	17.35	18	0
				2549.5	40185	17.39	18	0
				2593	40620	17.37	18	0
				2636.5	41055	17.42	18	0
				2680	41490	17.49	18	0
			25	2506	39750	17.29	18	0
				2549.5	40185	17.28	18	0
				2593	40620	17.28	18	0
				2636.5	41055	17.36	18	0
				2680	41490	17.49	18	0
		100RB	50	2506	39750	17.26	18	0
				2549.5	40185	17.30	18	0
				2593	40620	17.35	18	0
				2636.5	41055	17.43	18	0
				2680	41490	17.59	18	0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路134號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

TDD Band 41								
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
15	QPSK	1 RB	0	2503.5	39725	17.83	18	0
				2548.3	40173	17.84	18	0
				2593	40620	17.77	18	0
				2637.8	41068	17.88	18	0
				2682.5	41515	17.84	18	0
			36	2503.5	39725	17.47	18	0
				2548.3	40173	17.34	18	0
				2593	40620	17.45	18	0
				2637.8	41068	17.35	18	0
				2682.5	41515	17.50	18	0
			74	2503.5	39725	17.47	18	0
				2548.3	40173	17.42	18	0
				2593	40620	17.51	18	0
				2637.8	41068	17.50	18	0
				2682.5	41515	17.65	18	0
			0	2503.5	39725	17.28	18	0
				2548.3	40173	17.32	18	0
				2593	40620	17.38	18	0
				2637.8	41068	17.53	18	0
				2682.5	41515	17.42	18	0
			18	2503.5	39725	17.39	18	0
				2548.3	40173	17.31	18	0
				2593	40620	17.34	18	0
				2637.8	41068	17.36	18	0
				2682.5	41515	17.41	18	0
			37	2503.5	39725	17.25	18	0
				2548.3	40173	17.37	18	0
				2593	40620	17.44	18	0
				2637.8	41068	17.44	18	0
				2682.5	41515	17.47	18	0
			75RB	2503.5	39725	17.43	18	0
				2548.3	40173	17.23	18	0
				2593	40620	17.28	18	0
				2637.8	41068	17.47	18	0
				2682.5	41515	17.42	18	0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路134號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

TDD Band 41								
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
15	16-QAM	1 RB	0	2503.5	39725	17.58	18	0
				2548.3	40173	17.85	18	0
				2593	40620	17.63	18	0
				2637.8	41068	17.67	18	0
				2682.5	41515	17.86	18	0
			36	2503.5	39725	17.25	18	0
				2548.3	40173	17.45	18	0
				2593	40620	17.19	18	0
				2637.8	41068	17.46	18	0
				2682.5	41515	17.34	18	0
			74	2503.5	39725	17.39	18	0
				2548.3	40173	17.23	18	0
				2593	40620	17.28	18	0
				2637.8	41068	17.55	18	0
				2682.5	41515	17.64	18	0
			0	2503.5	39725	17.19	18	0
				2548.3	40173	17.25	18	0
				2593	40620	17.24	18	0
				2637.8	41068	17.39	18	0
				2682.5	41515	17.44	18	0
			36 RB	2503.5	39725	17.20	18	0
				2548.3	40173	17.11	18	0
				2593	40620	17.19	18	0
				2637.8	41068	17.22	18	0
				2682.5	41515	17.46	18	0
			37	2503.5	39725	17.12	18	0
				2548.3	40173	17.18	18	0
				2593	40620	17.19	18	0
				2637.8	41068	17.38	18	0
				2682.5	41515	17.55	18	0
			75RB	2503.5	39725	17.31	18	0
				2548.3	40173	17.26	18	0
				2593	40620	17.28	18	0
				2637.8	41068	17.20	18	0
				2682.5	41515	17.28	18	0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路134號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

TDD Band 41									
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)	
10	QPSK	1 RB	0	2501	39700	17.65	18	0	
				2547	40160	17.69	18	0	
				2593	40620	17.58	18	0	
				2639	41080	17.87	18	0	
				2685	41540	17.84	18	0	
			25	2501	39700	17.33	18	0	
				2547	40160	17.27	18	0	
				2593	40620	17.45	18	0	
				2639	41080	17.18	18	0	
				2685	41540	17.35	18	0	
			49	2501	39700	17.37	18	0	
				2547	40160	17.24	18	0	
				2593	40620	17.32	18	0	
				2639	41080	17.47	18	0	
				2685	41540	17.64	18	0	
		25 RB	0	2501	39700	17.10	18	0	
				2547	40160	17.32	18	0	
				2593	40620	17.27	18	0	
				2639	41080	17.34	18	0	
				2685	41540	17.40	18	0	
			12	2501	39700	17.28	18	0	
				2547	40160	17.31	18	0	
				2593	40620	17.30	18	0	
				2639	41080	17.34	18	0	
				2685	41540	17.24	18	0	
		25	25	2501	39700	17.22	18	0	
				2547	40160	17.31	18	0	
				2593	40620	17.35	18	0	
				2639	41080	17.35	18	0	
				2685	41540	17.32	18	0	
		50RB		2501	39700	17.37	18	0	
				2547	40160	17.13	18	0	
				2593	40620	17.13	18	0	
				2639	41080	17.46	18	0	
				2685	41540	17.39	18	0	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

TDD Band 41								
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
10	16-QAM	1 RB	0	2501	39700	17.41	18	0
				2547	40160	17.83	18	0
				2593	40620	17.58	18	0
				2639	41080	17.61	18	0
				2685	41540	17.74	18	0
			25	2501	39700	17.09	18	0
				2547	40160	17.27	18	0
				2593	40620	17.06	18	0
				2639	41080	17.30	18	0
				2685	41540	17.31	18	0
			49	2501	39700	17.27	18	0
				2547	40160	17.06	18	0
				2593	40620	17.11	18	0
				2639	41080	17.51	18	0
				2685	41540	17.52	18	0
		25 RB	0	2501	39700	17.13	18	0
				2547	40160	17.17	18	0
				2593	40620	17.18	18	0
				2639	41080	17.36	18	0
				2685	41540	17.37	18	0
			12	2501	39700	17.12	18	0
				2547	40160	17.06	18	0
				2593	40620	17.19	18	0
				2639	41080	17.12	18	0
				2685	41540	17.39	18	0
		50RB	25	2501	39700	17.10	18	0
				2547	40160	17.12	18	0
				2593	40620	17.05	18	0
				2639	41080	17.29	18	0
				2685	41540	17.38	18	0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路134號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

TDD Band 41								
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
5	QPSK	1 RB	0	2498.5	39675	17.64	18	0
				2547.8	40148	17.67	18	0
				2593	40620	17.41	18	0
				2640.3	41093	17.73	18	0
				2687.5	41565	17.73	18	0
			12	2498.5	39675	17.22	18	0
				2547.8	40148	17.19	18	0
				2593	40620	17.40	18	0
				2640.3	41093	17.09	18	0
				2687.5	41565	17.22	18	0
			24	2498.5	39675	17.34	18	0
				2547.8	40148	17.18	18	0
				2593	40620	17.20	18	0
				2640.3	41093	17.44	18	0
				2687.5	41565	17.52	18	0
			0	2498.5	39675	17.03	18	0
				2547.8	40148	17.18	18	0
				2593	40620	17.20	18	0
				2640.3	41093	17.26	18	0
				2687.5	41565	17.21	18	0
			6	2498.5	39675	17.11	18	0
				2547.8	40148	17.20	18	0
				2593	40620	17.24	18	0
				2640.3	41093	17.32	18	0
				2687.5	41565	17.22	18	0
			13	2498.5	39675	17.03	18	0
				2547.8	40148	17.12	18	0
				2593	40620	17.17	18	0
				2640.3	41093	17.32	18	0
				2687.5	41565	17.23	18	0
			25RB	2498.5	39675	17.22	18	0
				2547.8	40148	17.12	18	0
				2593	40620	17.03	18	0
				2640.3	41093	17.43	18	0
				2687.5	41565	17.29	18	0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路134號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

TDD Band 41								
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
5	16-QAM	1 RB	0	2498.5	39675	17.40	18	0
				2547.8	40148	17.77	18	0
				2593	40620	17.55	18	0
				2640.3	41093	17.44	18	0
				2687.5	41565	17.70	18	0
			12	2498.5	39675	16.97	18	0
				2547.8	40148	17.15	18	0
				2593	40620	17.04	18	0
				2640.3	41093	17.14	18	0
				2687.5	41565	17.27	18	0
			24	2498.5	39675	17.11	18	0
				2547.8	40148	16.88	18	0
				2593	40620	17.08	18	0
				2640.3	41093	17.47	18	0
				2687.5	41565	17.47	18	0
			0	2498.5	39675	16.98	18	0
				2547.8	40148	17.05	18	0
				2593	40620	17.03	18	0
				2640.3	41093	17.21	18	0
				2687.5	41565	17.29	18	0
			6	2498.5	39675	17.02	18	0
				2547.8	40148	16.96	18	0
				2593	40620	17.12	18	0
				2640.3	41093	16.99	18	0
				2687.5	41565	17.31	18	0
			13	2498.5	39675	17.07	18	0
				2547.8	40148	16.95	18	0
				2593	40620	17.03	18	0
				2640.3	41093	17.10	18	0
				2687.5	41565	17.21	18	0
			25RB	2498.5	39675	17.24	18	0
				2547.8	40148	17.01	18	0
				2593	40620	17.06	18	0
				2640.3	41093	17.03	18	0
				2687.5	41565	17.22	18	0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路134號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

**WLAN802.11 a/b/g/n(20M/40M)/ac/ax(20M/40M/80M/160M)
conducted power table:**

Band	Antenna		SISO	MIMO
	Main	Aux	Main + Aux	
WLAN802.11b	✓	✓		-
WLAN802.11g	✓	✓		-
WLAN802.11n(20M)	✓	✓		✓
WLAN802.11n(40M)	✓	✓		✓
WLAN802.11ax(20M)	✓	✓		✓
WLAN802.11ax(40M)	✓	✓		✓
WLAN802.11a	✓	✓		-
WLAN802.11n(20M) 5G	✓	✓		✓
WLAN802.11n(40M) 5G	✓	✓		✓
WLAN802.11ac(20M) 5G	✓	✓		✓
WLAN802.11ac(40M) 5G	✓	✓		✓
WLAN802.11ac(80M) 5G	✓	✓		✓
WLAN802.11ac(160M) 5G	✓	✓		✓
WLAN802.11ax(20M) 5G	✓	✓		✓
WLAN802.11ax(40M) 5G	✓	✓		✓
WLAN802.11ax(80M) 5G	✓	✓		✓
WLAN802.11ax(160M) 5G	✓	✓		✓

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Main antenna

Main Antenna						
Band	Mode	Channel	Frequency (MHz)	Data Rate	Max. Rated Avg. Power + Max. Tolerance (dBm)	Average power (dBm)
2450 MHz	802.11b	1	2412	1Mbps	18.00	17.98
		6	2437		18.00	18.00
		11	2462		18.00	17.92
		12	2467		12.50	12.48
		13	2472		11.50	11.44
	802.11g	1	2412	6Mbps	18.00	17.76
		6	2437		18.00	17.82
		11	2462		18.00	17.75
		12	2467		14.00	13.32
		13	2472		3.00	2.93
	802.11n20-HT0	1	2412	MCS0	17.00	16.75
		6	2437		18.00	17.91
		11	2462		16.00	15.92
		12	2467		14.00	13.98
		13	2472		1.50	1.32
	802.11n40-HT0	3	2422	MCS0	13.00	12.87
		6	2437		18.00	17.92
		8	2447		16.00	15.82
		9	2452		11.00	10.91
		11	2462		2.50	2.38
	802.11ac20-VHT0	1	2412	MCS0	17.00	16.72
		6	2437		18.00	17.89
		11	2462		16.00	15.92
		12	2467		14.00	13.78
		13	2472		1.50	1.32
	802.11ac40-VHT0	3	2422	MCS0	13.00	12.91
		6	2437		18.00	17.96
		8	2447		16.00	15.99
		9	2452		11.00	10.95
		11	2462		2.50	2.44

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Main Antenna						
Band	Mode	Channel	Frequency (MHz)	Data Rate	Max. Rated Avg. Power + Max. Tolerance (dBm)	Average power (dBm)
5.15-5.25 GHz	802.11a	36	5180	6Mbps	11.50	11.32
		40	5200		11.50	11.29
		44	5220		11.50	11.40
		48	5240		11.50	11.32
	802.11n20-HT0	36	5180	MCS0	11.50	11.36
		40	5200		11.50	11.42
		44	5220		11.50	11.31
		48	5240		11.50	11.35
	802.11ac20-VHT0	36	5180	MCS0	11.50	11.21
		40	5200		11.50	11.25
		44	5220		11.50	11.36
		48	5240		11.50	11.42
	802.11n40-HT0	38	5190	MCS0	11.50	11.39
		46	5230		11.50	11.45
	802.11ac40-VHT0	38	5190	MCS0	11.50	11.30
		46	5230		11.50	11.33
	802.11ac80-VHT0	42	5210	MCS0	10.50	9.89

Main Antenna						
Band	Mode	Channel	Frequency (MHz)	Data Rate	Max. Rated Avg. Power + Max. Tolerance (dBm)	Average power (dBm)
5.25-5.35 GHz	802.11a	52	5260	6Mbps	11.50	11.26
		56	5280		11.50	11.37
		60	5300		11.50	11.33
		64	5320		11.50	11.38
	802.11n20-HT0	52	5260	MCS0	11.50	11.29
		56	5280		11.50	11.26
		60	5300		11.50	11.33
		64	5320		11.50	11.36
	802.11ac20-VHT0	52	5260	MCS0	11.50	11.32
		56	5280		11.50	11.37
		60	5300		11.50	11.43
		64	5320		11.50	11.40
	802.11n40-HT0	54	5270	MCS0	11.50	11.29
		62	5310		11.50	11.38
	802.11ac40-VHT0	54	5270	MCS0	11.50	11.44
		62	5310		11.50	11.39
	802.11ac80-VHT0	58	5290	MCS0	11.50	11.45

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Main Antenna						
Band	Mode	Channel	Frequency (MHz)	Data Rate	Max. Rated Avg. Power + Max. Tolerance (dBm)	Average power (dBm)
5600 MHz	802.11a	100	5500	6Mbps	11.50	11.35
		116	5580		11.50	11.49
		120	5600		11.50	11.42
		140	5700		11.50	11.36
		144	5720		11.50	11.35
	802.11n20-HT0	100	5500	MCS0	11.50	11.38
		116	5580		11.50	11.41
		120	5600		11.50	11.39
		140	5700		11.50	11.37
		144	5720		11.50	11.39
	802.11ac20-VHT0	100	5500	MCS0	11.50	11.44
		116	5580		11.50	11.36
		120	5600		11.50	11.32
		140	5700		11.50	11.37
		144	5720		11.50	11.35
	802.11n40-HT0	102	5510	MCS0	11.50	11.40
		110	5550		11.50	11.34
		118	5590		11.50	11.31
		134	5670		11.50	11.34
		142	5710		11.50	11.35
	802.11ac40-VHT0	102	5510	MCS0	11.50	11.46
		110	5550		11.50	11.39
		118	5590		11.50	11.34
		134	5670		11.50	11.31
		142	5710		11.50	11.31
	802.11ac80-VHT0	106	5530	MCS0	11.50	11.50
		122	5610		11.50	11.47
		138	5690		11.50	11.38

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Main Antenna						
Mode	Mode	Channel	Frequency (MHz)	Data Rate	Max. Rated Avg. Power + Max. Tolerance (dBm)	Average power (dBm)
5800 MHz	802.11a	149	5745	6Mbps	11.50	11.38
		157	5785		11.50	11.37
		165	5825		11.50	11.32
	802.11n20-HT0	149	5745	MCS0	11.50	11.33
		157	5785		11.50	11.40
		165	5825		11.50	11.42
	802.11ac20-VHT0	149	5745	MCS0	11.50	11.32
		157	5785		11.50	11.32
		165	5825		11.50	11.40
	802.11n40-HT0	151	5755	MCS0	11.50	11.50
		159	5795		11.50	11.49
	802.11ac40-VHT0	151	5755	MCS0	11.50	11.48
		159	5795		11.50	11.38
	802.11ac80-VHT0	155	5775	MCS0	10.00	9.96

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Aux antenna

Aux Antenna						
Band	Mode	Channel	Frequency (MHz)	Data Rate	Max. Rated Avg. Power + Max. Tolerance (dBm)	Average power (dBm)
2450 MHz	802.11b	1	2412	1Mbps	18.00	17.94
		6	2437		18.00	17.90
		11	2462		18.00	18.00
		12	2467		12.50	12.49
		13	2472		11.50	11.50
	802.11g	1	2412	6Mbps	18.00	17.91
		6	2437		18.00	17.86
		11	2462		18.00	17.96
		12	2467		14.00	13.90
		13	2472		3.00	2.88
	802.11n20-HT0	1	2412	MCS0	17.00	16.86
		6	2437		18.00	17.94
		11	2462		16.00	15.87
		12	2467		14.00	13.92
		13	2472		1.50	1.45
	802.11n40-HT0	3	2422	MCS0	13.00	12.81
		6	2437		18.00	17.88
		9	2452		16.00	15.86
		9	2452		11.00	10.96
		11	2462		2.50	2.31
	802.11ac20-VHT0	1	2412	MCS0	17.00	16.92
		6	2437		18.00	17.99
		11	2462		16.00	15.90
		12	2467		14.00	13.85
		13	2472		1.50	1.42
	802.11ac40-VHT0	3	2422	MCS0	13.00	12.79
		6	2437		18.00	17.93
		9	2452		16.00	15.97
		9	2452		11.00	10.92
		11	2462		2.50	2.39

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Aux Antenna						
Band	Mode	Channel	Frequency (MHz)	Data Rate	Max. Rated Avg. Power + Max. Tolerance (dBm)	Average power (dBm)
5.15-5.25 GHz	802.11a	36	5180	6Mbps	11.50	11.47
		40	5200		11.50	11.34
		44	5220		11.50	11.43
		48	5240		11.50	11.37
	802.11n20-HT0	36	5180	MCS0	11.50	11.40
		40	5200		11.50	11.41
		44	5220		11.50	11.31
		48	5240		11.50	11.41
	802.11ac20-VHT0	36	5180	MCS0	11.50	11.43
		40	5200		11.50	11.35
		44	5220		11.50	11.35
		48	5240		11.50	11.38
	802.11n40-HT0	38	5190	MCS0	11.50	11.48
		46	5230		11.50	11.50
	802.11ac40-VHT0	38	5190	MCS0	11.50	11.31
		46	5230		11.50	11.43
	802.11ac80-VHT0	42	5210	MCS0	10.50	10.46

Aux Antenna						
Band	Mode	Channel	Frequency (MHz)	Data Rate	Max. Rated Avg. Power + Max. Tolerance (dBm)	Average power (dBm)
5.25-5.35 GHz	802.11a	52	5260	6Mbps	11.50	11.33
		56	5280		11.50	11.46
		60	5300		11.50	11.31
		64	5320		11.50	11.44
	802.11n20-HT0	52	5260	MCS0	11.50	11.45
		56	5280		11.50	11.39
		60	5300		11.50	11.47
		64	5320		11.50	11.42
	802.11ac20-VHT0	52	5260	MCS0	11.50	11.39
		56	5280		11.50	11.43
		60	5300		11.50	11.40
		64	5320		11.50	11.46
	802.11n40-HT0	54	5270	MCS0	11.50	11.36
		62	5310		11.50	11.36
	802.11ac40-VHT0	54	5270	MCS0	11.50	11.45
		62	5310		11.50	11.44
	802.11ac80-VHT0	58	5290	MCS0	11.50	11.49

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Aux Antenna						
Band	Mode	Channel	Frequency (MHz)	Data Rate	Max. Rated Avg. Power + Max. Tolerance (dBm)	Average power (dBm)
5600 MHz	802.11a	100	5500	6Mbps	11.50	11.42
		116	5580		11.50	11.37
		120	5600		11.50	11.42
		140	5700		11.50	11.39
		144	5720		11.50	11.34
	802.11n20-HT0	100	5500	MCS0	11.50	11.37
		116	5580		11.50	11.39
		120	5600		11.50	11.40
		140	5700		11.50	11.47
		144	5720		11.50	11.45
	802.11ac20-VHT0	100	5500	MCS0	11.50	11.32
		116	5580		11.50	11.33
		120	5600		11.50	11.40
		140	5700		11.50	11.32
		144	5720		11.50	11.44
	802.11n40-HT0	102	5510	MCS0	11.50	11.31
		110	5550		11.50	11.42
		118	5590		11.50	11.34
		134	5670		11.50	11.45
		142	5710		11.50	11.38
	802.11ac40-VHT0	102	5510	MCS0	11.50	11.42
		110	5550		11.50	11.45
		118	5590		11.50	11.47
		134	5670		11.50	11.39
		142	5710		11.50	11.43
	802.11ac80-VHT0	106	5530	MCS0	11.50	11.40
		122	5610		11.50	11.45
		138	5690		11.50	11.49

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Aux Antenna						
Mode	Mode	Channel	Frequency (MHz)	Data Rate	Max. Rated Avg. Power + Max. Tolerance (dBm)	Average power (dBm)
5800 MHz	802.11a	149	5745	6Mbps	11.50	11.39
		157	5785		11.50	11.35
		165	5825		11.50	11.32
	802.11n20-HT0	149	5745	MCS0	11.50	11.31
		157	5785		11.50	11.41
		165	5825		11.50	11.32
	802.11ac20-VHT0	149	5745	MCS0	11.50	11.44
		157	5785		11.50	11.49
		165	5825		11.50	11.35
	802.11n40-HT0	151	5755	MCS0	11.50	11.44
		159	5795		11.50	11.49
	802.11ac40-VHT0	151	5755	MCS0	11.50	11.46
		159	5795		11.50	11.39
	802.11ac80-VHT0	155	5775	MCS0	10.00	9.87

Bluetooth conducted power table:


Mode	Channel	Frequency (MHz)	1Mbps		2Mbps		3Mbps	
			Max. Rated Avg. Power + Max. Tolerance (dBm)	Average power (dBm)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Average power (dBm)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Average power (dBm)
BR/EDR	CH 00	2402	7.00	5.46	7.00	5.22	7.00	5.03
	CH 39	2441		6.51		6.34		6.14
	CH 78	2480		6.94		6.62		6.51

Mode	Channel	Frequency (MHz)	GFSK		
			Max. Rated Avg. Power + Max. Tolerance (dBm)	Average Output Power (dBm)	
LE	CH 37	2402	4.5	-4.33	
	CH 17	2440		-3.76	
	CH 39	2480		-3.51	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Bluetooth CH 39

Total time

7.73ms

Operating time

8.93ms

Duty cycle

 $(7.73/8.93) \times 100\% = 86.56\%$

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



WLAN802.11b Main CH 6

Total time

1.29 ms

Operating time

1.48 ms


Duty cycle

 $(1.29/1.48) \times 100\% = 87.16\%$

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



WLAN801.11ac(80M) Main CH 122

Total time

1.29ms

Operating time

1.48ms


Duty cycle

 $(1.29/1.48) \times 100\% = 87.16\%$

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**WLAN802.11n(40M) Main CH 159**

Total time

0.622ms

Operating time

0.698ms


Duty cycle

 $(0.616/0.728) \times 100\% = 89.11\%$

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



WLAN802.11b Aux CH 6

Total time

8.26ms

Operating time

8.72ms


Duty cycle

 $(8.26/8.72) \times 100\% = 94.72\%$

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



WLAN802.11ac(80M) Aux CH 122

Total time

1.41ms

Operating time

1.519ms


Duty cycle

 $(1.41/1.519) \times 100\% = 92.82\%$

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



WLAN802.11n(40M) Main CH 159

Total time

0.647ms

Operating time

0.714ms

Duty cycle


$(0.643/0.759) \times 100\% = 90.61\%$

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

AX201NGW



Bluetooth

Total time

3.433 ms

Operating time

2.653 ms

Duty cycle

(2.843/3.763)×100% = 77.27

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

1.3.1 LTE Downlink CA specification

LTE Downlink 2CA conducted power table

Two Component Carrier Maximum Conducted Power								Full power				Configurations			
PCC Band	PCC Bandwidth [MHz]	PCC (UL) Channel	PCC (UL) Frequency [MHz]	Modulation	PCC (UL) RB	PCC (UL) RB Offset	PCC (DL) Channel	PCC (DL) Frequency [MHz]	SCC Band	SCC Bandwidth [MHz]	SCC (DL) Channel	SCC (DL) Frequency [MHz]	LTE Tx Power with DL CA active (dBm)	LTE Tx Power with DL CA inactive (dBm)	
LTE B2	20	18900	1880	QPSK	1	0	900	1960	LTE B17	10	5790	740	23.40	23.78	CA_2A-17A
LTE B17	10	23790	710	QPSK	1	0	5790	740	LTE B2	20	900	1960	22.74	23.11	CA_2A-17A
LTE B4	20	20175	1732.5	QPSK	1	0	2175	2132.5	LTE B17	10	5790	740	23.20	23.59	CA_4A-17A
LTE B17	10	23790	710	QPSK	1	0	5790	740	LTE B4	20	2175	2132.5	22.79	23.11	CA_4A-17A
LTE B5	10	20525	836.5	QPSK	1	0	2525	881.5	LTE B7	20	21100	2535	23.25	23.60	CA_5A-7A
LTE B7	20	20850	2510	QPSK	1	0	2850	2630	LTE B5	10	2525	881.5	22.88	23.21	CA_5A-7A
LTE B7	15	20825	2507.5	QPSK	1	74	2825	2627.5	LTE B7	5	2918	2636.8	22.38	22.76	CA_7B
LTE B7	20	20850	2510	QPSK	1	0	2850	2630	LTE B7	20	3048	2649.8	22.91	23.21	CA_7C
LTE B7	20	21350	2560	QPSK	1	0	3350	2680	LTE B7	20	3152	2660.2	22.67	22.96	CA_7C
LTE B7	20	21350	2560	QPSK	1	0	3350	2680	LTE B7	20	2850	2630	22.59	22.96	CA_7A-7A
LTE B41	20	39750	2506	QPSK	1	0	39750	2506	LTE B41	20	41490	2680	22.24	22.61	CA_41A-41A
LTE B41	20	41490	2680	QPSK	1	0	41490	2680	LTE B41	20	39750	2506	22.52	22.73	CA_41A-41A

Two Component Carrier Maximum Conducted Power								Reduced power				Configurations			
PCC Band	PCC Bandwidth [MHz]	PCC (UL) Channel	PCC (UL) Frequency [MHz]	Modulation	PCC (UL) RB	PCC (UL) RB Offset	PCC (DL) Channel	PCC (DL) Frequency [MHz]	SCC Band	SCC Bandwidth [MHz]	SCC (DL) Channel	SCC (DL) Frequency [MHz]	LTE Tx Power with DL CA active (dBm)	LTE Tx Power with DL CA inactive (dBm)	
LTE B2	20	18900	1880	QPSK	1	0	900	1960	LTE B17	10	5790	740	20.30	20.50	CA_2A-17A
LTE B17	10	23790	710	QPSK	1	0	5790	740	LTE B2	20	900	1960	21.50	21.84	CA_2A-17A
LTE B4	20	20175	1732.5	QPSK	1	0	2175	2132.5	LTE B17	10	5790	740	19.65	20.00	CA_4A-17A
LTE B17	10	23790	710	QPSK	1	0	5790	740	LTE B4	20	2175	2132.5	21.48	21.84	CA_4A-17A
LTE B5	10	20525	836.5	QPSK	1	0	2525	881.5	LTE B7	20	21100	2535	20.54	20.84	CA_5A-7A
LTE B7	20	20850	2510	QPSK	1	0	2850	2630	LTE B5	10	2525	881.5	15.92	16.31	CA_5A-7A
LTE B7	15	20825	2507.5	QPSK	75	0	2825	2627.5	LTE B7	5	2918	2636.8	15.66	16.04	CA_7B
LTE B7	20	20850	2510	QPSK	1	0	2850	2630	LTE B7	20	3048	2649.8	16.08	16.31	CA_7C
LTE B7	20	21350	2560	QPSK	1	0	3350	2680	LTE B7	20	3152	2660.2	21.55	21.79	CA_7C
LTE B7	20	21350	2560	QPSK	1	0	3350	2680	LTE B7	20	2850	2630	21.52	21.79	CA_7A-7A
LTE B41	20	39750	2506	QPSK	1	0	39750	2506	LTE B41	20	41490	2680	17.53	17.85	CA_41A-41A
LTE B41	20	41490	2680	QPSK	1	0	41490	2680	LTE B41	20	39750	2506	17.78	18.00	CA_41A-41A

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

LTE Downlink 3CA conducted power table

Three Component Carrier Maximum Conducted Power												Configurations							
PCC Band	PCC Bandwidth [MHz]	PCC (UL) Channel	PCC (UL) Frequency [MHz]	Modulation	PCC (UL) RB	PCC (UL) RB Offset	PCC (DL) Channel	PCC (DL) Frequency [MHz]	SCC Band	SCC Bandwidth [MHz]	SCC (DL) Channel	SCC (DL) Frequency [MHz]	SCC Band	SCC Bandwidth [MHz]	SCC (DL) Channel	SCC (DL) Frequency [MHz]	LTE Tx-Power with DL CA active (dBm)	LTE Tx-Power with DL CA inactive (dBm)	
LTE B2	20	18700	1860	QPSK	1	0	700	1940	LTE B2	20	1100	1980	LTE B5	10	2525	881.5	23.06	23.64	CA_2A-2A-5A
LTE B2	20	19100	1900	QPSK	1	0	1100	1980	LTE B2	20	700	1940	LTE B5	10	2525	881.5	23.18	23.65	CA_2A-2A-5A
LTE B5	10	20252	836.5	QPSK	1	0	2525	881.5	LTE B2	20	700	1940	LTE B2	20	1100	1980	23.02	23.60	CA_2A-2A-5A
LTE B2	20	18700	1860	QPSK	1	0	700	1940	LTE B2	20	1100	1980	LTE B13	10	5230	751	23.16	23.64	CA_2A-2A-13A
LTE B2	20	19100	1900	QPSK	1	0	1100	1980	LTE B2	20	700	1940	LTE B13	10	5230	751	23.22	23.65	CA_2A-2A-13A
LTE B13	10	23230	782	QPSK	1	25	5230	751	LTE B2	20	700	1940	LTE B2	10	1100	1980	23.14	23.54	CA_2A-2A-13A
LTE B2	20	18900	1880	QPSK	1	0	900	1960	LTE B4	20	2175	2132.5	LTE B5	10	2525	881.5	23.26	23.78	CA_2A-4A-5A
LTE B4	20	20175	1732.5	QPSK	1	0	2175	2132.5	LTE B2	20	900	1960	LTE B5	10	2525	881.5	23.06	23.59	CA_2A-4A-13A
LTE B13	10	23230	782	QPSK	1	25	5230	751	LTE B2	20	900	1960	LTE B4	20	2175	2132.5	23.07	23.54	CA_2A-4A-13A
LTE B2	20	18900	1880	QPSK	1	0	900	1960	LTE B5	10	2525	881.5	LTE B30	10	9820	2355	23.37	23.78	CA_2A-5A-30A
LTE B5	10	20252	836.5	QPSK	1	0	2525	881.5	LTE B2	20	900	1960	LTE B30	10	9820	2355	23.16	23.60	CA_2A-5A-30A
LTE B30	10	27710	2310	QPSK	1	0	9820	2355	LTE B2	20	900	1960	LTE B5	10	2525	881.5	22.32	22.78	CA_2A-5A-30A
LTE B2	20	18900	1880	QPSK	1	0	900	1960	LTE B5	10	2525	881.5	LTE B66	20	66786	2145	23.33	23.78	CA_2A-5A-66A
LTE B5	10	20252	836.5	QPSK	1	0	900	1960	LTE B5	10	2525	881.5	LTE B66	20	66786	2145	23.17	23.60	CA_2A-5A-66A
LTE B66	20	132572	1770	QPSK	1	0	67036	2170	LTE B2	20	900	1960	LTE B5	10	2525	881.5	23.23	23.69	CA_2A-5A-66A
LTE B2	20	18900	1880	QPSK	1	0	900	1960	LTE B12	10	5095	737.5	LTE B30	10	9820	2355	23.23	23.78	CA_2A-12A-30A
LTE B12	10	23095	707.5	QPSK	1	0	5095	737.5	LTE B2	20	900	1960	LTE B30	10	9820	2355	22.96	23.07	CA_2A-12A-30A
LTE B30	10	27710	2310	QPSK	1	0	9820	2355	LTE B12	10	5095	737.5	LTE B2	20	900	1960	22.29	22.78	CA_2A-12A-30A
LTE B2	20	18900	1880	QPSK	1	0	900	1960	LTE B13	10	5230	751	LTE B66	20	66786	2145	23.19	23.78	CA_2A-13A-66A
LTE B13	10	23230	782	QPSK	1	25	5230	751	LTE B2	20	900	1960	LTE B66	20	66786	2145	23.08	23.54	CA_2A-13A-66A
LTE B66	20	132572	1770	QPSK	1	0	67036	2170	LTE B2	20	900	1960	LTE B13	10	5230	751	23.14	23.69	CA_2A-13A-66A
LTE B2	20	18900	1880	QPSK	1	0	900	1960	LTE B29	10	9715	722.5	LTE B30	10	9820	2355	23.32	23.78	CA_2A-29A-30A
LTE B30	10	27710	2310	QPSK	1	0	9820	2355	LTE B2	20	900	1960	LTE B29	10	9715	722.5	22.24	22.78	CA_2A-29A-30A
LTE B2	20	18700	1860	QPSK	1	0	700	1940	LTE B2	20	898	1959.8	LTE B29	10	9715	722.5	23.22	23.64	CA_2C-29A
LTE B2	20	19100	1900	QPSK	1	0	1100	1980	LTE B2	20	902	1960.2	LTE B29	10	9715	722.5	23.24	23.65	CA_2C-29A
LTE B2	20	18900	1880	QPSK	1	0	900	1960	LTE B66	20	66536	2120	LTE B66	20	66734	2139.8	23.21	23.78	CA_2A-66B
LTE B66	10	132622	1775	QPSK	1	0	67086	2175	LTE B66	20	66987	2165.1	LTE B2	20	900	1960	23.11	23.57	CA_2A-66B
LTE B2	20	18700	1860	QPSK	1	0	700	1940	LTE B66	20	66536	2120	LTE B66	20	66734	2139.8	23.38	23.78	CA_2A-66C
LTE B66	20	132572	1770	QPSK	1	0	67036	2170	LTE B66	20	66734	2139.8	LTE B2	20	900	1960	23.25	23.69	CA_2A-66C
LTE B4	20	20095	1720	QPSK	1	0	2050	2120	LTE B4	20	2300	2145	LTE B5	10	2525	881.5	23.15	23.56	CA_4A-4A-5A
LTE B4	20	20395	1745	QPSK	1	0	2300	2145	LTE B4	20	2050	2120	LTE B5	10	2525	881.5	23.13	23.58	CA_4A-4A-5A
LTE B5	10	20252	836.5	QPSK	1	0	2525	881.5	LTE B4	20	2050	2120	LTE B4	20	2300	2145	23.14	23.60	CA_4A-4A-5A
LTE B4	20	20095	1720	QPSK	1	0	2050	2120	LTE B4	20	2300	2145	LTE B13	10	5230	751	23.04	23.56	CA_4A-4A-13A
LTE B13	10	23230	782	QPSK	1	25	5230	751	LTE B4	20	2050	2120	LTE B13	10	5230	751	23.00	23.59	CA_4A-4A-13A
LTE B4	20	20175	1732.5	QPSK	1	0	2175	2132.5	LTE B5	10	2525	881.5	LTE B30	10	9820	2355	23.19	23.59	CA_4A-5A-30A
LTE B5	10	20252	836.5	QPSK	1	0	2525	881.5	LTE B4	20	2175	2132.5	LTE B30	10	9820	2355	23.19	23.60	CA_4A-5A-30A
LTE B30	10	27710	2310	QPSK	1	0	9820	2355	LTE B4	20	2175	2132.5	LTE B5	10	2525	881.5	22.37	22.78	CA_4A-12A-30A
LTE B4	20	20175	1732.5	QPSK	1	0	2175	2132.5	LTE B12	10	5095	737.5	LTE B30	10	9820	2355	23.02	23.59	CA_4A-12A-30A
LTE B12	10	23095	707.5	QPSK	1	0	5095	737.5	LTE B4	20	2175	2132.5	LTE B30	10	9820	2355	22.59	23.07	CA_4A-12A-30A
LTE B30	10	27710	2310	QPSK	1	0	9820	2355	LTE B4	20	2175	2132.5	LTE B12	10	5095	737.5	22.21	22.78	CA_4A-12A-30A
LTE B4	20	20175	1732.5	QPSK	1	0	2175	2132.5	LTE B29	10	9715	722.5	LTE B30	10	9820	2355	23.01	23.59	CA_4A-29A-30A
LTE B30	10	27710	2310	QPSK	1	0	9820	2355	LTE B4	20	2175	2132.5	LTE B29	10	9715	722.5	22.31	22.78	CA_4A-29A-30A
LTE B5	10	20252	836.5	QPSK	1	0	2525	881.5	LTE B66	20	66536	2120	LTE B66	20	66734	2139.8	23.19	23.59	CA_4A-66B
LTE B66	10	132622	1775	QPSK	1	0	67086	2175	LTE B66	20	66987	2165.1	LTE B5	10	2525	881.5	23.09	23.55	CA_5A-66B
LTE B5	10	20252	836.5	QPSK	1	0	2525	881.5	LTE B66	20	66536	2120	LTE B66	20	67036	2170	23.05	23.60	CA_5A-66C
LTE B66	20	132572	1770	QPSK	1	0	67036	2170	LTE B66	20	66987	2165.1	LTE B5	10	2525	881.5	22.37	22.78	CA_4A-66C
LTE B13	10	23230	782	QPSK	1	25	5230	751	LTE B66	20	66987	2165.1	LTE B13	10	5230	751	23.11	23.69	CA_13A-66B
LTE B66	10	13230	782	QPSK	1	0	67086	2175	LTE B66	20	66987	2165.1	LTE B66	20	67036	2170	23.06	23.54	CA_13A-66C
LTE B66	20	132572	1770	QPSK	1	0	67036	2170	LTE B66	20	66734	2139.8	LTE B13	10	5230	751	23.27	23.69	CA_13A-66C
LTE B41	20	39750	2506	QPSK	1	0	39750	2506	LTE B41	20	40620	2593	LTE B41	20	41490	2680	22.16	22.61	CA_41D
LTE B41	20	40620	2593	QPSK	1	0	40620	2593	LTE B41	20	39750	2506	LTE B41	20	41490	2680	22.27	22.69	CA_41D
LTE B41	20	41490	2680	QPSK	1	0	41490	2680	LTE B41	20	39750	2506	LTE B41	20	40620	2593	22.30	22.73	CA_41D
LTE B41	20	39750	2506	QPSK	1	0	39750	2506	LTE B41	20	41292	2660.2	LTE B41	20	41490	2680	22.05	22.61	CA_41A-41C
LTE B41	20	41490	2680	QPSK	1	0	41490	2680	LTE B41	20	39750	2506	LTE B41	20	41292	2660.2	22.22	22.73	CA_41A-41C
LTE B66	20	132072	1720	QPSK	1	0	66536	2120	LTE B66	20	66734	2139.8	LTE B66	20	66932	2159.6	23.11	23.55	CA_66B
LTE B66	20	132072	1720	QPSK	1	0	66536	2120	LTE B66	20	67187	2185.1	LTE B66	20	67286	2195	23.10	23.55	CA_66A-66B
LTE B66	20	132072	1720	QPSK	1</td														

Three Component Carrier Maximum Conducted Power																				
PCC						SCC 1						SCC 2						Reduced Power		Configurations
PCC Band	PCC Bandwidth [MHz]	PCC (UL) Channel	PCC (UL) Frequency [MHz]	Modulation	PCC (UL) RB	PCC (UL) RB Offset	PCC (DL) Channel	PCC (DL) Frequency [MHz]	SCC Band	SCC Bandwidth [MHz]	SCC (DL) Channel	SCC (DL) Frequency [MHz]	SCC Band	SCC Bandwidth [MHz]	SCC (DL) Channel	SCC (DL) Frequency [MHz]	LTE Tx.Power with DL CA active (dBm)	LTE Tx.Power with DL CA inactive (dBm)		
LTE B2	20	18700	1860	QPSK	1	0	700	1940	LTE B2	20	1100	1980	LTE B5	10	2525	881.5	19.96	20.49	CA_2A-2A-5A	
LTE B2	20	19100	1900	QPSK	1	0	1100	1980	LTE B2	20	700	1940	LTE B5	10	2525	881.5	20.02	20.48	CA_2A-2A-5A	
LTE B5	10	20525	836.5	QPSK	1	0	2525	881.5	LTE B2	20	700	1940	LTE B2	20	1100	1980	20.29	20.84	CA_2A-2A-5A	
LTE B2	20	18700	1860	QPSK	1	0	700	1940	LTE B2	20	1100	1980	LTE B13	10	5230	751	20.09	20.49	CA_2A-2A-13A	
LTE B2	20	19100	1900	QPSK	1	0	1100	1980	LTE B2	20	700	1940	LTE B13	10	5230	751	19.92	20.48	CA_2A-2A-13A	
LTE B13	10	23230	782	QPSK	1	0	5230	751	LTE B2	20	700	1940	LTE B2	10	1100	1980	21.38	21.92	CA_2A-2A-5A	
LTE B2	20	18900	1880	QPSK	1	0	900	1960	LTE B4	20	2175	2132.5	LTE B5	10	2525	881.5	19.94	20.50	CA_2A-4A-5A	
LTE B4	20	20175	1732.5	QPSK	1	0	2175	2132.5	LTE B2	20	900	1960	LTE B5	10	2525	881.5	19.46	20.00	CA_2A-4A-5A	
LTE B5	10	20525	836.5	QPSK	1	0	2525	881.5	LTE B2	20	900	1960	LTE B4	20	2175	2132.5	20.43	20.84	CA_2A-4A-5A	
LTE B2	20	18900	1880	QPSK	1	0	900	1960	LTE B4	20	2175	2132.5	LTE B5	10	2525	881.5	19.99	20.50	CA_2A-2A-13A	
LTE B4	20	20175	1732.5	QPSK	1	0	2175	2132.5	LTE B2	20	900	1960	LTE B5	10	2525	881.5	19.44	20.00	CA_2A-2A-13A	
LTE B13	10	23230	782	QPSK	1	25	5230	751	LTE B2	20	900	1960	LTE B4	20	2175	2132.5	21.37	21.92	CA_2A-4A-13A	
LTE B2	20	18900	1880	QPSK	1	0	900	1960	LTE B12	10	5095	737.5	LTE B30	10	9820	2355	19.91	20.50	CA_2A-12A-30A	
LTE B2	20	13095	707.5	QPSK	1	0	5095	737.5	LTE B2	20	900	1960	LTE B30	10	9820	2355	21.45	21.89	CA_2A-12A-30A	
LTE B5	10	20525	836.5	QPSK	1	0	2525	881.5	LTE B2	20	900	1960	LTE B30	10	9820	2355	20.44	20.84	CA_2A-5A-30A	
LTE B30	10	27710	2310	QPSK	1	49	9820	2355	LTE B2	20	900	1960	LTE B5	10	2525	881.5	18.42	18.86	CA_2A-5A-30A	
LTE B2	20	18900	1880	QPSK	1	0	900	1960	LTE B5	10	2525	881.5	LTE B66	20	66786	2145	19.98	20.50	CA_2A-5A-66A	
LTE B5	10	20525	836.5	QPSK	1	0	2525	881.5	LTE B2	20	900	1960	LTE B66	20	66786	2145	20.26	20.84	CA_2A-5A-66A	
LTE B66	20	132572	1770	QPSK	1	0	67036	2170	LTE B2	20	900	1960	LTE B5	10	2525	881.5	19.43	20.00	CA_2A-5A-66A	
LTE B2	20	18900	1880	QPSK	1	0	900	1960	LTE B12	10	5095	737.5	LTE B30	10	9820	2355	19.91	20.50	CA_2A-12A-30A	
LTE B12	10	23095	707.5	QPSK	1	0	5095	737.5	LTE B2	20	900	1960	LTE B30	10	9820	2355	20.02	20.49	CA_2C-29A	
LTE B30	10	27710	2310	QPSK	1	0	9820	2355	LTE B2	20	900	1960	LTE B5	10	2525	881.5	18.30	18.86	CA_2A-12A-30A	
LTE B2	20	18900	1880	QPSK	1	0	900	1960	LTE B13	10	5230	751	LTE B66	20	66786	2145	19.99	20.50	CA_2A-13A-66A	
LTE B13	10	23230	782	QPSK	1	25	5230	751	LTE B2	20	900	1960	LTE B66	20	66786	2145	21.42	21.92	CA_2A-13A-66A	
LTE B66	20	132572	1770	QPSK	1	0	67036	2170	LTE B2	20	900	1960	LTE B13	10	5230	751	19.46	20.00	CA_2A-13A-66A	
LTE B2	20	18900	1880	QPSK	1	0	900	1960	LTE B29	10	9715	722.5	LTE B30	10	9820	2355	19.92	20.50	CA_2A-29A-30A	
LTE B30	10	27710	2310	QPSK	1	0	9820	2355	LTE B2	20	900	1960	LTE B29	10	9715	722.5	18.46	18.86	CA_2A-29A-30A	
LTE B2	20	18700	1860	QPSK	1	0	700	1940	LTE B2	20	200	898	LTE B29	10	9715	722.5	20.02	20.49	CA_2C-29A	
LTE B2	20	19100	1900	QPSK	1	0	1100	1980	LTE B2	20	902	1960	LTE B29	10	9715	722.5	20.08	20.48	CA_2C-29A	
LTE B2	20	18900	1880	QPSK	1	0	900	1960	LTE B66	20	66536	2120	LTE B66	20	66734	2139.8	20.05	20.50	CA_2A-66B	
LTE B66	10	132622	1775	QPSK	1	0	67086	2175	LTE B66	20	66987	2165.1	LTE B2	20	900	1960	19.42	19.91	CA_2A-66B	
LTE B2	20	18700	1860	QPSK	1	0	700	1940	LTE B66	20	66536	2120	LTE B66	20	66734	2139.8	19.95	20.49	CA_2A-66C	
LTE B66	20	132572	1770	QPSK	1	0	67036	2170	LTE B66	20	66734	2139.8	LTE B2	20	900	1960	19.50	20.00	CA_2A-66C	
LTE B2	20	18900	1880	QPSK	1	0	900	1960	LTE B29	10	9715	722.5	LTE B30	10	9820	2355	19.39	19.98	CA_4A-4A-5A	
LTE B1	20	20300	1745	QPSK	1	0	2300	2145	LTE B4	20	2050	2300	LTE B5	10	2525	881.5	19.47	19.86	CA_4A-4A-5A	
LTE B4	20	20175	1732.5	QPSK	1	0	2175	2132.5	LTE B5	10	2525	881.5	LTE B4	20	2050	2300	19.52	19.96	CA_4A-4A-13A	
LTE B1	20	23230	782	QPSK	1	25	5230	751	LTE B4	20	2050	2300	LTE B13	10	5230	751	19.52	19.96	CA_4A-4A-13A	
LTE B13	10	20525	836.5	QPSK	1	0	2525	881.5	LTE B4	20	2050	2300	LTE B2	20	2175	2145	21.34	21.92	CA_4A-4A-13A	
LTE B2	20	19100	1900	QPSK	1	0	1100	1980	LTE B29	10	9715	722.5	LTE B30	10	9820	2355	19.50	20.00	CA_4A-5A-30A	
LTE B5	10	20525	836.5	QPSK	1	0	2525	881.5	LTE B4	20	2050	2300	LTE B5	10	2525	881.5	19.40	19.86	CA_4A-5A-30A	
LTE B2	20	13095	707.5	QPSK	1	0	5095	737.5	LTE B4	20	2050	2300	LTE B13	10	5230	751	19.47	19.98	CA_4A-12A-30A	
LTE B13	10	27710	2310	QPSK	1	49	9820	2355	LTE B4	20	2050	2300	LTE B13	10	5230	751	21.33	21.89	CA_4A-12A-30A	
LTE B4	20	20175	1732.5	QPSK	1	0	2175	2132.5	LTE B29	10	9715	722.5	LTE B30	10	9820	2355	18.37	18.86	CA_4A-12A-30A	
LTE B30	10	27710	2310	QPSK	1	0	9820	2355	LTE B4	20	2050	2300	LTE B29	10	9715	722.5	19.37	19.86	CA_4A-12A-30A	
LTE B5	10	132622	1775	QPSK	1	0	67086	2175	LTE B66	20	66987	2165.1	LTE B13	10	5230	751	19.50	19.91	CA_13A-66B	
LTE B13	10	23230	782	QPSK	1	25	5230	751	LTE B66	20	66536	2120	LTE B66	20	67036	2170	21.51	21.92	CA_13A-66C	
LTE B66	20	132572	1770	QPSK	1	0	67036	2170	LTE B66	20	66734	2139.8	LTE B13	10	5230	751	19.46	20.00	CA_13A-66C	
LTE B1	20	39750	2506	QPSK	1	0	39750	2506	LTE B41	20	40620	2506	LTE B41	20	41690	2680	17.42	17.85	CA_41D	
LTE B41	20	40620	2593	QPSK	1	0	40620	2593	LTE B41	20	39750	2506	LTE B41	20	40620	2593	17.43	18.00	CA_41D	
LTE B41	20	41490	2680	QPSK	1	0	41490	2680	LTE B41	20	39750	2506	LTE B41	20	41490	2680	17.32	17.85	CA_41A-41C	
LTE B41	20	39750	2506	QPSK	1	0	39750	2506	LTE B41	20	41292	2660.2	LTE B41	20	41490	2680	17.58	18.00	CA_41A-41C	
LTE B66	20	132072	1720	QPSK	100	0	66536	2120	LTE B66	20	66734	2139.8	LTE B66	20	66932	2159.6	19.23	19.70	CA_66B	
LTE B66	20	132072	1720	QPSK	100	0	66536	2120	LTE B66	20	67187	2185.1	LTE B66	20	67286	2195	19.14	19.70	CA_66A-66B	
LTE B66	20	132072	1720	QPSK	100	0	66536	2120	LTE B66	20	67038	2170.2	LTE B66	20	67236	2190	19.24	19.70	CA_66A-66C	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued

LTE CA information

A)

The device supports downlink LTE Carrier Aggregation (CA) only. It supports a maximum of 3 carriers in the downlink. Other Release 10 features or higher features are not supported, including Uplink Carrier Aggregation, Enhanced SC-FDMA and Uplink MIMO or other antenna diversity configurations etc. All uplink communications are identical to the Release 8 Specifications.

The possible downlink LTE CA combinations supported by this device are as below tables per 3GPP TS 36.521-1 V16.5.0. The conducted power measurement results of downlink LTE CA are provided as above per 3GPP TS 36.521-1 V16.5.0. According to KDB 941225 D05A and RF exposure procedures in TCB workshop April 2018, the downlink LTE CA SAR test is not required.

B)

CA combination table

Index	2CC	Restriction	Completely Covered by Measurement Superset	Index	3CC	Restriction	Completely Covered by Measurement Superset
2CC #1	CA 2C		3CC #10	3CC #1	CA 2A-2A-5A		No
2CC #2	CA 2A-2A		3CC #1	3CC #2	CA 2A-2A-13A		No
2CC #3	CA 2A-4A		3CC #3	3CC #3	CA 2A-4A-5A		No
2CC #4	CA 2A-5A		3CC #3	3CC #4	CA 2A-4A-13A		No
2CC #5	CA 2A-12A		3CC #7	3CC #5	CA 2A-5A-30A		No
2CC #6	CA 2A-13A		3CC #8	3CC #6	CA 2A-5A-66A		No
2CC #7	CA 2A-17A		No	3CC #7	CA 2A-12A-30A		No
2CC #8	CA 2A-29A	B29 SCC only	3CC #9	3CC #8	CA 2A-13A-66A		No
2CC #9	CA 2A-30A		3CC #5	3CC #9	CA 2A-29A-30A	B29 SCC only	No
2CC #10	CA 2A-66A		3CC #6	3CC #10	CA 2C-29A	B29 SCC only	No
2CC #11	CA 4A-4A		3CC #13	3CC #11	CA 2A-66B		No
2CC #12	CA 4A-5A		3CC #15	3CC #12	CA 2A-66C		No
2CC #13	CA 4A-12A		3CC #16	3CC #13	CA 4A-4A-5A		No
2CC #14	CA 4A-13A		3CC #14	3CC #14	CA 4A-4A-13A		No
2CC #15	CA 4A-17A		No	3CC #15	CA 4A-5A-30A		No
2CC #16	CA 4A-29A	B29 SCC only	3CC #17	3CC #16	CA 4A-12A-30A		No
2CC #17	CA 4A-30A		3CC #17	3CC #17	CA 4A-29A-30A	B29 SCC only	No
2CC #18	CA 5A-7A		No	3CC #18	CA 5A-66B		No
2CC #19	CA 5A-30A		3CC #5	3CC #19	CA 5A-66C		No
2CC #20	CA 5A-66A		3CC #6	3CC #20	CA 13A-66B		No
2CC #21	CA-7B		No	3CC #21	CA 13A-66C		No
2CC #22	CA-7C		No	3CC #22	CA 41D		No
2CC #23	CA-7A-7A		No	3CC #23	CA 41A-41C		No
2CC #24	CA 12A-30A		3CC #7	3CC #24	CA 66D		No
2CC #25	CA 13A-66A		3CC #8	3CC #25	CA 66A-66B		No
2CC #26	CA 29A-30A	B29 SCC only	3CC #9	3CC #26	CA 66A-66C		No
2CC #27	CA 41C		3CC #23				
2CC #28	CA 41A-41A		No				

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Note:

- 1) For the inter-band CA combinations, except B29 can't be PCC, all the listed bands above can be used as PCC or SCC.
- 2) The channel spacing and aggregated channel bandwidth for CA are identical to the associated specification in 3GPP TS 36.521-1 V16.5.0.
- 3) The reference test frequencies for CA refers to 3GPP TS 36.508 V16.6.0
- 4) Testing is not required in bands or modes not intended/allowed for US operation
- 5) Based on TCB workshop April 2018, only indicate "No" in CA combination table need power measurement

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路134號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

1.4 Test Environment

Ambient Temperature: $22\pm2^\circ\text{C}$
Tissue Simulating Liquid: $22\pm2^\circ\text{C}$

1.5 Operation Description

For WWAN, the EUT is controlled by using a Radio Communication Tester, and the communication between the EUT and the tester is established by air link.

For WLAN, using chipset specific software to control the EUT, and makes it transmit in maximum power.

The EUT is set to maximum power level during all tests, and at the beginning of each test the battery is fully charged.

For WWAN, the capacitive proximity sensor is used to trigger the power reduction when the device is operated near the user (tablet mode). Also, the capacitive proximity sensor is collocated with WWAN Main antenna.

For WLAN, the power reduction is not supported.

Notebook mode

WLAN Aux SAR is measured with display screen open at 90 degree and bottom side of keyboard touch against the flat phantom.

Tablet mode

SAR is measured with backside/edges touch against the flat phantom.

Note:

1. During the SAR testing, the DASY 5 system checks power drift by comparing the e-field strength of one specific location measured at the beginning with that measured at the end of the SAR testing.
2. **UMTS:** The 3G SAR test reduction procedure is applied to HSDPA with 12.2 kbps RMC as the primary mode. Since the maximum output power in a secondary mode (HSDPA) is $\leq \frac{1}{4}$ dB higher than the primary mode (WCDMA), SAR

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路134號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

measurement is not required for the secondary mode (HSDPA). The following 4 sub-tests were completed according to Release 5 procedures in section 5.2 of 3GPP TS 34.121. A summary of these setting are illustrated below:

Sub-test	β_c	β_d	β_d (SF)	β_c/β_d	$\beta_{hs}^{(1)}$	CM (dB) ⁽²⁾
1	2/15	15/15	64	2/15	4/15	0.0
2	12/15 ⁽³⁾	15/15 ⁽³⁾	64	12/15 ⁽³⁾	24/15	1.0
3	15/15	8/15	64	15/8	30/15	1.5
4	15/15	4/15	64	15/4	30/15	1.5

Note 1: $\Delta_{ACK}, \Delta_{NACK}$ and $\Delta_{CQI} = 8 \Leftrightarrow A_{hs} = \beta_{hs}/\beta_c = 30/15 \Leftrightarrow \beta_{hs} = 30/15 * \beta_c$
 Note 2: CM = 1 for $\beta_c/\beta_d = 12/15, \beta_{hs}/\beta_c = 24/15$.
 Note 3: For subtest 2 the β_c/β_d ratio of 12/15 for the TFC during the measurement period (TF1, TF0) is achieved by setting the signaled gain factors for the reference TFC (TF1, TF1) to $\beta_c = 11/15$ and $\beta_d = 15/15$.

3. **UMTS:** The 3G SAR test reduction procedure is applied to HSPA (HSUPA/HSDPA with RMC) with 12.2 kbps RMC as the primary mode. Since the maximum output power in a secondary mode (HSPA) is $\leq \frac{1}{4}$ dB higher than the primary mode (WCDMA), SAR measurement is not required for the secondary mode (HSPA). The following 5 sub-tests were completed according to Release 6 procedures in section 5.2 of 3GPP TS 34.121. A summary of these setting are illustrated below:

Sub-test	β_c	β_d	β_d (SF)	β_c/β_d	$\beta_{hs}^{(1)}$	β_{ec}	β_{ed}	β_{ed} (SF)	β_{ed} (codes)	CM ⁽²⁾ (dB)	MPR (dB)	AG ⁽⁴⁾ Index	E-TFCI
1	11/15 ⁽³⁾	15/15 ⁽³⁾	64	11/15 ⁽³⁾	22/15	209/225	1039/225	4	1	1.0	0.0	20	75
2	6/15	15/15	64	6/15	12/15	12/15	94/75	4	1	3.0	2.0	12	67
3	15/15	9/15	64	15/9	30/15	30/15	$\beta_{ed1}: 47/15$ $\beta_{ed2}: 47/15$	4	2	2.0	1.0	15	92
4	2/15	15/15	64	2/15	4/15	2/15	56/75	4	1	3.0	2.0	17	71
5	15/15 ⁽⁴⁾	15/15 ⁽⁴⁾	64	15/15 ⁽⁴⁾	30/15	24/15	134/15	4	1	1.0	0.0	21	81

Note 1: $\Delta_{ACK}, \Delta_{NACK}$ and $\Delta_{CQI} = 8 \Leftrightarrow A_{hs} = \beta_{hs}/\beta_c = 30/15 \Leftrightarrow \beta_{hs} = 30/15 * \beta_c$.
 Note 2: CM = 1 for $\beta_c/\beta_d = 12/15, \beta_{hs}/\beta_c = 24/15$. For all other combinations of DPDCH, DPCCH, HS-DPCCH, E-DPDCH and E-DPCCH the MPR is based on the relative CM difference.
 Note 3: For subtest 1 the β_c/β_d ratio of 11/15 for the TFC during the measurement period (TF1, TF0) is achieved by setting the signaled gain factors for the reference TFC (TF1, TF1) to $\beta_c = 10/15$ and $\beta_d = 15/15$.
 Note 4: For subtest 5 the β_c/β_d ratio of 15/15 for the TFC during the measurement period (TF1, TF0) is achieved by setting the signaled gain factors for the reference TFC (TF1, TF1) to $\beta_c = 14/15$ and $\beta_d = 15/15$.
 Note 5: Testing UE using E-DPDCH Physical Layer category 1 Sub-test 3 is not required according to TS 25.306 Table 5.1g.
 Note 6: β_{ed} cannot be set directly; it is set by Absolute Grant Value.

4. **UMTS:** The 3G SAR test reduction procedure is applied to HSPA+ with 12.2 kbps RMC as the primary mode. Since the maximum output power in a secondary mode (HSPA+) is $\leq \frac{1}{4}$ dB higher than the primary mode (WCDMA), SAR measurement is not required for the secondary mode (HSPA+). The following 1

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

sub-test was completed according to Release 7 procedures in section 5.2 of 3GPP TS34.121. A summary of these settings are illustrated below:

Table C.11.1.4: β values for transmitter characteristics tests with HS-DPCCH and E-DCH with 16QAM

Sub-test ^o	β_c ^o (Note 3) ^o	β_d ^o	β_{HS} ^o (Note 1) ^o	β_{ec} ^o o	β_{ed} ^o (2xSF2) ^o (Note 4) ^o	β_{ed} ^o (2xSF4) ^o (Note 4) ^o	CM ^o (dB) ^o (Note 2) ^o	MPR ^o (dB) ^o (Note 2) ^o	AG ^o Index ^o (Note 4) ^o	E-TFCI (Note 5) ^o	E-TFCI (boost) ^o
1 ^o	1 ^o	0 ^o	30/15 ^o	30/15 ^o	β_{ed1} : 30/15 ^o β_{ed2} : 30/15 ^o	β_{ed3} : 24/15 ^o β_{ed4} : 24/15 ^o	3.5 ^o	2.5 ^o	14 ^o	105 ^o	105 ^o

• Note 1: Δ_{ACK} , Δ_{NACK} and Δ_{CQI} = 30/15 with $\beta_{HS} = 30/15 * \beta_c$

• Note 2: CM = 3.5 and the MPR is based on the relative CM difference, MPR = MAX(CM-1,0).

• Note 3: DPDCH is not configured, therefore the β_c is set to 1 and β_d = 0 by default.

• Note 4: β_{ed} can not be set directly; it is set by Absolute Grant Value.

• Note 5: All the sub-tests require the UE to transmit 2SF2+2SF4 16QAM EDCH and they apply for UE using E-DPDCH category 7. E-DCH TTI is set to 2ms TTI and E-DCH table index = 2. To support these E-DCH configurations DPDCH is not allocated. The UE is signalled to use the extrapolation algorithm.

5. **UMTS:** The 3G SAR test reduction procedure is applied to DC-HSDPA with 12.2 kbps RMC as the primary mode. Power is measured for DC-HSDPA according to the H-Set 12, FRC configuration in Table C.8.1.12 of 3GPP TS 34.121-1 to determine SAR test reduction. A primary and a secondary serving HS-DSCH Cell are required to perform the power measurement and for the results to be acceptable. Since the maximum output power in a secondary mode (DC-HSDPA) is $\leq \frac{1}{4}$ dB higher than the primary mode (WCDMA), SAR measurement is not required for the secondary mode (DC-HSDPA). The following tests were completed according to procedures in section 7.3.13 of 3GPP TS 34.108 v9.5.0. A summary of these setting are illustrated below:

The configurations of the fixed reference channels for HSDPA RF tests are described in 3GPP TS 34.121, annex C for FDD and 3GPP TS 34.122

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Table C.8.1.12: Fixed Reference Channel H-Set 12

Parameter	Unit	Value
▪ Nominal Avg. Inf. Bit Rate ⁽²⁾	kbps ⁽²⁾	60 ⁽²⁾
▪ Inter-TTI Distance ⁽²⁾	TTI's ⁽²⁾	1 ⁽²⁾
▪ Number of HARQ Processes ⁽²⁾	Processes ⁽²⁾	6 ⁽²⁾
▪ Information Bit Payload (N_{DNF}) ⁽²⁾	Bits ⁽²⁾	120 ⁽²⁾
▪ Number Code Blocks ⁽²⁾	Blocks ⁽²⁾	1 ⁽²⁾
▪ Binary Channel Bits Per TTI ⁽²⁾	Bits ⁽²⁾	960 ⁽²⁾
▪ Total Available SML's in UE ⁽²⁾	SML's ⁽²⁾	19200 ⁽²⁾
▪ Number of SML's per HARQ Proc. ⁽²⁾	SML's ⁽²⁾	3200 ⁽²⁾
▪ Coding Rate ⁽²⁾		0.15 ⁽²⁾
▪ Number of Physical Channel Codes ⁽²⁾	Codes ⁽²⁾	1 ⁽²⁾
▪ Modulation ⁽²⁾		QPSK ⁽²⁾
▪ Note 1: The RMC is intended to be used for DC-HSDPA mode and both cells shall transmit with identical parameters as listed in the table. ⁽²⁾		
Note 2: Maximum number of transmission is limited to 1, i.e., retransmission is not allowed. The redundancy and constellation version 0 shall be used. ⁽²⁾		

Inf. Bit Payload	120					
CRC Addition	120	24	CRC			
Code Block Segmentation	144					
Turbo-Encoding (R=1/3)		432				12 Tail Bits
1st Rate Matching		432				
RV Selection		960				
Physical Channel Segmentation		960				

Figure C.8.19: Coding rate for Fixed reference Channel H-Set 12 (QPSK)⁽²⁾

The following 4 sub-tests for HSDPA were completed according to Release 8 procedures in section 5.2 of 3GPP TS34.121. A summary of subtest settings are illustrated below:

Sub-test	β_c	β_d	β_d (SF)	β_c/β_d	$\beta_{hs}^{(2)}$	CM (dB) ⁽²⁾
1	2/15	15/15	64	2/15	4/15	0.0
2	12/15 ⁽³⁾	15/15 ⁽³⁾	64	12/15 ⁽³⁾	24/15	1.0
3	15/15	8/15	64	15/8	30/15	1.5
4	15/15	4/15	64	15/4	30/15	1.5

Note 1: Δ_{ACK} , Δ_{NACK} and $\Delta_{CQI} = 8 \Leftrightarrow A_{hs} = \beta_{hs}/\beta_c = 30/15 \Leftrightarrow \beta_{hs} = 30/15 * \beta_c$
 Note 2: CM = 1 for $\beta_c/\beta_d = 12/15$, $\beta_{hs}/\beta_c = 24/15$.
 Note 3: For subtest 2 the β_c/β_d ratio of 12/15 for the TFC during the measurement period (TF1, TF0) is achieved by setting the signaled gain factors for the reference TFC (TF1, TF1) to $\beta_c = 11/15$ and $\beta_d = 15/15$.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

6. LTE: LTE modes test according to KDB 941225D05v02r05.

- a. Per Section 5.2.1, the largest channel bandwidth and measure SAR for QPSK with 1 RB allocation.
 - Using the RB offset and required test channel combination with the highest maximum output power for RB offsets at the upper edge, middle and lower edge of each required test channel.
 - When the reported SAR is ≤ 0.8 W/kg, testing of the remaining RB offset configurations and required test channels is not required for 1 RB allocation; otherwise, SAR is required for the remaining required test channels and only for the RB offset configuration with the highest output power for that channel.
 - When the reported SAR of a required test channel is > 1.45 W/kg, SAR is required for all three RB offset configurations for that required test channel.
- b. Per Section 5.2.2, the largest channel bandwidth and measure SAR for QPSK with 50% RB allocation
 - The procedures required for 1 RB allocation in 5.2.1 are applied to measure the SAR for QPSK with 50% RB allocation.
- c. Per Section 5.2.3, the largest channel bandwidth and measure SAR for QPSK with 100% RB allocation
 - For QPSK with 100% RB allocation, SAR is not required when the highest maximum output power for 100 % RB allocation is less than the highest maximum output power in 50% and 1 RB allocations and the highest reported SAR for 1 RB and 50% RB allocation in 5.2.1 and 5.2.2 are ≤ 0.8 W/kg.
 - Otherwise, SAR is measured for the highest output power channel and if the reported SAR is > 1.45 W/kg, the remaining required test channels must also be tested.
- d. Per Section 5.2.4, Higher order modulations
 - For each modulation besides QPSK; e.g., 16-QAM, 64-QAM, apply the QPSK procedures in sections 5.2.1, 5.2.2 and 5.2.3 to determine the QAM configurations that may need SAR measurement. For each configuration identified as required for testing, SAR is required only when the highest maximum output power for the configuration in the higher order modulation is $> \frac{1}{2}$ dB higher than the same configuration in QPSK or when the reported SAR for the QPSK configuration is > 1.45 W/kg.
- e. Per Section 5.3, other channel bandwidth standalone SAR test requirements

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

- For the other channel bandwidths used by the device in a frequency band, apply all the procedures required for the largest channel bandwidth in section 5.2 to determine the channels and RB configurations that need SAR testing and only measure SAR when the highest maximum output power of a configuration requiring testing in the smaller channel bandwidth is $> \frac{1}{2}$ dB higher than the equivalent channel configurations in the largest channel bandwidth configuration or the reported SAR of a configuration for the largest channel bandwidth is > 1.45 W/kg. The equivalent channel configuration for the RB allocation, RB offset and modulation etc. is determined for the smaller channel bandwidth according to the same number of RB allocated in the largest channel bandwidth.
- TDD LTE was tested at highest duty factor using UL-DL configuration 0 with 6 UL subframes and 2 special subframes using extended cyclic prefix only and special subframe configuration 6. SAR tests were performed at maximum output power and worst-case transmission duty factor in extended cyclic prefix. Per 3GPP 36.211 Section 4.2, the duty factor for UL-DL configuration 0/special subframe configuration 6 using extended cyclic prefix is 0.633.

According to KDB 941225 D05, SAR testing for TDD LTE must be tested using a fixed periodic duty factor according to the highest transmission duty factor implemented for the device and supported by the defined 3GPP TDD LTE configurations. The TDD-LTE of this device supports frame structure type 2 defined in 3GPP TS 36.211 section 4.2, and the frame structure configuration can be tabulated as below.




Figure 4.2-1: Frame structure type 2 (for 5 ms switch-point periodicity).

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Table 4.2-1: Configuration of special subframe (lengths of DwPTS/GP/UpPTS)

Special subframe configuration	Normal cyclic prefix in downlink		Extended cyclic prefix in downlink	
	DwPTS	UpPTS	DwPTS	UpPTS
0	$6592 \cdot T_s$	$(1+X) \cdot 2192 \cdot T_s$	$7680 \cdot T_s$	$(1+X) \cdot 2192 \cdot T_s$
1	$19760 \cdot T_s$		$20480 \cdot T_s$	
2	$21952 \cdot T_s$		$23040 \cdot T_s$	
3	$24144 \cdot T_s$		$25600 \cdot T_s$	
4	$26336 \cdot T_s$		$7680 \cdot T_s$	
5	$6592 \cdot T_s$		$20480 \cdot T_s$	
6	$19760 \cdot T_s$		$23040 \cdot T_s$	
7	$21952 \cdot T_s$		$12800 \cdot T_s$	
8	$24144 \cdot T_s$		-	
9	$13168 \cdot T_s$		-	

Table 4.2-2: Uplink-downlink configurations

Uplink-downlink configuration	Downlink-to-Uplink Switch-point periodicity	Subframe number								
		0	1	2	3	4	5	6	7	8
0	5 ms	D	S	U	U	U	D	S	U	U
1	5 ms	D	S	U	U	D	D	S	U	U
2	5 ms	D	S	U	D	D	D	S	U	D
3	10 ms	D	S	U	U	U	D	D	D	D
4	10 ms	D	S	U	U	D	D	D	D	D
5	10 ms	D	S	U	D	D	D	D	D	D
6	5 ms	D	S	U	U	U	D	S	U	D

Considering the highest transmission duty cycle, TDD LTE was tested using Uplink-Downlink configuration 0 with 6 uplink subframe and 2 special subframe. The special subframe was set to special subframe configuration 6 using extended cyclic prefix uplink. Therefore, SAR testing for TDD LTE was measured at the maximum output power with highest transmission duty cycle of 63.33%.

7. LTE downlink CA: The device supports a maximum of 3 carriers in the downlink. All uplink communications are identical to the Release 8 specifications. Uplink maximum output power is measured with downlink carrier aggregation active, only for the channel with highest measured maximum output power when downlink carrier aggregation is inactive, to confirm that when downlink carrier aggregation is active uplink maximum output power remains within the specified

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

tune-up tolerance limits and not more than $\frac{1}{4}$ dB higher than the maximum output power measured when downlink carrier aggregation inactive. The downlink channels selected to perform the uplink power measurement must satisfy 3GPP channel spacing (5.4.1A of 3GPP TS 36.521 or equivalent) and channel bandwidth (5.4.2A) requirements. The nominal channel spacing is determined by $[\text{BW1} + \text{BW2} - 0.1 * |\text{BW1} - \text{BW2}|] / 2$ MHz, where BW1 and BW2 are the channel bandwidths of the CC in a 2-CC aggregation configuration. The downlink PCC channel should be paired with the uplink channel according to normal configurations, as if there is no carrier aggregation. The downlink SCC should be adjacent to the PCC and remain within the downlink transmission band for contiguous intra-band CA. For non-contiguous intra-band CA, the SCC should be selected to provide maximum separation from the PCC and must remain fully within the downlink transmission band. For inter-band CA, the SCC should be near the middle of its transmission band. When downlink carrier aggregation is active uplink maximum output power remain within the specified tune-up tolerance limits and not more than $\frac{1}{4}$ dB higher than the maximum output power measured when downlink carrier aggregation inactive, so SAR evaluation is not required for downlink carrier aggregation.

8. **General:** According to KDB447498D01v06, testing of other required channels is not required when the reported 1-g SAR for the highest output channel is ≤ 0.8 W/kg, when the transmission band is ≤ 100 MHz. According to KDB865664D01v01r04, SAR measurement variability must be assessed for each frequency band. When the original highest measured SAR is ≥ 0.8 W/kg, repeated that measurement once. Perform a second repeated measurement only if the ratio of largest to smallest SAR for the original and first repeated measurements is > 1.20 or when the original or repeated measurement is ≥ 1.45 W/kg ($\sim 10\%$ from the 1-g SAR limit).
9. There are two antenna vendors for WWAN/WLAN antenna, and they were measured fully and separately.
10. SAR test exclusion evaluation (based on KDB447498D01) for the surfaces/edges of tablet mode is evaluated as below table.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Mode	Max. tune-up power(dBm)	Max. tune-up power(mW)	Back side					Top side					Bottom side				
			Test separation distance (mm)	Calculation value	Exclusion thresholds	Require SAR testing?	Estimated SAR (W/kg)	Test separation distance (mm)	Calculation value	Exclusion thresholds	Require SAR testing?	Estimated SAR (W/kg)	Test separation distance (mm)	Calculation value	Exclusion thresholds	Require SAR testing?	Estimated SAR (W/kg)
WLAN Main 2.4GHz	18	63.096	16.092	6.165	3.000	YES	-	5	19.841	3.000	YES	-	195.765	1459.634	1553.054	NO	0.400
WLAN Aux 2.4GHz	18	63.096	5	19.841	3.000	YES	-	55.6	57.984	151.404	NO	0.400	119.3	694.984	788.404	NO	0.400
WLAN Main 5GHz	11.5	14.125	16.092	2.119	3.000	NO	0.282	5	6.818	3.000	YES	-	195.765	1458.332	1519.800	NO	0.400
WLAN Aux 5GHz	11.5	14.125	5	6.818	3.000	YES	-	55.6	56.682	118.150	NO	0.400	119.3	693.682	755.150	NO	0.400
Bluetooth	7	5.012	5	1.579	3.000	NO	0.210	55.6	56.158	151.250	NO	0.400	119.3	693.158	788.250	NO	0.400

Mode	Max. tune-up power(dBm)	Max. tune-up power(mW)	Right side					Left side									
			Test separation distance (mm)	Calculation value	Exclusion thresholds	Require SAR testing?	Estimated SAR (W/kg)	Test separation distance (mm)	Calculation value	Exclusion thresholds	Require SAR testing?	Estimated SAR (W/kg)	Test separation distance (mm)	Calculation value	Exclusion thresholds	Require SAR testing?	Estimated SAR (W/kg)
WLAN Main 2.4GHz	18	63.096	275.95	-	>20cm	NO	-	9.75	10.175	3.000	YES	-					
WLAN Aux 2.4GHz	18	63.096	5	19.841	3.000	YES	-	293.3	-	>20cm	NO	-					
WLAN Main 5GHz	11.5	14.125	275.95	-	>20cm	NO	-	9.75	3.497	3.000	YES	-					
WLAN Aux 5GHz	11.5	14.125	5	6.818	3.000	YES	-	293.3	-	>20cm	NO	-					
Bluetooth	7	5.012	5	1.579	3.000	NO	0.210	293.3	-	>20cm	NO	-					


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

1.6 Proximity sensor operation description

The P-sensor being used to reduce output power is capacitive in which when the object such as human body, metal or plastic is being approached, the sensing capacitance would be increased with the antenna pad. Once the capacitance is accumulated, and reached over the threshold as set in MCU of the microchip, the interruption signal is pulled low (High state without trigger) and further inform modem module of the transmitter to make power reduction.



1.6.1 Proximity sensor measurement procedure

1. The proximity sensor is collocated with WWAN antenna.
2. Output power is measured, and monitored by using the base station simulator. A RF cables with sufficient length was being attached from the antenna port of the module, and used for the measurement. The appropriate loss attenuated from cable is compensated in the test setup.



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

1.6.2 Trigger distances for top side

Test procedure:

1. The entire back surface or edge of the tablet is positioned below a flat phantom filled with the required tissue equivalent medium and positioned at least 20 mm further than the distance that triggers power reduction.
2. The back surface or edge is moved toward the phantom in 3 mm steps until the sensor triggers.
3. The back surface or edge is then moved back (further away) from the phantom until maximum output power is returned to the normal maximum level.
4. The back surface or edge is again moved toward the phantom, but in 1 mm steps, until it is at least 5 mm past the triggering point or touching the phantom
5. If the tablet is not touching the phantom, it is moved in 3 mm steps until it touches the phantom to confirm that the sensor remains triggered and the maximum power stays reduced.
6. The process is then reversed by moving the tablet away from the phantom to determine triggering release, until it is at least 10 mm beyond the point that triggers the return of normal maximum power.
7. The measured output power within \pm 5 mm of the triggering points, or until the tablet is touching the phantom, for movements to and from the phantom should be tabulated.
8. To ensure all production units are compliant, it is generally necessary to reduce the triggering distance determined from the triggering tests by 1 mm, or more if it is necessary, and use the smallest distance for movements to and from the phantom, minus 1 mm, as the sensor triggering distance for determining the SAR measurement distance.
9. For top side, the trigger distance of proximity sensor is 13mm.
10. For top side, we perform the 1.6.3 tilt angle testing in next step.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

1.6.3 Tilt angle testing

Test procedure:

1. The influence of table tilt angles to proximity sensor triggering is determined by positioning each tablet edge that contains a transmitting antenna, perpendicular to the flat phantom, at the smallest sensor triggering test distance determined in sections 1.6.2 by rotating the tablet around the edge next to the phantom in ≤ 10 deg increments until the tablet is $+/ - 45$ deg or more from the vertical position at 0 deg.
2. If sensor triggering is released and normal maximum output power is restored within the $+/ - 45$ deg range, the procedures in step 1) should be repeated by reducing the tablet to phantom separation distance by 1 mm until the proximity sensor no longer releases triggering, and maximum output power remains in the reduced mode.
3. The smallest separation distance determined in steps 1) and 2), minus 1 mm, is the sensor triggering distance for tablet tilt coverage. The smallest separation distance determined in sections 1.6.2, 1.6.3 minus 1 mm should be used in the SAR measurements.
4. The influence of tablet tilt angles to proximity sensor triggering is determined by positioning top and right sides, please refer to table 1.6.5 and 1.6.6.
5. After the tilt angle testing for top side, the sensor is not released during $+/ - 45$ deg, so 13-1=12mm is used in the SAR measurements of top side.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

1.6.4 Proximity sensor coverage

The following procedures do not apply and are not required for configurations where the antenna and sensor are collocated and the peak SAR location is overlapping with the sensor.

Test procedure:

1. The back surface or edges of the tablet is positioned at a test separation distance less than or equal to the distance required for back surface or edge triggering, with both the antenna and sensor pad located at least 20 mm laterally outside the edge (boundary) of the phantom, along the direction of maximum antenna and sensor offset.
2. The similar sequence of steps applied to determine sensor triggering distance in section 1.6.2 are used to verify back surface and edge sensor coverage by moving the tablet (sensor and antenna) horizontally toward the phantom while maintaining the same vertical separation between the back surface or edge and the phantom.
3. After the exact location where triggering of power reduction is determined, with respect to the sensor and antenna, the tablet movement should be continued, in 3 mm increments, until both the sensor and antenna(s) are fully under the phantom and at least 20 mm inside the phantom edge.
4. The process is then repeated from the other direction, at the opposite end of maximum antenna and sensor offset, by rotating the tablet 180 degrees.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

1.6.5 Results

The measured output power within ± 5 mm of the triggering points, or until the tablet is touching the phantom, for movements to and from the phantom is tabulated in the following.

Top side

Moving device toward the phantom




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Moving device away from the phantom



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Table 1.6.5 Tilt angle test results for top side

P-sensor ON/OFF	-50 deg	-45 deg	-40 deg	-30 deg	-20 deg	-10 deg	0 deg	10 deg	20 deg	30 deg	40 deg	45 deg	50 deg
13mm	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON

During the tilt angle testing for top side, the sensor is not released in 13mm, so 13-1=12mm is used in the SAR measurement.

Note:

1. The triggering variations and hysteresis effect has been evaluated separately according to the tissue-equivalent medium required for each frequency band, and sensor triggering does not change with different tissue-equivalent media.
2. Conducted power is monitored qualitatively to identify the general triggering characteristics and recorded quantitatively, versus spacing.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

1.6.6 Operation description for P-sensor

Power Reduction Design Specification (for P-sensor)

The mechanism of power reduction is used for WWAN. The reduced power for each technology/band is defined in Table1-1. With P-sensor mechanism, please refer to WWAN reduced power table in section 1.3 to be the WWAN default power when P-sensor failure or malfunction.

Table1-1 : The power reduction scenario table

Transmission mode	Band	Power Reduction
WWAN	All	YES

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

1.7 The SAR Measurement System

A block diagram of the SAR measurement System is given in Fig. a. This SAR Measurement System uses a Computer-controlled 3-D stepper motor system (SPEAG DASY 5 professional system). The model EX3DV4 field probe is used to determine the internal electric fields. The SAR can be obtained from the equation $SAR = \sigma (|Ei|^2)/ \rho$ where σ and ρ are the conductivity and mass density of the tissue-simulant.

The DASY 5 system for performing compliance tests consists of the following items:

1. A standard high precision 6-axis robot (Staubli RX family) with controller, teach pendant and software. An arm extension is for accommodating the data acquisition electronics (DAE).
2. A dosimetric probe, i.e., an isotropic E-field probe optimized and calibrated for usage intissue simulating liquid. The probe is equipped with an optical surface detector system.
3. A data acquisition electronics (DAE) which performs the signal amplification, signal multiplexing, AD-conversion, offset measurements, mechanical surface detection, collision detection, etc. The unit is battery powered with standard or rechargeable batteries. The signal is optically transmitted to the EOC.




Fig. a The block diagram of SAR system

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


4. The Electro-optical converter (EOC) performs the conversion between optical and electrical of the signals for the digital communication to the DAE and for the analog signal from the optical surface detection. The EOC is connected to the measurement server.
5. The function of the measurement server is to perform the time critical tasks such as signal filtering, control of the robot operation and fast movement interrupts.
6. A probe alignment unit which improves the (absolute) accuracy of the probe positioning.
7. A computer operating Windows 7.
8. DASY 5 software.
9. Remote control with teach pendant and additional circuitry for robot safety such as warning lamps, etc.
10. Tissue simulating liquid mixed according to the given recipes.
11. Validation dipole kits allowing to validate the proper functioning of the system.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

1.8 System Components

EX3DV4 E-Field Probe

Construction	Symmetrical design with triangular core Built-in shielding against static charges PEEK enclosure material (resistant to organic solvents, e.g., DGBE)	
Calibration	Basic Broad Band Calibration in air Conversion Factors (CF) for HSL 750/835/1750/1900/2300/2450/2600/5200/ 5300/5600/5800MHz Additional CF for other liquids and frequencies upon request	
Frequency	10 MHz to > 6 GHz	
Directivity	± 0.3 dB in HSL (rotation around probe axis) ± 0.5 dB in tissue material (rotation normal to probe axis)	
Dynamic Range	10 µW/g to > 100 mW/g Linearity: ± 0.2 dB (noise: typically < 1 µW/g)	
Dimensions	Tip diameter: 2.5 mm	
Application	High precision dosimetric measurements in any exposure scenario (e.g., very strong gradient fields). Only probe which enables compliance testing for frequencies up to 6 GHz with precision of better 30%.	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

PHANTOM

Model	ELI
Construction	The ELI phantom is used for compliance testing of handheld and body-mounted wireless devices in the frequency range of 30 MHz to 6 GHz. ELI is fully compatible with the IEC 62209-2 standard and all known tissue simulating liquids. ELI has been optimized regarding its performance and can be integrated into our standard phantom tables. A cover prevents evaporation of the liquid. Reference markings on the phantom allow installation of the complete setup, including all predefined phantom positions and measurement grids, by teaching three points. The phantom is compatible with all SPEAG dosimetric probes and dipoles.
Shell Thickness	2 ± 0.2 mm
Filling Volume	Approx. 30 liters
Dimensions	Major axis: 600 mm Minor axis: 400 mm

**DEVICE HOLDER**

Construction	The device holder (Supporter) for Notebook is made by POM (polyoxymethylene resin) , which is non-metal and non-conductive. The height can be adjusted to fit varies kind of notebooks.	 Device Holder
--------------	---	---

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

1.9 SAR System Verification

The microwave circuit arrangement for system verification is sketched in Fig. b. The daily system accuracy verification occurs within the flat section of the SAM phantom. A SAR measurement was performed to see if the measured SAR was within +/- 10% from the target SAR values. These tests were done at 750/835/1750/1900/2300/2450/2600/5200/5300/5600/5800MHz. The tests were conducted on the same days as the measurement of the DUT. The obtained results from the system accuracy verification are displayed in the table 1 (SAR values are normalized to 1W forward power delivered to the dipole). During the tests, the liquid depth above the ear reference points was $\geq 15 \text{ cm} \pm 5 \text{ mm}$ (frequency $\leq 3 \text{ GHz}$) or $\geq 10 \text{ cm} \pm 5 \text{ mm}$ (frequency $> 3 \text{ GHz}$) in all the cases. It is seen that the system is operating within its specification, as the results are within acceptable tolerance of the reference values.




Fig. b The block diagram of system verification

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Validation Kit	S/N	Frequency (MHz)		1W Target SAR-1g (mW/g)	pin=250mW Measured SAR-1g (mW/g)	Measured SAR-1g normalized to 1W (mW/g)	Deviation (%)	Measured Date
D750V3	1015	750	Head	8.48	2.00	8.00	-5.66%	Sep. 08, 2020
D750V3	1015	750	Head	8.48	2.05	8.20	-3.30%	Sep. 27, 2020
D835V2	4d063	835	Head	9.52	2.38	9.52	0.00%	Sep. 09, 2020
D835V2	4d063	835	Head	9.52	2.40	9.60	0.84%	Sep. 10, 2020
D835V2	4d063	835	Head	9.52	2.23	8.92	-6.30%	Sep. 11, 2020
D835V2	4d063	835	Head	9.52	2.28	9.12	-4.20%	Sep. 28, 2020
D835V2	4d063	835	Head	9.52	2.34	9.36	-1.68%	Sep. 29, 2020
D835V2	4d063	835	Head	9.52	2.24	8.96	-5.88%	Sep. 30, 2020
D1750V2	1008	1750	Head	36.00	8.58	34.32	-4.67%	Sep. 12, 2020
D1750V2	1008	1750	Head	36.00	8.84	35.36	-1.78%	Oct. 01, 2020
D1900V2	5d173	1900	Head	39.40	9.91	39.64	0.61%	Sep. 13, 2020
D1900V2	5d173	1900	Head	39.40	9.30	37.20	-5.58%	Oct. 02, 2020
D2300V2	1023	2300	Head	49.00	12.30	49.20	0.41%	Sep. 14, 2020
D2300V2	1023	2300	Head	49.00	12.40	49.60	1.22%	Oct. 03, 2020
D2450V2	727	2450	Head	52.6	14.00	56	6.46%	Sep. 03, 2020
D2450V2	727	2450	Head	52.6	13.20	52.8	0.38%	Nov. 15, 2020
D2600V2	1005	2600	Head	57.30	15.30	61.20	6.81%	Sep. 24, 2020
D2600V2	1005	2600	Head	57.30	14.60	58.40	1.92%	Sep. 25, 2020
D2600V2	1005	2600	Head	57.30	14.00	56.00	-2.27%	Sep. 26, 2020

Table 1. Results of system verification

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

1.10 Tissue Simulant Fluid for the Frequency Band

The dielectric properties for this Head-simulant fluid were measured by using the Agilent Model 85070E Dielectric Probe (rates frequency band 200 MHz to 20 GHz) in conjunction with Network Analyzer.

All dielectric parameters of tissue simulates were measured within 24 hours of SAR measurements. The measured conductivity and permittivity are all within $\pm 5\%$ of the target values.

The depth of the tissue simulant in the flat section of the phantom was $\geq 15\text{ cm} \pm 5\text{ mm}$ (Frequency $\leq 3\text{G}$) or $\geq 10\text{ cm} \pm 5\text{ mm}$ (Frequency $> 3\text{G}$) during all tests. (Fig. 2)

Tissue Type	Measurement Date	Measured Frequency (MHz)	Target Dielectric Constant, ϵ_r	Target Conductivity, σ (S/m)	Measured Dielectric Constant, ϵ_r	Measured Conductivity, σ (S/m)	% dev ϵ_r	% dev σ
Head	Sep, 08. 2020	704.00	42.181	0.890	43.861	0.872	-3.98%	2.00%
		707.50	42.162	0.890	43.685	0.874	-3.61%	1.80%
		709.00	42.155	0.890	43.671	0.880	-3.60%	1.14%
		710.00	42.149	0.890	43.575	0.883	-3.38%	0.82%
		711.00	42.144	0.890	43.433	0.884	-3.06%	0.71%
		750.00	41.942	0.893	43.244	0.892	-3.11%	0.15%
		782.00	41.775	0.896	42.872	0.901	-2.63%	-0.57%
	Sep, 09. 2020	826.40	41.545	0.899	42.111	0.861	-1.36%	4.26%
		829.00	41.531	0.900	42.092	0.864	-1.35%	3.95%
		835.00	41.500	0.900	42.091	0.871	-1.42%	3.22%
		836.50	41.500	0.902	42.046	0.872	-1.32%	3.28%
		836.60	41.500	0.902	42.023	0.875	-1.26%	2.96%
		844.00	41.500	0.910	41.965	0.879	-1.12%	3.37%
		846.60	41.500	0.912	41.927	0.881	-1.03%	3.45%
	Sep, 10. 2020	821.50	41.570	0.899	42.317	0.883	-1.80%	1.77%
		831.50	41.518	0.900	42.242	0.894	-1.74%	0.64%
		835.00	41.500	0.900	42.185	0.897	-1.65%	0.33%
		841.50	41.500	0.907	42.128	0.903	-1.51%	0.44%
	Sep, 11. 2020	831.50	41.518	0.900	42.018	0.884	-1.20%	1.75%
		835.00	41.500	0.900	41.942	0.886	-1.07%	1.56%
		836.50	41.500	0.902	41.938	0.891	-1.06%	1.18%
		841.50	41.500	0.907	41.881	0.892	-0.92%	1.65%
	Sep, 12. 2020	1712.40	40.138	1.349	41.887	1.321	-4.36%	2.10%
		1720.00	40.126	1.354	41.815	1.330	-4.21%	1.75%
		1732.40	40.107	1.361	41.771	1.342	-4.15%	1.39%
		1732.50	40.107	1.361	41.766	1.345	-4.14%	1.17%
		1745.00	40.087	1.368	41.742	1.349	-4.13%	1.40%
		1750.00	40.079	1.371	41.709	1.357	-4.07%	1.02%
		1752.60	40.075	1.373	41.683	1.361	-4.01%	0.84%
		1770.00	40.047	1.383	41.631	1.381	-3.95%	0.12%

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Tissue Type	Measurement Date	Measured Frequency (MHz)	Target Dielectric Constant, ϵ_r	Target Conductivity, σ (S/m)	Measured Dielectric Constant, ϵ_r	Measured Conductivity, σ (S/m)	% dev ϵ_r	% dev σ
Head	Sep, 13. 2020	1852.40	40.000	1.400	41.371	1.432	-3.43%	-2.29%
		1860.00	40.000	1.400	41.325	1.436	-3.31%	-2.57%
		1880.00	40.000	1.400	41.297	1.441	-3.24%	-2.93%
		1882.50	40.000	1.400	41.268	1.452	-3.17%	-3.71%
		1900.00	40.000	1.400	41.211	1.459	-3.03%	-4.21%
		1905.00	40.000	1.400	41.209	1.461	-3.02%	-4.36%
		1907.60	40.000	1.400	41.187	1.466	-2.97%	-4.71%
	Sep, 14. 2020	2300.00	39.467	1.667	40.918	1.693	-3.68%	-1.58%
		2310.00	39.449	1.676	40.855	1.703	-3.56%	-1.64%
	Sep, 24. 2020	2510.00	39.124	1.865	38.719	1.952	1.03%	-4.64%
		2535.00	39.092	1.893	38.655	1.966	1.12%	-3.87%
		2560.00	39.060	1.920	38.601	1.971	1.18%	-2.66%
		2600.00	39.009	1.964	38.441	1.982	1.46%	-0.94%
	Sep, 25. 2020	2580.00	39.035	1.942	39.688	1.951	-1.67%	-0.47%
		2595.00	39.015	1.958	39.638	1.971	-1.60%	-0.65%
		2600.00	39.009	1.964	39.611	2.001	-1.54%	-1.90%
		2610.00	38.996	1.975	39.551	2.037	-1.42%	-3.16%
	Sep, 26. 2020	2506.00	39.129	1.861	40.152	1.803	-2.62%	3.12%
		2549.50	39.073	1.909	39.979	1.881	-2.32%	1.44%
		2593.00	39.018	1.956	39.839	1.889	-2.10%	3.43%
		2600.00	39.009	1.964	39.801	1.953	-2.03%	0.54%
		2636.50	38.963	2.003	39.605	1.968	-1.65%	1.77%
		2680.00	38.907	2.051	39.454	1.994	-1.41%	2.77%
Tissue Type	Measurement Date	Measured Frequency (MHz)	Target Dielectric Constant, ϵ_r	Target Conductivity, σ (S/m)	Measured Dielectric Constant, ϵ_r	Measured Conductivity, σ (S/m)	% dev ϵ_r	% dev σ
Head	Sep, 27. 2020	704.00	42.181	0.890	43.777	0.868	-3.78%	2.45%
		707.50	42.162	0.890	43.608	0.875	-3.43%	1.69%
		709.00	42.155	0.890	43.575	0.877	-3.37%	1.48%
		710.00	42.149	0.890	43.532	0.880	-3.28%	1.15%
		711.00	42.144	0.890	43.473	0.882	-3.15%	0.94%
		750.00	41.942	0.893	43.131	0.897	-2.84%	-0.41%
		782.00	41.775	0.896	42.837	0.901	-2.54%	-0.57%
	Sep, 28. 2020	826.40	41.545	0.899	42.381	0.858	-2.01%	4.60%
		829.00	41.531	0.900	42.349	0.861	-1.97%	4.28%
		835.00	41.500	0.900	42.334	0.868	-2.01%	3.56%
		836.50	41.500	0.902	42.261	0.869	-1.83%	3.62%
		836.60	41.500	0.902	42.259	0.869	-1.83%	3.63%
		844.00	41.500	0.910	42.217	0.879	-1.73%	3.37%
		846.60	41.500	0.912	42.177	0.892	-1.63%	2.25%

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Tissue Type	Measurement Date	Measured Frequency (MHz)	Target Dielectric Constant, ϵ_r	Target Conductivity, σ (S/m)	Measured Dielectric Constant, ϵ_r	Measured Conductivity, σ (S/m)	% dev ϵ_r	% dev σ
Head	Sep, 29. 2020	821.50	41.570	0.899	42.348	0.883	-1.87%	1.77%
		831.50	41.518	0.900	42.166	0.893	-1.56%	0.75%
		835.00	41.500	0.900	42.157	0.901	-1.58%	-0.11%
		841.50	41.500	0.907	42.048	0.904	-1.32%	0.33%
	Sep, 30. 2020	831.50	41.518	0.900	41.991	0.884	-1.14%	1.75%
		835.00	41.500	0.900	41.961	0.886	-1.11%	1.56%
		836.50	41.500	0.902	41.924	0.887	-1.02%	1.62%
		841.50	41.500	0.907	41.856	0.893	-0.86%	1.54%
	Oct, 01. 2020	1712.40	40.138	1.349	41.887	1.321	-4.36%	2.10%
		1720.00	40.126	1.354	41.815	1.331	-4.21%	1.68%
		1732.40	40.107	1.361	41.772	1.342	-4.15%	1.39%
		1732.50	40.107	1.361	41.766	1.345	-4.14%	1.17%
		1745.00	40.087	1.368	41.742	1.349	-4.13%	1.40%
		1750.00	40.079	1.371	41.709	1.357	-4.07%	1.02%
		1752.60	40.075	1.373	41.683	1.361	-4.01%	0.84%
		1770.00	40.047	1.383	41.631	1.381	-3.95%	0.12%
	Oct, 02. 2020	1852.40	40.000	1.400	41.371	1.447	-3.43%	-3.36%
		1860.00	40.000	1.400	41.365	1.459	-3.41%	-4.21%
		1880.00	40.000	1.400	41.351	1.465	-3.38%	-4.64%
		1882.50	40.000	1.400	41.268	1.468	-3.17%	-4.86%
		1900.00	40.000	1.400	41.211	1.455	-3.03%	-3.93%
		1905.00	40.000	1.400	41.202	1.457	-3.01%	-4.07%
		1907.60	40.000	1.400	41.188	1.461	-2.97%	-4.36%
	Oct, 03. 2020	2300.00	39.467	1.667	40.918	1.693	-3.68%	-1.58%
		2310.00	39.449	1.676	40.855	1.703	-3.56%	-1.64%
	Oct, 04. 2020	2510.00	39.124	1.865	38.879	1.939	0.63%	-3.94%
		2535.00	39.092	1.893	38.815	1.942	0.71%	-2.60%
		2560.00	39.060	1.920	38.761	1.956	0.77%	-1.88%
		2600.00	39.009	1.964	38.601	2.036	1.05%	-3.69%
	Oct, 05. 2020	2580.00	39.035	1.942	38.238	1.848	2.04%	4.83%
		2595.00	39.015	1.958	38.188	1.866	2.12%	4.71%
		2600.00	39.009	1.964	38.172	1.882	2.15%	4.16%
		2610.00	38.996	1.975	38.101	1.891	2.30%	4.23%
	Oct, 06. 2020	2506.00	39.129	1.861	39.176	1.792	-0.12%	3.71%
		2549.50	39.073	1.909	39.003	1.871	0.18%	1.97%
		2593.00	39.018	1.956	38.863	1.878	0.40%	3.99%
		2600.00	39.009	1.964	38.825	1.942	0.47%	1.10%
		2636.50	38.963	2.003	38.629	1.956	0.86%	2.37%
		2680.00	38.907	2.051	38.478	1.982	1.10%	3.36%

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Tissue Type	Measurement Date	Measured Frequency (MHz)	Target Dielectric Constant, ϵ_r	Target Conductivity, σ (S/m)	Measured Dielectric Constant, ϵ_r	Measured Conductivity, σ (S/m)	% dev ϵ_r	% dev σ
Head	Sep. 03, 2020	2402.00	39.285	1.757	39.025	1.815	-0.66%	3.28%
		2412.00	39.268	1.766	39.021	1.826	-0.63%	3.38%
		2437.00	39.223	1.788	38.876	1.851	-0.88%	3.50%
		2441.00	39.269	1.765	38.866	1.852	-1.03%	4.91%
		2450.00	39.200	1.800	38.854	1.866	-0.88%	3.67%
		2462.00	39.185	1.813	38.773	1.881	-1.05%	3.75%
		2480.00	39.162	1.833	38.709	1.902	-1.16%	3.78%
	Sep. 04, 2020	5190.00	35.997	4.645	37.227	4.555	3.42%	-1.93%
		5200.00	35.986	4.655	37.115	4.566	3.14%	-1.91%
		5230.00	35.951	4.686	36.911	4.652	2.67%	-0.72%
	Sep. 05, 2020	5290.00	35.883	4.747	36.839	4.691	2.66%	-1.18%
		5300.00	35.871	4.758	36.821	4.723	2.65%	-0.73%
	Sep. 06, 2020	5530.00	35.609	4.993	35.994	5.019	1.08%	0.52%
		5600.00	35.529	5.065	35.921	5.088	1.10%	0.45%
		5610.00	35.517	5.075	35.907	5.181	1.10%	2.08%
	Sep. 07, 2020	5690.00	35.426	5.157	35.797	5.231	1.05%	1.43%
		5755.00	35.351	5.224	35.535	5.329	0.52%	2.01%
		5795.00	35.306	5.265	35.491	5.369	0.52%	1.98%
		5800.00	35.300	5.270	35.481	5.371	0.51%	1.92%
Tissue Type	Measurement Date	Measured Frequency (MHz)	Target Dielectric Constant, ϵ_r	Target Conductivity, σ (S/m)	Measured Dielectric Constant, ϵ_r	Measured Conductivity, σ (S/m)	% dev ϵ_r	% dev σ
Head	Nov. 15. 2020	2402.00	39.285	1.757	38.924	1.822	0.92%	-3.68%
		2441.00	39.269	1.765	38.876	1.838	1.00%	-4.12%
		2450.00	39.200	1.800	38.825	1.873	0.96%	-4.06%
		2480.00	39.162	1.833	38.771	1.912	1.00%	-4.33%

Table 2. Dielectric Parameters of Tissue Simulant Fluid

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

The composition of the body tissue simulating liquid:

Frequency (MHz)	Mode	Ingredient						Total amount
		DGMBE	Water	Salt	Preventol D-7	Cellulose	Sugar	
750	Head	—	532.98 g	18.3 g	2.4 g	3.2 g	766 g	1.3L(Kg)
850	Head	—	532.98 g	18.3 g	2.4 g	3.2 g	766 g	1.3L(Kg)
1750	Head	444.52 g	552.42 g	3.06 g	—	—	—	1.0L(Kg)
1900	Head	444.52 g	552.42 g	3.06 g	—	—	—	1.0L(Kg)
2300	Head	550ml	450ml	—	—	—	—	1.0L(Kg)
2450	Head	550ml	450ml	—	—	—	—	1.0L(Kg)
2600	Head	550ml	450ml	—	—	—	—	1.0L(Kg)

Body Simulating Liquids for 5 GHz, Manufactured by SPEAG:

Ingredients	Water	Esters, Emulsifiers, Inhibitors	Sodium and Salt
(% by weight)	60-80	20-40	0-1.5

Table 3. Recipes for Tissue Simulating Liquid

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

1.11 Evaluation Procedures

The entire evaluation of the spatial peak values is performed within the Post-processing engine (SEMCAD). The system always gives the maximum values for the 1 g and 10 g cubes. The algorithm to find the cube with highest averaged SAR is divided into the following stages:

1. The extraction of the measured data (grid and values) from the Zoom Scan.
2. The calculation of the SAR value at every measurement point based on all stored data (A/D values and measurement parameters)
3. The generation of a high-resolution mesh within the measured volume
4. The interpolation of all measured values from the measurement grid to the high-resolution grid
5. The extrapolation of the entire 3-D field distribution to the phantom surface over the distance from sensor to surface
6. The calculation of the averaged SAR within masses of 1g and 10g.

The probe is calibrated at the center of the dipole sensors that is located 1 to 2.7mm away from the probe tip. During measurements, the probe stops shortly above the phantom surface, depending on the probe and the surface detecting system. Both distances are included as parameters in the probe configuration file. The software always knows exactly how far away the measured point is from the surface. As the probe cannot directly measure at the surface, the values between the deepest measured point and the surface must be extrapolated. The angle between the probe axis and the surface normal line is less than 30 degree.

In the Area Scan, the gradient of the interpolation function is evaluated to find all the extreme of the SAR distribution. The uncertainty on the locations of the extreme is less than 1/20 of the grid size. Only local maximum within -2 dB of the global maximum are searched and passed for the Cube Scan measurement. In the Cube Scan, the interpolation function is used to extrapolate the Peak SAR from the lowest measurement points to the inner phantom surface (the extrapolation distance). The uncertainty increases with the extrapolation distance. To keep the uncertainty within 1% for the 1 g and 10 g cubes, the extrapolation distance should not be larger than 5mm.

The maximum search is automatically performed after each area scan measurement. It is based on splines in two or three dimensions. The procedure can find the maximum for most SAR distributions even with relatively large grid spacing. After the area scanning measurement, the probe is automatically moved to a position at the interpolated maximum. The following scan can directly use this position for reference, e.g., for a finer resolution grid or the cube evaluations. The 1g and 10g peak evaluations are only available for the predefined cube 7x7x7 scans. The routines are verified and optimized for the grid dimensions used in these cube measurements.

The measured volume of 30x30x30mm contains about 30g of tissue.

The first procedure is an extrapolation (incl. Boundary correction) to get the points

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

between the lowest measured plane and the surface. The next step uses 3D interpolation to get all points within the measured volume. In the last step, a 1g cube is placed numerically into the volume and its averaged SAR is calculated. This cube is moved around until the highest averaged SAR is found. If the highest SAR is found at the edge of the measured volume, the system will issue a warning: higher SAR values might be found outside of the measured volume. In that case the cube measurement can be repeated, using the new interpolated maximum as the center.

1.12 Probe Calibration Procedures

For the calibration of E-field probes in lossy liquids, an electric field with an accurately known field strength must be produced within the measured liquid. For standardization purposes it would be desirable if all measurements which are necessary to assess the correct field strength would be traceable to standardized measurement procedures. In the following two different calibration techniques are summarized:

1.12.1 Transfer Calibration with Temperature Probes

In lossy liquids the specific absorption rate (SAR) is related both to the electric field (E) and the temperature gradient ($\delta T / \delta t$) in the liquid.

$$SAR = \frac{\sigma}{\rho} |E|^2 = c \frac{\delta T}{\delta t}$$

whereby σ is the conductivity, ρ the density and c the heat capacity of the liquid.

Hence, the electric field in lossy liquid can be measured indirectly by measuring the temperature gradient in the liquid. Non-disturbing temperature probes (optical probes or thermistor probes with resistive lines) with high spatial resolution (<1-2 mm) and fast reaction time (<1 s) are available and can be easily calibrated with high precision [1]. The setup and the exciting source have no influence on the calibration; only the relative positioning uncertainties of the standard temperature probe and the E-field probe to be calibrated must be considered. However, several problems limit the available accuracy of probe calibrations with temperature probes:

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

1. The temperature gradient is not directly measurable but must be evaluated from temperature measurements at different time steps. Special precaution is necessary to avoid measurement errors caused by temperature gradients due to energy equalizing effects or convection currents in the liquid. Such effects cannot be completely avoided, as the measured field itself destroys the thermal equilibrium in the liquid. With a careful setup these errors can be kept small.
2. The measured volume around the temperature probe is not well defined. It is difficult to calculate the energy transfer from a surrounding gradient temperature field into the probe. These effects must be considered, since temperature probes are calibrated in liquid with homogeneous temperatures. There is no traceable standard for temperature rise measurements.
3. The calibration depends on the assessment of the specific density, the heat capacity and the conductivity of the medium. While the specific density and heat capacity can be measured accurately with standardized procedures (~ 2% for c ; much better for ρ), there is no standard for the measurement of the conductivity. Depending on the method and liquid, the error can well exceed $\pm 5\%$.
4. Temperature rise measurements are not very sensitive and therefore are often performed at a higher power level than the E-field measurements. The nonlinearities in the system (e.g., power measurements, different components, etc.) must be considered.

Considering these problems, the possible accuracy of the calibration of E-field probes with temperature gradient measurements in a carefully designed setup is about $\pm 10\%$ (RSS) [2]. Recently, a setup which is a combination of the waveguide techniques and the thermal measurements was presented in [3]. The estimated uncertainty of the setup is $\pm 5\%$ (RSS) when the same liquid is used for the calibration and for actual measurements and $\pm 7\text{--}9\%$ (RSS) when not, which is in good agreement with the estimates given in [2].

1.12.2 Calibration with Analytical Fields

In this method a technical setup is used in which the field can be calculated analytically from measurements of other physical magnitudes (e.g., input power). This corresponds to the standard field method for probe calibration in air; however, there is no standard defined for fields in lossy liquids.

When using calculated fields in lossy liquids for probe calibration, several points must be considered in the assessment of the uncertainty:

1. The setup must enable accurate determination of the incident power.
2. The accuracy of the calculated field strength will depend on the assessment of the dielectric parameters of the liquid.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

3. Due to the small wavelength in liquids with high permittivity, even small setups might be above the resonant cutoff frequencies. The field distribution in the setup must be carefully checked for conformity with the theoretical field distribution.

References

1. N. Kuster, Q. Balzano, and J.C. Lin, Eds., *Mobile Communications Safety*, Chapman & Hall, London, 1997.
2. K. Meier, M. Burkhardt, T. Schmid, and N. Kuster, "Broadband calibration of E-field probes in lossy media", *IEEE Transactions on Microwave Theory and Techniques*, vol. 44, no. 10, pp. 1954{1962, Oct. 1996.
3. K. Jokela, P. Hyysalo, and L. Puranen, "Calibration of specific absorption rate (SAR) probes in waveguide at 900 MHz", *IEEE Transactions on Instrumentation and Measurements*, vol. 47, no. 2, pp. 432{438, Apr. 1998.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

1.13 Test Standards and Limits

According to FCC 47CFR §2.1093(d) The limits to be used for evaluation are based generally on criteria published by the American National Standards Institute (ANSI) for localized specific absorption rate ("SAR") in Section 4.2 of "IEEE Standard for Safety Levels with Respect to Human Exposure to Radio Frequency Electromagnetic Fields, 3 kHz to 300 GHz," ANSI/IEEE C95.1, By the Institute of Electrical and Electronics Engineers, Inc., New York, New York 10017. These criteria for SAR evaluation are similar to those recommended by the National Council on Radiation Protection and Measurements (NCRP) in "Biological Effects and Exposure Criteria for Radio frequency Electromagnetic Fields," NCRP Report No. 86, Section 17.4.5. Copyright NCRP, 1986, Bethesda, Maryland 20814. SAR is a measure of the rate of energy absorption due to exposure to an RF transmitting source. SAR values have been related to threshold levels for potential biological hazards. The criteria to be used are specified in paragraphs (d)(1) and (d)(2) of this section and shall apply for portable devices transmitting in the frequency range from 100 kHz to 6 GHz. Portable devices that transmit at frequencies above 6 GHz are to be evaluated in terms of the MPE limits specified in § 1.1310 of this chapter. Measurements and calculations to demonstrate compliance with MPE field strength or power density limits for devices operating above 6 GHz should be made at a minimum distance of 5 cm from the radiating source.

1. Limits for Occupational/Controlled exposure: 0.4 W/kg as averaged over the whole-body and spatial peak SAR not exceeding 8 W/kg as averaged over any 1 gram of tissue (defined as a tissue volume in the shape of a cube). Exceptions are the hands, wrists, feet and ankles where the spatial peak SAR shall not exceed 20 W/kg, as averaged over an 10 grams of tissue (defined as a tissue volume in the shape of a cube).
2. Occupational/Controlled limits apply when persons are exposed as a consequence of their employment provided these persons are fully aware of and exercise control over their exposure. Awareness of exposure can be accomplished by use of warning labels or by specific training or education through appropriate means, such as an RF safety program in a work environment.
3. Limits for General Population/Uncontrolled exposure: 0.08 W/kg as averaged over the whole-body and spatial peak SAR not exceeding 1.6 W/kg as averaged over any 1 gram of tissue (defined as a tissue volume in the shape of a cube). Exceptions are the hands, wrists, feet and ankles where the spatial peak SAR shall not exceed 4 W/kg, as averaged over any 10 grams of

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

tissue (defined as a tissue volume in the shape of a cube). General Population/Uncontrolled limits apply when the general public may be exposed, or when persons that are exposed as a consequence of their employment may not be fully aware of the potential for exposure or do not exercise control over their exposure. Warning labels placed on consumer devices such as cellular telephones will not be sufficient reason to allow these devices to be evaluated subject to limits for occupational/controlled exposure in paragraph (d)(1) of this section. (Table 4.)

Human Exposure	Uncontrolled Environment General Population	Controlled Environment Occupational
Spatial Peak SAR (Brain)	1.60 W/Kg	8.00 W/Kg
Spatial Average SAR (Whole Body)	0.08 W/Kg	0.40 W/Kg
Spatial Peak SAR (Hands/Feet/Ankle/Wrist)	4.00 W/Kg	20.00 W/Kg

Table 4. RF exposure limits

Notes:

1. Uncontrolled environments are defined as locations where there is potential exposure of individuals who have no knowledge or control of their potential exposure.
2. Controlled environments are defined as locations where there is potential exposure of individuals who have knowledge of their potential exposure and can exercise control over their exposure.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

2. Summary of Results

2.1 Decision rules

Reported measurement data comply with IEEE 1528-2013:

Determining compliance shall be based on the results of the compliance measurement, not taking into account measurement instrumentation uncertainty.

2.2 Summary of Results

HONG-BO

WCDMA Band II (Full power)

Mode	Position	Distance (mm)	CH	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Scaling	Averaged SAR over 1g (W/kg)		Plot page
								Measured	Reported	
WCDMA Band II	Back side	0	9538	1907.6	24.5	23.76	118.58%	0.227	0.269	-
	Top side	12	9538	1907.6	24.5	23.76	118.58%	0.176	0.209	-
	Bottom side	0	9538	1907.6	24.5	23.76	118.58%	0.012	0.014	-
	Right side	0	9538	1907.6	24.5	23.76	118.58%	0.120	0.142	-
	Left side	0	9538	1907.6	24.5	23.76	118.58%	0.009	0.010	-

WCDMA Band II (Reduced power)

Mode	Position	Distance (mm)	CH	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Scaling	Averaged SAR over 1g (W/kg)		Plot page
								Measured	Reported	
WCDMA Band II	Top side	0	9262	1852.4	21.0	20.97	100.69%	0.284	0.286	-
	Top side	0	9400	1880	21.0	20.99	100.23%	0.258	0.259	-
	Top side	0	9538	1907.6	21.0	21.00	100.00%	0.337	0.337	249

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

WCDMA Band IV (Full power)

Mode	Position	Distance (mm)	CH	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Scaling	Averaged SAR over 1g (W/kg)		Plot page
								Measured	Reported	
WCDMA Band IV	Back side	0	1513	1752.6	24.5	23.54	124.74%	0.504	0.629	-
	Top side	12	1513	1752.6	24.5	23.54	124.74%	0.556	0.694	-
	Bottom side	0	1513	1752.6	24.5	23.54	124.74%	0.015	0.018	-
	Right side	0	1513	1752.6	24.5	23.54	124.74%	0.142	0.177	-
	Left side	0	1513	1752.6	24.5	23.54	124.74%	0.012	0.015	-

WCDMA Band IV (Reduced power)

Mode	Position	Distance (mm)	CH	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Scaling	Averaged SAR over 1g (W/kg)		Plot page
								Measured	Reported	
WCDMA Band IV	Top side	0	1312	1712.4	20.0	19.99	100.23%	0.803	0.805	250
	Top side*	0	1312	1712.4	20.0	19.99	100.23%	0.801	0.803	
	Top side	0	1412	1732.4	20.0	19.92	101.86%	0.773	0.787	
	Top side	0	1513	1752.6	20.0	19.96	100.93%	0.796	0.803	

* - repeated at the highest SAR measurement according to the KDB 865664 D01

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

WCDMA Band V (Full power)

Mode	Position	Distance (mm)	CH	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Scaling	Averaged SAR over 1g (W/kg)		Plot page
								Measured	Reported	
WCDMA Band V	Back side	0	4183	836.6	24.5	23.96	113.24%	0.612	0.693	-
	Top side	12	4183	836.6	24.5	23.96	113.24%	0.487	0.551	-
	Bottom side	0	4183	836.6	24.5	23.96	113.24%	0.042	0.047	-
	Right side	0	4183	836.6	24.5	23.96	113.24%	0.175	0.198	-
	Left side	0	4183	836.6	24.5	23.96	113.24%	0.070	0.079	-

WCDMA Band V (Reduced power)

Mode	Position	Distance (mm)	CH	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Scaling	Averaged SAR over 1g (W/kg)		Plot page
								Measured	Reported	
WCDMA Band V	Top side	0	4132	826.4	21.0	20.96	100.93%	0.927	0.936	-
	Top side	0	4183	836.6	21.0	21.00	100.00%	0.996	0.996	251
	Top side*	0	4183	836.6	21.0	21.00	100.00%	0.992	0.992	-
	Top side	0	4233	846.6	21.0	20.97	100.69%	0.933	0.939	-

* - repeated at the highest SAR measurement according to the KDB 865664 D01

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

LTE FDD Band 2 (Full power)

Mode	Bandwidth (MHz)	Modulation	RB Size	RB start	Position	Distance (mm)	CH	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Scaling	Averaged SAR over 1g (W/kg)		Plot page
												Measured	Reported	
LTE Band 2	20MHz	QPSK	1 RB	0	Back side	0	18900	1880	24.0	23.78	105.20%	0.262	0.276	-
					Top side	12	18900	1880	24.0	23.78	105.20%	0.277	0.291	-
					Bottom side	0	18900	1880	24.0	23.78	105.20%	0.014	0.015	-
					Right side	0	18900	1880	24.0	23.78	105.20%	0.118	0.124	-
					Left side	0	18900	1880	24.0	23.78	105.20%	0.009	0.009	-
			50 RB	0	Back side	0	18900	1880	23.0	22.77	105.44%	0.241	0.254	-
					Top side	12	18900	1880	23.0	22.77	105.44%	0.247	0.260	-
					Bottom side	0	18900	1880	23.0	22.77	105.44%	0.012	0.013	-
					Right side	0	18900	1880	23.0	22.77	105.44%	0.106	0.112	-
					Left side	0	18900	1880	23.0	22.77	105.44%	0.005	0.005	-
			100 RB		Back side	0	18900	1880	23.0	22.82	104.23%	0.229	0.239	-
					Top side	12	18900	1880	23.0	22.82	104.23%	0.237	0.247	-
					Bottom side	0	18900	1880	23.0	22.82	104.23%	0.011	0.011	-
					Right side	0	18900	1880	23.0	22.82	104.23%	0.103	0.107	-
					Left side	0	18900	1880	23.0	22.82	104.23%	0.002	0.002	-

LTE FDD Band 2 (Reduced power)

Mode	Bandwidth (MHz)	Modulation	RB Size	RB start	Position	Distance (mm)	CH	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Scaling	Averaged SAR over 1g (W/kg)		Plot page
												Measured	Reported	
LTE Band 2	20MHz	QPSK	1 RB	0	Top side	0	18700	1860	20.5	20.49	100.23%	0.568	0.569	252
					Top side	0	18900	1880	20.5	20.50	100.00%	0.472	0.472	-
					Top side	0	19100	1900	20.5	20.48	100.46%	0.406	0.408	-
			50 RB	0	Top side	0	18900	1880	20.5	20.28	105.20%	0.438	0.461	-
					Top side	0	18900	1880	20.5	20.33	103.99%	0.452	0.470	-

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

LTE FDD Band 5 (Full power)

Mode	Bandwidth (MHz)	Modulation	RB Size	RB start	Position	Distance (mm)	CH	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Scaling	Averaged SAR over 1g (W/kg)		Plot page
												Measured	Reported	
LTE Band 5	10MHz	QPSK	1 RB	0	Back side	0	20525	836.5	24.0	23.60	109.65%	0.451	0.495	-
					Top side	12	20525	836.5	24.0	23.60	109.65%	0.403	0.442	-
					Bottom side	0	20525	836.5	24.0	23.60	109.65%	0.045	0.049	-
					Right side	0	20525	836.5	24.0	23.60	109.65%	0.166	0.182	-
					Left side	0	20525	836.5	24.0	23.60	109.65%	0.073	0.079	-
			25 RB	25	Back side	0	20525	836.5	23.0	22.65	108.39%	0.382	0.414	-
					Top side	12	20525	836.5	23.0	22.65	108.39%	0.368	0.399	-
					Bottom side	0	20525	836.5	23.0	22.65	108.39%	0.032	0.034	-
					Right side	0	20525	836.5	23.0	22.65	108.39%	0.132	0.143	-
					Left side	0	20525	836.5	23.0	22.65	108.39%	0.056	0.061	-
			50 RB		Back side	0	20525	836.5	23.0	22.55	110.92%	0.396	0.439	-
					Top side	12	20525	836.5	23.0	22.55	110.92%	0.371	0.412	-
					Bottom side	0	20525	836.5	23.0	22.55	110.92%	0.034	0.037	-
					Right side	0	20525	836.5	23.0	22.55	110.92%	0.127	0.141	-
					Left side	0	20525	836.5	23.0	22.55	110.92%	0.055	0.060	-

LTE FDD Band 5 (Reduced power)

Mode	Bandwidth (MHz)	Modulation	RB Size	RB start	Position	Distance (mm)	CH	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Scaling	Averaged SAR over 1g (W/kg)		Plot page
												Measured	Reported	
LTE Band 5	10MHz	QPSK	1 RB	0	Top side	0	20450	829	21.0	20.80	104.71%	0.764	0.800	-
					Top side	0	20525	836.5	21.0	20.84	103.75%	0.806	0.836	-
					Top side	0	20600	844	21.0	20.78	105.20%	0.852	0.896	253
					Top side*	0	20600	844	21.0	20.78	105.20%	0.849	0.893	-
			25 RB	12	Top side	0	20450	829	21.0	20.42	114.29%	0.715	0.817	-
					Top side	0	20525	836.5	21.0	20.59	109.90%	0.768	0.844	-
					Top side	0	20600	844	21.0	20.57	110.41%	0.801	0.884	-
			50 RB		Top side	0	20450	829	21.0	20.41	114.55%	0.704	0.806	-
					Top side	0	20525	836.5	21.0	20.68	107.65%	0.782	0.842	-
					Top side	0	20600	844	21.0	20.62	109.14%	0.841	0.918	-

* - repeated at the highest SAR measurement according to the KDB 865664 D01

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

LTE FDD Band 7 (Full power)

Mode	Bandwidth (MHz)	Modulation	RB Size	RB start	Position	Distance (mm)	CH	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Scaling	Averaged SAR over 1g (W/kg)		Plot page
												Measured	Reported	
LTE Band 7	20MHz	QPSK	1 RB	0	Back side	0	20850	2510	24.0	23.21	119.95%	0.362	0.434	-
					Top side	12	20850	2510	24.0	23.21	119.95%	0.369	0.443	-
					Bottom side	0	20850	2510	24.0	23.21	119.95%	0.005	0.007	-
					Right side	0	20850	2510	24.0	23.21	119.95%	0.113	0.136	-
					Left side	0	20850	2510	24.0	23.21	119.95%	0.009	0.011	-
			50 RB	0	Back side	0	20850	2510	23.0	21.79	132.13%	0.274	0.362	-
					Top side	12	20850	2510	23.0	21.79	132.13%	0.302	0.399	-
					Bottom side	0	20850	2510	23.0	21.79	132.13%	0.003	0.005	-
					Right side	0	20850	2510	23.0	21.79	132.13%	0.102	0.135	-
					Left side	0	20850	2510	23.0	21.79	132.13%	0.006	0.008	-
			100 RB		Back side	0	20850	2510	23.0	21.80	131.83%	0.265	0.349	-
					Top side	12	20850	2510	23.0	21.80	131.83%	0.308	0.406	-
					Bottom side	0	20850	2510	23.0	21.80	131.83%	0.002	0.003	-
					Right side	0	20850	2510	23.0	21.80	131.83%	0.101	0.133	-
					Left side	0	20850	2510	23.0	21.80	131.83%	0.006	0.008	-

LTE FDD Band 7 (Reduced power)

Mode	Bandwidth (MHz)	Modulation	RB Size	RB start	Position	Distance (mm)	CH	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Scaling	Averaged SAR over 1g (W/kg)		Plot page
												Measured	Reported	
LTE Band 7	20MHz	QPSK	1 RB	0	Top side	0	20850	2510	16.5	16.31	104.47%	0.418	0.437	-
					Top side	0	21100	2535	16.5	16.29	104.95%	0.419	0.440	-
					Top side	0	21350	2560	16.5	16.13	108.89%	0.447	0.487	254
			50 RB	50	Top side	0	20850	2510	16.5	16.02	111.69%	0.365	0.408	-
					Top side	0	20850	2510	16.5	16.08	110.15%	0.378	0.416	-

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

LTE FDD Band 12 (Full power)

Mode	Bandwidth (MHz)	Modulation	RB Size	RB start	Position	Distance (mm)	CH	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Scaling	Averaged SAR over 1g (W/kg)		Plot page
												Measured	Reported	
LTE Band 12	10MHz	QPSK	1 RB	0	Back side	0	23095	707.5	24.0	23.07	123.88%	0.265	0.328	-
					Top side	12	23095	707.5	24.0	23.07	123.88%	0.272	0.337	-
					Bottom side	0	23095	707.5	24.0	23.07	123.88%	0.038	0.046	-
					Right side	0	23095	707.5	24.0	23.07	123.88%	0.103	0.128	-
					Left side	0	23095	707.5	24.0	23.07	123.88%	0.044	0.055	-
			25 RB	25	Back side	0	23095	707.5	23.0	22.07	123.88%	0.179	0.222	-
					Top side	12	23095	707.5	23.0	22.07	123.88%	0.183	0.227	-
					Bottom side	0	23095	707.5	23.0	22.07	123.88%	0.031	0.038	-
					Right side	0	23095	707.5	23.0	22.07	123.88%	0.085	0.106	-
					Left side	0	23095	707.5	23.0	22.07	123.88%	0.035	0.043	-
			50 RB		Back side	0	23095	707.5	23.0	21.94	127.64%	0.176	0.225	-
					Top side	12	23095	707.5	23.0	21.94	127.64%	0.178	0.227	-
					Bottom side	0	23095	707.5	23.0	21.94	127.64%	0.031	0.039	-
					Right side	0	23095	707.5	23.0	21.94	127.64%	0.087	0.110	-
					Left side	0	23095	707.5	23.0	21.94	127.64%	0.034	0.044	-

LTE FDD Band 12 (Reduced power)

Mode	Bandwidth (MHz)	Modulation	RB Size	RB start	Position	Distance (mm)	CH	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Scaling	Averaged SAR over 1g (W/kg)		Plot page
												Measured	Reported	
LTE Band 12	10MHz	QPSK	1 RB	0	Top side	0	23060	704	22.5	21.72	119.67%	0.755	0.904	-
					Top side	0	23095	707.5	22.5	21.89	115.08%	0.800	0.921	255
					Top side*	0	23095	707.5	22.5	21.89	115.08%	0.782	0.900	-
					Top side	0	23130	711	22.5	21.79	117.76%	0.761	0.896	-
			25 RB	25	Top side	0	23060	704	22.5	21.33	130.92%	0.732	0.958	-
					Top side	0	23095	707.5	22.5	21.34	130.62%	0.736	0.961	-
					Top side	0	23130	711	22.5	21.29	132.13%	0.728	0.962	-
			50 RB		Top side	0	23060	704	22.5	21.21	134.59%	0.722	0.972	-
					Top side	0	23095	707.5	22.5	21.23	133.97%	0.724	0.970	-
					Top side	0	23130	711	22.5	21.14	136.77%	0.719	0.983	-

* - repeated at the highest SAR measurement according to the KDB 865664 D01

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

LTE FDD Band 13 (Full power)

Mode	Bandwidth (MHz)	Modulation	RB Size	RB start	Position	Distance (mm)	CH	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Scaling	Averaged SAR over 1g (W/kg)		Plot page
												Measured	Reported	
LTE Band 13	10MHz	QPSK	1 RB	25	Back side	0	23230	782	24.5	23.54	124.74%	0.502	0.626	-
					Top side	12	23230	782	24.5	23.54	124.74%	0.512	0.639	-
					Bottom side	0	23230	782	24.5	23.54	124.74%	0.042	0.052	-
					Right side	0	23230	782	24.5	23.54	124.74%	0.117	0.146	-
					Left side	0	23230	782	24.5	23.54	124.74%	0.054	0.068	-
			25 RB	25	Back side	0	23230	782	23.5	22.54	124.74%	0.444	0.554	-
					Top side	12	23230	782	23.5	22.54	124.74%	0.450	0.561	-
					Bottom side	0	23230	782	23.5	22.54	124.74%	0.029	0.036	-
					Right side	0	23230	782	23.5	22.54	124.74%	0.105	0.131	-
					Left side	0	23230	782	23.5	22.54	124.74%	0.043	0.054	-
			50 RB		Back side	0	23230	782	23.5	22.69	120.50%	0.437	0.527	-
					Top side	12	23230	782	23.5	22.69	120.50%	0.443	0.534	-
					Bottom side	0	23230	782	23.5	22.69	120.50%	0.028	0.033	-
					Right side	0	23230	782	23.5	22.69	120.50%	0.102	0.123	-
					Left side	0	23230	782	23.5	22.69	120.50%	0.040	0.048	-

LTE FDD Band 13 (Reduced power)

Mode	Bandwidth (MHz)	Modulation	RB Size	RB start	Position	Distance (mm)	CH	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Scaling	Averaged SAR over 1g (W/kg)		Plot page
												Measured	Reported	
LTE Band 13	10MHz	QPSK	1 RB	0	Top side	0	23230	782	22.0	21.92	101.86%	1.060	1.080	-
					Top side	0	23230	782	22.0	21.85	103.51%	1.100	1.139	256
					Top side*	0	23230	782	22.0	21.85	103.51%	1.080	1.118	-
					Top side	0	23230	782	22.0	21.87	103.04%	1.080	1.113	-
					Top side	0	23230	782	22.0	21.82	104.23%	1.020	1.063	-
			25 RB	12	Top side	0	23230	782	22.0	21.75	105.93%	0.996	1.055	-
					Top side	0	23230	782	22.0	21.78	105.20%	0.998	1.050	-
					Top side	0	23230	782	22.0	21.81	104.47%	1.010	1.055	-
					Top side	0	23230	782	22.0	21.81	104.47%	1.010	1.055	-
					Top side	0	23230	782	22.0	21.81	104.47%	1.010	1.055	-

* - repeated at the highest SAR measurement according to the KDB 865664 D01

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

LTE FDD Band 26 (Full power)

Mode	Bandwidth (MHz)	Modulation	RB Size	RB start	Position	Distance (mm)	CH	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Scaling	Averaged SAR over 1g (W/kg)		Plot page
												Measured	Reported	
LTE Band 26	15MHz	QPSK	1 RB	0	Back side	0	26965	841.5	24.0	23.14	121.90%	0.412	0.502	-
					Top side	12	26965	841.5	24.0	23.14	121.90%	0.450	0.549	-
					Bottom side	0	26965	841.5	24.0	23.14	121.90%	0.047	0.057	-
					Right side	0	26965	841.5	24.0	23.14	121.90%	0.154	0.188	-
					Left side	0	26965	841.5	24.0	23.14	121.90%	0.071	0.087	-
			36 RB	37	Back side	0	26965	841.5	23.0	22.23	119.40%	0.329	0.393	-
					Top side	12	26965	841.5	23.0	22.23	119.40%	0.337	0.402	-
					Bottom side	0	26965	841.5	23.0	22.23	119.40%	0.034	0.041	-
					Right side	0	26965	841.5	23.0	22.23	119.40%	0.138	0.165	-
					Left side	0	26965	841.5	23.0	22.23	119.40%	0.052	0.062	-
			75 RB		Back side	0	26965	841.5	23.0	22.39	115.08%	0.319	0.367	-
					Top side	12	26965	841.5	23.0	22.39	115.08%	0.322	0.371	-
					Bottom side	0	26965	841.5	23.0	22.39	115.08%	0.033	0.038	-
					Right side	0	26965	841.5	23.0	22.39	115.08%	0.127	0.146	-
					Left side	0	26965	841.5	23.0	22.39	115.08%	0.050	0.058	-

LTE FDD Band 26 (Reduced power)

Mode	Bandwidth (MHz)	Modulation	RB Size	RB start	Position	Distance (mm)	CH	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Scaling	Averaged SAR over 1g (W/kg)		Plot page
												Measured	Reported	
LTE Band 26	15MHz	QPSK	1 RB	0	Top side	0	26765	821.5	22.0	21.46	113.24%	0.930	1.053	-
					Top side	0	26865	831.5	22.0	21.52	111.69%	0.975	1.089	-
					Top side	0	26965	841.5	22.0	21.75	105.93%	1.120	1.186	257
					Top side*	0	26965	841.5	22.0	21.75	105.93%	1.100	1.165	-
			36 RB	37	Top side	0	26765	821.5	22.0	21.29	117.76%	0.908	1.069	-
					Top side	0	26865	831.5	22.0	21.35	116.14%	0.916	1.064	-
					Top side	0	26965	841.5	22.0	21.45	113.50%	0.921	1.045	-
					Top side	0	26765	821.5	22.0	21.42	114.29%	0.922	1.054	-
					Top side	0	26865	831.5	22.0	21.43	114.02%	0.923	1.052	-
			75 RB		Top side	0	26965	841.5	22.0	21.59	109.90%	0.937	1.030	-

* - repeated at the highest SAR measurement according to the KDB 865664 D01

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

LTE FDD Band 30 (Full power)

Mode	Bandwidth (MHz)	Modulation	RB Size	RB start	Position	Distance (mm)	CH	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Scaling	Averaged SAR over 1g (W/kg)		Plot page
												Measured	Reported	
LTE Band 30	10MHz	QPSK	1 RB	0	Back side	0	27710	2310	23.0	22.78	105.20%	0.211	0.222	-
					Top side	12	27710	2310	23.0	22.78	105.20%	0.223	0.235	-
					Bottom side	0	27710	2310	23.0	22.78	105.20%	0.009	0.009	-
					Right side	0	27710	2310	23.0	22.78	105.20%	0.110	0.116	-
					Left side	0	27710	2310	23.0	22.78	105.20%	0.005	0.005	-
			25 RB	0	Back side	0	27710	2310	22.0	21.67	107.89%	0.169	0.182	-
					Top side	12	27710	2310	22.0	21.67	107.89%	0.162	0.175	-
					Bottom side	0	27710	2310	22.0	21.67	107.89%	0.005	0.006	-
					Right side	0	27710	2310	22.0	21.67	107.89%	0.096	0.104	-
					Left side	0	27710	2310	22.0	21.67	107.89%	0.003	0.003	-
			50 RB		Back side	0	27710	2310	22.0	21.59	109.90%	0.164	0.180	-
					Top side	12	27710	2310	22.0	21.59	109.90%	0.158	0.174	-
					Bottom side	0	27710	2310	22.0	21.59	109.90%	0.004	0.005	-
					Right side	0	27710	2310	22.0	21.59	109.90%	0.095	0.105	-
					Left side	0	27710	2310	22.0	21.59	109.90%	0.002	0.003	-

LTE FDD Band 30 (Reduced power)

Mode	Bandwidth (MHz)	Modulation	RB Size	RB start	Position	Distance (mm)	CH	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Scaling	Averaged SAR over 1g (W/kg)		Plot page
												Measured	Reported	
LTE Band 30	10MHz	QPSK	1 RB	0	Top side	0	27710	2310	19.0	18.59	109.90%	0.500	0.550	-
					Top side	25	27710	2310	19.0	18.67	107.89%	0.493	0.532	-
					Top side	49	27710	2310	19.0	18.86	103.28%	0.548	0.566	258
			25 RB	0	Top side	0	27710	2310	19.0	18.57	110.41%	0.496	0.548	-
					Top side	0	27710	2310	19.0	18.39	115.08%	0.487	0.560	-

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

LTE TDD Band 38 (Full power)

Mode	Bandwidth (MHz)	Modulation	RB Size	RB start	Position	Distance (mm)	CH	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Scaling	Averaged SAR over 1g (W/kg)		Plot page
												Measured	Reported	
LTE Band 38	20MHz	QPSK	1 RB	0	Back side	0	38150	2610	24.0	22.95	127.35%	0.492	0.627	-
					Top side	12	38150	2610	24.0	22.95	127.35%	0.501	0.638	-
					Bottom side	0	38150	2610	24.0	22.95	127.35%	0.005	0.006	-
					Right side	0	38150	2610	24.0	22.95	127.35%	0.221	0.281	-
					Left side	0	38150	2610	24.0	22.95	127.35%	0.007	0.008	-
			50 RB	50	Back side	0	38150	2610	23.0	21.76	133.05%	0.398	0.530	-
					Top side	12	38150	2610	23.0	21.76	133.05%	0.412	0.548	-
					Bottom side	0	38150	2610	23.0	21.76	133.05%	0.002	0.003	-
					Right side	0	38150	2610	23.0	21.76	133.05%	0.179	0.238	-
					Left side	0	38150	2610	23.0	21.76	133.05%	0.005	0.007	-
			100 RB		Back side	0	38150	2610	23.0	21.71	134.59%	0.401	0.540	-
					Top side	12	38150	2610	23.0	21.71	134.59%	0.404	0.544	-
					Bottom side	0	38150	2610	23.0	21.71	134.59%	0.002	0.002	-
					Right side	0	38150	2610	23.0	21.71	134.59%	0.185	0.249	-
					Left side	0	38150	2610	23.0	21.71	134.59%	0.005	0.006	-

LTE TDD Band 38 (Reduced power)

Mode	Bandwidth (MHz)	Modulation	RB Size	RB start	Position	Distance (mm)	CH	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Scaling	Averaged SAR over 1g (W/kg)		Plot page
												Measured	Reported	
LTE Band 38	20MHz	QPSK	1 RB	0	Top side	0	37850	2580	19.0	18.96	100.93%	0.406	0.410	-
					Top side	0	38000	2595	19.0	18.99	100.23%	0.440	0.441	-
					Top side	0	38150	2610	19.0	19.00	100.00%	0.685	0.685	259
			50 RB	50	Top side	0	38150	2610	19.0	18.87	103.04%	0.437	0.450	-
					Top side	0	38150	2610	19.0	18.75	105.93%	0.421	0.446	-

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

LTE TDD Band 41 (Full power)

Mode	Bandwidth (MHz)	Modulation	RB Size	RB start	Position	Distance (mm)	CH	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Scaling	Averaged SAR over 1g (W/kg)		Plot page
												Measured	Reported	
LTE Band 41	20MHz	QPSK	1 RB	0	Back side	0	41055	2636.5	24.0	22.78	132.43%	0.591	0.783	-
					Top side	12	39750	2506	24.0	22.61	137.72%	0.596	0.821	-
					Top side	12	40185	2549.5	24.0	22.55	139.64%	0.587	0.820	-
					Top side	12	40620	2593	24.0	22.69	135.21%	0.603	0.815	-
					Top side	12	41055	2636.5	24.0	22.78	132.43%	0.629	0.833	261
					Top side	12	41490	2680	24.0	22.73	133.97%	0.618	0.828	-
					Bottom side	0	41055	2636.5	24.0	22.78	132.43%	0.005	0.007	-
			50 RB	50	Right side	0	41055	2636.5	24.0	22.78	132.43%	0.235	0.311	-
					Left side	0	41055	2636.5	24.0	22.78	132.43%	0.004	0.006	-
					Back side	0	41055	2636.5	23.0	21.62	137.40%	0.511	0.702	-
					Top side	12	41055	2636.5	23.0	21.62	137.40%	0.524	0.720	-
			100 RB	100	Bottom side	0	41055	2636.5	23.0	21.62	137.40%	0.002	0.003	-
					Right side	0	41055	2636.5	23.0	21.62	137.40%	0.195	0.268	-
					Left side	0	41055	2636.5	23.0	21.62	137.40%	0.003	0.004	-
					Back side	0	41055	2636.5	23.0	21.59	138.36%	0.508	0.703	-
					Top side	12	41055	2636.5	23.0	21.59	138.36%	0.516	0.714	-
					Bottom side	0	41055	2636.5	23.0	21.59	138.36%	0.001	0.002	-
					Right side	0	41055	2636.5	23.0	21.59	138.36%	0.189	0.261	-
					Left side	0	41055	2636.5	23.0	21.59	138.36%	0.002	0.003	-

LTE TDD Band 41 (Reduced power)

Mode	Bandwidth (MHz)	Modulation	RB Size	RB start	Position	Distance (mm)	CH	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Scaling	Averaged SAR over 1g (W/kg)		Plot page
												Measured	Reported	
LTE Band 41	20MHz	QPSK	1 RB	0	Top side	0	41490	2680	18.0	18.00	100.00%	0.459	0.459	-
					Top side	0	41490	2680	18.0	17.61	109.40%	0.227	0.248	-
			100 RB	Top side	0	41490	2680	18.0	17.56	110.66%	0.232	0.257	-	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路134號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

LTE FDD Band 66 (Full power)

Mode	Bandwidth (MHz)	Modulation	RB Size	RB start	Position	Distance (mm)	CH	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Scaling	Averaged SAR over 1g (W/kg)		Plot page
												Measured	Reported	
LTE Band 66	20MHz	QPSK	1 RB	0	Back side	0	132572	1770	24.0	23.69	107.40%	0.472	0.507	-
					Top side	12	132572	1770	24.0	23.69	107.40%	0.509	0.547	-
					Bottom side	0	132572	1770	24.0	23.69	107.40%	0.013	0.014	-
					Right side	0	132572	1770	24.0	23.69	107.40%	0.137	0.147	-
					Left side	0	132572	1770	24.0	23.69	107.40%	0.011	0.012	-
			50 RB	0	Back side	0	132572	1770	23.0	22.59	109.90%	0.334	0.367	-
					Top side	12	132572	1770	23.0	22.59	109.90%	0.406	0.446	-
					Bottom side	0	132572	1770	23.0	22.59	109.90%	0.010	0.011	-
					Right side	0	132572	1770	23.0	22.59	109.90%	0.122	0.134	-
					Left side	0	132572	1770	23.0	22.59	109.90%	0.009	0.010	-
			100 RB		Back side	0	132572	1770	23.0	22.74	106.17%	0.416	0.442	-
					Top side	12	132572	1770	23.0	22.74	106.17%	0.418	0.444	-
					Bottom side	0	132572	1770	23.0	22.74	106.17%	0.009	0.010	-
					Right side	0	132572	1770	23.0	22.74	106.17%	0.114	0.121	-
					Left side	0	132572	1770	23.0	22.74	106.17%	0.008	0.008	-

LTE FDD Band 66 (Reduced power)

Mode	Bandwidth (MHz)	Modulation	RB Size	RB start	Position	Distance (mm)	CH	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Scaling	Averaged SAR over 1g (W/kg)		Plot page
												Measured	Reported	
LTE Band 66	20MHz	QPSK	1 RB	0	Top side	0	132072	1720	20.0	19.60	109.65%	0.692	0.759	-
					Top side	0	132322	1745	20.0	19.71	106.91%	0.690	0.738	-
					Top side	0	132572	1770	20.0	20.00	100.00%	0.763	0.763	262
			50 RB	0	Top side	0	132572	1770	20.0	19.69	107.40%	0.682	0.732	-
					Top side	0	132572	1770	20.0	19.80	104.71%	0.706	0.739	-

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

WNC**WCDMA Band II (Full power)**

Mode	Position	Distance (mm)	CH	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Scaling	Averaged SAR over 1g (W/kg)		Plot page
								Measured	Reported	
WCDMA Band II	Back side	0	9538	1907.6	24.5	23.76	118.58%	0.337	0.400	-
	Top side	12	9538	1907.6	24.5	23.76	118.58%	0.316	0.375	-
	Bottom side	0	9538	1907.6	24.5	23.76	118.58%	0.023	0.028	-
	Right side	0	9538	1907.6	24.5	23.76	118.58%	0.125	0.148	-
	Left side	0	9538	1907.6	24.5	23.76	118.58%	0.021	0.025	-

WCDMA Band II (Reduced power)

Mode	Position	Distance (mm)	CH	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Scaling	Averaged SAR over 1g (W/kg)		Plot page
								Measured	Reported	
WCDMA Band II	Top side	0	9262	1852.4	21.0	20.97	100.69%	0.633	0.637	-
	Top side	0	9400	1880	21.0	20.99	100.23%	0.596	0.597	-
	Top side	0	9538	1907.6	21.0	21.00	100.00%	0.651	0.651	263

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

WCDMA Band IV (Full power)

Mode	Position	Distance (mm)	CH	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Scaling	Averaged SAR over 1g (W/kg)		Plot page
								Measured	Reported	
WCDMA Band IV	Back side	0	1513	1752.6	24.5	23.54	124.74%	0.515	0.642	-
	Top side	12	1513	1752.6	24.5	23.54	124.74%	0.460	0.574	-
	Bottom side	0	1513	1752.6	24.5	23.54	124.74%	0.021	0.026	-
	Right side	0	1513	1752.6	24.5	23.54	124.74%	0.132	0.165	-
	Left side	0	1513	1752.6	24.5	23.54	124.74%	0.019	0.024	-

WCDMA Band IV (Reduced power)

Mode	Position	Distance (mm)	CH	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Scaling	Averaged SAR over 1g (W/kg)		Plot page
								Measured	Reported	
WCDMA Band IV	Top side	0	1312	1712.4	20.0	19.99	100.23%	0.942	0.944	264
	Top side*	0	1312	1712.4	20.0	19.99	100.23%	0.939	0.941	
	Top side	0	1412	1732.4	20.0	19.92	101.86%	0.924	0.941	
	Top side	0	1513	1752.6	20.0	19.96	100.93%	0.932	0.941	

* - repeated at the highest SAR measurement according to the KDB 865664 D01

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

WCDMA Band V (Full power)

Mode	Position	Distance (mm)	CH	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Scaling	Averaged SAR over 1g (W/kg)		Plot page
								Measured	Reported	
WCDMA Band V	Back side	0	4183	836.6	24.5	23.96	113.24%	0.564	0.639	-
	Top side	12	4183	836.6	24.5	23.96	113.24%	0.525	0.595	-
	Bottom side	0	4183	836.6	24.5	23.96	113.24%	0.046	0.053	-
	Right side	0	4183	836.6	24.5	23.96	113.24%	0.116	0.131	-
	Left side	0	4183	836.6	24.5	23.96	113.24%	0.032	0.036	-

WCDMA Band V (Reduced power)

Mode	Position	Distance (mm)	CH	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Scaling	Averaged SAR over 1g (W/kg)		Plot page
								Measured	Reported	
WCDMA Band V	Top side	0	4132	826.4	21.0	20.96	100.93%	0.936	0.945	-
	Top side	0	4183	836.6	21.0	21.00	100.00%	0.948	0.948	265
	Top side*	0	4183	836.6	21.0	21.00	100.00%	0.942	0.942	-
	Top side	0	4233	846.6	21.0	20.97	100.69%	0.938	0.945	-

* - repeated at the highest SAR measurement according to the KDB 865664 D01

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

LTE FDD Band 2 (Full power)

Mode	Bandwidth (MHz)	Modulation	RB Size	RB start	Position	Distance (mm)	CH	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Scaling	Averaged SAR over 1g (W/kg)		Plot page
												Measured	Reported	
LTE Band 2	20MHz	QPSK	1 RB	0	Back side	0	18900	1880	24.0	23.78	105.20%	0.348	0.366	-
					Top side	12	18900	1880	24.0	23.78	105.20%	0.342	0.360	-
					Bottom side	0	18900	1880	24.0	23.78	105.20%	0.021	0.022	-
					Right side	0	18900	1880	24.0	23.78	105.20%	0.132	0.139	-
					Left side	0	18900	1880	24.0	23.78	105.20%	0.024	0.026	-
			50 RB	0	Back side	0	18900	1880	23.0	22.77	105.44%	0.295	0.311	-
					Top side	12	18900	1880	23.0	22.77	105.44%	0.266	0.280	-
					Bottom side	0	18900	1880	23.0	22.77	105.44%	0.015	0.015	-
					Right side	0	18900	1880	23.0	22.77	105.44%	0.124	0.131	-
					Left side	0	18900	1880	23.0	22.77	105.44%	0.017	0.018	-
			100 RB		Back side	0	18900	1880	23.0	22.82	104.23%	0.302	0.315	-
					Top side	12	18900	1880	23.0	22.82	104.23%	0.270	0.281	-
					Bottom side	0	18900	1880	23.0	22.82	104.23%	0.014	0.015	-
					Right side	0	18900	1880	23.0	22.82	104.23%	0.122	0.127	-
					Left side	0	18900	1880	23.0	22.82	104.23%	0.016	0.017	-

LTE FDD Band 2 (Reduced power)

Mode	Bandwidth (MHz)	Modulation	RB Size	RB start	Position	Distance (mm)	CH	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Scaling	Averaged SAR over 1g (W/kg)		Plot page
												Measured	Reported	
LTE Band 2	20MHz	QPSK	1 RB	0	Top side	0	18700	1860	20.5	20.49	100.23%	0.751	0.753	266
					Top side	0	18900	1880	20.5	20.50	100.00%	0.662	0.662	-
					Top side	0	19100	1900	20.5	20.48	100.46%	0.586	0.589	-
			50 RB	0	Top side	0	18900	1880	20.5	20.28	105.20%	0.579	0.609	-
					Top side	0	18900	1880	20.5	20.33	103.99%	0.561	0.583	-

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

LTE FDD Band 5 (Full power)

Mode	Bandwidth (MHz)	Modulation	RB Size	RB start	Position	Distance (mm)	CH	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Scaling	Averaged SAR over 1g (W/kg)		Plot page
												Measured	Reported	
LTE Band 5	10MHz	QPSK	1 RB	0	Back side	0	20525	836.5	24.0	23.60	109.65%	0.536	0.588	-
					Top side	12	20525	836.5	24.0	23.60	109.65%	0.475	0.521	-
					Bottom side	0	20525	836.5	24.0	23.60	109.65%	0.047	0.052	-
					Right side	0	20525	836.5	24.0	23.60	109.65%	0.112	0.123	-
					Left side	0	20525	836.5	24.0	23.60	109.65%	0.033	0.036	-
			25 RB	25	Back side	0	20525	836.5	23.0	22.65	108.39%	0.342	0.371	-
					Top side	12	20525	836.5	23.0	22.65	108.39%	0.033	0.035	-
					Bottom side	0	20525	836.5	23.0	22.65	108.39%	0.105	0.114	-
					Right side	0	20525	836.5	23.0	22.65	108.39%	0.026	0.028	-
					Left side	0	20525	836.5	23.0	22.65	108.39%	0.026	0.028	-
			50 RB		Back side	0	20525	836.5	23.0	22.55	110.92%	0.447	0.496	-
					Top side	12	20525	836.5	23.0	22.55	110.92%	0.322	0.357	-
					Bottom side	0	20525	836.5	23.0	22.55	110.92%	0.032	0.036	-
					Right side	0	20525	836.5	23.0	22.55	110.92%	0.104	0.115	-
					Left side	0	20525	836.5	23.0	22.55	110.92%	0.026	0.028	-

LTE FDD Band 5 (Reduced power)

Mode	Bandwidth (MHz)	Modulation	RB Size	RB start	Position	Distance (mm)	CH	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Scaling	Averaged SAR over 1g (W/kg)		Plot page
												Measured	Reported	
LTE Band 5	10MHz	QPSK	1 RB	0	Top side	0	20450	829	21.0	20.80	104.71%	0.994	1.041	-
					Top side	0	20525	836.5	21.0	20.84	103.75%	0.787	0.817	-
					Top side	0	20600	844	21.0	20.78	105.20%	1.110	1.168	267
					Top side*	0	20600	844	21.0	20.78	105.20%	1.050	1.105	-
			25 RB	12	Top side	0	20450	829	21.0	20.42	114.29%	0.816	0.933	-
					Top side	0	20525	836.5	21.0	20.59	109.90%	0.842	0.925	-
					Top side	0	20600	844	21.0	20.57	110.41%	0.837	0.924	-
					Top side	0	20450	829	21.0	20.41	114.55%	0.802	0.919	-
					Top side	0	20525	836.5	21.0	20.68	107.65%	0.826	0.889	-
			50 RB		Top side	0	20600	844	21.0	20.62	109.14%	0.821	0.896	-

* - repeated at the highest SAR measurement according to the KDB 865664 D01

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

LTE FDD Band 7 (Full power)

Mode	Bandwidth (MHz)	Modulation	RB Size	RB start	Position	Distance (mm)	CH	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Scaling	Averaged SAR over 1g (W/kg)		Plot page
												Measured	Reported	
LTE Band 7	20MHz	QPSK	1 RB	0	Back side	0	20850	2510	24.0	23.21	119.95%	0.154	0.185	-
					Top side	12	20850	2510	24.0	23.21	119.95%	0.147	0.176	-
					Bottom side	0	20850	2510	24.0	23.21	119.95%	0.009	0.010	-
					Right side	0	20850	2510	24.0	23.21	119.95%	0.042	0.050	-
					Left side	0	20850	2510	24.0	23.21	119.95%	0.006	0.007	-
			50 RB	0	Back side	0	20850	2510	23.0	21.79	132.13%	0.133	0.176	-
					Top side	12	20850	2510	23.0	21.79	132.13%	0.128	0.169	-
					Bottom side	0	20850	2510	23.0	21.79	132.13%	0.003	0.005	-
					Right side	0	20850	2510	23.0	21.79	132.13%	0.030	0.039	-
					Left side	0	20850	2510	23.0	21.79	132.13%	0.003	0.004	-
			100 RB		Back side	0	20850	2510	23.0	21.80	131.83%	0.137	0.181	-
					Top side	12	20850	2510	23.0	21.80	131.83%	0.130	0.171	-
					Bottom side	0	20850	2510	23.0	21.80	131.83%	0.004	0.006	-
					Right side	0	20850	2510	23.0	21.80	131.83%	0.028	0.036	-
					Left side	0	20850	2510	23.0	21.80	131.83%	0.002	0.003	-

LTE FDD Band 7 (Reduced power)

Mode	Bandwidth (MHz)	Modulation	RB Size	RB start	Position	Distance (mm)	CH	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Scaling	Averaged SAR over 1g (W/kg)		Plot page
												Measured	Reported	
LTE Band 7	20MHz	QPSK	1 RB	0	Top side	0	20850	2510	16.5	16.31	104.47%	0.496	0.518	-
					Top side	0	21100	2535	16.5	16.29	104.95%	0.652	0.684	-
					Top side	0	21350	2560	16.5	16.13	108.89%	0.824	0.897	268
			50 RB	50	Top side*	0	21350	2560	16.5	16.13	108.89%	0.816	0.889	-
					Top side	0	20850	2510	16.5	16.02	111.69%	0.481	0.537	-
			100 RB		Top side	0	20850	2510	16.5	16.08	110.15%	0.504	0.555	-

* - repeated at the highest SAR measurement according to the KDB 865664 D01

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

LTE FDD Band 12 (Full power)

Mode	Bandwidth (MHz)	Modulation	RB Size	RB start	Position	Distance (mm)	CH	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Scaling	Averaged SAR over 1g (W/kg)		Plot page
												Measured	Reported	
LTE Band 12	10MHz	QPSK	1 RB	0	Back side	0	23095	707.5	24.0	23.07	123.88%	0.324	0.401	-
					Top side	12	23095	707.5	24.0	23.07	123.88%	0.302	0.374	-
					Bottom side	0	23095	707.5	24.0	23.07	123.88%	0.051	0.064	-
					Right side	0	23095	707.5	24.0	23.07	123.88%	0.075	0.093	-
					Left side	0	23095	707.5	24.0	23.07	123.88%	0.043	0.053	-
			25 RB	25	Back side	0	23095	707.5	23.0	22.07	123.88%	0.227	0.281	-
					Top side	12	23095	707.5	23.0	22.07	123.88%	0.202	0.250	-
					Bottom side	0	23095	707.5	23.0	22.07	123.88%	0.041	0.051	-
					Right side	0	23095	707.5	23.0	22.07	123.88%	0.064	0.080	-
					Left side	0	23095	707.5	23.0	22.07	123.88%	0.032	0.040	-
			50 RB		Back side	0	23095	707.5	23.0	21.94	127.64%	0.225	0.287	-
					Top side	12	23095	707.5	23.0	21.94	127.64%	0.198	0.253	-
					Bottom side	0	23095	707.5	23.0	21.94	127.64%	0.040	0.051	-
					Right side	0	23095	707.5	23.0	21.94	127.64%	0.063	0.081	-
					Left side	0	23095	707.5	23.0	21.94	127.64%	0.029	0.036	-

LTE FDD Band 12 (Reduced power)

Mode	Bandwidth (MHz)	Modulation	RB Size	RB start	Position	Distance (mm)	CH	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Scaling	Averaged SAR over 1g (W/kg)		Plot page
												Measured	Reported	
LTE Band 12	10MHz	QPSK	1 RB	0	Top side	0	23060	704	22.5	21.72	119.67%	0.787	0.942	270
					Top side	0	23095	707.5	22.5	21.89	115.08%	0.769	0.885	-
					Top side	0	23130	711	22.5	21.79	117.76%	0.766	0.902	-
			25 RB	25	Top side	0	23060	704	22.5	21.33	130.92%	0.705	0.923	-
					Top side	0	23095	707.5	22.5	21.34	130.62%	0.711	0.929	-
					Top side	0	23130	711	22.5	21.29	132.13%	0.698	0.922	-
			50 RB		Top side	0	23060	704	22.5	21.21	134.59%	0.686	0.923	-
					Top side	0	23095	707.5	22.5	21.23	133.97%	0.692	0.927	-
					Top side	0	23130	711	22.5	21.14	136.77%	0.673	0.920	-

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

LTE FDD Band 13 (Full power)

Mode	Bandwidth (MHz)	Modulation	RB Size	RB start	Position	Distance (mm)	CH	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Scaling	Averaged SAR over 1g (W/kg)		Plot page
												Measured	Reported	
LTE Band 13	10MHz	QPSK	1 RB	25	Back side	0	23230	782	24.5	23.54	124.74%	0.551	0.687	-
					Top side	12	23230	782	24.5	23.54	124.74%	0.527	0.657	-
					Bottom side	0	23230	782	24.5	23.54	124.74%	0.045	0.056	-
					Right side	0	23230	782	24.5	23.54	124.74%	0.087	0.108	-
					Left side	0	23230	782	24.5	23.54	124.74%	0.060	0.075	-
			25 RB	25	Back side	0	23230	782	23.5	22.54	124.74%	0.414	0.516	-
					Top side	12	23230	782	23.5	22.54	124.74%	0.367	0.458	-
					Bottom side	0	23230	782	23.5	22.54	124.74%	0.038	0.047	-
					Right side	0	23230	782	23.5	22.54	124.74%	0.067	0.084	-
					Left side	0	23230	782	23.5	22.54	124.74%	0.052	0.065	-
			50 RB		Back side	0	23230	782	23.5	22.69	120.50%	0.417	0.502	-
					Top side	12	23230	782	23.5	22.69	120.50%	0.364	0.439	-
					Bottom side	0	23230	782	23.5	22.69	120.50%	0.037	0.044	-
					Right side	0	23230	782	23.5	22.69	120.50%	0.063	0.076	-
					Left side	0	23230	782	23.5	22.69	120.50%	0.048	0.057	-

LTE FDD Band 13 (Reduced power)

Mode	Bandwidth (MHz)	Modulation	RB Size	RB start	Position	Distance (mm)	CH	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Scaling	Averaged SAR over 1g (W/kg)		Plot page
												Measured	Reported	
LTE Band 13	10MHz	QPSK	1 RB	0	Top side	0	23230	782	22.0	21.92	101.86%	1.050	1.070	-
					Top side	0	23230	782	22.0	21.85	103.51%	1.070	1.108	271
					Top side*	0	23230	782	22.0	21.85	103.51%	1.050	1.087	-
					Top side	0	23230	782	22.0	21.87	103.04%	1.050	1.082	-
					Top side	0	23230	782	22.0	21.82	104.23%	1.050	1.094	-
			25 RB	12	Top side	0	23230	782	22.0	21.75	105.93%	0.998	1.057	-
					Top side	0	23230	782	22.0	21.78	105.20%	0.993	1.045	-
					Top side	0	23230	782	22.0	21.81	104.47%	1.010	1.055	-
					Top side	0	23230	782	22.0	21.78	105.20%	0.993	1.045	-
					Top side	0	23230	782	22.0	21.81	104.47%	1.010	1.055	-

* - repeated at the highest SAR measurement according to the KDB 865664 D01

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

LTE FDD Band 26 (Full power)

Mode	Bandwidth (MHz)	Modulation	RB Size	RB start	Position	Distance (mm)	CH	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Scaling	Averaged SAR over 1g (W/kg)		Plot page
												Measured	Reported	
LTE Band 26	15MHz	QPSK	1 RB	0	Back side	0	26965	841.5	24.0	23.14	121.90%	0.474	0.578	-
					Top side	12	26965	841.5	24.0	23.14	121.90%	0.443	0.540	-
					Bottom side	0	26965	841.5	24.0	23.14	121.90%	0.062	0.075	-
					Right side	0	26965	841.5	24.0	23.14	121.90%	0.122	0.149	-
					Left side	0	26965	841.5	24.0	23.14	121.90%	0.066	0.080	-
			36 RB	37	Back side	0	26965	841.5	23.0	22.23	119.40%	0.355	0.424	-
					Top side	12	26965	841.5	23.0	22.23	119.40%	0.310	0.370	-
					Bottom side	0	26965	841.5	23.0	22.23	119.40%	0.046	0.054	-
					Right side	0	26965	841.5	23.0	22.23	119.40%	0.110	0.131	-
					Left side	0	26965	841.5	23.0	22.23	119.40%	0.051	0.061	-
			75 RB		Back side	0	26965	841.5	23.0	22.39	115.08%	0.367	0.422	-
					Top side	12	26965	841.5	23.0	22.39	115.08%	0.298	0.343	-
					Bottom side	0	26965	841.5	23.0	22.39	115.08%	0.042	0.048	-
					Right side	0	26965	841.5	23.0	22.39	115.08%	0.105	0.121	-
					Left side	0	26965	841.5	23.0	22.39	115.08%	0.050	0.057	-

LTE FDD Band 26 (Reduced power)

Mode	Bandwidth (MHz)	Modulation	RB Size	RB start	Position	Distance (mm)	CH	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Scaling	Averaged SAR over 1g (W/kg)		Plot page
												Measured	Reported	
LTE Band 26	15MHz	QPSK	1 RB	0	Top side	0	26765	821.5	22.0	21.46	113.24%	0.983	1.113	-
					Top side	0	26865	831.5	22.0	21.52	111.69%	1.030	1.150	272
					Top side*	0	26865	831.5	22.0	21.52	111.69%	1.010	1.128	-
					Top side	0	26965	841.5	22.0	21.75	105.93%	1.020	1.080	-
			36 RB	37	Top side	0	26765	821.5	22.0	21.29	117.76%	0.969	1.141	-
					Top side	0	26865	831.5	22.0	21.35	116.14%	0.965	1.121	-
					Top side	0	26965	841.5	22.0	21.45	113.50%	0.962	1.092	-
					Top side	0	26765	821.5	22.0	21.42	114.29%	0.972	1.111	-
					Top side	0	26865	831.5	22.0	21.43	114.02%	0.963	1.098	-
			75 RB		Top side	0	26965	841.5	22.0	21.59	109.90%	0.955	1.050	-

* - repeated at the highest SAR measurement according to the KDB 865664 D01

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

LTE FDD Band 30 (Full power)

Mode	Bandwidth (MHz)	Modulation	RB Size	RB start	Position	Distance (mm)	CH	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Scaling	Averaged SAR over 1g (W/kg)		Plot page
												Measured	Reported	
LTE Band 30	10MHz	QPSK	1 RB	0	Back side	0	27710	2310	23.0	22.78	105.20%	0.154	0.162	273
					Top side	12	27710	2310	23.0	22.78	105.20%	0.146	0.154	-
					Bottom side	0	27710	2310	23.0	22.78	105.20%	0.008	0.009	-
					Right side	0	27710	2310	23.0	22.78	105.20%	0.055	0.058	-
					Left side	0	27710	2310	23.0	22.78	105.20%	0.012	0.013	-
			25 RB	0	Back side	0	27710	2310	23.0	22.70	107.15%	0.147	0.158	-
					Back side	0	27710	2310	22.0	21.67	107.89%	0.122	0.132	-
					Top side	12	27710	2310	22.0	21.67	107.89%	0.106	0.114	-
					Bottom side	0	27710	2310	22.0	21.67	107.89%	0.006	0.006	-
					Right side	0	27710	2310	22.0	21.67	107.89%	0.041	0.044	-
			50 RB	0	Left side	0	27710	2310	22.0	21.67	107.89%	0.006	0.006	-
					Back side	0	27710	2310	22.0	21.59	109.90%	0.108	0.119	-
					Top side	12	27710	2310	22.0	21.59	109.90%	0.110	0.121	-
					Bottom side	0	27710	2310	22.0	21.59	109.90%	0.004	0.005	-
					Right side	0	27710	2310	22.0	21.59	109.90%	0.039	0.042	-
					Left side	0	27710	2310	22.0	21.59	109.90%	0.008	0.008	-

LTE FDD Band 30 (Reduced power)

Mode	Bandwidth (MHz)	Modulation	RB Size	RB start	Position	Distance (mm)	CH	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Scaling	Averaged SAR over 1g (W/kg)		Plot page
												Measured	Reported	
LTE Band 30	10MHz	QPSK	1 RB	49	Top side	0	27710	2310	19.0	18.86	103.28%	0.117	0.121	-
			25 RB	0	Top side	0	27710	2310	19.0	18.57	110.41%	0.105	0.116	-
			50 RB	0	Top side	0	27710	2310	19.0	18.39	115.08%	0.092	0.106	-

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路134號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

LTE TDD Band 38 (Full power)

Mode	Bandwidth (MHz)	Modulation	RB Size	RB start	Position	Distance (mm)	CH	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Scaling	Averaged SAR over 1g (W/kg)		Plot page
												Measured	Reported	
LTE Band 38	20MHz	QPSK	1 RB	0	Back side	0	38150	2610	24.0	22.95	127.35%	0.155	0.197	-
					Top side	12	38150	2610	24.0	22.95	127.35%	0.147	0.187	-
					Bottom side	0	38150	2610	24.0	22.95	127.35%	0.006	0.008	-
					Right side	0	38150	2610	24.0	22.95	127.35%	0.050	0.064	-
					Left side	0	38150	2610	24.0	22.95	127.35%	0.008	0.010	-
			50 RB	50	Back side	0	38150	2610	23.0	21.76	133.05%	0.126	0.168	-
					Top side	12	38150	2610	23.0	21.76	133.05%	0.118	0.157	-
					Bottom side	0	38150	2610	23.0	21.76	133.05%	0.004	0.005	-
					Right side	0	38150	2610	23.0	21.76	133.05%	0.037	0.049	-
					Left side	0	38150	2610	23.0	21.76	133.05%	0.006	0.008	-
			100 RB		Back side	0	38150	2610	23.0	21.71	134.59%	0.132	0.178	-
					Top side	12	38150	2610	23.0	21.71	134.59%	0.120	0.162	-
					Bottom side	0	38150	2610	23.0	21.71	134.59%	0.003	0.004	-
					Right side	0	38150	2610	23.0	21.71	134.59%	0.036	0.048	-
					Left side	0	38150	2610	23.0	21.71	134.59%	0.005	0.007	-

LTE TDD Band 38 (Reduced power)

Mode	Bandwidth (MHz)	Modulation	RB Size	RB start	Position	Distance (mm)	CH	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Scaling	Averaged SAR over 1g (W/kg)		Plot page
												Measured	Reported	
LTE Band 38	20MHz	QPSK	1 RB	0	Top side	0	37850	2580	19.0	18.96	100.93%	0.151	0.152	-
					Top side	0	38000	2595	19.0	18.99	100.23%	0.241	0.242	-
					Top side	0	38150	2610	19.0	19.00	100.00%	0.639	0.639	274
			50 RB	50	Top side	0	38150	2610	19.0	18.87	103.04%	0.237	0.244	-
					Top side	0	38150	2610	19.0	18.75	105.93%	0.218	0.231	-

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

LTE TDD Band 41 (Full power)

Mode	Bandwidth (MHz)	Modulation	RB Size	RB start	Position	Distance (mm)	CH	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Scaling	Averaged SAR over 1g (W/kg)		Plot page
												Measured	Reported	
LTE Band 41	20MHz	QPSK	1 RB	0	Back side	0	41055	2636.5	24.0	22.78	132.43%	0.187	0.248	-
					Top side	12	41055	2636.5	24.0	22.78	132.43%	0.165	0.219	-
					Bottom side	0	41055	2636.5	24.0	22.78	132.43%	0.008	0.011	-
					Right side	0	41055	2636.5	24.0	22.78	132.43%	0.032	0.043	-
					Left side	0	41055	2636.5	24.0	22.78	132.43%	0.003	0.004	-
			50 RB	50	Back side	0	41055	2636.5	23.0	21.62	137.40%	0.143	0.196	-
					Top side	12	41055	2636.5	23.0	21.62	137.40%	0.137	0.188	-
					Bottom side	0	41055	2636.5	23.0	21.62	137.40%	0.005	0.006	-
					Right side	0	41055	2636.5	23.0	21.62	137.40%	0.025	0.034	-
					Left side	0	41055	2636.5	23.0	21.62	137.40%	0.002	0.003	-
			100 RB		Back side	0	41055	2636.5	23.0	21.59	138.36%	0.137	0.190	-
					Top side	12	41055	2636.5	23.0	21.59	138.36%	0.132	0.183	-
					Bottom side	0	41055	2636.5	23.0	21.59	138.36%	0.004	0.006	-
					Right side	0	41055	2636.5	23.0	21.59	138.36%	0.023	0.032	-
					Left side	0	41055	2636.5	23.0	21.59	138.36%	0.002	0.003	-

LTE TDD Band 41 (Reduced power)

Mode	Bandwidth (MHz)	Modulation	RB Size	RB start	Position	Distance (mm)	CH	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Scaling	Averaged SAR over 1g (W/kg)		Plot page
												Measured	Reported	
LTE Band 41	20MHz	QPSK	1 RB	0	Top side	0	39750	2506	18.0	17.85	103.51%	0.175	0.181	-
					Top side	0	40185	2549.5	18.0	17.97	100.69%	0.312	0.314	-
					Top side	0	40620	2593	18.0	17.80	104.71%	0.389	0.407	-
					Top side	0	41055	2636.5	18.0	17.97	100.69%	0.732	0.737	276
					Top side	0	41490	2680	18.0	18.00	100.00%	0.690	0.690	-
			50 RB	50	Top side	0	41490	2680	18.0	17.61	109.40%	0.357	0.391	-
					Top side	0	41490	2680	18.0	17.56	110.66%	0.249	0.276	-

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

LTE FDD Band 66 (Full power)

Mode	Bandwidth (MHz)	Modulation	RB Size	RB start	Position	Distance (mm)	CH	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Scaling	Averaged SAR over 1g (W/kg)		Plot page
												Measured	Reported	
LTE Band 66	20MHz	QPSK	1 RB	0	Back side	0	132572	1770	24.0	23.69	107.40%	0.492	0.528	-
					Top side	12	132572	1770	24.0	23.69	107.40%	0.474	0.509	-
					Bottom side	0	132572	1770	24.0	23.69	107.40%	0.022	0.024	-
					Right side	0	132572	1770	24.0	23.69	107.40%	0.142	0.153	-
					Left side	0	132572	1770	24.0	23.69	107.40%	0.017	0.018	-
			50 RB	0	Back side	0	132572	1770	23.0	22.59	109.90%	0.398	0.437	-
					Top side	12	132572	1770	23.0	22.59	109.90%	0.420	0.462	-
					Bottom side	0	132572	1770	23.0	22.59	109.90%	0.017	0.018	-
					Right side	0	132572	1770	23.0	22.59	109.90%	0.125	0.137	-
					Left side	0	132572	1770	23.0	22.59	109.90%	0.013	0.015	-
			100 RB		Back side	0	132572	1770	23.0	22.74	106.17%	0.402	0.427	-
					Top side	12	132572	1770	23.0	22.74	106.17%	0.377	0.400	-
					Bottom side	0	132572	1770	23.0	22.74	106.17%	0.016	0.016	-
					Right side	0	132572	1770	23.0	22.74	106.17%	0.117	0.124	-
					Left side	0	132572	1770	23.0	22.74	106.17%	0.011	0.012	-

LTE FDD Band 66 (Reduced power)

Mode	Bandwidth (MHz)	Modulation	RB Size	RB start	Position	Distance (mm)	CH	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Scaling	Averaged SAR over 1g (W/kg)		Plot page
												Measured	Reported	
LTE Band 66	20MHz	QPSK	1 RB	0	Top side	0	132072	1720	20.0	19.60	109.65%	0.920	1.009	278
					Top side*	0	132072	1720	20.0	19.60	109.65%	0.913	1.001	-
					Top side	0	132322	1745	20.0	19.71	106.91%	0.927	0.991	-
					Top side	0	132572	1770	20.0	20.00	100.00%	0.895	0.895	-
			50 RB	0	Top side	0	132072	1720	20.0	19.66	108.14%	0.868	0.939	-
					Top side	0	132322	1745	20.0	19.64	108.64%	0.910	0.989	-
					Top side	0	132572	1770	20.0	19.69	107.40%	0.922	0.990	-
					Top side	0	132072	1720	20.0	19.70	107.15%	0.871	0.933	-
					Top side	0	132322	1745	20.0	19.76	105.68%	0.894	0.945	-
			100 RB		Top side	0	132572	1770	20.0	19.80	104.71%	0.889	0.931	-

* - repeated at the highest SAR measurement according to the KDB 865664 D01

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

HONG-BO(QCNFA344A)**WLAN Main Antenna**

Antenna	Mode	Position	Distance (mm)	CH	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Duty cycle scaling	Power scaling	Averaged SAR over 1g (W/kg)		Plot page
										Measured	Reported	
Main	WLAN 802.11b	Back side	0	6	2437	18	18.00	1.149	100.00%	0.012	0.013	-
		Top side	0	6	2437	18	18.00	1.149	100.00%	0.464	0.533	-
		Left side	0	1	2412	18	17.98	1.149	100.46%	0.498	0.575	-
		Left side	0	6	2437	18	18.00	1.149	100.00%	0.573	0.658	279
		Left side	0	11	2462	18	17.92	1.149	101.86%	0.533	0.624	-
	WLAN 802.11n(40M) 5.2G	Top side	0	46	5230	11.5	11.45	1.176	101.16%	0.189	0.225	-
		Left side	0	46	5230	11.5	11.45	1.176	101.16%	0.276	0.328	280
	WLAN 802.11ac(80M) 5.3G	Top side	0	58	5290	11.5	11.45	1.149	101.16%	0.195	0.227	-
		Left side	0	58	5290	11.5	11.45	1.149	101.16%	0.343	0.399	281
	WLAN 802.11ac(80M) 5.6G	Top side	0	106	5530	11.5	11.50	1.149	100.00%	0.235	0.270	-
		Left side	0	106	5530	11.5	11.50	1.149	100.00%	0.365	0.419	282
	WLAN 802.11n(40M) 5.8G	Top side	0	151	5755	11.5	11.50	1.176	100.00%	0.311	0.366	-
		Left side	0	151	5755	11.5	11.50	1.176	100.00%	0.410	0.482	284
		Left side	0	159	5795	11.5	11.49	1.176	100.23%	0.389	0.459	-

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

WLAN Aux Antenna

Antenna	Mode	Position	Distance (mm)	CH	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Duty cycle scaling	Power scaling	Averaged SAR over 1g (W/kg)		Plot page
										Measured	Reported	
Aux	WLAN 802.11b	Back side	0	1	2412	18	17.94	1.053	101.39%	0.898	0.958	285
		Back side*	0	1	2412	18	17.94	1.053	101.39%	0.895	0.955	-
		Back side	0	6	2437	18	17.90	1.053	102.33%	0.872	0.939	-
		Back side	0	11	2462	18	18.00	1.053	100.00%	0.859	0.904	-
		Top side	0	11	2462	18	18.00	1.053	100.00%	0.122	0.128	-
		Right side	0	11	2462	18	18.00	1.053	100.00%	0.754	0.794	-
	Bluetooth(GFSK)	Back side	0	78	2480	7	6.94	1.163	101.39%	0.116	0.137	286
		Top side	0	78	2480	7	6.94	1.163	101.39%	0.015	0.018	-
		Right side	0	78	2480	7	6.94	1.163	101.39%	0.102	0.120	-
	WLAN 802.11n(40M) 5.2G	Back side	0	38	5190	11.5	11.48	1.176	100.46%	0.712	0.842	-
		Back side	0	46	5230	11.5	11.50	1.176	100.00%	0.748	0.880	28
		Top side	0	46	5230	11.5	11.50	1.176	100.00%	0.104	0.122	-
		Right side	0	46	5230	11.5	11.50	1.176	100.00%	0.229	0.269	-
	WLAN 802.11ac(80M) 5.3G	Back side	0	58	5290	11.5	11.49	1.075	100.23%	0.731	0.788	288
		Top side	0	58	5290	11.5	11.49	1.075	100.23%	0.112	0.121	-
		Right side	0	58	5290	11.5	11.49	1.075	100.23%	0.271	0.292	-
	WLAN 802.11ac(80M) 5.6G	Back side	0	106	5530	11.5	11.40	1.075	102.33%	0.877	0.965	-
		Back side	0	122	5610	11.5	11.45	1.075	101.16%	0.996	1.083	-
		Back side	0	138	5690	11.5	11.49	1.075	100.23%	1.060	1.142	289
		Back side*	0	138	5690	11.5	11.49	1.075	100.23%	1.050	1.132	-
		Top side	0	138	5690	11.5	11.49	1.075	100.23%	0.132	0.142	-
		Right side	0	138	5690	11.5	11.49	1.075	100.23%	0.308	0.332	-
	WLAN 802.11n(40M) 5.8G	Back side	0	151	5755	11.5	11.44	1.176	101.39%	0.886	1.057	-
		Back side	0	159	5795	11.5	11.49	1.176	100.23%	0.920	1.085	290
		Back side*	0	159	5795	11.5	11.49	1.176	100.23%	0.918	1.082	-
		Top side	0	159	5795	11.5	11.49	1.176	100.23%	0.128	0.151	-
		Right side	0	159	5795	11.5	11.49	1.176	100.23%	0.296	0.349	-

* - repeated at the highest SAR measurement according to the KDB 865664 D01

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路134號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

WNC(QCNFA344A)
WLAN Main Antenna

Antenna	Mode	Position	Distance (mm)	CH	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Duty cycle scaling	Power scaling	Averaged SAR over 1g (W/kg)		Plot page
										Measured	Reported	
Main	WLAN 802.11b	Back side	0	6	2437	18	18.00	1.149	100.00%	0.217	0.249	-
		Top side	0	6	2437	18	18.00	1.149	100.00%	0.506	0.581	-
		Left side	0	1	2412	18	17.98	1.149	100.46%	0.559	0.645	-
		Left side	0	6	2437	18	18.00	1.149	100.00%	0.619	0.711	291
		Left side	0	11	2462	18	17.92	1.149	101.86%	0.589	0.689	-
	WLAN 802.11n(40M) 5.2G	Top side	0	46	5230	11.5	11.45	1.176	101.16%	0.204	0.243	-
		Left side	0	46	5230	11.5	11.45	1.176	101.16%	0.370	0.440	292
	WLAN 802.11ac(80M) 5.3G	Top side	0	58	5290	11.5	11.45	1.149	101.16%	0.197	0.229	-
		Left side	0	58	5290	11.5	11.45	1.149	101.16%	0.365	0.424	293
	WLAN 802.11ac(80M) 5.6G	Top side	0	106	5530	11.5	11.50	1.149	100.00%	0.256	0.294	-
		Left side	0	106	5530	11.5	11.50	1.149	100.00%	0.392	0.450	294
	WLAN 802.11n(40M) 5.8G	Top side	0	151	5755	11.5	11.50	1.176	100.00%	0.320	0.376	-
		Left side	0	151	5755	11.5	11.50	1.176	100.00%	0.427	0.502	296
		Left side	0	159	5795	11.5	11.49	1.176	100.23%	0.390	0.460	-

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

WLAN Aux Antenna

Antenna	Mode	Position	Distance (mm)	CH	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Duty cycle scaling	Power scaling	Averaged SAR over 1g (W/kg)		Plot page
										Measured	Reported	
Aux	WLAN 802.11b	Back side	0	1	2412	18	17.94	1.053	101.39%	1.100	1.174	298
		Back side*	0	1	2412	18	17.94	1.053	101.39%	1.080	1.153	-
		Back side	0	6	2437	18	17.90	1.053	102.33%	0.912	0.982	-
		Back side	0	11	2462	18	18.00	1.053	100.00%	0.977	1.028	-
		Top side	0	11	2462	18	18.00	1.053	100.00%	0.010	0.011	-
		Right side	0	11	2462	18	18.00	1.053	100.00%	0.751	0.791	-
	Bluetooth(GFSK)	Back side	0	78	2480	7	6.94	1.163	101.39%	0.108	0.127	299
		Top side	0	78	2480	7	6.94	1.163	101.39%	0.002	0.002	-
		Right side	0	78	2480	7	6.94	1.163	101.39%	0.065	0.077	-
	WLAN 802.11n(40M) 5.2G	Back side	0	46	5230	11.5	11.50	1.176	100.00%	0.558	0.656	300
		Top side	0	46	5230	11.5	11.50	1.176	100.00%	0.009	0.011	-
		Right side	0	46	5230	11.5	11.50	1.176	100.00%	0.187	0.220	-
	WLAN 802.11ac(80M) 5.3G	Back side	0	58	5290	11.5	11.49	1.075	100.23%	0.549	0.592	301
		Top side	0	58	5290	11.5	11.49	1.075	100.23%	0.012	0.013	-
		Right side	0	58	5290	11.5	11.49	1.075	100.23%	0.192	0.207	-
	WLAN 802.11ac(80M) 5.6G	Back side	0	138	5690	11.5	11.49	1.075	100.23%	0.632	0.681	302
		Top side	0	138	5690	11.5	11.49	1.075	100.23%	0.011	0.012	-
		Right side	0	138	5690	11.5	11.49	1.075	100.23%	0.268	0.289	-
	WLAN 802.11n(40M) 5.8G	Back side	0	151	5755	11.5	11.44	1.176	101.39%	0.553	0.660	-
		Back side	0	159	5795	11.5	11.49	1.176	100.23%	0.613	0.723	303
		Top side	0	159	5795	11.5	11.49	1.176	100.23%	0.012	0.014	-
		Right side	0	159	5795	11.5	11.49	1.176	100.23%	0.326	0.384	-

* - repeated at the highest SAR measurement according to the KDB 865664 D01

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Notebook mode

HONG-BO(QCNFA344A)

WLAN Aux Antenna

Antenna	Mode	Position	Distance (mm)	CH	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Duty cycle scaling	Power scaling	Averaged SAR over 1g (W/kg)		Plot page
										Measured	Reported	
Aux	WLAN 802.11b	Bottom side	0	1	2412	18	17.94	1.053	101.39%	0.812	0.867	-
		Bottom side	0	6	2437	18	17.90	1.053	102.33%	0.767	0.826	-
		Bottom side	0	11	2462	18	18.00	1.053	100.00%	0.877	0.923	304
		Bottom side*	0	11	2462	18	18.00	1.053	100.00%	0.870	0.916	-
	Bluetooth(GFSK)	Bottom side	0	78	2480	7	6.94	1.163	101.39%	0.090	0.106	306
	WLAN 802.11n(40M) 5.2G	Bottom side	0	46	5230	11.5	11.50	1.176	100.00%	0.177	0.208	307
	WLAN 802.11ac(80M) 5.3G	Bottom side	0	58	5290	11.5	11.49	1.075	100.23%	0.167	0.180	308
	WLAN 802.11ac(80M) 5.6G	Bottom side	0	138	5690	11.5	11.49	1.075	100.23%	0.218	0.235	309
	WLAN 802.11n(40M) 5.8G	Bottom side	0	151	5755	11.5	11.44	1.176	101.39%	0.172	0.205	-
	WLAN 802.11n(40M) 5.8G	Bottom side	0	159	5795	11.5	11.49	1.176	100.23%	0.218	0.257	310

* - repeated at the highest SAR measurement according to the KDB 865664 D01

WNC(QCNFA344A)

WLAN Aux Antenna

Antenna	Mode	Position	Distance (mm)	CH	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Duty cycle scaling	Power scaling	Averaged SAR over 1g (W/kg)		Plot page
										Measured	Reported	
Aux	WLAN 802.11b	Bottom side	0	1	2412	18	17.94	1.053	101.39%	0.960	1.025	-
		Bottom side	0	6	2437	18	17.90	1.053	102.33%	0.922	0.993	-
		Bottom side	0	11	2462	18	18.00	1.053	100.00%	1.020	1.074	311
		Bottom side*	0	11	2462	18	18.00	1.053	100.00%	1.000	1.053	-
	Bluetooth(GFSK)	Bottom side	0	78	2480	7	6.94	1.163	101.39%	0.095	0.112	312
	WLAN 802.11n(40M) 5.2G	Bottom side	0	46	5230	11.5	11.50	1.176	100.00%	0.130	0.153	313
	WLAN 802.11ac(80M) 5.3G	Bottom side	0	58	5290	11.5	11.49	1.075	100.23%	0.119	0.128	314
	WLAN 802.11ac(80M) 5.6G	Bottom side	0	138	5690	11.5	11.49	1.075	100.23%	0.197	0.212	315
	WLAN 802.11n(40M) 5.8G	Bottom side	0	151	5755	11.5	11.44	1.176	101.39%	0.183	0.218	-
	WLAN 802.11n(40M) 5.8G	Bottom side	0	159	5795	11.5	11.49	1.176	100.23%	0.220	0.259	316

* - repeated at the highest SAR measurement according to the KDB 865664 D01

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

WNC(AX201NGW)**Bluetooth**

Antenna	Mode	Position	Distance (mm)	CH	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Duty cycle scaling	Power scaling	Averaged SAR over 1g (W/kg)		Plot page
										Measured	Reported	
Aux	Bluetooth(GFSK)	Top side	0	78	2480	10	9.98	1.294	100.46%	0.005	0.007	317

HB(AX201NGW)**Bluetooth**

Antenna	Mode	Position	Distance (mm)	CH	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Duty cycle scaling	Power scaling	Averaged SAR over 1g (W/kg)		Plot page
										Measured	Reported	
Aux	Bluetooth(GFSK)	Top side	0	78	2480	10	9.98	1.294	100.46%	0.009	0.012	318

Note:

$$\text{Scaling} = \frac{\text{reported SAR}}{\text{measured SAR}} = \frac{P_2(\text{mW})}{P_1(\text{mW})} = 10^{\left(\frac{P_2 - P_1}{10}\right)(\text{dBm})}$$

Reported SAR = measured SAR * (scaling)

Where P2 is maximum specified power, P1 is measured conducted power

2.3 Reporting statements of conformity

The conformity statement in this report is based solely on the test results, measurement uncertainty is excluded.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路134號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

3. Simultaneous Transmission Analysis

Simultaneous Transmission Scenarios:

NO.	Simultaneous Transmit Configurations for QCNFA344A	Body
1	WWAN + 2.4GHz WLAN MIMO	YES
2	WWAN + 5GHz WLAN MIMO	YES
3	WWAN + 2.4GHz WLAN Main + BT Aux	YES
4	WWAN + 5GHz WLAN Main + BT Aux	YES

NO.	Simultaneous Transmit Configurations for AX201NGW	Body
1	WWAN + 2.4GHz WLAN MIMO	YES
2	WWAN + 5GHz WLAN MIMO	YES
3	WWAN + 2.4GHz WLAN Main + BT Aux	YES
4	WWAN + 5GHz WLAN Main + BT Aux	YES
5	WWAN + 5GHz WLAN MIMO + BT Aux	YES

Note :

1. The Intel AX201NGW WLAN/BT module is also integrated into this host, WLAN/BT power and WLAN SAR testing data, which can be referred to Intel SAR test report, Report No.:200909-01.TR01(FCC ID:PD9AX201NG) and these results are used for simultaneous transmission analysis.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

3.1 Estimated SAR calculation

According to KDB447498 D01v06 – When standalone SAR test exclusion applies to an antenna that transmits simultaneously with other antennas, the standalone SAR must be estimated according to following to determine simultaneous transmission SAR test exclusion:

$$\text{Estimated SAR} = \frac{\text{Max. tune up power (mW)}}{\text{Min. test separation distance(mm)}} \times \frac{\sqrt{f(\text{GHz})}}{7.5}$$

If the minimum test separation distance is < 5mm, a distance of 5mm is used for estimated SAR calculation. When the test separation distance is >50mm, the 0.4W/kg is used for SAR-1g.

3.2 SPLSR evaluation and analysis

Per KDB447498D01, when the sum of SAR is larger than the limit, SAR test exclusion is determined by the SAR sum to peak location separation ratio(SPLSR).

The simultaneous transmitting antennas in each operating mode and exposure condition combination must be considered one pair at a time to determine the SAR to peak location separation ratio to qualify for test exclusion.

The ratio is determined by $(\text{SAR1} + \text{SAR2})^{1.5}/\text{Ri}$, rounded to two decimal digits, and must be ≤ 0.04 for all antenna pairs in the configuration to qualify for 1-g SAR test exclusion.

SAR1 and SAR2 are the highest reported or estimated SAR for each antenna in the pair, and Ri is the separation distance between the peak SAR locations for the antenna pair in mm.

When standalone test exclusion applies, SAR is estimated; the peak location is assumed to be at the feed-point or geometric center of the antenna.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Tablet mode

HONG-BO(L850-GL and QCNFA344A)

Band	Exposure position (gW/kg)	The simultaneous transmission conditions										SPLSR
		0	1	2	3	4	5	Scenario 1	Scenario 2	Scenario 3	Scenario 4	
		WWAN	WLAN 2.4GHz Main	WLAN 2.4GHz Aux	WLAN 5GHz Main	WLAN 5GHz Aux	BT (Aux)	0+1+2 Sum	0+3+4 Sum	0+1+5 Sum	0+3+5 Sum	
WADMA Band II	Back side	0.269	0.013	0.958	0.282	1.142	0.137	1.240	1.693	0.479	0.688	Analyzed as below
	Top side	0.337	0.533	0.128	0.366	0.151	0.018	0.998	0.854	0.888	0.721	Z SAR<1.6, Not required
	Bottom side	0.014	0.400	0.400	0.400	0.400	0.400	0.814	0.814	0.814	0.814	Z SAR<1.6, Not required
	Left side	0.142	0.658	-	0.482	-	-	0.800	0.624	0.800	0.624	Z SAR<1.6, Not required
	Right side	0.010	-	0.794	-	0.349	0.120	0.804	0.359	0.130	0.130	Z SAR<1.6, Not required
WADMA Band IV	Back side	0.629	0.013	0.958	0.282	1.142	0.137	1.600	2.053	0.779	1.048	Analyzed as below
	Top side	0.805	0.533	0.128	0.366	0.151	0.018	1.466	1.322	1.356	1.189	Z SAR<1.6, Not required
	Bottom side	0.018	0.400	0.400	0.400	0.400	0.400	0.818	0.818	0.818	0.818	Z SAR<1.6, Not required
	Left side	0.177	0.658	-	0.482	-	-	0.855	0.659	0.835	0.659	Z SAR<1.6, Not required
	Right side	0.015	-	0.794	-	0.349	0.120	0.809	0.366	0.135	0.135	Z SAR<1.6, Not required
WADMA Band V	Back side	0.693	0.013	0.958	0.282	1.142	0.137	1.664	2.117	0.843	1.112	Analyzed as below
	Top side	0.998	0.533	0.128	0.366	0.151	0.018	1.657	1.513	1.547	1.380	Analyzed as below
	Bottom side	0.047	0.400	0.400	0.400	0.400	0.400	0.847	0.847	0.847	0.847	Z SAR<1.6, Not required
	Left side	0.198	0.658	-	0.482	-	-	0.856	0.680	0.858	0.680	Z SAR<1.6, Not required
	Right side	0.079	-	0.794	-	0.349	0.120	0.873	0.428	0.199	0.199	Z SAR<1.6, Not required
LTE Band 2	Back side	0.276	0.013	0.958	0.282	1.142	0.137	1.247	1.708	0.428	0.695	Analyzed as below
	Top side	0.569	0.533	0.128	0.366	0.151	0.018	1.230	1.086	1.120	0.951	Z SAR<1.6, Not required
	Bottom side	0.015	0.400	0.400	0.400	0.400	0.400	0.815	0.815	0.815	0.815	Z SAR<1.6, Not required
	Left side	0.124	0.658	-	0.482	-	-	0.782	0.608	0.782	0.608	Z SAR<1.6, Not required
	Right side	0.009	-	0.794	-	0.349	0.120	0.803	0.358	0.129	0.129	Z SAR<1.6, Not required
LTE Band 5	Back side	0.495	0.013	0.958	0.282	1.142	0.137	1.469	1.919	0.645	0.916	Analyzed as below
	Top side	0.918	0.533	0.128	0.366	0.151	0.018	1.579	1.435	1.489	1.302	Z SAR<1.6, Not required
	Bottom side	0.049	0.400	0.400	0.400	0.400	0.400	0.849	0.849	0.849	0.849	Z SAR<1.6, Not required
	Left side	0.182	0.658	-	0.482	-	-	0.840	0.664	0.840	0.664	Z SAR<1.6, Not required
	Right side	0.079	-	0.794	-	0.349	0.120	0.873	0.428	0.199	0.199	Z SAR<1.6, Not required
LTE Band 7	Back side	0.454	0.013	0.958	0.282	1.142	0.137	1.405	1.856	0.584	0.853	Analyzed as below
	Top side	0.487	0.533	0.128	0.366	0.151	0.018	1.148	1.005	1.038	0.871	Z SAR<1.6, Not required
	Bottom side	0.007	0.400	0.400	0.400	0.400	0.400	0.807	0.807	0.807	0.807	Z SAR<1.6, Not required
	Left side	0.136	0.658	-	0.482	-	-	0.795	0.618	0.794	0.618	Z SAR<1.6, Not required
	Right side	0.011	-	0.794	-	0.349	0.120	0.805	0.360	0.131	0.131	Z SAR<1.6, Not required
LTE Band 12	Back side	0.322	0.013	0.958	0.282	1.142	0.137	1.299	1.752	0.478	0.747	Analyzed as below
	Top side	0.963	0.533	0.128	0.366	0.151	0.018	1.148	1.005	1.038	0.871	Z SAR<1.6, Not required
	Bottom side	0.046	0.400	0.400	0.400	0.400	0.400	0.846	0.846	0.846	0.846	Z SAR<1.6, Not required
	Left side	0.128	0.658	-	0.482	-	-	0.786	0.610	0.786	0.610	Z SAR<1.6, Not required
	Right side	0.055	-	0.794	-	0.349	0.120	0.849	0.404	0.175	0.175	Z SAR<1.6, Not required
LTE Band 13	Back side	0.626	0.013	0.958	0.282	1.142	0.137	1.597	2.050	0.776	1.045	Analyzed as below
	Top side	1.139	0.533	0.128	0.366	0.151	0.018	1.800	1.656	1.696	1.523	Analyzed as below
	Bottom side	0.052	0.400	0.400	0.400	0.400	0.400	0.852	0.852	0.852	0.852	Z SAR<1.6, Not required
	Left side	0.146	0.658	-	0.482	-	-	0.804	0.628	0.804	0.628	Z SAR<1.6, Not required
	Right side	0.068	-	0.794	-	0.349	0.120	0.865	0.417	0.188	0.188	Z SAR<1.6, Not required
LTE Band 26	Back side	0.902	0.013	0.958	0.282	1.142	0.137	1.473	1.926	0.652	0.921	Analyzed as below
	Top side	1.188	0.533	0.128	0.366	0.151	0.018	1.847	1.703	1.737	1.576	Analyzed as below
	Bottom side	0.057	0.400	0.400	0.400	0.400	0.400	0.857	0.857	0.857	0.857	Z SAR<1.6, Not required
	Left side	0.188	0.658	-	0.482	-	-	0.846	0.670	0.846	0.670	Z SAR<1.6, Not required
	Right side	0.087	-	0.794	-	0.349	0.120	0.881	0.436	0.207	0.207	Z SAR<1.6, Not required
LTE Band 30	Back side	0.222	0.013	0.958	0.282	1.142	0.137	1.193	1.643	0.372	0.641	Analyzed as below
	Top side	0.566	0.533	0.128	0.366	0.151	0.018	1.227	1.083	1.117	0.950	Z SAR<1.6, Not required
	Bottom side	0.009	0.400	0.400	0.400	0.400	0.400	0.809	0.809	0.809	0.809	Z SAR<1.6, Not required
	Left side	0.116	0.658	-	0.482	-	-	0.774	0.598	0.774	0.598	Z SAR<1.6, Not required
	Right side	0.005	-	0.794	-	0.349	0.120	0.799	0.354	0.125	0.125	Z SAR<1.6, Not required
LTE Band 38	Back side	0.627	0.013	0.958	0.282	1.142	0.137	1.598	2.051	0.777	1.046	Analyzed as below
	Top side	0.685	0.533	0.128	0.366	0.151	0.018	1.346	1.202	1.238	1.069	Z SAR<1.6, Not required
	Bottom side	0.006	0.400	0.400	0.400	0.400	0.400	0.805	0.805	0.805	0.805	Z SAR<1.6, Not required
	Left side	0.281	0.658	-	0.482	-	-	0.939	0.763	0.939	0.763	Z SAR<1.6, Not required
	Right side	0.008	-	0.794	-	0.349	0.120	0.802	0.357	0.128	0.128	Z SAR<1.6, Not required
LTE Band 41	Back side	0.783	0.013	0.958	0.282	1.142	0.137	1.754	2.207	0.933	1.202	Analyzed as below
	Top side	0.833	0.533	0.128	0.366	0.151	0.018	1.494	1.350	1.384	1.217	Z SAR<1.6, Not required
	Bottom side	0.007	0.400	0.400	0.400	0.400	0.400	0.807	0.807	0.807	0.807	Z SAR<1.6, Not required
	Left side	0.311	0.658	-	0.482	-	-	0.969	0.793	0.969	0.793	Z SAR<1.6, Not required
	Right side	0.006	-	0.794	-	0.349	0.120	0.860	0.355	0.126	0.126	Z SAR<1.6, Not required
LTE Band 66	Back side	0.507	0.013	0.958	0.282	1.142	0.137	1.474	1.931	0.657	0.926	Analyzed as below
	Top side	0.763	0.533	0.128	0.366	0.151	0.018	1.424	1.280	1.314	1.147	Z SAR<1.6, Not required
	Bottom side	0.014	0.400	0.400	0.400	0.400	0.400	0.814	0.814	0.814	0.814	Z SAR<1.6, Not required
	Left side	0.147	0.658	-	0.482	-	-	0.805	0.629	0.805	0.629	Z SAR<1.6, Not required
	Right side	0.012	-	0.794	-	0.349	0.120	0.806	0.361	0.132	0.132	Z SAR<1.6, Not required

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路134號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279 f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Scenario 1: WLAN 2.4G Main to WWAN and WLAN 2.4G Aux_Back side									
Position	Conditions	SAR Value (W/kg)	Coordinates (cm)			ΣSAR (W/kg)	Peak Location Separation Distance (mm)	SPLSR	Simultaneous Transmission SAR Test
			x	y	z				
Back side	WLAN 2.4G Main	0.013	9.52	-11.37	-0.25	-	-	-	-
	WADMA Band IV	0.629	10.36	9.02	-0.19	0.642	204.07	0.003	SPLSR ≤ 0.04, Not required
	WADMA Band V	0.693	10.90	9.04	-0.19	0.706	204.57	0.003	SPLSR ≤ 0.04, Not required
	LTE Band 13	0.626	10.56	9.01	-0.20	0.639	204.07	0.003	SPLSR ≤ 0.04, Not required
	LTE Band 38	0.627	10.24	9.87	-0.20	0.640	212.52	0.002	SPLSR ≤ 0.04, Not required
	LTE Band 41	0.783	10.21	10.13	-0.20	0.796	215.11	0.003	SPLSR ≤ 0.04, Not required
WLAN 2.4G Aux									
0.958 2.90 14.52 -0.24 - 92.68 0.022 SPLSR ≤ 0.04, Not required									
WADMA Band IV	0.629	10.36	9.02	-0.19	1.587	92.68	0.022	SPLSR ≤ 0.04, Not required	
WADMA Band V	0.693	10.90	9.04	-0.19	1.651	96.97	0.022	SPLSR ≤ 0.04, Not required	
LTE Band 13	0.626	10.56	9.01	-0.20	1.584	94.36	0.021	SPLSR ≤ 0.04, Not required	
LTE Band 38	0.627	10.24	9.87	-0.20	1.585	86.89	0.023	SPLSR ≤ 0.04, Not required	
LTE Band 41	0.783	10.21	10.13	-0.20	1.741	85.27	0.027	SPLSR ≤ 0.04, Not required	

Scenario 1: WLAN 2.4G Aux to WWAN_Back side									
Position	Conditions	SAR Value (W/kg)	Coordinates (cm)			ΣSAR (W/kg)	Peak Location Separation Distance (mm)	SPLSR	Simultaneous Transmission SAR Test
			x	y	z				
Back side	WLAN 2.4G Aux	0.958	2.90	14.52	-0.24	-	-	-	-
	WADMA Band IV	0.629	10.36	9.02	-0.19	1.587	92.68	0.022	SPLSR ≤ 0.04, Not required
	WADMA Band V	0.693	10.90	9.04	-0.19	1.651	96.97	0.022	SPLSR ≤ 0.04, Not required
	LTE Band 13	0.626	10.56	9.01	-0.20	1.584	94.36	0.021	SPLSR ≤ 0.04, Not required
	LTE Band 38	0.627	10.24	9.87	-0.20	1.585	86.89	0.023	SPLSR ≤ 0.04, Not required
	LTE Band 41	0.783	10.21	10.13	-0.20	1.741	85.27	0.027	SPLSR ≤ 0.04, Not required

Scenario 1: WLAN 2.4G Main to WWAN and WLAN 2.4G Aux_Top side									
Position	Conditions	SAR Value (W/kg)	Coordinates (cm)			ΣSAR (W/kg)	Peak Location Separation Distance (mm)	SPLSR	Simultaneous Transmission SAR Test
			x	y	z				
Top side	WLAN 2.4G Main	0.533	-0.66	-13.64	-0.39	-	-	-	-
	WADMA Band V	0.996	-0.66	7.24	-2.87	1.529	210.27	0.009	SPLSR ≤ 0.04, Not required
	LTE Band 12	0.983	-0.81	7.55	-0.29	1.516	211.91	0.009	SPLSR ≤ 0.04, Not required
	LTE Band 13	1.139	-0.50	7.26	-0.31	1.672	209.01	0.010	SPLSR ≤ 0.04, Not required
	LTE Band 26	1.186	-0.65	7.20	-0.30	1.719	208.40	0.011	SPLSR ≤ 0.04, Not required
	WLAN 2.4G Aux	0.128	-1.90	16.22	-0.28	0.661	298.86	0.002	SPLSR ≤ 0.04, Not required

Scenario 1: WLAN 2.4G Aux to WWAN_Top side									
Position	Conditions	SAR Value (W/kg)	Coordinates (cm)			ΣSAR (W/kg)	Peak Location Separation Distance (mm)	SPLSR	Simultaneous Transmission SAR Test
			x	y	z				
Top side	WLAN 2.4G Aux	0.128	-1.90	16.22	-0.28	-	-	-	-
	WADMA Band V	0.996	-0.66	7.24	-2.87	1.124	94.28	0.013	SPLSR ≤ 0.04, Not required
	LTE Band 12	0.983	-0.81	7.55	-0.29	1.111	87.38	0.013	SPLSR ≤ 0.04, Not required
	LTE Band 13	1.139	-0.50	7.26	-0.31	1.267	90.69	0.016	SPLSR ≤ 0.04, Not required
	LTE Band 26	1.186	-0.65	7.20	-0.30	1.314	91.06	0.017	SPLSR ≤ 0.04, Not required

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路134號


台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw


Member of SGS Group



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路134號


台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw


Member of SGS Group



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路134號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Scenario 2: WLAN 5G Main to WWAN and WLAN 5G Aux_Back side									
Position	Conditions	SAR Value (W/kg)	Coordinates (cm)			ΣSAR (W/kg)	Peak Location Separation Distance (mm)	SPLSR	Simultaneous Transmission SAR Test
			x	y	z				
Back side	WLAN 5G Main	0.282	9.94	-12.82	-0.23	-	-	-	-
	WADMA Band II	0.269	9.89	11.04	-0.18	0.551	238.60	0.002	SPLSR ≤ 0.04, Not required
	WADMA Band IV	0.629	10.36	9.02	-0.19	0.911	218.44	0.004	SPLSR ≤ 0.04, Not required
	WADMA Band V	0.693	-10.19	9.04	-0.19	0.975	297.17	0.003	SPLSR ≤ 0.04, Not required
	LTE Band 2	0.276	9.73	11.02	-0.18	0.558	238.41	0.002	SPLSR ≤ 0.04, Not required
	LTE Band 5	0.495	10.24	9.02	-0.19	0.777	218.42	0.003	SPLSR ≤ 0.04, Not required
	LTE Band 7	0.434	9.56	10.42	-0.22	0.716	232.43	0.003	SPLSR ≤ 0.04, Not required
	LTE Band 12	0.328	10.21	9.31	-0.21	0.610	221.32	0.002	SPLSR ≤ 0.04, Not required
	LTE Band 13	0.626	10.12	9.16	-0.22	0.908	219.81	0.004	SPLSR ≤ 0.04, Not required
	LTE Band 26	0.502	10.23	9.06	-0.19	0.784	218.82	0.003	SPLSR ≤ 0.04, Not required
	LTE Band 30	0.222	8.37	10.33	0.22	0.504	232.07	0.002	SPLSR ≤ 0.04, Not required
	LTE Band 38	0.627	9.43	10.31	-0.20	0.909	231.36	0.004	SPLSR ≤ 0.04, Not required
	LTE Band 41	0.783	9.51	10.29	-0.21	1.065	231.14	0.005	SPLSR ≤ 0.04, Not required
	LTE Band 66	0.507	9.84	11.01	-0.18	0.789	238.30	0.003	SPLSR ≤ 0.04, Not required
	WLAN 5G Aux	1.142	3.66	14.50	-0.23	1.424	280.32	0.006	SPLSR ≤ 0.04, Not required

Scenario 2: WLAN 5G Aux to WWAN_Back side									
Position	Conditions	SAR Value (W/kg)	Coordinates (cm)			ΣSAR (W/kg)	Peak Location Separation Distance (mm)	SPLSR	Simultaneous Transmission SAR Test
			x	y	z				
Back side	WLAN 5G Aux	1.142	3.66	14.50	-0.23	-	-	-	-
	WADMA Band II	0.269	9.89	11.04	-0.18	1.411	71.26	0.024	SPLSR ≤ 0.04, Not required
	WADMA Band IV	0.629	10.36	9.02	-0.19	1.771	86.56	0.027	SPLSR ≤ 0.04, Not required
	WADMA Band V	0.693	-10.19	9.04	-0.19	1.835	148.87	0.017	SPLSR ≤ 0.04, Not required
	LTE Band 2	0.276	9.73	11.02	-0.18	1.418	69.97	0.024	SPLSR ≤ 0.04, Not required
	LTE Band 5	0.495	10.24	9.02	-0.19	1.637	85.63	0.024	SPLSR ≤ 0.04, Not required
	LTE Band 7	0.434	9.56	10.42	-0.22	1.576	71.73	0.028	SPLSR ≤ 0.04, Not required
	LTE Band 12	0.328	10.21	9.31	-0.21	1.470	83.57	0.021	SPLSR ≤ 0.04, Not required
	LTE Band 13	0.626	10.12	9.16	-0.22	1.768	83.81	0.028	SPLSR ≤ 0.04, Not required
	LTE Band 26	0.502	10.23	9.06	-0.19	1.644	85.30	0.025	SPLSR ≤ 0.04, Not required
	LTE Band 30	0.222	8.37	10.33	0.22	1.364	63.07	0.025	SPLSR ≤ 0.04, Not required
	LTE Band 38	0.627	9.43	10.31	-0.20	1.769	71.31	0.033	SPLSR ≤ 0.04, Not required
	LTE Band 41	0.783	9.51	10.29	-0.21	1.925	72.07	0.037	SPLSR ≤ 0.04, Not required
	LTE Band 66	0.507	9.84	11.01	-0.18	1.649	70.98	0.030	SPLSR ≤ 0.04, Not required

Scenario 2: WLAN 5G Main to WWAN and WLAN 5G Aux_Top side									
Position	Conditions	SAR Value (W/kg)	Coordinates (cm)			ΣSAR (W/kg)	Peak Location Separation Distance (mm)	SPLSR	Simultaneous Transmission SAR Test
			x	y	z				
Top side	WLAN 5G Main	0.366	-0.68	-13.94	-0.40	-	-	-	-
	LTE Band 13	1.139	-0.49	7.98	-0.42	1.505	219.21	0.008	SPLSR ≤ 0.04, Not required
	LTE Band 26	1.186	-0.50	7.84	-0.43	1.552	217.81	0.009	SPLSR ≤ 0.04, Not required
	WLAN 5G Aux	0.151	1.83	15.24	-0.27	0.517	292.88	0.001	SPLSR ≤ 0.04, Not required

Scenario 2: WLAN 5G Aux to WWAN_Top side									
Position	Conditions	SAR Value (W/kg)	Coordinates (cm)			ΣSAR (W/kg)	Peak Location Separation Distance (mm)	SPLSR	Simultaneous Transmission SAR Test
			x	y	z				
Top side	WLAN 5G Aux	0.151	1.83	15.24	-0.27	-	-	-	-
	LTE Band 13	1.139	-0.49	7.98	-0.42	1.290	76.23	0.019	SPLSR ≤ 0.04, Not required
	LTE Band 26	1.186	-0.50	7.84	-0.43	1.337	77.60	0.020	SPLSR ≤ 0.04, Not required

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路134號


台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw


Member of SGS Group



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Scenario 3: WLAN 2.4G Main to WWAN and Bluetooth_Top side									
Position	Conditions	SAR Value (W/kg)	Coordinates (cm)			ΣSAR (W/kg)	Peak Location Separation Distance (mm)	SPLSR	Simultaneous Transmission SAR Test
			x	y	z				
Top side	WLAN 2.4G Main	0.533	-0.66	-13.52	-0.36	-	-	-	-
	LTE Band 13	1.139	-0.50	7.26	-0.31	1.672	207.81	0.010	SPLSR ≤ 0.04, Not required
	LTE Band 26	1.186	-0.65	7.02	-0.30	1.719	205.40	0.011	SPLSR ≤ 0.04, Not required
	Bluetooth	0.018	-1.90	16.22	-0.28	0.551	297.66	0.001	SPLSR ≤ 0.04, Not required

Scenario 3: Bluetooth to WWAN_Top side									
Position	Conditions	SAR Value (W/kg)	Coordinates (cm)			ΣSAR (W/kg)	Peak Location Separation Distance (mm)	SPLSR	Simultaneous Transmission SAR Test
			x	y	z				
Top side	Bluetooth	0.018	-1.90	16.22	-0.28	-	-	-	-
	LTE Band 13	1.139	-0.50	7.26	-0.31	1.157	90.69	0.014	SPLSR ≤ 0.04, Not required
	LTE Band 26	1.186	-0.65	7.02	-0.30	1.204	92.85	0.014	SPLSR ≤ 0.04, Not required



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

WNC(L850-GL and QCNFA344A)

Band	Exposure position 1g(W/kg)	The simultaneous Transmission conditions												SPLSR
		0	1	2	3	4	5	Scenario 1	Scenario 2	Scenario 3	Scenario 4			
		WWAN	WLAN 2.4GHz Main	WLAN 2.4GHz Aux	WLAN 5GHz Main	WLAN 5GHz Aux	BT (Aux)	0+1+2 Sum	0+3+4 Sum	0+1+5 Sum	0+3+5 Sum			
WADMA Band II	Back side	0.400	0.249	1.174	0.282	0.723	0.127	1.823	1.405	0.776	0.809	Analyzed as below		
	Top side	0.651	0.581	0.011	0.376	0.014	0.002	1.243	1.041	1.234	1.029	ESAR<1.6, Not required		
	Bottom side	0.028	0.400	0.400	0.400	0.400	0.400	0.828	0.828	0.828	0.828	ESAR<1.6, Not required		
	Left side	0.148	0.711	-	0.502	-	-	0.859	0.850	0.859	0.850	ESAR<1.6, Not required		
WADMA Band IV	Right side	0.025	-	0.791	-	0.384	0.077	0.816	0.409	0.102	0.102	ESAR<1.6, Not required		
	Back side	0.642	0.249	1.174	0.282	0.723	0.127	2.065	1.647	1.018	1.051	Analyzed as below		
	Top side	0.944	0.581	0.011	0.376	0.014	0.002	1.536	1.334	1.527	1.322	ESAR<1.6, Not required		
	Bottom side	0.026	0.400	0.400	0.400	0.400	0.400	0.826	0.826	0.826	0.826	ESAR<1.6, Not required		
WADMA Band V	Left side	0.165	0.711	-	0.502	-	-	0.876	0.667	0.876	0.667	ESAR<1.6, Not required		
	Right side	0.024	-	0.791	-	0.384	0.077	0.815	0.408	0.101	0.101	ESAR<1.6, Not required		
LTE Band 2	Back side	0.639	0.249	1.174	0.282	0.723	0.127	2.062	1.644	1.015	1.048	Analyzed as below		
	Top side	0.948	0.581	0.011	0.376	0.014	0.002	1.540	1.338	1.531	1.326	ESAR<1.6, Not required		
	Bottom side	0.053	0.400	0.400	0.400	0.400	0.400	0.853	0.853	0.853	0.853	ESAR<1.6, Not required		
	Left side	0.131	0.711	-	0.502	-	-	0.842	0.633	0.842	0.633	ESAR<1.6, Not required		
LTE Band 5	Right side	0.036	-	0.791	-	0.384	0.077	0.827	0.420	0.113	0.113	ESAR<1.6, Not required		
	Back side	0.366	0.249	1.174	0.282	0.723	0.127	1.789	1.371	0.742	0.775	Analyzed as below		
	Top side	0.753	0.581	0.011	0.376	0.014	0.002	1.345	1.143	1.336	1.131	ESAR<1.6, Not required		
	Bottom side	0.022	0.400	0.400	0.400	0.400	0.400	0.822	0.822	0.822	0.822	ESAR<1.6, Not required		
LTE Band 7	Left side	0.139	0.711	-	0.502	-	-	0.850	0.641	0.850	0.641	ESAR<1.6, Not required		
	Right side	0.026	-	0.791	-	0.384	0.077	0.817	0.410	0.103	0.103	ESAR<1.6, Not required		
LTE Band 12	Back side	0.588	0.249	1.174	0.282	0.723	0.127	2.011	1.593	0.964	0.997	Analyzed as below		
	Top side	1.168	0.581	0.011	0.376	0.014	0.002	1.760	1.558	1.751	1.546	Analyzed as below		
	Bottom side	0.052	0.400	0.400	0.400	0.400	0.400	0.852	0.852	0.852	0.852	ESAR<1.6, Not required		
	Left side	0.123	0.711	-	0.502	-	-	0.834	0.625	0.834	0.625	ESAR<1.6, Not required		
LTE Band 13	Right side	0.036	-	0.791	-	0.384	0.077	0.827	0.420	0.113	0.113	ESAR<1.6, Not required		
	Back side	0.185	0.249	1.174	0.282	0.723	0.127	1.658	1.190	0.561	0.594	Analyzed as below		
	Top side	0.897	0.581	0.011	0.376	0.014	0.002	1.489	1.287	1.480	1.275	ESAR<1.6, Not required		
	Bottom side	0.010	0.400	0.400	0.400	0.400	0.400	0.810	0.810	0.810	0.810	ESAR<1.6, Not required		
LTE Band 26	Left side	0.050	0.711	-	0.502	-	-	0.761	0.552	0.761	0.552	ESAR<1.6, Not required		
	Right side	0.007	-	0.791	-	0.384	0.077	0.798	0.391	0.084	0.084	ESAR<1.6, Not required		
	Back side	0.401	0.249	1.174	0.282	0.723	0.127	1.824	1.406	0.777	0.810	Analyzed as below		
	Top side	0.942	0.581	0.011	0.376	0.014	0.002	1.534	1.332	1.525	1.320	ESAR<1.6, Not required		
LTE Band 12	Bottom side	0.064	0.400	0.400	0.400	0.400	0.400	0.864	0.864	0.864	0.864	ESAR<1.6, Not required		
	Left side	0.093	0.711	-	0.502	-	-	0.800	0.595	0.800	0.595	ESAR<1.6, Not required		
	Right side	0.053	-	0.791	-	0.384	0.077	0.844	0.437	0.130	0.130	ESAR<1.6, Not required		
	Back side	0.687	0.249	1.174	0.282	0.723	0.127	2.110	1.692	1.063	1.096	Analyzed as below		
LTE Band 13	Top side	1.108	0.561	0.011	0.376	0.014	0.002	1.700	1.498	1.691	1.486	Analyzed as below		
	Bottom side	0.056	0.400	0.400	0.400	0.400	0.400	0.856	0.856	0.856	0.856	ESAR<1.6, Not required		
	Left side	0.108	0.711	-	0.502	-	-	0.819	0.610	0.819	0.610	ESAR<1.6, Not required		
	Right side	0.075	-	0.791	-	0.384	0.077	0.866	0.459	0.152	0.152	ESAR<1.6, Not required		
LTE Band 26	Back side	0.578	0.249	1.174	0.282	0.723	0.127	2.001	1.583	0.954	0.987	Analyzed as below		
	Top side	1.150	0.581	0.011	0.376	0.014	0.002	1.742	1.540	1.733	1.528	Analyzed as below		
	Bottom side	0.075	0.400	0.400	0.400	0.400	0.400	0.875	0.875	0.875	0.875	ESAR<1.6, Not required		
	Left side	0.149	0.711	-	0.502	-	-	0.860	0.651	0.860	0.651	ESAR<1.6, Not required		
LTE Band 30	Right side	0.080	-	0.791	-	0.384	0.077	0.871	0.464	0.157	0.157	ESAR<1.6, Not required		
	Back side	0.162	0.249	1.174	0.282	0.723	0.127	1.585	1.167	0.538	0.571	ESAR<1.6, Not required		
	Top side	0.154	0.581	0.011	0.376	0.014	0.002	1.746	1.544	1.737	1.532	ESAR<1.6, Not required		
	Bottom side	0.009	0.400	0.400	0.400	0.400	0.400	0.875	0.875	0.875	0.875	ESAR<1.6, Not required		
LTE Band 38	Left side	0.058	0.711	-	0.502	-	-	0.769	0.560	0.769	0.560	ESAR<1.6, Not required		
	Right side	0.013	-	0.791	-	0.384	0.077	0.804	0.397	0.090	0.090	ESAR<1.6, Not required		
	Back side	0.197	0.249	1.174	0.282	0.723	0.127	1.620	1.202	0.573	0.606	Analyzed as below		
	Top side	0.839	0.581	0.011	0.376	0.014	0.002	1.231	1.029	1.222	1.017	ESAR<1.6, Not required		
LTE Band 41	Bottom side	0.008	0.400	0.400	0.400	0.400	0.400	0.808	0.808	0.808	0.808	ESAR<1.6, Not required		
	Left side	0.064	0.711	-	0.502	-	-	0.775	0.566	0.775	0.566	ESAR<1.6, Not required		
	Right side	0.010	-	0.791	-	0.384	0.077	0.801	0.394	0.087	0.087	ESAR<1.6, Not required		
	Back side	0.248	0.249	1.174	0.282	0.723	0.127	1.671	1.253	0.624	0.657	Analyzed as below		
LTE Band 66	Top side	0.737	0.581	0.011	0.376	0.014	0.002	1.329	1.127	1.320	1.115	ESAR<1.6, Not required		
	Bottom side	0.011	0.400	0.400	0.400	0.400	0.400	0.811	0.811	0.811	0.811	ESAR<1.6, Not required		
	Left side	0.043	0.711	-	0.502	-	-	0.754	0.545	0.754	0.545	ESAR<1.6, Not required		
	Right side	0.006	-	0.791	-	0.384	0.077	0.795	0.388	0.081	0.081	ESAR<1.6, Not required		
LTE Band 66	Back side	0.528	0.249	1.174	0.282	0.723	0.127	1.951	1.533	0.904	0.937	Analyzed as below		
	Top side	1.009	0.581	0.011	0.376	0.014	0.002	1.601	1.399	1.592	1.387	ESAR<1.6, Not required		
	Bottom side	0.024	0.400	0.400	0.400	0.400	0.400	0.824	0.824	0.824	0.824	ESAR<1.6, Not required		
	Left side	0.153	0.711	-	0.502	-	-	0.864	0.655	0.864	0.655	ESAR<1.6, Not required		
LTE Band 66	Right side	0.018	-	0.791	-	0.384	0.077	0.809	0.402	0.095	0.095	ESAR<1.6, Not required		

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路134號

台灣檢驗科技股份有限公司 t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Position	Conditions	SAR Value (W/kg)	Coordinates (cm)			ΣSAR (W/kg)	Peak Location Separation Distance (mm)	SPLSR	Simultaneous Transmission SAR Test
			x	y	z				
Back side	WLAN 2.4G Main	0.249	9.44	-11.76	-0.24	-	-	-	-
	WADMA Band II	0.400	9.50	10.49	-0.21	0.649	222.50	0.002	SPLSR ≤ 0.04, Not required
	WADMA Band IV	0.642	10.08	8.34	-0.22	0.891	201.10	0.004	SPLSR ≤ 0.04, Not required
	WADMA Band V	0.639	9.98	9.06	-0.22	0.888	208.27	0.004	SPLSR ≤ 0.04, Not required
	LTE Band 2	0.366	9.65	10.34	-0.22	0.615	221.01	0.002	SPLSR ≤ 0.04, Not required
	LTE Band 5	0.588	10.14	8.90	-0.23	0.837	206.72	0.004	SPLSR ≤ 0.04, Not required
	LTE Band 7	0.185	8.56	10.48	-0.24	0.434	222.57	0.001	SPLSR ≤ 0.04, Not required
	LTE Band 12	0.401	10.38	9.44	-0.21	0.650	212.21	0.002	SPLSR ≤ 0.04, Not required
	LTE Band 13	0.687	10.13	9.06	-0.22	0.936	208.31	0.004	SPLSR ≤ 0.04, Not required
	LTE Band 26	0.578	9.98	9.06	-0.22	0.827	208.27	0.004	SPLSR ≤ 0.04, Not required
	LTE Band 38	0.197	10.34	10.20	-0.20	0.446	219.78	0.001	SPLSR ≤ 0.04, Not required
	LTE Band 41	0.248	10.34	10.42	-0.20	0.497	221.98	0.002	SPLSR ≤ 0.04, Not required
	LTE Band 66	0.528	10.24	8.18	-0.22	0.777	199.56	0.003	SPLSR ≤ 0.04, Not required
	WLAN 2.4G Aux	1.174	2.40	14.32	-0.26	1.423	270.13	0.006	SPLSR ≤ 0.04, Not required

Position	Conditions	SAR Value (W/kg)	Coordinates (cm)			ΣSAR (W/kg)	Peak Location Separation Distance (mm)	SPLSR	Simultaneous Transmission SAR Test
			x	y	z				
Back side	WLAN 2.4G Aux	1.174	2.40	14.32	-0.26	-	-	-	-
	WADMA Band II	0.400	9.50	10.49	-0.21	1.574	80.67	0.024	SPLSR ≤ 0.04, Not required
	WADMA Band IV	0.642	10.08	8.34	-0.22	1.816	97.34	0.025	SPLSR ≤ 0.04, Not required
	WADMA Band V	0.639	9.98	9.06	-0.22	1.813	92.26	0.026	SPLSR ≤ 0.04, Not required
	LTE Band 2	0.366	9.65	10.34	-0.22	1.540	82.71	0.023	SPLSR ≤ 0.04, Not required
	LTE Band 5	0.588	10.14	8.90	-0.23	1.762	94.49	0.025	SPLSR ≤ 0.04, Not required
	LTE Band 7	0.185	8.56	10.48	-0.24	1.359	72.59	0.022	SPLSR ≤ 0.04, Not required
	LTE Band 12	0.401	10.38	9.44	-0.21	1.575	93.54	0.021	SPLSR ≤ 0.04, Not required
	LTE Band 13	0.687	10.13	9.06	-0.22	1.861	93.50	0.027	SPLSR ≤ 0.04, Not required
	LTE Band 26	0.578	9.98	9.06	-0.22	1.752	92.26	0.025	SPLSR ≤ 0.04, Not required
	LTE Band 38	0.197	10.34	10.20	-0.20	1.371	89.45	0.018	SPLSR ≤ 0.04, Not required
	LTE Band 41	0.248	10.34	10.42	-0.20	1.422	88.46	0.019	SPLSR ≤ 0.04, Not required
	LTE Band 66	0.528	10.24	8.18	-0.22	1.702	99.58	0.022	SPLSR ≤ 0.04, Not required

Position	Conditions	SAR Value (W/kg)	Coordinates (cm)			ΣSAR (W/kg)	Peak Location Separation Distance (mm)	SPLSR	Simultaneous Transmission SAR Test
			x	y	z				
Top side	WLAN 2.4G Main	0.581	-6.60	-13.64	-0.39	-	-	-	-
	LTE Band 5	1.168	-0.34	6.96	-0.19	1.749	215.31	0.011	SPLSR ≤ 0.04, Not required
	LTE Band 13	1.108	-0.34	7.26	-0.24	1.689	218.18	0.010	SPLSR ≤ 0.04, Not required
	LTE Band 26	1.150	-0.34	7.13	-0.19	1.731	216.94	0.010	SPLSR ≤ 0.04, Not required
	LTE Band 66	1.009	-0.33	7.06	-0.21	1.590	216.29	0.009	SPLSR ≤ 0.04, Not required
	WLAN 2.4G Aux	0.011	-1.90	-1.62	-0.28	0.592	129.05	0.004	SPLSR ≤ 0.04, Not required

Position	Conditions	SAR Value (W/kg)	Coordinates (cm)			ΣSAR (W/kg)	Peak Location Separation Distance (mm)	SPLSR	Simultaneous Transmission SAR Test
			x	y	z				
Top side	WLAN 2.4G Aux	0.011	-1.90	-1.62	-0.28	-	-	-	-
	LTE Band 5	1.168	-0.34	6.96	-0.19	1.179	87.23	0.015	SPLSR ≤ 0.04, Not required
	LTE Band 13	1.108	-0.34	7.26	-0.24	1.119	90.18	0.013	SPLSR ≤ 0.04, Not required
	LTE Band 26	1.150	-0.34	7.13	-0.19	1.161	88.90	0.014	SPLSR ≤ 0.04, Not required
	LTE Band 66	1.009	-0.33	7.06	-0.21	1.020	88.23	0.012	SPLSR ≤ 0.04, Not required

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路134號



台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw


Member of SGS Group



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Scenario 2: WLAN 5G Main to WWAN and WLAN 5G Aux_Back side									
Position	Conditions	SAR Value (W/kg)	Coordinates (cm)			ΣSAR (W/kg)	Peak Location Separation Distance (mm)	SPLSR	Simultaneous Transmission SAR Test
			x	y	z				
Back side	WLAN 5G Main	0.282	9.94	-12.80	-2.26	-	-	-	-
	WADMA Band IV	0.642	10.08	8.34	-0.23	0.924	212.38	0.004	SPLSR ≤ 0.04, Not required
	WADMA Band V	0.639	9.98	9.06	-0.22	0.921	219.55	0.004	SPLSR ≤ 0.04, Not required
	LTE Band 5	0.588	10.14	8.90	-0.23	0.870	217.96	0.004	SPLSR ≤ 0.04, Not required
	LTE Band 13	0.687	10.13	9.06	-0.22	0.969	219.56	0.004	SPLSR ≤ 0.04, Not required
	WLAN 5G Aux	0.723	2.96	14.36	-0.31	1.005	281.11	0.004	SPLSR ≤ 0.04, Not required

Scenario 2: WLAN 5G Aux to WWAN_Back side									
Position	Conditions	SAR Value (W/kg)	Coordinates (cm)			ΣSAR (W/kg)	Peak Location Separation Distance (mm)	SPLSR	Simultaneous Transmission SAR Test
			x	y	z				
Back side	WLAN 5G Aux	0.723	2.96	14.36	-0.31	-	-	-	-
	WADMA Band IV	0.642	10.08	8.34	-0.23	1.365	93.24	0.017	SPLSR ≤ 0.04, Not required
	WADMA Band V	0.639	9.98	9.06	-0.22	1.362	87.96	0.018	SPLSR ≤ 0.04, Not required
	LTE Band 5	0.588	10.14	8.90	-0.23	1.311	90.21	0.017	SPLSR ≤ 0.04, Not required
	LTE Band 13	0.687	10.13	9.06	-0.22	1.410	89.17	0.019	SPLSR ≤ 0.04, Not required



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路134號

Scenario 3: WLAN 2.4G Main to WWAN and Bluetooth_Top side									
Position	Conditions	SAR Value (W/kg)	Coordinates (cm)			ΣSAR (W/kg)	Peak Location Separation Distance (mm)	SPLSR	Simultaneous Transmission SAR Test
			x	y	z				
Top side	WLAN 2.4G Main	0.581	-0.66	-13.64	-0.39	-	-	-	-
	LTE Band 5	1.168	-0.34	6.96	-0.19	1.749	206.03	0.011	SPLSR ≤ 0.04, Not required
	LTE Band 13	1.108	-0.34	7.26	-0.24	1.689	209.03	0.011	SPLSR ≤ 0.04, Not required
	LTE Band 26	1.150	-0.34	7.13	-0.19	1.731	207.73	0.011	SPLSR ≤ 0.04, Not required
	LTE Band 66	1.009	-0.33	7.06	-0.21	1.590	207.03	0.010	SPLSR ≤ 0.04, Not required
	Bluetooth	0.002	-0.20	10.20	-0.25	0.583	238.45	0.002	SPLSR ≤ 0.04, Not required

Scenario 3: Bluetooth to WWAN_Top side									
Position	Conditions	SAR Value (W/kg)	Coordinates (cm)			ΣSAR (W/kg)	Peak Location Separation Distance (mm)	SPLSR	Simultaneous Transmission SAR Test
			x	y	z				
Top side	Bluetooth	0.002	-2.00	10.20	-0.25	-	-	-	-
	LTE Band 5	1.168	-0.34	6.96	-0.19	1.170	36.41	0.035	SPLSR ≤ 0.04, Not required
	LTE Band 13	1.108	-0.34	7.26	-0.24	1.110	33.76	0.035	SPLSR ≤ 0.04, Not required
	LTE Band 26	1.150	-0.34	7.13	-0.19	1.152	34.91	0.035	SPLSR ≤ 0.04, Not required
	LTE Band 66	1.009	-0.33	7.06	-0.21	1.011	35.57	0.029	SPLSR ≤ 0.04, Not required



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路134號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

HONG-BO(L850-GL and AX201NGW)

Band	Exposure position 1g(W/kg)	The simultaneous Transmission conditions												SPLSR
		0	1	2	3	4	5	Scenario 1	Scenario 2	Scenario 3	Scenario 4	Scenario 5		
	WWAN	WLAN 2.4GHz Main	WLAN 2.4GHz Aux	WLAN 5GHz Main	WLAN 5GHz Aux	BT (Aux)	0+1+2 Sum	0+1+5 Sum	0+3+5 Sum	0+3+4 Sum	0+3+4+5 Sum			
WADMA Band II	Back side	0.269	0.170	0.840	0.260	0.080	0.130	1.279	0.569	0.650	0.609	0.739	0.549	ESAR-1.6, Not required
	Top side	0.337	0.440	0.400	0.650	0.400	0.012	1.177	0.789	0.999	1.387	1.399	0.549	ESAR-1.6, Not required
	Bottom side	0.014	0.400	0.400	0.400	0.400	0.400	0.814	0.814	0.814	0.814	1.214	0.549	ESAR-1.6, Not required
	Left side	0.142	0.400	-	0.770	-	-	0.542	0.542	0.912	0.912	0.912	0.549	ESAR-1.6, Not required
	Right side	0.010	-	0.480	-	0.070	0.070	0.490	0.080	0.080	0.080	0.150	0.549	ESAR-1.6, Not required
WADMA Band IV	Back side	0.629	0.170	0.840	0.260	0.080	0.130	1.639	0.929	1.019	0.969	1.099	0.549	Analyzed as below
	Top side	0.805	0.440	0.400	0.650	0.400	0.012	1.645	1.257	1.467	1.855	1.867	0.549	Analyzed as below
	Bottom side	0.018	0.400	0.400	0.400	0.400	0.400	0.618	0.618	0.618	0.618	1.218	0.549	ESAR-1.6, Not required
	Left side	0.177	0.400	-	0.770	-	-	0.577	0.577	0.947	0.947	0.947	0.549	ESAR-1.6, Not required
	Right side	0.015	-	0.480	-	0.070	0.070	0.495	0.085	0.085	0.085	0.155	0.549	ESAR-1.6, Not required
WADMA Band V	Back side	0.693	0.170	0.840	0.260	0.080	0.130	1.703	0.993	1.083	1.033	1.163	0.549	Analyzed as below
	Top side	0.996	0.440	0.400	0.650	0.400	0.012	1.636	1.448	1.656	2.046	2.056	0.549	Analyzed as below
	Bottom side	0.047	0.400	0.400	0.400	0.400	0.400	0.847	0.847	0.847	0.847	1.247	0.549	ESAR-1.6, Not required
	Left side	0.198	0.400	-	0.770	-	-	0.598	0.598	0.968	0.968	0.968	0.549	ESAR-1.6, Not required
	Right side	0.079	-	0.480	-	0.070	0.070	0.559	0.149	0.149	0.149	0.219	0.549	ESAR-1.6, Not required
LTE Band 2	Back side	0.276	0.170	0.840	0.260	0.080	0.130	1.286	0.576	0.666	0.616	0.746	0.549	ESAR-1.6, Not required
	Top side	0.569	0.440	0.400	0.650	0.400	0.012	1.409	1.021	1.231	1.819	1.631	0.549	Analyzed as below
	Bottom side	0.015	0.400	0.400	0.400	0.400	0.400	0.815	0.815	0.815	0.815	1.215	0.549	ESAR-1.6, Not required
	Left side	0.124	0.400	-	0.770	-	-	0.524	0.524	0.894	0.894	0.894	0.549	ESAR-1.6, Not required
	Right side	0.009	-	0.480	-	0.070	0.070	0.489	0.079	0.079	0.079	0.149	0.549	ESAR-1.6, Not required
LTE Band 5	Back side	0.495	0.170	0.840	0.260	0.080	0.130	1.505	0.795	0.885	0.835	0.965	0.549	ESAR-1.6, Not required
	Top side	0.918	0.440	0.400	0.650	0.400	0.012	1.758	1.370	1.580	1.968	1.980	0.549	Analyzed as below
	Bottom side	0.049	0.400	0.400	0.400	0.400	0.400	0.849	0.849	0.849	0.849	1.249	0.549	ESAR-1.6, Not required
	Left side	0.182	0.400	-	0.770	-	-	0.582	0.582	0.952	0.952	0.952	0.549	ESAR-1.6, Not required
	Right side	0.079	-	0.480	-	0.070	0.070	0.559	0.149	0.149	0.219	0.301	0.549	ESAR-1.6, Not required
LTE Band 7	Back side	0.434	0.170	0.840	0.260	0.080	0.130	1.444	0.734	0.824	0.774	0.904	0.549	ESAR-1.6, Not required
	Top side	0.487	0.440	0.400	0.650	0.400	0.012	1.327	0.939	1.149	1.537	1.549	0.549	ESAR-1.6, Not required
	Bottom side	0.007	0.400	0.400	0.400	0.400	0.400	0.807	0.807	0.807	0.807	1.207	0.549	ESAR-1.6, Not required
	Left side	0.136	0.400	-	0.770	-	-	0.536	0.536	0.906	0.906	0.906	0.549	ESAR-1.6, Not required
	Right side	0.011	-	0.480	-	0.070	0.070	0.491	0.081	0.081	0.081	0.151	0.549	ESAR-1.6, Not required
LTE Band 12	Back side	0.328	0.170	0.840	0.260	0.080	0.130	1.338	0.628	0.718	0.668	0.798	0.549	ESAR-1.6, Not required
	Top side	0.983	0.440	0.400	0.650	0.400	0.012	1.823	1.455	1.645	2.033	2.045	0.549	Analyzed as below
	Bottom side	0.046	0.400	0.400	0.400	0.400	0.400	0.846	0.846	0.846	0.846	1.246	0.549	ESAR-1.6, Not required
	Left side	0.128	0.400	-	0.770	-	-	0.528	0.528	0.898	0.898	0.898	0.549	ESAR-1.6, Not required
	Right side	0.055	-	0.480	-	0.070	0.070	0.570	0.125	0.125	0.125	0.195	0.549	ESAR-1.6, Not required
LTE Band 13	Back side	0.626	0.170	0.840	0.260	0.080	0.130	1.636	0.926	1.016	0.966	1.096	0.549	Analyzed as below
	Top side	1.139	0.440	0.400	0.650	0.400	0.012	1.979	1.591	1.801	2.189	2.201	0.549	Analyzed as below
	Bottom side	0.052	0.400	0.400	0.400	0.400	0.400	0.852	0.852	0.852	0.852	1.252	0.549	ESAR-1.6, Not required
	Left side	0.146	0.400	-	0.770	-	-	0.546	0.546	0.916	0.916	0.916	0.549	ESAR-1.6, Not required
	Right side	0.068	-	0.480	-	0.070	0.070	0.548	0.138	0.138	0.138	0.208	0.549	ESAR-1.6, Not required
LTE Band 26	Back side	0.502	0.170	0.840	0.260	0.080	0.130	1.512	0.802	0.892	0.842	0.972	0.549	ESAR-1.6, Not required
	Top side	1.186	0.440	0.400	0.650	0.400	0.012	2.026	1.636	1.848	2.236	2.246	0.549	Analyzed as below
	Bottom side	0.057	0.400	0.400	0.400	0.400	0.400	0.857	0.857	0.857	0.857	1.257	0.549	ESAR-1.6, Not required
	Left side	0.188	0.400	-	0.770	-	-	0.588	0.588	0.958	0.958	0.958	0.549	ESAR-1.6, Not required
	Right side	0.087	-	0.480	-	0.070	0.070	0.567	0.157	0.157	0.157	0.227	0.549	ESAR-1.6, Not required
LTE Band 30	Back side	0.222	0.170	0.840	0.260	0.080	0.130	1.322	0.522	0.612	0.562	0.692	0.549	ESAR-1.6, Not required
	Top side	0.566	0.440	0.400	0.650	0.400	0.012	1.406	1.016	1.228	1.816	1.828	0.549	Analyzed as below
	Bottom side	0.009	0.400	0.400	0.400	0.400	0.400	0.809	0.809	0.809	0.809	1.209	0.549	ESAR-1.6, Not required
	Left side	0.116	0.400	-	0.770	-	-	0.516	0.516	0.886	0.886	0.886	0.549	ESAR-1.6, Not required
	Right side	0.005	-	0.480	-	0.070	0.070	0.485	0.075	0.075	0.075	0.145	0.549	ESAR-1.6, Not required
LTE Band 38	Back side	0.627	0.170	0.840	0.260	0.080	0.130	1.637	0.827	1.017	0.967	1.097	0.549	Analyzed as below
	Top side	0.685	0.440	0.400	0.650	0.400	0.012	1.525	1.137	1.347	1.735	1.747	0.549	Analyzed as below
	Bottom side	0.006	0.400	0.400	0.400	0.400	0.400	0.807	0.807	0.807	0.807	1.207	0.549	ESAR-1.6, Not required
	Left side	0.281	0.400	-	0.770	-	-	0.681	0.681	1.051	1.051	1.051	0.549	ESAR-1.6, Not required
	Right side	0.008	-	0.480	-	0.070	0.070	0.488	0.078	0.078	0.078	0.148	0.549	ESAR-1.6, Not required
LTE Band 41	Back side	0.783	0.170	0.840	0.260	0.080	0.130	1.793	1.083	1.173	1.123	1.253	0.549	Analyzed as below
	Top side	0.833	0.440	0.400	0.650	0.400	0.012	1.673	1.285	1.495	1.883	1.895	0.549	Analyzed as below
	Bottom side	0.007	0.400	0.400	0.400	0.400	0.400	0.807	0.807	0.807	0.807	1.207	0.549	ESAR-1.6, Not required
	Left side	0.311	0.400	-	0.770	-	-	0.711	0.711	1.081	1.081	1.081	0.549	ESAR-1.6, Not required
	Right side	0.006	-	0.480	-	0.070	0.070	0.486	0.076	0.076	0.076	0.146	0.549	ESAR-1.6, Not required
LTE Band 66	Back side	0.507	0.170	0.840	0.260	0.080	0.130	1.517	0.807	0.897	0.847	0.977	0.549	ESAR-1.6, Not required
	Top side	0.763	0.440	0.400	0.650	0.400	0.012	1.603	1.215	1.425	1.813	1.825	0.549	Analyzed as below
	Bottom side	0.014	0.400	0.400	0.400	0.400	0.400	0.814	0.814	0.814	0.814	1.214	0.549	ESAR-1.6, Not required
	Left side	0.147	0.400	-	0.770	-	-	0.547	0.547	0.917	0.917	0.917	0.549	ESAR-1.6, Not required
	Right side	0.012	-	0.480	-	0.070	0.070	0.492	0.082	0.082	0.082	0.152	0.549	ESAR-1.6, Not required

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful

Scenario 1: WLAN 2.4G Main to WWAN and WLAN 2.4G Aux_Back side									
Position	Conditions	SAR Value (W/kg)	Coordinates (cm)			Σ SAR (W/kg)	Peak Location Separation Distance (mm)	SPLSR	Simultaneous Transmission SAR Test
			x	y	z				
Back side	WLAN 2.4G Main	0.170	9.59	-11.34	-0.23	-	-	-	-
	WADMA Band IV	0.629	10.36	9.02	-0.19	0.799	203.75	0.004	SPLSR \leq 0.04, Not required
	WADMA Band V	0.693	10.90	9.04	-0.19	0.863	204.22	0.004	SPLSR \leq 0.04, Not required
	LTE Band 13	0.626	10.56	9.01	-0.20	0.796	203.73	0.003	SPLSR \leq 0.04, Not required
	LTE Band 41	0.783	10.21	10.13	-0.20	0.953	214.79	0.004	SPLSR \leq 0.04, Not required
	WLAN 2.4G Aux	0.840	2.93	14.57	-0.23	1.010	267.52	0.004	SPLSR \leq 0.04, Not required

Scenario 1: WLAN 2.4G Aux to WWAN_Back side									
Position	Conditions	SAR Value (W/kg)	Coordinates (cm)			Σ SAR (W/kg)	Peak Location Separation Distance (mm)	SPLSR	Simultaneous Transmission SAR Test
			x	y	z				
Back side	WLAN 2.4G Aux	0.840	2.93	14.57	-0.23	-	-	-	-
	WADMA Band IV	0.629	10.36	9.02	-0.19	1.469	92.74	0.019	SPLSR \leq 0.04, Not required
	WADMA Band V	0.693	10.90	9.04	-0.19	1.533	97.01	0.020	SPLSR \leq 0.04, Not required
	LTE Band 13	0.626	10.56	9.01	-0.20	1.466	94.41	0.019	SPLSR \leq 0.04, Not required
	LTE Band 41	0.783	10.21	10.13	-0.20	1.623	85.27	0.024	SPLSR \leq 0.04, Not required

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路134號



台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Scenario 1: WLAN 2.4G Main to WWAN and WLAN 2.4G Aux_Top side									
Position	Conditions	SAR Value (W/kg)	Coordinates (cm)			Σ SAR (W/kg)	Peak Location Separation Distance (mm)	SPLSR	Simultaneous Transmission SAR Test
			x	y	z				
Top side	WLAN 2.4G Main	0.440	-0.68	-13.58	-0.34	-	-	-	-
	WADMA Band IV	0.805	-0.50	10.10	-0.30	1.245	236.81	0.006	SPLSR \leq 0.04, Not required
	WADMA Band V	0.996	-0.66	7.24	-2.87	1.436	209.73	0.008	SPLSR \leq 0.04, Not required
	LTE Band 5	0.918	-0.66	7.24	-0.29	1.358	208.20	0.008	SPLSR \leq 0.04, Not required
	LTE Band 12	0.983	-0.81	7.55	-0.29	1.423	211.30	0.008	SPLSR \leq 0.04, Not required
	LTE Band 13	1.139	-0.50	7.26	-0.31	1.579	208.41	0.010	SPLSR \leq 0.04, Not required
	LTE Band 26	1.186	-0.65	7.20	-0.30	1.626	207.80	0.010	SPLSR \leq 0.04, Not required
	LTE Band 41	0.833	0.76	11.22	-0.29	1.273	248.42	0.006	SPLSR \leq 0.04, Not required
	LTE Band 66	0.763	-0.81	10.10	-0.29	1.203	236.80	0.006	SPLSR \leq 0.04, Not required
	WLAN 2.4G Aux	0.400	-1.95	16.26	-0.25	0.840	298.67	0.003	SPLSR \leq 0.04, Not required

Scenario 1: WLAN 2.4G Aux to WWAN_Top side									
Position	Conditions	SAR Value (W/kg)	Coordinates (cm)			Σ SAR (W/kg)	Peak Location Separation Distance (mm)	SPLSR	Simultaneous Transmission SAR Test
			x	y	z				
Top side	WLAN 2.4G Aux	0.400	-1.95	16.26	-0.25	-	-	-	-
	WADMA Band IV	0.805	-0.50	10.10	-0.30	1.205	63.29	0.021	SPLSR \leq 0.04, Not required
	WADMA Band V	0.996	-0.66	7.24	-2.87	1.396	94.81	0.017	SPLSR \leq 0.04, Not required
	LTE Band 5	0.918	-0.66	7.24	-0.29	1.318	91.12	0.017	SPLSR \leq 0.04, Not required
	LTE Band 12	0.983	-0.81	7.55	-0.29	1.383	87.84	0.019	SPLSR \leq 0.04, Not required
	LTE Band 13	1.139	-0.50	7.26	-0.31	1.539	91.16	0.021	SPLSR \leq 0.04, Not required
	LTE Band 26	1.186	-0.65	7.20	-0.30	1.586	91.53	0.022	SPLSR \leq 0.04, Not required
	LTE Band 41	0.833	0.76	11.22	-0.29	1.233	57.23	0.024	SPLSR \leq 0.04, Not required
	LTE Band 66	0.763	-0.81	10.10	-0.29	1.163	62.65	0.020	SPLSR \leq 0.04, Not required

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路134號



台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Scenario 2: WLAN 2.4G Main to WWAN and Bluetooth_Top side									
Position	Conditions	SAR Value (W/kg)	Coordinates (cm)			Σ SAR (W/kg)	Peak Location Separation Distance (mm)	SPLSR	Simultaneous Transmission SAR Test
			x	y	z				
Top side	WLAN 2.4G Main	0.440	-0.68	-13.58	-0.34	-	-	-	-
	LTE Band 26	1.186	-0.50	7.84	-0.43	1.626	214.21	0.010	SPLSR \leq 0.04, Not required
	Bluetooth	0.012	-1.90	16.20	-0.28	0.452	298.05	0.001	SPLSR \leq 0.04, Not required

Scenario 2: Bluetooth to WWAN_Top side									
Position	Conditions	SAR Value (W/kg)	Coordinates (cm)			Σ SAR (W/kg)	Peak Location Separation Distance (mm)	SPLSR	Simultaneous Transmission SAR Test
			x	y	z				
Top side	Bluetooth	0.012	-1.90	16.20	-0.28	-	-	-	-
	LTE Band 26	1.186	-0.50	7.84	-0.43	1.198	84.78	0.015	SPLSR \leq 0.04, Not required



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Scenario 5: WLAN 5G Main to WWAN and WLAN 5G Aux(Bluetooth)_Top side									
Position	Conditions	SAR Value (W/kg)	Coordinates (cm)			Σ SAR (W/kg)	Peak Location Separation Distance (mm)	SPLSR	Simultaneous Transmission SAR Test
			x	y	z				
Top side	WLAN 5G Main	0.650	-0.62	-13.82	-0.35	-	-	-	-
	WCDMA Band IV	0.805	-0.50	10.10	-0.30	1.455	239.20	0.007	SPLSR \leq 0.04, Not required
	WCDMA Band V	0.996	-0.66	7.24	-2.87	1.646	212.11	0.010	SPLSR \leq 0.04, Not required
	LTE Band 2	0.569	-0.65	10.25	-0.27	1.219	240.70	0.006	SPLSR \leq 0.04, Not required
	LTE Band 5	0.918	-0.66	7.24	-0.29	1.568	210.60	0.009	SPLSR \leq 0.04, Not required
	LTE Band 12	0.983	-0.81	7.55	-0.29	1.633	213.71	0.010	SPLSR \leq 0.04, Not required
	LTE Band 13	1.139	-0.50	7.26	-0.31	1.789	210.80	0.011	SPLSR \leq 0.04, Not required
	LTE Band 26	1.186	-0.65	7.02	-0.30	1.836	208.40	0.012	SPLSR \leq 0.04, Not required
	LTE Band 30	0.566	-0.74	11.20	-2.78	1.216	251.38	0.005	SPLSR \leq 0.04, Not required
	LTE Band 38	0.685	-0.88	11.16	-0.29	1.335	249.81	0.006	SPLSR \leq 0.04, Not required
	LTE Band 41	0.833	0.76	11.22	-0.29	1.483	250.78	0.007	SPLSR \leq 0.04, Not required
	LTE Band 66	0.763	-0.81	10.10	-0.29	1.413	239.21	0.007	SPLSR \leq 0.04, Not required
	WLAN 5G Aux(+Bluetooth)	0.412	1.95	15.58	-0.25	1.062	295.12	0.004	SPLSR \leq 0.04, Not required

Scenario 5: WLAN 5G Aux(Bluetooth) to WWAN_Top side									
Position	Conditions	SAR Value (W/kg)	Coordinates (cm)			Σ SAR (W/kg)	Peak Location Separation Distance (mm)	SPLSR	Simultaneous Transmission SAR Test
			x	y	z				
Top side	WLAN 5G Aux(+Bluetooth)	0.412	1.95	15.58	-0.25	-	-	-	-
	WCDMA Band IV	0.805	-0.50	10.10	-0.30	1.217	60.03	0.022	SPLSR \leq 0.04, Not required
	WCDMA Band V	0.996	-0.66	7.24	-2.87	1.408	91.25	0.018	SPLSR \leq 0.04, Not required
	LTE Band 2	0.569	-0.65	10.25	-0.27	0.981	59.30	0.016	SPLSR \leq 0.04, Not required
	LTE Band 5	0.918	-0.66	7.24	-0.29	1.330	87.39	0.018	SPLSR \leq 0.04, Not required
	LTE Band 12	0.983	-0.81	7.55	-0.29	1.395	84.91	0.019	SPLSR \leq 0.04, Not required
	LTE Band 13	1.139	-0.50	7.26	-0.31	1.551	86.73	0.022	SPLSR \leq 0.04, Not required
	LTE Band 26	1.186	-0.65	7.02	-0.30	1.598	89.46	0.023	SPLSR \leq 0.04, Not required
	LTE Band 30	0.566	-0.74	11.20	-2.78	0.978	57.31	0.017	SPLSR \leq 0.04, Not required
	LTE Band 38	0.685	-0.88	11.16	-0.29	1.097	52.49	0.022	SPLSR \leq 0.04, Not required
	LTE Band 41	0.833	0.76	11.22	-0.29	1.245	45.20	0.031	SPLSR \leq 0.04, Not required
	LTE Band 66	0.763	-0.81	10.10	-0.29	1.175	61.36	0.021	SPLSR \leq 0.04, Not required

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

WNC(L850-GL and AX201NGW)

Band	Exposure position 1g(W/kg)	The simultaneous transmission conditions												SPLsR
		0	1	2	3	4	5	Scenario 1	Scenario 2	Scenario 3	Scenario 4	Scenario 5		
	WWAN	WLAN 2.4GHz Main	WLAN 2.4GHz Aux	WLAN 5GHz Main	WLAN 5GHz Aux	BT (Aux)	0+1+2 Sum	0+3+5 Sum	0+3+4 Sum	0+3+4+5 Sum				
WADMA Band II	Back side	0.400	0.160	0.670	0.210	0.250	0.100	1.230	0.660	0.710	0.860	0.960	1.228	ZSAR<1.6, Not required
	Top side	0.651	0.490	0.400	0.570	0.400	0.007	1.541	1.148	1.228	1.621	1.628	Analyzed as below	
	Bottom side	0.028	0.400	0.400	0.400	0.400	0.400	0.828	0.828	0.828	0.828	1.228	ZSAR<1.6, Not required	
	Left side	0.148	0.370	-	0.650	-	-	0.518	0.518	0.798	0.798	0.798	1.228	Not required
WADMA Band IV	Right side	0.025	-	0.440	-	0.080	0.060	0.465	0.085	0.085	0.105	0.165	1.228	ZSAR<1.6, Not required
	Back side	0.642	0.160	0.670	0.210	0.250	0.100	1.472	0.802	0.852	1.102	1.202	1.228	ZSAR<1.6, Not required
	Top side	0.944	0.490	0.400	0.570	0.400	0.007	1.834	1.441	1.521	1.914	1.921	Analyzed as below	
	Bottom side	0.026	0.400	0.400	0.400	0.400	0.400	0.826	0.826	0.826	0.826	1.226	ZSAR<1.6, Not required	
WADMA Band V	Left side	0.165	0.370	-	0.650	-	-	0.535	0.535	0.815	0.815	0.815	1.226	ZSAR<1.6, Not required
	Right side	0.024	-	0.440	-	0.080	0.060	0.464	0.084	0.084	0.104	0.164	1.226	ZSAR<1.6, Not required
	Back side	0.639	0.160	0.670	0.210	0.250	0.100	1.469	0.899	0.949	1.099	1.199	1.226	ZSAR<1.6, Not required
	Top side	0.948	0.490	0.400	0.570	0.400	0.007	1.838	1.445	1.525	1.918	1.925	Analyzed as below	
LTE Band 2	Bottom side	0.053	0.400	0.400	0.400	0.400	0.400	0.853	0.853	0.853	0.853	1.253	1.226	ZSAR<1.6, Not required
	Left side	0.131	0.370	-	0.650	-	-	0.501	0.501	0.781	0.781	0.781	1.226	ZSAR<1.6, Not required
	Right side	0.036	-	0.440	-	0.080	0.060	0.476	0.096	0.096	0.116	0.176	1.226	ZSAR<1.6, Not required
	Back side	0.366	0.160	0.670	0.210	0.250	0.100	1.196	0.626	0.676	0.826	0.926	1.226	ZSAR<1.6, Not required
LTE Band 5	Top side	0.753	0.490	0.400	0.570	0.400	0.007	1.543	1.250	1.330	1.723	1.730	Analyzed as below	
	Bottom side	0.022	0.400	0.400	0.400	0.400	0.400	0.822	0.822	0.822	0.822	1.222	1.226	ZSAR<1.6, Not required
	Left side	0.139	0.370	-	0.650	-	-	0.509	0.509	0.789	0.789	0.789	1.226	ZSAR<1.6, Not required
	Right side	0.026	-	0.440	-	0.080	0.060	0.466	0.088	0.088	0.106	0.166	1.226	ZSAR<1.6, Not required
LTE Band 7	Back side	0.588	0.160	0.670	0.210	0.250	0.100	1.418	0.848	0.898	1.048	1.148	1.226	ZSAR<1.6, Not required
	Top side	1.168	0.490	0.400	0.570	0.400	0.007	2.056	1.665	1.745	2.198	2.145	Analyzed as below	
	Bottom side	0.052	0.400	0.400	0.400	0.400	0.400	0.852	0.852	0.852	0.852	1.252	1.226	ZSAR<1.6, Not required
	Left side	0.123	0.370	-	0.650	-	-	0.493	0.493	0.773	0.773	0.773	1.226	ZSAR<1.6, Not required
LTE Band 12	Right side	0.036	-	0.440	-	0.080	0.060	0.476	0.096	0.096	0.116	0.176	1.226	ZSAR<1.6, Not required
	Back side	0.185	0.160	0.670	0.210	0.250	0.100	1.015	0.445	0.495	0.645	0.745	1.226	ZSAR<1.6, Not required
	Top side	0.897	0.490	0.400	0.570	0.400	0.007	1.787	1.394	1.474	1.867	1.874	Analyzed as below	
	Bottom side	0.010	0.400	0.400	0.400	0.400	0.400	0.810	0.810	0.810	0.810	1.210	1.226	ZSAR<1.6, Not required
LTE Band 13	Left side	0.050	0.370	-	0.650	-	-	0.420	0.420	0.700	0.700	0.700	1.226	ZSAR<1.6, Not required
	Right side	0.007	-	0.440	-	0.080	0.060	0.447	0.067	0.067	0.087	0.147	1.226	ZSAR<1.6, Not required
	Back side	0.401	0.160	0.670	0.210	0.250	0.100	1.231	0.681	0.711	0.881	0.981	1.226	ZSAR<1.6, Not required
	Top side	0.942	0.490	0.400	0.570	0.400	0.007	1.832	1.439	1.519	1.912	1.919	Analyzed as below	
LTE Band 26	Bottom side	0.064	0.400	0.400	0.400	0.400	0.400	0.864	0.864	0.864	0.864	1.264	1.226	ZSAR<1.6, Not required
	Left side	0.093	0.370	-	0.650	-	-	0.463	0.463	0.743	0.743	0.743	1.226	ZSAR<1.6, Not required
	Right side	0.053	-	0.440	-	0.080	0.060	0.493	0.113	0.113	0.193	0.215	1.226	ZSAR<1.6, Not required
	Back side	0.687	0.160	0.670	0.210	0.250	0.100	1.517	0.947	0.997	1.147	1.247	1.226	ZSAR<1.6, Not required
LTE Band 30	Top side	1.108	0.490	0.400	0.570	0.400	0.007	1.998	1.605	1.685	2.078	2.085	Analyzed as below	
	Bottom side	0.056	0.400	0.400	0.400	0.400	0.400	0.856	0.856	0.856	0.856	1.256	1.226	ZSAR<1.6, Not required
	Left side	0.108	0.370	-	0.650	-	-	0.478	0.478	0.758	0.758	0.758	1.226	ZSAR<1.6, Not required
	Right side	0.075	-	0.440	-	0.080	0.060	0.515	0.135	0.135	0.215	0.222	1.226	ZSAR<1.6, Not required
LTE Band 38	Back side	0.578	0.160	0.670	0.210	0.250	0.100	1.408	0.838	0.888	1.038	1.138	1.226	ZSAR<1.6, Not required
	Top side	1.150	0.490	0.400	0.570	0.400	0.007	2.040	1.647	1.727	2.120	2.127	Analyzed as below	
	Bottom side	0.075	0.400	0.400	0.400	0.400	0.400	0.875	0.875	0.875	0.875	1.275	1.226	ZSAR<1.6, Not required
	Left side	0.149	0.370	-	0.650	-	-	0.519	0.519	0.799	0.799	0.799	1.226	ZSAR<1.6, Not required
LTE Band 41	Right side	0.080	-	0.440	-	0.080	0.060	0.520	0.140	0.140	0.220	0.222	1.226	ZSAR<1.6, Not required
	Back side	0.162	0.160	0.670	0.210	0.250	0.100	0.992	0.422	0.472	0.622	0.722	1.226	ZSAR<1.6, Not required
	Top side	0.154	0.490	0.400	0.570	0.400	0.007	1.044	0.651	0.731	1.124	1.131	1.226	ZSAR<1.6, Not required
	Bottom side	0.009	0.400	0.400	0.400	0.400	0.400	0.809	0.809	0.809	0.809	1.209	1.226	ZSAR<1.6, Not required
LTE Band 66	Left side	0.058	0.370	-	0.650	-	-	0.428	0.428	0.708	0.708	0.708	1.226	ZSAR<1.6, Not required
	Right side	0.013	-	0.440	-	0.080	0.060	0.453	0.073	0.073	0.093	0.153	1.226	ZSAR<1.6, Not required
	Back side	0.197	0.160	0.670	0.210	0.250	0.100	1.027	0.457	0.507	0.657	0.757	1.226	ZSAR<1.6, Not required
	Top side	0.639	0.490	0.400	0.570	0.400	0.007	1.529	1.136	1.216	1.609	1.616	Analyzed as below	
LTE Band 66	Bottom side	0.008	0.400	0.400	0.400	0.400	0.400	0.808	0.808	0.808	0.808	1.208	1.226	ZSAR<1.6, Not required
	Left side	0.064	0.370	-	0.650	-	-	0.434	0.434	0.714	0.714	0.714	1.226	ZSAR<1.6, Not required
	Right side	0.010	-	0.440	-	0.080	0.060	0.450	0.070	0.070	0.090	0.150	1.226	ZSAR<1.6, Not required
	Back side	0.248	0.160	0.670	0.210	0.250	0.100	1.078	0.508	0.558	0.708	0.808	1.226	ZSAR<1.6, Not required
LTE Band 41	Top side	0.737	0.490	0.400	0.570	0.400	0.007	1.627	1.234	1.314	1.707	1.714	Analyzed as below	
	Bottom side	0.011	0.400	0.400	0.400	0.400	0.400	0.811	0.811	0.811	0.811	1.211	1.226	ZSAR<1.6, Not required
	Left side	0.043	0.370	-	0.650	-	-	0.413	0.413	0.693	0.693	0.693	1.226	ZSAR<1.6, Not required
	Right side	0.004	-	0.440	-	0.080	0.060	0.444	0.064	0.064	0.084	0.144	1.226	ZSAR<1.6, Not required
LTE Band 66	Back side	0.528	0.160	0.670	0.210	0.250	0.100	1.358	0.788	0.838	0.988	1.088	1.226	ZSAR<1.6, Not required
	Top side	1.009	0.490	0.400	0.570	0.400	0.007	1.899	1.506	1.586	1.979	1.986	Analyzed as below	
	Bottom side	0.024	0.400	0.400	0.400	0.400	0.400	0.824	0.824	0.824	0.824	1.224	1.226	ZSAR<1.6, Not required
	Left side	0.153	0.370	-	0.650	-	-	0.523	0.523	0.803	0.803	0.803	1.226	ZSAR<1.6, Not required
	Right side	0.018	-	0.440	-	0.080	0.060	0.458	0.078	0.078	0.098	0.158	1.226	ZSAR<1.6, Not required

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the

Scenario 1: WLAN 2.4G Main to WWAN and WLAN 2.4G Aux_Top side									
Position	Conditions	SAR Value (W/kg)	Coordinates (cm)			ΣSAR (W/kg)	Peak Location Separation Distance (mm)	SPLSR	Simultaneous Transmission SAR Test
			x	y	z				
Top side	WLAN 2.4G Main	0.490	-0.65	-13.56	-0.33	-	-	-	-
	WCDMA Band IV	0.944	-0.44	7.14	-0.24	1.434	207.01	0.008	SPLSR ≤ 0.04, Not required
	WCDMA Band V	0.948	-0.25	6.82	-0.22	1.438	203.84	0.008	SPLSR ≤ 0.04, Not required
	LTE Band 2	0.753	-0.37	9.56	-0.25	1.243	231.22	0.006	SPLSR ≤ 0.04, Not required
	LTE Band 5	1.168	-0.34	6.96	-0.19	1.658	205.23	0.010	SPLSR ≤ 0.04, Not required
	LTE Band 7	0.897	-0.37	10.36	-0.28	1.387	239.22	0.007	SPLSR ≤ 0.04, Not required
	LTE Band 12	0.942	-0.33	7.43	-0.21	1.432	209.93	0.008	SPLSR ≤ 0.04, Not required
	LTE Band 13	1.108	-0.34	7.26	-0.24	1.598	208.23	0.010	SPLSR ≤ 0.04, Not required
	LTE Band 26	1.150	-0.34	7.13	-0.19	1.640	206.93	0.010	SPLSR ≤ 0.04, Not required
	LTE Band 41	0.737	-0.36	10.21	-0.25	1.227	237.72	0.006	SPLSR ≤ 0.04, Not required
	WLAN 2.4G Aux	1.009	-0.33	7.06	-0.21	1.499	206.23	0.009	SPLSR ≤ 0.04, Not required

Scenario 1: WLAN 2.4G Aux to WWAN_Top side									
Position	Conditions	SAR Value (W/kg)	Coordinates (cm)			ΣSAR (W/kg)	Peak Location Separation Distance (mm)	SPLSR	Simultaneous Transmission SAR Test
			x	y	z				
Top side	WLAN 2.4G Aux	0.400	-1.82	16.11	-0.22	-	-	-	-
	WCDMA Band IV	0.944	-0.44	7.14	-0.24	1.344	90.76	0.017	SPLSR ≤ 0.04, Not required
	WCDMA Band V	0.948	-0.25	6.82	-0.22	1.348	94.22	0.017	SPLSR ≤ 0.04, Not required
	LTE Band 2	0.753	-0.37	9.56	-0.25	1.153	67.08	0.018	SPLSR ≤ 0.04, Not required
	LTE Band 5	1.168	-0.34	6.96	-0.19	1.568	92.69	0.021	SPLSR ≤ 0.04, Not required
	LTE Band 7	0.897	-0.37	10.36	-0.28	1.297	59.30	0.025	SPLSR ≤ 0.04, Not required
	LTE Band 12	0.942	-0.33	7.43	-0.21	1.342	88.07	0.018	SPLSR ≤ 0.04, Not required
	LTE Band 13	1.108	-0.34	7.26	-0.24	1.508	89.73	0.021	SPLSR ≤ 0.04, Not required
	LTE Band 26	1.150	-0.34	7.13	-0.19	1.550	91.01	0.021	SPLSR ≤ 0.04, Not required
	LTE Band 41	0.737	-0.36	10.21	-0.25	1.137	60.78	0.020	SPLSR ≤ 0.04, Not required
	WLAN 2.4G Aux	1.009	-0.33	7.06	-0.21	1.409	91.72	0.018	SPLSR ≤ 0.04, Not required

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路134號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Scenario 2: WLAN 2.4G Main to WWAN and WLAN 5G Aux_Top side									
Position	Conditions	SAR Value (W/kg)	Coordinates (cm)			Σ SAR (W/kg)	Peak Location Separation Distance (mm)	SPLSR	Simultaneous Transmission SAR Test
			x	y	z				
Top side	WLAN 2.4G Main	0.490	-0.65	-13.56	-0.33	-	-	-	-
	LTE Band 5	1.168	-0.34	6.96	-0.19	1.658	205.23	0.010	SPLSR \leq 0.04, Not required
	LTE Band 13	1.108	-0.34	7.26	-0.24	1.598	208.23	0.010	SPLSR \leq 0.04, Not required
	LTE Band 26	1.150	-0.34	7.13	-0.19	1.640	206.93	0.010	SPLSR \leq 0.04, Not required
	Bluetooth	0.007	-1.84	16.17	-0.24	0.497	297.54	0.001	SPLSR \leq 0.04, Not required

Scenario 2: WLAN 5G Aux to WWAN_Top side									
Position	Conditions	SAR Value (W/kg)	Coordinates (cm)			Σ SAR (W/kg)	Peak Location Separation Distance (mm)	SPLSR	Simultaneous Transmission SAR Test
			x	y	z				
Top side	Bluetooth	0.007	-1.84	16.17	-0.24	-	-	-	-
	LTE Band 5	1.168	-0.34	6.96	-0.19	1.175	93.31	0.014	SPLSR \leq 0.04, Not required
	LTE Band 13	1.108	-0.34	7.26	-0.24	1.115	90.35	0.013	SPLSR \leq 0.04, Not required
	LTE Band 26	1.150	-0.34	7.13	-0.19	1.157	91.64	0.014	SPLSR \leq 0.04, Not required



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


Scenario 5: WLAN 5G Main to WWAN and WLAN 5G Aux(Bluetooth)_Top side								
Position	Conditions	SAR Value (W/kg)	Coordinates (cm)			Σ SAR (W/kg)	Peak Location Separation Distance (mm)	SPLSR
			x	y	z			
Top side	WLAN 5G Main	0.570	-0.51	-13.51	-0.31	-	-	-
	WCDMA Band II	0.651	-0.39	9.51	-0.25	1.221	230.20	0.006
	WCDMA Band IV	0.944	-0.44	7.14	-0.24	1.514	206.50	0.009
	WCDMA Band V	0.948	-0.25	6.82	-0.22	1.518	203.32	0.009
	LTE Band 2	0.753	-0.37	9.56	-0.25	1.323	230.70	0.007
	LTE Band 5	1.168	-0.34	6.96	-0.19	1.738	204.71	0.011
	LTE Band 7	0.897	-0.37	10.36	-0.28	1.467	238.70	0.007
	LTE Band 12	0.942	-0.33	7.43	-0.21	1.512	209.41	0.009
	LTE Band 13	1.108	-0.34	7.26	-0.24	1.678	207.71	0.010
	LTE Band 26	1.150	-0.34	7.13	-0.19	1.720	206.41	0.011
	LTE Band 41	0.737	-0.36	10.21	-0.25	1.307	237.21	0.006
	LTE Band 66	1.009	-0.33	7.06	-0.21	1.579	205.71	0.010
	WLAN 5G Aux(+Bluetooth)	0.407	2.20	15.21	-0.26	0.977	288.48	0.003

Scenario 5: WLAN 5G Aux(Bluetooth) to WWAN_Top side								
Position	Conditions	SAR Value (W/kg)	Coordinates (cm)			Σ SAR (W/kg)	Peak Location Separation Distance (mm)	SPLSR
			x	y	z			
Top side	WLAN 5G Aux(+Bluetooth)	0.407	2.20	15.21	-0.26	-	-	-
	WCDMA Band II	0.651	-0.39	9.51	-0.25	1.058	62.62	0.017
	WCDMA Band IV	0.944	-0.44	7.14	-0.24	1.351	84.89	0.018
	WCDMA Band V	0.948	-0.25	6.82	-0.22	1.355	87.40	0.018
	LTE Band 2	0.753	-0.37	9.56	-0.25	1.160	62.08	0.020
	LTE Band 5	1.168	-0.34	6.96	-0.19	1.575	86.32	0.023
	LTE Band 7	0.897	-0.37	10.36	-0.28	1.304	54.90	0.027
	LTE Band 12	0.942	-0.33	7.43	-0.21	1.349	81.82	0.019
	LTE Band 13	1.108	-0.34	7.26	-0.24	1.515	83.46	0.022
	LTE Band 26	1.150	-0.34	7.13	-0.19	1.557	84.70	0.023
	LTE Band 41	0.737	-0.36	10.21	-0.25	1.144	56.18	0.022
	LTE Band 66	1.009	-0.33	7.06	-0.21	1.416	85.34	0.020

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Conclusion:

Simultaneous transmission SAR measurement (Volume Scan) is not required because either the sum of the 1-g SAR is < 1.6 W/kg or the SPLSR is \leq 0.04 for all circumstances that require SPLSR calculation.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

4. Instruments List

Manufacturer	Device	Type	Serial number	Date of last calibration	Date of next calibration
SPEAG	Dosimetric E-Field Probe	EX3DV4	3665	Aug.20,2020	Aug.19,2021
			3770	May.27,2020	May.26,2021
SPEAG	System Validation Dipole	D750V3	1015	Aug.13,2020	Aug.12,2021
		D835V2	4d063	Aug.13,2020	Aug.12,2021
		D1750V2	1008	Aug.14,2020	Aug.13,2021
		D1900V2	5d173	Apr.22,2020	Apr.21,2021
		D2300V2	1023	Aug.13,2020	Aug.12,2021
		D2450V2	727	Apr.22,2020	Apr.21,2021
		D2600V2	1005	Jan.29,2020	Jan.28,2021
		D5GHzV2	1023	Jan.28,2020	Jan.27,2021
SPEAG	Data acquisition Electronics	DAE4	856	Apr.23,2020	Apr.22,2021
			558	Oct.11,2019	Oct.10,2020
SPEAG	Software	DASY 52 52.10.4	N/A	Calibration not required	Calibration not required
SPEAG	Phantom	ELI	N/A	Calibration not required	Calibration not required
Agilent	Network Analyzer	E5071C	MY46100433	Dec.13,2019	Dec.12,2020
Agilent	Dielectric Probe Kit	85070E	MY44300677	Calibration not required	Calibration not required
Agilent	Dual-directional coupler	772D	MY46151242	Aug.17,2020	Aug.16,2021
		778D	MY48220468	Aug.17,2020	Aug.16,2021
Agilent	RF Signal Generator	N5181A	MY50141235	May.04,2020	May.03,2021
Agilent	Power Meter	E4417A	MY51410006	Mar.09,2020	Mar.08,2021
Agilent	Power Sensor	E9301H	MY51470001	Mar.09,2020	Mar.08,2021
			MY51470002	Mar.09,2020	Mar.08,2021

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Manufacturer	Device	Type	Serial number	Date of last calibration	Date of next calibration
TECPEL	Digital thermometer	DTM-303A	TP130074	Apr.10,2020	Apr.09,2021
Anritsu	Radio Communication Test	MT8820C	6201061014	Apr.28,2020	Apr.27,2021
R&S	Radio Communication Test	CMW 500	125470	Dec.11,2019	Dec.11,2020

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

5. Measurements

Date: 2020/9/13

Report No. :EN/2020/80008**WCDMA Band II_Body_Top side_CH 9538_0mm_Reduced power**

Communication System: WCDMA; Frequency: 1907.6 MHz; Duty cycle= 1:1

Medium parameters used: $f = 1908$ MHz; $\sigma = 1.466$ S/m; $\epsilon_r = 41.187$; $\rho = 1000$ kg/m³

Phantom section: Flat Section

Ambient temperature: 21.8°C; Liquid temperature: 21.7°C

DASY5 Configuration:

- Probe: EX3DV4 - SN3665; ConvF(7.95, 7.95, 7.95) @ 1907.6 MHz; Calibrated: 2020/8/20
- Sensor-Surface: 2mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn856; Calibrated: 2020/4/23
- Phantom: ELI
- DASY52 52.10.4(1527); SEMCAD X 14.6.14(7483)

Area Scan (41x91x1): Interpolated grid: dx=15 mm, dy=15 mm

Maximum value of SAR (interpolated) = 0.487 W/kg

Zoom Scan (5x5x7)/Cube 0: Measurement grid: dx=8mm, dy=8mm, dz=5mm

Reference Value = 6.431 V/m; Power Drift = -0.12 dB


Peak SAR (extrapolated) = 0.511 W/kg

SAR(1 g) = 0.337 W/kg; SAR(10 g) = 0.183 W/kg

Smallest distance from peaks to all points 3 dB below = 8 mm

Ratio of SAR at M2 to SAR at M1 = 70%

Maximum value of SAR (measured) = 0.463 W/kg



0 dB = 0.463 W/kg = -3.34 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Date: 2020/9/12

Report No. :EN/2020/80008**WCDMA Band IV_Body_Top side_CH 1312_0mm_Reduced power**

Communication System: WCDMA; Frequency: 1712.4 MHz; Duty cycle= 1:1

Medium parameters used: $f = 1712.4$ MHz; $\sigma = 1.321$ S/m; $\epsilon_r = 41.887$; $\rho = 1000$ kg/m³

Phantom section: Flat Section

Ambient temperature: 21.6°C; Liquid temperature: 21.4°C

DASY5 Configuration:

- Probe: EX3DV4 - SN3665; ConvF(8.28, 8.28, 8.28) @ 1712.4 MHz; Calibrated: 2020/8/20
- Sensor-Surface: 2mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn856; Calibrated: 2020/4/23
- Phantom: ELI
- DASY52 52.10.4(1527); SEMCAD X 14.6.14(7483)

Area Scan (41x91x1): Interpolated grid: dx=15 mm, dy=15 mm

Maximum value of SAR (interpolated) = 1.14 W/kg

Zoom Scan (5x5x7)/Cube 0: Measurement grid: dx=8mm, dy=8mm, dz=5mm

Reference Value = 9.641 V/m; Power Drift = -0.19 dB


Peak SAR (extrapolated) = 1.07 W/kg

SAR(1 g) = 0.803 W/kg; SAR(10 g) = 0.495 W/kg

Smallest distance from peaks to all points 3 dB below = 9.6 mm

Ratio of SAR at M2 to SAR at M1 = 77.4%

Maximum value of SAR (measured) = 0.997 W/kg



0 dB = 0.997 W/kg = -0.01 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report No. :EN/2020/80008**WCDMA Band V_Body_Top side_CH 4183_0mm_Reduced power**

Communication System: WCDMA; Frequency: 836.6 MHz; Duty cycle= 1:1

Medium parameters used: $f = 837$ MHz; $\sigma = 0.875$ S/m; $\epsilon_r = 42.023$; $\rho = 1000$ kg/m³

Phantom section: Flat Section

Ambient temperature: 22.1°C; Liquid temperature: 22.1°C

DASY5 Configuration:

- Probe: EX3DV4 - SN3665; ConvF(9.52, 9.52, 9.52) @ 836.6 MHz; Calibrated: 2020/8/20
- Sensor-Surface: 2mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn856; Calibrated: 2020/4/23
- Phantom: ELI
- DASY52 52.10.4(1527); SEMCAD X 14.6.14(7483)

Area Scan (41x91x1): Interpolated grid: dx=15 mm, dy=15 mm

Maximum value of SAR (interpolated) = 1.41 W/kg

Zoom Scan (5x5x7)/Cube 0: Measurement grid: dx=8mm, dy=8mm, dz=5mm

Reference Value = 13.21 V/m; Power Drift = 0.01 dB


Peak SAR (extrapolated) = 1.60 W/kg

SAR(1 g) = 0.996 W/kg; SAR(10 g) = 0.606 W/kg

Smallest distance from peaks to all points 3 dB below = 8 mm

Ratio of SAR at M2 to SAR at M1 = 63.6%

Maximum value of SAR (measured) = 1.40 W/kg



0 dB = 1.40 W/kg = 1.46 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report No. :EN/2020/80008**LTE Band 2 (20MHz)_Body_Top side_CH 18700_QPSK_1-0_0mm_Reduced power**

Communication System: LTE; Frequency: 1860 MHz; Duty cycle= 1:1

Medium parameters used: $f = 1860$ MHz; $\sigma = 1.436$ S/m; $\epsilon_r = 41.325$; $\rho = 1000$ kg/m³

Phantom section: Flat Section

Ambient temperature: 21.8°C; Liquid temperature: 21.7°C

DASY5 Configuration:

- Probe: EX3DV4 - SN3665; ConvF(7.95, 7.95, 7.95) @ 1860 MHz; Calibrated: 2020/8/20
- Sensor-Surface: 2mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn856; Calibrated: 2020/4/23
- Phantom: ELI
- DASY52 52.10.4(1527); SEMCAD X 14.6.14(7483)

Area Scan (41x91x1): Interpolated grid: dx=15 mm, dy=15 mm

Maximum value of SAR (interpolated) = 0.730 W/kg

Zoom Scan (5x5x7)/Cube 0: Measurement grid: dx=8mm, dy=8mm, dz=5mm

Reference Value = 7.701 V/m; Power Drift = 0.16 dB


Peak SAR (extrapolated) = 0.837 W/kg

SAR(1 g) = 0.568 W/kg; SAR(10 g) = 0.325 W/kg

Smallest distance from peaks to all points 3 dB below = 8.2 mm

Ratio of SAR at M2 to SAR at M1 = 70%

Maximum value of SAR (measured) = 0.755 W/kg



0 dB = 0.755 W/kg = -1.22 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report No. :EN/2020/80008**LTE Band 5 (10MHz)_Body_Top side_CH 20600_QPSK_1-0_0mm_Reduced power**

Communication System: LTE; Frequency: 844 MHz; Duty cycle= 1:1

Medium parameters used: $f = 844$ MHz; $\sigma = 0.879$ S/m; $\epsilon_r = 41.965$; $\rho = 1000$ kg/m³

Phantom section: Flat Section

Ambient temperature: 22.1°C; Liquid temperature: 22.1°C

DASY5 Configuration:

- Probe: EX3DV4 - SN3665; ConvF(9.52, 9.52, 9.52) @ 844 MHz; Calibrated: 2020/8/20
- Sensor-Surface: 2mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn856; Calibrated: 2020/4/23
- Phantom: ELI
- DASY52 52.10.4(1527); SEMCAD X 14.6.14(7483)

Area Scan (41x91x1): Interpolated grid: dx=15 mm, dy=15 mm

Maximum value of SAR (interpolated) = 1.16 W/kg

Zoom Scan (5x5x7)/Cube 0: Measurement grid: dx=8mm, dy=8mm, dz=5mm

Reference Value = 11.71 V/m; Power Drift = -0.11 dB


Peak SAR (extrapolated) = 1.35 W/kg

SAR(1 g) = 0.852 W/kg; SAR(10 g) = 0.528 W/kg

Smallest distance from peaks to all points 3 dB below = 8 mm

Ratio of SAR at M2 to SAR at M1 = 64.7%

Maximum value of SAR (measured) = 1.16 W/kg



0 dB = 1.16 W/kg = 0.64 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路134號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report No. :EN/2020/80008**LTE Band 7 (20MHz)_Body_Top_side_CH 21350_QPSK_1-0_0mm_Reduced power**

Communication System: LTE; Frequency: 2560 MHz; Duty cycle= 1:1

Medium parameters used: $f = 2560$ MHz; $\sigma = 1.971$ S/m; $\epsilon_r = 38.601$; $\rho = 1000$ kg/m³

Phantom section: Flat Section

Ambient temperature: 21.9°C; Liquid temperature: 22.0°C

DASY5 Configuration:

- Probe: EX3DV4 - SN3770; ConvF(7.21, 7.21, 7.21) @ 2560 MHz; Calibrated: 2020/5/27
- Sensor-Surface: 2mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn558; Calibrated: 2019/10/11
- Phantom: ELI
- DASY52 52.10.4(1527); SEMCAD X 14.6.14(7483)

Area Scan (51x121x1): Interpolated grid: dx=12 mm, dy=12 mm

Maximum value of SAR (interpolated) = 0.751 W/kg

Zoom Scan (7x7x7)/Cube 0: Measurement grid: dx=5mm, dy=5mm, dz=5mm

Reference Value = 3.124 V/m; Power Drift = -0.13 dB


Peak SAR (extrapolated) = 0.879 W/kg

SAR(1 g) = 0.447 W/kg; SAR(10 g) = 0.197 W/kg

Smallest distance from peaks to all points 3 dB below = 6 mm

Ratio of SAR at M2 to SAR at M1 = 57.7%

Maximum value of SAR (measured) = 0.677 W/kg



0 dB = 0.677 W/kg = -1.69 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report No. :EN/2020/80008**LTE Band 12 (10MHz)_Body_Top side_CH 23095_QPSK_1-0_0mm_Reduced power**

Communication System: LTE; Frequency: 707.5 MHz; Duty cycle= 1:1

Medium parameters used: $f = 707.5$ MHz; $\sigma = 0.874$ S/m; $\epsilon_r = 43.685$; $\rho = 1000$ kg/m³

Phantom section: Flat Section

Ambient temperature: 22.3°C; Liquid temperature: 22.1°C

DASY5 Configuration:

- Probe: EX3DV4 - SN3665; ConvF(9.78, 9.78, 9.78) @ 707.5 MHz; Calibrated: 2020/8/20
- Sensor-Surface: 2mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn856; Calibrated: 2020/4/23
- Phantom: ELI
- DASY52 52.10.4(1527); SEMCAD X 14.6.14(7483)

Area Scan (41x91x1): Interpolated grid: dx=15 mm, dy=15 mm

Maximum value of SAR (interpolated) = 1.10 W/kg

Zoom Scan (5x5x7)/Cube 0: Measurement grid: dx=8mm, dy=8mm, dz=5mm

Reference Value = 12.09 V/m; Power Drift = 0.11 dB


Peak SAR (extrapolated) = 1.35 W/kg

SAR(1 g) = 0.800 W/kg; SAR(10 g) = 0.520 W/kg

Smallest distance from peaks to all points 3 dB below = 8 mm

Ratio of SAR at M2 to SAR at M1 = 61.6%

Maximum value of SAR (measured) = 1.11 W/kg



0 dB = 1.11 W/kg = 0.45 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路134號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report No. :EN/2020/80008**LTE Band 13 (10MHz)_Body_Top side_CH 23230_QPSK_1-25_0mm_Reduced power**

Communication System: LTE; Frequency: 782 MHz; Duty cycle= 1:1

Medium parameters used: $f = 782$ MHz; $\sigma = 0.901$ S/m; $\epsilon_r = 42.872$; $\rho = 1000$ kg/m³

Phantom section: Flat Section

Ambient temperature: 22.3°C; Liquid temperature: 22.1°C

DASY5 Configuration:

- Probe: EX3DV4 - SN3665; ConvF(9.78, 9.78, 9.78) @ 782 MHz; Calibrated: 2020/8/20
- Sensor-Surface: 2mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn856; Calibrated: 2020/4/23
- Phantom: ELI
- DASY52 52.10.4(1527); SEMCAD X 14.6.14(7483)

Area Scan (41x91x1): Interpolated grid: dx=15 mm, dy=15 mm

Maximum value of SAR (interpolated) = 1.51 W/kg

Zoom Scan (5x5x7)/Cube 0: Measurement grid: dx=8mm, dy=8mm, dz=5mm

Reference Value = 13.28 V/m; Power Drift = 0.19 dB


Peak SAR (extrapolated) = 1.85 W/kg

SAR(1 g) = 1.1 W/kg; SAR(10 g) = 0.675 W/kg

Smallest distance from peaks to all points 3 dB below = 8 mm

Ratio of SAR at M2 to SAR at M1 = 60.4%

Maximum value of SAR (measured) = 1.56 W/kg



0 dB = 1.56 W/kg = 1.93 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report No. :EN/2020/80008**LTE Band 26 (15MHz)_Body_Top_side_CH 26965_QPSK_1-0_0mm_Reduced power**

Communication System: LTE; Frequency: 841.5 MHz; Duty cycle= 1:1

Medium parameters used: $f = 841.5$ MHz; $\sigma = 0.903$ S/m; $\epsilon_r = 42.128$; $\rho = 1000$ kg/m³

Phantom section: Flat Section

Ambient temperature: 22.0°C; Liquid temperature: 22.0°C

DASY5 Configuration:

- Probe: EX3DV4 - SN3665; ConvF(9.52, 9.52, 9.52) @ 841.5 MHz; Calibrated: 2020/8/20
- Sensor-Surface: 2mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn856; Calibrated: 2020/4/23
- Phantom: ELI
- DASY52 52.10.4(1527); SEMCAD X 14.6.14(7483)

Area Scan (41x91x1): Interpolated grid: dx=15 mm, dy=15 mm

Maximum value of SAR (interpolated) = 1.58 W/kg

Zoom Scan (5x5x7)/Cube 0: Measurement grid: dx=8mm, dy=8mm, dz=5mm

Reference Value = 13.13 V/m; Power Drift = 0.15 dB


Peak SAR (extrapolated) = 1.81 W/kg

SAR(1 g) = 1.12 W/kg; SAR(10 g) = 0.680 W/kg

Smallest distance from peaks to all points 3 dB below = 8 mm

Ratio of SAR at M2 to SAR at M1 = 62.9%

Maximum value of SAR (measured) = 1.57 W/kg



0 dB = 1.57 W/kg = 1.96 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report No. :EN/2020/80008**LTE Band 30 (10MHz)_Body_Top side_CH 27710_QPSK_1-49_0mm_Reduced power**

Communication System: LTE; Frequency: 2310 MHz; Duty cycle= 1:1

Medium parameters used: $f = 2310$ MHz; $\sigma = 1.703$ S/m; $\epsilon_r = 40.855$; $\rho = 1000$ kg/m³

Phantom section: Flat Section

Ambient temperature: 21.7°C; Liquid temperature: 21.9°C

DASY5 Configuration:

- Probe: EX3DV4 - SN3665; ConvF(7.57, 7.57, 7.57) @ 2310 MHz; Calibrated: 2020/8/20
- Sensor-Surface: 2mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn856; Calibrated: 2020/4/23
- Phantom: ELI
- DASY52 52.10.4(1527); SEMCAD X 14.6.14(7483)

Area Scan (51x121x1): Interpolated grid: dx=12 mm, dy=12 mm

Maximum value of SAR (interpolated) = 0.773 W/kg

Zoom Scan (7x7x7)/Cube 0: Measurement grid: dx=5mm, dy=5mm, dz=5mm

Reference Value = 5.519 V/m; Power Drift = -0.19 dB


Peak SAR (extrapolated) = 0.860 W/kg

SAR(1 g) = 0.548 W/kg; SAR(10 g) = 0.285 W/kg

Smallest distance from peaks to all points 3 dB below = 7 mm

Ratio of SAR at M2 to SAR at M1 = 69.8%

Maximum value of SAR (measured) = 0.742 W/kg



0 dB = 0.742 W/kg = -1.30 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路134號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report No. :EN/2020/80008**LTE Band 38 (20MHz)_Body_Top_side_CH 38150_QPSK_1-0_0mm_Reduced power**

Communication System: LTE; Frequency: 2610 MHz; Duty cycle= 1:1.59956

Medium parameters used: $f = 2610$ MHz; $\sigma = 2.037$ S/m; $\epsilon_r = 39.551$; $\rho = 1000$ kg/m³

Phantom section: Flat Section

Ambient temperature: 21.8°C; Liquid temperature: 21.7°C

DASY5 Configuration:

- Probe: EX3DV4 - SN3770; ConvF(7.21, 7.21, 7.21) @ 2610 MHz; Calibrated: 2020/5/27
- Sensor-Surface: 2mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn558; Calibrated: 2019/10/11
- Phantom: ELI
- DASY52 52.10.4(1527); SEMCAD X 14.6.14(7483)

Area Scan (51x121x1): Interpolated grid: dx=12 mm, dy=12 mm

Maximum value of SAR (interpolated) = 0.968 W/kg

Zoom Scan (7x7x7)/Cube 0: Measurement grid: dx=5mm, dy=5mm, dz=5mm

Reference Value = 3.663 V/m; Power Drift = -0.16 dB

Peak SAR (extrapolated) = 1.50 W/kg

SAR(1 g) = 0.685 W/kg; SAR(10 g) = 0.291 W/kg

Smallest distance from peaks to all points 3 dB below = 5 mm

Ratio of SAR at M2 to SAR at M1 = 57.9%

Maximum value of SAR (measured) = 0.983 W/kg

Zoom Scan (7x7x7)/Cube 1: Measurement grid: dx=5mm, dy=5mm, dz=5mm

Reference Value = 3.663 V/m; Power Drift = -0.16 dB

Peak SAR (extrapolated) = 1.00 W/kg

SAR(1 g) = 0.471 W/kg; SAR(10 g) = 0.209 W/kg

Smallest distance from peaks to all points 3 dB below = 6 mm

Ratio of SAR at M2 to SAR at M1 = 52.5%

Maximum value of SAR (measured) = 0.751 W/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路134號


台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group



$$0 \text{ dB} = 0.751 \text{ W/kg} = -1.24 \text{ dBW/kg}$$

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路134號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Date: 2020/9/26

Report No. :EN/2020/80008**LTE Band 41 (20MHz)_Body_Top side_CH 41055_QPSK_1-0_12mm_Full power**

Communication System: LTE; Frequency: 2636.5 MHz; Duty cycle= 1:1.59956

Medium parameters used: $f = 2636.5$ MHz; $\sigma = 1.968$ S/m; $\epsilon_r = 39.605$; $\rho = 1000$ kg/m³

Phantom section: Flat Section

Ambient temperature: 22.0°C; Liquid temperature: 21.9°C

DASY5 Configuration:

- Probe: EX3DV4 - SN3770; ConvF(7.21, 7.21, 7.21) @ 2636.5 MHz; Calibrated: 2020/5/27
- Sensor-Surface: 2mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn558; Calibrated: 2019/10/11
- Phantom: ELI
- DASY52 52.10.4(1527); SEMCAD X 14.6.14(7483)

Area Scan (51x121x1): Interpolated grid: dx=12 mm, dy=12 mm

Maximum value of SAR (interpolated) = 0.938 W/kg

Zoom Scan (7x7x7)/Cube 0: Measurement grid: dx=5mm, dy=5mm, dz=5mm

Reference Value = 3.145 V/m; Power Drift = -0.13 dB


Peak SAR (extrapolated) = 0.886 W/kg

SAR(1 g) = 0.629 W/kg; SAR(10 g) = 0.361 W/kg

Smallest distance from peaks to all points 3 dB below = 11 mm

Ratio of SAR at M2 to SAR at M1 = 73.8%

Maximum value of SAR (measured) = 0.801 W/kg



0 dB = 0.801 W/kg = -0.96 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路134號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report No. :EN/2020/80008**LTE Band 66 (20MHz)_Body_Top side_CH 132572_QPSK_1-0_0mm_Reduced power**

Communication System: LTE; Frequency: 1770 MHz; Duty cycle= 1:1

Medium parameters used: $f = 1770$ MHz; $\sigma = 1.381$ S/m; $\epsilon_r = 41.631$; $\rho = 1000$ kg/m³

Phantom section: Flat Section

Ambient temperature: 21.6°C; Liquid temperature: 21.4°C

DASY5 Configuration:

- Probe: EX3DV4 - SN3665; ConvF(8.28, 8.28, 8.28) @ 1770 MHz; Calibrated: 2020/8/20
- Sensor-Surface: 2mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn856; Calibrated: 2020/4/23
- Phantom: ELI
- DASY52 52.10.4(1527); SEMCAD X 14.6.14(7483)

Area Scan (41x91x1): Interpolated grid: dx=15 mm, dy=15 mm

Maximum value of SAR (interpolated) = 1.08 W/kg

Zoom Scan (5x5x7)/Cube 0: Measurement grid: dx=8mm, dy=8mm, dz=5mm

Reference Value = 9.911 V/m; Power Drift = -0.16 dB


Peak SAR (extrapolated) = 1.06 W/kg

SAR(1 g) = 0.763 W/kg; SAR(10 g) = 0.454 W/kg

Smallest distance from peaks to all points 3 dB below = 8.6 mm

Ratio of SAR at M2 to SAR at M1 = 75.2%

Maximum value of SAR (measured) = 0.975 W/kg



0 dB = 0.975 W/kg = -0.11 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report No. :EN/2020/80008**WCDMA Band II_Body_Top side_CH 9538_0mm_Reduced poewr**

Communication System: WCDMA; Frequency: 1907.6 MHz; Duty cycle= 1:1

Medium parameters used: $f = 1908 \text{ MHz}$; $\sigma = 1.461 \text{ S/m}$; $\epsilon_r = 41.188$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section

Ambient temperature: 22.0°C; Liquid temperature: 21.9°C

DASY5 Configuration:

- Probe: EX3DV4 - SN3770; ConvF(8.03, 8.03, 8.03) @ 1907.6 MHz; Calibrated: 2020/5/27
- Sensor-Surface: 2mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn558; Calibrated: 2019/10/11
- Phantom: ELI
- DASY52 52.10.4(1527); SEMCAD X 14.6.14(7483)

Area Scan (41x91x1): Interpolated grid: $dx=15 \text{ mm}$, $dy=15 \text{ mm}$

Maximum value of SAR (interpolated) = 0.946 W/kg

Zoom Scan (5x5x7)/Cube 0: Measurement grid: $dx=8\text{mm}$, $dy=8\text{mm}$, $dz=5\text{mm}$

Reference Value = 7.751 V/m; Power Drift = -0.14 dB


Peak SAR (extrapolated) = 0.899 W/kg

SAR(1 g) = 0.651 W/kg; SAR(10 g) = 0.389 W/kg

Smallest distance from peaks to all points 3 dB below = 9.3 mm

Ratio of SAR at M2 to SAR at M1 = 73.6%

Maximum value of SAR (measured) = 0.813 W/kg



0 dB = 0.813 W/kg = -0.90 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report No. :EN/2020/80008**WCDMA Band IV_Body_Top side_CH 1312_0mm_Reduced poewr**

Communication System: WCDMA; Frequency: 1712.4 MHz; Duty cycle= 1:1

Medium parameters used: $f = 1712.4$ MHz; $\sigma = 1.321$ S/m; $\epsilon_r = 41.887$; $\rho = 1000$ kg/m³

Phantom section: Flat Section

Ambient temperature: 21.4°C; Liquid temperature: 21.5°C

DASY5 Configuration:

- Probe: EX3DV4 - SN3770; ConvF(8.36, 8.36, 8.36) @ 1712.4 MHz; Calibrated: 2020/5/27
- Sensor-Surface: 2mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn558; Calibrated: 2019/10/11
- Phantom: ELI
- DASY52 52.10.4(1527); SEMCAD X 14.6.14(7483)

Area Scan (41x91x1): Interpolated grid: dx=15 mm, dy=15 mm

Maximum value of SAR (interpolated) = 1.36 W/kg

Zoom Scan (5x5x7)/Cube 0: Measurement grid: dx=8mm, dy=8mm, dz=5mm

Reference Value = 8.847 V/m; Power Drift = -0.16 dB


Peak SAR (extrapolated) = 1.21 W/kg

SAR(1 g) = 0.942 W/kg; SAR(10 g) = 0.603 W/kg

Smallest distance from peaks to all points 3 dB below = 10.1 mm

Ratio of SAR at M2 to SAR at M1 = 78.7%

Maximum value of SAR (measured) = 1.11 W/kg



0 dB = 1.11 W/kg = 0.45 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report No. :EN/2020/80008**WCDMA Band V_Body_Top side_CH 4183_0mm_Reduced poewr**

Communication System: WCDMA; Frequency: 836.6 MHz; Duty cycle= 1:1

Medium parameters used: $f = 837$ MHz; $\sigma = 0.869$ S/m; $\epsilon_r = 42.259$; $\rho = 1000$ kg/m³

Phantom section: Flat Section

Ambient temperature: 22.1°C; Liquid temperature: 21.9°C

DASY5 Configuration:

- Probe: EX3DV4 - SN3770; ConvF(9.5, 9.5, 9.5) @ 836.6 MHz; Calibrated: 2020/5/27
- Sensor-Surface: 2mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn558; Calibrated: 2019/10/11
- Phantom: ELI
- DASY52 52.10.4(1527); SEMCAD X 14.6.14(7483)

Area Scan (41x91x1): Interpolated grid: dx=15 mm, dy=15 mm

Maximum value of SAR (interpolated) = 1.29 W/kg

Zoom Scan (5x5x7)/Cube 0: Measurement grid: dx=8mm, dy=8mm, dz=5mm

Reference Value = 13.43 V/m; Power Drift = 0.02 dB


Peak SAR (extrapolated) = 1.48 W/kg

SAR(1 g) = 0.948 W/kg; SAR(10 g) = 0.598 W/kg

Smallest distance from peaks to all points 3 dB below = 8 mm

Ratio of SAR at M2 to SAR at M1 = 64.9%

Maximum value of SAR (measured) = 1.25 W/kg



0 dB = 1.25 W/kg = 0.97 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report No. :EN/2020/80008**LTE Band 2 (20MHz)_Body_Top_side_CH 18700_QPSK_1-0_0mm_Reduced power**

Communication System: LTE; Frequency: 1860 MHz; Duty cycle= 1:1

Medium parameters used: $f = 1860$ MHz; $\sigma = 1.459$ S/m; $\epsilon_r = 41.365$; $\rho = 1000$ kg/m³

Phantom section: Flat Section

Ambient temperature: 22.0°C; Liquid temperature: 21.9°C

DASY5 Configuration:

- Probe: EX3DV4 - SN3770; ConvF(8.03, 8.03, 8.03) @ 1860 MHz; Calibrated: 2020/5/27
- Sensor-Surface: 2mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn558; Calibrated: 2019/10/11
- Phantom: ELI
- DASY52 52.10.4(1527); SEMCAD X 14.6.14(7483)

Area Scan (41x91x1): Interpolated grid: dx=15 mm, dy=15 mm

Maximum value of SAR (interpolated) = 1.05 W/kg

Zoom Scan (5x5x7)/Cube 0: Measurement grid: dx=8mm, dy=8mm, dz=5mm

Reference Value = 8.616 V/m; Power Drift = -0.11 dB


Peak SAR (extrapolated) = 1.07 W/kg

SAR(1 g) = 0.751 W/kg; SAR(10 g) = 0.449 W/kg

Smallest distance from peaks to all points 3 dB below = 10.1 mm

Ratio of SAR at M2 to SAR at M1 = 73%

Maximum value of SAR (measured) = 0.934 W/kg



0 dB = 0.934 W/kg = -0.30 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report No. :EN/2020/80008**LTE Band 5 (10MHz)_Body_Top_side_CH 20600_QPSK_1-0_0mm_Reduced poewr**

Communication System: LTE; Frequency: 844 MHz; Duty cycle= 1:1

Medium parameters used: $f = 844$ MHz; $\sigma = 0.879$ S/m; $\epsilon_r = 42.217$; $\rho = 1000$ kg/m³

Phantom section: Flat Section

Ambient temperature: 22.1°C; Liquid temperature: 21.9°C

DASY5 Configuration:

- Probe: EX3DV4 - SN3770; ConvF(9.5, 9.5, 9.5) @ 844 MHz; Calibrated: 2020/5/27
- Sensor-Surface: 2mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn558; Calibrated: 2019/10/11
- Phantom: ELI
- DASY52 52.10.4(1527); SEMCAD X 14.6.14(7483)

Area Scan (41x91x1): Interpolated grid: dx=15 mm, dy=15 mm

Maximum value of SAR (interpolated) = 1.50 W/kg

Zoom Scan (5x5x7)/Cube 0: Measurement grid: dx=8mm, dy=8mm, dz=5mm

Reference Value = 15.27 V/m; Power Drift = -0.16 dB


Peak SAR (extrapolated) = 1.69 W/kg

SAR(1 g) = 1.11 W/kg; SAR(10 g) = 0.699 W/kg

Smallest distance from peaks to all points 3 dB below = 8 mm

Ratio of SAR at M2 to SAR at M1 = 65.9%

Maximum value of SAR (measured) = 1.45 W/kg



0 dB = 1.45 W/kg = 1.61 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report No. :EN/2020/80008**LTE Band 7 (20MHz)_Body_Top_side_CH 21350_QPSK_1-0_0mm_Reduced poewr**

Communication System: LTE; Frequency: 2560 MHz; Duty cycle= 1:1

Medium parameters used: $f = 2560$ MHz; $\sigma = 1.956$ S/m; $\epsilon_r = 38.761$; $\rho = 1000$ kg/m³

Phantom section: Flat Section

Ambient temperature: 21.8°C; Liquid temperature: 21.9°C

DASY5 Configuration:

- Probe: EX3DV4 - SN3770; ConvF(7.21, 7.21, 7.21) @ 2560 MHz; Calibrated: 2020/5/27
- Sensor-Surface: 2mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn558; Calibrated: 2019/10/11
- Phantom: ELI
- DASY52 52.10.4(1527); SEMCAD X 14.6.14(7483)

Area Scan (51x121x1): Interpolated grid: dx=12 mm, dy=12 mm

Maximum value of SAR (interpolated) = 1.26 W/kg

Zoom Scan (7x7x7)/Cube 0: Measurement grid: dx=5mm, dy=5mm, dz=5mm

Reference Value = 4.213 V/m; Power Drift = -0.04 dB

Peak SAR (extrapolated) = 1.26 W/kg

SAR(1 g) = 0.824 W/kg; SAR(10 g) = 0.417 W/kg

Smallest distance from peaks to all points 3 dB below = 7.8 mm

Ratio of SAR at M2 to SAR at M1 = 71.6%

Maximum value of SAR (measured) = 1.11 W/kg

Zoom Scan (7x7x7)/Cube 1: Measurement grid: dx=5mm, dy=5mm, dz=5mm

Reference Value = 4.213 V/m; Power Drift = -0.04 dB

Peak SAR (extrapolated) = 0.985 W/kg

SAR(1 g) = 0.611 W/kg; SAR(10 g) = 0.290 W/kg

Smallest distance from peaks to all points 3 dB below = 7.6 mm


Ratio of SAR at M2 to SAR at M1 = 68.4%

Maximum value of SAR (measured) = 0.872 W/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



$$0 \text{ dB} = 0.872 \text{ W/kg} = -0.59 \text{ dBW/kg}$$

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路134號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report No. :EN/2020/80008**LTE Band 12 (10MHz)_Body_Top side_CH 23060_QPSK_1-0_0mm_Reduced poewr**

Communication System: LTE; Frequency: 704 MHz; Duty cycle= 1:1

Medium parameters used: $f = 704 \text{ MHz}$; $\sigma = 0.868 \text{ S/m}$; $\epsilon_r = 43.777$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section

Ambient temperature: 22.4°C; Liquid temperature: 22.0°C

DASY5 Configuration:

- Probe: EX3DV4 - SN3770; ConvF(9.84, 9.84, 9.84) @ 704 MHz; Calibrated: 2020/5/27
- Sensor-Surface: 2mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn558; Calibrated: 2019/10/11
- Phantom: ELI
- DASY52 52.10.4(1527); SEMCAD X 14.6.14(7483)

Area Scan (41x91x1): Interpolated grid: $dx=15 \text{ mm}$, $dy=15 \text{ mm}$

Maximum value of SAR (interpolated) = 1.09 W/kg

Zoom Scan (5x5x7)/Cube 0: Measurement grid: $dx=8\text{mm}$, $dy=8\text{mm}$, $dz=5\text{mm}$

Reference Value = 14.05 V/m; Power Drift = 0.04 dB


Peak SAR (extrapolated) = 1.24 W/kg

SAR(1 g) = 0.787 W/kg; SAR(10 g) = 0.512 W/kg

Smallest distance from peaks to all points 3 dB below = 9.6 mm

Ratio of SAR at M2 to SAR at M1 = 63.6%

Maximum value of SAR (measured) = 1.06 W/kg



0 dB = 1.06 W/kg = 0.25 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路134號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report No. :EN/2020/80008**LTE Band 13 (10MHz)_Body_Top side_CH 23230_QPSK_1-25_0mm_Reduced poewr**

Communication System: LTE; Frequency: 782 MHz; Duty cycle= 1:1

Medium parameters used: $f = 782 \text{ MHz}$; $\sigma = 0.901 \text{ S/m}$; $\epsilon_r = 42.837$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section

Ambient temperature: 22.4°C; Liquid temperature: 22.0°C

DASY5 Configuration:

- Probe: EX3DV4 - SN3770; ConvF(9.84, 9.84, 9.84) @ 782 MHz; Calibrated: 2020/5/27
- Sensor-Surface: 2mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn558; Calibrated: 2019/10/11
- Phantom: ELI
- DASY52 52.10.4(1527); SEMCAD X 14.6.14(7483)

Area Scan (41x91x1): Interpolated grid: $dx=15 \text{ mm}$, $dy=15 \text{ mm}$

Maximum value of SAR (interpolated) = 1.42 W/kg

Zoom Scan (5x5x7)/Cube 0: Measurement grid: $dx=8\text{mm}$, $dy=8\text{mm}$, $dz=5\text{mm}$

Reference Value = 13.74 V/m; Power Drift = 0.16 dB


Peak SAR (extrapolated) = 1.64 W/kg

SAR(1 g) = 1.07 W/kg; SAR(10 g) = 0.699 W/kg

Smallest distance from peaks to all points 3 dB below = 8 mm

Ratio of SAR at M2 to SAR at M1 = 65.4%

Maximum value of SAR (measured) = 1.41 W/kg



0 dB = 1.41 W/kg = 1.49 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report No. :EN/2020/80008**LTE Band 26 (15MHz)_Body_Top_side_CH 26865_QPSK_1-0_0mm_Reduced poewr**

Communication System: LTE; Frequency: 831.5 MHz; Duty cycle= 1:1

Medium parameters used: $f = 831.5$ MHz; $\sigma = 0.893$ S/m; $\epsilon_r = 42.166$; $\rho = 1000$ kg/m³

Phantom section: Flat Section

Ambient temperature: 22.0°C; Liquid temperature: 22.3°C

DASY5 Configuration:

- Probe: EX3DV4 - SN3770; ConvF(9.5, 9.5, 9.5) @ 831.5 MHz; Calibrated: 2020/5/27
- Sensor-Surface: 2mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn558; Calibrated: 2019/10/11
- Phantom: ELI
- DASY52 52.10.4(1527); SEMCAD X 14.6.14(7483)

Area Scan (41x91x1): Interpolated grid: dx=15 mm, dy=15 mm

Maximum value of SAR (interpolated) = 1.40 W/kg

Zoom Scan (5x5x7)/Cube 0: Measurement grid: dx=8mm, dy=8mm, dz=5mm

Reference Value = 14.52 V/m; Power Drift = 0.05 dB


Peak SAR (extrapolated) = 1.60 W/kg

SAR(1 g) = 1.03 W/kg; SAR(10 g) = 0.646 W/kg

Smallest distance from peaks to all points 3 dB below = 8 mm

Ratio of SAR at M2 to SAR at M1 = 67%

Maximum value of SAR (measured) = 1.37 W/kg



0 dB = 1.37 W/kg = 1.37 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report No. :EN/2020/80008**LTE Band 30 (10MHz)_Body_Back side_CH 27710_QPSK_1-0_0mm_Ful power**

Communication System: LTE; Frequency: 2310 MHz; Duty cycle= 1:1

Medium parameters used: $f = 2310$ MHz; $\sigma = 1.703$ S/m; $\epsilon_r = 40.855$; $\rho = 1000$ kg/m³

Phantom section: Flat Section

Ambient temperature: 21.8°C; Liquid temperature: 21.09°C

DASY5 Configuration:

- Probe: EX3DV4 - SN3770; ConvF(7.67, 7.67, 7.67) @ 2310 MHz; Calibrated: 2020/5/27
- Sensor-Surface: 2mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn558; Calibrated: 2019/10/11
- Phantom: ELI
- DASY52 52.10.4(1527); SEMCAD X 14.6.14(7483)

Area Scan (51x121x1): Interpolated grid: dx=12 mm, dy=12 mm

Maximum value of SAR (interpolated) = 0.219 W/kg

Zoom Scan (7x7x7)/Cube 0: Measurement grid: dx=5mm, dy=5mm, dz=5mm

Reference Value = 3.274 V/m; Power Drift = 0.13 dB


Peak SAR (extrapolated) = 0.254 W/kg

SAR(1 g) = 0.154 W/kg; SAR(10 g) = 0.102 W/kg

Smallest distance from peaks to all points 3 dB below = 10.3 mm

Ratio of SAR at M2 to SAR at M1 = 61.2%

Maximum value of SAR (measured) = 0.200 W/kg



0 dB = 0.200 W/kg = -6.99 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report No. :EN/2020/80008**LTE Band 38 (20MHz)_Body_Top_side_CH 38150_QPSK_1-0_0mm_Reduced poewr**

Communication System: LTE; Frequency: 2610 MHz; Duty cycle= 1:1.59956

Medium parameters used: $f = 2610$ MHz; $\sigma = 1.891$ S/m; $\epsilon_r = 38.101$; $\rho = 1000$ kg/m³

Phantom section: Flat Section

Ambient temperature: 22.1°C; Liquid temperature: 22.1°C

DASY5 Configuration:

- Probe: EX3DV4 - SN3770; ConvF(7.21, 7.21, 7.21) @ 2610 MHz; Calibrated: 2020/5/27
- Sensor-Surface: 2mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn558; Calibrated: 2019/10/11
- Phantom: ELI
- DASY52 52.10.4(1527); SEMCAD X 14.6.14(7483)

Area Scan (51x121x1): Interpolated grid: dx=12 mm, dy=12 mm

Maximum value of SAR (interpolated) = 0.988 W/kg

Zoom Scan (7x7x7)/Cube 0: Measurement grid: dx=5mm, dy=5mm, dz=5mm

Reference Value = 2.981 V/m; Power Drift = 0.01 dB

Peak SAR (extrapolated) = 1.05 W/kg

SAR(1 g) = 0.639 W/kg; SAR(10 g) = 0.309 W/kg

Smallest distance from peaks to all points 3 dB below = 7 mm

Ratio of SAR at M2 to SAR at M1 = 67.3%

Maximum value of SAR (measured) = 0.887 W/kg

Zoom Scan (7x7x7)/Cube 1: Measurement grid: dx=5mm, dy=5mm, dz=5mm

Reference Value = 2.981 V/m; Power Drift = 0.01 dB

Peak SAR (extrapolated) = 0.915 W/kg

SAR(1 g) = 0.534 W/kg; SAR(10 g) = 0.241 W/kg

Smallest distance from peaks to all points 3 dB below = 6.7 mm


Ratio of SAR at M2 to SAR at M1 = 64.9%

Maximum value of SAR (measured) = 0.784 W/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



$$0 \text{ dB} = 0.784 \text{ W/kg} = -1.06 \text{ dBW/kg}$$

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路134號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report No. :EN/2020/80008**LTE Band 41 (20MHz)_Body_Top_side_CH 41055_QPSK_1-0_0mm_Reduced poewr**

Communication System: LTE; Frequency: 2636.5 MHz; Duty cycle= 1:1.59956

Medium parameters used: $f = 2636.5 \text{ MHz}$; $\sigma = 1.956 \text{ S/m}$; $\epsilon_r = 38.629$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section

Ambient temperature: 22.0°C; Liquid temperature: 22.0°C

DASY5 Configuration:

- Probe: EX3DV4 - SN3770; ConvF(7.21, 7.21, 7.21) @ 2636.5 MHz; Calibrated: 2020/5/27
- Sensor-Surface: 2mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn558; Calibrated: 2019/10/11
- Phantom: ELI
- DASY52 52.10.4(1527); SEMCAD X 14.6.14(7483)

Area Scan (51x121x1): Interpolated grid: $dx=12 \text{ mm}$, $dy=12 \text{ mm}$

Maximum value of SAR (interpolated) = 1.12 W/kg

Zoom Scan (7x7x7)/Cube 0: Measurement grid: $dx=5\text{mm}$, $dy=5\text{mm}$, $dz=5\text{mm}$

Reference Value = 3.637 V/m; Power Drift = 0.17 dB

Peak SAR (extrapolated) = 1.18 W/kg

SAR(1 g) = 0.732 W/kg; SAR(10 g) = 0.362 W/kg

Smallest distance from peaks to all points 3 dB below = 8.7 mm

Ratio of SAR at M2 to SAR at M1 = 68.4%

Maximum value of SAR (measured) = 0.990 W/kg

Zoom Scan (7x7x7)/Cube 1: Measurement grid: $dx=5\text{mm}$, $dy=5\text{mm}$, $dz=5\text{mm}$

Reference Value = 3.637 V/m; Power Drift = 0.17 dB

Peak SAR (extrapolated) = 1.11 W/kg

SAR(1 g) = 0.666 W/kg; SAR(10 g) = 0.308 W/kg

Smallest distance from peaks to all points 3 dB below = 8.3 mm


Ratio of SAR at M2 to SAR at M1 = 66.3%

Maximum value of SAR (measured) = 0.964 W/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



0 dB = 0.964 W/kg = -0.16 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路134號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report No. :EN/2020/80008**LTE Band 66 (20MHz)_Body_Top side_CH 132072_QPSK_1-0_0mm_Reduced power**

Communication System: LTE; Frequency: 1720 MHz; Duty cycle= 1:1

Medium parameters used: $f = 1720$ MHz; $\sigma = 1.331$ S/m; $\epsilon_r = 41.815$; $\rho = 1000$ kg/m³

Phantom section: Flat Section

Ambient temperature: 21.4°C; Liquid temperature: 21.5°C

DASY5 Configuration:

- Probe: EX3DV4 - SN3770; ConvF(8.36, 8.36, 8.36) @ 1720 MHz; Calibrated: 2020/5/27
- Sensor-Surface: 2mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn558; Calibrated: 2019/10/11
- Phantom: ELI
- DASY52 52.10.4(1527); SEMCAD X 14.6.14(7483)

Area Scan (41x91x1): Interpolated grid: dx=15 mm, dy=15 mm

Maximum value of SAR (interpolated) = 1.28 W/kg

Zoom Scan (5x5x7)/Cube 0: Measurement grid: dx=8mm, dy=8mm, dz=5mm

Reference Value = 8.998 V/m; Power Drift = -0.09 dB


Peak SAR (extrapolated) = 1.27 W/kg

SAR(1 g) = 0.920 W/kg; SAR(10 g) = 0.583 W/kg

Smallest distance from peaks to all points 3 dB below = 10.1 mm

Ratio of SAR at M2 to SAR at M1 = 73.2%

Maximum value of SAR (measured) = 1.10 W/kg



$$0 \text{ dB} = 1.10 \text{ W/kg} = 0.41 \text{ dBW/kg}$$

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report No. : EN/2020/80007**WLAN 802.11b_Body_Left side_CH 6_Main_0mm**

Communication System: WLAN 2.45G; Frequency: 2437 MHz; Duty cycle= 1:0.8716

Medium parameters used: $f = 2437 \text{ MHz}$; $\sigma = 1.851 \text{ S/m}$; $\epsilon_r = 38.876$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section

Ambient temperature: 22.2°C; Liquid temperature: 22.1°C

DASY5 Configuration:

- Probe: EX3DV4 - SN3665; ConvF(7.35, 7.35, 7.35) @ 2437 MHz; Calibrated: 2020/8/20
- Sensor-Surface: 2mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn856; Calibrated: 2020/4/23
- Phantom: ELI
- DASY52 52.10.4(1527); SEMCAD X 14.6.14(7483)

Area Scan (51x81x1): Interpolated grid: $dx=12 \text{ mm}$, $dy=12 \text{ mm}$

Maximum value of SAR (interpolated) = 0.767 W/kg

Zoom Scan (7x7x7)/Cube 0: Measurement grid: $dx=5\text{mm}$, $dy=5\text{mm}$, $dz=5\text{mm}$

Reference Value = 4.258 V/m; Power Drift = -0.07 dB


Peak SAR (extrapolated) = 0.834 W/kg

SAR(1 g) = 0.573 W/kg; SAR(10 g) = 0.311 W/kg

Smallest distance from peaks to all points 3 dB below = 9 mm

Ratio of SAR at M2 to SAR at M1 = 74.9%

Maximum value of SAR (measured) = 0.748 W/kg



0 dB = 0.748 W/kg = -1.26 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report No. : EN/2020/80007**WLAN 802.11n(40M) 5.2G_Body_Left side_CH 46_Main_0mm**

Communication System: WLAN 5G; Frequency: 5230 MHz; Duty cycle= 1:0.8911

Medium parameters used: $f = 5230 \text{ MHz}$; $\sigma = 4.652 \text{ S/m}$; $\epsilon_r = 36.911$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section

Ambient temperature: 21.9°C; Liquid temperature: 22.0°C

DASY5 Configuration:

- Probe: EX3DV4 - SN3665; ConvF(5.4, 5.4, 5.4) @ 5230 MHz; Calibrated: 2020/8/20
- Sensor-Surface: 2mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn856; Calibrated: 2020/4/23
- Phantom: ELI
- DASY52 52.10.4(1527); SEMCAD X 14.6.14(7483)

Area Scan (71x111x1): Interpolated grid: $dx=10 \text{ mm}$, $dy=10 \text{ mm}$

Maximum value of SAR (interpolated) = 0.544 W/kg

Zoom Scan (7x7x12)/Cube 0: Measurement grid: $dx=4 \text{ mm}$, $dy=4 \text{ mm}$, $dz=2 \text{ mm}$

Reference Value = 2.751 V/m; Power Drift = -0.03 dB


Peak SAR (extrapolated) = 0.639 W/kg

SAR(1 g) = 0.276 W/kg; SAR(10 g) = 0.113 W/kg

Smallest distance from peaks to all points 3 dB below = 10.8 mm

Ratio of SAR at M2 to SAR at M1 = 74.8%

Maximum value of SAR (measured) = 0.513 W/kg



0 dB = 0.513 W/kg = -2.90 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report No. : EN/2020/80007**WLAN 802.11ac(80M) 5.3G_Body_Left side_CH 58_Main_0mm**

Communication System: WLAN 5G; Frequency: 5290 MHz; Duty cycle= 1:0.8716

Medium parameters used: $f = 5290 \text{ MHz}$; $\sigma = 4.691 \text{ S/m}$; $\epsilon_r = 36.839$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section

Ambient temperature: 21.7°C; Liquid temperature: 21.6°C

DASY5 Configuration:

- Probe: EX3DV4 - SN3665; ConvF(5.25, 5.25, 5.25) @ 5290 MHz; Calibrated: 2020/8/20
- Sensor-Surface: 2mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn856; Calibrated: 2020/4/23
- Phantom: ELI
- DASY52 52.10.4(1527); SEMCAD X 14.6.14(7483)

Area Scan (71x111x1): Interpolated grid: $dx=10 \text{ mm}$, $dy=10 \text{ mm}$

Maximum value of SAR (interpolated) = 0.699 W/kg

Zoom Scan (7x7x12)/Cube 0: Measurement grid: $dx=4 \text{ mm}$, $dy=4 \text{ mm}$, $dz=2 \text{ mm}$

Reference Value = 2.551 V/m; Power Drift = -0.02 dB


Peak SAR (extrapolated) = 0.863 W/kg

SAR(1 g) = 0.343 W/kg; SAR(10 g) = 0.135 W/kg

Smallest distance from peaks to all points 3 dB below = 11.8 mm

Ratio of SAR at M2 to SAR at M1 = 73.2%

Maximum value of SAR (measured) = 0.658 W/kg



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report No. : EN/2020/80007

WLAN 802.11ac(80M) 5.6G_Body_Left side_CH 106_Main_0mm

Communication System: WLAN 5G; Frequency: 5530 MHz; Duty cycle= 1:0.8716

Medium parameters used: $f = 5530 \text{ MHz}$; $\sigma = 5.019 \text{ S/m}$; $\epsilon_r = 35.994$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section

Ambient temperature: 21.8°C; Liquid temperature: 21.9°C

DASY5 Configuration:

- Probe: EX3DV4 - SN3665; ConvF(4.95, 4.95, 4.95) @ 5530 MHz; Calibrated: 2020/8/20
- Sensor-Surface: 2mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn856; Calibrated: 2020/4/23
- Phantom: ELI
- DASY52 52.10.4(1527); SEMCAD X 14.6.14(7483)

Area Scan (71x111x1): Interpolated grid: $dx=10 \text{ mm}$, $dy=10 \text{ mm}$

Maximum value of SAR (interpolated) = 0.782 W/kg

Zoom Scan (7x7x12)/Cube 0: Measurement grid: $dx=4\text{mm}$, $dy=4\text{mm}$, $dz=2\text{mm}$

Reference Value = 2.938 V/m; Power Drift = -0.05 dB

Peak SAR (extrapolated) = 0.902 W/kg

SAR(1 g) = 0.365 W/kg; SAR(10 g) = 0.147 W/kg

Smallest distance from peaks to all points 3 dB below = 8.4 mm

Ratio of SAR at M2 to SAR at M1 = 71.2%

Maximum value of SAR (measured) = 0.720 W/kg

Zoom Scan (7x7x12)/Cube 1: Measurement grid: $dx=4\text{mm}$, $dy=4\text{mm}$, $dz=2\text{mm}$

Reference Value = 2.938 V/m; Power Drift = -0.05 dB

Peak SAR (extrapolated) = 0.728 W/kg

SAR(1 g) = 0.298 W/kg; SAR(10 g) = 0.120 W/kg

Smallest distance from peaks to all points 3 dB below = 8.6 mm


Ratio of SAR at M2 to SAR at M1 = 75.2%

Maximum value of SAR (measured) = 0.647 W/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



$$0 \text{ dB} = 0.647 \text{ W/kg} = -1.89 \text{ dBW/kg}$$

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路134號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report No. : EN/2020/80007**WLAN 802.11n(40M) 5.8G_Body_Left side_CH 151_Main_0mm**

Communication System: WLAN 5G; Frequency: 5755 MHz; Duty cycle= 1:0.8911

Medium parameters used: $f = 5755$ MHz; $\sigma = 5.329$ S/m; $\epsilon_r = 35.535$; $\rho = 1000$ kg/m³

Phantom section: Flat Section

Ambient temperature: 22.0°C; Liquid temperature: 21.9°C

DASY5 Configuration:

- Probe: EX3DV4 - SN3665; ConvF(4.97, 4.97, 4.97) @ 5755 MHz; Calibrated: 2020/8/20
- Sensor-Surface: 2mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn856; Calibrated: 2020/4/23
- Phantom: ELI
- DASY52 52.10.4(1527); SEMCAD X 14.6.14(7483)

Area Scan (71x111x1): Interpolated grid: dx=10 mm, dy=10 mm

Maximum value of SAR (interpolated) = 0.844 W/kg

Zoom Scan (7x7x12)/Cube 0: Measurement grid: dx=4mm, dy=4mm, dz=2mm

Reference Value = 3.064 V/m; Power Drift = -0.15 dB


Peak SAR (extrapolated) = 1.19 W/kg

SAR(1 g) = 0.410 W/kg; SAR(10 g) = 0.161 W/kg

Smallest distance from peaks to all points 3 dB below = 8.7 mm

Ratio of SAR at M2 to SAR at M1 = 69.9%

Maximum value of SAR (measured) = 0.721 W/kg



0 dB = 0.721 W/kg = -1.42 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report No. : EN/2020/80007**WLAN 802.11b_Body_Back side_CH 1_Aux_0mm**

Communication System: WLAN 2.45G; Frequency: 2412 MHz; Duty cycle= 1:0.9472

Medium parameters used: $f = 2412 \text{ MHz}$; $\sigma = 1.826 \text{ S/m}$; $\epsilon_r = 39.021$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section

Ambient temperature: 22.2°C; Liquid temperature: 22.1°C

DASY5 Configuration:

- Probe: EX3DV4 - SN3665; ConvF(7.35, 7.35, 7.35) @ 2412 MHz; Calibrated: 2020/8/20
- Sensor-Surface: 2mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn856; Calibrated: 2020/4/23
- Phantom: ELI
- DASY52 52.10.4(1527); SEMCAD X 14.6.14(7483)

Area Scan (91x81x1): Interpolated grid: dx=12 mm, dy=12 mm

Maximum value of SAR (interpolated) = 1.41 W/kg

Zoom Scan (7x7x7)/Cube 0: Measurement grid: dx=5mm, dy=5mm, dz=5mm

Reference Value = 2.114 V/m; Power Drift = 0.11 dB


Peak SAR (extrapolated) = 1.89 W/kg

SAR(1 g) = 0.898 W/kg; SAR(10 g) = 0.426 W/kg

Smallest distance from peaks to all points 3 dB below = 8.1 mm

Ratio of SAR at M2 to SAR at M1 = 48.9%

Maximum value of SAR (measured) = 1.37 W/kg



0 dB = 1.37 W/kg = 1.37 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report No. : EN/2020/80007**Bluetooth(GFSK)_Body_Back side_CH 78_Aux_0mm**

Communication System: Bluetooth; Frequency: 2480 MHz; Duty cycle= 1:0.8656

Medium parameters used: $f = 2480$ MHz; $\sigma = 1.902$ S/m; $\epsilon_r = 38.709$; $\rho = 1000$ kg/m³

Phantom section: Flat Section

Ambient temperature: 22.2°C; Liquid temperature: 22.1°C

DASY5 Configuration:

- Probe: EX3DV4 - SN3665; ConvF(7.35, 7.35, 7.35) @ 2480 MHz; Calibrated: 2020/8/20
- Sensor-Surface: 2mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn856; Calibrated: 2020/4/23
- Phantom: ELI
- DASY52 52.10.4(1527); SEMCAD X 14.6.14(7483)

Area Scan (91x81x1): Interpolated grid: dx=12 mm, dy=12 mm

Maximum value of SAR (interpolated) = 0.155 W/kg

Zoom Scan (7x7x7)/Cube 0: Measurement grid: dx=5mm, dy=5mm, dz=5mm

Reference Value = 2.003 V/m; Power Drift = 0.14 dB


Peak SAR (extrapolated) = 0.251 W/kg

SAR(1 g) = 0.116 W/kg; SAR(10 g) = 0.058 W/kg

Smallest distance from peaks to all points 3 dB below = 8 mm

Ratio of SAR at M2 to SAR at M1 = 52.3%

Maximum value of SAR (measured) = 0.180 W/kg



0 dB = 0.180 W/kg = -7.45 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report No. : EN/2020/80007**WLAN 802.11n(40M) 5.2G_Body_Back side_CH 46_Aux_0mm**

Communication System: WLAN 5G; Frequency: 5230 MHz; Duty cycle= 1:0.9061

Medium parameters used: $f = 5230 \text{ MHz}$; $\sigma = 4.652 \text{ S/m}$; $\epsilon_r = 36.911$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section

Ambient temperature: 21.9°C; Liquid temperature: 22.0°C

DASY5 Configuration:

- Probe: EX3DV4 - SN3665; ConvF(5.4, 5.4, 5.4) @ 5230 MHz; Calibrated: 2020/8/20
- Sensor-Surface: 2mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn856; Calibrated: 2020/4/23
- Phantom: ELI
- DASY52 52.10.4(1527); SEMCAD X 14.6.14(7483)

Area Scan (101x81x1): Interpolated grid: $dx=10 \text{ mm}$, $dy=10 \text{ mm}$

Maximum value of SAR (interpolated) = 1.38 W/kg

Zoom Scan (7x7x12)/Cube 0: Measurement grid: $dx=4 \text{ mm}$, $dy=4 \text{ mm}$, $dz=2 \text{ mm}$

Reference Value = 2.971 V/m; Power Drift = -0.15 dB


Peak SAR (extrapolated) = 3.31 W/kg

SAR(1 g) = 0.748 W/kg; SAR(10 g) = 0.223 W/kg

Smallest distance from peaks to all points 3 dB below = 9.4 mm

Ratio of SAR at M2 to SAR at M1 = 57.1%

Maximum value of SAR (measured) = 1.64 W/kg



0 dB = 1.64 W/kg = 2.15 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report No. : EN/2020/80007**WLAN 802.11ac(80M) 5.3G_Body_Back side_CH 58_Aux_0mm**

Communication System: WLAN 5G; Frequency: 5290 MHz; Duty cycle= 1:0.9282

Medium parameters used: $f = 5290 \text{ MHz}$; $\sigma = 4.691 \text{ S/m}$; $\epsilon_r = 36.839$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section

Ambient temperature: 21.7°C; Liquid temperature: 21.6°C

DASY5 Configuration:

- Probe: EX3DV4 - SN3665; ConvF(5.25, 5.25, 5.25) @ 5290 MHz; Calibrated: 2020/8/20
- Sensor-Surface: 2mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn856; Calibrated: 2020/4/23
- Phantom: ELI
- DASY52 52.10.4(1527); SEMCAD X 14.6.14(7483)

Area Scan (121x81x1): Interpolated grid: $dx=10 \text{ mm}$, $dy=10 \text{ mm}$

Maximum value of SAR (interpolated) = 1.32 W/kg

Zoom Scan (7x7x12)/Cube 0: Measurement grid: $dx=4 \text{ mm}$, $dy=4 \text{ mm}$, $dz=2 \text{ mm}$

Reference Value = 2.932 V/m; Power Drift = -0.13 dB


Peak SAR (extrapolated) = 3.39 W/kg

SAR(1 g) = 0.731 W/kg; SAR(10 g) = 0.212 W/kg

Smallest distance from peaks to all points 3 dB below = 7.1 mm

Ratio of SAR at M2 to SAR at M1 = 56.6%

Maximum value of SAR (measured) = 1.53 W/kg



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report No. : EN/2020/80007**WLAN 802.11ac(80M) 5.6G_Body_Back side_CH 138_Aux_0mm**

Communication System: WLAN 5G; Frequency: 5690 MHz; Duty cycle= 1:0.9282

Medium parameters used: $f = 5690 \text{ MHz}$; $\sigma = 5.231 \text{ S/m}$; $\epsilon_r = 35.797$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section

Ambient temperature: 21.8°C; Liquid temperature: 21.9°C

DASY5 Configuration:

- Probe: EX3DV4 - SN3665; ConvF(4.95, 4.95, 4.95) @ 5690 MHz; Calibrated: 2020/8/20
- Sensor-Surface: 2mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn856; Calibrated: 2020/4/23
- Phantom: ELI
- DASY52 52.10.4(1527); SEMCAD X 14.6.14(7483)

Area Scan (121x81x1): Interpolated grid: $dx=10 \text{ mm}$, $dy=10 \text{ mm}$

Maximum value of SAR (interpolated) = 2.45 W/kg

Zoom Scan (7x7x12)/Cube 0: Measurement grid: $dx=4 \text{ mm}$, $dy=4 \text{ mm}$, $dz=2 \text{ mm}$

Reference Value = 2.946 V/m; Power Drift = -0.11 dB


Peak SAR (extrapolated) = 5.34 W/kg

SAR(1 g) = 1.06 W/kg; SAR(10 g) = 0.330 W/kg

Smallest distance from peaks to all points 3 dB below = 6.6 mm

Ratio of SAR at M2 to SAR at M1 = 53.1%

Maximum value of SAR (measured) = 2.36 W/kg



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report No. : EN/2020/80007**WLAN 802.11n(40M) 5.8G_Body_Back side_CH 159_Aux_0mm**

Communication System: WLAN 5G; Frequency: 5795 MHz; Duty cycle= 1:0.9061

Medium parameters used: $f = 5795 \text{ MHz}$; $\sigma = 5.369 \text{ S/m}$; $\epsilon_r = 35.491$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section

Ambient temperature: 22.0°C; Liquid temperature: 21.9°C

DASY5 Configuration:

- Probe: EX3DV4 - SN3665; ConvF(4.97, 4.97, 4.97) @ 5795 MHz; Calibrated: 2020/8/20
- Sensor-Surface: 2mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn856; Calibrated: 2020/4/23
- Phantom: ELI
- DASY52 52.10.4(1527); SEMCAD X 14.6.14(7483)

Area Scan (121x81x1): Interpolated grid: $dx=10 \text{ mm}$, $dy=10 \text{ mm}$

Maximum value of SAR (interpolated) = 1.76 W/kg

Zoom Scan (7x7x12)/Cube 0: Measurement grid: $dx=4 \text{ mm}$, $dy=4 \text{ mm}$, $dz=2 \text{ mm}$

Reference Value = 3.062 V/m; Power Drift = -0.16 dB


Peak SAR (extrapolated) = 4.72 W/kg

SAR(1 g) = 0.920 W/kg; SAR(10 g) = 0.289 W/kg

Smallest distance from peaks to all points 3 dB below = 8.4 mm

Ratio of SAR at M2 to SAR at M1 = 52.8%

Maximum value of SAR (measured) = 1.95 W/kg



0 dB = 1.95 W/kg = 2.90 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Date: 2020/9/3

Report No. : EN/2020/80007**WLAN 802.11b_Body_Left side_CH 6_Main_0mm**

Communication System: WLAN 2.45G; Frequency: 2437 MHz; Duty cycle= 1:0.8716

Medium parameters used: $f = 2437 \text{ MHz}$; $\sigma = 1.851 \text{ S/m}$; $\epsilon_r = 38.876$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section

Ambient temperature: 22.2°C; Liquid temperature: 22.1°C

DASY5 Configuration:

- Probe: EX3DV4 - SN3665; ConvF(7.35, 7.35, 7.35) @ 2437 MHz; Calibrated: 2020/8/20
- Sensor-Surface: 2mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn856; Calibrated: 2020/4/23
- Phantom: ELI
- DASY52 52.10.4(1527); SEMCAD X 14.6.14(7483)

Area Scan (51x81x1): Interpolated grid: $dx=12 \text{ mm}$, $dy=12 \text{ mm}$

Maximum value of SAR (interpolated) = 0.970 W/kg

Zoom Scan (7x7x7)/Cube 0: Measurement grid: $dx=5\text{mm}$, $dy=5\text{mm}$, $dz=5\text{mm}$

Reference Value = 4.783 V/m; Power Drift = -0.18 dB


Peak SAR (extrapolated) = 0.846 W/kg

SAR(1 g) = 0.619 W/kg; SAR(10 g) = 0.341 W/kg

Smallest distance from peaks to all points 3 dB below = 8.9 mm

Ratio of SAR at M2 to SAR at M1 = 78.9%

Maximum value of SAR (measured) = 0.757 W/kg



0 dB = 0.757 W/kg = -1.21 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report No. : EN/2020/80007**WLAN 802.11n(40M) 5.2G_Body_Left side_CH 46_Main_0mm**

Communication System: WLAN 5G; Frequency: 5230 MHz; Duty cycle= 1:0.8911

Medium parameters used: $f = 5230 \text{ MHz}$; $\sigma = 4.652 \text{ S/m}$; $\epsilon_r = 36.911$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section

Ambient temperature: 21.9°C; Liquid temperature: 22.0°C

DASY5 Configuration:

- Probe: EX3DV4 - SN3665; ConvF(5.4, 5.4, 5.4) @ 5230 MHz; Calibrated: 2020/8/20
- Sensor-Surface: 2mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn856; Calibrated: 2020/4/23
- Phantom: ELI
- DASY52 52.10.4(1527); SEMCAD X 14.6.14(7483)

Area Scan (71x111x1): Interpolated grid: $dx=10 \text{ mm}$, $dy=10 \text{ mm}$

Maximum value of SAR (interpolated) = 0.705 W/kg

Zoom Scan (7x7x12)/Cube 0: Measurement grid: $dx=4 \text{ mm}$, $dy=4 \text{ mm}$, $dz=2 \text{ mm}$

Reference Value = 2.349 V/m; Power Drift = 0.15 dB


Peak SAR (extrapolated) = 0.870 W/kg

SAR(1 g) = 0.370 W/kg; SAR(10 g) = 0.144 W/kg

Smallest distance from peaks to all points 3 dB below = 9.1 mm

Ratio of SAR at M2 to SAR at M1 = 72.5%

Maximum value of SAR (measured) = 0.674 W/kg



0 dB = 0.674 W/kg = -1.71 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report No. : EN/2020/80007**WLAN 802.11ac(80M) 5.3G_Body_Left side_CH 58_Main_0mm**

Communication System: WLAN 5G; Frequency: 5290 MHz; Duty cycle= 1:0.9061

Medium parameters used: $f = 5290$ MHz; $\sigma = 4.691$ S/m; $\epsilon_r = 36.839$; $\rho = 1000$ kg/m³

Phantom section: Flat Section

Ambient temperature: 21.7°C; Liquid temperature: 21.6°C

DASY5 Configuration:

- Probe: EX3DV4 - SN3665; ConvF(5.25, 5.25, 5.25) @ 5290 MHz; Calibrated: 2020/8/20
- Sensor-Surface: 2mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn856; Calibrated: 2020/4/23
- Phantom: ELI
- DASY52 52.10.4(1527); SEMCAD X 14.6.14(7483)

Area Scan (71x111x1): Interpolated grid: dx=10 mm, dy=10 mm

Maximum value of SAR (interpolated) = 0.726 W/kg

Zoom Scan (7x7x12)/Cube 0: Measurement grid: dx=4mm, dy=4mm, dz=2mm

Reference Value = 2.771 V/m; Power Drift = -0.16 dB


Peak SAR (extrapolated) = 0.838 W/kg

SAR(1 g) = 0.365 W/kg; SAR(10 g) = 0.144 W/kg

Smallest distance from peaks to all points 3 dB below = 8.4 mm

Ratio of SAR at M2 to SAR at M1 = 74.4%

Maximum value of SAR (measured) = 0.676 W/kg



0 dB = 0.676 W/kg = -1.70 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report No. : EN/2020/80007

WLAN 802.11ac(80M) 5.6G_Body_Left side_CH 106_Main_0mm

Communication System: WLAN 5G; Frequency: 5530 MHz; Duty cycle= 1:0.8716

Medium parameters used: $f = 5530 \text{ MHz}$; $\sigma = 5.019 \text{ S/m}$; $\epsilon_r = 35.994$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section

Ambient temperature: 21.8°C; Liquid temperature: 21.9°C

DASY5 Configuration:

- Probe: EX3DV4 - SN3665; ConvF(4.95, 4.95, 4.95) @ 5530 MHz; Calibrated: 2020/8/20
- Sensor-Surface: 2mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn856; Calibrated: 2020/4/23
- Phantom: ELI
- DASY52 52.10.4(1527); SEMCAD X 14.6.14(7483)

Area Scan (71x111x1): Interpolated grid: $dx=10 \text{ mm}$, $dy=10 \text{ mm}$

Maximum value of SAR (interpolated) = 0.804 W/kg

Zoom Scan (7x7x12)/Cube 0: Measurement grid: $dx=4\text{mm}$, $dy=4\text{mm}$, $dz=2\text{mm}$

Reference Value = 3.017 V/m; Power Drift = -0.18 dB

Peak SAR (extrapolated) = 0.953 W/kg

SAR(1 g) = 0.392 W/kg; SAR(10 g) = 0.158 W/kg

Smallest distance from peaks to all points 3 dB below = 8.6 mm

Ratio of SAR at M2 to SAR at M1 = 71.5%

Maximum value of SAR (measured) = 0.743 W/kg

Zoom Scan (7x7x12)/Cube 1: Measurement grid: $dx=4\text{mm}$, $dy=4\text{mm}$, $dz=2\text{mm}$

Reference Value = 3.017 V/m; Power Drift = -0.18 dB

Peak SAR (extrapolated) = 0.718 W/kg

SAR(1 g) = 0.355 W/kg; SAR(10 g) = 0.136 W/kg

Smallest distance from peaks to all points 3 dB below = 9.6 mm


Ratio of SAR at M2 to SAR at M1 = 80.2%

Maximum value of SAR (measured) = 0.666 W/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



$$0 \text{ dB} = 0.666 \text{ W/kg} = -1.77 \text{ dBW/kg}$$

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路134號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report No. : EN/2020/80007**WLAN 802.11n(40M) 5.8G_Body_Left side_CH 151_Main_0mm**

Communication System: WLAN 5G; Frequency: 5755 MHz; Duty cycle= 1:0.8911

Medium parameters used: $f = 5755 \text{ MHz}$; $\sigma = 5.329 \text{ S/m}$; $\epsilon_r = 35.535$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section

Ambient temperature: 22.0°C; Liquid temperature: 21.9°C

DASY5 Configuration:

- Probe: EX3DV4 - SN3665; ConvF(4.97, 4.97, 4.97) @ 5755 MHz; Calibrated: 2020/8/20
- Sensor-Surface: 2mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn856; Calibrated: 2020/4/23
- Phantom: ELI
- DASY52 52.10.4(1527); SEMCAD X 14.6.14(7483)

Area Scan (71x111x1): Interpolated grid: dx=10 mm, dy=10 mm

Maximum value of SAR (interpolated) = 0.875 W/kg

Zoom Scan (7x7x12)/Cube 0: Measurement grid: dx=4mm, dy=4mm, dz=2mm

Reference Value = 2.762 V/m; Power Drift = -0.15 dB

Peak SAR (extrapolated) = 1.01 W/kg

SAR(1 g) = 0.427 W/kg; SAR(10 g) = 0.160 W/kg

Smallest distance from peaks to all points 3 dB below = 8.1 mm

Ratio of SAR at M2 to SAR at M1 = 71%

Maximum value of SAR (measured) = 0.834 W/kg

Zoom Scan (7x7x12)/Cube 1: Measurement grid: dx=4mm, dy=4mm, dz=2mm

Reference Value = 2.762 V/m; Power Drift = -0.15 dB

Peak SAR (extrapolated) = 0.902 W/kg

SAR(1 g) = 0.376 W/kg; SAR(10 g) = 0.140 W/kg

Smallest distance from peaks to all points 3 dB below = 8.6 mm


Ratio of SAR at M2 to SAR at M1 = 75.2%

Maximum value of SAR (measured) = 0.817 W/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



$$0 \text{ dB} = 0.817 \text{ W/kg} = -0.88 \text{ dBW/kg}$$

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路134號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report No. : EN/2020/80007**WLAN 802.11b_Body_Back side_CH 1_Aux_0mm**

Communication System: WLAN 2.45G; Frequency: 2412 MHz; Duty cycle= 1:0.9472

Medium parameters used: $f = 2412 \text{ MHz}$; $\sigma = 1.826 \text{ S/m}$; $\epsilon_r = 39.021$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section

Ambient temperature: 22.2°C; Liquid temperature: 22.1°C

DASY5 Configuration:

- robe: EX3DV4 - SN3665; ConvF(7.35, 7.35, 7.35) @ 2412 MHz; Calibrated: 2020/8/20
- Sensor-Surface: 2mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn856; Calibrated: 2020/4/23
- Phantom: ELI
- DASY52 52.10.4(1527); SEMCAD X 14.6.14(7483)

Area Scan (101x81x1): Interpolated grid: $dx=12 \text{ mm}$, $dy=12 \text{ mm}$

Maximum value of SAR (interpolated) = 1.70 W/kg

Zoom Scan (7x7x7)/Cube 0: Measurement grid: $dx=5\text{mm}$, $dy=5\text{mm}$, $dz=5\text{mm}$

Reference Value = 2.833 V/m; Power Drift = 0.14 dB


Peak SAR (extrapolated) = 2.30 W/kg

SAR(1 g) = 1.1 W/kg; SAR(10 g) = 0.503 W/kg

Smallest distance from peaks to all points 3 dB below = 8 mm

Ratio of SAR at M2 to SAR at M1 = 50.5%

Maximum value of SAR (measured) = 1.71 W/kg



0 dB = 1.71 W/kg = 2.33 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report No. : EN/2020/80007**Bluetooth(GFSK)_Body_Back side_CH 78_Aux_0mm**

Communication System: Bluetooth; Frequency: 2480 MHz; Duty cycle= 1:0.8656

Medium parameters used: $f = 2480 \text{ MHz}$; $\sigma = 1.902 \text{ S/m}$; $\epsilon_r = 38.709$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section

Ambient temperature: 22.2°C; Liquid temperature: 22.1°C

DASY5 Configuration:

- Probe: EX3DV4 - SN3665; ConvF(7.35, 7.35, 7.35) @ 2480 MHz; Calibrated: 2020/8/20
- Sensor-Surface: 2mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn856; Calibrated: 2020/4/23
- Phantom: ELI
- DASY52 52.10.4(1527); SEMCAD X 14.6.14(7483)

Area Scan (91x81x1): Interpolated grid: $dx=12 \text{ mm}$, $dy=12 \text{ mm}$

Maximum value of SAR (interpolated) = 0.148 W/kg

Zoom Scan (7x7x7)/Cube 0: Measurement grid: $dx=5\text{mm}$, $dy=5\text{mm}$, $dz=5\text{mm}$

Reference Value = 2.044 V/m; Power Drift = 0.07 dB


Peak SAR (extrapolated) = 0.222 W/kg

SAR(1 g) = 0.108 W/kg; SAR(10 g) = 0.055 W/kg

Smallest distance from peaks to all points 3 dB below = 8.2 mm

Ratio of SAR at M2 to SAR at M1 = 54.3%

Maximum value of SAR (measured) = 0.164 W/kg



0 dB = 0.164 W/kg = -7.85 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report No. : EN/2020/80007**WLAN 802.11n(40M) 5.2G_Body_Back side_CH 46_Aux_0mm**

Communication System: WLAN 5G; Frequency: 5230 MHz; Duty cycle= 1:0.9061

Medium parameters used: $f = 5230 \text{ MHz}$; $\sigma = 4.652 \text{ S/m}$; $\epsilon_r = 36.911$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section

Ambient temperature: 21.9°C; Liquid temperature: 22.0°C

DASY5 Configuration:

- Probe: EX3DV4 - SN3665; ConvF(5.4, 5.4, 5.4) @ 5230 MHz; Calibrated: 2020/8/20
- Sensor-Surface: 2mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn877; Calibrated: 2020/3/17
- Phantom: ELI
- DASY52 52.10.4(1527); SEMCAD X 14.6.14(7483)

Area Scan (101x81x1): Interpolated grid: $dx=10 \text{ mm}$, $dy=10 \text{ mm}$

Maximum value of SAR (interpolated) = 1.07 W/kg

Zoom Scan (7x7x12)/Cube 0: Measurement grid: $dx=4 \text{ mm}$, $dy=4 \text{ mm}$, $dz=2 \text{ mm}$

Reference Value = 2.682 V/m; Power Drift = -0.16 dB


Peak SAR (extrapolated) = 2.43 W/kg

SAR(1 g) = 0.558 W/kg; SAR(10 g) = 0.193 W/kg

Smallest distance from peaks to all points 3 dB below = 9.9 mm

Ratio of SAR at M2 to SAR at M1 = 55.3%

Maximum value of SAR (measured) = 1.13 W/kg



0 dB = 1.13 W/kg = 0.53 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report No. : EN/2020/80007**WLAN 802.11ac(80M) 5.3G_Body_Back side_CH 58_Aux_0mm**

Communication System: WLAN 5G; Frequency: 5290 MHz; Duty cycle= 1:0.9282

Medium parameters used: $f = 5290 \text{ MHz}$; $\sigma = 4.691 \text{ S/m}$; $\epsilon_r = 36.839$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section

Ambient temperature: 21.7°C; Liquid temperature: 21.6°C

DASY5 Configuration:

- Probe: EX3DV4 - SN3665; ConvF(5.25, 5.25, 5.25) @ 5290 MHz; Calibrated: 2020/8/20
- Sensor-Surface: 2mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn856; Calibrated: 2020/4/23
- Phantom: ELI
- DASY52 52.10.4(1527); SEMCAD X 14.6.14(7483)

Area Scan (121x81x1): Interpolated grid: $dx=10 \text{ mm}$, $dy=10 \text{ mm}$

Maximum value of SAR (interpolated) = 0.946 W/kg

Zoom Scan (7x7x12)/Cube 0: Measurement grid: $dx=4 \text{ mm}$, $dy=4 \text{ mm}$, $dz=2 \text{ mm}$

Reference Value = 2.909 V/m; Power Drift = -0.12 dB


Peak SAR (extrapolated) = 2.43 W/kg

SAR(1 g) = 0.549 W/kg; SAR(10 g) = 0.194 W/kg

Smallest distance from peaks to all points 3 dB below = 7.1 mm

Ratio of SAR at M2 to SAR at M1 = 53.8%

Maximum value of SAR (measured) = 1.20 W/kg



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report No. : EN/2020/80007**WLAN 802.11ac(80M) 5.6G_Body_Back side_CH 138_Aux_0mm**

Communication System: WLAN 5G; Frequency: 5690 MHz; Duty cycle= 1:0.9282

Medium parameters used: $f = 5690 \text{ MHz}$; $\sigma = 5.231 \text{ S/m}$; $\epsilon_r = 35.797$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section

Ambient temperature: 21.8°C; Liquid temperature: 21.9°C

DASY5 Configuration:

- Probe: EX3DV4 - SN3665; ConvF(4.95, 4.95, 4.95) @ 5690 MHz; Calibrated: 2020/8/20
- Sensor-Surface: 2mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn856; Calibrated: 2020/4/23
- Phantom: ELI
- DASY52 52.10.4(1527); SEMCAD X 14.6.14(7483)

Area Scan (121x81x1): Interpolated grid: $dx=10 \text{ mm}$, $dy=10 \text{ mm}$

Maximum value of SAR (interpolated) = 1.12 W/kg

Zoom Scan (7x7x12)/Cube 0: Measurement grid: $dx=4 \text{ mm}$, $dy=4 \text{ mm}$, $dz=2 \text{ mm}$

Reference Value = 2.635 V/m; Power Drift = 0.13 dB


Peak SAR (extrapolated) = 2.98 W/kg

SAR(1 g) = 0.632 W/kg; SAR(10 g) = 0.232 W/kg

Smallest distance from peaks to all points 3 dB below = 9.1 mm

Ratio of SAR at M2 to SAR at M1 = 52.8%

Maximum value of SAR (measured) = 1.28 W/kg



0 dB = 1.28 W/kg = 1.07 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report No. : EN/2020/80007**WLAN 802.11n(40M) 5.8G_Body_Back side_CH 159_Aux_0mm**

Communication System: WLAN 5G; Frequency: 5795 MHz; Duty cycle= 1:0.9061

Medium parameters used: $f = 5795 \text{ MHz}$; $\sigma = 5.369 \text{ S/m}$; $\epsilon_r = 35.491$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section

Ambient temperature: 22.0°C; Liquid temperature: 21.9°C

DASY5 Configuration:

- Probe: EX3DV4 - SN3665; ConvF(4.97, 4.97, 4.97) @ 5795 MHz; Calibrated: 2020/8/20
- Sensor-Surface: 2mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn856; Calibrated: 2020/4/23
- Phantom: ELI
- DASY52 52.10.4(1527); SEMCAD X 14.6.14(7483)

Area Scan (121x81x1): Interpolated grid: $dx=10 \text{ mm}$, $dy=10 \text{ mm}$

Maximum value of SAR (interpolated) = 1.50 W/kg

Zoom Scan (7x7x12)/Cube 0: Measurement grid: $dx=4 \text{ mm}$, $dy=4 \text{ mm}$, $dz=2 \text{ mm}$

Reference Value = 3.622 V/m; Power Drift = -0.11 dB


Peak SAR (extrapolated) = 2.44 W/kg

SAR(1 g) = 0.613 W/kg; SAR(10 g) = 0.212 W/kg

Smallest distance from peaks to all points 3 dB below = 6.4 mm

Ratio of SAR at M2 to SAR at M1 = 50.8%

Maximum value of SAR (measured) = 1.35 W/kg



0 dB = 1.35 W/kg = 1.30 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Date: 2020/9/3

Report No. : EN/2020/80007**WLAN 802.11b _Body_Bottom side_CH 11_Aux_0mm**

Communication System: WLAN 2.45G; Frequency: 2462 MHz; Duty cycle= 1:0.9472

Medium parameters used: $f = 2462 \text{ MHz}$; $\sigma = 1.881 \text{ S/m}$; $\epsilon_r = 38.773$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section

Ambient temperature: 22.2°C; Liquid temperature: 22.1°C

DASY5 Configuration:

- Probe: EX3DV4 - SN3665; ConvF(7.35, 7.35, 7.35) @ 2462 MHz; Calibrated: 2020/8/20
- Sensor-Surface: 2mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn856; Calibrated: 2020/4/23
- Phantom: ELI
- DASY52 52.10.4(1527); SEMCAD X 14.6.14(7483)

Area Scan (91x71x1): Interpolated grid: $dx=12 \text{ mm}$, $dy=12 \text{ mm}$

Maximum value of SAR (interpolated) = 1.26 W/kg

Zoom Scan (7x7x7)/Cube 0: Measurement grid: $dx=5\text{mm}$, $dy=5\text{mm}$, $dz=5\text{mm}$

Reference Value = 2.191 V/m; Power Drift = 0.14 dB

Peak SAR (extrapolated) = 1.46 W/kg

SAR(1 g) = 0.877 W/kg; SAR(10 g) = 0.471 W/kg

Smallest distance from peaks to all points 3 dB below = 7 mm

Ratio of SAR at M2 to SAR at M1 = 65.5%

Maximum value of SAR (measured) = 1.20 W/kg

Zoom Scan (7x7x7)/Cube 1: Measurement grid: $dx=5\text{mm}$, $dy=5\text{mm}$, $dz=5\text{mm}$

Reference Value = 2.191 V/m; Power Drift = 0.14 dB

Peak SAR (extrapolated) = 1.49 W/kg

SAR(1 g) = 0.745 W/kg; SAR(10 g) = 0.407 W/kg

Smallest distance from peaks to all points 3 dB below = 8 mm


Ratio of SAR at M2 to SAR at M1 = 67.9%

Maximum value of SAR (measured) = 1.22 W/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路134號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report No. : EN/2020/80007**Bluetooth(GFSK)_Body_Bottom side_CH 78_Aux_0mm**

Communication System: Bluetooth; Frequency: 2480 MHz; Duty cycle= 1:0.8656

Medium parameters used: $f = 2480$ MHz; $\sigma = 1.902$ S/m; $\epsilon_r = 38.709$; $\rho = 1000$ kg/m³

Phantom section: Flat Section

Ambient temperature: 22.2°C; Liquid temperature: 22.1°C

DASY5 Configuration:

- Probe: EX3DV4 - SN3665; ConvF(7.35, 7.35, 7.35) @ 2480 MHz; Calibrated: 2020/8/20
- Sensor-Surface: 2mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn856; Calibrated: 2020/4/23
- Phantom: ELI
- DASY52 52.10.4(1527); SEMCAD X 14.6.14(7483)

Area Scan (91x71x1): Interpolated grid: dx=12 mm, dy=12 mm

Maximum value of SAR (interpolated) = 0.123 W/kg

Zoom Scan (7x7x7)/Cube 0: Measurement grid: dx=5mm, dy=5mm, dz=5mm

Reference Value = 2.717 V/m; Power Drift = 0.04 dB


Peak SAR (extrapolated) = 0.132 W/kg

SAR(1 g) = 0.090 W/kg; SAR(10 g) = 0.056 W/kg

Smallest distance from peaks to all points 3 dB below = 10 mm

Ratio of SAR at M2 to SAR at M1 = 76.6%

Maximum value of SAR (measured) = 0.113 W/kg



0 dB = 0.113 W/kg = -9.47 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report No. : EN/2020/80007**WLAN 802.11n(40M) 5.2G_Body_Bottom side_CH 46_Aux_0mm**

Communication System: WLAN 5G; Frequency: 5230 MHz; Duty cycle= 1:0.9061

Medium parameters used: $f = 5230 \text{ MHz}$; $\sigma = 4.652 \text{ S/m}$; $\epsilon_r = 36.911$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section

Ambient temperature: 21.9°C; Liquid temperature: 22.0°C

DASY5 Configuration:

- Probe: EX3DV4 - SN3665; ConvF(5.4, 5.4, 5.4) @ 5230 MHz; Calibrated: 2020/8/20
- Sensor-Surface: 2mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn856; Calibrated: 2020/4/23
- Phantom: ELI
- DASY52 52.10.4(1527); SEMCAD X 14.6.14(7483)

Area Scan (101x81x1): Interpolated grid: $dx=10 \text{ mm}$, $dy=10 \text{ mm}$

Maximum value of SAR (interpolated) = 0.287 W/kg

Zoom Scan (7x7x12)/Cube 0: Measurement grid: $dx=4 \text{ mm}$, $dy=4 \text{ mm}$, $dz=2 \text{ mm}$

Reference Value = 2.547 V/m; Power Drift = 0.08 dB


Peak SAR (extrapolated) = 0.474 W/kg

SAR(1 g) = 0.177 W/kg; SAR(10 g) = 0.079 W/kg

Smallest distance from peaks to all points 3 dB below = 8.2 mm

Ratio of SAR at M2 to SAR at M1 = 71.2%

Maximum value of SAR (measured) = 0.294 W/kg



0 dB = 0.294 W/kg = -5.32 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路134號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report No. : EN/2020/80007**WLAN 802.11ac(80M) 5.3G_Body_Bottom side_CH 58_Aux_0mm**

Communication System: WLAN 5G; Frequency: 5290 MHz; Duty cycle= 1:0.9282

Medium parameters used: $f = 5290 \text{ MHz}$; $\sigma = 4.691 \text{ S/m}$; $\epsilon_r = 36.839$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section

Ambient temperature: 21.7°C; Liquid temperature: 21.6°C

DASY5 Configuration:

- Probe: EX3DV4 - SN3665; ConvF(5.25, 5.25, 5.25) @ 5290 MHz; Calibrated: 2020/8/20
- Sensor-Surface: 2mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn856; Calibrated: 2020/4/23
- Phantom: ELI
- DASY52 52.10.4(1527); SEMCAD X 14.6.14(7483)

Area Scan (101x81x1): Interpolated grid: $dx=10 \text{ mm}$, $dy=10 \text{ mm}$

Maximum value of SAR (interpolated) = 0.250 W/kg

Zoom Scan (7x7x12)/Cube 0: Measurement grid: $dx=4 \text{ mm}$, $dy=4 \text{ mm}$, $dz=2 \text{ mm}$

Reference Value = 2.786 V/m; Power Drift = 0.19 dB


Peak SAR (extrapolated) = 0.490 W/kg

SAR(1 g) = 0.167 W/kg; SAR(10 g) = 0.076 W/kg

Smallest distance from peaks to all points 3 dB below = 7.8 mm

Ratio of SAR at M2 to SAR at M1 = 63.9%

Maximum value of SAR (measured) = 0.280 W/kg



0 dB = 0.280 W/kg = -5.53 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report No. : EN/2020/80007**WLAN 802.11ac(80M) 5.6G_Body_Bottom side_CH 138_Aux_0mm**

Communication System: WLAN 5G; Frequency: 5690 MHz; Duty cycle= 1:0.9282

Medium parameters used: $f = 5690 \text{ MHz}$; $\sigma = 5.231 \text{ S/m}$; $\epsilon_r = 35.797$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section

Ambient temperature: 21.8°C; Liquid temperature: 21.9°C

DASY5 Configuration:

- Probe: EX3DV4 - SN3665; ConvF(4.95, 4.95, 4.95) @ 5690 MHz; Calibrated: 2020/8/20
- Sensor-Surface: 2mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn856; Calibrated: 2020/4/23
- Phantom: ELI
- DASY52 52.10.4(1527); SEMCAD X 14.6.14(7483)

Area Scan (101x81x1): Interpolated grid: $dx=10 \text{ mm}$, $dy=10 \text{ mm}$

Maximum value of SAR (interpolated) = 0.347 W/kg

Zoom Scan (7x7x12)/Cube 0: Measurement grid: $dx=4 \text{ mm}$, $dy=4 \text{ mm}$, $dz=2 \text{ mm}$

Reference Value = 3.283 V/m; Power Drift = -0.11 dB


Peak SAR (extrapolated) = 0.657 W/kg

SAR(1 g) = 0.218 W/kg; SAR(10 g) = 0.097 W/kg

Smallest distance from peaks to all points 3 dB below = 9.8 mm

Ratio of SAR at M2 to SAR at M1 = 66.6%

Maximum value of SAR (measured) = 0.376 W/kg



0 dB = 0.376 W/kg = -4.25 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report No. : EN/2020/80007**WLAN 802.11n(40M) 5.8G_Body_Bottom side_CH 159_Aux_0mm**

Communication System: WLAN 5G; Frequency: 5795 MHz; Duty cycle= 1:0.9061

Medium parameters used: $f = 5795 \text{ MHz}$; $\sigma = 5.369 \text{ S/m}$; $\epsilon_r = 35.491$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section

Ambient temperature: 22.0°C; Liquid temperature: 21.9°C

DASY5 Configuration:

- Probe: EX3DV4 - SN3665; ConvF(4.97, 4.97, 4.97) @ 5795 MHz; Calibrated: 2020/8/20
- Sensor-Surface: 2mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn856; Calibrated: 2020/4/23
- Phantom: ELI
- DASY52 52.10.4(1527); SEMCAD X 14.6.14(7483)

Area Scan (101x81x1): Interpolated grid: $dx=10 \text{ mm}$, $dy=10 \text{ mm}$

Maximum value of SAR (interpolated) = 0.383 W/kg

Zoom Scan (7x7x12)/Cube 0: Measurement grid: $dx=4 \text{ mm}$, $dy=4 \text{ mm}$, $dz=2 \text{ mm}$

Reference Value = 3.088 V/m; Power Drift = -0.18 dB


Peak SAR (extrapolated) = 0.729 W/kg

SAR(1 g) = 0.218 W/kg; SAR(10 g) = 0.099 W/kg

Smallest distance from peaks to all points 3 dB below = 6.8 mm

Ratio of SAR at M2 to SAR at M1 = 66.4%

Maximum value of SAR (measured) = 0.366 W/kg



0 dB = 0.366 W/kg = -4.37 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Date: 2020/9/3

Report No. : EN/2020/80007**WLAN 802.11b_Body_Bottom side_CH 11_Aux_0mm**

Communication System: WLAN 2.45G; Frequency: 2462 MHz; Duty cycle= 1:0.9472

Medium parameters used: $f = 2462 \text{ MHz}$; $\sigma = 1.881 \text{ S/m}$; $\epsilon_r = 38.773$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section

Ambient temperature: 22.2°C; Liquid temperature: 22.1°C

DASY5 Configuration:

- Probe: EX3DV4 - SN3665; ConvF(7.35, 7.35, 7.35) @ 2462 MHz; Calibrated: 2020/8/20
- Sensor-Surface: 2mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn856; Calibrated: 2020/4/23
- Phantom: ELI
- DASY52 52.10.4(1527); SEMCAD X 14.6.14(7483)

Area Scan (91x71x1): Interpolated grid: $dx=12 \text{ mm}$, $dy=12 \text{ mm}$

Maximum value of SAR (interpolated) = 1.43 W/kg

Zoom Scan (7x7x7)/Cube 0: Measurement grid: $dx=5 \text{ mm}$, $dy=5 \text{ mm}$, $dz=5 \text{ mm}$

Reference Value = 2.532 V/m; Power Drift = 0.19 dB


Peak SAR (extrapolated) = 1.88 W/kg

SAR(1 g) = 1.02 W/kg; SAR(10 g) = 0.571 W/kg

Smallest distance from peaks to all points 3 dB below = 8 mm

Ratio of SAR at M2 to SAR at M1 = 79.7%

Maximum value of SAR (measured) = 1.25 W/kg



0 dB = 1.25 W/kg = 0.97 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.SGS Taiwan Ltd. No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路134號台灣檢驗科技股份有限公司t (886-2) 2299-3279f (886-2) 2298-0488www.sgs.com.twMember of SGS Group

Report No. : EN/2020/80007**Bluetooth(GFSK)_Body_Bottom side_CH 78_Aux_0mm**

Communication System: Bluetooth; Frequency: 2480 MHz; Duty cycle= 1:0.8656

Medium parameters used: $f = 2480 \text{ MHz}$; $\sigma = 1.902 \text{ S/m}$; $\epsilon_r = 38.709$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section

Ambient temperature: 22.2°C; Liquid temperature: 22.1°C

DASY5 Configuration:

- Probe: EX3DV4 - SN3665; ConvF(7.35, 7.35, 7.35) @ 2480 MHz; Calibrated: 2020/8/20
- Sensor-Surface: 2mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn856; Calibrated: 2020/4/23
- Phantom: ELI
- DASY52 52.10.4(1527); SEMCAD X 14.6.14(7483)

Area Scan (91x71x1): Interpolated grid: $dx=12 \text{ mm}$, $dy=12 \text{ mm}$

Maximum value of SAR (interpolated) = 0.132 W/kg

Zoom Scan (7x7x7)/Cube 0: Measurement grid: $dx=5\text{mm}$, $dy=5\text{mm}$, $dz=5\text{mm}$

Reference Value = 2.801 V/m; Power Drift = -0.19 dB


Peak SAR (extrapolated) = 0.146 W/kg

SAR(1 g) = 0.095 W/kg; SAR(10 g) = 0.058 W/kg

Smallest distance from peaks to all points 3 dB below = 8.3 mm

Ratio of SAR at M2 to SAR at M1 = 74.4%

Maximum value of SAR (measured) = 0.124 W/kg



0 dB = 0.124 W/kg = -9.07 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report No. : EN/2020/80007**WLAN 802.11n(40M) 5.2G_Body_Bottom side_CH 46_Aux_0mm**

Communication System: WLAN 5G; Frequency: 5230 MHz; Duty cycle= 1:0.9061

Medium parameters used: $f = 5230 \text{ MHz}$; $\sigma = 4.652 \text{ S/m}$; $\epsilon_r = 36.911$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section

Ambient temperature: 21.9°C; Liquid temperature: 22.0°C

DASY5 Configuration:

- Probe: EX3DV4 - SN3665; ConvF(5.4, 5.4, 5.4) @ 5230 MHz; Calibrated: 2020/8/20
- Sensor-Surface: 2mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn856; Calibrated: 2020/4/23
- Phantom: ELI
- DASY52 52.10.4(1527); SEMCAD X 14.6.14(7483)

Area Scan (101x81x1): Interpolated grid: $dx=10 \text{ mm}$, $dy=10 \text{ mm}$

Maximum value of SAR (interpolated) = 0.208 W/kg

Zoom Scan (7x7x12)/Cube 0: Measurement grid: $dx=4 \text{ mm}$, $dy=4 \text{ mm}$, $dz=2 \text{ mm}$

Reference Value = 2.667 V/m; Power Drift = 0.17 dB


Peak SAR (extrapolated) = 0.350 W/kg

SAR(1 g) = 0.130 W/kg; SAR(10 g) = 0.070 W/kg

Smallest distance from peaks to all points 3 dB below = 6.9 mm

Ratio of SAR at M2 to SAR at M1 = 65%

Maximum value of SAR (measured) = 0.222 W/kg



0 dB = 0.222 W/kg = -6.54 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report No. : EN/2020/80007**WLAN 802.11ac(80M) 5.3G_Body_Bottom side_CH 58_Aux_0mm**

Communication System: WLAN 5G; Frequency: 5290 MHz; Duty cycle= 1:0.9282

Medium parameters used: $f = 5290$ MHz; $\sigma = 4.691$ S/m; $\epsilon_r = 36.839$; $\rho = 1000$ kg/m³

Phantom section: Flat Section

Ambient temperature: 21.7°C; Liquid temperature: 21.6°C

DASY5 Configuration:

- Probe: EX3DV4 - SN3665; ConvF(5.25, 5.25, 5.25) @ 5290 MHz; Calibrated: 2020/8/20
- Sensor-Surface: 2mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn856; Calibrated: 2020/4/23
- Phantom: ELI
- DASY52 52.10.4(1527); SEMCAD X 14.6.14(7483)

Area Scan (101x81x1): Interpolated grid: dx=10 mm, dy=10 mm

Maximum value of SAR (interpolated) = 0.190 W/kg

Zoom Scan (7x7x12)/Cube 0: Measurement grid: dx=4mm, dy=4mm, dz=2mm

Reference Value = 2.845 V/m; Power Drift = 0.04 dB


Peak SAR (extrapolated) = 0.308 W/kg

SAR(1 g) = 0.119 W/kg; SAR(10 g) = 0.069 W/kg

Smallest distance from peaks to all points 3 dB below = 8.2 mm

Ratio of SAR at M2 to SAR at M1 = 79.9%

Maximum value of SAR (measured) = 0.198 W/kg



0 dB = 0.198 W/kg = -7.03 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report No. : EN/2020/80007**WLAN 802.11ac(80M) 5.6G_Body_Bottom side_CH 138_Aux_0mm**

Communication System: WLAN 5G; Frequency: 5690 MHz; Duty cycle= 1:0.9282

Medium parameters used: $f = 5690 \text{ MHz}$; $\sigma = 5.231 \text{ S/m}$; $\epsilon_r = 35.797$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section

Ambient temperature: 21.8°C; Liquid temperature: 21.9°C

DASY5 Configuration:

- Probe: EX3DV4 - SN3665; ConvF(4.95, 4.95, 4.95) @ 5690 MHz; Calibrated: 2020/8/20
- Sensor-Surface: 2mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn856; Calibrated: 2020/4/23
- Phantom: ELI
- DASY52 52.10.4(1527); SEMCAD X 14.6.14(7483)

Area Scan (101x81x1): Interpolated grid: $dx=10 \text{ mm}$, $dy=10 \text{ mm}$

Maximum value of SAR (interpolated) = 0.312 W/kg

Zoom Scan (7x7x12)/Cube 0: Measurement grid: $dx=4 \text{ mm}$, $dy=4 \text{ mm}$, $dz=2 \text{ mm}$

Reference Value = 2.882 V/m; Power Drift = 0.16 dB


Peak SAR (extrapolated) = 0.619 W/kg

SAR(1 g) = 0.197 W/kg; SAR(10 g) = 0.104 W/kg

Smallest distance from peaks to all points 3 dB below = 8.6 mm

Ratio of SAR at M2 to SAR at M1 = 72.3%

Maximum value of SAR (measured) = 0.358 W/kg



0 dB = 0.358 W/kg = -4.46 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report No. : EN/2020/80007**WLAN 802.11n(40M) 5.8G_Body_Bottom side_CH 159_Aux_0mm**

Communication System: WLAN 5G; Frequency: 5795 MHz; Duty cycle= 1:0.9061

Medium parameters used: $f = 5795 \text{ MHz}$; $\sigma = 5.369 \text{ S/m}$; $\epsilon_r = 35.491$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section

Ambient temperature: 22.0°C; Liquid temperature: 21.9°C

DASY5 Configuration:

- Probe: EX3DV4 - SN3665; ConvF(4.97, 4.97, 4.97) @ 5795 MHz; Calibrated: 2020/8/20
- Sensor-Surface: 2mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn856; Calibrated: 2020/4/23
- Phantom: ELI
- DASY52 52.10.4(1527); SEMCAD X 14.6.14(7483)

Area Scan (101x81x1): Interpolated grid: $dx=10 \text{ mm}$, $dy=10 \text{ mm}$

Maximum value of SAR (interpolated) = 0.371 W/kg

Zoom Scan (7x7x12)/Cube 0: Measurement grid: $dx=4 \text{ mm}$, $dy=4 \text{ mm}$, $dz=2 \text{ mm}$

Reference Value = 2.835 V/m; Power Drift = 0.16 dB


Peak SAR (extrapolated) = 0.760 W/kg

SAR(1 g) = 0.220 W/kg; SAR(10 g) = 0.113 W/kg

Smallest distance from peaks to all points 3 dB below = 9.6 mm

Ratio of SAR at M2 to SAR at M1 = 76.2%

Maximum value of SAR (measured) = 0.397 W/kg



0 dB = 0.397 W/kg = -4.01 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report No. : EN/2020/80008**Bluetooth(GFSK)_Body_Top side_CH 78_Aux_0mm_WNC**

Communication System: Bluetooth; Frequency: 2480 MHz; Duty cycle= 1:0.7727

Medium parameters used: $f = 2480$ MHz; $\sigma = 1.912$ S/m; $\epsilon_r = 38.771$; $\rho = 1000$ kg/m³

Phantom section: Flat Section

Ambient temperature: 22.0°C; Liquid temperature: 22.4°C

DASY5 Configuration:

- Probe: EX3DV4 - SN3770; ConvF(7.4, 7.4, 7.4) @ 2480 MHz; Calibrated: 2020/5/27
- Sensor-Surface: 2mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn856; Calibrated: 2020/4/23
- Phantom: ELI
- DASY52 52.10.4(1527); SEMCAD X 14.6.14(7483)

Area Scan (51x111x1): Interpolated grid: dx=12 mm, dy=12 mm

Maximum value of SAR (interpolated) = 0.00832 W/kg

Zoom Scan (7x7x7)/Cube 0: Measurement grid: dx=5mm, dy=5mm, dz=5mm

Reference Value = 1.415 V/m; Power Drift = 0.06 dB


Peak SAR (extrapolated) = 0.00755 W/kg

SAR(1 g) = 0.00512 W/kg; SAR(10 g) = 0.00458 W/kg

Smallest distance from peaks to all points 3 dB below: Larger than measurement grid

Ratio of SAR at M2 to SAR at M1 = 61.4%

Maximum value of SAR (measured) = 0.00641 W/kg



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report No. : EN/2020/80008**Bluetooth(GFSK)_Body_Top side_CH 78_Aux_0mm_HB**

Communication System: Bluetooth; Frequency: 2480 MHz; Duty cycle= 1:0.7727

Medium parameters used: $f = 2480$ MHz; $\sigma = 1.912$ S/m; $\epsilon_r = 38.771$; $\rho = 1000$ kg/m³

Phantom section: Flat Section

Ambient temperature: 22.0°C; Liquid temperature: 22.4°C

DASY5 Configuration:

- Probe: EX3DV4 - SN3770; ConvF(7.4, 7.4, 7.4) @ 2480 MHz; Calibrated: 2020/5/27
- Sensor-Surface: 2mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn856; Calibrated: 2020/4/23
- Phantom: ELI
- DASY52 52.10.4(1527); SEMCAD X 14.6.14(7483)

Area Scan (51x111x1): Interpolated grid: dx=12 mm, dy=12 mm

Maximum value of SAR (interpolated) = 0.0151 W/kg

Zoom Scan (7x7x7)/Cube 0: Measurement grid: dx=5mm, dy=5mm, dz=5mm

Reference Value = 3.016 V/m; Power Drift = 0.08 dB


Peak SAR (extrapolated) = 0.0140 W/kg

SAR(1 g) = 0.00909 W/kg; SAR(10 g) = 0.00825 W/kg

Smallest distance from peaks to all points 3 dB below: Larger than measurement grid

Ratio of SAR at M2 to SAR at M1 = 62.7%

Maximum value of SAR (measured) = 0.0117 W/kg



0 dB = 0.0117 W/kg = -19.32 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

6. SAR System Performance Verification

Date: 2020/9/27

Report No. :EN/2020/80008**Dipole 750 MHz_SN:1015**

Communication System: CW; Frequency: 750 MHz; Duty cycle= 1:1

Medium parameters used: $f = 750 \text{ MHz}$; $\sigma = 0.897 \text{ S/m}$; $\epsilon_r = 43.131$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section

Ambient temperature: 22.4°C; Liquid temperature: 22.0°C

DASY5 Configuration:

- Probe: EX3DV4 - SN3770; ConvF(9.84, 9.84, 9.84) @ 750 MHz; Calibrated: 2020/5/27
- Sensor-Surface: 2mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn558; Calibrated: 2019/10/11
- Phantom: ELI
- DASY52 52.10.4(1527); SEMCAD X 14.6.14(7483)

Pin=250mW/Area Scan (41x141x1): Interpolated grid: $dx=15 \text{ mm}$, $dy=15 \text{ mm}$

Maximum value of SAR (interpolated) = 2.52 W/kg

Pin=250mW/Zoom Scan (7x7x7)/Cube 0: Measurement grid: $dx=5\text{mm}$, $dy=5\text{mm}$, $dz=5\text{mm}$

Reference Value = 53.98 V/m; Power Drift = 0.02 dB


Peak SAR (extrapolated) = 2.99 W/kg

SAR(1 g) = 2.05 W/kg; SAR(10 g) = 1.38 W/kg

Smallest distance from peaks to all points 3 dB below = 15.7 mm

Ratio of SAR at M2 to SAR at M1 = 68.5%

Maximum value of SAR (measured) = 2.56 W/kg



0 dB = 2.56 W/kg = 4.08 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report No. :EN/2020/80008**Dipole 750 MHz_SN:1015**

Communication System: CW; Frequency: 750 MHz; Duty cycle= 1:1

Medium parameters used: $f = 750 \text{ MHz}$; $\sigma = 0.897 \text{ S/m}$; $\epsilon_r = 43.131$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section

Ambient temperature: 22.4°C; Liquid temperature: 22.0°C

DASY5 Configuration:

- Probe: EX3DV4 - SN3770; ConvF(9.84, 9.84, 9.84) @ 750 MHz; Calibrated: 2020/5/27
- Sensor-Surface: 2mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn558; Calibrated: 2019/10/11
- Phantom: ELI
- DASY52 52.10.4(1527); SEMCAD X 14.6.14(7483)

Pin=250mW/Area Scan (41x141x1): Interpolated grid: $dx=15 \text{ mm}$, $dy=15 \text{ mm}$

Maximum value of SAR (interpolated) = 2.52 W/kg

Pin=250mW/Zoom Scan (7x7x7)/Cube 0: Measurement grid: $dx=5\text{mm}$, $dy=5\text{mm}$, $dz=5\text{mm}$

Reference Value = 53.98 V/m; Power Drift = 0.02 dB


Peak SAR (extrapolated) = 2.99 W/kg

SAR(1 g) = 2.05 W/kg; SAR(10 g) = 1.38 W/kg

Smallest distance from peaks to all points 3 dB below = 15.7 mm

Ratio of SAR at M2 to SAR at M1 = 68.5%

Maximum value of SAR (measured) = 2.56 W/kg



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report No. :EN/2020/80008**Dipole 835 MHz_SN:4d063**

Communication System: CW; Frequency: 835 MHz; Duty cycle= 1:1

Medium parameters used: $f = 835 \text{ MHz}$; $\sigma = 0.868 \text{ S/m}$; $\epsilon_r = 42.334$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section

Ambient temperature: 22.1°C; Liquid temperature: 21.9°C

DASY5 Configuration:

- Probe: EX3DV4 - SN3770; ConvF(9.5, 9.5, 9.5) @ 835 MHz; Calibrated: 2020/5/27
- Sensor-Surface: 2mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn558; Calibrated: 2019/10/11
- Phantom: ELI
- DASY52 52.10.4(1527); SEMCAD X 14.6.14(7483)

Pin=250mW/Area Scan (61x121x1): Interpolated grid: $dx=15 \text{ mm}$, $dy=15 \text{ mm}$

Maximum value of SAR (interpolated) = 2.91 W/kg

Pin=250mW/Zoom Scan (5x5x7)/Cube 0: Measurement grid: $dx=8\text{mm}$, $dy=8\text{mm}$, $dz=5\text{mm}$

Reference Value = 55.95 V/m; Power Drift = 0.02 dB


Peak SAR (extrapolated) = 3.41 W/kg

SAR(1 g) = 2.28 W/kg; SAR(10 g) = 1.48 W/kg

Smallest distance from peaks to all points 3 dB below = 17.9 mm

Ratio of SAR at M2 to SAR at M1 = 67.1%

Maximum value of SAR (measured) = 2.92 W/kg



0 dB = 2.92 W/kg = 4.65 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report No. :EN/2020/80008**Dipole 835 MHz_SN:4d063**

Communication System: CW; Frequency: 835 MHz; Duty cycle= 1:1

Medium parameters used: $f = 835 \text{ MHz}$; $\sigma = 0.901 \text{ S/m}$; $\epsilon_r = 42.157$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section

Ambient temperature: 22.0°C; Liquid temperature: 22.3°C

DASY5 Configuration:

- Probe: EX3DV4 - SN3770; ConvF(9.5, 9.5, 9.5) @ 835 MHz; Calibrated: 2020/5/27
- Sensor-Surface: 2mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn558; Calibrated: 2019/10/11
- Phantom: ELI
- DASY52 52.10.4(1527); SEMCAD X 14.6.14(7483)

Pin=250mW/Area Scan (61x121x1): Interpolated grid: $dx=15 \text{ mm}$, $dy=15 \text{ mm}$

Maximum value of SAR (interpolated) = 3.01 W/kg

Pin=250mW/Zoom Scan (5x5x7)/Cube 0: Measurement grid: $dx=8\text{mm}$, $dy=8\text{mm}$, $dz=5\text{mm}$

Reference Value = 56.16 V/m; Power Drift = 0.00 dB


Peak SAR (extrapolated) = 3.51 W/kg

SAR(1 g) = 2.34 W/kg; SAR(10 g) = 1.52 W/kg

Smallest distance from peaks to all points 3 dB below = 18.7 mm

Ratio of SAR at M2 to SAR at M1 = 67.1%

Maximum value of SAR (measured) = 3.01 W/kg



0 dB = 3.01 W/kg = 4.79 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路134號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report No. :EN/2020/80008**Dipole 835 MHz_SN:4d063**

Communication System: CW; Frequency: 835 MHz; Duty cycle= 1:1

Medium parameters used: $f = 835 \text{ MHz}$; $\sigma = 0.886 \text{ S/m}$; $\epsilon_r = 41.961$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section

Ambient temperature: 22.3°C; Liquid temperature: 22.2°C

DASY5 Configuration:

- Probe: EX3DV4 - SN3770; ConvF(9.5, 9.5, 9.5) @ 835 MHz; Calibrated: 2020/5/27
- Sensor-Surface: 2mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn558; Calibrated: 2019/10/11
- Phantom: ELI
- DASY52 52.10.4(1527); SEMCAD X 14.6.14(7483)

Pin=250mW/Area Scan (41x121x1): Interpolated grid: $dx=15 \text{ mm}$, $dy=15 \text{ mm}$

Maximum value of SAR (interpolated) = 2.83 W/kg

Pin=250mW/Zoom Scan (7x7x7)/Cube 0: Measurement grid: $dx=5\text{mm}$, $dy=5\text{mm}$, $dz=5\text{mm}$

Reference Value = 57.79 V/m; Power Drift = 0.03 dB


Peak SAR (extrapolated) = 3.30 W/kg

SAR(1 g) = 2.24 W/kg; SAR(10 g) = 1.47 W/kg

Smallest distance from peaks to all points 3 dB below: Larger than measurement grid

Ratio of SAR at M2 to SAR at M1 = 67.4%

Maximum value of SAR (measured) = 2.83 W/kg



0 dB = 2.83 W/kg = 4.52 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report No. :EN/2020/80008**Dipole 835 MHz_SN:4d063**

Communication System: CW; Frequency: 835 MHz; Duty cycle= 1:1

Medium parameters used: $f = 835 \text{ MHz}$; $\sigma = 0.868 \text{ S/m}$; $\epsilon_r = 42.334$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section

Ambient temperature: 22.1°C; Liquid temperature: 21.9°C

DASY5 Configuration:

- Probe: EX3DV4 - SN3770; ConvF(9.5, 9.5, 9.5) @ 835 MHz; Calibrated: 2020/5/27
- Sensor-Surface: 2mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn558; Calibrated: 2019/10/11
- Phantom: ELI
- DASY52 52.10.4(1527); SEMCAD X 14.6.14(7483)

Pin=250mW/Area Scan (61x121x1): Interpolated grid: $dx=15 \text{ mm}$, $dy=15 \text{ mm}$

Maximum value of SAR (interpolated) = 2.91 W/kg

Pin=250mW/Zoom Scan (5x5x7)/Cube 0: Measurement grid: $dx=8\text{mm}$, $dy=8\text{mm}$, $dz=5\text{mm}$

Reference Value = 55.95 V/m; Power Drift = 0.02 dB


Peak SAR (extrapolated) = 3.41 W/kg

SAR(1 g) = 2.28 W/kg; SAR(10 g) = 1.48 W/kg

Smallest distance from peaks to all points 3 dB below = 17.9 mm

Ratio of SAR at M2 to SAR at M1 = 67.1%

Maximum value of SAR (measured) = 2.92 W/kg



0 dB = 2.92 W/kg = 4.65 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report No. :EN/2020/80008**Dipole 835 MHz_SN:4d063**

Communication System: CW; Frequency: 835 MHz; Duty cycle= 1:1

Medium parameters used: $f = 835 \text{ MHz}$; $\sigma = 0.901 \text{ S/m}$; $\epsilon_r = 42.157$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section

Ambient temperature: 22.0°C; Liquid temperature: 22.3°C

DASY5 Configuration:

- Probe: EX3DV4 - SN3770; ConvF(9.5, 9.5, 9.5) @ 835 MHz; Calibrated: 2020/5/27
- Sensor-Surface: 2mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn558; Calibrated: 2019/10/11
- Phantom: ELI
- DASY52 52.10.4(1527); SEMCAD X 14.6.14(7483)

Pin=250mW/Area Scan (61x121x1): Interpolated grid: $dx=15 \text{ mm}$, $dy=15 \text{ mm}$

Maximum value of SAR (interpolated) = 3.01 W/kg

Pin=250mW/Zoom Scan (5x5x7)/Cube 0: Measurement grid: $dx=8\text{mm}$, $dy=8\text{mm}$, $dz=5\text{mm}$

Reference Value = 56.16 V/m; Power Drift = 0.00 dB


Peak SAR (extrapolated) = 3.51 W/kg

SAR(1 g) = 2.34 W/kg; SAR(10 g) = 1.52 W/kg

Smallest distance from peaks to all points 3 dB below = 18.7 mm

Ratio of SAR at M2 to SAR at M1 = 67.1%

Maximum value of SAR (measured) = 3.01 W/kg



0 dB = 3.01 W/kg = 4.79 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report No. :EN/2020/80008**Dipole 835 MHz_SN:4d063**

Communication System: CW; Frequency: 835 MHz; Duty cycle= 1:1

Medium parameters used: $f = 835 \text{ MHz}$; $\sigma = 0.886 \text{ S/m}$; $\epsilon_r = 41.961$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section

Ambient temperature: 22.3°C; Liquid temperature: 22.2°C

DASY5 Configuration:

- Probe: EX3DV4 - SN3770; ConvF(9.5, 9.5, 9.5) @ 835 MHz; Calibrated: 2020/5/27
- Sensor-Surface: 2mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn558; Calibrated: 2019/10/11
- Phantom: ELI
- DASY52 52.10.4(1527); SEMCAD X 14.6.14(7483)

Pin=250mW/Area Scan (41x121x1): Interpolated grid: $dx=15 \text{ mm}$, $dy=15 \text{ mm}$

Maximum value of SAR (interpolated) = 2.83 W/kg

Pin=250mW/Zoom Scan (7x7x7)/Cube 0: Measurement grid: $dx=5\text{mm}$, $dy=5\text{mm}$, $dz=5\text{mm}$

Reference Value = 57.79 V/m; Power Drift = 0.03 dB


Peak SAR (extrapolated) = 3.30 W/kg

SAR(1 g) = 2.24 W/kg; SAR(10 g) = 1.47 W/kg

Smallest distance from peaks to all points 3 dB below: Larger than measurement grid

Ratio of SAR at M2 to SAR at M1 = 67.4%

Maximum value of SAR (measured) = 2.83 W/kg



0 dB = 2.83 W/kg = 4.52 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report No. :EN/2020/80008**Dipole 1750 MHz_SN:1008**

Communication System: CW; Frequency: 1750 MHz; Duty cycle= 1:1

Medium parameters used: $f = 1750 \text{ MHz}$; $\sigma = 1.357 \text{ S/m}$; $\epsilon_r = 41.709$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section

Ambient temperature: 21.4°C; Liquid temperature: 21.5°C

DASY5 Configuration:

- Probe: EX3DV4 - SN3770; ConvF(8.36, 8.36, 8.36) @ 1750 MHz; Calibrated: 2020/5/27
- Sensor-Surface: 2mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn558; Calibrated: 2019/10/11
- Phantom: ELI
- DASY52 52.10.4(1527); SEMCAD X 14.6.14(7483)

Pin=250mW/Area Scan (61x61x1): Interpolated grid: $dx=15 \text{ mm}$, $dy=15 \text{ mm}$

Maximum value of SAR (interpolated) = 12.6 W/kg

Pin=250mW/Zoom Scan (7x7x7)/Cube 0: Measurement grid: $dx=5\text{mm}$, $dy=5\text{mm}$, $dz=5\text{mm}$

Reference Value = 96.07 V/m; Power Drift = 0.03 dB


Peak SAR (extrapolated) = 15.6 W/kg

SAR(1 g) = 8.84 W/kg; SAR(10 g) = 4.8 W/kg

Smallest distance from peaks to all points 3 dB below = 10 mm

Ratio of SAR at M2 to SAR at M1 = 57.5%

Maximum value of SAR (measured) = 12.4 W/kg



0 dB = 12.4 W/kg = 10.93 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report No. :EN/2020/80008**Dipole 1750 MHz_SN:1008**

Communication System: CW; Frequency: 1750 MHz; Duty cycle= 1:1

Medium parameters used: $f = 1750 \text{ MHz}$; $\sigma = 1.357 \text{ S/m}$; $\epsilon_r = 41.709$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section

Ambient temperature: 21.4°C; Liquid temperature: 21.5°C

DASY5 Configuration:

- Probe: EX3DV4 - SN3770; ConvF(8.36, 8.36, 8.36) @ 1750 MHz; Calibrated: 2020/5/27
- Sensor-Surface: 2mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn558; Calibrated: 2019/10/11
- Phantom: ELI
- DASY52 52.10.4(1527); SEMCAD X 14.6.14(7483)

Pin=250mW/Area Scan (61x61x1): Interpolated grid: $dx=15 \text{ mm}$, $dy=15 \text{ mm}$

Maximum value of SAR (interpolated) = 12.6 W/kg

Pin=250mW/Zoom Scan (7x7x7)/Cube 0: Measurement grid: $dx=5\text{mm}$, $dy=5\text{mm}$, $dz=5\text{mm}$

Reference Value = 96.07 V/m; Power Drift = 0.03 dB


Peak SAR (extrapolated) = 15.6 W/kg

SAR(1 g) = 8.84 W/kg; SAR(10 g) = 4.8 W/kg

Smallest distance from peaks to all points 3 dB below = 10 mm

Ratio of SAR at M2 to SAR at M1 = 57.5%

Maximum value of SAR (measured) = 12.4 W/kg



0 dB = 12.4 W/kg = 10.93 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report No. :EN/2020/80008**Dipole 1900 MHz_SN:5d027**

Communication System: CW; Frequency: 1900 MHz; Duty cycle= 1:1

Medium parameters used: $f = 1900 \text{ MHz}$; $\sigma = 1.455 \text{ S/m}$; $\epsilon_r = 41.211$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section

Ambient temperature: 22.0°C; Liquid temperature: 21.9°C

DASY5 Configuration:

- Probe: EX3DV4 - SN3770; ConvF(8.03, 8.03, 8.03) @ 1900 MHz; Calibrated: 2020/5/27
- Sensor-Surface: 2mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn558; Calibrated: 2019/10/11
- Phantom: ELI
- DASY52 52.10.4(1527); SEMCAD X 14.6.14(7483)

Pin=250mW/Area Scan (61x61x1): Interpolated grid: $dx=15 \text{ mm}$, $dy=15 \text{ mm}$

Maximum value of SAR (interpolated) = 12.4 W/kg

Pin=250mW/Zoom Scan (5x5x7)/Cube 0: Measurement grid: $dx=8\text{mm}$, $dy=8\text{mm}$, $dz=5\text{mm}$

Reference Value = 101.3 V/m; Power Drift = 0.02 dB


Peak SAR (extrapolated) = 15.2 W/kg

SAR(1 g) = 9.3 W/kg; SAR(10 g) = 5.35 W/kg

Smallest distance from peaks to all points 3 dB below = 10.1 mm

Ratio of SAR at M2 to SAR at M1 = 60.2%

Maximum value of SAR (measured) = 12.4 W/kg



0 dB = 12.4 W/kg = 10.93 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路134號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report No. :EN/2020/80008**Dipole 1900 MHz_SN:5d027**

Communication System: CW; Frequency: 1900 MHz; Duty cycle= 1:1

Medium parameters used: $f = 1900 \text{ MHz}$; $\sigma = 1.455 \text{ S/m}$; $\epsilon_r = 41.211$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section

Ambient temperature: 22.0°C; Liquid temperature: 21.9°C

DASY5 Configuration:

- Probe: EX3DV4 - SN3770; ConvF(8.03, 8.03, 8.03) @ 1900 MHz; Calibrated: 2020/5/27
- Sensor-Surface: 2mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn558; Calibrated: 2019/10/11
- Phantom: ELI
- DASY52 52.10.4(1527); SEMCAD X 14.6.14(7483)

Pin=250mW/Area Scan (61x61x1): Interpolated grid: $dx=15 \text{ mm}$, $dy=15 \text{ mm}$

Maximum value of SAR (interpolated) = 12.4 W/kg

Pin=250mW/Zoom Scan (5x5x7)/Cube 0: Measurement grid: $dx=8\text{mm}$, $dy=8\text{mm}$, $dz=5\text{mm}$

Reference Value = 101.3 V/m; Power Drift = 0.02 dB


Peak SAR (extrapolated) = 15.2 W/kg

SAR(1 g) = 9.3 W/kg; SAR(10 g) = 5.35 W/kg

Smallest distance from peaks to all points 3 dB below = 10.1 mm

Ratio of SAR at M2 to SAR at M1 = 60.2%

Maximum value of SAR (measured) = 12.4 W/kg



0 dB = 12.4 W/kg = 10.93 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report No. :EN/2020/80008**Dipole 2300 MHz_SN:1023**

Communication System: CW; Frequency: 2300 MHz; Duty cycle= 1:1

Medium parameters used: $f = 2300 \text{ MHz}$; $\sigma = 1.693 \text{ S/m}$; $\epsilon_r = 40.918$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section

Ambient temperature: 21.8°C; Liquid temperature: 21.09°C

DASY5 Configuration:

- Probe: EX3DV4 - SN3770; ConvF(7.67, 7.67, 7.67) @ 2300 MHz; Calibrated: 2020/5/27
- Sensor-Surface: 2mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn558; Calibrated: 2019/10/11
- Phantom: ELI
- DASY52 52.10.4(1527); SEMCAD X 14.6.14(7483)

Pin=250mW/Area Scan (51x51x1): Interpolated grid: $dx=12 \text{ mm}$, $dy=12 \text{ mm}$

Maximum value of SAR (interpolated) = 19.5 W/kg

Pin=250mW/Zoom Scan (7x7x7)/Cube 0: Measurement grid: $dx=5\text{mm}$, $dy=5\text{mm}$, $dz=5\text{mm}$

Reference Value = 104.5 V/m; Power Drift = 0.04 dB


Peak SAR (extrapolated) = 23.6 W/kg

SAR(1 g) = 12.4 W/kg; SAR(10 g) = 6.11 W/kg

Smallest distance from peaks to all points 3 dB below = 9.8 mm

Ratio of SAR at M2 to SAR at M1 = 53.4%

Maximum value of SAR (measured) = 18.2 W/kg



0 dB = 18.2 W/kg = 12.60 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report No. :EN/2020/80008**Dipole 2300 MHz_SN:1023**

Communication System: CW; Frequency: 2300 MHz; Duty cycle= 1:1

Medium parameters used: $f = 2300 \text{ MHz}$; $\sigma = 1.693 \text{ S/m}$; $\epsilon_r = 40.918$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section

Ambient temperature: 21.8°C; Liquid temperature: 21.09°C

DASY5 Configuration:

- Probe: EX3DV4 - SN3770; ConvF(7.67, 7.67, 7.67) @ 2300 MHz; Calibrated: 2020/5/27
- Sensor-Surface: 2mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn558; Calibrated: 2019/10/11
- Phantom: ELI
- DASY52 52.10.4(1527); SEMCAD X 14.6.14(7483)

Pin=250mW/Area Scan (51x51x1): Interpolated grid: $dx=12 \text{ mm}$, $dy=12 \text{ mm}$

Maximum value of SAR (interpolated) = 19.5 W/kg

Pin=250mW/Zoom Scan (7x7x7)/Cube 0: Measurement grid: $dx=5\text{mm}$, $dy=5\text{mm}$, $dz=5\text{mm}$

Reference Value = 104.5 V/m; Power Drift = 0.04 dB


Peak SAR (extrapolated) = 23.6 W/kg

SAR(1 g) = 12.4 W/kg; SAR(10 g) = 6.11 W/kg

Smallest distance from peaks to all points 3 dB below = 9.8 mm

Ratio of SAR at M2 to SAR at M1 = 53.4%

Maximum value of SAR (measured) = 18.2 W/kg



0 dB = 18.2 W/kg = 12.60 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report No. : EN/2020/80005**Dipole 2450 MHz_SN:727**

Communication System: CW; Frequency: 2450 MHz; Duty cycle= 1:1

Medium parameters used: $f = 2450$ MHz; $\sigma = 1.866$ S/m; $\epsilon_r = 38.854$; $\rho = 1000$ kg/m³

Phantom section: Flat Section

Ambient temperature: 22.2°C; Liquid temperature: 22.1°C

DASY5 Configuration:

- Probe: EX3DV4 - SN3665; ConvF(7.35, 7.35, 7.35) @ 2450 MHz; Calibrated: 2020/8/20
- Sensor-Surface: 2mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn856; Calibrated: 2020/4/23
- Phantom: ELI
- DASY52 52.10.4(1527); SEMCAD X 14.6.14(7483)

Pin=250mW/Area Scan (51x61x1): Interpolated grid: dx=12 mm, dy=12 mm

Maximum value of SAR (interpolated) = 22.3 W/kg

Pin=250mW/Zoom Scan (7x7x7)/Cube 0: Measurement grid: dx=5mm, dy=5mm, dz=5mm

Reference Value = 106.5 V/m; Power Drift = 0.05 dB


Peak SAR (extrapolated) = 27.6 W/kg

SAR(1 g) = 14 W/kg; SAR(10 g) = 6.65 W/kg

Smallest distance from peaks to all points 3 dB below = 9 mm

Ratio of SAR at M2 to SAR at M1 = 51.4%

Maximum value of SAR (measured) = 20.8 W/kg



0 dB = 20.8 W/kg = 13.18 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路134號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report No. : EN/2020/80008**Dipole 2450 MHz SN:727**

Communication System: CW; Frequency: 2450 MHz; Duty cycle= 1:1

Medium parameters used: $f = 2450$ MHz; $\sigma = 1.825$ S/m; $\epsilon_r = 38.873$; $\rho = 1000$ kg/m³

Phantom section: Flat Section

Ambient temperature: 22.0°C; Liquid temperature: 22.0°C

DASY5 Configuration:

- Probe: EX3DV4 - SN3770; ConvF(7.4, 7.4, 7.4) @ 2450 MHz; Calibrated: 2020/5/27
- Sensor-Surface: 3mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn856; Calibrated: 2020/4/23
- Phantom: ELI
- DASY52 52.10.4(1527); SEMCAD X 14.6.14(7483)

Pin=250mW/Area Scan (51x61x1): Interpolated grid: dx=12 mm, dy=12 mm

Maximum value of SAR (interpolated) = 18.2 W/kg

Pin=250mW/Zoom Scan (7x7x7)/Cube 0: Measurement grid: dx=5mm, dy=5mm,

dz=5mm

Reference Value = 100.2 V/m; Power Drift = 0.09 dB


Peak SAR (extrapolated) = 26.1 W/kg

SAR(1 g) = 13.2 W/kg; SAR(10 g) = 6.37 W/kg

Smallest distance from peaks to all points 3 dB below = 9.8 mm

Ratio of SAR at M2 to SAR at M1 = 50.9%

Maximum value of SAR (measured) = 16.8 W/kg



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report No. :EN/2020/80008**Dipole 2600 MHz_SN:1005**

Communication System: CW; Frequency: 2600 MHz; Duty cycle= 1:1

Medium parameters used: $f = 2600$ MHz; $\sigma = 2.036$ S/m; $\epsilon_r = 38.601$; $\rho = 1000$ kg/m³

Phantom section: Flat Section

Ambient temperature: 21.8°C; Liquid temperature: 21.9°C

DASY5 Configuration:

- Probe: EX3DV4 - SN3770; ConvF(7.21, 7.21, 7.21) @ 2600 MHz; Calibrated: 2020/5/27
- Sensor-Surface: 2mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn558; Calibrated: 2019/10/11
- Phantom: ELI
- DASY52 52.10.4(1527); SEMCAD X 14.6.14(7483)

Pin=250mW/Area Scan (61x61x1): Interpolated grid: dx=12 mm, dy=12 mm

Maximum value of SAR (interpolated) = 22.7 W/kg

Pin=250mW/Zoom Scan (7x7x7)/Cube 0: Measurement grid: dx=5mm, dy=5mm, dz=5mm

Reference Value = 97.49 V/m; Power Drift = 0.11 dB


Peak SAR (extrapolated) = 31.1 W/kg

SAR(1 g) = 14.3 W/kg; SAR(10 g) = 6.4 W/kg

Smallest distance from peaks to all points 3 dB below = 9 mm

Ratio of SAR at M2 to SAR at M1 = 45.6%

Maximum value of SAR (measured) = 22.4 W/kg



0 dB = 22.4 W/kg = 13.50 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report No. :EN/2020/80008**Dipole 2600 MHz_SN:1005**

Communication System: CW; Frequency: 2600 MHz; Duty cycle= 1:1

Medium parameters used: $f = 2600$ MHz; $\sigma = 1.882$ S/m; $\epsilon_r = 38.172$; $\rho = 1000$ kg/m³

Phantom section: Flat Section

Ambient temperature: 22.1°C; Liquid temperature: 22.1°C

DASY5 Configuration:

- Probe: EX3DV4 - SN3770; ConvF(7.21, 7.21, 7.21) @ 2600 MHz; Calibrated: 2020/5/27
- Sensor-Surface: 2mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn558; Calibrated: 2019/10/11
- Phantom: ELI
- DASY52 52.10.4(1527); SEMCAD X 14.6.14(7483)

Pin=250mW/Area Scan (61x61x1): Interpolated grid: dx=12 mm, dy=12 mm

Maximum value of SAR (interpolated) = 21.2 W/kg

Pin=250mW/Zoom Scan (7x7x7)/Cube 0: Measurement grid: dx=5mm, dy=5mm, dz=5mm

Reference Value = 97.85 V/m; Power Drift = 0.11 dB


Peak SAR (extrapolated) = 29.1 W/kg

SAR(1 g) = 13.4 W/kg; SAR(10 g) = 5.98 W/kg

Smallest distance from peaks to all points 3 dB below = 9 mm

Ratio of SAR at M2 to SAR at M1 = 45.5%

Maximum value of SAR (measured) = 21.0 W/kg



0 dB = 21.0 W/kg = 13.22 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report No. :EN/2020/80008**Dipole 2600 MHz_SN:1005**

Communication System: CW; Frequency: 2600 MHz; Duty cycle= 1:1

Medium parameters used: $f = 2600$ MHz; $\sigma = 1.942$ S/m; $\epsilon_r = 38.825$; $\rho = 1000$ kg/m³

Phantom section: Flat Section

Ambient temperature: 22.0°C; Liquid temperature: 22.0°C

DASY5 Configuration:

- Probe: EX3DV4 - SN3770; ConvF(7.21, 7.21, 7.21) @ 2600 MHz; Calibrated: 2020/5/27
- Sensor-Surface: 2mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn558; Calibrated: 2019/10/11
- Phantom: ELI
- DASY52 52.10.4(1527); SEMCAD X 14.6.14(7483)

Pin=250mW/Area Scan (61x61x1): Interpolated grid: dx=12 mm, dy=12 mm

Maximum value of SAR (interpolated) = 21.0 W/kg

Pin=250mW/Zoom Scan (7x7x7)/Cube 0: Measurement grid: dx=5mm, dy=5mm, dz=5mm

Reference Value = 96.39 V/m; Power Drift = 0.09 dB


Peak SAR (extrapolated) = 28.7 W/kg

SAR(1 g) = 13.3 W/kg; SAR(10 g) = 5.93 W/kg

Smallest distance from peaks to all points 3 dB below = 9 mm

Ratio of SAR at M2 to SAR at M1 = 45.8%

Maximum value of SAR (measured) = 20.7 W/kg



0 dB = 20.7 W/kg = 13.16 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report No. :EN/2020/80008**Dipole 2600 MHz_SN:1005**

Communication System: CW; Frequency: 2600 MHz; Duty cycle= 1:1

Medium parameters used: $f = 2600$ MHz; $\sigma = 2.036$ S/m; $\epsilon_r = 38.601$; $\rho = 1000$ kg/m³

Phantom section: Flat Section

Ambient temperature: 21.8°C; Liquid temperature: 21.9°C

DASY5 Configuration:

- Probe: EX3DV4 - SN3770; ConvF(7.21, 7.21, 7.21) @ 2600 MHz; Calibrated: 2020/5/27
- Sensor-Surface: 2mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn558; Calibrated: 2019/10/11
- Phantom: ELI
- DASY52 52.10.4(1527); SEMCAD X 14.6.14(7483)

Pin=250mW/Area Scan (61x61x1): Interpolated grid: dx=12 mm, dy=12 mm

Maximum value of SAR (interpolated) = 22.7 W/kg

Pin=250mW/Zoom Scan (7x7x7)/Cube 0: Measurement grid: dx=5mm, dy=5mm, dz=5mm

Reference Value = 97.49 V/m; Power Drift = 0.11 dB


Peak SAR (extrapolated) = 31.1 W/kg

SAR(1 g) = 14.3 W/kg; SAR(10 g) = 6.4 W/kg

Smallest distance from peaks to all points 3 dB below = 9 mm

Ratio of SAR at M2 to SAR at M1 = 45.6%

Maximum value of SAR (measured) = 22.4 W/kg



0 dB = 22.4 W/kg = 13.50 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report No. :EN/2020/80008**Dipole 2600 MHz_SN:1005**

Communication System: CW; Frequency: 2600 MHz; Duty cycle= 1:1

Medium parameters used: $f = 2600$ MHz; $\sigma = 1.882$ S/m; $\epsilon_r = 38.172$; $\rho = 1000$ kg/m³

Phantom section: Flat Section

Ambient temperature: 22.1°C; Liquid temperature: 22.1°C

DASY5 Configuration:

- Probe: EX3DV4 - SN3770; ConvF(7.21, 7.21, 7.21) @ 2600 MHz; Calibrated: 2020/5/27
- Sensor-Surface: 2mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn558; Calibrated: 2019/10/11
- Phantom: ELI
- DASY52 52.10.4(1527); SEMCAD X 14.6.14(7483)

Pin=250mW/Area Scan (61x61x1): Interpolated grid: dx=12 mm, dy=12 mm

Maximum value of SAR (interpolated) = 21.2 W/kg

Pin=250mW/Zoom Scan (7x7x7)/Cube 0: Measurement grid: dx=5mm, dy=5mm, dz=5mm

Reference Value = 97.85 V/m; Power Drift = 0.11 dB


Peak SAR (extrapolated) = 29.1 W/kg

SAR(1 g) = 13.4 W/kg; SAR(10 g) = 5.98 W/kg

Smallest distance from peaks to all points 3 dB below = 9 mm

Ratio of SAR at M2 to SAR at M1 = 45.5%

Maximum value of SAR (measured) = 21.0 W/kg



0 dB = 21.0 W/kg = 13.22 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report No. :EN/2020/80008**Dipole 2600 MHz_SN:1005**

Communication System: CW; Frequency: 2600 MHz; Duty cycle= 1:1

Medium parameters used: $f = 2600$ MHz; $\sigma = 1.942$ S/m; $\epsilon_r = 38.825$; $\rho = 1000$ kg/m³

Phantom section: Flat Section

Ambient temperature: 22.0°C; Liquid temperature: 22.0°C

DASY5 Configuration:

- Probe: EX3DV4 - SN3770; ConvF(7.21, 7.21, 7.21) @ 2600 MHz; Calibrated: 2020/5/27
- Sensor-Surface: 2mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn558; Calibrated: 2019/10/11
- Phantom: ELI
- DASY52 52.10.4(1527); SEMCAD X 14.6.14(7483)

Pin=250mW/Area Scan (61x61x1): Interpolated grid: dx=12 mm, dy=12 mm

Maximum value of SAR (interpolated) = 21.0 W/kg

Pin=250mW/Zoom Scan (7x7x7)/Cube 0: Measurement grid: dx=5mm, dy=5mm, dz=5mm

Reference Value = 96.39 V/m; Power Drift = 0.09 dB


Peak SAR (extrapolated) = 28.7 W/kg

SAR(1 g) = 13.3 W/kg; SAR(10 g) = 5.93 W/kg

Smallest distance from peaks to all points 3 dB below = 9 mm

Ratio of SAR at M2 to SAR at M1 = 45.8%

Maximum value of SAR (measured) = 20.7 W/kg



0 dB = 20.7 W/kg = 13.16 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report No. : EN/2020/80005**Dipole 5200 MHz_SN:1023**

Communication System: CW; Frequency: 5200 MHz; Duty cycle= 1:1

Medium parameters used: $f = 5200$ MHz; $\sigma = 4.566$ S/m; $\epsilon_r = 37.115$; $\rho = 1000$ kg/m³

Phantom section: Flat Section

Ambient temperature: 21.9°C; Liquid temperature: 22.0°C

DASY5 Configuration:

- Probe: EX3DV4 - SN3665; ConvF(5.4, 5.4, 5.4) @ 5200 MHz; Calibrated: 2020/8/20
- Sensor-Surface: 2mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn856; Calibrated: 2020/4/23
- Phantom: ELI
- DASY52 52.10.4(1527); SEMCAD X 14.6.14(7483)

Pin=100mW/Area Scan (51x51x1): Interpolated grid: dx=10 mm, dy=10 mm

Maximum value of SAR (interpolated) = 17.2 W/kg

Pin=100mW/Zoom Scan (7x7x12)/Cube 0: Measurement grid: dx=4mm, dy=4mm, dz=2mm

Reference Value = 64.66 V/m; Power Drift = 0.03 dB


Peak SAR (extrapolated) = 34.0 W/kg

SAR(1 g) = 7.95 W/kg; SAR(10 g) = 2.27 W/kg

Smallest distance from peaks to all points 3 dB below = 7.4 mm

Ratio of SAR at M2 to SAR at M1 = 52.8%

Maximum value of SAR (measured) = 16.8 W/kg



0 dB = 16.8 W/kg = 12.25 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report No. : EN/2020/80005**Dipole 5300 MHz_SN:1023**

Communication System: CW; Frequency: 5300 MHz; Duty cycle= 1:1

Medium parameters used: $f = 5300 \text{ MHz}$; $\sigma = 4.723 \text{ S/m}$; $\epsilon_r = 36.821$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section

Ambient temperature: 21.7°C; Liquid temperature: 21.6°C

DASY5 Configuration:

- Probe: EX3DV4 - SN3665; ConvF(5.25, 5.25, 5.25) @ 5300 MHz; Calibrated: 2020/8/20
- Sensor-Surface: 2mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn856; Calibrated: 2020/4/23
- Phantom: ELI
- DASY52 52.10.4(1527); SEMCAD X 14.6.14(7483)

Pin=100mW/Area Scan (51x51x1): Interpolated grid: $dx=10 \text{ mm}$, $dy=10 \text{ mm}$

Maximum value of SAR (interpolated) = 17.7 W/kg

Pin=100mW/Zoom Scan (7x7x12)/Cube 0: Measurement grid: $dx=4\text{mm}$, $dy=4\text{mm}$, $dz=2\text{mm}$

Reference Value = 65.05 V/m; Power Drift = 0.04 dB


Peak SAR (extrapolated) = 36.0 W/kg

SAR(1 g) = 8.21 W/kg; SAR(10 g) = 2.33 W/kg

Smallest distance from peaks to all points 3 dB below = 7.7 mm

Ratio of SAR at M2 to SAR at M1 = 51.9%

Maximum value of SAR (measured) = 17.4 W/kg



0 dB = 17.4 W/kg = 12.41 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report No. : EN/2020/80005**Dipole 5600 MHz_SN:1023**

Communication System: CW; Frequency: 5600 MHz; Duty cycle= 1:1

Medium parameters used: $f = 5600 \text{ MHz}$; $\sigma = 5.088 \text{ S/m}$; $\epsilon_r = 35.921$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section

Ambient temperature: 21.8°C; Liquid temperature: 21.9°C

DASY5 Configuration:

- Probe: EX3DV4 - SN3665; ConvF(4.95, 4.95, 4.95) @ 5530 MHz; Calibrated: 2020/8/20
- Sensor-Surface: 2mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn856; Calibrated: 2020/4/23
- Phantom: ELI
- DASY52 52.10.4(1527); SEMCAD X 14.6.14(7483)

Pin=100mW/Area Scan (51x51x1): Interpolated grid: $dx=10 \text{ mm}$, $dy=10 \text{ mm}$

Maximum value of SAR (interpolated) = 17.8 W/kg

Pin=100mW/Zoom Scan (7x7x12)/Cube 0: Measurement grid: $dx=4\text{mm}$, $dy=4\text{mm}$, $dz=2\text{mm}$

Reference Value = 65.09 V/m; Power Drift = 0.19 dB


Peak SAR (extrapolated) = 39.9 W/kg

SAR(1 g) = 8.99 W/kg; SAR(10 g) = 2.57 W/kg

Smallest distance from peaks to all points 3 dB below = 7.5 mm

Ratio of SAR at M2 to SAR at M1 = 51.6%

Maximum value of SAR (measured) = 19.2 W/kg



0 dB = 19.2 W/kg = 12.83 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report No. : EN/2020/80005**Dipole 5800 MHz_SN:1023**

Communication System: CW; Frequency: 5800 MHz; Duty cycle= 1:1

Medium parameters used: $f = 5800$ MHz; $\sigma = 5.371$ S/m; $\epsilon_r = 35.481$; $\rho = 1000$ kg/m³

Phantom section: Flat Section

Ambient temperature: 22.0°C; Liquid temperature: 21.9°C

DASY5 Configuration:

- Probe: EX3DV4 - SN3665; ConvF(4.97, 4.97, 4.97) @ 5800 MHz; Calibrated: 2020/8/20
- Sensor-Surface: 2mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn856; Calibrated: 2020/4/23
- Phantom: ELI
- DASY52 52.10.4(1527); SEMCAD X 14.6.14(7483)

Pin=100mW/Area Scan (51x51x1): Interpolated grid: dx=10 mm, dy=10 mm

Maximum value of SAR (interpolated) = 18.9 W/kg

Pin=100mW/Zoom Scan (7x7x12)/Cube 0: Measurement grid: dx=4mm, dy=4mm, dz=2mm

Reference Value = 61.87 V/m; Power Drift = 0.03 dB

Peak SAR (extrapolated) = 41.2 W/kg

SAR(1 g) = 8.51 W/kg; SAR(10 g) = 2.4 W/kg

Smallest distance from peaks to all points 3 dB below = 7.6 mm

Ratio of SAR at M2 to SAR at M1 = 48.5%

Maximum value of SAR (measured) = 18.2 W/kg



0 dB = 18.2 W/kg = 12.60 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

7. Uncertainty Budget

Measurement Uncertainty evaluation template for DUT SAR test (3-6G)

A	c	D	e	f	g	h=c * f / e	i=c * g / e	k
Source of Uncertainty	Tolerance/ Uncertainty	Probability Distributio	Div	Div Value	ci (1g)	ci (10g)	Standard uncertainty	Standard uncertainty
Measurement system								
Probe calibration	6.55%	N	1	1	1	1	6.55%	6.55%
<i>Isotropy , Axial</i>	3.50%	R	$\sqrt{3}$	1.732	1	1	2.02%	2.02%
<i>Isotropy, Hemispherical</i>	9.60%	R	$\sqrt{3}$	1.732	1	1	5.54%	5.54%
Modulation Response	2.40%	R	$\sqrt{3}$	1.732	1	1	1.40%	1.40%
Boundary Effect	1.00%	R	$\sqrt{3}$	1.732	1	1	0.58%	0.58%
Linearity	4.70%	R	$\sqrt{3}$	1.732	1	1	2.71%	2.71%
Detection Limits	1.00%	R	$\sqrt{3}$	1.732	1	1	0.58%	0.58%
Readout Electronics	0.30%	N	1	1	1	1	0.30%	0.30%
Response time	0.80%	R	$\sqrt{3}$	1.732	1	1	0.46%	0.46%
Integration Time	2.60%	R	$\sqrt{3}$	1.732	1	1	1.50%	1.50%
<i>Measurement drift (class A evaluation)</i>	1.75%	R	$\sqrt{3}$	1.732	1	1	1.01%	1.01%
RF ambient condition - noise	3.00%	R	$\sqrt{3}$	1.732	1	1	1.73%	1.73%
RF ambient conditions - reflections	3.00%	R	$\sqrt{3}$	1.732	1	1	1.73%	1.73%
Probe positioner Mechanical restrictions	0.40%	R	$\sqrt{3}$	1.732	1	1	0.23%	0.23%
Probe Positioning with respect to phantom shell	2.90%	R	$\sqrt{3}$	1.732	1	1	1.67%	1.67%
Post-processing	1.00%	R	$\sqrt{3}$	1.732	1	1	0.58%	0.58%
Max SAR Eval	1.00%	R	$\sqrt{3}$	1.732	1	1	0.58%	0.58%
Test Sample related								
Test sample positioning	2.90%	N	1	1	1	1	2.90%	2.90%
Device Holder Uncertainty	3.60%	N	1	1	1	1	3.60%	3.60%
Drift of output power	5.00%	R	$\sqrt{3}$	1.732	1	1	2.89%	2.89%
Phantom and Setup								
Phantom Uncertainty	4.00%	R	$\sqrt{3}$	1.732	1	1	2.31%	2.31%
Liquid permittivity (mea.)	3.42%	N	1	1	0.64	0.43	2.19%	1.47%
Liquid Conductivity (mea.)	2.08%	N	1	1	0.6	0.49	1.25%	1.02%
Combined standard uncertainty		RSS					11.98%	11.84%
Explant uncertainty (95% confidence interval), K=2							23.97%	23.69%

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路134號

Measurement Uncertainty evaluation template for DUT SAR test (0.3-3G)

A	c	D	e	f	g	$h=c * f / e$	$i=c * g / e$	k	
Source of Uncertainty	Tolerance/ Uncertainty	Probability	Div	Div Value	ci (1g)	ci (10g)	Standard uncertainty	Standard uncertainty	vi, or Veff
Measurement system									
Probe calibration	6.00%	N	1	1	1	1	6.00%	6.00%	∞
<i>Isotropy, Axial</i>	3.50%	R	$\sqrt{3}$	1.732	1	1	2.02%	2.02%	∞
<i>Isotropy, Hemispherical</i>	9.60%	R	$\sqrt{3}$	1.732	1	1	5.54%	5.54%	∞
Modulation Response	2.40%	R	$\sqrt{3}$	1.732	1	1	1.40%	1.40%	∞
Boundary Effect	1.00%	R	$\sqrt{3}$	1.732	1	1	0.58%	0.58%	∞
Linearity	4.70%	R	$\sqrt{3}$	1.732	1	1	2.71%	2.71%	∞
Detection Limits	1.00%	R	$\sqrt{3}$	1.732	1	1	0.58%	0.58%	∞
Readout Electronics	0.30%	N	1	1	1	1	0.30%	0.30%	∞
Response time	0.80%	R	$\sqrt{3}$	1.732	1	1	0.46%	0.46%	∞
Integration Time	2.60%	R	$\sqrt{3}$	1.732	1	1	1.50%	1.50%	∞
<i>Measurement drift (class A evaluation)</i>	1.75%	R	$\sqrt{3}$	1.732	1	1	1.01%	1.01%	∞
RF ambient condition - noise	3.00%	R	$\sqrt{3}$	1.732	1	1	1.73%	1.73%	∞
RF ambient conditions - reflections	3.00%	R	$\sqrt{3}$	1.732	1	1	1.73%	1.73%	∞
Probe positioner Mechanical restrictions	0.40%	R	$\sqrt{3}$	1.732	1	1	0.23%	0.23%	∞
Probe Positioning with respect to phantom	2.90%	R	$\sqrt{3}$	1.732	1	1	1.67%	1.67%	∞
Post-processing	1.00%	R	$\sqrt{3}$	1.732	1	1	0.58%	0.58%	∞
Max SAR Eval	1.00%	R	$\sqrt{3}$	1.732	1	1	0.58%	0.58%	∞
Test Sample related									
Test sample positioning	2.90%	N	1	1	1	1	2.90%	2.90%	M-1
Device Holder Uncertainty	3.60%	N	1	1	1	1	3.60%	3.60%	M-1
Drift of output power	5.00%	R	$\sqrt{3}$	1.732	1	1	2.89%	2.89%	∞
Phantom and Setup									
Phantom Uncertainty	4.00%	R	$\sqrt{3}$	1.732	1	1	2.31%	2.31%	∞
Liquid permittivity (mea.)	4.36%	N	1	1	0.64	0.43	2.79%	1.87%	M
Liquid Conductivity (mea.)	4.91%	N	1	1	0.6	0.49	2.95%	2.41%	M
Combined standard uncertainty		RSS					12.12%	11.81%	
Explant uncertainty (95% confidence)							24.23%	23.62%	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路134號

Appendices

Refer to separated files for the following appendixes.

EN202080008 SAR_Appendix A Photographs

EN202080008 SAR_Appendix B DAE & Probe Cal. Certificate

EN202080008 SAR_Appendix C Phantom Description & Dipole Cal. Certificate

- End of report -

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group