




LTE Band 66_10MHz					
Channel	Frequency (MHz)	99% Occupied Bandwidth (MHz)		26dB Bandwidth (MHz)	
		QPSK	16QAM	QPSK	16QAM
132022	1715	9.0034	5.0216	10.63	6.494
132322	1745	8.9989	4.9956	10.58	6.515
132622	1775	9.0167	5.0199	10.80	6.667



LTE Band 66_15MHz					
Channel	Frequency (MHz)	99% Occupied Bandwidth (MHz)		26dB Bandwidth (MHz)	
		QPSK	16QAM	QPSK	16QAM
132047	1717.5	13.469	5.2319	15.58	7.664
132322	1745	13.501	5.2533	16.27	7.510
132597	1772.5	13.502	5.3212	16.17	7.728




LTE Band 66_20MHz					
Channel	Frequency (MHz)	99% Occupied Bandwidth (MHz)		26dB Bandwidth (MHz)	
		QPSK	16QAM	QPSK	16QAM
132072	1720	17.962	5.5695	20.41	8.186
132322	1745	17.967	5.5061	20.43	7.886
132572	1770	17.934	5.4755	20.19	8.418




APPENDIX C - CONDUCTED SPURIOUS EMISSIONS


LTE Band 4_1.4MHz_CH20175 Spectrum Plot




LTE Band 4_5MHz_CH20175 Spectrum Plot




LTE Band 4_20MHz_CH20175 Spectrum Plot




LTE Band 7_5MHz_CH21100 Spectrum Plot




LTE Band 7_20MHz_CH21100 Spectrum Plot




LTE Band 38_5MHz_CH38000 Spectrum Plot




LTE Band 38_20MHz_CH38000 Spectrum Plot




LTE Band 41_5MHz_CH40620 Spectrum Plot




LTE Band 41_20MHz_CH40620 Spectrum Plot




LTE Band 66_1.4MHz_CH132322 Spectrum Plot



LTE Band 66_5MHz_CH132322 Spectrum Plot




LTE Band 66_20MHz_CH132322 Spectrum Plot



APPENDIX D - RADIATED SPURIOUS EMISSIONS (9KHZ TO 30MHZ)

Test Mode : TX Mode


Ant 0°



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	0.017	58.25	20.74	78.99	123.26	-44.27	AVG	
2	0.082	45.35	21.34	66.69	109.33	-42.64	AVG	
3 *	0.140	41.24	21.28	62.52	104.70	-42.18	QP	

Test Mode : TX Mode


Ant 0°



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	0.538	26.52	21.07	47.59	72.99	-25.40	QP	
2 *	1.762	26.48	21.13	47.61	69.54	-21.93	QP	
3	2.001	23.63	21.11	44.74	69.54	-24.80	QP	

Test Mode : TX Mode


Ant 90°



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	0.065	45.52	21.29	66.81	111.37	-44.56	AVG	
2 *	0.089	43.69	21.34	65.03	108.60	-43.57	AVG	
3	0.124	40.15	21.30	61.45	105.77	-44.32	QP	

Test Mode : TX Mode

Ant 90°




No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	0.657	23.41	21.11	44.52	71.25	-26.73	QP	
2 *	1.195	19.85	21.18	41.03	66.06	-25.03	QP	
3	1.643	15.37	21.15	36.52	63.29	-26.77	QP	

APPENDIX E - RADIATED SPURIOUS EMISSIONS (30MHZ TO 1GHZ)

Test Mode : LTE Band 4_TX CH20175_1.4MHz


Vertical



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	34.850	40.20	-12.40	27.80	82.30	-54.50	peak	
2	143.490	36.46	-11.47	24.99	82.30	-57.31	peak	
3	275.410	35.89	-11.14	24.75	82.30	-57.55	peak	
4	373.380	37.45	-8.69	28.76	82.30	-53.54	peak	
5	568.350	37.82	-4.44	33.38	82.30	-48.92	peak	
6 *	836.070	38.15	-0.60	37.55	82.30	-44.75	peak	

Test Mode : LTE Band 4_TX CH20175_1.4MHz


Horizontal



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	33.880	39.83	-12.51	27.32	82.30	-54.98	peak	
2	60.070	36.68	-11.86	24.82	82.30	-57.48	peak	
3	164.830	36.65	-11.23	25.42	82.30	-56.88	peak	
4	430.610	37.45	-7.15	30.30	82.30	-52.00	peak	
5	610.060	37.72	-3.45	34.27	82.30	-48.03	peak	
6 *	833.160	38.66	-0.62	38.04	82.30	-44.26	peak	

Test Mode : LTE Band 4_TX CH20175_5MHz


Vertical



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	34.850	44.91	-12.40	32.51	82.30	-49.79	peak	
2	41.640	43.14	-11.67	31.47	82.30	-50.83	peak	
3	61.040	37.80	-11.98	25.82	82.30	-56.48	peak	
4	169.680	36.13	-11.44	24.69	82.30	-57.61	peak	
5	526.640	36.67	-5.33	31.34	82.30	-50.96	peak	
6 *	754.590	37.11	-0.82	36.29	82.30	-46.01	peak	

Test Mode : LTE Band 4_TX CH20175_5MHz


Horizontal



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	33.880	39.84	-12.51	27.33	82.30	-54.97	peak	
2	145.430	36.25	-11.36	24.89	82.30	-57.41	peak	
3	283.170	35.63	-10.77	24.86	82.30	-57.44	peak	
4	381.140	36.40	-8.46	27.94	82.30	-54.36	peak	
5	457.770	37.98	-6.46	31.52	82.30	-50.78	peak	
6 *	555.740	36.36	-4.76	31.60	82.30	-50.70	peak	

Test Mode : LTE Band 4_TX CH20175_20MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		34.850	46.16	-12.40	33.76	82.30	-48.54	peak	
2		41.640	42.98	-11.67	31.31	82.30	-50.99	peak	
3		62.980	38.66	-12.25	26.41	82.30	-55.89	peak	
4		148.340	36.54	-11.20	25.34	82.30	-56.96	peak	
5		477.170	37.29	-6.18	31.11	82.30	-51.19	peak	
6	*	692.510	37.95	-2.55	35.40	82.30	-46.90	peak	

Test Mode : LTE Band 4_TX CH20175_20MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		33.880	39.86	-12.51	27.35	82.30	-54.95	peak	
2		152.220	36.25	-11.08	25.17	82.30	-57.13	peak	
3		296.750	35.95	-10.54	25.41	82.30	-56.89	peak	
4		433.520	36.70	-7.07	29.63	82.30	-52.67	peak	
5		782.720	37.69	-0.85	36.84	82.30	-45.46	peak	
6	*	895.240	37.78	0.41	38.19	82.30	-44.11	peak	

Test Mode : LTE Band 7_TX CH21100_5MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		34.850	45.89	-12.40	33.49	82.30	-48.81	peak	
2		41.640	41.56	-11.67	29.89	82.30	-52.41	peak	
3		62.980	40.31	-12.25	28.06	82.30	-54.24	peak	
4		136.700	37.23	-11.96	25.27	82.30	-57.03	peak	
5		487.840	37.66	-6.01	31.65	82.30	-50.65	peak	
6	*	750.710	38.19	-0.82	37.37	82.30	-44.93	peak	

Test Mode : LTE Band 7_TX CH21100_5MHz

Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		33.880	39.72	-12.51	27.21	82.30	-55.09	peak	
2		152.220	36.49	-11.08	25.41	82.30	-56.89	peak	
3		288.020	36.45	-10.65	25.80	82.30	-56.50	peak	
4		548.950	37.23	-4.92	32.31	82.30	-49.99	peak	
5		711.910	37.66	-2.15	35.51	82.30	-46.79	peak	
6	*	824.430	39.16	-0.68	38.48	82.30	-43.82	peak	


Test Mode : LTE Band 7_TX CH21100_20MHz

Test Mode : LTE Band 7_TX CH21100_20MHz

Vertical




Horizontal




Test Mode : LTE Band 38_TX CH38000_5MHz

Test Mode : LTE Band 38_TX CH38000_5MHz

Vertical




Horizontal




Test Mode : LTE Band 38_TX CH38000_20MHz

Test Mode : LTE Band 38_TX CH38000_20MHz

Vertical



Horizontal




Test Mode : LTE Band 41_TX CH40620_5MHz

Test Mode : LTE Band 41_TX CH40620_5MHz

Vertical




Horizontal



Test Mode : LTE Band 41_TX CH40620_20M


Vertical



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	34.850	45.17	-12.40	32.77	70.30	-37.53	peak	
2	43.580	45.13	-11.52	33.61	70.30	-36.69	peak	
3	62.010	39.77	-12.12	27.65	70.30	-42.65	peak	
4	138.640	38.34	-11.78	26.56	70.30	-43.74	peak	
5	572.230	36.60	-4.34	32.26	70.30	-38.04	peak	
6 *	870.990	37.56	-0.07	37.49	70.30	-32.81	peak	

Test Mode : LTE Band 41_TX CH40620_20MHz


Horizontal



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	33.880	39.82	-12.51	27.31	70.30	-42.99	peak	
2	157.070	35.72	-11.05	24.67	70.30	-45.63	peak	
3	415.090	36.62	-7.62	29.00	70.30	-41.30	peak	
4	540.220	36.98	-5.08	31.90	70.30	-38.40	peak	
5	769.140	37.88	-0.84	37.04	70.30	-33.26	peak	
6 *	947.620	37.82	0.80	38.62	70.30	-31.68	peak	

Test Mode : LTE Band 66_TX CH132322_1.4MHz


Vertical



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	34.850	44.92	-12.40	32.52	82.30	-49.78	peak	
2	43.580	43.37	-11.52	31.85	82.30	-50.45	peak	
3	154.160	36.08	-11.08	25.00	82.30	-57.30	peak	
4	516.940	36.48	-5.52	30.96	82.30	-51.34	peak	
5	734.220	37.59	-1.36	36.23	82.30	-46.07	peak	
6 *	912.700	37.95	0.59	38.54	82.30	-43.76	peak	

Test Mode : LTE Band 66_TX CH132322_1.4MHz


Horizontal



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	34.850	39.81	-12.40	27.41	82.30	-54.89	peak	
2	157.070	35.72	-11.05	24.67	82.30	-57.63	peak	
3	328.760	36.67	-9.57	27.10	82.30	-55.20	peak	
4	525.670	37.94	-5.35	32.59	82.30	-49.71	peak	
5	784.660	37.33	-0.85	36.48	82.30	-45.82	peak	
6 *	914.640	37.88	0.60	38.48	82.30	-43.82	peak	

Test Mode : LTE Band 66_TX CH132322_5MHz


Vertical



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	34.850	45.15	-12.40	32.75	82.30	-49.55	peak	
2	43.580	42.96	-11.52	31.44	82.30	-50.86	peak	
3	61.040	37.29	-11.98	25.31	82.30	-56.99	peak	
4	155.130	35.69	-11.05	24.64	82.30	-57.66	peak	
5	499.480	38.87	-5.84	33.03	82.30	-49.27	peak	
6 *	759.440	38.16	-0.82	37.34	82.30	-44.96	peak	

Test Mode : LTE Band 66_TX CH132322_5MHz


Horizontal



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	34.850	39.75	-12.40	27.35	82.30	-54.95	peak	
2	163.860	36.06	-11.19	24.87	82.30	-57.43	peak	
3	278.320	35.40	-10.97	24.43	82.30	-57.87	peak	
4	413.150	36.92	-7.69	29.23	82.30	-53.07	peak	
5	511.120	37.28	-5.62	31.66	82.30	-50.64	peak	
6 *	879.720	39.21	0.10	39.31	82.30	-42.99	peak	

Test Mode : LTE Band 66_TX CH132322_20MHz


Vertical



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	35.820	44.46	-12.31	32.15	82.30	-50.15	peak	
2	43.580	43.06	-11.52	31.54	82.30	-50.76	peak	
3	63.950	37.98	-12.38	25.60	82.30	-56.70	peak	
4	298.690	37.28	-10.52	26.76	82.30	-55.54	peak	
5	644.980	38.18	-2.67	35.51	82.30	-46.79	peak	
6 *	828.310	38.64	-0.66	37.98	82.30	-44.32	peak	

Test Mode : LTE Band 66_TX CH132322_20MHz

Horizontal




No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	34.850	39.81	-12.40	27.41	82.30	-54.89	peak	
2	49.400	36.21	-11.30	24.91	82.30	-57.39	peak	
3	161.920	36.37	-11.11	25.26	82.30	-57.04	peak	
4	368.530	36.99	-8.87	28.12	82.30	-54.18	peak	
5	512.090	36.94	-5.60	31.34	82.30	-50.96	peak	
6 *	715.790	37.56	-2.01	35.55	82.30	-46.75	peak	

APPENDIX F - RADIATED SPURIOUS EMISSIONS (ABOVE 1GHZ)

Test Mode : LTE Band 4_TX CH20175_1.4MHz


Test Mode : LTE Band 4_TX CH20175_1.4MHz

Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1 *		3465.000	46.83	0.48	47.31	82.30	-34.99	peak	

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1 *		3465.000	41.38	0.48	41.86	82.30	-40.44	peak	

Test Mode : LTE Band 4_TX CH20175_5MHz


Test Mode : LTE Band 4_TX CH20175_5MHz

Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1		3465.000	44.83	0.48	45.31	82.30	-36.99	peak	
2		5199.000	46.66	3.33	49.99	82.30	-32.31	peak	
3 *		8650.000	41.34	8.95	50.29	82.30	-32.01	peak	

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1 *		3465.000	43.53	0.48	44.01	82.30	-38.29	peak	
2		5199.000	40.68	3.33	44.01	82.30	-38.29	peak	

Test Mode : LTE Band 4_TX CH20175_20MHz


Test Mode : LTE Band 4_TX CH20175_20MHz

Vertical



No. Mk.	Freq. MHz	Reading Level dBμV	Correct Factor dB	Measurement dBμV/m	Limit dBμV/m	Margin dB	Detector	Comment
1 *	3448.000	48.13	0.47	48.60	82.30	-33.70	peak	
2	5165.000	42.40	3.24	45.64	82.30	-36.66	peak	

Horizontal




No. Mk.	Freq. MHz	Reading Level dBμV	Correct Factor dB	Measurement dBμV/m	Limit dBμV/m	Margin dB	Detector	Comment
1 *	3448.000	42.09	0.47	42.56	82.30	-39.74	peak	

Test Mode : LTE Band 7_TX CH21100_5MHz


Test Mode : LTE Band 7_TX CH21100_5MHz

Vertical



No. Mk.	Freq. MHz	Reading Level dBμV	Correct Factor dB	Measurement dBμV/m	Limit dBμV/m	Margin dB	Detector	Comment
1	5063.000	39.82	2.92	42.74	70.30	-27.56	peak	
2	7596.000	38.00	8.31	46.31	70.30	-23.99	peak	
3 *	10129.000	41.42	8.42	49.84	70.30	-20.46	peak	

Horizontal




No. Mk.	Freq. MHz	Reading Level dBμV	Correct Factor dB	Measurement dBμV/m	Limit dBμV/m	Margin dB	Detector	Comment
1 *	7596.000	38.63	8.31	46.94	70.30	-23.36	peak	

Test Mode : LTE Band 7_TX CH21100_20MHz


Test Mode : LTE Band 7_TX CH21100_20MHz

Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1		5046.000	40.16	2.87	43.03	70.30	-27.27	peak	
2	*	7579.000	38.20	8.34	46.54	70.30	-23.76	peak	

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1		5046.000	39.79	2.87	42.66	70.30	-27.64	peak	
2	*	7579.000	37.23	8.34	45.57	70.30	-24.73	peak	

Test Mode : LTE Band 38_TX CH38000_5MHz


Test Mode : LTE Band 38_TX CH38000_5MHz

Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	5182.000	39.85	3.28	43.13	70.30	-27.17	peak	

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	7783.000	39.56	8.01	47.57	70.30	-22.73	peak	

Test Mode : LTE Band 38_TX CH38000_20MHz

Test Mode : LTE Band 38_TX CH38000_20MHz

Vertical




Horizontal




Test Mode : LTE Band 41_TX CH40620_5MHz

Test Mode : LTE Band 41_TX CH40620_5MHz

Vertical




Horizontal




Test Mode : LTE Band 41_TX CH40620_20M

Test Mode : LTE Band 41_TX CH40620_20MHz

Vertical




Horizontal




Test Mode : LTE Band 66_TX CH132322_1.4MHz

Test Mode : LTE Band 66_TX CH132322_1.4MHz

Vertical




Horizontal



Test Mode : LTE Band 66_TX CH132322_5MHz


Vertical



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	3482.000	43.42	0.51	43.93	82.30	-38.37	peak	
2	5233.000	40.91	3.43	44.34	82.30	-37.96	peak	
3 *	6967.000	37.66	8.40	46.06	82.30	-36.24	peak	

Test Mode : LTE Band 66_TX CH132322_5MHz


Horizontal



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1 *	3482.000	41.38	0.51	41.89	82.30	-40.41	peak	

Test Mode : LTE Band 66_TX CH132322_20MHz


Vertical



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1 *	8531.000	37.15	8.98	46.13	82.30	-36.17	peak	

Test Mode : LTE Band 66_TX CH132322_20MHz

Horizontal



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1 *	9534.000	37.19	8.87	46.06	82.30	-36.24	peak	

APPENDIX G - BAND EDGE

