






ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
1	5,147.825	47.81	54.00	6.19	11.76	H	4.9	1.00
1	5,149.950	47.72	54.00	6.28	11.76	H	4.9	1.00
1	5,201.375	84.23			11.92	H	51.1	2.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
1	5,147.825	57.98	74.00	16.02	11.76	V	7.8	2.00
1	5,150.000	58.25	74.00	15.75	11.76	V	1	2.00
1	5,212.850	95.58			11.92	V	48.7	2.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
1	5,147.825	43.00	54.00	11.00	11.76	V	8.9	2.00
1	5,149.950	42.83	54.00	11.17	11.76	V	8.9	2.00
1	5,243.025	80.46			11.93	V	51.1	2.00



REMARKS:

1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5210MHz: Fundamental frequency.




Band 2

802.11a

CHANNEL	TX Channel 52	DETECTOR	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz	FUNCTION	Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,259.000	92.07			11.96	H	297.3	2.00
4	5,350.000	50.97	74.00	23.03	12.17	H	1	1.00
4	5,377.000	51.35	74.00	22.65	12.17	H	1	1.00





ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,261.000	80.48			11.96	H	297.3	2.00
4	5,350.000	36.36	54.00	17.64	12.17	H	355	2.00
4	5,365.500	36.59	54.00	17.41	12.17	H	355	2.00






ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dB μ V/m]	PK+ Limit [dB μ V/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,257.500	88.29			11.96	V	1.6	2.00
4	5,350.000	51.09	74.00	22.91	12.17	V	1	1.00
4	5,391.500	51.33	74.00	22.67	12.17	V	62.6	1.00




**ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M**

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,258.500	76.39			11.96	V	1.6	2.00
4	5,350.000	36.45	54.00	17.55	12.17	V	359.1	1.00
4	5,365.500	36.55	54.00	17.45	12.17	V	355.8	2.00

**REMARKS:**


1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5260MHz: Fundamental frequency.





ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
6	5,299.000	80.41			12.06	H	295	2.00
6	5,350.000	36.41	54.00	17.59	12.17	H	359	2.00
6	5,355.500	36.48	54.00	17.52	12.17	H	355.1	2.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
6	5,301.000	90.14			12.06	V	20.5	2.00
6	5,350.000	50.01	74.00	23.99	12.17	V	204.9	1.00
6	5,363.000	51.34	74.00	22.66	12.17	V	359	2.00






ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
6	5,301.000	78.14			12.06	V	19.6	2.00
6	5,350.000	36.41	54.00	17.59	12.17	V	340.5	1.00
6	5,367.500	36.53	54.00	17.47	12.17	V	359	1.00



REMARKS:


1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5300MHz: Fundamental frequency.






ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
7	5,321.000	79.80			12.10	H	295	2.00
7	5,350.000	36.93	54.00	17.07	12.17	H	355.1	2.00
7	5,352.000	36.81	54.00	17.19	12.17	H	355.1	2.00



**ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M**


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
7	5,318.500	89.92			12.10	V	15	2.00
7	5,350.000	50.29	74.00	23.71	12.17	V	359	1.00
7	5,361.000	51.63	74.00	22.37	12.17	V	326	2.00






ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
7	5,321.000	78.27			12.10	V	15	2.00
7	5,350.000	36.63	54.00	17.37	12.17	V	15	2.00
7	5,366.000	36.57	54.00	17.43	12.17	V	0.9	2.00



REMARKS:


1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5320MHz: Fundamental frequency.





ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,261.000	78.43			11.96	H	349.5	2.00
4	5,350.000	36.42	54.00	17.58	12.17	H	359.1	1.00
4	5,379.500	36.55	54.00	17.45	12.17	H	349.5	2.00






ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dB μ V/m]	PK+ Limit [dB μ V/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,261.500	87.33			11.97	V	322	1.00
4	5,350.000	50.59	74.00	23.41	12.17	V	1	2.00
4	5,382.000	51.10	74.00	22.90	12.17	V	35.5	2.00




**ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M**

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,258.500	74.72			11.96	V	0.9	2.00
4	5,350.000	36.37	54.00	17.63	12.17	V	335.1	1.00
4	5,368.000	36.54	54.00	17.46	12.17	V	359	1.00

**REMARKS:**


1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5260MHz: Fundamental frequency.





ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
6	5,307.500	77.75			12.08	H	355	2.00
6	5,350.000	36.47	54.00	17.53	12.17	H	244.3	1.00
6	5,368.000	36.59	54.00	17.41	12.17	H	110.8	2.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
6	5,301.500	86.90			12.06	V	28.4	2.00
6	5,350.000	50.34	74.00	23.66	12.17	V	246.8	1.00
6	5,364.000	51.46	74.00	22.54	12.17	V	148	2.00






ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
6	5,299.000	75.19			12.06	V	326.8	1.00
6	5,350.000	36.41	54.00	17.59	12.17	V	1	2.00
6	5,368.000	36.58	54.00	17.42	12.17	V	32	2.00



REMARKS:


1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5300MHz: Fundamental frequency.





ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
7	5,318.500	79.99			12.10	H	261	1.00
7	5,350.000	36.62	54.00	17.38	12.17	H	355	2.00
7	5,367.000	36.66	54.00	17.34	12.17	H	355	2.00






ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dB μ V/m]	PK+ Limit [dB μ V/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
7	5,321.000	87.73			12.10	V	9.3	2.00
7	5,350.000	50.25	74.00	23.75	12.17	V	359	1.00
7	5,390.500	51.49	74.00	22.51	12.17	V	0.9	2.00




**ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M**

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
7	5,321.000	75.19			12.10	V	26	2.00
7	5,350.000	36.48	54.00	17.52	12.17	V	26	2.00
7	5,370.000	36.58	54.00	17.42	12.17	V	26	2.00

**REMARKS:**

1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5320MHz: Fundamental frequency.





ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
3	5,258.500	72.52			11.96	H	355.8	2.00
3	5,350.000	36.41	54.00	17.59	12.17	H	286.2	1.00
3	5,380.000	36.65	54.00	17.35	12.17	H	286.2	1.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
3	5,258.500	86.29			11.96	V	5.1	2.00
3	5,350.000	50.45	74.00	23.55	12.17	V	354.6	1.00
3	5,447.000	51.60	74.00	22.40	12.14	V	355.1	2.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
3	5,258.500	74.08			11.96	V	24.8	2.00
3	5,350.000	36.42	54.00	17.58	12.17	V	1	1.00
3	5,453.500	36.66	54.00	17.34	12.14	V	187	1.00



REMARKS:


- Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
Margin value = Limit value- Emission level.
- 5270MHz: Fundamental frequency.



CHANNEL	TX Channel 62	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dB μ V/m]	PK+ Limit [dB μ V/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,307.500	87.07			12.08	H	355.1	2.00
4	5,350.000	50.91	74.00	23.09	12.17	H	359	2.00
4	5,356.000	51.78	74.00	22.22	12.17	H	233.6	1.00





ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,306.500	79.04			12.07	H	238.3	1.00
4	5,350.000	37.81	54.00	16.19	12.17	H	1	1.00
4	5,376.000	38.11	54.00	15.89	12.17	H	238.3	1.00

