




LTE Band 17_5MHz_CH23755 Spectrum Plot




LTE Band 17_10MHz_CH23755 Spectrum Plot




LTE Band 38_5MHz_CH38000 Spectrum Plot




LTE Band 38_20MHz_CH38000 Spectrum Plot




LTE Band 41_5MHz_CH40620 Spectrum Plot




LTE Band 41_20MHz_CH40620 Spectrum Plot




LTE Band 66_1.4MHz_CH132322 Spectrum Plot




LTE Band 66_5MHz_CH132322 Spectrum Plot




LTE Band 66_20MHz_CH132322 Spectrum Plot



LTE Band 71_5MHz_CH133297 Spectrum Plot




LTE Band 71_20MHz_CH133322 Spectrum Plot



APPENDIX D - RADIATED SPURIOUS EMISSIONS (9KHZ TO 30MHZ)


Test Mode : TX Mode

Ant 0°




Test Mode : TX Mode

Ant 0°




Test Mode : TX Mode

Ant 90°



Test Mode : TX Mode

Ant 90°




APPENDIX E - RADIATED SPURIOUS EMISSIONS (30MHZ TO 1GHZ)

Test Mode : WCDMA Band IV_TX CH1413


Test Mode : WCDMA Band IV_TX CH1413

Vertical



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBμV	dB	dBμV/m	dBμV/m	dB	Detector	Comment
1	43.580	37.27	-11.48	25.79	82.30	-56.51	peak	
2	159.495	35.69	-10.84	24.85	82.30	-57.45	peak	
3	454.375	36.59	-6.62	29.97	82.30	-52.33	peak	
4	723.065	37.03	-1.77	35.26	82.30	-47.04	peak	
5	897.665	38.12	0.17	38.29	82.30	-44.01	peak	
6 *	994.665	38.88	0.78	39.66	82.30	-42.64	peak	

Horizontal




No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBμV	dB	dBμV/m	dBμV/m	dB	Detector	Comment
1	151.735	36.08	-11.10	24.98	82.30	-57.32	peak	
2	360.770	36.03	-9.30	26.73	82.30	-55.57	peak	
3	467.470	37.49	-6.42	31.07	82.30	-51.23	peak	
4	602.300	37.66	-3.56	34.10	82.30	-48.20	peak	
5	740.040	38.97	-1.36	37.61	82.30	-44.69	peak	
6 *	865.655	38.63	-0.27	38.36	82.30	-43.94	peak	

Test Mode : LTE Band 4_TX CH20175_1.4MHz


Test Mode : LTE Band 4_TX CH20175_1.4MHz

Vertical



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBμV	dB	dBμV/m	dBμV/m	dB	Detector	Comment
1	160.465	35.92	-10.85	25.07	82.30	-57.23	peak	
2	401.025	36.95	-7.96	28.99	82.30	-53.31	peak	
3	521.790	36.74	-5.51	31.23	82.30	-51.07	peak	
4	660.015	37.05	-2.73	34.32	82.30	-47.98	peak	
5	762.350	37.91	-1.16	36.75	82.30	-45.55	peak	
6 *	985.450	37.56	0.70	38.26	82.30	-44.04	peak	


Horizontal



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBμV	dB	dBμV/m	dBμV/m	dB	Detector	Comment
1	46.975	35.49	-11.35	24.14	82.30	-58.16	peak	
2	341.370	37.20	-9.47	27.73	82.30	-54.57	peak	
3	485.415	38.47	-6.16	32.31	82.30	-49.99	peak	
4	726.945	37.74	-1.68	36.06	82.30	-46.24	peak	
5	884.085	38.21	-0.01	38.20	82.30	-44.10	peak	
6 *	999.030	37.85	0.81	38.66	82.30	-43.64	peak	

Test Mode : LTE Band 4_TX CH20175_5MHz


Vertical



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	44.550	35.89	-11.42	24.47	82.30	-57.83	peak	
2	170.165	36.78	-11.25	25.53	82.30	-56.77	peak	
3	439.825	37.07	-6.95	30.12	82.30	-52.18	peak	
4	560.590	37.12	-4.66	32.46	82.30	-49.84	peak	
5	665.350	38.93	-2.67	36.26	82.30	-46.04	peak	
6 *	997.090	38.13	0.80	38.93	82.30	-43.37	peak	

Test Mode : LTE Band 4_TX CH20175_5MHz

Horizontal



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	164.345	35.72	-11.00	24.72	82.30	-57.58	peak	
2	460.195	36.42	-6.53	29.89	82.30	-52.41	peak	
3	638.675	36.73	-3.00	33.73	82.30	-48.57	peak	
4	747.800	37.49	-1.16	36.33	82.30	-45.97	peak	
5	898.150	38.04	0.19	38.23	82.30	-44.07	peak	
6 *	961.200	38.20	0.51	38.71	82.30	-43.59	peak	

Test Mode : LTE Band 4_TX CH20175_20MHz


Vertical



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	51.825	36.54	-11.35	25.19	82.30	-57.11	peak	
2	158.040	35.92	-10.90	25.02	82.30	-57.28	peak	
3	490.265	37.97	-6.08	31.89	82.30	-50.41	peak	
4	631.400	36.94	-3.11	33.83	82.30	-48.47	peak	
5	783.690	38.49	-1.26	37.23	82.30	-45.07	peak	
6 *	967.990	38.31	0.56	38.87	82.30	-43.43	peak	

Test Mode : LTE Band 4_TX CH20175_20MHz


Horizontal



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	43.580	35.71	-11.48	24.23	82.30	-58.07	peak	
2	158.040	34.98	-10.90	24.08	82.30	-58.22	peak	
3	464.560	36.29	-6.46	29.83	82.30	-52.47	peak	
4	603.270	37.06	-3.53	33.53	82.30	-48.77	peak	
5	666.805	37.28	-2.66	34.62	82.30	-47.68	peak	
6 *	889.905	38.64	0.07	38.71	82.30	-43.59	peak	

Test Mode : LTE Band 7_TX CH21100_5MHz


Vertical



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	37.275	37.16	-12.10	25.06	70.30	-45.24	peak	
2	161.920	35.69	-10.91	24.78	70.30	-45.52	peak	
3	365.620	37.44	-9.11	28.33	70.30	-41.97	peak	
4	490.265	36.92	-6.08	30.84	70.30	-39.46	peak	
5	768.170	37.96	-1.19	36.77	70.30	-33.53	peak	
6 *	930.645	38.67	0.33	39.00	70.30	-31.30	peak	

Test Mode : LTE Band 7_TX CH21100_5MHz


Horizontal



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	48.430	35.76	-11.32	24.44	70.30	-45.86	peak	
2	158.040	35.51	-10.90	24.61	70.30	-45.69	peak	
3	412.180	38.14	-7.68	30.46	70.30	-39.84	peak	
4	593.570	36.64	-3.76	32.88	70.30	-37.42	peak	
5	740.525	37.79	-1.35	36.44	70.30	-33.86	peak	
6 *	888.450	37.98	0.04	38.02	70.30	-32.28	peak	

Test Mode : LTE Band 7_TX CH21100_20MHz


Vertical



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	34.365	37.56	-12.36	25.20	70.30	-45.10	peak	
2	160.950	35.21	-10.87	24.34	70.30	-45.96	peak	
3	475.715	36.62	-6.30	30.32	70.30	-39.98	peak	
4	597.935	37.40	-3.64	33.76	70.30	-36.54	peak	
5	761.380	37.89	-1.16	36.73	70.30	-33.57	peak	
6 *	873.415	38.70	-0.16	38.54	70.30	-31.76	peak	

Test Mode : LTE Band 7_TX CH21100_20MHz

Horizontal




No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	51.825	36.66	-11.35	25.31	70.30	-44.99	peak	
2	467.470	37.46	-6.42	31.04	70.30	-39.26	peak	
3	584.355	37.38	-4.01	33.37	70.30	-36.93	peak	
4	727.430	38.38	-1.67	36.71	70.30	-33.59	peak	
5	813.760	38.33	-1.09	37.24	70.30	-33.06	peak	
6 *	981.570	37.99	0.67	38.66	70.30	-31.64	peak	

Test Mode : LTE Band 12_TX CH23095_1.4MHz


Test Mode : LTE Band 12_TX CH23095_1.4MHz

Vertical



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	33.880	37.46	-12.42	25.04	82.30	-57.26	peak	
2	171.620	36.07	-11.40	24.67	82.30	-57.63	peak	
3	402.480	37.53	-7.92	29.61	82.30	-52.69	peak	
4	585.810	37.20	-3.97	33.23	82.30	-49.07	peak	
5	738.100	37.90	-1.41	36.49	82.30	-45.81	peak	
6 *	896.210	38.72	0.15	38.87	82.30	-43.43	peak	

Horizontal




No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	42.610	36.11	-11.55	24.56	82.30	-57.74	peak	
2	169.680	36.10	-11.21	24.89	82.30	-57.41	peak	
3	368.045	37.08	-9.00	28.08	82.30	-54.22	peak	
4	486.870	38.06	-6.13	31.93	82.30	-50.37	peak	
5	795.330	38.38	-1.31	37.07	82.30	-45.23	peak	
6 *	915.610	38.39	0.27	38.66	82.30	-43.64	peak	

Test Mode : LTE Band 12_TX CH23095_5MHz


Test Mode : LTE Band 12_TX CH23095_5MHz

Vertical



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	44.065	37.99	-11.45	26.54	82.30	-55.76	peak	
2	159.010	35.33	-10.86	24.47	82.30	-57.83	peak	
3	444.190	37.44	-6.84	30.60	82.30	-51.70	peak	
4	615.395	37.52	-3.35	34.17	82.30	-48.13	peak	
5 *	823.460	38.97	-0.93	38.04	82.30	-44.26	peak	
6	966.050	37.46	0.55	38.01	82.30	-44.29	peak	

Horizontal




No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	155.615	35.82	-10.97	24.85	82.30	-57.45	peak	
2	461.165	37.34	-6.52	30.82	82.30	-51.48	peak	
3	588.235	36.97	-3.91	33.06	82.30	-49.24	peak	
4	690.570	37.63	-2.42	35.21	82.30	-47.09	peak	
5	832.675	38.73	-0.78	37.95	82.30	-44.35	peak	
6 *	953.925	39.29	0.44	39.73	82.30	-42.57	peak	


Test Mode : LTE Band 12_TX CH23095_10MHz

Test Mode : LTE Band 12_TX CH23095_10MHz

Vertical




Horizontal




Test Mode : LTE Band 13_TX CH23230_5MHz

Test Mode : LTE Band 13_TX CH23230_5MHz

Vertical




Horizontal



Test Mode : LTE Band 13_TX CH23230_10MHz


Test Mode : LTE Band 13_TX CH23230_10MHz

Vertical



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	46.975	36.60	-11.35	25.25	82.30	-57.05	peak	
2	401.510	37.45	-7.94	29.51	82.30	-52.79	peak	
3	499.965	37.01	-5.93	31.08	82.30	-51.22	peak	
4	633.825	37.33	-3.08	34.25	82.30	-48.05	peak	
5	757.985	37.66	-1.15	36.51	82.30	-45.79	peak	
6 *	877.780	38.55	-0.10	38.45	82.30	-43.85	peak	

Horizontal




No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	46.005	36.04	-11.36	24.68	82.30	-57.62	peak	
2	167.255	36.19	-11.12	25.07	82.30	-57.23	peak	
3	539.250	36.85	-5.16	31.69	82.30	-50.61	peak	
4	747.315	37.78	-1.17	36.61	82.30	-45.69	peak	
5	990.875	37.95	0.08	38.03	82.30	-44.27	peak	
6 *	987.390	37.89	0.72	38.61	82.30	-43.69	peak	

Test Mode : LTE Band 17_TX CH23790_5MHz


Test Mode : LTE Band 17_TX CH23790_5MHz

Vertical



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	160.950	35.88	-10.87	25.01	82.30	-57.29	peak	
2	391.810	37.49	-8.14	29.35	82.30	-52.95	peak	
3	553.315	37.24	-4.86	32.38	82.30	-49.92	peak	
4	680.870	37.86	-2.51	35.35	82.30	-46.95	peak	
5	751.680	38.29	-1.13	37.16	82.30	-45.14	peak	
6 *	996.605	39.75	0.79	40.54	82.30	-41.76	peak	

Horizontal




No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	138.155	36.74	-11.82	24.92	82.30	-57.38	peak	
2	48.430	35.07	-11.32	23.75	82.30	-58.55	peak	
3	530.520	37.63	-5.33	32.30	82.30	-50.00	peak	
4	748.770	37.66	-1.14	36.52	82.30	-45.78	peak	
5 *	890.390	38.91	0.07	38.98	82.30	-43.32	peak	
6	659.045	37.66	-2.74	34.92	82.30	-47.38	peak	

Test Mode : LTE Band 17_TX CH23790_10MHz


Test Mode : LTE Band 17_TX CH23790_10MHz

Vertical



No. Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Margin	Detector	Comment
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	48.915	36.42	-11.32	25.10	82.30	-57.20	peak	
2	171.135	35.65	-11.35	24.30	82.30	-58.00	peak	
3	492.205	37.47	-6.05	31.42	82.30	-50.88	peak	
4	636.250	36.72	-3.03	33.69	82.30	-48.61	peak	
5	754.105	38.08	-1.13	36.95	82.30	-45.35	peak	
6 *	836.070	38.27	-0.71	37.56	82.30	-44.74	peak	

Horizontal




No. Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Margin	Detector	Comment
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	58.615	36.28	-11.84	24.44	82.30	-57.86	peak	
2	161.435	35.65	-10.89	24.76	82.30	-57.54	peak	
3	420.910	36.91	-7.45	29.46	82.30	-52.84	peak	
4	597.935	37.73	-3.64	34.09	82.30	-48.21	peak	
5	764.775	37.99	-1.18	36.81	82.30	-45.49	peak	
6 *	910.275	38.30	0.25	38.55	82.30	-43.75	peak	

Test Mode : LTE Band 38_TX CH38000_5MHz


Test Mode : LTE Band 38_TX CH38000_5MHz

Vertical




No. Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Margin	Detector	Comment
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	167.740	36.34	-11.14	25.20	70.30	-45.10	peak	
2	300.145	37.53	-10.55	26.98	70.30	-43.32	peak	
3	450.010	36.51	-6.69	29.82	70.30	-40.48	peak	
4	528.580	37.13	-5.36	31.77	70.30	-38.53	peak	
5	728.885	38.28	-1.63	36.65	70.30	-33.65	peak	
6 *	916.095	38.48	0.27	38.75	70.30	-31.55	peak	

Horizontal




No. Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Margin	Detector	Comment
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	153.675	35.86	-11.04	24.82	70.30	-45.48	peak	
2	365.135	35.86	-9.12	26.74	70.30	-43.56	peak	
3	533.430	36.97	-5.26	31.71	70.30	-38.59	peak	
4	668.260	36.99	-2.65	34.34	70.30	-35.96	peak	
5	754.105	37.46	-1.13	36.33	70.30	-33.97	peak	
6 *	964.595	38.16	0.54	38.70	70.30	-31.60	peak	

Test Mode : LTE Band 38_TX CH38000_20MHz




No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	174.530	36.67	-11.69	24.98	70.30	-45.32	peak	
2	408.785	37.37	-7.75	29.62	70.30	-40.68	peak	
3	557.680	37.97	-4.73	33.24	70.30	-37.06	peak	
4	620.730	36.54	-3.27	33.27	70.30	-37.03	peak	
5	770.110	37.54	-1.19	36.35	70.30	-33.95	peak	
6 *	957.320	38.36	0.47	38.83	70.30	-31.47	peak	

Test Mode : LTE Band 38_TX CH38000_20MHz




No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	156.585	35.56	-10.94	24.62	70.30	-45.68	peak	
2	372.410	36.24	-8.85	27.39	70.30	-42.91	peak	
3	509.665	37.41	-5.74	31.67	70.30	-38.63	peak	
4	651.770	37.03	-2.81	34.22	70.30	-36.08	peak	
5	751.680	38.37	-1.13	37.24	70.30	-33.06	peak	
6 *	871.475	39.05	-0.18	38.87	70.30	-31.43	peak	

Test Mode : LTE Band 41_TX CH40620_5MHz



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	164.830	36.30	-11.03	25.27	70.30	-45.03	peak	
2	417.030	37.30	-7.55	29.75	70.30	-40.55	peak	
3	495.115	36.80	-6.01	30.79	70.30	-39.51	peak	
4	611.030	36.52	-3.42	33.10	70.30	-37.20	peak	
5	711.425	37.80	-2.05	35.75	70.30	-34.55	peak	
6 *	884.570	38.22	0.00	38.22	70.30	-32.08	peak	


Test Mode : LTE Band 41_TX CH40620_5MHz



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	162.890	35.98	-10.95	25.03	70.30	-45.27	peak	
2	318.575	36.00	-9.99	26.01	70.30	-44.29	peak	
3	446.130	35.92	-6.79	29.13	70.30	-41.17	peak	
4	544.100	37.93	-5.06	32.87	70.30	-37.43	peak	
5	752.650	37.55	-1.13	36.42	70.30	-33.88	peak	
6 *	886.140	38.36	-0.25	38.11	70.30	-32.19	peak	

Test Mode : LTE Band 41_TX CH40620_20M


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		159.010	35.42	-10.86	24.56	70.30	-45.74	peak	
2		404.905	37.14	-7.85	29.29	70.30	-41.01	peak	
3		602.785	36.39	-3.54	32.85	70.30	-37.45	peak	
4		753.620	38.86	-1.13	37.73	70.30	-32.57	peak	
5		857.410	39.28	-0.37	38.91	70.30	-31.39	peak	
6 *		960.715	38.68	0.51	39.19	70.30	-31.11	peak	

Test Mode : LTE Band 41_TX CH40620_20MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		162.405	36.07	-10.93	25.14	70.30	-45.16	peak	
2		457.770	36.78	-6.57	30.21	70.30	-40.09	peak	
3		533.915	37.11	-5.27	31.84	70.30	-38.46	peak	
4		653.225	38.94	-2.79	36.15	70.30	-34.15	peak	
5		865.170	38.35	-0.27	38.08	70.30	-32.22	peak	
6 *		998.545	37.54	0.81	38.35	70.30	-31.95	peak	

Test Mode : LTE Band 66_TX CH132322_1.4MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		34.365	36.79	-12.36	24.43	82.30	-57.87	peak	
2		171.620	36.88	-11.40	25.48	82.30	-56.82	peak	
3		404.420	36.83	-7.86	28.97	82.30	-53.33	peak	
4		598.905	36.16	-3.61	32.55	82.30	-49.75	peak	
5		773.505	38.47	-1.21	37.26	82.30	-45.04	peak	
6 *		950.045	38.50	0.42	38.92	82.30	-43.38	peak	

Test Mode : LTE Band 66_TX CH132322_1.4MHz

Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		153.190	36.15	-11.05	25.10	82.30	-57.20	peak	
2		478.140	36.95	-6.27	30.68	82.30	-51.62	peak	
3		597.935	36.75	-3.64	33.11	82.30	-49.19	peak	
4		722.580	37.87	-1.77	36.10	82.30	-46.20	peak	
5		778.840	37.40	-1.24	36.16	82.30	-46.14	peak	
6 *		900.090	38.84	0.20	39.04	82.30	-43.26	peak	

Test Mode : LTE Band 66_TX CH132322_5MHz


Test Mode : LTE Band 66_TX CH132322_5MHz

Vertical



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	156.585	35.51	-10.94	24.57	82.30	-57.73	peak	
2	413.150	38.05	-7.64	30.41	82.30	-51.89	peak	
3	538.280	36.93	-5.18	31.75	82.30	-50.55	peak	
4	641.100	37.15	-2.96	34.19	82.30	-48.11	peak	
5	766.230	38.47	-1.18	37.29	82.30	-45.01	peak	
6 *	964.110	38.52	0.54	39.06	82.30	-43.24	peak	

Horizontal




No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	165.315	36.35	-11.05	25.30	82.30	-57.00	peak	
2	377.745	36.34	-8.67	27.67	82.30	-54.63	peak	
3	482.990	36.88	-6.19	30.69	82.30	-51.61	peak	
4	633.825	36.88	-3.08	33.80	82.30	-48.50	peak	
5	752.650	37.50	-1.13	36.37	82.30	-45.93	peak	
6 *	937.435	39.01	0.37	39.38	82.30	-42.92	peak	

Test Mode : LTE Band 66_TX CH132322_20MHz


Test Mode : LTE Band 66_TX CH132322_20MHz

Vertical



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	148.825	36.08	-11.22	24.86	82.30	-57.44	peak	
2	366.105	36.20	-9.08	27.12	82.30	-55.18	peak	
3	519.365	36.73	-5.54	31.19	82.30	-51.11	peak	
4	643.525	36.65	-2.93	33.72	82.30	-48.58	peak	
5	766.230	37.68	-1.18	36.50	82.30	-45.80	peak	
6 *	883.115	38.61	-0.03	38.58	82.30	-43.72	peak	

Horizontal




No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	152.705	35.95	-11.07	24.88	82.30	-57.42	peak	
2	422.365	37.06	-7.41	29.65	82.30	-52.65	peak	
3	526.640	36.55	-5.41	31.14	82.30	-51.16	peak	
4	623.640	37.51	-3.23	34.28	82.30	-48.02	peak	
5	759.925	37.42	-1.15	36.27	82.30	-46.03	peak	
6 *	957.805	37.97	0.47	38.44	82.30	-43.86	peak	

Test Mode : LTE Band 71_TX CH133297_5MHz


Test Mode : LTE Band 71_TX CH133297_5MHz

Vertical



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	167.255	36.29	-11.12	25.17	82.30	-57.13	peak	
2	450.980	36.66	-6.68	29.98	82.30	-52.32	peak	
3	572.230	36.91	-4.33	32.58	82.30	-49.72	peak	
4	766.715	38.23	-1.19	37.04	82.30	-45.26	peak	
5	874.385	38.05	-0.15	37.90	82.30	-44.40	peak	
6 *	985.450	38.98	0.70	39.68	82.30	-42.62	peak	

Horizontal




No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	139.125	36.45	-11.75	24.70	82.30	-57.60	peak	
2	375.320	36.18	-8.75	27.43	82.30	-54.87	peak	
3	488.810	37.88	-6.10	31.78	82.30	-50.52	peak	
4	684.265	37.96	-2.49	35.47	82.30	-46.83	peak	
5	788.540	37.50	-1.27	36.23	82.30	-46.07	peak	
6 *	953.925	38.67	0.44	39.11	82.30	-43.19	peak	

Test Mode : LTE Band 71_TX CH133322_20MHz


Test Mode : LTE Band 71_TX CH133322_20MHz

Vertical



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	166.285	35.69	-11.08	24.61	82.30	-57.69	peak	
2	341.855	36.59	-9.47	27.12	82.30	-55.18	peak	
3	501.905	37.79	-5.89	31.90	82.30	-50.40	peak	
4	621.700	36.93	-3.26	33.67	82.30	-48.63	peak	
5	763.320	38.31	-1.17	37.14	82.30	-45.16	peak	
6 *	924.825	38.69	0.31	39.00	82.30	-43.30	peak	

Horizontal




No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	155.615	35.46	-10.97	24.49	82.30	-57.81	peak	
2	406.360	37.26	-7.82	29.44	82.30	-52.86	peak	
3	478.140	37.22	-6.27	30.95	82.30	-51.35	peak	
4	617.820	37.07	-3.32	33.75	82.30	-48.55	peak	
5	731.310	37.56	-1.56	36.00	82.30	-46.30	peak	
6 *	874.385	38.75	-0.15	38.60	82.30	-43.70	peak	

APPENDIX F - RADIATED SPURIOUS EMISSIONS (ABOVE 1GHZ)

Test Mode : WCDMA Band IV_TX CH1413


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		3465.000	42.53	-1.33	41.20	82.30	-41.10	peak	
2 *		5190.500	41.83	1.59	43.42	82.30	-38.88	peak	

Test Mode : WCDMA Band IV_TX CH1413


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *		3465.000	41.62	-1.33	40.29	82.30	-42.01	peak	

Test Mode : LTE Band 4_TX CH20175_1.4MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		3465.000	45.99	-1.33	44.66	82.30	-37.64	peak	
2 *		5199.000	44.25	1.63	45.88	82.30	-36.42	peak	
3		6933.000	39.72	5.39	45.11	82.30	-37.19	peak	

Test Mode : LTE Band 4_TX CH20175_1.4MHz

Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		3465.000	42.79	-1.33	41.46	82.30	-40.84	peak	
2 *		5199.000	40.96	1.63	42.59	82.30	-39.71	peak	

Test Mode : LTE Band 4_TX CH20175_5MHz


Test Mode : LTE Band 4_TX CH20175_5MHz

Vertical



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	3465.000	40.92	-1.33	39.59	82.30	-42.71	peak	
2 *	5199.000	40.46	1.63	42.09	82.30	-40.21	peak	

Horizontal




No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	3465.000	39.12	-1.33	37.79	82.30	-44.51	peak	
2 *	5199.000	38.28	5.04	43.32	82.30	-38.98	peak	

Test Mode : LTE Band 4_TX CH20175_20MHz


Test Mode : LTE Band 4_TX CH20175_20MHz

Vertical



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1 *	3456.500	39.24	-1.35	37.89	82.30	-44.41	peak	


Horizontal



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1 *	5836.500	38.56	3.22	41.78	82.30	-40.52	peak	

Test Mode : LTE Band 7_TX CH21100_5MHz


Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	13206.000	40.38	9.14	49.52	70.30	-20.78	peak	

Test Mode : LTE Band 7_TX CH21100_5MHz


Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	7647.000	37.63	5.96	43.59	70.30	-26.71	peak	

Test Mode : LTE Band 7_TX CH21100_5MHz


Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1		26066.500	47.10	9.93	57.03	83.50	-26.47	peak	
2	*	26066.500	37.12	9.93	47.05	83.50	-16.45	AVG	

Test Mode : LTE Band 7_TX CH21100_5MHz


Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1		23006.500	46.00	7.89	53.89	83.50	-29.61	peak	
2	*	23006.500	36.08	7.89	43.97	83.50	-19.53	AVG	

Test Mode : LTE Band 7_TX CH21100_20MHz


Vertical



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1 *	9007.000	38.10	7.00	45.10	70.30	-25.20	peak	

Test Mode : LTE Band 7_TX CH21100_20MHz


Horizontal



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1 *	9185.500	38.23	7.15	45.38	70.30	-24.92	peak	

Test Mode : LTE Band 7_TX CH21100_20MHz

Vertical



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	25458.750	46.39	9.35	55.74	83.50	-27.76	peak	
2 *	25458.750	36.28	9.35	45.63	63.50	-17.87	AVG	

Test Mode : LTE Band 7_TX CH21100_20MHz

Horizontal




No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	26300.250	46.14	9.88	56.02	83.50	-27.48	peak	
2 *	26300.250	36.13	9.88	46.01	63.50	-17.49	AVG	


Test Mode : LTE Band 12_TX CH23095_1.4MHz

Test Mode : LTE Band 12_TX CH23095_1.4MHz

Vertical




Horizontal




Test Mode : LTE Band 12_TX CH23095_5MHz

Test Mode : LTE Band 12_TX CH23095_5MHz

Vertical




Horizontal



Test Mode : LTE Band 12_TX CH23095_10MHz


Test Mode : LTE Band 12_TX CH23095_10MHz

Vertical



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1 *	1416.500	57.84	-5.79	52.05	82.30	-30.25	peak	
2	2827.500	44.93	-2.97	41.96	82.30	-40.34	peak	

Horizontal




No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1 *	1416.500	44.95	-5.79	39.16	82.30	-43.14	peak	
2	2827.500	41.86	-2.97	38.89	82.30	-43.41	peak	

Test Mode : LTE Band 13_TX CH23230_5MHz


Test Mode : LTE Band 13_TX CH23230_5MHz

Vertical



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	1654.500	42.01	-4.94	37.07	82.30	-45.23	peak	
2 *	5343.500	38.70	2.12	40.82	82.30	-41.48	peak	


Horizontal



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	1425.000	41.98	-5.72	36.26	82.30	-46.04	peak	
2 *	8463.000	37.49	6.53	44.02	82.30	-38.28	peak	

Test Mode : LTE Band 13_TX CH23230_10MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	1552.500	47.27	-5.10	42.17	82.30	-40.13	peak	
2	*	2334.500	51.93	-4.48	47.45	82.30	-34.85	peak	
3		3108.000	44.81	-1.96	42.85	82.30	-39.45	peak	

Test Mode : LTE Band 13_TX CH23230_10MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	1552.500	45.59	-5.10	40.49	82.30	-41.81	peak	
2		3108.000	40.44	-1.96	38.48	82.30	-43.82	peak	

Test Mode : LTE Band 17_TX CH23790_5MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	1425.000	54.24	-5.72	48.52	82.30	-33.78	peak	
2		2844.500	45.84	-2.88	42.96	82.30	-39.34	peak	

Test Mode : LTE Band 17_TX CH23790_5MHz

Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	1416.500	47.51	-5.79	41.72	82.30	-40.58	peak	
2		2836.000	43.78	-2.92	40.86	82.30	-41.44	peak	

Test Mode : LTE Band 17_TX CH23790_10MHz

Test Mode : LTE Band 17_TX CH23790_10MHz

Vertical




Horizontal



Test Mode : LTE Band 38_TX CH38000_5MHz

Test Mode : LTE Band 38_TX CH38000_5MHz

Vertical




Horizontal



Test Mode : LTE Band 38_TX CH38000_5MHz


Test Mode : LTE Band 38_TX CH38000_5MHz

Vertical



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	25892.250	47.58	9.82	57.40	83.50	-26.10	peak	
2 *	25892.250	37.50	9.82	47.32	63.50	-16.18	AVG	

Horizontal




No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	26189.750	46.42	9.90	56.32	83.50	-27.18	peak	
2 *	26189.750	36.41	9.90	46.31	63.50	-17.19	AVG	

Test Mode : LTE Band 38_TX CH38000_20MHz


Test Mode : LTE Band 38_TX CH38000_20MHz

Vertical



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	5173.500	45.73	1.54	47.27	70.30	-23.03	peak	
2 *	7757.500	42.90	5.69	48.59	70.30	-21.71	peak	

Horizontal




No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1 *	5173.500	44.65	1.54	46.19	70.30	-24.11	peak	
2	7519.500	37.52	6.27	43.79	70.30	-26.51	peak	

Test Mode : LTE Band 38_TX CH38000_20MHz


Test Mode : LTE Band 38_TX CH38000_20MHz

Vertical



No. Mks.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	26138.750	46.64	9.92	56.56	83.50	-26.94	peak	
2 *	26138.750	36.60	9.92	46.52	63.50	-16.98	AVG	

Horizontal




No. Mks.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	25760.500	46.24	9.68	55.92	83.50	-27.58	peak	
2 *	25760.500	36.30	9.68	45.98	63.50	-17.52	AVG	

Test Mode : LTE Band 41_TX CH40620_5MHz


Test Mode : LTE Band 41_TX CH40620_5MHz

Vertical



No. Mks.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1 *	5190.500	42.64	1.59	44.23	70.30	-26.07	peak	

Horizontal




No. Mks.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	4034.500	39.06	-0.65	38.41	70.30	-31.89	peak	
2 *	7086.000	37.74	5.60	43.34	70.30	-26.96	peak	

Test Mode : LTE Band 41_TX CH40620_5MHz


Test Mode : LTE Band 41_TX CH40620_5MHz

Vertical



No. Mks	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	39571.000	49.38	12.25	61.63	83.50	-21.87	peak	
2 *	39571.000	39.40	12.25	51.65	63.50	-11.85	AVG	

Horizontal




No. Mks	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	39758.000	48.93	12.33	61.26	83.50	-22.24	peak	
2 *	39758.000	39.90	12.33	52.23	63.50	-11.27	AVG	

Test Mode : LTE Band 41_TX CH40620_20MHz


Test Mode : LTE Band 41_TX CH40620_20MHz

Vertical



No. Mks	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	5165.000	44.33	1.51	45.84	70.30	-24.46	peak	
2	7749.000	40.68	5.71	46.39	70.30	-23.91	peak	
3 *	12917.000	40.59	8.90	49.49	70.30	-20.81	peak	

Horizontal




No. Mks	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1 *	5165.000	42.84	1.51	44.35	70.30	-25.95	peak	


Test Mode : LTE Band 41_TX CH40620_20MHz

Test Mode : LTE Band 41_TX CH40620_20MHz

Vertical




Horizontal




Test Mode : LTE Band 66_TX CH132322_1.4MHz

Test Mode : LTE Band 66_TX CH132322_1.4MHz

Vertical




Horizontal




Test Mode : LTE Band 66_TX CH132322_1.4MHz

Test Mode : LTE Band 66_TX CH132322_1.4MHz

Vertical



Horizontal




Test Mode : LTE Band 66_TX CH132322_5MHz

Test Mode : LTE Band 66_TX CH132322_5MHz

Vertical




Horizontal




Test Mode : LTE Band 66_TX CH132322_5MHz

Test Mode : LTE Band 66_TX CH132322_5MHz

Vertical




Horizontal




Test Mode : LTE Band 66_TX CH132322_20MHz

Test Mode : LTE Band 66_TX CH132322_20MHz

Vertical




Horizontal



Test Mode : LTE Band 66_TX CH132322_20MHz


Test Mode : LTE Band 66_TX CH132322_20MHz

Vertical



No. Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Margin		
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	26189.750	46.17	9.90	56.07	83.50	-27.43	peak	
2 *	26189.750	36.21	9.90	46.11	63.50	-17.39	AVG	

Horizontal




No. Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Margin		
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	26283.250	46.38	9.89	56.27	83.50	-27.23	peak	
2 *	26283.250	36.27	9.89	46.16	63.50	-17.34	AVG	

Test Mode : LTE Band 71_TX CH133297_5MHz


Test Mode : LTE Band 71_TX CH133297_5MHz

Vertical



No. Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Margin		
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1 *	8522.500	38.06	6.66	44.72	82.30	-37.58	peak	

Horizontal




No. Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Margin		
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	2411.000	42.80	-4.50	38.30	82.30	-44.00	peak	
2 *	10902.500	38.73	8.36	47.09	82.30	-35.21	peak	

Test Mode : LTE Band 71_TX CH133322_20M


Test Mode : LTE Band 71_TX CH133322_20M

Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		1340.000	43.55	-6.33	37.22	82.30	-45.08	peak	
2	*	2011.500	47.66	-4.38	43.28	82.30	-39.02	peak	

Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	2011.500	46.72	-4.38	42.34	82.30	-39.96	peak	

APPENDIX G - BAND EDGE

