


Test Mode	UNII-1_TX AC(VHT80) Mode
-----------	--------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
42	5210	86.600	76.000

CH42 26 dB Bandwidth



Date: 1.MAY.2024 12:51:44

99 % Occupied Bandwidth




Date: 1.MAY.2024 12:51:02

Test Mode	UNII-2A_TX A Mode
-----------	-------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
52	5260	21.490	17.000
60	5300	21.550	17.000
64	5320	21.388	17.000

CH52




Date: 1.MAY.2024 11:17:42

CH60
26 dB Bandwidth




Date: 1.MAY.2024 11:19:15

CH64




Date: 1.MAY.2024 11:20:50


99 % Occupied Bandwidth



Date: 1.MAY.2024 11:17:40



Date: 1.MAY.2024 11:18:33




Date: 1.MAY.2024 11:20:07

Test Mode	UNII-2A_TX AC(VHT20) Mode
-----------	---------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
52	5260	21.498	18.000
60	5300	21.690	18.000
64	5320	21.950	18.000

CH52




Date: 1.MAY.2024 11:36:26

CH60
26 dB Bandwidth




Date: 1.MAY.2024 11:41:20

CH64




Date: 1.MAY.2024 11:43:43


99 % Occupied Bandwidth



Date: 1.MAY.2024 11:35:44



Date: 1.MAY.2024 11:40:38




Date: 1.MAY.2024 11:43:02

Test Mode	UNII-2A_TX AC(VHT40) Mode
-----------	---------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
54	5270	47.190	38.600
62	5310	45.398	38.200

CH54




Date: 1.MAY.2024 12:38:58

CH62
26 dB Bandwidth




Date: 1.MAY.2024 12:40:19

99 % Occupied Bandwidth



Date: 1.MAY.2024 12:38:12




Date: 1.MAY.2024 12:39:41

Test Mode	UNII-2C_TX A Mode
-----------	-------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
100	5500	23.990	17.000
116	5580	21.900	17.000
140	5700	21.899	17.100

CH100




Date: 1.MAY.2024 11:22:16

CH116
26 dB Bandwidth




Date: 1.MAY.2024 11:23:37

CH140




Date: 1.MAY.2024 11:25:10


99 % Occupied Bandwidth



Date: 1.MAY.2024 11:22:29



Date: 1.MAY.2024 11:22:56




Date: 1.MAY.2024 11:24:13

Test Mode	UNII-2C_TX AC(VHT20) Mode
-----------	---------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
100	5500	21.949	18.000
116	5580	21.698	18.000
140	5700	21.900	18.000

CH100




Date: 1.MAY.2024 11:45:14

CH116
26 dB Bandwidth




Date: 1.MAY.2024 11:46:26

CH140




Date: 1.MAY.2024 11:47:40


99 % Occupied Bandwidth



Date: 1.MAY.2024 11:44:42



Date: 1.MAY.2024 11:45:52




Date: 1.MAY.2024 11:47:08

Test Mode	UNII-2C_TX AC(VHT40) Mode
-----------	---------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
102	5510	46.190	38.000
110	5550	42.000	37.000
134	5670	42.190	37.000

CH102




Date: 1.MAY.2024 12:41:58

CH110
26 dB Bandwidth




Date: 1.MAY.2024 12:44:30

CH134




Date: 1.MAY.2024 12:46:16


99 % Occupied Bandwidth



Date: 1.MAY.2024 12:41:05



Date: 1.MAY.2024 12:43:55




Date: 1.MAY.2024 12:45:19

Test Mode	UNII-2C_TX AC(VHT80) Mode
-----------	---------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
106	5530	87.400	76.000
122	5610	85.800	76.000

CH106




Date: 1.MAY.2024 12:54:45

CH122
26 dB Bandwidth




Date: 1.MAY.2024 12:56:19

99 % Occupied Bandwidth



Date: 1.MAY.2024 12:54:02




Date: 1.MAY.2024 12:55:32

Test Mode	UNII-3_TX A Mode
-----------	------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
149	5745	16.090	17.100	0.5	Complies
157	5785	15.300	17.200	0.5	Complies
165	5825	15.689	17.100	0.5	Complies

CH149




Date: 1.MAY.2024 11:26:36

CH157
6 dB Bandwidth




Date: 1.MAY.2024 11:28:15

CH165




Date: 1.MAY.2024 11:29:50


99 % Occupied Bandwidth



Date: 1.MAY.2024 11:25:47



Date: 1.MAY.2024 11:27:21




Date: 1.MAY.2024 11:28:57

Test Mode	UNII-3_TX AC(VHT40) Mode
-----------	--------------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
151	5755	36.188	37.000	0.5	Complies
159	5795	35.786	37.000	0.5	Complies

CH151




Date: 1.MAY.2024 12:47:46

CH159 6 dB Bandwidth




Date: 1.MAY.2024 12:49:30

99 % Occupied Bandwidth



Date: 1.MAY.2024 12:47:05




Date: 1.MAY.2024 12:48:50

Test Mode	UNII-3_TX AC(VHT80) Mode
-----------	--------------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
155	5775	75.600	76.400	0.5	Complies

CH155 6 dB Bandwidth



Date: 1.MAY.2024 12:57:55

99 % Occupied Bandwidth



Date: 1.MAY.2024 12:57:09

APPENDIX F - MAXIMUM OUTPUT POWER

Test Mode	UNII-1_TX A Mode_Ant. 1
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	16.17	0.33	16.50	23.68	0.2333	Complies
40	5200	16.00	0.33	16.33	23.68	0.2333	Complies
48	5240	16.18	0.33	16.51	23.68	0.2333	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	15.05	0.32	15.37	23.68	0.2333	Complies
40	5200	14.90	0.32	15.22	23.68	0.2333	Complies
48	5240	15.06	0.32	15.38	23.68	0.2333	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	13.52	0.75	14.27	23.68	0.2333	Complies
46	5230	14.24	0.75	14.99	23.68	0.2333	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	11.13	1.34	12.47	23.68	0.2333	Complies

Test Mode	UNII-2A_TX A Mode_Ant. 1
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	16.05	0.33	16.38	23.68	0.2333	Complies
60	5300	16.07	0.33	16.40	23.68	0.2333	Complies
64	5320	15.85	0.33	16.18	23.68	0.2333	Complies

Test Mode	UNII-2A_TX AC(VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	14.93	0.32	15.25	23.68	0.2333	Complies
60	5300	14.94	0.32	15.26	23.68	0.2333	Complies
64	5320	15.16	0.32	15.48	23.68	0.2333	Complies

Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	13.81	0.75	14.56	23.68	0.2333	Complies
62	5310	11.48	0.75	12.23	23.68	0.2333	Complies

Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	11.03	1.34	12.37	23.68	0.2333	Complies

Test Mode	UNII-2C_TX A Mode_Ant. 1
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	16.26	0.33	16.59	23.68	0.2333	Complies
116	5580	15.82	0.33	16.15	23.68	0.2333	Complies
140	5700	15.98	0.33	16.31	23.68	0.2333	Complies

Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	15.13	0.32	15.45	23.68	0.2333	Complies
116	5580	15.19	0.32	15.51	23.68	0.2333	Complies
140	5700	14.86	0.32	15.18	23.68	0.2333	Complies

Test Mode	UNII-2C_TX AC(VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	10.03	0.75	10.78	23.68	0.2333	Complies
110	5550	14.03	0.75	14.78	23.68	0.2333	Complies
134	5670	14.05	0.75	14.80	23.68	0.2333	Complies

Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	10.35	1.34	11.69	23.68	0.2333	Complies
122	5610	12.74	1.34	14.08	23.68	0.2333	Complies

Test Mode	UNII-3_TX A Mode_Ant. 1
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	15.93	0.33	16.26	29.70	0.9333	Complies
157	5785	15.95	0.33	16.28	29.70	0.9333	Complies
165	5825	15.81	0.33	16.14	29.70	0.9333	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	15.21	0.32	15.53	29.70	0.9333	Complies
157	5785	14.87	0.32	15.19	29.70	0.9333	Complies
165	5825	15.24	0.32	15.56	29.70	0.9333	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	14.24	0.75	14.99	29.70	0.9333	Complies
159	5795	14.31	0.75	15.06	29.70	0.9333	Complies


Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	13.03	1.34	14.37	29.70	0.9333	Complies


APPENDIX G - POWER SPECTRAL DENSITY

Test Mode	UNII-1_TX A Mode_Ant. 1
-----------	-------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	4.62	0.33	4.95	10.70	Complies
40	5200	4.22	0.33	4.55	10.70	Complies
48	5240	4.38	0.33	4.71	10.70	Complies



Date: 1.MAY.2024 11:13:40




Date: 1.MAY.2024 11:14:53




Date: 1.MAY.2024 11:16:15

Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 1
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	3.21	0.32	3.53	10.70	Complies
40	5200	2.97	0.32	3.29	10.70	Complies
48	5240	3.12	0.32	3.44	10.70	Complies



Date: 1.MAY.2024 11:32:40



Date: 1.MAY.2024 11:33:51




Date: 1.MAY.2024 11:35:16

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 1
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	-0.67	0.75	0.08	10.70	Complies
46	5230	0.00	0.75	0.75	10.70	Complies

CH38



Date: 1.MAY.2024 11:59:11

CH46




Date: 1.MAY.2024 12:37:45

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	-3.84	1.34	-2.50	10.70	Complies




CH42



Date: 1.MAY.2024 12:52:04




Test Mode	UNII-2A_TX A Mode_Ant. 1
-----------	--------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	4.21	0.33	4.54	10.70	Complies
60	5300	3.95	0.33	4.28	10.70	Complies
64	5320	3.93	0.33	4.26	10.70	Complies



Test Mode	UNII-2A_TX AC(VHT20) Mode_Ant. 1
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	3.04	0.32	3.36	10.70	Complies
60	5300	2.83	0.32	3.15	10.70	Complies
64	5320	3.13	0.32	3.45	10.70	Complies



Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 1
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	-1.84	0.75	-1.09	10.70	Complies
62	5310	-0.18	0.75	0.57	10.70	Complies

CH54



Date: 1.MAY.2024 12:39:18

CH62




Date: 1.MAY.2024 12:40:40

Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	-4.02	1.34	-2.68	10.70	Complies


CH58



Date: 1.MAY.2024 12:53:31


Test Mode	UNII-2C_TX A Mode_Ant. 1
-----------	--------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	5.51	0.33	5.84	10.70	Complies
116	5580	5.07	0.33	5.40	10.70	Complies
140	5700	5.14	0.33	5.47	10.70	Complies




Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	4.23	0.32	4.55	10.70	Complies
116	5580	4.19	0.32	4.51	10.70	Complies
140	5700	3.82	0.32	4.14	10.70	Complies




Test Mode	UNII-2C_TX AC(VHT40) Mode_Ant. 1
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	1.61	0.75	2.36	10.70	Complies
110	5550	1.57	0.75	2.32	10.70	Complies
134	5670	1.37	0.75	2.12	10.70	Complies



Date: 1.MAY.2024 12:43:30




Date: 1.MAY.2024 12:44:50




Date: 1.MAY.2024 12:46:37

Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	-2.79	1.34	-1.45	10.70	Complies
122	5610	-2.98	1.34	-1.64	10.70	Complies




Date: 1.MAY.2024 12:55:05



Date: 1.MAY.2024 12:56:40


Test Mode UNII-3_TX A Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	2.95	0.33	3.28	29.70	Complies
157	5785	2.82	0.33	3.15	29.70	Complies
165	5825	2.33	0.33	2.66	29.70	Complies



Test Mode UNII-3_TX AC(VHT20) Mode_Ant. 1


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	2.10	0.32	2.42	29.70	Complies
157	5785	1.54	0.32	1.86	29.70	Complies
165	5825	1.60	0.32	1.92	29.70	Complies



Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 1
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	-1.37	0.75	-0.62	29.70	Complies
159	5795	-1.25	0.75	-0.50	29.70	Complies

CH151



Date: 1.MAY.2024 12:48:06

CH159




Date: 1.MAY.2024 12:49:51

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	-5.90	1.34	-4.56	29.70	Complies

CH155



Date: 1.MAY.2024 12:58:16

APPENDIX H - FREQUENCY STABILITY

Test Mode	UNII-1
-----------	--------

Voltage vs. Frequency Stability

Voltage (V)	Measurement Frequency (MHz)
Center Frequency	5180.0000
4.37	5180.0000
3.80	5180.0000
3.23	5179.9950
Maximum Deviation (MHz)	0.0050
Maximum Deviation (ppm)	0.9628

Temperature vs. Frequency Stability

Temperature (°C)	Measurement Frequency (MHz)
Center Frequency	5180.0000
-35	5179.9708
-25	5180.0052
-15	5180.0220
-5	5180.0284
5	5180.0276
15	5180.0168
25	5180.0064
35	5179.9940
45	5179.9840
55	5179.9788
65	5179.9820
75	5179.9976
Maximum Deviation (MHz)	0.0292
Maximum Deviation (ppm)	5.6371

Test Mode	UNII-2A
-----------	---------

Voltage vs. Frequency Stability

Voltage (V)	Measurement Frequency (MHz)
Center Frequency	5260.0000
4.37	5260.0000
3.80	5259.9948
3.23	5259.9950
Maximum Deviation (MHz)	0.0052
Maximum Deviation (ppm)	0.9862

Temperature vs. Frequency Stability

Temperature (°C)	Measurement Frequency (MHz)
Center Frequency	5260.0000
-35	5259.9692
-25	5260.0036
-15	5260.0220
-5	5260.0288
5	5260.0260
15	5260.0164
25	5260.0048
35	5259.9924
45	5259.9820
55	5259.9784
65	5259.9816
75	5260.0004
Maximum Deviation (MHz)	0.0308
Maximum Deviation (ppm)	5.8555

Test Mode	UNII-2C
-----------	---------

Voltage vs. Frequency Stability

Voltage (V)	Measurement Frequency (MHz)
Center Frequency	5500.0000
4.37	5500.0000
3.80	5499.9999
3.23	5500.0000
Maximum Deviation (MHz)	0.0001
Maximum Deviation (ppm)	0.0205

Temperature vs. Frequency Stability

Temperature (°C)	Measurement Frequency (MHz)
Center Frequency	5500.0000
-35	5499.9684
-25	5500.0048
-15	5500.0228
-5	5500.0300
5	5500.0284
15	5500.0180
25	5500.0056
35	5499.9928
45	5499.9820
55	5499.9772
65	5499.9816
75	5500.0008
Maximum Deviation (MHz)	0.0316
Maximum Deviation (ppm)	5.7455

Test Mode	UNII-3
-----------	--------

Voltage vs. Frequency Stability

Voltage (V)	Measurement Frequency (MHz)
Center Frequency	5745.0000
4.37	5744.9950
3.80	5745.0000
3.23	5744.9950
Maximum Deviation (MHz)	0.0050
Maximum Deviation (ppm)	0.8681

Temperature vs. Frequency Stability

Temperature (°C)	Measurement Frequency (MHz)
Center Frequency	5745.0000
-35	5744.9668
-25	5745.0036
-15	5745.0240
-5	5745.0308
5	5745.0292
15	5745.0192
25	5745.0068
35	5744.9920
45	5744.9804
55	5744.9756
65	5744.9804
75	5745.0012
Maximum Deviation (MHz)	0.0332
Maximum Deviation (ppm)	5.7789

End of Test Report