


|           |                   |
|-----------|-------------------|
| Test Mode | UNII-2C_TX A Mode |
|-----------|-------------------|


| Channel | Frequency (MHz) | 26 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) |
|---------|-----------------|-----------------------|-------------------------------|
| 100     | 5500            | 24.190                | 17.400                        |
| 116     | 5580            | 24.600                | 17.500                        |
| 140     | 5700            | 31.090                | 17.600                        |

CH100




Date: 15.MAR.2022 17:06:02

CH116  
26 dB Bandwidth




Date: 15.MAR.2022 17:07:48

CH140




Date: 15.MAR.2022 17:09:48


99 % Occupied Bandwidth



Date: 15.MAR.2022 17:06:11



Date: 15.MAR.2022 17:06:35




Date: 15.MAR.2022 17:08:48

|           |                           |
|-----------|---------------------------|
| Test Mode | UNII-2C_TX AC(VHT20) Mode |
|-----------|---------------------------|


| Channel | Frequency (MHz) | 26 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) |
|---------|-----------------|-----------------------|-------------------------------|
| 100     | 5500            | 22.489                | 18.200                        |
| 116     | 5580            | 22.490                | 18.300                        |
| 140     | 5700            | 22.550                | 18.300                        |

CH100




Date: 18.MAR.2022 14:32:41

CH116  
26 dB Bandwidth




Date: 18.MAR.2022 14:34:53

CH140




Date: 18.MAR.2022 14:35:45


99 % Occupied Bandwidth



Date: 18.MAR.2022 14:32:01



Date: 18.MAR.2022 14:34:12




Date: 18.MAR.2022 14:35:04

|           |                           |
|-----------|---------------------------|
| Test Mode | UNII-2C_TX AC(VHT40) Mode |
|-----------|---------------------------|


| Channel | Frequency (MHz) | 26 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) |
|---------|-----------------|-----------------------|-------------------------------|
| 102     | 5510            | 41.898                | 37.000                        |
| 110     | 5550            | 41.700                | 37.000                        |
| 134     | 5670            | 42.000                | 37.400                        |

CH102




Date: 18.MAR.2022 14:49:08

CH110  
26 dB Bandwidth




Date: 18.MAR.2022 14:50:45

CH134




Date: 18.MAR.2022 14:52:27


99 % Occupied Bandwidth



Date: 18.MAR.2022 14:48:26



Date: 18.MAR.2022 14:50:03




Date: 18.MAR.2022 14:51:39

|           |                           |
|-----------|---------------------------|
| Test Mode | UNII-2C_TX AC(VHT80) Mode |
|-----------|---------------------------|


| Channel | Frequency (MHz) | 26 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) |
|---------|-----------------|-----------------------|-------------------------------|
| 106     | 5530            | 94.800                | 75.200                        |
| 122     | 5610            | 100.790               | 75.600                        |

CH106




Date: 18.MAR.2022 15:04:29

CH122  
26 dB Bandwidth




Date: 18.MAR.2022 15:06:23

99 % Occupied Bandwidth



Date: 18.MAR.2022 15:03:25




Date: 18.MAR.2022 15:05:19

|           |                  |
|-----------|------------------|
| Test Mode | UNII-3_TX A Mode |
|-----------|------------------|


| Channel | Frequency (MHz) | 6 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) | 6 dB Bandwidth Min. Limit (MHz) | Result   |
|---------|-----------------|----------------------|-------------------------------|---------------------------------|----------|
| 149     | 5745            | 16.389               | 18.000                        | 0.5                             | Complies |
| 157     | 5785            | 16.450               | 17.700                        | 0.5                             | Complies |
| 165     | 5825            | 16.389               | 17.800                        | 0.5                             | Complies |

CH149




Date: 15.MAR.2022 17:11:04

CH157  
6 dB Bandwidth




Date: 15.MAR.2022 17:11:27

CH165




Date: 15.MAR.2022 17:13:56


99 % Occupied Bandwidth



Date: 15.MAR.2022 17:11:08



Date: 15.MAR.2022 17:11:41




Date: 15.MAR.2022 17:13:00

|           |                          |
|-----------|--------------------------|
| Test Mode | UNII-3_TX AC(VHT20) Mode |
|-----------|--------------------------|


| Channel | Frequency (MHz) | 6 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) | 6 dB Bandwidth Min. Limit (MHz) | Result   |
|---------|-----------------|----------------------|-------------------------------|---------------------------------|----------|
| 149     | 5745            | 17.650               | 18.300                        | 0.5                             | Complies |
| 157     | 5785            | 17.650               | 18.500                        | 0.5                             | Complies |
| 165     | 5825            | 17.650               | 18.300                        | 0.5                             | Complies |

CH149




Date: 18.MAR.2022 14:36:45

CH157  
6 dB Bandwidth




Date: 18.MAR.2022 14:37:48

CH165




Date: 18.MAR.2022 14:38:53


99 % Occupied Bandwidth



Date: 18.MAR.2022 14:35:59



Date: 18.MAR.2022 14:37:03




Date: 18.MAR.2022 14:38:07

|           |                          |
|-----------|--------------------------|
| Test Mode | UNII-3_TX AC(VHT40) Mode |
|-----------|--------------------------|


| Channel | Frequency (MHz) | 6 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) | 6 dB Bandwidth Min. Limit (MHz) | Result   |
|---------|-----------------|----------------------|-------------------------------|---------------------------------|----------|
| 151     | 5755            | 35.600               | 37.400                        | 0.5                             | Complies |
| 159     | 5795            | 35.609               | 37.400                        | 0.5                             | Complies |

CH151




Date: 18.MAR.2022 14:53:57

CH159  
6 dB Bandwidth




Date: 18.MAR.2022 14:55:30

99 % Occupied Bandwidth



Date: 18.MAR.2022 14:53:10




Date: 18.MAR.2022 14:54:43

|           |                          |
|-----------|--------------------------|
| Test Mode | UNII-3_TX AC(VHT80) Mode |
|-----------|--------------------------|


| Channel | Frequency (MHz) | 6 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) | 6 dB Bandwidth Min. Limit (MHz) | Result   |
|---------|-----------------|----------------------|-------------------------------|---------------------------------|----------|
| 155     | 5775            | 74.200               | 75.600                        | 0.5                             | Complies |

## CH155 6 dB Bandwidth



Date: 18.MAR.2022 15:08:15

## 99 % Occupied Bandwidth



Date: 18.MAR.2022 15:07:16

## **APPENDIX F - MAXIMUM OUTPUT POWER**

|           |                  |
|-----------|------------------|
| Test Mode | UNII-1_TX A Mode |
|-----------|------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 36      | 5180            | 19.16              | 0.59        | 19.75                            | 23.98            | 0.2500         | Complies |
| 40      | 5200            | 19.05              | 0.59        | 19.64                            | 23.98            | 0.2500         | Complies |
| 48      | 5240            | 19.01              | 0.59        | 19.60                            | 23.98            | 0.2500         | Complies |

|           |                          |
|-----------|--------------------------|
| Test Mode | UNII-1_TX AC(VHT20) Mode |
|-----------|--------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 36      | 5180            | 18.14              | 0.78        | 18.92                            | 23.98            | 0.2500         | Complies |
| 40      | 5200            | 18.03              | 0.78        | 18.81                            | 23.98            | 0.2500         | Complies |
| 48      | 5240            | 18.01              | 0.78        | 18.79                            | 23.98            | 0.2500         | Complies |

|           |                          |
|-----------|--------------------------|
| Test Mode | UNII-1_TX AC(VHT40) Mode |
|-----------|--------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 38      | 5190            | 17.15              | 0.80        | 17.95                            | 23.98            | 0.2500         | Complies |
| 46      | 5230            | 17.20              | 0.80        | 18.00                            | 23.98            | 0.2500         | Complies |

|           |                          |
|-----------|--------------------------|
| Test Mode | UNII-1_TX AC(VHT80) Mode |
|-----------|--------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 42      | 5210            | 17.65              | 0.82        | 18.47                            | 23.98            | 0.2500         | Complies |

|           |                   |
|-----------|-------------------|
| Test Mode | UNII-2A_TX A Mode |
|-----------|-------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 52      | 5260            | 18.91              | 0.59        | 19.50                            | 23.98            | 0.2500         | Complies |
| 60      | 5300            | 19.37              | 0.59        | 19.96                            | 23.98            | 0.2500         | Complies |
| 64      | 5320            | 19.18              | 0.59        | 19.77                            | 23.98            | 0.2500         | Complies |

|           |                           |
|-----------|---------------------------|
| Test Mode | UNII-2A_TX AC(VHT20) Mode |
|-----------|---------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 52      | 5260            | 18.03              | 0.78        | 18.81                            | 23.98            | 0.2500         | Complies |
| 60      | 5300            | 18.11              | 0.78        | 18.89                            | 23.98            | 0.2500         | Complies |
| 64      | 5320            | 18.16              | 0.78        | 18.94                            | 23.98            | 0.2500         | Complies |

|           |                           |
|-----------|---------------------------|
| Test Mode | UNII-2A_TX AC(VHT40) Mode |
|-----------|---------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 54      | 5270            | 17.06              | 0.80        | 17.86                            | 23.98            | 0.2500         | Complies |
| 62      | 5310            | 17.18              | 0.80        | 17.98                            | 23.98            | 0.2500         | Complies |

|           |                           |
|-----------|---------------------------|
| Test Mode | UNII-2A_TX AC(VHT80) Mode |
|-----------|---------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 58      | 5290            | 17.46              | 0.82        | 18.28                            | 23.98            | 0.2500         | Complies |

|           |                   |
|-----------|-------------------|
| Test Mode | UNII-2C_TX A Mode |
|-----------|-------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 100     | 5500            | 18.86              | 0.59        | 19.45                            | 23.98            | 0.2500         | Complies |
| 116     | 5580            | 19.32              | 0.59        | 19.91                            | 23.98            | 0.2500         | Complies |
| 140     | 5700            | 19.26              | 0.59        | 19.85                            | 23.98            | 0.2500         | Complies |

|           |                           |
|-----------|---------------------------|
| Test Mode | UNII-2C_TX AC(VHT20) Mode |
|-----------|---------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 100     | 5500            | 18.12              | 0.78        | 18.90                            | 23.98            | 0.2500         | Complies |
| 116     | 5580            | 18.08              | 0.78        | 18.86                            | 23.98            | 0.2500         | Complies |
| 140     | 5700            | 18.16              | 0.78        | 18.94                            | 23.98            | 0.2500         | Complies |

|           |                           |
|-----------|---------------------------|
| Test Mode | UNII-2C_TX AC(VHT40) Mode |
|-----------|---------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 102     | 5510            | 17.07              | 0.80        | 17.87                            | 23.98            | 0.2500         | Complies |
| 110     | 5550            | 17.06              | 0.80        | 17.86                            | 23.98            | 0.2500         | Complies |
| 134     | 5670            | 17.13              | 0.80        | 17.93                            | 23.98            | 0.2500         | Complies |

|           |                           |
|-----------|---------------------------|
| Test Mode | UNII-2C_TX AC(VHT80) Mode |
|-----------|---------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 106     | 5530            | 18.31              | 0.82        | 19.13                            | 23.98            | 0.2500         | Complies |
| 122     | 5610            | 18.06              | 0.82        | 18.88                            | 23.98            | 0.2500         | Complies |

|           |                  |
|-----------|------------------|
| Test Mode | UNII-3_TX A Mode |
|-----------|------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 149     | 5745            | 19.32              | 0.59        | 19.91                            | 30.00            | 1.0000         | Complies |
| 157     | 5785            | 19.27              | 0.59        | 19.86                            | 30.00            | 1.0000         | Complies |
| 165     | 5825            | 19.02              | 0.59        | 19.61                            | 30.00            | 1.0000         | Complies |

|           |                          |
|-----------|--------------------------|
| Test Mode | UNII-3_TX AC(VHT20) Mode |
|-----------|--------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 149     | 5745            | 18.03              | 0.78        | 18.81                            | 30.00            | 1.0000         | Complies |
| 157     | 5785            | 18.08              | 0.78        | 18.86                            | 30.00            | 1.0000         | Complies |
| 165     | 5825            | 18.06              | 0.78        | 18.84                            | 30.00            | 1.0000         | Complies |

|           |                          |
|-----------|--------------------------|
| Test Mode | UNII-3_TX AC(VHT40) Mode |
|-----------|--------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 151     | 5755            | 17.22              | 0.80        | 18.02                            | 30.00            | 1.0000         | Complies |
| 159     | 5795            | 17.19              | 0.80        | 17.99                            | 30.00            | 1.0000         | Complies |


|           |                          |
|-----------|--------------------------|
| Test Mode | UNII-3_TX AC(VHT80) Mode |
|-----------|--------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 155     | 5775            | 18.30              | 0.82        | 19.12                            | 30.00            | 1.0000         | Complies |


## **APPENDIX G - POWER SPECTRAL DENSITY**

## Test Mode UNII-1\_TX A Mode


| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 36      | 5180            | 6.15                             | 0.59        | 6.74                                           | 11.00                | Complies |
| 40      | 5200            | 6.02                             | 0.59        | 6.61                                           | 11.00                | Complies |
| 48      | 5240            | 5.82                             | 0.59        | 6.41                                           | 11.00                | Complies |



Date: 15.MAR.2022 16:31:52




Date: 15.MAR.2022 16:32:40




Date: 15.MAR.2022 16:33:05

## Test Mode UNII-1\_TX AC(VHT20) Mode


| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 36      | 5180            | 5.75                             | 0.78        | 6.53                                           | 11.00                | Complies |
| 40      | 5200            | 6.05                             | 0.78        | 6.83                                           | 11.00                | Complies |
| 48      | 5240            | 5.99                             | 0.78        | 6.77                                           | 11.00                | Complies |



Date: 18.MAR.2022 14:21:19



Date: 18.MAR.2022 14:21:46




Date: 18.MAR.2022 14:22:14

|           |                          |
|-----------|--------------------------|
| Test Mode | UNII-1_TX AC(VHT40) Mode |
|-----------|--------------------------|


| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 38      | 5190            | 4.20                             | 0.80        | 5.00                                           | 11.00                | Complies |
| 46      | 5230            | 3.95                             | 0.80        | 4.75                                           | 11.00                | Complies |

CH38



Date: 18.MAR.2022 14:42:21

CH46




Date: 18.MAR.2022 14:44:31

|           |                          |
|-----------|--------------------------|
| Test Mode | UNII-1_TX AC(VHT80) Mode |
|-----------|--------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 42      | 5210            | 1.01                             | 0.82        | 1.83                                           | 11.00                | Complies |


CH42




Date: 18.MAR.2022 14:59:40

|           |                   |
|-----------|-------------------|
| Test Mode | UNII-2A_TX A Mode |
|-----------|-------------------|


| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 52      | 5260            | 5.64                             | 0.59        | 6.23                                           | 11.00                | Complies |
| 60      | 5300            | 5.81                             | 0.59        | 6.40                                           | 11.00                | Complies |
| 64      | 5320            | 5.94                             | 0.59        | 6.53                                           | 11.00                | Complies |



Date: 15.MAR.2022 16:33:59




Date: 15.MAR.2022 16:34:34




Date: 15.MAR.2022 16:35:06

|           |                           |
|-----------|---------------------------|
| Test Mode | UNII-2A_TX AC(VHT20) Mode |
|-----------|---------------------------|


| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 52      | 5260            | 5.73                             | 0.78        | 6.51                                           | 11.00                | Complies |
| 60      | 5300            | 5.95                             | 0.78        | 6.73                                           | 11.00                | Complies |
| 64      | 5320            | 6.06                             | 0.78        | 6.84                                           | 11.00                | Complies |



Date: 18.MAR.2022 14:22:37



Date: 18.MAR.2022 14:23:05




Date: 18.MAR.2022 14:23:27

|           |                           |
|-----------|---------------------------|
| Test Mode | UNII-2A_TX AC(VHT40) Mode |
|-----------|---------------------------|


| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 54      | 5270            | 3.66                             | 0.80        | 4.46                                           | 11.00                | Complies |
| 62      | 5310            | 3.70                             | 0.80        | 4.50                                           | 11.00                | Complies |

CH54



Date: 18.MAR.2022 14:46:09

CH62




Date: 18.MAR.2022 14:47:49

|           |                           |
|-----------|---------------------------|
| Test Mode | UNII-2A_TX AC(VHT80) Mode |
|-----------|---------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 58      | 5290            | 0.66                             | 0.82        | 1.48                                           | 11.00                | Complies |


CH58



Date: 18.MAR.2022 15:02:50


|           |                   |
|-----------|-------------------|
| Test Mode | UNII-2C_TX A Mode |
|-----------|-------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 100     | 5500            | 6.34                             | 0.59        | 6.93                                           | 11.00                | Complies |
| 116     | 5580            | 6.38                             | 0.59        | 6.97                                           | 11.00                | Complies |
| 140     | 5700            | 5.66                             | 0.59        | 6.25                                           | 11.00                | Complies |




|           |                           |
|-----------|---------------------------|
| Test Mode | UNII-2C_TX AC(VHT20) Mode |
|-----------|---------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 100     | 5500            | 6.37                             | 0.78        | 7.15                                           | 11.00                | Complies |
| 116     | 5580            | 6.32                             | 0.78        | 7.10                                           | 11.00                | Complies |
| 140     | 5700            | 6.04                             | 0.78        | 6.82                                           | 11.00                | Complies |




|           |                           |
|-----------|---------------------------|
| Test Mode | UNII-2C_TX AC(VHT40) Mode |
|-----------|---------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 102     | 5510            | 4.24                             | 0.80        | 5.04                                           | 11.00                | Complies |
| 110     | 5550            | 3.46                             | 0.80        | 4.26                                           | 11.00                | Complies |
| 134     | 5670            | 3.52                             | 0.80        | 4.32                                           | 11.00                | Complies |



|           |                           |
|-----------|---------------------------|
| Test Mode | UNII-2C_TX AC(VHT80) Mode |
|-----------|---------------------------|


| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 106     | 5530            | 1.32                             | 0.82        | 2.14                                           | 11.00                | Complies |
| 122     | 5610            | 1.13                             | 0.82        | 1.95                                           | 11.00                | Complies |



Test Mode UNII-3\_TX A Mode


| Channel | Frequency (MHz) | Power Spectral Density (dBm/500 kHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/500 kHz) | Max. Limit (dBm/500 kHz) | Result   |
|---------|-----------------|--------------------------------------|-------------|----------------------------------------------------|--------------------------|----------|
| 149     | 5745            | 4.29                                 | 0.59        | 4.88                                               | 30.00                    | Complies |
| 157     | 5785            | 4.07                                 | 0.59        | 4.66                                               | 30.00                    | Complies |
| 165     | 5825            | 4.52                                 | 0.59        | 5.11                                               | 30.00                    | Complies |

CH149




Date: 15.MAR.2022 16:38:09

CH157



Date: 15.MAR.2022 16:39:02

CH165




Date: 15.MAR.2022 16:39:22

Test Mode UNII-3\_TX AC(VHT20) Mode


| Channel | Frequency (MHz) | Power Spectral Density (dBm/500 kHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/500 kHz) | Max. Limit (dBm/500 kHz) | Result   |
|---------|-----------------|--------------------------------------|-------------|----------------------------------------------------|--------------------------|----------|
| 149     | 5745            | 5.12                                 | 0.78        | 5.90                                               | 30.00                    | Complies |
| 157     | 5785            | 4.38                                 | 0.78        | 5.16                                               | 30.00                    | Complies |
| 165     | 5825            | 4.40                                 | 0.78        | 5.18                                               | 30.00                    | Complies |

CH149




Date: 18.MAR.2022 14:25:12

CH157



Date: 18.MAR.2022 14:25:34

CH165




Date: 18.MAR.2022 14:25:58

|           |                          |
|-----------|--------------------------|
| Test Mode | UNII-3_TX AC(VHT40) Mode |
|-----------|--------------------------|


| Channel | Frequency (MHz) | Power Spectral Density (dBm/500 kHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/500 kHz) | Max. Limit (dBm/500 kHz) | Result   |
|---------|-----------------|--------------------------------------|-------------|----------------------------------------------------|--------------------------|----------|
| 151     | 5755            | 1.86                                 | 0.80        | 2.66                                               | 30.00                    | Complies |
| 159     | 5795            | 1.32                                 | 0.80        | 2.12                                               | 30.00                    | Complies |

CH151



Date: 18.MAR.2022 14:54:18

CH159




Date: 18.MAR.2022 14:55:51

|           |                          |
|-----------|--------------------------|
| Test Mode | UNII-3_TX AC(VHT80) Mode |
|-----------|--------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/500 kHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/500 kHz) | Max. Limit (dBm/500 kHz) | Result   |
|---------|-----------------|--------------------------------------|-------------|----------------------------------------------------|--------------------------|----------|
| 155     | 5775            | -1.32                                | 0.82        | -0.50                                              | 30.00                    | Complies |

CH155



Date: 18.MAR.2022 15:08:36

## APPENDIX H - FREQUENCY STABILITY

|           |        |
|-----------|--------|
| Test Mode | UNII-1 |
|-----------|--------|

### Voltage vs. Frequency Stability

| Voltage (V)             | Measurement Frequency (MHz) |
|-------------------------|-----------------------------|
| Center Frequency        | 5180.0000                   |
| 4.2                     | 5179.9892                   |
| 3.8                     | 5179.9872                   |
| 3.5                     | 5179.9856                   |
| Maximum Deviation (MHz) | 0.0144                      |
| Maximum Deviation (ppm) | 2.7799                      |

### Temperature vs. Frequency Stability

| Temperature (°C)        | Measurement Frequency (MHz) |
|-------------------------|-----------------------------|
| Center Frequency        | 5180.0000                   |
| -30                     | 5179.9836                   |
| -20                     | 5179.9832                   |
| -10                     | 5179.9828                   |
| 0                       | 5179.9820                   |
| 10                      | 5179.9812                   |
| 20                      | 5179.9808                   |
| 30                      | 5179.9804                   |
| 40                      | 5179.9796                   |
| 50                      | 5179.9796                   |
| 60                      | 5179.9792                   |
| 70                      | 5179.9784                   |
| 75                      | 5179.9848                   |
| Maximum Deviation (MHz) | 0.0216                      |
| Maximum Deviation (ppm) | 4.1699                      |

|           |         |
|-----------|---------|
| Test Mode | UNII-2A |
|-----------|---------|

### Voltage vs. Frequency Stability

| Voltage (V)             | Measurement Frequency (MHz) |
|-------------------------|-----------------------------|
| Center Frequency        | 5260.0000                   |
| 4.2                     | 5259.9788                   |
| 3.8                     | 5259.9780                   |
| 3.5                     | 5259.9772                   |
| Maximum Deviation (MHz) | 0.0228                      |
| Maximum Deviation (ppm) | 4.3346                      |

### Temperature vs. Frequency Stability

| Temperature (°C)        | Measurement Frequency (MHz) |
|-------------------------|-----------------------------|
| Center Frequency        | 5260.0000                   |
| -30                     | 5259.9768                   |
| -20                     | 5259.9764                   |
| -10                     | 5259.9760                   |
| 0                       | 5259.9760                   |
| 10                      | 5259.9756                   |
| 20                      | 5259.9756                   |
| 30                      | 5259.9752                   |
| 40                      | 5259.9752                   |
| 50                      | 5259.9752                   |
| 60                      | 5259.9748                   |
| 70                      | 5259.9744                   |
| 75                      | 5259.9768                   |
| Maximum Deviation (MHz) | 0.0256                      |
| Maximum Deviation (ppm) | 4.8669                      |

|           |         |
|-----------|---------|
| Test Mode | UNII-2C |
|-----------|---------|

### Voltage vs. Frequency Stability

| Voltage (V)             | Measurement Frequency (MHz) |
|-------------------------|-----------------------------|
| Center Frequency        | 5500.0000                   |
| 4.2                     | 5499.9732                   |
| 3.8                     | 5499.9732                   |
| 3.5                     | 5499.9728                   |
| Maximum Deviation (MHz) | 0.0272                      |
| Maximum Deviation (ppm) | 4.9455                      |

### Temperature vs. Frequency Stability

| Temperature (°C)        | Measurement Frequency (MHz) |
|-------------------------|-----------------------------|
| Center Frequency        | 5500.0000                   |
| -30                     | 5499.9724                   |
| -20                     | 5499.9724                   |
| -10                     | 5499.9724                   |
| 0                       | 5499.9724                   |
| 10                      | 5499.9720                   |
| 20                      | 5499.9720                   |
| 30                      | 5499.9720                   |
| 40                      | 5499.9696                   |
| 50                      | 5499.9696                   |
| 60                      | 5499.9696                   |
| 70                      | 5499.9696                   |
| 75                      | 5499.9728                   |
| Maximum Deviation (MHz) | 0.0304                      |
| Maximum Deviation (ppm) | 5.5273                      |

|           |        |
|-----------|--------|
| Test Mode | UNII-3 |
|-----------|--------|

### Voltage vs. Frequency Stability

| Voltage (V)             | Measurement Frequency (MHz) |
|-------------------------|-----------------------------|
| Center Frequency        | 5745.0000                   |
| 4.2                     | 5744.9684                   |
| 3.8                     | 5744.9680                   |
| 3.5                     | 5744.9680                   |
| Maximum Deviation (MHz) | 0.0320                      |
| Maximum Deviation (ppm) | 5.5701                      |

### Temperature vs. Frequency Stability

| Temperature (°C)        | Measurement Frequency (MHz) |
|-------------------------|-----------------------------|
| Center Frequency        | 5745.0000                   |
| -30                     | 5744.9680                   |
| -20                     | 5744.9680                   |
| -10                     | 5744.9680                   |
| 0                       | 5744.9680                   |
| 10                      | 5744.9680                   |
| 20                      | 5744.9680                   |
| 30                      | 5744.9680                   |
| 40                      | 5744.9684                   |
| 50                      | 5744.9684                   |
| 60                      | 5744.9684                   |
| 70                      | 5744.9684                   |
| 75                      | 5744.9680                   |
| Maximum Deviation (MHz) | 0.0320                      |
| Maximum Deviation (ppm) | 5.5701                      |

End of Test Report