





EXHIBIT C - EUT INTERNAL PHOTOGRAPHS

EUT



Host Internal Photos






WWAN Antenna




GPS Antenna



LTE AUX Antenna



RFID Antenna



A close-up photograph of a black plastic component, possibly a camera lens or sensor cover, resting on a blue textured surface. The component features a green circuit board with gold markings, including a large arrow pointing right and the text "DX8000 S V100". A white label on the component reads "MAXUM DX8000-WIFI-AVT" and "K2039".

ingenico
Rechargeable Li-ion Battery

Model: LGD006
Nominal Voltage: 7.2 V DC
Typical Capacity: 3400mAh@24.48Wh
Max. Discharge Current: 1.5A
Charge Voltage: 8.4V DC
MFD: 2820.08.21

You are advised to replace the battery every 2 years.

CAUTION:

- *Use only the approved charger.
- *Do not expose the battery to temperatures above 60 °C (140 °F).
- *Do not short circuit or damage or modify the battery.
- *Keep the battery far away from the fire or liquid.
- *Please dispose or deal with this item as "e-waste".
- *This product has been tested according to CE mark requirements.


Recycle Symbol (♻)
RoHS Compliant (P)
WEEE Symbol (W)

Input Power Cable

CE, RoHS, WEEE symbols

QR Code

Barcode



Battery #2(manufacturer: Ganfeng)

