





Plot 7-191. Occupied Bandwidth Plot (n25 15MHz BPSK-DFT-s-OFDM - Full RB Configuration)



Plot 7-192. Occupied Bandwidth Plot (n25 15MHz QPSK-CP-OFDM - Full RB Configuration)

FCC ID: ZNFG900TM	Proud to be part of @ element	MEASUREMENT REPORT (CERTIFICATION) LG	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 116 of 509
1M2005180086-03.ZNF	05/29 - 07/16/2020	Portable Handset	1 age 110 01 303






Plot 7-193. Occupied Bandwidth Plot (n25 15MHz 16QAM-CP-OFDM - Full RB Configuration)



Plot 7-194. Occupied Bandwidth Plot (n25 15MHz 64QAM-CP-OFDM-Full RB Configuration)

FCC ID: ZNFG900TM	Proud to be part of @ element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 117 of 509
1M2005180086-03.ZNF	05/29 - 07/16/2020	Portable Handset	1 age 117 01309






Plot 7-195. Occupied Bandwidth Plot (n25 15MHz 256QAM-CP-OFDM- Full RB Configuration)



Plot 7-196. Occupied Bandwidth Plot (n25 20MHz BPSK-DFT-s-OFDM - Full RB Configuration)

FCC ID: ZNFG900TM	Proud to be part of @ element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 118 of 509
1M2005180086-03.ZNF	05/29 - 07/16/2020	Portable Handset	1 age 110 01 309





Plot 7-197. Occupied Bandwidth Plot (n25 20MHz QPSK-CP-OFDM - Full RB Configuration)



Plot 7-198. Occupied Bandwidth Plot (n25 20MHz 16QAM-CP-OFDM - Full RB Configuration)

FCC ID: ZNFG900TM	Proud to be part of @ element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 119 of 509
1M2005180086-03.ZNF	05/29 - 07/16/2020	Portable Handset	rage 119 01 309
© 0000 DOTEOT		·	1/0 0 00/04/0040





Plot 7-199. Occupied Bandwidth Plot (n25 20MHz 64QAM-CP-OFDM- Full RB Configuration)




Plot 7-200. Occupied Bandwidth Plot (n25 20MHz 256QAM-CP-OFDM- Full RB Configuration)

FCC ID: ZNFG900TM	Proud to be part of @ element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 120 of 509
1M2005180086-03.ZNF	05/29 - 07/16/2020	Portable Handset	1 age 120 01 309





Plot 7-201. Occupied Bandwidth Plot (n25 25MHz BPSK-DFT-s-OFDM - Full RB Configuration)



Plot 7-202. Occupied Bandwidth Plot (n25 25MHz QPSK-CP-OFDM - Full RB Configuration)

FCC ID: ZNFG900TM	Proud to be part of @ element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 121 of 509
1M2005180086-03.ZNF	05/29 - 07/16/2020	Portable Handset	1 age 121 01 309





Plot 7-203. Occupied Bandwidth Plot (n25 25MHz 16QAM-CP-OFDM - Full RB Configuration)



Plot 7-204. Occupied Bandwidth Plot (n25 25MHz 64QAM-CP-OFDM-Full RB Configuration)

FCC ID: ZNFG900TM	Proud to be part of @ element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 122 of 509
1M2005180086-03.ZNF	05/29 - 07/16/2020	Portable Handset	1 age 122 01 309





Plot 7-205. Occupied Bandwidth Plot (n25 25MHz 256QAM-CP-OFDM- Full RB Configuration)



Plot 7-206. Occupied Bandwidth Plot (n25 30MHz BPSK-DFT-s-OFDM - Full RB Configuration)

FCC ID: ZNFG900TM	Proud to be part of @ element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 123 of 509
1M2005180086-03.ZNF	05/29 - 07/16/2020	Portable Handset	1 age 123 01 309





Plot 7-207. Occupied Bandwidth Plot (n25 30MHz QPSK-CP-OFDM - Full RB Configuration)



Plot 7-208. Occupied Bandwidth Plot (n25 30MHz 16QAM-CP-OFDM - Full RB Configuration)

FCC ID: ZNFG900TM	Proud to be part of @ element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 124 of 509
1M2005180086-03.ZNF	05/29 - 07/16/2020	Portable Handset	1 age 12+01309





Plot 7-209. Occupied Bandwidth Plot (n25 30MHz 64QAM-CP-OFDM- Full RB Configuration)



Plot 7-210. Occupied Bandwidth Plot (n25 30MHz 256QAM-CP-OFDM- Full RB Configuration)

FCC ID: ZNFG900TM	Proud to be part of @ element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 125 of 509
1M2005180086-03.ZNF	05/29 - 07/16/2020	Portable Handset	1 age 123 01 309





Plot 7-211. Occupied Bandwidth Plot (n25 30MHz BPSK-DFT-s-OFDM - Full RB Configuration)



Plot 7-212. Occupied Bandwidth Plot (n25 40MHz QPSK-CP-OFDM - Full RB Configuration)

FCC ID: ZNFG900TM	Proud to be part of @ element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 126 of 509
1M2005180086-03.ZNF	05/29 - 07/16/2020	Portable Handset	1 age 120 01 309





Plot 7-213. Occupied Bandwidth Plot (n25 40MHz 16QAM-CP-OFDM - Full RB Configuration)



Plot 7-214. Occupied Bandwidth Plot (n25 40MHz 64QAM-CP-OFDM- Full RB Configuration)

FCC ID: ZNFG900TM	Proud to be part of @ element	MEASUREMENT REPORT (CERTIFICATION) LG	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 127 of 500
1M2005180086-03.ZNF	05/29 - 07/16/2020	Portable Handset	Page 127 of 509





Plot 7-215. Occupied Bandwidth Plot (n25 40MHz 256QAM-CP-OFDM- Full RB Configuration)


FCC ID: ZNFG900TM	Proud to be part of @ element	MEASUREMENT REPORT (CERTIFICATION)	(LG	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:		Page 128 of 509
1M2005180086-03.ZNF	05/29 - 07/16/2020	Portable Handset		1 age 120 01 309



Band 41



Plot 7-216. Occupied Bandwidth Plot (Band 41 - 5.0MHz QPSK - Full RB Configuration)



Plot 7-217. Occupied Bandwidth Plot (Band 41 - 5.0MHz 16-QAM - Full RB Configuration)

FCC ID: ZNFG900TM	Proud to be part of @ element	MEASUREMENT REPORT (CERTIFICATION) LG	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 129 of 509
1M2005180086-03.ZNF	05/29 - 07/16/2020	Portable Handset	1 age 123 01 309






Plot 7-218. Occupied Bandwidth Plot (Band 41 - 5.0MHz 64-QAM - Full RB Configuration)



Plot 7-219. Occupied Bandwidth Plot (Band 41 - 10.0MHz QPSK - Full RB Configuration)

FCC ID: ZNFG900TM	Proud to be part of @ element	MEASUREMENT REPORT (CERTIFICATION) LG	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 130 of 509
1M2005180086-03.ZNF	05/29 - 07/16/2020	Portable Handset	1 age 130 01 309






Plot 7-220. Occupied Bandwidth Plot (Band 41 - 10.0MHz 16-QAM - Full RB Configuration)




Plot 7-221. Occupied Bandwidth Plot (Band 41 - 10.0MHz 64-QAM - Full RB Configuration)

FCC ID: ZNFG900TM	Proud to be part of @ element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 131 of 509
1M2005180086-03.ZNF	05/29 - 07/16/2020	Portable Handset	Fage 131 01 309
© 0000 DOTEOT		·	1/0 0 00/04/0040






Plot 7-222. Occupied Bandwidth Plot (Band 41 - 15.0MHz QPSK - Full RB Configuration)



Plot 7-223. Occupied Bandwidth Plot (Band 41 - 15.0MHz 16-QAM - Full RB Configuration)

FCC ID: ZNFG900TM	Proud to be part of @ element	MEASUREMENT REPORT (CERTIFICATION) LG	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 132 of 509
1M2005180086-03.ZNF	05/29 - 07/16/2020	Portable Handset	Fage 132 01 309
A AAAAA BATEAT		•	1/0 0 00/04/0040





Plot 7-224. Occupied Bandwidth Plot (Band 41 - 15.0MHz 64-QAM - Full RB Configuration)



Plot 7-225. Occupied Bandwidth Plot (Band 41 - 20.0MHz QPSK - Full RB Configuration)

FCC ID: ZNFG900TM	Proud to be part of @ element	MEASUREMENT REPORT (CERTIFICATION) LG	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 133 of 509
1M2005180086-03.ZNF	05/29 - 07/16/2020	Portable Handset	1 age 100 01 009





Plot 7-226. Occupied Bandwidth Plot (Band 41 - 20.0MHz 16-QAM - Full RB Configuration)



Plot 7-227. Occupied Bandwidth Plot (Band 41 - 20.0MHz 64-QAM - Full RB Configuration)

FCC ID: ZNFG900TM	Proud to be part of @ element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 134 of 509
1M2005180086-03.ZNF	05/29 - 07/16/2020	Portable Handset	1 age 134 01 309



NR Band n41



Plot 7-228. Occupied Bandwidth Plot (n41 20MHz BPSK-DFT-s-OFDM - Full RB Configuration)




Plot 7-229. Occupied Bandwidth Plot (n41 20MHz QPSK-CP-OFDM - Full RB Configuration)

FCC ID: ZNFG900TM	Proud to be part of @ element	MEASUREMENT REPORT (CERTIFICATION) LG	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 135 of 509
1M2005180086-03.ZNF	05/29 - 07/16/2020	Portable Handset	Fage 133 01 309
© 0000 DOTEOT			V/ 0 0 00/04/0040

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from PCTEST. If you have any questions about this international copyright or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact INFO@PCTEST.COM.





Plot 7-230. Occupied Bandwidth Plot (n41 20MHz 16QAM-CP-OFDM - Full RB Configuration)



Plot 7-231. Occupied Bandwidth Plot (n41 20MHz 64QAM-CP-OFDM- Full RB Configuration)

FCC ID: ZNFG900TM	Proud to be part of @ element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 136 of 509
1M2005180086-03.ZNF	05/29 - 07/16/2020	Portable Handset	1 age 130 01 309





Plot 7-232. Occupied Bandwidth Plot (n41 20MHz 256QAM-CP-OFDM- Full RB Configuration)



Plot 7-233. Occupied Bandwidth Plot (n41 40MHz BPSK-DFT-s-OFDM - Full RB Configuration)

FCC ID: ZNFG900TM	Proud to be part of @ element	MEASUREMENT REPORT (CERTIFICATION) LG	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 137 of 509
1M2005180086-03.ZNF	05/29 - 07/16/2020	Portable Handset	1 age 137 01309





Plot 7-234. Occupied Bandwidth Plot (n41 40MHz QPSK-CP-OFDM - Full RB Configuration)



Plot 7-235. Occupied Bandwidth Plot (n41 40MHz 16QAM-CP-OFDM - Full RB Configuration)

FCC ID: ZNFG900TM	Proud to be part of @ element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 138 of 509
1M2005180086-03.ZNF	05/29 - 07/16/2020	Portable Handset	1 age 130 01 309





Plot 7-236. Occupied Bandwidth Plot (n41 40MHz 64QAM-CP-OFDM- Full RB Configuration)



Plot 7-237. Occupied Bandwidth Plot (n41 40MHz 256QAM-CP-OFDM- Full RB Configuration)

FCC ID: ZNFG900TM	Proud to be part of @ element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 139 of 509
1M2005180086-03.ZNF	05/29 - 07/16/2020	Portable Handset	1 age 103 01 309





Plot 7-238. Occupied Bandwidth Plot (n41 50MHz BPSK-DFT-s-OFDM - Full RB Configuration)



Plot 7-239. Occupied Bandwidth Plot (n41 50MHz QPSK-CP-OFDM - Full RB Configuration)

FCC ID: ZNFG900TM	Proud to be part of @ element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 140 of 509
1M2005180086-03.ZNF	05/29 - 07/16/2020	Portable Handset	1 age 140 01 309





Plot 7-240. Occupied Bandwidth Plot (n41 50MHz 16QAM-CP-OFDM - Full RB Configuration)



Plot 7-241. Occupied Bandwidth Plot (n41 50MHz 64QAM-CP-OFDM- Full RB Configuration)

FCC ID: ZNFG900TM	Proud to be part of @ element	MEASUREMENT REPORT (CERTIFICATION) LG	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 141 of 509
1M2005180086-03.ZNF	05/29 - 07/16/2020	Portable Handset	1 age 141 01 303





Plot 7-242. Occupied Bandwidth Plot (n41 50MHz 256QAM-CP-OFDM- Full RB Configuration)



Plot 7-243. Occupied Bandwidth Plot (n41 60MHz BPSK-DFT-s-OFDM - Full RB Configuration)

FCC ID: ZNFG900TM	Proud to be part of @ element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 142 of 509
1M2005180086-03.ZNF	05/29 - 07/16/2020	Portable Handset	1 age 142 01 309





Plot 7-244. Occupied Bandwidth Plot (n41 60MHz QPSK-CP-OFDM - Full RB Configuration)



Plot 7-245. Occupied Bandwidth Plot (n41 60MHz 16QAM-CP-OFDM - Full RB Configuration)

FCC ID: ZNFG900TM	Proud to be part of @ element	MEASUREMENT REPORT (CERTIFICATION) LG	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 143 of 509
1M2005180086-03.ZNF	05/29 - 07/16/2020	Portable Handset	1 age 143 01 309






Plot 7-246. Occupied Bandwidth Plot (n41 60MHz 64QAM-CP-OFDM- Full RB Configuration)




Plot 7-247. Occupied Bandwidth Plot (n41 60MHz 256QAM-CP-OFDM- Full RB Configuration)

FCC ID: ZNFG900TM	Proud to be part of @ element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 144 of 509
1M2005180086-03.ZNF	05/29 - 07/16/2020	Portable Handset	1 age 144 01 309





Plot 7-248. Occupied Bandwidth Plot (n41 80MHz BPSK-DFT-s-OFDM - Full RB Configuration)



Plot 7-249. Occupied Bandwidth Plot (n41 80MHz QPSK-CP-OFDM - Full RB Configuration)

FCC ID: ZNFG900TM	Proud to be part of @ element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 145 of 509
1M2005180086-03.ZNF	05/29 - 07/16/2020	Portable Handset	1 age 143 01 309





Plot 7-250. Occupied Bandwidth Plot (n41 80MHz 16QAM-CP-OFDM - Full RB Configuration)



Plot 7-251. Occupied Bandwidth Plot (n41 80MHz 64QAM-CP-OFDM- Full RB Configuration)

FCC ID: ZNFG900TM	Proud to be part of @ element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 146 of 509
1M2005180086-03.ZNF	05/29 - 07/16/2020	Portable Handset	1 age 140 01 309





Plot 7-252. Occupied Bandwidth Plot (n41 80MHz 256QAM-CP-OFDM- Full RB Configuration)



Plot 7-253. Occupied Bandwidth Plot (n41 90MHz BPSK-DFT-s-OFDM - Full RB Configuration)

FCC ID: ZNFG900TM	Proud to be part of @ element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 147 of 509
1M2005180086-03.ZNF	05/29 - 07/16/2020	Portable Handset	1 age 147 01 309





Plot 7-254. Occupied Bandwidth Plot (n41 90MHz QPSK-CP-OFDM - Full RB Configuration)



Plot 7-255. Occupied Bandwidth Plot (n41 90MHz 16QAM-CP-OFDM - Full RB Configuration)

FCC ID: ZNFG900TM	Proud to be part of @ element	MEASUREMENT REPORT (CERTIFICATION) LG	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 148 of 509
1M2005180086-03.ZNF	05/29 - 07/16/2020	Portable Handset	1 age 140 01 309






Plot 7-256. Occupied Bandwidth Plot (n41 90MHz 64QAM-CP-OFDM- Full RB Configuration)



Plot 7-257. Occupied Bandwidth Plot (n41 90MHz 256QAM-CP-OFDM- Full RB Configuration)

FCC ID: ZNFG900TM	Proud to be part of @ element	MEASUREMENT REPORT (CERTIFICATION) LG	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 149 of 509
1M2005180086-03.ZNF	05/29 - 07/16/2020	Portable Handset	1 age 149 01 309





Plot 7-258. Occupied Bandwidth Plot (n41 100MHz BPSK-DFT-s-OFDM - Full RB Configuration)



Plot 7-259. Occupied Bandwidth Plot (n41 100MHz QPSK-CP-OFDM - Full RB Configuration)

FCC ID: ZNFG900TM	Proud to be part of @ element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 150 of 509
1M2005180086-03.ZNF	05/29 - 07/16/2020	Portable Handset	1 age 130 01 309





Plot 7-260. Occupied Bandwidth Plot (n41 100MHz 16QAM-CP-OFDM - Full RB Configuration)



Plot 7-261. Occupied Bandwidth Plot (n41 100MHz 64QAM-CP-OFDM- Full RB Configuration)

FCC ID: ZNFG900TM	Proud to be part of @ element	MEASUREMENT REPORT (CERTIFICATION) LG	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 151 of 509
1M2005180086-03.ZNF	05/29 - 07/16/2020	Portable Handset	1 age 131 01 309





Plot 7-262. Occupied Bandwidth Plot (n41 100MHz 256QAM-CP-OFDM- Full RB Configuration)

FCC ID: ZNFG900TM	Proud to be part of @ element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 152 of 509
1M2005180086-03.ZNF	05/29 - 07/16/2020	Portable Handset	Fage 132 01 309
© 0000 DOTEOT		·	1/0 0 00/04/0040



7.3 Spurious and Harmonic Emissions at Antenna Terminal

Test Overview

The level of the carrier and the various conducted spurious and harmonic frequencies is measured by means of a calibrated spectrum analyzer. The spectrum is scanned from the lowest frequency generated in the equipment up to a frequency including its 10th harmonic. All out of band emissions are measured with a spectrum analyzer connected to the antenna terminal of the EUT while the EUT is operating at its maximum duty cycle, at maximum power, and at the appropriate frequencies. All data rates were investigated to determine the worst case configuration. All modes of operation were investigated and the worst case configuration results are reported in this section.

The minimum permissible attenuation level of any spurious emission is 43 + 10 $log_{10}(P_{[Watts]})$, where P is the transmitter power in Watts.

For Band 41, the minimum permissible attenuation level of any spurious emission is $55 + 10 \log_{10}(P_{[Watts]})$.

Test Procedure Used

KDB 971168 D01 v03r01 - Section 6.0

Test Settings

- 1. Start frequency was set to 30MHz and stop frequency was set to at least 10 * the fundamental frequency (separated into at least two plots per channel)
- 2. Detector = RMS
- 3. Trace mode = trace average for continuous emissions, max hold for pulse emissions
- 4. Sweep time = auto couple
- 5. The trace was allowed to stabilize
- 6. Please see test notes below for RBW and VBW settings

Test Setup

The EUT and measurement equipment were set up as shown in the diagram below.



Figure 7-2. Test Instrument & Measurement Setup

Test Notes

Compliance with the applicable limits is based on the use of measurement instrumentation employing a resolution bandwidth of 100 kHz or greater for frequencies less than 1 GHz and 1 MHz or greater for frequencies greater than 1 GHz. However, in the 1 MHz bands immediately outside and adjacent to the frequency block a resolution bandwidth of at least one percent of the emission bandwidth of the fundamental emission of the transmitter may be employed. The emission bandwidth is defined as the width of the signal between two points, one below the carrier center frequency and one above the carrier center frequency, outside of which all emission are attenuated at least 26 dB below the transmitter power.


FCC ID: ZNFG900TM	Proud to be part of @ element	MEASUREMENT REPORT (CERTIFICATION)	LG	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:		Page 153 of 509
1M2005180086-03.ZNF	05/29 - 07/16/2020	Portable Handset		rage 155 01 509
© 2020 PCTEST				V 9.0 02/01/2019



Band 71



Plot 7-263. Conducted Spurious Plot (Band 71 - 20.0MHz QPSK - RB Size 1, RB Offset 0 - Low Channel)




Plot 7-264. Conducted Spurious Plot (Band 71 - 20.0MHz QPSK - RB Size 1, RB Offset 0 - Low Channel)

FCC ID: ZNFG900TM	Proud to be part of @ element	MEASUREMENT REPORT (CERTIFICATION)	LG	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:		Page 154 of 509
1M2005180086-03.ZNF	05/29 - 07/16/2020	Portable Handset		Fage 154 01 509
© 2020 PCTEST				V 9.0 02/01/2019






Plot 7-265. Conducted Spurious Plot (Band 71 - 20.0MHz QPSK - RB Size 1, RB Offset 0 - Low Channel)



Plot 7-266. Conducted Spurious Plot (Band 71 - 20.0MHz QPSK - RB Size 1, RB Offset 0 - Mid Channel)

FCC ID: ZNFG900TM	Proud to be part of @ element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 155 of 509
1M2005180086-03.ZNF	05/29 - 07/16/2020	Portable Handset	1 age 100 01 009






Plot 7-267. Conducted Spurious Plot (Band 71 - 20.0MHz QPSK - RB Size 1, RB Offset 0 - Mid Channel)




Plot 7-268. Conducted Spurious Plot (Band 71 - 20.0MHz QPSK - RB Size 1, RB Offset 0 - Mid Channel)

FCC ID: ZNFG900TM	Proud to be part of @ element	MEASUREMENT REPORT (CERTIFICATION) LG	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 156 of 509
1M2005180086-03.ZNF	05/29 - 07/16/2020	Portable Handset	1 age 150 01 505





Plot 7-269. Conducted Spurious Plot (Band 71 - 20.0MHz QPSK - RB Size 1, RB Offset 0 - High Channel)



Plot 7-270. Conducted Spurious Plot (Band 71 - 20.0MHz QPSK - RB Size 1, RB Offset 0 - High Channel)

FCC ID: ZNFG900TM	Proud to be part of @ element	MEASUREMENT REPORT (CERTIFICATION) LG	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 157 of 509
1M2005180086-03.ZNF	05/29 - 07/16/2020	Portable Handset	1 age 107 01 303





Plot 7-271. Conducted Spurious Plot (Band 71 - 20.0MHz QPSK - RB Size 1, RB Offset 0 - High Channel)


FCC ID: ZNFG900TM	Proud to be part of @ element	MEASUREMENT REPORT (CERTIFICATION) LG	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 158 of 509
1M2005180086-03.ZNF	05/29 - 07/16/2020	Portable Handset	1 age 130 01 309



NR Band n71



Plot 7-272. Conducted Spurious Plot (n71 - 20MHz DFT-s-OFDM-QPSK - RB Size 1, RB Offset 1 - Low Channel)



Plot 7-273. Conducted Spurious Plot (n71 - 20MHz DFT-s-OFDM-QPSK - RB Size 1, RB Offset 1 - Low Channel)

FCC ID: ZNFG900TM	Proud to be part of @ element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 159 of 509
1M2005180086-03.ZNF	05/29 - 07/16/2020	Portable Handset	1 age 139 01 309






Plot 7-274. Conducted Spurious Plot (n71 - 20MHz DFT-s-OFDM-QPSK - RB Size 1, RB Offset 1 - Low Channel)



Plot 7-275. Conducted Spurious Plot (n71 - 20MHz DFT-s-OFDM-QPSK - RB Size 1, RB Offset 1 - Mid Channel)

FCC ID: ZNFG900TM	Proud to be part of @ element	MEASUREMENT REPORT (CERTIFICATION) LG	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 160 of 509
1M2005180086-03.ZNF	05/29 - 07/16/2020	Portable Handset	1 age 100 01 303






Plot 7-276. Conducted Spurious Plot (n71 - 20MHz DFT-s-OFDM-QPSK - RB Size 1, RB Offset 1 - Mid Channel)




Plot 7-277. Conducted Spurious Plot (n71 - 20MHz DFT-s-OFDM-QPSK - RB Size 1, RB Offset 1 - Mid Channel)

FCC ID: ZNFG900TM	Proud to be part of @ element	MEASUREMENT REPORT (CERTIFICATION) LG	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 161 of 509
1M2005180086-03.ZNF	05/29 - 07/16/2020	Portable Handset	1 age 101 01 303





Plot 7-278. Conducted Spurious Plot (n71 - 20MHz DFT-s-OFDM-QPSK - RB Size 1, RB Offset 1 - High Channel)



Plot 7-279. Conducted Spurious Plot (n71 - 20MHz DFT-s-OFDM-QPSK - RB Size 1, RB Offset 1 - High Channel)

FCC ID: ZNFG900TM	Proud to be part of @ element	MEASUREMENT REPORT (CERTIFICATION) LG	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 162 of 509
1M2005180086-03.ZNF	05/29 - 07/16/2020	Portable Handset	1 age 102 01 303






Plot 7-280. Conducted Spurious Plot (n71 - 20MHz DFT-s-OFDM-QPSK - RB Size 1, RB Offset 1 - High Channel)


FCC ID: ZNFG900TM	Proud to be part of @ element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 163 of 509
1M2005180086-03.ZNF	05/29 - 07/16/2020	Portable Handset	Fage 103 01 309
© 0000 DOTEOT		·	1/0 0 00/04/0040



Band 12/17



Plot 7-281. Conducted Spurious Plot (Band 12/17 - 10.0MHz QPSK - RB Size 1, RB Offset 0 - Low Channel)




Plot 7-282. Conducted Spurious Plot (Band 12/17 - 10.0MHz QPSK - RB Size 1, RB Offset 0 - Low Channel)

FCC ID: ZNFG900TM	Proud to be part of @ element	MEASUREMENT REPORT (CERTIFICATION) LG	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 164 of 509
1M2005180086-03.ZNF	05/29 - 07/16/2020	Portable Handset	1 age 10+01309






Plot 7-283. Conducted Spurious Plot (Band 12/17 - 10.0MHz QPSK - RB Size 1, RB Offset 0 - Low Channel)



Plot 7-284. Conducted Spurious Plot (Band 12/17 - 10.0MHz QPSK - RB Size 1, RB Offset 0 - Mid Channel)

FCC ID: ZNFG900TM	Proud to be part of @ element	MEASUREMENT REPORT (CERTIFICATION) LG	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 165 of 509
1M2005180086-03.ZNF	05/29 - 07/16/2020	Portable Handset	1 age 105 01 509





Plot 7-285. Conducted Spurious Plot (Band 12/17 - 10.0MHz QPSK - RB Size 1, RB Offset 0 - Mid Channel)



Plot 7-286. Conducted Spurious Plot (Band 12/17 - 10.0MHz QPSK - RB Size 1, RB Offset 0 - Mid Channel)

FCC ID: ZNFG900TM	Proud to be part of @ element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 166 of 509
1M2005180086-03.ZNF	05/29 - 07/16/2020	Portable Handset	Fage 100 01 309
© 0000 DOTEOT		·	1/0 0 00/04/0040