



Plot 7-680. PAR Plot (Band n25 - 25.0MHz 256-QAM - Full RB Configuration)




Plot 7-681. PAR Plot (Band n25 - 30.0MHz BPSK - Full RB Configuration)

| | | | | |
|---|---|---------------------------------------|---|---------------------------------|
| FCC ID: ZNFG900TM |  | MEASUREMENT REPORT (CERTIFICATION) |  | Approved by: Quality Manager |
| Test Report S/N: 1M2005180086-03.ZNF | Test Dates: 05/29 - 07/16/2020 | EUT Type: Portable Handset | | Page 373 of 509 |




Plot 7-682. PAR Plot (Band n25 - 30.0MHz QPSK - Full RB Configuration)




Plot 7-683. PAR Plot (Band n25 - 30.0MHz 16-QAM - Full RB Configuration)

| | | | | |
|---|--|---------------------------------------|----|---------------------------------|
| FCC ID: ZNFG900TM | PCTEST Proud to be part of element | MEASUREMENT REPORT (CERTIFICATION) | LG | Approved by: Quality Manager |
| Test Report S/N: 1M2005180086-03.ZNF | Test Dates: 05/29 - 07/16/2020 | EUT Type: Portable Handset | | Page 374 of 509 |




Plot 7-684. PAR Plot (Band n25 - 30.0MHz 64-QAM - Full RB Configuration)




Plot 7-685. PAR Plot (Band n25 - 30.0MHz 256-QAM - Full RB Configuration)

| | | | | |
|---|--|---------------------------------------|----|---------------------------------|
| FCC ID: ZNFG900TM | PCTEST Proud to be part of element | MEASUREMENT REPORT (CERTIFICATION) | LG | Approved by: Quality Manager |
| Test Report S/N: 1M2005180086-03.ZNF | Test Dates: 05/29 - 07/16/2020 | EUT Type: Portable Handset | | Page 375 of 509 |




Plot 7-686. PAR Plot (Band n25 - 40.0MHz BPSK - Full RB Configuration)




Plot 7-687. PAR Plot (Band n25 - 40.0MHz QPSK - Full RB Configuration)

| | | | | |
|---|--|---------------------------------------|----|---------------------------------|
| FCC ID: ZNFG900TM | PCTEST Proud to be part of element | MEASUREMENT REPORT (CERTIFICATION) | LG | Approved by: Quality Manager |
| Test Report S/N: 1M2005180086-03.ZNF | Test Dates: 05/29 - 07/16/2020 | EUT Type: Portable Handset | | Page 376 of 509 |




Plot 7-688. PAR Plot (Band n25 - 40.0MHz 16-QAM - Full RB Configuration)



Plot 7-689. PAR Plot (Band n25 - 40.0MHz 64-QAM - Full RB Configuration)


| | | | | |
|---|---|---------------------------------------|---|---------------------------------|
| FCC ID: ZNFG900TM |  | MEASUREMENT REPORT (CERTIFICATION) |  | Approved by: Quality Manager |
| Test Report S/N: 1M2005180086-03.ZNF | Test Dates: 05/29 - 07/16/2020 | EUT Type: Portable Handset | | Page 377 of 509 |




Plot 7-690. PAR Plot (Band n25 - 40.0MHz 256-QAM - Full RB Configuration)

| | | | | |
|---|--|---------------------------------------|---|---------------------------------|
| FCC ID: ZNFG900TM |  PCTEST Proud to be part of  | MEASUREMENT REPORT (CERTIFICATION) |  | Approved by: Quality Manager |
| Test Report S/N: 1M2005180086-03.ZNF | Test Dates: 05/29 - 07/16/2020 | EUT Type: Portable Handset | | Page 378 of 509 |

Band 66/4




Plot 7-691. PAR Plot (Band 66/4 - 1.4MHz QPSK - Full RB Configuration)




Plot 7-692. PAR Plot (Band 66/4 - 1.4MHz 16-QAM - Full RB Configuration)

| | | | | |
|---|--|---------------------------------------|----|---------------------------------|
| FCC ID: ZNFG900TM | PCTEST Proud to be part of element | MEASUREMENT REPORT (CERTIFICATION) | LG | Approved by: Quality Manager |
| Test Report S/N: 1M2005180086-03.ZNF | Test Dates: 05/29 - 07/16/2020 | EUT Type: Portable Handset | | Page 379 of 509 |




Plot 7-693. PAR Plot (Band 66/4 - 1.4MHz 64-QAM - Full RB Configuration)




Plot 7-694. PAR Plot (Band 66/4 - 3.0MHz QPSK - Full RB Configuration)

| | | | | |
|---|--|---------------------------------------|----|---------------------------------|
| FCC ID: ZNFG900TM | PCTEST Proud to be part of element | MEASUREMENT REPORT (CERTIFICATION) | LG | Approved by: Quality Manager |
| Test Report S/N: 1M2005180086-03.ZNF | Test Dates: 05/29 - 07/16/2020 | EUT Type: Portable Handset | | Page 380 of 509 |




Plot 7-695. PAR Plot (Band 66/4 - 3.0MHz 16-QAM - Full RB Configuration)




Plot 7-696. PAR Plot (Band 66/4 - 3.0MHz 64-QAM - Full RB Configuration)

| | | | | |
|---|---|---------------------------------------|----|---------------------------------|
| FCC ID: ZNFG900TM | PCTEST Proud to be part of element | MEASUREMENT REPORT (CERTIFICATION) | LG | Approved by: Quality Manager |
| Test Report S/N: 1M2005180086-03.ZNF | Test Dates: 05/29 - 07/16/2020 | EUT Type: Portable Handset | | Page 381 of 509 |




Plot 7-697. PAR Plot (Band 66/4 - 5.0MHz QPSK - Full RB Configuration)




Plot 7-698. PAR Plot (Band 66/4 - 5.0MHz 16-QAM - Full RB Configuration)

| | | | | |
|---|---|---------------------------------------|---|---------------------------------|
| FCC ID: ZNFG900TM |  | MEASUREMENT REPORT (CERTIFICATION) |  | Approved by: Quality Manager |
| Test Report S/N: 1M2005180086-03.ZNF | Test Dates: 05/29 - 07/16/2020 | EUT Type: Portable Handset | | Page 382 of 509 |




Plot 7-699. PAR Plot (Band 66/4 - 5.0MHz 64-QAM - Full RB Configuration)




Plot 7-700. PAR Plot (Band 66/4 - 10.0MHz QPSK - Full RB Configuration)

| | | | | |
|---|--|---------------------------------------|----|---------------------------------|
| FCC ID: ZNFG900TM | PCTEST Proud to be part of element | MEASUREMENT REPORT (CERTIFICATION) | LG | Approved by: Quality Manager |
| Test Report S/N: 1M2005180086-03.ZNF | Test Dates: 05/29 - 07/16/2020 | EUT Type: Portable Handset | | Page 383 of 509 |




Plot 7-701. PAR Plot (Band 66/4 - 10.0MHz 16-QAM - Full RB Configuration)




Plot 7-702. PAR Plot (Band 66/4 - 10.0MHz 64-QAM - Full RB Configuration)


| | | | | |
|---|---|---------------------------------------|---|---------------------------------|
| FCC ID: ZNFG900TM |  | MEASUREMENT REPORT (CERTIFICATION) |  | Approved by: Quality Manager |
| Test Report S/N: 1M2005180086-03.ZNF | Test Dates: 05/29 - 07/16/2020 | EUT Type: Portable Handset | | Page 384 of 509 |




Plot 7-703. PAR Plot (Band 66/4 - 15.0MHz QPSK - Full RB Configuration)




Plot 7-704. PAR Plot (Band 66/4 - 15.0MHz 16-QAM - Full RB Configuration)

| | | | | |
|---|---|---------------------------------------|---|---------------------------------|
| FCC ID: ZNFG900TM |  | MEASUREMENT REPORT (CERTIFICATION) |  | Approved by: Quality Manager |
| Test Report S/N: 1M2005180086-03.ZNF | Test Dates: 05/29 - 07/16/2020 | EUT Type: Portable Handset | | Page 385 of 509 |




Plot 7-705. PAR Plot (Band 66/4 - 15.0MHz 64-QAM - Full RB Configuration)




Plot 7-706. PAR Plot (Band 66/4 - 20.0MHz QPSK - Full RB Configuration)

| | | | | |
|---|---|---------------------------------------|---|---------------------------------|
| FCC ID: ZNFG900TM |  | MEASUREMENT REPORT (CERTIFICATION) |  | Approved by: Quality Manager |
| Test Report S/N: 1M2005180086-03.ZNF | Test Dates: 05/29 - 07/16/2020 | EUT Type: Portable Handset | | Page 386 of 509 |




Plot 7-707. PAR Plot (Band 66/4 - 20.0MHz 16-QAM - Full RB Configuration)




Plot 7-708. PAR Plot (Band 66/4 - 20.0MHz 64-QAM - Full RB Configuration)

| | | | | |
|---|---|---------------------------------------|---|---------------------------------|
| FCC ID: ZNFG900TM |  | MEASUREMENT REPORT (CERTIFICATION) |  | Approved by: Quality Manager |
| Test Report S/N: 1M2005180086-03.ZNF | Test Dates: 05/29 - 07/16/2020 | EUT Type: Portable Handset | | Page 387 of 509 |

NR Band n66 (SA Ant 2)




Plot 7-709. PAR Plot (n66 - 5.0MHz DFT-s-OFDM BPSK - Full RB Configuration)




Plot 7-710. PAR Plot (n66 - 5.0MHz CP-OFDM-QPSK - Full RB Configuration)

| | | | | |
|---|---|---------------------------------------|--|---------------------------------|
| FCC ID: ZNFG900TM |  PCTEST Proud to be part of element | MEASUREMENT REPORT (CERTIFICATION) |  LG | Approved by: Quality Manager |
| Test Report S/N: 1M2005180086-03.ZNF | Test Dates: 05/29 - 07/16/2020 | EUT Type: Portable Handset | | Page 388 of 509 |




Plot 7-711. PAR Plot (n66 - 5.0MHz CP-OFDM-16-QAM - Full RB Configuration)




Plot 7-712. PAR Plot (n66 - 5.0MHz CP-OFDM-64-QAM - Full RB Configuration)

| | | | | |
|---|--|---------------------------------------|----|---------------------------------|
| FCC ID: ZNFG900TM | PCTEST Proud to be part of element | MEASUREMENT REPORT (CERTIFICATION) | LG | Approved by: Quality Manager |
| Test Report S/N: 1M2005180086-03.ZNF | Test Dates: 05/29 - 07/16/2020 | EUT Type: Portable Handset | | Page 389 of 509 |




Plot 7-713. PAR Plot (n66 - 5.0MHz CP-OFDM-256-QAM - Full RB Configuration)




Plot 7-714. PAR Plot (n66 - 10.0MHz DFT-s-OFDM BPSK - Full RB Configuration)

| | | | | |
|---|---|---------------------------------------|----|---------------------------------|
| FCC ID: ZNFG900TM | PCTEST Proud to be part of element | MEASUREMENT REPORT (CERTIFICATION) | LG | Approved by: Quality Manager |
| Test Report S/N: 1M2005180086-03.ZNF | Test Dates: 05/29 - 07/16/2020 | EUT Type: Portable Handset | | Page 390 of 509 |




Plot 7-715. PAR Plot (n66 - 10.0MHz CP-OFDM-QPSK - Full RB Configuration)




Plot 7-716. PAR Plot (n66 - 10.0MHz CP-OFDM-16-QAM - Full RB Configuration)

| | | | | |
|---|---|---------------------------------------|--|---------------------------------|
| FCC ID: ZNFG900TM |  PCTEST Proud to be part of element | MEASUREMENT REPORT (CERTIFICATION) |  LG | Approved by: Quality Manager |
| Test Report S/N: 1M2005180086-03.ZNF | Test Dates: 05/29 - 07/16/2020 | EUT Type: Portable Handset | | Page 391 of 509 |




Plot 7-717. PAR Plot (n66 - 10.0MHz CP-OFDM-64-QAM - Full RB Configuration)




Plot 7-718. PAR Plot (n66 - 10.0MHz CP-OFDM-256-QAM - Full RB Configuration)

| | | | | |
|---|--|---------------------------------------|----|---------------------------------|
| FCC ID: ZNFG900TM | PCTEST Proud to be part of element | MEASUREMENT REPORT (CERTIFICATION) | LG | Approved by: Quality Manager |
| Test Report S/N: 1M2005180086-03.ZNF | Test Dates: 05/29 - 07/16/2020 | EUT Type: Portable Handset | | Page 392 of 509 |




Plot 7-719. PAR Plot (n66 - 15.0MHz DFT-s-OFDM BPSK - Full RB Configuration)




Plot 7-720. PAR Plot (n66 - 15.0MHz CP-OFDM-QPSK - Full RB Configuration)

| | | | | |
|---|--|---------------------------------------|----|---------------------------------|
| FCC ID: ZNFG900TM | PCTEST Proud to be part of element | MEASUREMENT REPORT (CERTIFICATION) | LG | Approved by: Quality Manager |
| Test Report S/N: 1M2005180086-03.ZNF | Test Dates: 05/29 - 07/16/2020 | EUT Type: Portable Handset | | Page 393 of 509 |




Plot 7-721. PAR Plot (n66 - 15.0MHz CP-OFDM-16-QAM - Full RB Configuration)




Plot 7-722. PAR Plot (n66 - 15.0MHz CP-OFDM-64-QAM - Full RB Configuration)

| | | | | |
|---|---|---------------------------------------|---|---------------------------------|
| FCC ID: ZNFG900TM |  | MEASUREMENT REPORT (CERTIFICATION) |  | Approved by: Quality Manager |
| Test Report S/N: 1M2005180086-03.ZNF | Test Dates: 05/29 - 07/16/2020 | EUT Type: Portable Handset | | Page 394 of 509 |




Plot 7-723. PAR Plot (n66 - 15.0MHz CP-OFDM-256-QAM - Full RB Configuration)




Plot 7-724. PAR Plot (n66 - 20.0MHz DFT-s-OFDM BPSK - Full RB Configuration)

| | | | | |
|---|--|---------------------------------------|----|---------------------------------|
| FCC ID: ZNFG900TM | PCTEST Proud to be part of element | MEASUREMENT REPORT (CERTIFICATION) | LG | Approved by: Quality Manager |
| Test Report S/N: 1M2005180086-03.ZNF | Test Dates: 05/29 - 07/16/2020 | EUT Type: Portable Handset | | Page 395 of 509 |




Plot 7-725. PAR Plot (n66 - 20.0MHz CP-OFDM-QPSK - Full RB Configuration)




Plot 7-726. PAR Plot (n66 - 20.0MHz CP-OFDM-16-QAM - Full RB Configuration)

| | | | | |
|---|--|---------------------------------------|----|---------------------------------|
| FCC ID: ZNFG900TM | PCTEST Proud to be part of element | MEASUREMENT REPORT (CERTIFICATION) | LG | Approved by: Quality Manager |
| Test Report S/N: 1M2005180086-03.ZNF | Test Dates: 05/29 - 07/16/2020 | EUT Type: Portable Handset | | Page 396 of 509 |




Plot 7-727. PAR Plot (n66 - 20.0MHz CP-OFDM-64-QAM - Full RB Configuration)




Plot 7-728. PAR Plot (n66 - 20.0MHz CP-OFDM-256-QAM - Full RB Configuration)

| | | | | |
|---|---|---------------------------------------|---|---------------------------------|
| FCC ID: ZNFG900TM |  | MEASUREMENT REPORT (CERTIFICATION) |  | Approved by: Quality Manager |
| Test Report S/N: 1M2005180086-03.ZNF | Test Dates: 05/29 - 07/16/2020 | EUT Type: Portable Handset | | Page 397 of 509 |




Plot 7-729. PAR Plot (n66 - 40.0MHz DFT-s-OFDM BPSK - Full RB Configuration)




Plot 7-730. PAR Plot (n66 - 40.0MHz CP-OFDM-QPSK - Full RB Configuration)

| | | | | |
|---|--|---------------------------------------|----|---------------------------------|
| FCC ID: ZNFG900TM | PCTEST Proud to be part of element | MEASUREMENT REPORT (CERTIFICATION) | LG | Approved by: Quality Manager |
| Test Report S/N: 1M2005180086-03.ZNF | Test Dates: 05/29 - 07/16/2020 | EUT Type: Portable Handset | | Page 398 of 509 |




Plot 7-731. PAR Plot (n66 - 40.0MHz CP-OFDM-16-QAM - Full RB Configuration)



Plot 7-732. PAR Plot (n66 - 40.0MHz CP-OFDM-64-QAM - Full RB Configuration)


| | | | |
|---|---|---|---------------------------------|
| FCC ID: ZNFG900TM |  MEASUREMENT REPORT (CERTIFICATION) |  | Approved by: Quality Manager |
| Test Report S/N: 1M2005180086-03.ZNF | Test Dates: 05/29 - 07/16/2020 | EUT Type: Portable Handset | Page 399 of 509 |




Plot 7-733. PAR Plot (n66 - 40.0MHz CP-OFDM-256-QAM - Full RB Configuration)

| | | | | |
|---|--|---------------------------------------|----|---------------------------------|
| FCC ID: ZNFG900TM | PCTEST Proud to be part of element | MEASUREMENT REPORT (CERTIFICATION) | LG | Approved by: Quality Manager |
| Test Report S/N: 1M2005180086-03.ZNF | Test Dates: 05/29 - 07/16/2020 | EUT Type: Portable Handset | | Page 400 of 509 |

NR Band n66 (SA/NSA Ant 3)




Plot 7-734. PAR Plot (n66 - 5.0MHz DFT-s-OFDM BPSK - Full RB Configuration)




Plot 7-735. PAR Plot (n66 - 5.0MHz CP-OFDM-QPSK - Full RB Configuration)

| | | | | |
|---|---|---------------------------------------|---|---------------------------------|
| FCC ID: ZNFG900TM |  | MEASUREMENT REPORT (CERTIFICATION) |  | Approved by: Quality Manager |
| Test Report S/N: 1M2005180086-03.ZNF | Test Dates: 05/29 - 07/16/2020 | EUT Type: Portable Handset | | Page 401 of 509 |




Plot 7-736. PAR Plot (n66 - 5.0MHz CP-OFDM-16-QAM - Full RB Configuration)




Plot 7-737. PAR Plot (n66 - 5.0MHz CP-OFDM-64-QAM - Full RB Configuration)

| | | | | |
|---|---|---------------------------------------|---|---------------------------------|
| FCC ID: ZNFG900TM |  | MEASUREMENT REPORT (CERTIFICATION) |  | Approved by: Quality Manager |
| Test Report S/N: 1M2005180086-03.ZNF | Test Dates: 05/29 - 07/16/2020 | EUT Type: Portable Handset | | Page 402 of 509 |




Plot 7-738. PAR Plot (n66 - 5.0MHz CP-OFDM-256-QAM - Full RB Configuration)




Plot 7-739. PAR Plot (n66 - 10.0MHz DFT-s-OFDM BPSK - Full RB Configuration)

| | | | | |
|---|--|---------------------------------------|----|---------------------------------|
| FCC ID: ZNFG900TM | PCTEST Proud to be part of element | MEASUREMENT REPORT (CERTIFICATION) | LG | Approved by: Quality Manager |
| Test Report S/N: 1M2005180086-03.ZNF | Test Dates: 05/29 - 07/16/2020 | EUT Type: Portable Handset | | Page 403 of 509 |




Plot 7-740. PAR Plot (n66 - 10.0MHz CP-OFDM-QPSK - Full RB Configuration)




Plot 7-741. PAR Plot (n66 - 10.0MHz CP-OFDM-16-QAM - Full RB Configuration)

| | | | | |
|---|---|---------------------------------------|----|---------------------------------|
| FCC ID: ZNFG900TM | PCTEST Proud to be part of element | MEASUREMENT REPORT (CERTIFICATION) | LG | Approved by: Quality Manager |
| Test Report S/N: 1M2005180086-03.ZNF | Test Dates: 05/29 - 07/16/2020 | EUT Type: Portable Handset | | Page 404 of 509 |




Plot 7-742. PAR Plot (n66 - 10.0MHz CP-OFDM-64-QAM - Full RB Configuration)




Plot 7-743. PAR Plot (n66 - 10.0MHz CP-OFDM-256-QAM - Full RB Configuration)

| | | | | |
|---|--|---------------------------------------|----|---------------------------------|
| FCC ID: ZNFG900TM | PCTEST Proud to be part of element | MEASUREMENT REPORT (CERTIFICATION) | LG | Approved by: Quality Manager |
| Test Report S/N: 1M2005180086-03.ZNF | Test Dates: 05/29 - 07/16/2020 | EUT Type: Portable Handset | | Page 405 of 509 |




Plot 7-744. PAR Plot (n66 - 15.0MHz DFT-s-OFDM BPSK - Full RB Configuration)




Plot 7-745. PAR Plot (n66 - 15.0MHz CP-OFDM-QPSK - Full RB Configuration)

| | | | | |
|---|--|---------------------------------------|----|---------------------------------|
| FCC ID: ZNFG900TM | PCTEST Proud to be part of element | MEASUREMENT REPORT (CERTIFICATION) | LG | Approved by: Quality Manager |
| Test Report S/N: 1M2005180086-03.ZNF | Test Dates: 05/29 - 07/16/2020 | EUT Type: Portable Handset | | Page 406 of 509 |




Plot 7-746. PAR Plot (n66 - 15.0MHz CP-OFDM-16-QAM - Full RB Configuration)




Plot 7-747. PAR Plot (n66 - 15.0MHz CP-OFDM-64-QAM - Full RB Configuration)

| | | | | |
|---|--|---------------------------------------|---|---------------------------------|
| FCC ID: ZNFG900TM |  PCTEST Proud to be part of  | MEASUREMENT REPORT (CERTIFICATION) |  | Approved by: Quality Manager |
| Test Report S/N: 1M2005180086-03.ZNF | Test Dates: 05/29 - 07/16/2020 | EUT Type: Portable Handset | | Page 407 of 509 |




Plot 7-748. PAR Plot (n66 - 15.0MHz CP-OFDM-256-QAM - Full RB Configuration)




Plot 7-749. PAR Plot (n66 - 20.0MHz DFT-s-OFDM BPSK - Full RB Configuration)

| | | | | |
|---|--|---------------------------------------|----|---------------------------------|
| FCC ID: ZNFG900TM | PCTEST Proud to be part of element | MEASUREMENT REPORT (CERTIFICATION) | LG | Approved by: Quality Manager |
| Test Report S/N: 1M2005180086-03.ZNF | Test Dates: 05/29 - 07/16/2020 | EUT Type: Portable Handset | | Page 408 of 509 |




Plot 7-750. PAR Plot (n66 - 20.0MHz CP-OFDM-QPSK - Full RB Configuration)




Plot 7-751. PAR Plot (n66 - 20.0MHz CP-OFDM-16-QAM - Full RB Configuration)

| | | | | |
|---|--|---------------------------------------|----|---------------------------------|
| FCC ID: ZNFG900TM | PCTEST Proud to be part of element | MEASUREMENT REPORT (CERTIFICATION) | LG | Approved by: Quality Manager |
| Test Report S/N: 1M2005180086-03.ZNF | Test Dates: 05/29 - 07/16/2020 | EUT Type: Portable Handset | | Page 409 of 509 |




Plot 7-752. PAR Plot (n66 - 20.0MHz CP-OFDM-64-QAM - Full RB Configuration)




Plot 7-753. PAR Plot (n66 - 20.0MHz CP-OFDM-256-QAM - Full RB Configuration)

| | | | | |
|---|---|---------------------------------------|----|---------------------------------|
| FCC ID: ZNFG900TM | PCTEST Proud to be part of element | MEASUREMENT REPORT (CERTIFICATION) | LG | Approved by: Quality Manager |
| Test Report S/N: 1M2005180086-03.ZNF | Test Dates: 05/29 - 07/16/2020 | EUT Type: Portable Handset | | Page 410 of 509 |




Plot 7-754. PAR Plot (n66 - 40.0MHz DFT-s-OFDM-BPSK - Full RB Configuration)




Plot 7-755. PAR Plot (n66 - 40.0MHz CP-OFDM-QPSK - Full RB Configuration)

| | | | | |
|---|--|---------------------------------------|----|---------------------------------|
| FCC ID: ZNFG900TM | PCTEST Proud to be part of element | MEASUREMENT REPORT (CERTIFICATION) | LG | Approved by: Quality Manager |
| Test Report S/N: 1M2005180086-03.ZNF | Test Dates: 05/29 - 07/16/2020 | EUT Type: Portable Handset | | Page 411 of 509 |




Plot 7-756. PAR Plot (n66 - 40.0MHz CP-OFDM-16-QAM - Full RB Configuration)



Plot 7-757. PAR Plot (n66 - 40.0MHz CP-OFDM-64-QAM - Full RB Configuration)



| | | | | |
|---|--|---------------------------------------|----|---------------------------------|
| FCC ID: ZNFG900TM | PCTEST Proud to be part of element | MEASUREMENT REPORT (CERTIFICATION) | LG | Approved by: Quality Manager |
| Test Report S/N: 1M2005180086-03.ZNF | Test Dates: 05/29 - 07/16/2020 | EUT Type: Portable Handset | | Page 412 of 509 |




Plot 7-758. PAR Plot (n66 - 40.0MHz CP-OFDM-256-QAM - Full RB Configuration)

| | | | | |
|---|---|---------------------------------------|---|---------------------------------|
| FCC ID: ZNFG900TM |  | MEASUREMENT REPORT (CERTIFICATION) |  | Approved by: Quality Manager |
| Test Report S/N: 1M2005180086-03.ZNF | Test Dates: 05/29 - 07/16/2020 | EUT Type: Portable Handset | | Page 413 of 509 |


NR Band n41




| | | | | |
|---|---|---------------------------------------|---|---------------------------------|
| FCC ID: ZNFG900TM |  | MEASUREMENT REPORT (CERTIFICATION) |  | Approved by: Quality Manager |
| Test Report S/N: 1M2005180086-03.ZNF | Test Dates: 05/29 - 07/16/2020 | EUT Type: Portable Handset | | Page 414 of 509 |




Plot 7-761. PAR Plot (n41 - 20.0MHz CP-OFDM-16-QAM - Full RB Configuration)




Plot 7-762. PAR Plot (n41 - 20.0MHz CP-OFDM-64-QAM - Full RB Configuration)


| | | | | |
|---|---|---------------------------------------|---|---------------------------------|
| FCC ID: ZNFG900TM |  | MEASUREMENT REPORT (CERTIFICATION) |  | Approved by: Quality Manager |
| Test Report S/N: 1M2005180086-03.ZNF | Test Dates: 05/29 - 07/16/2020 | EUT Type: Portable Handset | | Page 415 of 509 |



Plot 7-763. PAR Plot (n41 - 20.0MHz CP-OFDM-256-QAM - Full RB Configuration)



Plot 7-764. PAR Plot (n41 - 40.0MHz DFT-s-OFDM-BPSK - Full RB Configuration)

| | | | | |
|---|---|---------------------------------------|---|---------------------------------|
| FCC ID: ZNFG900TM |  | MEASUREMENT REPORT (CERTIFICATION) |  | Approved by: Quality Manager |
| Test Report S/N: 1M2005180086-03.ZNF | Test Dates: 05/29 - 07/16/2020 | EUT Type: Portable Handset | | Page 416 of 509 |