


4.9.2.51 802.11N40_Channel 46




Suspected List

NO.	Freq. [MHz]	Level [dBuV/m]	Factor [dB]	Limit [dBuV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6915.69	47.59	20.95	54.00	6.41	150	242	Horizontal
2	6993.69	57.17	21.27	74.00	16.83	150	192	Horizontal
3	10460.0	40.39	-3.09	54.00	13.61	150	92	Horizontal
4	10460.0	51.37	-3.09	74.00	22.63	150	342	Horizontal
5	15690.0	53.63	0.58	74.00	20.37	150	192	Horizontal
6	15690.0	42.91	0.58	54.00	11.09	150	192	Horizontal
7	17524.2	47.99	2.01	54.00	6.01	150	43	Horizontal



4.9.2.52 802.11N40_Channel 46




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6861.99	46.97	20.87	54.00	7.03	150	18	Vertical
2	6958.59	56.95	21.26	74.00	17.05	150	319	Vertical
3	10460.0	40.21	-3.09	54.00	13.79	150	18	Vertical
4	10460.0	51.77	-3.09	74.00	22.23	150	68	Vertical
5	15690.0	54.23	0.58	74.00	19.77	150	360	Vertical
6	15690.0	43.18	0.58	54.00	10.82	150	18	Vertical
7	17968.6	47.73	1.71	54.00	6.27	150	168	Vertical




4.9.2.53 802.11N40_Channel 54



Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6976.29	47.53	21.26	54.00	6.47	150	240	Horizontal
2	6983.19	56.97	21.26	74.00	17.03	150	0	Horizontal
3	10540.0	41.05	-2.81	54.00	12.95	150	0	Horizontal
4	10540.0	52.53	-2.81	74.00	21.47	150	192	Horizontal
5	15810.0	52.31	-0.99	74.00	21.69	150	292	Horizontal
6	15810.0	41.21	-0.99	54.00	12.79	150	192	Horizontal
7	17972.4	48.03	1.71	54.00	5.97	150	242	Horizontal

4.9.2.54 802.11N40_Channel 54




Suspected List

NO.	Freq. [MHz]	Level [dBuV/m]	Factor [dB]	Limit [dBuV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6854.79	56.87	20.88	74.00	17.13	150	119	Vertical
2	6931.29	47.42	21.09	54.00	6.58	150	68	Vertical
3	10540.0	41.24	-2.81	54.00	12.76	150	118	Vertical
4	10540.0	52.65	-2.81	74.00	21.35	150	267	Vertical
5	15810.0	51.80	-0.99	74.00	22.20	150	317	Vertical
6	15810.0	41.27	-0.99	54.00	12.73	150	267	Vertical
7	17974.6	47.86	1.71	54.00	6.14	150	267	Vertical




4.9.2.55 802.11N40_Channel 62



Suspected List								
NO.	Freq. [MHz]	Level [dBuV/m]	Factor [dB]	Limit [dBuV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6936.69	56.80	21.14	74.00	17.20	150	90	Horizontal
2	6953.19	47.94	21.26	54.00	6.06	150	241	Horizontal
3	10620.0	41.19	-2.85	54.00	12.81	150	192	Horizontal
4	10620.0	52.43	-2.85	74.00	21.57	150	342	Horizontal
5	15930.0	52.48	-0.56	74.00	21.52	150	42	Horizontal
6	15930.0	41.95	-0.56	54.00	12.05	150	242	Horizontal
7	17702.4	47.37	2.31	54.00	6.63	150	92	Horizontal

4.9.2.56 802.11N40_Channel 62



Suspected List


NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6923.79	56.86	21.02	74.00	17.14	150	169	Vertical
2	6947.49	47.31	21.23	54.00	6.69	150	18	Vertical
3	10620.0	41.33	-2.85	54.00	12.67	150	119	Vertical
4	10620.0	52.08	-2.85	74.00	21.92	150	219	Vertical
5	15930.0	53.16	-0.56	74.00	20.84	150	68	Vertical
6	15930.0	42.66	-0.56	54.00	11.34	150	18	Vertical
7	17877.3	47.80	1.39	54.00	6.20	150	68	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 26012053, or email: CN.Doccheck@sgs.com

4.9.2.57 802.11N40_Channel 102



Suspected List								
NO.	Freq. [MHz]	Level [dBuV/m]	Factor [dB]	Limit [dBuV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6772.88	55.86	20.53	74.00	18.14	150	90	Horizontal
2	6924.69	47.58	21.03	54.00	6.42	150	140	Horizontal
3	11020.0	40.37	-2.19	54.00	13.63	150	292	Horizontal
4	11020.0	51.06	-2.19	74.00	22.94	150	292	Horizontal
5	16530.0	55.11	0.29	74.00	18.89	150	42	Horizontal
6	16530.0	43.48	0.29	54.00	10.52	150	342	Horizontal
7	17892.7	47.44	1.59	54.00	6.56	150	0	Horizontal

4.9.2.58 802.11N40_Channel 102




Suspected List

NO.	Freq. [MHz]	Level [dBuV/m]	Factor [dB]	Limit [dBuV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6952.89	47.37	21.26	54.00	6.63	150	220	Vertical
2	6993.09	56.91	21.27	74.00	17.09	150	321	Vertical
3	11020.0	40.42	-2.19	54.00	13.58	150	18	Vertical
4	11020.0	51.46	-2.19	74.00	22.54	150	119	Vertical
5	16530.0	54.36	0.29	74.00	19.64	150	69	Vertical
6	16530.0	43.96	0.29	54.00	10.04	150	220	Vertical
7	17884.4	47.21	1.49	54.00	6.79	150	170	Vertical



4.9.2.59 802.11N40_Channel 110



Suspected List


NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6972.99	56.66	21.26	74.00	17.34	150	241	Horizontal
2	6995.19	48.04	21.27	54.00	5.96	150	291	Horizontal
3	11100.0	41.17	-2.25	54.00	12.83	150	0	Horizontal
4	11100.0	52.25	-2.25	74.00	21.75	150	291	Horizontal
5	16650.0	55.86	0.40	74.00	18.14	150	192	Horizontal
6	16650.0	44.16	0.40	54.00	9.84	150	192	Horizontal
7	17880.0	47.46	1.43	54.00	6.54	150	192	Horizontal



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 26012053, or email: CN.Doccheck@sgs.com


4.9.2.60 802.11N40_Channel 110



Suspected List

NO.	Freq. [MHz]	Level [dBuV/m]	Factor [dB]	Limit [dBuV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6927.39	56.67	21.05	74.00	17.33	150	270	Vertical
2	6948.99	47.06	21.25	54.00	6.94	150	69	Vertical
3	11100.0	41.00	-2.25	54.00	13.00	150	360	Vertical
4	11100.0	51.91	-2.25	74.00	22.09	150	68	Vertical
5	16650.0	55.54	0.40	74.00	18.46	150	360	Vertical
6	16650.0	44.27	0.40	54.00	9.73	150	169	Vertical
7	17870.7	47.32	1.30	54.00	6.68	150	269	Vertical


4.9.2.61 802.11N40_Channel 134



Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6928.59	47.43	21.06	54.00	6.57	150	291	Horizontal
2	6951.09	56.55	21.26	74.00	17.45	150	39	Horizontal
3	11340.0	41.13	-2.22	54.00	12.87	150	192	Horizontal
4	11340.0	52.52	-2.22	74.00	21.48	150	192	Horizontal
5	17010.0	54.90	0.68	74.00	19.10	150	292	Horizontal
6	17010.0	43.33	0.68	54.00	10.67	150	242	Horizontal
7	17956.5	47.30	1.71	54.00	6.70	150	342	Horizontal

4.9.2.62 802.11N40_Channel 134




Suspected List

NO.	Freq. [MHz]	Level [dBuV/m]	Factor [dB]	Limit [dBuV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6747.08	55.51	20.59	74.00	18.49	150	68	Vertical
2	6915.99	47.48	20.95	54.00	6.52	150	18	Vertical
3	11340.0	41.58	-2.22	54.00	12.42	150	218	Vertical
4	11340.0	52.27	-2.22	74.00	21.73	150	68	Vertical
5	17010.0	54.80	0.68	74.00	19.20	150	218	Vertical
6	17010.0	43.73	0.68	54.00	10.27	150	18	Vertical
7	17933.4	47.48	1.70	54.00	6.52	150	118	Vertical



4.9.2.63 802.11N40_Channel 151




Suspected List

NO.	Freq. [MHz]	Level [dBuV/m]	Factor [dB]	Limit [dBuV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6954.99	47.56	21.26	54.00	6.44	150	342	Horizontal
2	6983.19	56.92	21.26	74.00	17.08	150	0	Horizontal
3	11510.0	39.43	-2.07	54.00	14.57	150	43	Horizontal
4	11510.0	50.06	-2.07	74.00	23.94	150	143	Horizontal
5	17265.0	57.54	0.54	74.00	16.46	150	193	Horizontal
6	17265.0	45.55	0.54	54.00	8.45	150	43	Horizontal
7	17974.1	47.57	1.71	54.00	6.43	150	43	Horizontal



4.9.2.64 802.11N40_Channel 151




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6927.69	56.42	21.06	74.00	17.58	150	220	Vertical
2	6935.79	47.31	21.13	54.00	6.69	150	170	Vertical
3	11510.0	39.53	-2.07	54.00	14.47	150	18	Vertical
4	11510.0	50.31	-2.07	74.00	23.69	150	360	Vertical
5	17265.0	56.99	0.54	74.00	17.01	150	360	Vertical
6	17265.0	45.95	0.54	54.00	8.05	150	360	Vertical
7	17885.0	47.33	1.49	54.00	6.67	150	68	Vertical



4.9.2.65 802.11N40_Channel 159




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6982.89	47.17	21.26	54.00	6.83	150	0	Horizontal
2	6991.59	57.20	21.27	74.00	16.80	150	0	Horizontal
3	11590.0	39.12	-2.50	54.00	14.88	150	92	Horizontal
4	11590.0	50.50	-2.50	74.00	23.50	150	142	Horizontal
5	17385.0	56.32	1.21	74.00	17.68	150	241	Horizontal
6	17385.0	45.57	1.21	54.00	8.43	150	42	Horizontal
7	17954.8	47.30	1.71	54.00	6.70	150	92	Horizontal



4.9.2.66 802.11N40_Channel 159




Suspected List

NO.	Freq. [MHz]	Level [dBuV/m]	Factor [dB]	Limit [dBuV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6940.29	57.09	21.17	74.00	16.91	150	170	Vertical
2	6948.09	47.52	21.24	54.00	6.48	150	360	Vertical
3	11590.0	39.20	-2.50	54.00	14.80	150	360	Vertical
4	11590.0	49.86	-2.50	74.00	24.14	150	169	Vertical
5	17385.0	57.04	1.21	74.00	16.96	150	360	Vertical
6	17385.0	45.63	1.21	54.00	8.37	150	118	Vertical
7	17969.7	47.53	1.71	54.00	6.47	150	218	Vertical



4.9.2.67 802.11AC20_Channel 36



Suspected List


NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6899.19	56.78	20.81	74.00	17.22	150	0	Horizontal
2	6956.79	48.11	21.26	54.00	5.89	150	291	Horizontal
3	10360.0	39.53	-3.63	54.00	14.47	150	120	Horizontal
4	10360.0	51.64	-3.63	74.00	22.36	150	360	Horizontal
5	15540.0	53.04	0.46	74.00	20.96	150	120	Horizontal
6	15540.0	41.26	0.46	54.00	12.74	150	120	Horizontal
7	17962.0	47.37	1.71	54.00	6.63	150	69	Horizontal



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 26012053, or email: CN.Doccheck@sgs.com
 No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

4.9.2.68 802.11AC20_Channel 36




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6971.19	57.59	21.26	74.00	16.41	150	118	Vertical
2	6980.79	47.60	21.26	54.00	6.40	150	118	Vertical
3	10360.0	39.41	-3.63	54.00	14.59	150	342	Vertical
4	10360.0	51.69	-3.63	74.00	22.31	150	342	Vertical
5	15540.0	53.80	0.46	74.00	20.20	150	42	Vertical
6	15540.0	41.22	0.46	54.00	12.78	150	42	Vertical
7	17976.8	47.61	1.71	54.00	6.39	150	242	Vertical



4.9.2.69 802.11AC20_Channel 44




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6941.19	47.38	21.18	54.00	6.62	150	0	Horizontal
2	6944.79	57.06	21.21	74.00	16.94	150	291	Horizontal
3	10440.0	40.35	-3.24	54.00	13.65	150	360	Horizontal
4	10440.0	51.25	-3.24	74.00	22.75	150	118	Horizontal
5	15660.0	53.43	0.43	74.00	20.57	150	169	Horizontal
6	15660.0	42.26	0.43	54.00	11.74	150	219	Horizontal
7	17959.2	47.61	1.71	54.00	6.39	150	219	Horizontal



4.9.2.70 802.11AC20_Channel 44




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6779.78	47.43	20.50	54.00	6.57	150	220	Vertical
2	6930.39	56.42	21.08	74.00	17.58	150	360	Vertical
3	10440.0	40.39	-3.24	54.00	13.61	150	92	Vertical
4	10440.0	51.92	-3.24	74.00	22.08	150	142	Vertical
5	15660.0	52.65	0.43	74.00	21.35	150	92	Vertical
6	15660.0	42.15	0.43	54.00	11.85	150	42	Vertical
7	17951.5	47.39	1.71	54.00	6.61	150	42	Vertical



4.9.2.71 802.11AC20_Channel 48



Suspected List


NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6872.49	47.10	20.85	54.00	6.90	150	240	Horizontal
2	6921.09	56.49	21.00	74.00	17.51	150	240	Horizontal
3	10480.0	40.46	-2.94	54.00	13.54	150	18	Horizontal
4	10480.0	51.89	-2.94	74.00	22.11	150	217	Horizontal
5	15720.0	53.25	0.29	74.00	20.75	150	118	Horizontal
6	15720.0	42.66	0.29	54.00	11.34	150	118	Horizontal
7	17960.3	47.71	1.71	54.00	6.29	150	18	Horizontal



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 26012053, or email: CN.Doccheck@sgs.com
 No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

4.9.2.72 802.11AC20_Channel 48




Suspected List

NO.	Freq. [MHz]	Level [dBuV/m]	Factor [dB]	Limit [dBuV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6900.69	47.44	20.82	54.00	6.56	150	360	Vertical
2	6955.89	57.23	21.26	74.00	16.77	150	322	Vertical
3	10480.0	41.10	-2.94	54.00	12.90	150	292	Vertical
4	10480.0	52.82	-2.94	74.00	21.18	150	193	Vertical
5	15720.0	52.92	0.29	74.00	21.08	150	193	Vertical
6	15720.0	42.40	0.29	54.00	11.60	150	0	Vertical
7	17972.4	47.36	1.71	54.00	6.64	150	292	Vertical




4.9.2.73 802.11AC20_Channel 52



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6934.29	47.43	21.12	54.00	6.57	150	291	Horizontal
2	6944.49	56.81	21.21	74.00	17.19	150	0	Horizontal
3	10520.0	40.73	-2.80	54.00	13.27	150	318	Horizontal
4	10520.0	51.37	-2.80	74.00	22.63	150	68	Horizontal
5	15780.0	53.37	-0.72	74.00	20.63	150	118	Horizontal
6	15780.0	41.43	-0.72	54.00	12.57	150	68	Horizontal
7	17953.2	47.67	1.71	54.00	6.33	150	318	Horizontal


4.9.2.74 802.11AC20_Channel 52



Suspected List								
NO.	Freq. [MHz]	Level [dBuV/m]	Factor [dB]	Limit [dBuV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6840.39	47.56	20.79	54.00	6.44	150	271	Vertical
2	6983.79	56.51	21.27	74.00	17.49	150	170	Vertical
3	10520.0	40.97	-2.80	54.00	13.03	150	93	Vertical
4	10520.0	52.39	-2.80	74.00	21.61	150	192	Vertical
5	15780.0	52.37	-0.72	74.00	21.63	150	242	Vertical
6	15780.0	40.83	-0.72	54.00	13.17	150	192	Vertical
7	17887.2	47.55	1.52	54.00	6.45	150	242	Vertical



4.9.2.75 802.11AC20_Channel 60



Suspected List


NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6986.49	57.11	21.27	74.00	16.89	150	190	Horizontal
2	6993.39	47.40	21.27	54.00	6.60	150	342	Horizontal
3	10600.0	41.56	-2.86	54.00	12.44	150	69	Horizontal
4	10600.0	52.36	-2.86	74.00	21.64	150	170	Horizontal
5	15900.0	53.18	-0.51	74.00	20.82	150	273	Horizontal
6	15900.0	41.49	-0.51	54.00	12.51	150	360	Horizontal
7	17962.0	47.37	1.71	54.00	6.63	150	69	Horizontal



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 26012053, or email: CN.Doccheck@sgs.com
 No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

4.9.2.76 802.11AC20_Channel 60




Suspected List

NO.	Freq. [MHz]	Level [dBuV/m]	Factor [dB]	Limit [dBuV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6916.59	47.34	20.96	54.00	6.66	150	271	Vertical
2	6942.69	56.66	21.19	74.00	17.34	150	119	Vertical
3	10600.0	41.58	-2.86	54.00	12.42	150	92	Vertical
4	10600.0	52.60	-2.86	74.00	21.40	150	192	Vertical
5	15900.0	54.19	-0.51	74.00	19.81	150	0	Vertical
6	15900.0	41.68	-0.51	54.00	12.32	150	42	Vertical
7	17976.8	47.61	1.71	54.00	6.39	150	242	Vertical



4.9.2.77 802.11AC20_Channel 64



Suspected List


NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6884.49	46.64	20.83	54.00	7.36	150	291	Horizontal
2	6986.79	56.38	21.27	74.00	17.62	150	291	Horizontal
3	10640.0	41.05	-2.84	54.00	12.95	150	18	Horizontal
4	10640.0	51.69	-2.84	74.00	22.31	150	123	Horizontal
5	15960.0	52.44	-0.61	74.00	21.56	150	327	Horizontal
6	15960.0	41.79	-0.61	54.00	12.21	150	72	Horizontal
7	17520.9	47.23	2.00	54.00	6.77	150	18	Horizontal



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 26012053, or email: CN.Doccheck@sgs.com
 No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

4.9.2.78 802.11AC20_Channel 64




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6929.19	56.44	21.07	74.00	17.56	150	169	Vertical
2	6988.29	48.59	21.27	54.00	5.41	150	69	Vertical
3	10640.0	41.08	-2.84	54.00	12.92	150	342	Vertical
4	10640.0	52.23	-2.84	74.00	21.77	150	192	Vertical
5	15960.0	52.54	-0.61	74.00	21.46	150	92	Vertical
6	15960.0	41.58	-0.61	54.00	12.42	150	92	Vertical
7	17959.8	47.54	1.71	54.00	6.46	150	242	Vertical



4.9.2.79 802.11AC20_Channel 100




Suspected List

NO.	Freq. [MHz]	Level [dBuV/m]	Factor [dB]	Limit [dBuV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6982.89	57.64	21.26	74.00	16.36	150	291	Horizontal
2	6984.39	47.65	21.27	54.00	6.35	150	342	Horizontal
3	11000.0	40.39	-2.17	54.00	13.61	150	168	Horizontal
4	11000.0	51.91	-2.17	74.00	22.09	150	118	Horizontal
5	16500.0	54.31	0.34	74.00	19.69	150	268	Horizontal
6	16500.0	43.88	0.34	54.00	10.12	150	218	Horizontal
7	17957.6	47.78	1.71	54.00	6.22	150	68	Horizontal



4.9.2.80 802.11AC20_Channel 100




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6873.99	56.98	20.85	74.00	17.02	150	320	Vertical
2	6987.09	47.95	21.27	54.00	6.05	150	320	Vertical
3	11000.0	40.52	-2.17	54.00	13.48	150	93	Vertical
4	11000.0	51.50	-2.17	74.00	22.50	150	192	Vertical
5	16500.0	54.36	0.34	74.00	19.64	150	142	Vertical
6	16500.0	43.75	0.34	54.00	10.25	150	142	Vertical
7	17962.0	47.57	1.71	54.00	6.43	150	42	Vertical



4.9.2.81 802.11AC20_Channel 116




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6927.69	57.37	21.06	74.00	16.63	150	40	Horizontal
2	6954.99	47.37	21.26	54.00	6.63	150	0	Horizontal
3	11160.0	41.71	-2.32	54.00	12.29	150	269	Horizontal
4	11160.0	52.36	-2.32	74.00	21.64	150	319	Horizontal
5	16740.0	54.07	0.71	74.00	19.93	150	360	Horizontal
6	16740.0	43.81	0.71	54.00	10.19	150	118	Horizontal
7	17961.4	48.01	1.71	54.00	5.99	150	169	Horizontal



4.9.2.82 802.11AC20_Channel 116




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6948.69	56.97	21.24	74.00	17.03	150	360	Vertical
2	6988.89	47.61	21.27	54.00	6.39	150	119	Vertical
3	11160.0	42.15	-2.32	54.00	11.85	150	342	Vertical
4	11160.0	52.65	-2.32	74.00	21.35	150	93	Vertical
5	16740.0	55.07	0.71	74.00	18.93	150	193	Vertical
6	16740.0	44.28	0.71	54.00	9.72	150	193	Vertical
7	17969.1	47.48	1.71	54.00	6.52	150	93	Vertical




4.9.2.83 802.11AC20_Channel 140



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6959.19	47.68	21.26	54.00	6.32	150	291	Horizontal
2	6963.99	56.47	21.26	74.00	17.53	150	0	Horizontal
3	11400.0	41.41	-2.15	54.00	12.59	150	18	Horizontal
4	11400.0	51.78	-2.15	74.00	22.22	150	217	Horizontal
5	17100.0	56.73	0.04	74.00	17.27	150	217	Horizontal
6	17100.0	45.01	0.04	54.00	8.99	150	168	Horizontal
7	17979.6	47.41	1.71	54.00	6.59	150	18	Horizontal

4.9.2.84 802.11AC20_Channel 140




Suspected List

NO.	Freq. [MHz]	Level [dBuV/m]	Factor [dB]	Limit [dBuV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6841.89	57.03	20.81	74.00	16.97	150	360	Vertical
2	6994.59	47.08	21.27	54.00	6.92	150	320	Vertical
3	11400.0	41.04	-2.15	54.00	12.96	150	292	Vertical
4	11400.0	52.10	-2.15	74.00	21.90	150	95	Vertical
5	17100.0	55.75	0.04	74.00	18.25	150	342	Vertical
6	17100.0	44.66	0.04	54.00	9.34	150	95	Vertical
7	17954.3	47.80	1.71	54.00	6.20	150	1	Vertical



4.9.2.85 802.11AC20_Channel 149




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6738.68	46.21	20.44	54.00	7.79	150	140	Horizontal
2	6869.79	57.23	20.86	74.00	16.77	150	140	Horizontal
3	11490.0	40.33	-2.03	54.00	13.67	150	68	Horizontal
4	11490.0	51.14	-2.03	74.00	22.86	150	18	Horizontal
5	17235.0	57.05	0.33	74.00	16.95	150	318	Horizontal
6	17235.0	45.51	0.33	54.00	8.49	150	18	Horizontal
7	17967.5	47.70	1.71	54.00	6.30	150	268	Horizontal



4.9.2.86 802.11AC20_Channel 149




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6828.09	56.48	20.67	74.00	17.52	150	322	Vertical
2	6957.99	47.18	21.26	54.00	6.82	150	69	Vertical
3	11490.0	39.72	-2.03	54.00	14.28	150	342	Vertical
4	11490.0	52.84	-2.03	74.00	21.16	150	342	Vertical
5	17235.0	56.87	0.33	74.00	17.13	150	42	Vertical
6	17235.0	45.44	0.33	54.00	8.56	150	42	Vertical
7	17931.7	47.75	1.70	54.00	6.25	150	242	Vertical



4.9.2.87 802.11AC20_Channel 157




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6874.59	56.41	20.85	74.00	17.59	150	90	Horizontal
2	6951.09	48.01	21.26	54.00	5.99	150	190	Horizontal
3	11570.0	39.91	-2.39	54.00	14.09	150	18	Horizontal
4	11570.0	50.64	-2.39	74.00	23.36	150	168	Horizontal
5	17355.0	57.14	1.06	74.00	16.86	150	118	Horizontal
6	17355.0	45.53	1.06	54.00	8.47	150	118	Horizontal
7	17959.2	48.11	1.71	54.00	5.89	150	68	Horizontal



4.9.2.88 802.11AC20_Channel 157




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6955.89	47.49	21.26	54.00	6.51	150	18	Vertical
2	6977.19	56.87	21.26	74.00	17.13	150	220	Vertical
3	11570.0	40.04	-2.39	54.00	13.96	150	0	Vertical
4	11570.0	50.57	-2.39	74.00	23.43	150	86	Vertical
5	17355.0	57.34	1.06	74.00	16.66	150	342	Vertical
6	17355.0	45.66	1.06	54.00	8.34	150	342	Vertical
7	17973.0	47.64	1.71	54.00	6.36	150	235	Vertical



4.9.2.89 802.11AC20_Channel 165




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6979.29	47.64	21.26	54.00	6.36	150	342	Horizontal
2	6984.69	56.80	21.27	74.00	17.20	150	90	Horizontal
3	11650.0	39.98	-2.49	54.00	14.02	150	18	Horizontal
4	11650.0	50.58	-2.49	74.00	23.42	150	267	Horizontal
5	17475.0	56.46	1.76	74.00	17.54	150	117	Horizontal
6	17475.0	45.90	1.76	54.00	8.10	150	167	Horizontal
7	17947.7	47.63	1.70	54.00	6.37	150	267	Horizontal



4.9.2.90 802.11AC20_Channel 165




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6950.79	57.23	21.26	74.00	16.77	150	270	Vertical
2	6993.39	47.84	21.27	54.00	6.16	150	220	Vertical
3	11650.0	40.27	-2.49	54.00	13.73	150	143	Vertical
4	11650.0	50.41	-2.49	74.00	23.59	150	93	Vertical
5	17475.0	56.47	1.76	74.00	17.53	150	0	Vertical
6	17475.0	45.31	1.76	54.00	8.69	150	43	Vertical
7	17970.8	47.44	1.71	54.00	6.56	150	93	Vertical




4.9.2.91 802.11AC40_Channel 38



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6884.49	58.06	20.83	74.00	15.94	150	138	Horizontal
2	6955.59	47.88	21.26	54.00	6.12	150	138	Horizontal
3	10380.0	39.74	-3.60	54.00	14.26	150	219	Horizontal
4	10380.0	50.47	-3.60	74.00	23.53	150	360	Horizontal
5	15570.0	52.67	0.29	74.00	21.33	150	360	Horizontal
6	15570.0	42.08	0.29	54.00	11.92	150	118	Horizontal
7	17402.1	46.47	1.29	54.00	7.53	150	360	Horizontal

4.9.2.92 802.11AC40_Channel 38




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6876.09	56.40	20.85	74.00	17.60	150	169	Vertical
2	6937.59	48.01	21.14	54.00	5.99	150	68	Vertical
3	10380.0	39.66	-3.60	54.00	14.34	150	292	Vertical
4	10380.0	51.96	-3.60	74.00	22.04	150	1	Vertical
5	15570.0	52.20	0.29	74.00	21.80	150	143	Vertical
6	15570.0	42.06	0.29	54.00	11.94	150	1	Vertical
7	17954.8	47.48	1.71	54.00	6.52	150	292	Vertical



4.9.2.93 802.11AC40_Channel 46




Suspected List

NO.	Freq. [MHz]	Level [dBuV/m]	Factor [dB]	Limit [dBuV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6956.79	47.55	21.26	54.00	6.45	150	342	Horizontal
2	6972.09	56.49	21.26	74.00	17.51	150	342	Horizontal
3	10460.0	40.42	-3.09	54.00	13.58	150	218	Horizontal
4	10460.0	51.52	-3.09	74.00	22.48	150	360	Horizontal
5	15690.0	53.86	0.58	74.00	20.14	150	168	Horizontal
6	15690.0	42.59	0.58	54.00	11.41	150	218	Horizontal
7	17956.5	47.41	1.71	54.00	6.59	150	68	Horizontal



4.9.2.94 802.11AC40_Channel 46




Suspected List

NO.	Freq. [MHz]	Level [dBuV/m]	Factor [dB]	Limit [dBuV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6932.19	56.99	21.10	74.00	17.01	150	270	Vertical
2	6934.59	47.38	21.12	54.00	6.62	150	69	Vertical
3	10460.0	41.28	-3.09	54.00	12.72	150	342	Vertical
4	10460.0	52.62	-3.09	74.00	21.38	150	342	Vertical
5	15690.0	53.66	0.58	74.00	20.34	150	242	Vertical
6	15690.0	42.92	0.58	54.00	11.08	150	144	Vertical
7	17972.4	47.39	1.71	54.00	6.61	150	89	Vertical




4.9.2.95 802.11AC40_Channel 54



Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6922.29	56.67	21.01	74.00	17.33	150	292	Horizontal
2	6967.29	47.59	21.26	54.00	6.41	150	0	Horizontal
3	10540.0	41.29	-2.81	54.00	12.71	150	117	Horizontal
4	10540.0	52.11	-2.81	74.00	21.89	150	267	Horizontal
5	15810.0	52.99	-0.99	74.00	21.01	150	117	Horizontal
6	15810.0	41.10	-0.99	54.00	12.90	150	168	Horizontal
7	17969.1	47.57	1.71	54.00	6.43	150	317	Horizontal


4.9.2.96 802.11AC40_Channel 54



Suspected List

NO.	Freq. [MHz]	Level [dBuV/m]	Factor [dB]	Limit [dBuV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6928.59	47.36	21.06	54.00	6.64	150	68	Vertical
2	6993.09	57.22	21.27	74.00	16.78	150	68	Vertical
3	10540.0	41.07	-2.81	54.00	12.93	150	242	Vertical
4	10540.0	53.44	-2.81	74.00	20.56	150	142	Vertical
5	15810.0	52.44	-0.99	74.00	21.56	150	92	Vertical
6	15810.0	41.37	-0.99	54.00	12.63	150	42	Vertical
7	17951.0	47.49	1.71	54.00	6.51	150	292	Vertical


4.9.2.97 802.11AC40_Channel 62



Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6930.39	56.88	21.08	74.00	17.12	150	292	Horizontal
2	6990.39	47.63	21.27	54.00	6.37	150	38	Horizontal
3	10620.0	40.93	-2.85	54.00	13.07	150	18	Horizontal
4	10620.0	52.62	-2.85	74.00	21.38	150	167	Horizontal
5	15930.0	54.61	-0.56	74.00	19.39	150	167	Horizontal
6	15930.0	41.92	-0.56	54.00	12.08	150	360	Horizontal
7	17965.8	47.74	1.71	54.00	6.26	150	18	Horizontal

4.9.2.98 802.11AC40_Channel 62




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6983.19	47.48	21.26	54.00	6.52	150	69	Vertical
2	6985.59	57.34	21.27	74.00	16.66	150	219	Vertical
3	10620.0	41.41	-2.85	54.00	12.59	150	0	Vertical
4	10620.0	52.07	-2.85	74.00	21.93	150	192	Vertical
5	15930.0	53.64	-0.56	74.00	20.36	150	142	Vertical
6	15930.0	42.06	-0.56	54.00	11.94	150	43	Vertical
7	17534.1	47.08	2.05	54.00	6.92	150	292	Vertical




4.9.2.99 802.11AC40_Channel 102



Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6930.99	47.22	21.09	54.00	6.78	150	191	Horizontal
2	6954.99	56.28	21.26	74.00	17.72	150	141	Horizontal
3	11020.0	40.87	-2.19	54.00	13.13	150	217	Horizontal
4	11020.0	52.04	-2.19	74.00	21.96	150	360	Horizontal
5	16530.0	54.48	0.29	74.00	19.52	150	68	Horizontal
6	16530.0	43.72	0.29	54.00	10.28	150	18	Horizontal
7	17951.0	47.70	1.71	54.00	6.30	150	167	Horizontal

4.9.2.100 802.11AC40_Channel 102




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6944.79	56.52	21.21	74.00	17.48	150	119	Vertical
2	6969.99	47.71	21.26	54.00	6.29	150	18	Vertical
3	11020.0	40.32	-2.19	54.00	13.68	150	0	Vertical
4	11020.0	52.91	-2.19	74.00	21.09	150	93	Vertical
5	16530.0	54.63	0.29	74.00	19.37	150	0	Vertical
6	16530.0	44.23	0.29	54.00	9.77	150	242	Vertical
7	17990.6	47.32	1.72	54.00	6.68	150	93	Vertical



4.9.2.101 802.11AC40_Channel 110




Suspected List

NO.	Freq. [MHz]	Level [dBuV/m]	Factor [dB]	Limit [dBuV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6967.89	47.34	21.26	54.00	6.66	150	190	Horizontal
2	6990.39	56.80	21.27	74.00	17.20	150	190	Horizontal
3	11100.0	41.24	-2.25	54.00	12.76	150	317	Horizontal
4	11100.0	52.06	-2.25	74.00	21.94	150	168	Horizontal
5	16650.0	55.73	0.40	74.00	18.27	150	267	Horizontal
6	16650.0	44.76	0.40	54.00	9.24	150	359	Horizontal
7	17904.8	47.52	1.69	54.00	6.48	150	267	Horizontal



4.9.2.102 802.11AC40_Channel 110




Suspected List

NO.	Freq. [MHz]	Level [dBuV/m]	Factor [dB]	Limit [dBuV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6996.09	47.43	21.27	54.00	6.57	150	69	Vertical
2	6997.29	56.78	21.27	74.00	17.22	150	119	Vertical
3	11100.0	41.08	-2.25	54.00	12.92	150	92	Vertical
4	11100.0	52.60	-2.25	74.00	21.40	150	92	Vertical
5	16650.0	54.98	0.40	74.00	19.02	150	292	Vertical
6	16650.0	44.86	0.40	54.00	9.14	150	141	Vertical
7	17958.7	47.76	1.71	54.00	6.24	150	192	Vertical



4.9.2.103 802.11AC40_Channel 134



Suspected List


NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6978.69	56.51	21.26	74.00	17.49	150	291	Horizontal
2	6988.59	47.26	21.27	54.00	6.74	150	140	Horizontal
3	11340.0	41.91	-2.22	54.00	12.09	150	68	Horizontal
4	11340.0	53.03	-2.22	74.00	20.97	150	360	Horizontal
5	17010.0	54.56	0.68	74.00	19.44	150	118	Horizontal
6	17010.0	44.09	0.68	54.00	9.91	150	316	Horizontal
7	17557.7	47.19	2.15	54.00	6.81	150	18	Horizontal



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 26012053, or email: CN.Doccheck@sgs.com

4.9.2.104 802.11AC40_Channel 134




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6923.19	56.60	21.02	74.00	17.40	150	360	Vertical
2	6941.79	47.32	21.18	54.00	6.68	150	169	Vertical
3	11340.0	41.48	-2.22	54.00	12.52	150	144	Vertical
4	11340.0	52.64	-2.22	74.00	21.36	150	193	Vertical
5	17010.0	55.77	0.68	74.00	18.23	150	144	Vertical
6	17010.0	43.91	0.68	54.00	10.09	150	144	Vertical
7	17972.4	47.39	1.71	54.00	6.61	150	89	Vertical




4.9.2.105 802.11AC40_Channel 151



Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6872.49	57.86	20.85	74.00	16.14	150	0	Horizontal
2	6967.89	47.39	21.26	54.00	6.61	150	89	Horizontal
3	11510.0	40.31	-2.07	54.00	13.69	150	360	Horizontal
4	11510.0	52.30	-2.07	74.00	21.70	150	272	Horizontal
5	17265.0	57.08	0.54	74.00	16.92	150	68	Horizontal
6	17265.0	45.53	0.54	54.00	8.47	150	18	Horizontal
7	17947.7	47.47	1.70	54.00	6.53	150	118	Horizontal

4.9.2.106 802.11AC40_Channel 151




Suspected List

NO.	Freq. [MHz]	Level [dBuV/m]	Factor [dB]	Limit [dBuV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6927.69	48.40	21.06	54.00	5.60	150	221	Vertical
2	6986.49	56.77	21.27	74.00	17.23	150	321	Vertical
3	11510.0	39.92	-2.07	54.00	14.08	150	292	Vertical
4	11510.0	50.93	-2.07	74.00	23.07	150	140	Vertical
5	17265.0	56.75	0.54	74.00	17.25	150	41	Vertical
6	17265.0	45.87	0.54	54.00	8.13	150	190	Vertical
7	17869.0	47.41	1.28	54.00	6.59	150	41	Vertical



4.9.2.107 802.11AC40_Channel 159




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6938.49	56.42	21.15	74.00	17.58	150	0	Horizontal
2	6952.59	47.58	21.26	54.00	6.42	150	139	Horizontal
3	11590.0	39.78	-2.50	54.00	14.22	150	118	Horizontal
4	11590.0	50.70	-2.50	74.00	23.30	150	118	Horizontal
5	17385.0	58.05	1.21	74.00	15.95	150	68	Horizontal
6	17385.0	45.81	1.21	54.00	8.19	150	267	Horizontal
7	17952.1	47.71	1.71	54.00	6.29	150	218	Horizontal



4.9.2.108 802.11AC40_Channel 159




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6859.89	56.20	20.87	74.00	17.80	150	360	Vertical
2	6953.49	47.94	21.26	54.00	6.06	150	360	Vertical
3	11590.0	39.09	-2.50	54.00	14.91	150	44	Vertical
4	11590.0	50.22	-2.50	74.00	23.78	150	0	Vertical
5	17385.0	57.83	1.21	74.00	16.17	150	94	Vertical
6	17385.0	45.64	1.21	54.00	8.36	150	0	Vertical
7	17961.4	47.33	1.71	54.00	6.67	150	144	Vertical



4.9.2.109 802.11AC80_Channel 42



Suspected List


NO.	Freq. [MHz]	Level [dBuV/m]	Factor [dB]	Limit [dBuV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6918.09	56.31	20.97	74.00	17.69	150	191	Horizontal
2	6934.89	47.26	21.12	54.00	6.74	150	0	Horizontal
3	10420.0	40.57	-3.40	54.00	13.43	150	268	Horizontal
4	10420.0	50.84	-3.40	74.00	23.16	150	118	Horizontal
5	15630.0	53.24	0.28	74.00	20.76	150	360	Horizontal
6	15630.0	41.62	0.28	54.00	12.38	150	318	Horizontal
7	17964.2	47.52	1.71	54.00	6.48	150	318	Horizontal



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 26012053, or email: CN.Doccheck@sgs.com
 No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

4.9.2.110 802.11AC80_Channel 42




Suspected List

NO.	Freq. [MHz]	Level [dBuV/m]	Factor [dB]	Limit [dBuV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6942.99	48.40	21.19	54.00	5.60	150	219	Vertical
2	6973.59	56.79	21.26	74.00	17.21	150	320	Vertical
3	10420.0	39.72	-3.40	54.00	14.28	150	141	Vertical
4	10420.0	51.16	-3.40	74.00	22.84	150	242	Vertical
5	15630.0	52.21	0.28	74.00	21.79	150	242	Vertical
6	15630.0	41.13	0.28	54.00	12.87	150	292	Vertical
7	17974.1	47.39	1.71	54.00	6.61	150	342	Vertical




4.9.2.111 802.11AC80_Channel 58



Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6927.99	47.25	21.06	54.00	6.75	150	342	Horizontal
2	6978.39	57.23	21.26	74.00	16.77	150	91	Horizontal
3	10580.0	41.42	-2.84	54.00	12.58	150	360	Horizontal
4	10580.0	52.67	-2.84	74.00	21.33	150	317	Horizontal
5	15870.0	52.23	-0.67	74.00	21.77	150	118	Horizontal
6	15870.0	41.34	-0.67	54.00	12.66	150	68	Horizontal
7	17974.6	47.69	1.71	54.00	6.31	150	118	Horizontal

4.9.2.112 802.11AC80_Channel 58




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6938.49	47.64	21.15	54.00	6.36	150	360	Vertical
2	6988.59	56.89	21.27	74.00	17.11	150	69	Vertical
3	10580.0	41.22	-2.84	54.00	12.78	150	242	Vertical
4	10580.0	52.83	-2.84	74.00	21.17	150	143	Vertical
5	15870.0	52.17	-0.67	74.00	21.83	150	43	Vertical
6	15870.0	41.18	-0.67	54.00	12.82	150	192	Vertical
7	17838.2	47.39	0.88	54.00	6.61	150	292	Vertical



4.9.2.113 802.11AC80_Channel 106




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6903.99	56.84	20.85	74.00	17.16	150	240	Horizontal
2	6976.29	47.51	21.26	54.00	6.49	150	342	Horizontal
3	11060.0	41.14	-2.22	54.00	12.86	150	118	Horizontal
4	11060.0	52.95	-2.22	74.00	21.05	150	118	Horizontal
5	16590.0	55.19	0.20	74.00	18.81	150	68	Horizontal
6	16590.0	43.30	0.20	54.00	10.70	150	317	Horizontal
7	17998.3	47.34	1.72	54.00	6.66	150	218	Horizontal



4.9.2.114 802.11AC80_Channel 106




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6944.79	47.40	21.21	54.00	6.60	150	18	Vertical
2	6971.79	57.06	21.26	74.00	16.94	150	220	Vertical
3	11060.0	52.84	-2.22	74.00	21.16	150	91	Vertical
4	11060.0	40.73	-2.22	54.00	13.27	150	342	Vertical
5	16590.0	54.44	0.20	74.00	19.56	150	91	Vertical
6	16590.0	43.59	0.20	54.00	10.41	150	243	Vertical
7	17883.9	47.44	1.48	54.00	6.56	150	44	Vertical



4.9.2.115 802.11AC80_Channel 122



Suspected List								
NO.	Freq. [MHz]	Level [dBuV/m]	Factor [dB]	Limit [dBuV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6963.69	47.51	21.26	54.00	6.49	150	38	Horizontal
2	6967.29	57.53	21.26	74.00	16.47	150	240	Horizontal
3	11220.0	41.75	-2.35	54.00	12.25	150	167	Horizontal
4	11220.0	52.64	-2.35	74.00	21.36	150	68	Horizontal
5	16830.0	56.03	0.94	74.00	17.97	150	18	Horizontal
6	16830.0	45.00	0.94	54.00	9.00	150	218	Horizontal
7	17973.5	47.56	1.71	54.00	6.44	150	18	Horizontal