


4.9.2.116 802.11AC80_Channel 122



Suspected List


NO.	Freq. [MHz]	Level [dBuV/m]	Factor [dB]	Limit [dBuV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6951.99	47.20	21.26	54.00	6.80	150	69	Vertical
2	6954.69	57.28	21.26	74.00	16.72	150	220	Vertical
3	11220.0	42.41	-2.35	54.00	11.59	150	193	Vertical
4	11220.0	52.73	-2.35	74.00	21.27	150	93	Vertical
5	16830.0	55.77	0.94	74.00	18.23	150	143	Vertical
6	16830.0	44.38	0.94	54.00	9.62	150	143	Vertical
7	17949.9	47.47	1.70	54.00	6.53	150	42	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com


4.9.2.117 802.11AC80_Channel 155



Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6967.29	56.57	21.26	74.00	17.43	150	191	Horizontal
2	6995.49	47.36	21.27	54.00	6.64	150	342	Horizontal
3	11550.0	39.84	-2.29	54.00	14.16	150	360	Horizontal
4	11550.0	51.52	-2.29	74.00	22.48	150	268	Horizontal
5	17325.0	56.33	0.91	74.00	17.67	150	360	Horizontal
6	17325.0	45.46	0.91	54.00	8.54	150	268	Horizontal
7	17948.8	47.51	1.70	54.00	6.49	150	68	Horizontal

4.9.2.118 802.11AC80_Channel 155



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6906.39	56.91	20.87	74.00	17.09	150	18	Vertical
2	6998.19	47.38	21.27	54.00	6.62	150	360	Vertical
3	11550.0	40.06	-2.29	54.00	13.94	150	193	Vertical
4	11550.0	50.53	-2.29	74.00	23.47	150	142	Vertical
5	17325.0	57.15	0.91	74.00	16.85	150	242	Vertical
6	17325.0	45.25	0.91	54.00	8.75	150	193	Vertical
7	17965.8	47.44	1.71	54.00	6.56	150	342	Vertical

Remark:

- 1) The field strength is calculated by adding the Antenna Factor, Cable Factor & Preamplifier. The basic equation with a sample calculation is as follows:
Final Test Level = Receiver Reading + Antenna Factor + Cable Factor – Preamplifier Factor
- 2) Scan from 9kHz to 40GHz, The disturbance between 9KHz to 30MHz and 18GHz to 40GHz was very low, and the above harmonics were the highest point could be found when testing, so only the above harmonics had been displayed. The amplitude of spurious emissions from the radiator which are attenuated more than 20dB below the limit need not be reported .
- 3) As shown in this section, for frequencies above 1GHz, the field strength limits are based on average limits. However, the peak field strength of any emission shall not exceed the maximum permitted average limits specified above by more than 20 dB under any condition of modulation. So, only the peak measurements were shown in the report.
- 4) All modes have been tested, but only the worst case data displayed in this report.




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
 No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

4.10 Restricted bands around fundamental frequency

Test Requirement:	47 CFR Part 15 Section 15.407(b)		
Test Method:	ANSI C63.10: 2013		
Test Site:	Measurement Distance: 3m (Semi-Anechoic Chamber)		
Limit:	Frequency	Limit (dBuV/m @3m)	Remark
	30MHz-88MHz	40.0	Quasi-peak Value
	88MHz-216MHz	43.5	Quasi-peak Value
	216MHz-960MHz	46.0	Quasi-peak Value
	960MHz-1GHz	54.0	Quasi-peak Value
	Above 1GHz	54.0	Average Value
		74.0	Peak Value
Test Setup:			






Test Procedure:	a. The EUT was placed on the top of a rotating table 1.5 meters above the ground at a 3 meter semi-anechoic chamber. The table was rotated 360 degrees to determine the position of the highest radiation. b. The EUT was set 3 meters away from the interference-receiving antenna, which was mounted on the top of a variable-height antenna tower. c. The antenna height is varied from one meter to four meters above the ground to determine the maximum value of the field strength. Both horizontal and vertical polarizations of the antenna are set to make the measurement. d. For each suspected emission, the EUT was arranged to its worst case and then the antenna was tuned to heights from 1 meter to 4 meters and the rotatable table was turned from 0 degrees to 360 degrees to find the maximum reading. e. The test-receiver system was set to Peak Detect Function and Specified Bandwidth with Maximum Hold Mode. f. Place a marker at the end of the restricted band closest to the transmit frequency to show compliance. Also measure any emissions in the restricted bands. Save the spectrum analyzer plot. Repeat for each power and modulation for lowest and highest channel g. Test the EUT in the outermost channels. h. The radiation measurements are performed in X, Y, Z axis positioning for Transmitting mode, And found the X axis positioning which it is worse case. i. Repeat above procedures until all frequencies measured was complete.
Exploratory Test Mode:	Transmitting with all kind of modulations, data rates.
Final Test Mode:	Through Pre-scan, find the 6Mbps of rate is the worst case of 802.11a; MCS0 of rate is the worst case of 802.11n(HT20); MCS0 of rate is the worst case of 802.11n(HT40); MCS0 of rate is the worst case of 802.11ac(HT20); MCS0 of rate is the worst case of 802.11ac(HT40); MCS0 of rate is the worst case of 802.11ac(HT80); MCS0 of rate is the worst case of 802.11ac(HT160) Only the worst case is recorded in the report.
Instruments Used:	Refer to section 5.10 for details
Test Results:	Pass



4.10.1 Test plots

4.10.1.1 11A20_36 ANT 1_Vertical

4.10.1.2 802.11A_Channel 36




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5135.91	34.36	15.40	54.00	19.64	150	78	Horizontal
2	5145.07	54.80	15.48	74.00	19.20	150	346	Horizontal
3	5147.67	35.62	15.50	54.00	18.38	150	72	Horizontal
4	5149.32	54.88	15.51	74.00	19.12	150	78	Horizontal
5	5180.00	97.35	15.56	0.00	-97.35	150	7	Horizontal
6	5180.00	86.48	15.56	0.00	-86.48	150	72	Horizontal



4.10.1.3 802.11A_Channel 36




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5130.46	47.04	15.35	74.00	26.96	150	280	Vertical
2	5134.96	33.73	15.39	54.00	20.27	150	107	Vertical
3	5147.12	33.94	15.50	54.00	20.06	150	107	Vertical
4	5147.77	50.64	15.50	74.00	23.36	150	275	Vertical
5	5180.00	90.89	15.56	0.00	-90.89	150	112	Vertical
6	5180.00	81.03	15.56	0.00	-81.03	150	101	Vertical




4.10.1.4 802.11A_Channel 48



Suspected List								
NO.	Freq. [MHz]	Level [dBuV/m]	Factor [dB]	Limit [dBuV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5240.00	100.34	15.49	0.00	-100.34	150	64	Horizontal
2	5240.00	89.79	15.49	0.00	-89.79	150	36	Horizontal
3	5354.25	53.73	15.97	74.00	20.27	150	126	Horizontal
4	5357.49	40.48	15.99	54.00	13.52	150	29	Horizontal
5	5382.17	53.67	16.14	74.00	20.33	150	236	Horizontal
6	5386.22	40.56	16.16	54.00	13.44	150	0	Horizontal




4.10.1.5 802.11A_Channel 48



Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5240.00	92.94	15.49	0.00	-92.94	150	105	Vertical
2	5240.00	83.01	15.49	0.00	-83.01	150	111	Vertical
3	5353.80	40.15	15.96	54.00	13.85	150	236	Vertical
4	5358.75	53.52	15.99	74.00	20.48	150	360	Vertical
5	5382.35	40.11	16.14	54.00	13.89	150	208	Vertical
6	5388.65	53.69	16.18	74.00	20.31	150	42	Vertical

4.10.1.6 802.11A_Channel 52




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5113.30	39.11	15.20	54.00	14.89	150	113	Horizontal
2	5125.61	53.76	15.31	74.00	20.24	150	9	Horizontal
3	5143.82	52.68	15.47	74.00	21.32	150	291	Horizontal
4	5144.22	39.40	15.47	54.00	14.60	150	209	Horizontal
5	5260.00	100.12	15.51	0.00	-100.12	150	3	Horizontal
6	5260.00	90.16	15.51	0.00	-90.16	150	16	Horizontal



4.10.1.7 802.11A_Channel 52




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5110.20	39.09	15.18	54.00	14.91	150	16	Vertical
2	5119.40	52.75	15.26	74.00	21.25	150	309	Vertical
3	5140.82	53.16	15.44	74.00	20.84	150	296	Vertical
4	5146.12	39.33	15.49	54.00	14.67	150	221	Vertical
5	5260.00	93.25	15.51	0.00	-93.25	150	104	Vertical
6	5260.00	83.67	15.51	0.00	-83.67	150	104	Vertical



4.10.1.8 802.11A_Channel 64




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5320.00	102.23	15.80	0.00	-102.23	150	14	Horizontal
2	5320.00	91.83	15.80	0.00	-91.83	150	7	Horizontal
3	5351.22	42.75	15.95	54.00	11.25	150	28	Horizontal
4	5351.72	67.43	15.95	74.00	6.57	150	28	Horizontal
5	5368.53	59.51	16.05	74.00	14.49	150	2	Horizontal
6	5372.53	38.90	16.08	54.00	15.10	150	14	Horizontal



4.10.1.9 802.11A_Channel 64




Suspected List

NO.	Freq. [MHz]	Level [dBuV/m]	Factor [dB]	Limit [dBuV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5320.00	95.58	15.80	0.00	-95.58	150	173	Vertical
2	5320.00	84.68	15.80	0.00	-84.68	150	173	Vertical
3	5350.82	58.71	15.95	74.00	15.29	150	242	Vertical
4	5352.02	36.68	15.95	54.00	17.32	150	173	Vertical
5	5358.42	56.79	15.99	74.00	17.21	150	104	Vertical
6	5372.98	34.90	16.08	54.00	19.10	150	242	Vertical



4.10.1.10 802.11A_Channel 100




Suspected List

NO.	Freq. [MHz]	Level [dBuV/m]	Factor [dB]	Limit [dBuV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5436.37	39.63	16.25	54.00	14.37	150	10	Horizontal
2	5451.02	56.73	16.25	74.00	17.27	150	296	Horizontal
3	5458.04	41.79	16.25	54.00	12.21	150	21	Horizontal
4	5469.93	64.66	16.25	68.30	3.64	150	330	Horizontal
5	5500.00	105.63	16.25	0.00	-105.63	150	65	Horizontal
6	5500.00	95.87	16.25	0.00	-95.87	150	10	Horizontal



4.10.1.11 802.11A_Channel 100




Suspected List

NO.	Freq. [MHz]	Level [dBuV/m]	Factor [dB]	Limit [dBuV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5424.19	37.46	16.25	54.00	16.54	150	123	Vertical
2	5444.96	51.72	16.25	74.00	22.28	150	46	Vertical
3	5457.32	37.88	16.25	54.00	16.12	150	172	Vertical
4	5466.75	53.75	16.25	68.30	14.55	150	156	Vertical
5	5500.00	96.26	16.25	0.00	-96.26	150	161	Vertical
6	5500.00	85.61	16.25	0.00	-85.61	150	172	Vertical



4.10.1.12 802.11A_Channel 140




Suspected List

NO.	Freq. [MHz]	Level [dBuV/m]	Factor [dB]	Limit [dBuV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5700.00	102.27	16.80	0.00	-102.27	150	16	Horizontal
2	5725.95	57.46	16.97	68.30	10.84	150	16	Horizontal
3	5737.33	54.28	17.04	68.30	14.02	150	16	Horizontal
4	5746.57	54.39	17.10	68.30	13.91	150	358	Horizontal
5	5763.22	53.33	17.14	68.30	14.97	150	84	Horizontal



4.10.1.13 802.11A Channel 140



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5700.00	91.38	16.80	0.00	-91.38	150	169	Vertical
2	5725.82	51.96	16.97	68.30	16.34	150	225	Vertical
3	5731.61	52.51	17.00	68.30	15.79	150	4	Vertical
4	5750.93	52.63	17.12	68.30	15.67	150	244	Vertical
5	5763.15	52.48	17.14	68.30	15.82	150	308	Vertical




SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch (Shenzhen CTRC Laboratory)

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or available at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is deemed to have accepted the Company's document terms and conditions. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or form of this document is strictly prohibited. The results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing (inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com).

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China	518057	t (86-755) 26012053	f (86-755) 26710594	www.sgs.com
中国·深圳·科技园中区M-10栋一号厂房	邮编: 518057	t (86-755) 26012053	f (86-755) 26710594	sgs.china@sgs.com

4.10.1.14 802.11A_Channel 149




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5646.02	52.72	16.53	68.30	15.58	150	30	Horizontal
2	5682.44	54.91	16.71	92.31	37.40	150	344	Horizontal
3	5714.44	69.91	16.89	109.35	39.44	150	314	Horizontal
4	5724.67	77.95	16.96	121.55	43.60	150	344	Horizontal
5	5745.00	104.52	17.09	0.00	-104.52	150	344	Horizontal



4.10.1.15 802.11A_Channel 149




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5644.97	47.36	16.54	68.30	20.94	150	162	Vertical
2	5674.94	48.21	16.66	86.76	38.55	150	234	Vertical
3	5704.22	54.38	16.83	106.48	52.10	150	102	Vertical
4	5724.11	65.07	16.95	120.28	55.21	150	106	Vertical
5	5745.00	96.12	17.09	0.00	-96.12	150	106	Vertical



4.10.1.16 802.11A_Channel 165




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5825.00	104.36	17.23	0.00	-104.36	150	9	Horizontal
2	5851.56	68.67	17.26	118.73	50.06	150	69	Horizontal
3	5855.67	68.70	17.24	110.71	42.01	150	344	Horizontal
4	5880.02	55.56	17.17	101.58	46.02	150	23	Horizontal
5	5936.23	49.54	17.67	68.30	18.76	150	344	Horizontal



4.10.1.17 802.11A_Channel 165




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5825.00	95.92	17.23	0.00	-95.92	150	107	Vertical
2	5853.11	61.03	17.25	115.19	54.16	150	107	Vertical
3	5867.69	51.29	17.21	107.35	56.06	150	107	Vertical
4	5904.67	47.78	17.18	83.34	35.56	150	66	Vertical
5	5934.53	47.62	17.64	68.30	20.68	150	231	Vertical



4.10.1.18 802.11N20_Channel 36




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5128.36	34.33	15.33	54.00	19.67	150	0	Horizontal
2	5131.36	52.84	15.36	74.00	21.16	150	14	Horizontal
3	5144.92	35.01	15.48	54.00	18.99	150	70	Horizontal
4	5149.12	55.09	15.51	74.00	18.91	150	86	Horizontal
5	5180.00	95.76	15.56	0.00	-95.76	150	70	Horizontal
6	5180.00	85.69	15.56	0.00	-85.69	150	70	Horizontal



4.10.1.19 802.11N20_Channel 36




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5123.66	33.38	15.29	54.00	20.62	150	280	Vertical
2	5130.66	47.65	15.35	74.00	26.35	150	67	Vertical
3	5144.87	33.80	15.48	54.00	20.20	150	89	Vertical
4	5147.67	48.60	15.50	74.00	25.40	150	258	Vertical
5	5180.00	89.78	15.56	0.00	-89.78	150	111	Vertical
6	5180.00	79.83	15.56	0.00	-79.83	150	111	Vertical



4.10.1.20 802.11N20_Channel 48




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5240.00	98.78	15.49	0.00	-98.78	150	63	Horizontal
2	5240.00	88.43	15.49	0.00	-88.43	150	29	Horizontal
3	5355.15	54.09	15.97	74.00	19.91	150	36	Horizontal
4	5361.28	40.59	16.01	54.00	13.41	150	36	Horizontal
5	5381.45	40.49	16.13	54.00	13.51	150	15	Horizontal
6	5382.98	53.88	16.14	74.00	20.12	150	3	Horizontal




4.10.1.21 802.11N20_Channel 48



Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5240.00	91.71	15.49	0.00	-91.71	150	160	Vertical
2	5240.00	81.76	15.49	0.00	-81.76	150	98	Vertical
3	5354.97	53.58	15.97	74.00	20.42	150	181	Vertical
4	5361.19	40.22	16.01	54.00	13.78	150	304	Vertical
5	5382.17	40.18	16.14	54.00	13.82	150	57	Vertical
6	5388.47	55.35	16.18	74.00	18.65	150	70	Vertical


4.10.1.22 802.11N20_Channel 52



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5112.80	39.24	15.20	54.00	14.76	150	119	Horizontal
2	5131.71	53.24	15.36	74.00	20.76	150	180	Horizontal
3	5144.12	39.37	15.47	54.00	14.63	150	318	Horizontal
4	5146.02	53.84	15.49	74.00	20.16	150	57	Horizontal
5	5260.00	100.13	15.51	0.00	-100.13	150	71	Horizontal
6	5260.00	89.39	15.51	0.00	-89.39	150	71	Horizontal



4.10.1.23 802.11N20_Channel 52




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5108.30	39.07	15.16	54.00	14.93	150	192	Vertical
2	5116.80	52.87	15.23	74.00	21.13	150	124	Vertical
3	5133.21	39.26	15.38	54.00	14.74	150	35	Vertical
4	5137.81	53.26	15.42	74.00	20.74	150	15	Vertical
5	5260.00	92.25	15.51	0.00	-92.25	150	110	Vertical
6	5260.00	82.56	15.51	0.00	-82.56	150	103	Vertical



4.10.1.24 802.11N20_Channel 64




Suspected List

NO.	Freq. [MHz]	Level [dBuV/m]	Factor [dB]	Limit [dBuV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5320.00	101.78	15.80	0.00	-101.78	150	2	Horizontal
2	5320.00	91.60	15.80	0.00	-91.60	150	21	Horizontal
3	5352.97	41.87	15.96	54.00	12.13	150	21	Horizontal
4	5354.22	66.32	15.97	74.00	7.68	150	70	Horizontal
5	5361.03	63.68	16.01	74.00	10.32	150	56	Horizontal
6	5371.13	38.83	16.07	54.00	15.17	150	21	Horizontal



4.10.1.25 802.11N20_Channel 64




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5320.00	93.45	15.80	0.00	-93.45	150	173	Vertical
2	5320.00	84.11	15.80	0.00	-84.11	150	173	Vertical
3	5352.07	36.27	15.95	54.00	17.73	150	104	Vertical
4	5352.22	56.09	15.95	74.00	17.91	150	173	Vertical
5	5366.63	53.63	16.04	74.00	20.37	150	173	Vertical
6	5372.88	34.80	16.08	54.00	19.20	150	173	Vertical



4.10.1.26 802.11N20_Channel 100




Suspected List

NO.	Freq. [MHz]	Level [dBuV/m]	Factor [dB]	Limit [dBuV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5450.48	39.25	16.25	54.00	14.75	150	19	Horizontal
2	5457.08	39.27	16.25	54.00	14.73	150	19	Horizontal
3	5459.30	54.96	16.25	74.00	19.04	150	26	Horizontal
4	5469.51	61.90	16.25	68.30	6.40	150	14	Horizontal
5	5500.00	102.55	16.25	0.00	-102.55	150	14	Horizontal
6	5500.00	91.41	16.25	0.00	-91.41	150	14	Horizontal



4.10.1.27 802.11N20_Channel 100




Suspected List

NO.	Freq. [MHz]	Level [dBuV/m]	Factor [dB]	Limit [dBuV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5446.40	37.22	16.25	54.00	16.78	150	108	Vertical
2	5456.78	37.08	16.25	54.00	16.92	150	156	Vertical
3	5456.84	52.35	16.25	74.00	21.65	150	80	Vertical
4	5469.21	53.41	16.25	68.30	14.89	150	230	Vertical
5	5500.00	92.10	16.25	0.00	-92.10	150	150	Vertical
6	5500.00	80.28	16.25	0.00	-80.28	150	167	Vertical



4.10.1.28 802.11N20_Channel 140




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5700.00	103.99	16.80	0.00	-103.99	150	351	Horizontal
2	5725.11	62.51	16.96	68.30	5.79	150	16	Horizontal
3	5730.83	62.10	17.00	68.30	6.20	150	34	Horizontal
4	5740.72	55.08	17.06	68.30	13.22	150	20	Horizontal
5	5763.67	53.88	17.14	68.30	14.42	150	48	Horizontal



4.10.1.29 802.11N20_Channel 140




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5700.00	91.33	16.80	0.00	-91.33	150	166	Vertical
2	5726.93	53.03	16.97	68.30	15.27	150	96	Vertical
3	5735.58	52.41	17.03	68.30	15.89	150	212	Vertical
4	5755.93	52.63	17.13	68.30	15.67	150	26	Vertical
5	5761.20	52.98	17.14	68.30	15.32	150	189	Vertical




4.10.1.30 802.11N20_Channel 149



Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5646.23	50.81	16.53	68.30	17.49	150	1	Horizontal
2	5681.88	61.97	16.70	91.89	29.92	150	336	Horizontal
3	5712.90	68.92	16.88	108.91	39.99	150	1	Horizontal
4	5723.20	79.42	16.95	118.20	38.78	150	26	Horizontal
5	5745.00	104.29	17.09	0.00	-104.29	150	344	Horizontal

4.10.1.31 802.11N20_Channel 149




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5643.92	47.66	16.54	68.30	20.64	150	16	Vertical
2	5673.54	48.29	16.66	85.72	37.43	150	173	Vertical
3	5710.17	56.17	16.87	108.15	51.98	150	229	Vertical
4	5724.46	64.97	16.96	121.07	56.10	150	113	Vertical
5	5745.00	94.56	17.09	0.00	-94.56	150	108	Vertical



4.10.1.32 802.11N20_Channel 165




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5825.00	104.30	17.23	0.00	-104.30	150	1	Horizontal
2	5851.17	67.35	17.26	119.61	52.26	150	8	Horizontal
3	5861.95	62.54	17.22	108.95	46.41	150	344	Horizontal
4	5906.07	50.90	17.20	82.30	31.40	150	344	Horizontal
5	5934.84	50.44	17.65	68.30	17.86	150	3	Horizontal



4.10.1.33 802.11N20_Channel 165




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5825.00	94.24	17.23	0.00	-94.24	150	112	Vertical
2	5852.18	54.55	17.25	117.32	62.77	150	116	Vertical
3	5855.52	53.37	17.24	110.75	57.38	150	177	Vertical
4	5887.62	48.04	17.15	95.96	47.92	150	219	Vertical
5	5939.18	48.78	17.71	68.30	19.52	150	57	Vertical



4.10.1.34 802.11N40_Channel 38




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5127.31	53.44	15.32	74.00	20.56	150	143	Horizontal
2	5131.27	39.37	15.36	54.00	14.63	150	303	Horizontal
3	5146.40	39.57	15.49	54.00	14.43	150	88	Horizontal
4	5149.88	58.25	15.52	74.00	15.75	150	93	Horizontal
5	5190.00	90.57	15.58	0.00	-90.57	150	65	Horizontal
6	5190.00	77.58	15.58	0.00	-77.58	150	27	Horizontal



4.10.1.35 802.11N40_Channel 38




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5120.83	39.12	15.27	54.00	14.88	150	240	Vertical
2	5129.89	52.86	15.35	74.00	21.14	150	14	Vertical
3	5147.18	39.32	15.50	54.00	14.68	150	69	Vertical
4	5149.16	53.85	15.51	74.00	20.15	150	118	Vertical
5	5190.00	83.10	15.58	0.00	-83.10	150	102	Vertical
6	5190.00	71.38	15.58	0.00	-71.38	150	107	Vertical



4.10.1.36 802.11N40_Channel 46




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5230.00	92.56	15.51	0.00	-92.56	150	2	Horizontal
2	5230.00	79.61	15.51	0.00	-79.61	150	7	Horizontal
3	5355.97	53.77	15.98	74.00	20.23	150	276	Horizontal
4	5362.28	40.41	16.02	54.00	13.59	150	55	Horizontal
5	5387.29	53.47	16.17	74.00	20.53	150	283	Horizontal
6	5393.59	40.69	16.21	54.00	13.31	150	76	Horizontal



4.10.1.37 802.11N40_Channel 46




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5230.00	84.77	15.51	0.00	-84.77	150	105	Vertical
2	5230.00	72.60	15.51	0.00	-72.60	150	105	Vertical
3	5351.97	40.00	15.95	54.00	14.00	150	64	Vertical
4	5357.47	53.71	15.99	74.00	20.29	150	358	Vertical
5	5383.69	53.74	16.15	74.00	20.26	150	296	Vertical
6	5387.89	40.18	16.17	54.00	13.82	150	140	Vertical





4.10.1.38 802.11N40_Channel 54




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5108.10	39.07	15.16	54.00	14.93	150	311	Horizontal
2	5116.80	53.22	15.23	74.00	20.78	150	180	Horizontal
3	5140.82	39.26	15.44	54.00	14.74	150	15	Horizontal
4	5145.52	53.46	15.48	74.00	20.54	150	187	Horizontal
5	5270.00	93.47	15.56	0.00	-93.47	150	35	Horizontal
6	5270.00	80.76	15.56	0.00	-80.76	150	15	Horizontal



4.10.1.39 802.11N40_Channel 54




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5116.60	39.04	15.23	54.00	14.96	150	15	Vertical
2	5123.21	53.45	15.29	74.00	20.55	150	227	Vertical
3	5145.82	53.44	15.48	74.00	20.56	150	31	Vertical
4	5146.42	39.26	15.49	54.00	14.74	150	24	Vertical
5	5270.00	86.72	15.56	0.00	-86.72	150	105	Vertical
6	5270.00	74.18	15.56	0.00	-74.18	150	105	Vertical



4.10.1.40 802.11N40_Channel 62




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5310.00	95.30	15.75	0.00	-95.30	150	68	Horizontal
2	5310.00	82.61	15.75	0.00	-82.61	150	21	Horizontal
3	5350.47	41.70	15.94	54.00	12.30	150	21	Horizontal
4	5357.13	64.96	15.98	74.00	9.04	150	14	Horizontal
5	5368.60	37.89	16.06	54.00	16.11	150	7	Horizontal
6	5377.96	58.30	16.11	74.00	15.70	150	14	Horizontal



4.10.1.41 802.11N40_Channel 62




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5310.00	86.83	15.75	0.00	-86.83	150	178	Vertical
2	5310.00	73.78	15.75	0.00	-73.78	150	170	Vertical
3	5351.49	35.30	15.95	54.00	18.70	150	170	Vertical
4	5351.61	57.33	15.95	74.00	16.67	150	226	Vertical
5	5361.70	54.68	16.01	74.00	19.32	150	170	Vertical
6	5368.36	33.88	16.05	54.00	20.12	150	170	Vertical



4.10.1.42 802.11N40_Channel 102




Suspected List

NO.	Freq. [MHz]	Level [dBuV/m]	Factor [dB]	Limit [dBuV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5436.82	36.07	16.25	54.00	17.93	150	22	Horizontal
2	5455.37	56.69	16.25	74.00	17.31	150	35	Horizontal
3	5458.25	37.29	16.25	54.00	16.71	150	360	Horizontal
4	5469.78	64.04	16.25	68.30	4.26	150	29	Horizontal
5	5510.00	96.42	16.28	0.00	-96.42	150	35	Horizontal
6	5510.00	84.23	16.28	0.00	-84.23	150	29	Horizontal



4.10.1.43 802.11N40_Channel 102




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5445.92	33.15	16.25	54.00	20.85	150	166	Vertical
2	5455.91	50.11	16.25	74.00	23.89	150	241	Vertical
3	5455.91	33.43	16.25	54.00	20.57	150	173	Vertical
4	5469.78	55.07	16.25	68.30	13.23	150	173	Vertical
5	5510.00	84.93	16.28	0.00	-84.93	150	173	Vertical
6	5510.00	75.13	16.28	0.00	-75.13	150	173	Vertical



4.10.1.44 802.11N40_Channel 134




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5670.00	99.41	16.64	0.00	-99.41	150	344	Horizontal
2	5725.00	61.97	16.96	68.30	6.33	150	2	Horizontal
3	5741.69	57.10	17.07	68.30	11.20	150	4	Horizontal
4	5757.58	53.31	17.13	68.30	14.99	150	27	Horizontal
5	5772.85	51.22	17.15	68.30	17.08	150	4	Horizontal



4.10.1.45 802.11N40_Channel 134




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5670.00	88.45	16.64	0.00	-88.45	150	162	Vertical
2	5725.51	51.16	16.96	68.30	17.14	150	175	Vertical
3	5729.57	49.62	16.99	68.30	18.68	150	175	Vertical
4	5740.99	50.01	17.06	68.30	18.29	150	153	Vertical
5	5764.17	48.44	17.14	68.30	19.86	150	208	Vertical



4.10.1.46 802.11N40_Channel 151




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5645.66	51.84	16.54	68.30	16.46	150	1	Horizontal
2	5678.61	57.79	16.68	89.47	31.68	150	336	Horizontal
3	5718.08	73.20	16.92	110.36	37.16	150	344	Horizontal
4	5722.65	76.22	16.95	116.96	40.74	150	344	Horizontal
5	5755.00	99.19	17.13	0.00	-99.19	150	0	Horizontal



4.10.1.47 802.11N40_Channel 151




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5642.55	47.38	16.54	68.30	20.92	150	120	Vertical
2	5696.75	52.71	16.78	102.90	50.19	150	92	Vertical
3	5707.22	53.48	16.85	107.32	53.84	150	102	Vertical
4	5722.26	65.84	16.94	116.07	50.23	150	111	Vertical
5	5755.00	87.70	17.13	0.00	-87.70	150	88	Vertical



4.10.1.48 802.11N40_Channel 159




Suspected List

NO.	Freq. [MHz]	Level [dBuV/m]	Factor [dB]	Limit [dBuV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5795.00	99.97	17.18	0.00	-99.97	150	340	Horizontal
2	5850.55	59.97	17.26	121.04	61.07	150	5	Horizontal
3	5857.15	57.12	17.24	110.30	53.18	150	5	Horizontal
4	5906.28	49.60	17.21	82.15	32.55	150	28	Horizontal
5	5940.39	48.92	17.73	68.30	19.38	150	344	Horizontal



4.10.1.49 802.11N40_Channel 159




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5795.00	87.25	17.18	0.00	-87.25	150	176	Vertical
2	5850.65	50.17	17.26	120.81	70.64	150	107	Vertical
3	5873.46	48.09	17.19	105.73	57.64	150	213	Vertical
4	5907.78	47.42	17.23	81.04	33.62	150	338	Vertical
5	5939.49	48.33	17.72	68.30	19.97	150	209	Vertical



4.10.1.50 802.11AC20_Channel 36




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5132.21	33.91	15.37	54.00	20.09	150	111	Horizontal
2	5134.51	50.83	15.39	74.00	23.17	150	34	Horizontal
3	5147.07	34.73	15.49	54.00	19.27	150	67	Horizontal
4	5148.47	53.75	15.51	74.00	20.25	150	67	Horizontal
5	5180.00	94.76	15.56	0.00	-94.76	150	73	Horizontal
6	5180.00	84.69	15.56	0.00	-84.69	150	73	Horizontal



4.10.1.51 802.11AC20_Channel 36




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5130.71	33.37	15.35	54.00	20.63	150	100	Vertical
2	5135.86	47.59	15.40	74.00	26.41	150	106	Vertical
3	5144.47	33.63	15.47	54.00	20.37	150	224	Vertical
4	5148.17	48.48	15.50	74.00	25.52	150	159	Vertical
5	5180.00	87.90	15.56	0.00	-87.90	150	246	Vertical
6	5180.00	77.66	15.56	0.00	-77.66	150	175	Vertical



4.10.1.52 802.11AC20_Channel 48




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5240.00	97.53	15.49	0.00	-97.53	150	72	Horizontal
2	5240.00	86.61	15.49	0.00	-86.61	150	65	Horizontal
3	5355.24	40.60	15.97	54.00	13.40	150	16	Horizontal
4	5358.21	54.61	15.99	74.00	19.39	150	134	Horizontal
5	5378.47	54.57	16.12	74.00	19.43	150	10	Horizontal
6	5386.22	40.47	16.16	54.00	13.53	150	38	Horizontal



4.10.1.53 802.11AC20_Channel 48




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5240.00	89.60	15.49	0.00	-89.60	150	104	Vertical
2	5240.00	79.50	15.49	0.00	-79.50	150	104	Vertical
3	5354.79	40.03	15.97	54.00	13.97	150	235	Vertical
4	5357.49	53.55	15.99	74.00	20.45	150	42	Vertical
5	5377.30	40.25	16.11	54.00	13.75	150	340	Vertical
6	5385.23	54.67	16.16	74.00	19.33	150	36	Vertical



4.10.1.54 802.11AC20_Channel 52




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5118.30	53.26	15.25	74.00	20.74	150	85	Horizontal
2	5125.81	39.09	15.31	54.00	14.91	150	0	Horizontal
3	5144.92	52.75	15.48	74.00	21.25	150	43	Horizontal
4	5145.42	39.36	15.48	54.00	14.64	150	29	Horizontal
5	5260.00	98.30	15.51	0.00	-98.30	150	15	Horizontal
6	5260.00	87.11	15.51	0.00	-87.11	150	15	Horizontal



4.10.1.55 802.11AC20_Channel 52




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5116.70	52.97	15.23	74.00	21.03	150	339	Vertical
2	5123.01	39.31	15.29	54.00	14.69	150	250	Vertical
3	5140.82	52.82	15.44	74.00	21.18	150	174	Vertical
4	5144.72	39.36	15.47	54.00	14.64	150	235	Vertical
5	5260.00	91.28	15.51	0.00	-91.28	150	104	Vertical
6	5260.00	81.70	15.51	0.00	-81.70	150	104	Vertical



4.10.1.56 802.11AC20_Channel 64




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5320.00	99.99	15.80	0.00	-99.99	150	44	Horizontal
2	5320.00	89.61	15.80	0.00	-89.61	150	38	Horizontal
3	5351.52	39.18	15.95	54.00	14.82	150	38	Horizontal
4	5352.27	59.99	15.95	74.00	14.01	150	51	Horizontal
5	5361.68	57.39	16.01	74.00	16.61	150	86	Horizontal
6	5367.33	37.94	16.05	54.00	16.06	150	38	Horizontal




4.10.1.57 802.11AC20_Channel 64



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5320.00	93.07	15.80	0.00	-93.07	150	173	Vertical
2	5320.00	83.02	15.80	0.00	-83.02	150	173	Vertical
3	5351.22	56.11	15.95	74.00	17.89	150	173	Vertical
4	5353.22	35.09	15.96	54.00	18.91	150	167	Vertical
5	5368.18	34.95	16.05	54.00	19.05	150	167	Vertical
6	5372.98	49.09	16.08	74.00	24.91	150	326	Vertical



4.10.1.58 802.11AC20_Channel 100




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5446.22	39.44	16.25	54.00	14.56	150	12	Horizontal
2	5455.28	53.65	16.25	74.00	20.35	150	1	Horizontal
3	5456.12	40.01	16.25	54.00	13.99	150	17	Horizontal
4	5469.21	62.10	16.25	68.30	6.20	150	28	Horizontal
5	5500.00	102.83	16.25	0.00	-102.83	150	310	Horizontal
6	5500.00	93.12	16.25	0.00	-93.12	150	12	Horizontal



4.10.1.59 802.11AC20_Channel 100




Suspected List

NO.	Freq. [MHz]	Level [dBuV/m]	Factor [dB]	Limit [dBuV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5438.53	37.18	16.25	54.00	16.82	150	223	Vertical
2	5448.80	50.89	16.25	74.00	23.11	150	145	Vertical
3	5454.62	37.42	16.25	54.00	16.58	150	172	Vertical
4	5466.63	52.12	16.25	68.30	16.18	150	172	Vertical
5	5500.00	92.94	16.25	0.00	-92.94	150	172	Vertical
6	5500.00	83.34	16.25	0.00	-83.34	150	172	Vertical



4.10.1.60 802.11AC20_Channel 140




Suspected List

NO.	Freq. [MHz]	Level [dBuV/m]	Factor [dB]	Limit [dBuV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5700.00	103.12	16.80	0.00	-103.12	150	16	Horizontal
2	5725.43	64.93	16.96	68.30	3.37	150	29	Horizontal
3	5730.38	64.38	16.99	68.30	3.92	150	20	Horizontal
4	5734.67	57.95	17.02	68.30	10.35	150	47	Horizontal
5	5741.37	55.16	17.06	68.30	13.14	150	34	Horizontal



4.10.1.61 802.11AC20_Channel 140




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5700.00	92.52	16.80	0.00	-92.52	150	180	Vertical
2	5725.50	53.78	16.96	68.30	14.52	150	33	Vertical
3	5737.98	52.11	17.04	68.30	16.19	150	207	Vertical
4	5749.56	52.58	17.12	68.30	15.72	150	344	Vertical
5	5762.70	52.60	17.14	68.30	15.70	150	344	Vertical



4.10.1.62 802.11AC20_Channel 149




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5645.81	50.69	16.54	68.30	17.61	150	0	Horizontal
2	5673.96	52.30	16.66	86.04	33.74	150	17	Horizontal
3	5707.86	62.37	16.85	107.50	45.13	150	17	Horizontal
4	5724.32	74.21	16.96	120.75	46.54	150	8	Horizontal
5	5745.00	104.47	17.09	0.00	-104.47	150	4	Horizontal



4.10.1.63 802.11AC20_Channel 149




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5660.03	47.89	16.58	75.72	27.83	150	15	Vertical
2	5707.86	51.82	16.85	107.50	55.68	150	144	Vertical
3	5721.73	59.34	16.94	114.85	55.51	150	162	Vertical
4	5723.62	59.42	16.95	119.16	59.74	150	153	Vertical
5	5745.00	94.26	17.09	0.00	-94.26	150	176	Vertical



4.10.1.64 802.11AC20_Channel 165




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5825.00	102.86	17.23	0.00	-102.86	150	344	Horizontal
2	5853.65	63.45	17.25	113.96	50.51	150	41	Horizontal
3	5858.77	60.13	17.23	109.84	49.71	150	0	Horizontal
4	5884.36	58.86	17.16	98.37	39.51	150	87	Horizontal
5	5936.23	49.15	17.67	68.30	19.15	150	73	Horizontal



4.10.1.65 802.11AC20_Channel 165




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5825.00	91.89	17.23	0.00	-91.89	150	103	Vertical
2	5851.79	52.12	17.25	118.20	66.08	150	25	Vertical
3	5865.60	48.06	17.21	107.93	59.87	150	360	Vertical
4	5893.82	48.28	17.13	91.37	43.09	150	34	Vertical
5	5942.20	48.39	17.76	68.30	19.91	150	294	Vertical




4.10.1.66 802.11AC40_Channel 38



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5126.35	39.32	15.32	54.00	14.68	150	70	Horizontal
2	5132.11	53.90	15.37	74.00	20.10	150	53	Horizontal
3	5145.14	52.51	15.48	74.00	21.49	150	15	Horizontal
4	5147.54	39.64	15.50	54.00	14.36	150	70	Horizontal
5	5190.00	89.18	15.58	0.00	-89.18	150	64	Horizontal
6	5190.00	76.65	15.58	0.00	-76.65	150	70	Horizontal



4.10.1.67 802.11AC40_Channel 38




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5123.65	39.13	15.29	54.00	14.87	150	277	Vertical
2	5132.95	53.63	15.37	74.00	20.37	150	222	Vertical
3	5145.62	39.40	15.48	54.00	14.60	150	107	Vertical
4	5147.66	53.15	15.50	74.00	20.85	150	167	Vertical
5	5190.00	82.38	15.58	0.00	-82.38	150	101	Vertical
6	5190.00	70.53	15.58	0.00	-70.53	150	101	Vertical



4.10.1.68 802.11AC40_Channel 46




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5230.00	91.94	15.51	0.00	-91.94	150	13	Horizontal
2	5230.00	78.54	15.51	0.00	-78.54	150	13	Horizontal
3	5352.67	53.86	15.96	74.00	20.14	150	34	Horizontal
4	5358.77	40.39	15.99	54.00	13.61	150	13	Horizontal
5	5370.78	54.05	16.07	74.00	19.95	150	41	Horizontal
6	5390.39	40.45	16.19	54.00	13.55	150	304	Horizontal



4.10.1.69 802.11AC40_Channel 46



Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5230.00	84.56	15.51	0.00	-84.56	150	105	Vertical
2	5230.00	72.83	15.51	0.00	-72.83	150	98	Vertical
3	5357.37	53.84	15.99	74.00	20.16	150	42	Vertical
4	5360.88	40.19	16.01	54.00	13.81	150	153	Vertical
5	5382.79	54.00	16.14	74.00	20.00	150	91	Vertical
6	5393.69	40.42	16.21	54.00	13.58	150	339	Vertical

