



MEASUREMENT REPORT LTE

Applicant Name:

LG Electronics USA, Inc.

1000 Sylvan Avenue

Englewood Cliffs, NJ 07632

United States

Date of Testing:

9/12 – 10/4/2019

Test Site/Location:

PCTEST Lab. Columbia, MD, USA

Test Report Serial No.:

1M1909120153-03-R1.ZNF

FCC ID:

ZNFQ620WA

APPLICANT:

LG Electronics USA, Inc.

Application Type:

Certification

Model:

LM-Q620WA

Additional Model(s):

LMQ620WA, Q620WA, LM-Q620VA, LMQ620VA, Q620VA,
LM-Q620VL, LMQ620VL, Q620VL, LM-Q620QM6, LMQ620QM6,
Q620QM6, LM-Q620QM, LMQ620QM, Q620QM

EUT Type:

Portable Handset

FCC Classification:

PCS Licensed Transmitter Held to Ear (PCE)

FCC Rule Part(s):

22, 24, & 27

Test Procedure(s):

ANSI C63.26-2015, ANSI/TIA-603-E-2016, KDB 971168 D01 v03r01

This equipment has been shown to be capable of compliance with the applicable technical standards as indicated in the measurement report and was tested in accordance with the measurement procedures specified in §2.947. Test results reported herein relate only to the item(s) tested.

I attest to the accuracy of data. All measurements reported herein were performed by me or were made under my supervision and are correct to the best of my knowledge and belief. I assume full responsibility for the completeness of these measurements and vouch for the qualifications of all persons taking them.

Note: This revised Test Report (S/N: 1M1909120153-03-R1.ZNF) supersedes and replaces the previously issued test report on the same subject device for the same type of testing as indicated. Please discard or destroy the previously issued test report(s) and dispose of it accordingly.



Randy Ortanez
President




FCC ID: ZNFQ620WA	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1909120153-03-R1.ZNF	Test Dates: 9/12 – 10/14/2019	EUT Type: Portable Handset	Page 1 of 244

T A B L E O F C O N T E N T S


1.0	INTRODUCTION	6
1.1	Scope	6
1.2	PCTEST Test Location	6
1.3	Test Facility / Accreditations	6
2.0	PRODUCT INFORMATION	7
2.1	Equipment Description	7
2.2	Device Capabilities	7
2.3	Test Configuration	7
2.4	EMI Suppression Device(s)/Modifications	7
3.0	DESCRIPTION OF TESTS	8
3.1	Measurement Procedure	8
3.2	600 MHz Band Frequency Range	8
3.3	Block C Frequency Range	8
3.4	Block A Frequency Range	8
3.5	Cellular - Base Frequency Blocks	8
3.6	Cellular - Mobile Frequency Blocks	9
3.7	PCS - Base Frequency Blocks	9
3.8	PCS - Mobile Frequency Blocks	9
3.9	AWS - Base Frequency Blocks	9
3.10	AWS - Mobile Frequency Blocks	10
3.11	WCS – Mobile/Base Frequency Blocks	10
3.12	BRS/EBS Frequency Block	10
3.13	Radiated Power and Radiated Spurious Emissions	11
4.0	MEASUREMENT UNCERTAINTY	12
5.0	TEST EQUIPMENT CALIBRATION DATA	13
6.0	SAMPLE CALCULATIONS	14
7.0	TEST RESULTS	15
7.1	Summary	15
7.2	Occupied Bandwidth	17
7.3	Spurious and Harmonic Emissions at Antenna Terminal	71
7.4	Band Edge Emissions at Antenna Terminal	109
7.5	Peak-Average Ratio	177
7.6	Radiated Power (ERP/EIRP)	196
7.7	Radiated Spurious Emissions Measurements	205
7.8	Frequency Stability / Temperature Variation	227
8.0	CONCLUSION	244

FCC ID: ZNFQ620WA	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1909120153-03-R1.ZNF	Test Dates: 9/12 – 10/14/2019	EUT Type: Portable Handset	Page 2 of 244



MEASUREMENT REPORT

FCC Part 22, 24, & 27



Mode	FCC Rule Part	Tx Frequency (MHz)	ERP		EIRP		Emission Designator	Modulation
			Max. Power (W)	Max. Power (dBm)	Max. Power (W)	Max. Power (dBm)		
LTE Band 71	27	665.5 - 695.5	0.040	15.99			4M54G7D	QPSK
LTE Band 71	27	665.5 - 695.5	0.030	14.75			4M53W7D	16QAM
LTE Band 71	27	665.5 - 695.5	0.024	13.80			4M53W7D	64QAM
LTE Band 71	27	668 - 693	0.038	15.76			9M02G7D	QPSK
LTE Band 71	27	668 - 693	0.029	14.55			9M03W7D	16QAM
LTE Band 71	27	668 - 693	0.023	13.69			9M02W7D	64QAM
LTE Band 71	27	670.5 - 690.5	0.038	15.80			13M5G7D	QPSK
LTE Band 71	27	670.5 - 690.5	0.027	14.33			13M5W7D	16QAM
LTE Band 71	27	670.5 - 690.5	0.021	13.30			13M5W7D	64QAM
LTE Band 71	27	673 - 688	0.036	15.52			18M0G7D	QPSK
LTE Band 71	27	673 - 688	0.032	15.01			18M0W7D	16QAM
LTE Band 71	27	673 - 688	0.021	13.13			18M0W7D	64QAM
LTE Band 12	27	699.7 - 715.3	0.057	17.55	0.093	19.70	1M10G7D	QPSK
LTE Band 12	27	699.7 - 715.3	0.043	16.37	0.071	18.52	1M10W7D	16QAM
LTE Band 12	27	699.7 - 715.3	0.036	15.52	0.058	17.67	1M09W7D	64QAM
LTE Band 12	27	700.5 - 714.5	0.058	17.67	0.096	19.82	2M72G7D	QPSK
LTE Band 12	27	700.5 - 714.5	0.040	16.06	0.066	18.21	2M72W7D	16QAM
LTE Band 12	27	700.5 - 714.5	0.033	15.18	0.054	17.33	2M72W7D	64QAM
LTE Band 12/17	27	701.5 - 713.5	0.064	18.03	0.104	20.18	4M57G7D	QPSK
LTE Band 12/17	27	701.5 - 713.5	0.048	16.77	0.078	18.92	4M54W7D	16QAM
LTE Band 12/17	27	701.5 - 713.5	0.041	16.08	0.067	18.23	4M54W7D	64QAM
LTE Band 12/17	27	704 - 711	0.059	17.72	0.097	19.87	9M02G7D	QPSK
LTE Band 12/17	27	704 - 711	0.044	16.39	0.071	18.54	9M05W7D	16QAM
LTE Band 12/17	27	704 - 711	0.035	15.48	0.058	17.63	9M00W7D	64QAM
LTE Band 13	27	779.5 - 784.5	0.057	17.53	0.093	19.68	4M53G7D	QPSK
LTE Band 13	27	779.5 - 784.5	0.041	16.13	0.067	18.28	4M52W7D	16QAM
LTE Band 13	27	779.5 - 784.5	0.032	15.09	0.053	17.24	4M52W7D	64QAM
LTE Band 13	27	782	0.064	18.08	0.105	20.23	9M00G7D	QPSK
LTE Band 13	27	782	0.046	16.62	0.075	18.77	8M97W7D	16QAM
LTE Band 13	27	782	0.036	15.61	0.060	17.76	8M98W7D	64QAM
LTE Band 26/5	22H	824.7 - 848.3	0.065	18.12	0.106	20.27	1M09G7D	QPSK
LTE Band 26/5	22H	824.7 - 848.3	0.047	16.72	0.077	18.87	1M09W7D	16QAM
LTE Band 26/5	22H	824.7 - 848.3	0.038	15.75	0.062	17.90	1M09W7D	64QAM
LTE Band 26/5	22H	825.5 - 847.5	0.061	17.86	0.100	20.01	2M71G7D	QPSK
LTE Band 26/5	22H	825.5 - 847.5	0.043	16.38	0.071	18.53	2M71W7D	16QAM
LTE Band 26/5	22H	825.5 - 847.5	0.036	15.55	0.059	17.70	2M72W7D	64QAM
LTE Band 26/5	22H	826.5 - 846.5	0.065	18.16	0.107	20.31	4M52G7D	QPSK
LTE Band 26/5	22H	826.5 - 846.5	0.047	16.74	0.077	18.89	4M52W7D	16QAM
LTE Band 26/5	22H	826.5 - 846.5	0.038	15.79	0.062	17.94	4M54W7D	64QAM
LTE Band 26/5	22H	829 - 844	0.064	18.05	0.105	20.20	8M99G7D	QPSK
LTE Band 26/5	22H	829 - 844	0.045	16.52	0.074	18.67	9M01W7D	16QAM
LTE Band 26/5	22H	829 - 844	0.036	15.51	0.058	17.66	9M01W7D	64QAM
LTE Band 26	22H	831.5 - 841.5	0.066	18.19	0.108	20.34	13M5G7D	QPSK
LTE Band 26	22H	831.5 - 841.5	0.047	16.76	0.078	18.91	13M5W7D	16QAM
LTE Band 26	22H	831.5 - 841.5	0.038	15.75	0.062	17.90	13M5W7D	64QAM

EUT Overview (<1 GHz)

FCC ID: ZNFQ620WA	 MEASUREMENT REPORT (CERTIFICATION) 		Approved by: Quality Manager
Test Report S/N: 1M1909120153-03-R1.ZNF	Test Dates: 9/12 - 10/14/2019	EUT Type: Portable Handset	
			Page 3 of 244

Mode	FCC Rule Part	Tx Frequency (MHz)	EIRP		Emission Designator	Modulation
			Max. Power (W)	Max. Power (dBm)		
LTE Band 66/4	27	1710.7 - 1779.3	0.140	21.46	1M09G7D	QPSK
LTE Band 66/4	27	1710.7 - 1779.3	0.131	21.18	1M10W7D	16QAM
LTE Band 66/4	27	1710.7 - 1779.3	0.106	20.24	1M09W7D	64QAM
LTE Band 66/4	27	1711.5 - 1778.5	0.140	21.46	2M69G7D	QPSK
LTE Band 66/4	27	1711.5 - 1778.5	0.131	21.18	2M71W7D	16QAM
LTE Band 66/4	27	1711.5 - 1778.5	0.106	20.24	2M71W7D	64QAM
LTE Band 66/4	27	1712.5 - 1777.5	0.140	21.45	4M53G7D	QPSK
LTE Band 66/4	27	1712.5 - 1777.5	0.131	21.17	4M53W7D	16QAM
LTE Band 66/4	27	1712.5 - 1777.5	0.105	20.23	4M53W7D	64QAM
LTE Band 66/4	27	1715 - 1775	0.140	21.45	9M00G7D	QPSK
LTE Band 66/4	27	1715 - 1775	0.130	21.16	9M00W7D	16QAM
LTE Band 66/4	27	1715 - 1775	0.105	20.22	9M02W7D	64QAM
LTE Band 66/4	27	1717.5 - 1772.5	0.139	21.42	13M5G7D	QPSK
LTE Band 66/4	27	1717.5 - 1772.5	0.130	21.14	13M5W7D	16QAM
LTE Band 66/4	27	1717.5 - 1772.5	0.105	20.20	13M5W7D	64QAM
LTE Band 66/4	27	1720 - 1770	0.138	21.40	18M0G7D	QPSK
LTE Band 66/4	27	1720 - 1770	0.126	21.01	18M0W7D	16QAM
LTE Band 66/4	27	1720 - 1770	0.102	20.07	18M0W7D	64QAM
LTE Band 25/2	24E	1850.7 - 1914.3	0.192	22.84	1M10G7D	QPSK
LTE Band 25/2	24E	1850.7 - 1914.3	0.168	22.26	1M11W7D	16QAM
LTE Band 25/2	24E	1850.7 - 1914.3	0.155	21.90	1M09W7D	64QAM
LTE Band 25/2	24E	1851.5 - 1913.5	0.187	22.72	2M72G7D	QPSK
LTE Band 25/2	24E	1851.5 - 1913.5	0.168	22.25	2M71W7D	16QAM
LTE Band 25/2	24E	1851.5 - 1913.5	0.148	21.72	2M71W7D	64QAM
LTE Band 25/2	24E	1852.5 - 1912.5	0.188	22.75	4M53G7D	QPSK
LTE Band 25/2	24E	1852.5 - 1912.5	0.167	22.24	4M52W7D	16QAM
LTE Band 25/2	24E	1852.5 - 1912.5	0.147	21.69	4M54W7D	64QAM
LTE Band 25/2	24E	1855 - 1910	0.194	22.88	9M02G7D	QPSK
LTE Band 25/2	24E	1855 - 1910	0.173	22.38	9M00W7D	16QAM
LTE Band 25/2	24E	1855 - 1910	0.148	21.71	9M03W7D	64QAM
LTE Band 25/2	24E	1857.5 - 1907.5	0.192	22.83	13M5G7D	QPSK
LTE Band 25/2	24E	1857.5 - 1907.5	0.175	22.42	13M5W7D	16QAM
LTE Band 25/2	24E	1857.5 - 1907.5	0.151	21.79	13M5W7D	64QAM
LTE Band 25/2	24E	1860 - 1905	0.188	22.75	18M0G7D	QPSK
LTE Band 25/2	24E	1860 - 1905	0.173	22.38	18M0W7D	16QAM
LTE Band 25/2	24E	1860 - 1905	0.142	21.51	18M0W7D	64QAM

EUT Overview (Mid Bands)

FCC ID: ZNFQ620WA	 MEASUREMENT REPORT (CERTIFICATION) 		Approved by: Quality Manager
Test Report S/N: 1M1909120153-03-R1.ZNF	Test Dates: 9/12 – 10/14/2019	EUT Type: Portable Handset	Page 4 of 244

Mode	FCC Rule Part	Tx Frequency (MHz)	EIRP		Emission Designator	Modulation
			Max. Power (W)	Max. Power (dBm)		
LTE Band 7	27	2502.5 - 2567.5	0.112	20.49	4M54G7D	QPSK
LTE Band 7	27	2502.5 - 2567.5	0.096	19.80	4M53W7D	16QAM
LTE Band 7	27	2502.5 - 2567.5	0.072	18.56	4M53W7D	64QAM
LTE Band 7	27	2505 - 2565	0.110	20.41	9M00G7D	QPSK
LTE Band 7	27	2505 - 2565	0.094	19.71	9M03W7D	16QAM
LTE Band 7	27	2505 - 2565	0.074	18.70	8M98W7D	64QAM
LTE Band 7	27	2507.5 - 2562.5	0.109	20.38	13M5G7D	QPSK
LTE Band 7	27	2507.5 - 2562.5	0.098	19.93	13M5W7D	16QAM
LTE Band 7	27	2507.5 - 2562.5	0.073	18.65	13M5W7D	64QAM
LTE Band 7	27	2510 - 2560	0.108	20.32	18M0G7D	QPSK
LTE Band 7	27	2510 - 2560	0.099	19.97	18M0W7D	16QAM
LTE Band 7	27	2510 - 2560	0.078	18.92	18M0W7D	64QAM
LTE Band 41 (PC2)	27	2502.5 - 2567.5	0.254	24.04	4M54G7D	QPSK
LTE Band 41 (PC2)	27	2502.5 - 2567.5	0.167	22.24	4M53W7D	16QAM
LTE Band 41 (PC2)	27	2502.5 - 2567.5	0.141	21.49	4M52W7D	64QAM
LTE Band 41 (PC2)	27	2505 - 2565	0.245	23.89	9M07G7D	QPSK
LTE Band 41 (PC2)	27	2505 - 2565	0.171	22.34	9M03W7D	16QAM
LTE Band 41 (PC2)	27	2505 - 2565	0.152	21.82	9M00W7D	64QAM
LTE Band 41 (PC2)	27	2507.5 - 2682.5	0.259	24.14	13M5G7D	QPSK
LTE Band 41 (PC2)	27	2507.5 - 2682.5	0.179	22.52	13M5W7D	16QAM
LTE Band 41 (PC2)	27	2507.5 - 2682.5	0.142	21.52	13M5W7D	64QAM
LTE Band 41 (PC2)	27	2510 - 2680	0.218	23.39	17M9G7D	QPSK
LTE Band 41 (PC2)	27	2510 - 2680	0.170	22.30	17M9W7D	16QAM
LTE Band 41 (PC2)	27	2510 - 2680	0.103	20.13	17M9W7D	64QAM

EUT Overview (High Bands)

FCC ID: ZNFQ620WA		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1909120153-03-R1.ZNF	Test Dates: 9/12 – 10/14/2019	EUT Type: Portable Handset		Page 5 of 244

1.0 INTRODUCTION

1.1 Scope

Measurement and determination of electromagnetic emissions (EMC) of radio frequency devices including intentional and/or unintentional radiators for compliance with the technical rules and regulations of the Federal Communications Commission and the Innovation, Science and Economic Development Canada.

1.2 PCTEST Test Location

These measurement tests were conducted at the PCTEST Engineering Laboratory, Inc. facility located at 7185 Oakland Mills Road, Columbia, MD 21046. The measurement facility is compliant with the test site requirements specified in ANSI C63.4-2014.

1.3 Test Facility / Accreditations

Measurements were performed at PCTEST Engineering Lab located in Columbia, MD 21046, U.S.A.

- PCTEST is an ISO 17025-2005 accredited test facility under the American Association for Laboratory Accreditation (A2LA) with Certificate number 2041.01 for Specific Absorption Rate (SAR), Hearing Aid Compatibility (HAC) testing, where applicable, and Electromagnetic Compatibility (EMC) testing for FCC and Innovation, Science, and Economic Development Canada rules.
- PCTEST TCB is a Telecommunication Certification Body (TCB) accredited to ISO/IEC 17065-2012 by A2LA (Certificate number 2041.03) in all scopes of FCC Rules and ISED Standards (RSS).
- PCTEST facility is a registered (2451B) test laboratory with the site description on file with ISED.

FCC ID: ZNFQ620WA		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1909120153-03-R1.ZNF	Test Dates: 9/12 – 10/14/2019	EUT Type: Portable Handset		Page 6 of 244

2.0 PRODUCT INFORMATION

2.1 Equipment Description

The Equipment Under Test (EUT) is the **LG Portable Handset FCC ID: ZNFQ620WA**. The test data contained in this report pertains only to the emissions due to the EUT's LTE function.

Test Device Serial No.: 08691, 08717, 08725

2.2 Device Capabilities

This device contains the following capabilities:

800/850/1900 CDMA/EvDO Rev0/A, 1x Advanced (BC0, BC1, BC10), 850/1900 GSM/GPRS/EDGE, 850/1700/1900 WCDMA/HSPA, Multi-band LTE, 802.11b/g/n/ac WLAN, 802.11a/n/ac UNII, Bluetooth (1x, EDR, LE), NFC

LTE Band 12 (698 - 716 MHz) overlaps the entire frequency range of LTE Band 17 (704 - 716 MHz). Therefore, test data provided in this report covers Band 17 as well as Band 12.

LTE Band 26 (814.7 – 849 MHz) overlaps the entire frequency range of LTE Band 5 (824 – 849 MHz). Therefore, test data provided in this report covers Band 5 and the portion of Band 26 subject to Part 22.

LTE Band 66 (1710 - 1780 MHz) overlaps the entire frequency range of LTE Band 4 (1710 - 1755 MHz). Therefore, test data provided in this report covers Band 4 as well as Band 66.

LTE Band 25 (1850 - 1915 MHz) overlaps the entire frequency range of LTE Band 2 (1850 - 1910 MHz). Therefore, test data provided in this report covers Band 2 as well as Band 25.

2.3 Test Configuration

The EUT was tested per the guidance of ANSI/TIA-603-E-2016 and KDB 971168 D01 v03r01. See Section 7.0 of this test report for a description of the radiated and antenna port conducted emissions tests.

2.4 EMI Suppression Device(s)/Modifications

No EMI suppression device(s) were added and no modifications were made during testing.

FCC ID: ZNFQ620WA		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1909120153-03-R1.ZNF	Test Dates: 9/12 – 10/14/2019	EUT Type: Portable Handset		Page 7 of 244

3.0 DESCRIPTION OF TESTS

3.1 Measurement Procedure

The measurement procedures described in the document titled "Land Mobile FM or PM – Communications Equipment – Measurements and Performance Standards" (ANSI/TIA-603-E-2016) and "Procedures for Compliance Measurement of the Fundamental Emission Power of Licensed Wideband (> 1 MHz) Digital Transmission Systems" (KDB 971168 D01 v03r01) were used in the measurement of the EUT.

3.2 600 MHz Band Frequency Range

600 MHz band. The 600 MHz band (617-652 MHz and 663-698 MHz) has seven pairs of 5 megahertz channel blocks available for assignment on a Partial Economic Area basis as follows:

Block A: 617-622 MHz and 663-668 MHz;
Block B: 622-627 MHz and 668-673 MHz;
Block C: 627-632 MHz and 673-678 MHz;
Block D: 632-637 MHz and 678-683 MHz;
Block E: 637-642 MHz and 683-688 MHz;
Block F: 642-647 MHz and 688-693 MHz; and
Block G: 647-652 MHz and 693-698 MHz.

3.3 Block C Frequency Range


Two paired channels of 11 megahertz each are available for assignment in Block C in the 746-757 MHz and 776-787 MHz bands. In the event that no licenses for two channels in this Block C are assigned based on the results of the first auction in which such licenses were offered because the auction results do not satisfy the applicable reserve price, the spectrum in the 746-757 MHz and 776-787 MHz bands will instead be made available for assignment at a subsequent auction as follows: (i) Two paired channels of 6 megahertz each available for assignment in Block C1 in the 746-752 MHz and 776-782 MHz bands. (ii) Two paired channels of 5 megahertz each available for assignment in Block C2 in the 752-757 MHz and 782-787 MHz bands.

3.4 Block A Frequency Range

698-746 MHz band. The following frequencies are available for licensing pursuant to this part in the 698-746 MHz band: (1) Three paired channel blocks of 12 megahertz each are available for assignment as follows:

Block A: 698-704 MHz and 728-734 MHz;
Block B: 704-710 MHz and 734-740 MHz; and
Block C: 710-716 MHz and 740-746 MHz.

3.5 Cellular - Base Frequency Blocks




BLOCK 1: 869 – 880 MHz (A* Low + A)
BLOCK 2: 880 – 890 MHz (B)

BLOCK 3: 890 – 891.5 MHz (A* High)
BLOCK 4: 891.5 – 894 MHz (B*)

FCC ID: ZNFQ620WA		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1909120153-03-R1.ZNF	Test Dates: 9/12 – 10/14/2019	EUT Type: Portable Handset		Page 8 of 244


3.6 Cellular - Mobile Frequency Blocks



BLOCK 1: 824 – 835 MHz (A* Low + A)
BLOCK 2: 835 – 845 MHz (B)

BLOCK 3: 845 – 846.5 MHz (A* High)
BLOCK 4: 846.5 – 849 MHz (B*)


3.7 PCS - Base Frequency Blocks



BLOCK 1: 1930 – 1945 MHz (A)
BLOCK 2: 1945 – 1950 MHz (D)
BLOCK 3: 1950 – 1965 MHz (B)

BLOCK 4: 1965 – 1970 MHz (E)
BLOCK 5: 1970 – 1975 MHz (F)
BLOCK 6: 1975 – 1990 MHz (C)


3.8 PCS - Mobile Frequency Blocks



BLOCK 1: 1850 – 1865 MHz (A)
BLOCK 2: 1865 – 1870 MHz (D)
BLOCK 3: 1870 – 1885 MHz (B)

BLOCK 4: 1885 – 1890 MHz (E)
BLOCK 5: 1890 – 1895 MHz (F)
BLOCK 6: 1895 – 1910 MHz (C)

3.9 AWS - Base Frequency Blocks




BLOCK 1: 2110 – 2120 MHz (A)
BLOCK 2: 2120 – 2130 MHz (B)
BLOCK 3: 2130 – 2135 MHz (C)

BLOCK 4: 2135 – 2140 MHz (D)
BLOCK 5: 2140 – 2145 MHz (E)
BLOCK 6: 2145 – 2155 MHz (F)

FCC ID: ZNFQ620WA	PCTEST ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	LG	Approved by: Quality Manager
Test Report S/N: 1M1909120153-03-R1.ZNF	Test Dates: 9/12 – 10/14/2019	EUT Type: Portable Handset		Page 9 of 244

3.10 AWS - Mobile Frequency Blocks



BLOCK 1: 1710 – 1720 MHz (A)
BLOCK 2: 1720 – 1730 MHz (B)
BLOCK 3: 1730 – 1735 MHz (C)

BLOCK 4: 1735 – 1740 MHz (D)
BLOCK 5: 1740 – 1745 MHz (E)
BLOCK 6: 1745 – 1755 MHz (F)

3.11 WCS – Mobile/Base Frequency Blocks

The following frequencies are available for WCS in the 2305-2320 MHz and 2345-2360 MHz bands:


BLOCK 1: 2305-2310 and 2350-2355 MHz (A)

BLOCK 2: 2310-2315 and 2355-236 MHz (B)

BLOCK 3: 2315-2320 MHz (C)

BLOCK 4: 2345-2350 MHz (D)

3.12 BRS/EBS Frequency Block



FCC ID: ZNFQ620WA	PCTEST ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	LG	Approved by: Quality Manager
Test Report S/N: 1M1909120153-03-R1.ZNF	Test Dates: 9/12 – 10/14/2019	EUT Type: Portable Handset		Page 10 of 244

3.13 Radiated Power and Radiated Spurious Emissions

The radiated test facilities consisted of an indoor 3 meter semi-anechoic chamber used for final measurements and exploratory measurements, when necessary. The measurement area is contained within the semi-anechoic chamber which is shielded from any ambient interference. The test site inside the chamber is a 6m x 5.2m elliptical, obstruction-free area in accordance with Figure 5.7 of Clause 5 in ANSI C63.4-2014. Absorbers are arranged on the floor between the turn table and the antenna mast in such a way so as to maximize the reduction of reflections for measurements above 1GHz. For measurements below 1GHz, the absorbers are removed. A raised turntable is used for radiated measurement. The turn table is a continuously rotatable, remote-controlled, metallic turntable and 2 meters (6.56 ft.) in diameter. The turn table is flush with the raised floor of the chamber in order to maintain its function as a ground plane. An 80cm tall test table made of Styrodur is placed on top of the turn table. A Styrodur pedestal is placed on top of the test table to bring the total table height to 1.5m.

The equipment under test was transmitting while connected to its integral antenna and is placed on a turntable 3 meters from the receive antenna. The receive antenna height is adjusted between 1 and 4 meter height, the turntable is rotated through 360 degrees, and the EUT is manipulated through all orthogonal planes representative of its typical use to achieve the highest reading on the receive spectrum analyzer. Radiated power levels are also investigated with the receive antenna horizontally and vertically polarized. The maximized power level is recorded using the spectrum analyzer "Channel Power" function with the integration band set to the emissions' occupied bandwidth, a RMS detector, RBW = 100kHz, VBW = 300kHz, and a 1 second sweep time over a minimum of 10 sweeps, per the guidelines of KDB 971168 D01 v03r01.

Per the guidance of ANSI/TIA-603-E-2016, a half-wave dipole is then substituted in place of the EUT. For emissions above 1GHz, a horn antenna is substituted in place of the EUT. The substitute antenna is driven by a signal generator with the level of the signal generator being adjusted to obtain the same receive spectrum analyzer level previously recorded from the spurious emission from the EUT. The power of the emission is calculated using the following formula:

$$P_d \text{ [dBm]} = P_g \text{ [dBm]} - \text{cable loss [dB]} + \text{antenna gain [dBd/dBi]}$$

Where, P_d is the dipole equivalent power, P_g is the generator output into the substitution antenna, and the antenna gain is the gain of the substitute antenna used relative to either a half-wave dipole (dBd) or an isotropic source (dBi). The substitute level is equal to $P_g \text{ [dBm]} - \text{cable loss [dB]}$.

The calculated P_d levels are then compared to the absolute spurious emission limit of -13dBm which is equivalent to the required minimum attenuation of $43 + 10 \log_{10}(\text{Power}_{\text{[Watts]}})$. For Band 7 and B41, the calculated P_d levels are compared to the absolute spurious emission limit of -25dBm which is equivalent to the required minimum attenuation of $55 + 10 \log_{10}(\text{Power}_{\text{[Watts]}})$.

All radiated measurements are performed in a chamber that meets the site requirements per ANSI C63.4-2014. Additionally, radiated emissions below 30MHz are also validated on an Open Area Test Site to assert correlation with the chamber measurements per the requirements of KDB 474788 D01.

FCC ID: ZNFQ620WA		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1909120153-03-R1.ZNF	Test Dates: 9/12 – 10/14/2019	EUT Type: Portable Handset		Page 11 of 244

4.0 MEASUREMENT UNCERTAINTY

The measurement uncertainties shown below were calculated in accordance with the requirements of ANSI C63.4-2014. All measurement uncertainty values are shown with a coverage factor of $k = 2$ to indicate a 95% level of confidence. The measurement uncertainty shown below meets or exceeds the U_{CISPR} measurement uncertainty values specified in CISPR 16-4-2 and, thus, can be compared directly to specified limits to determine compliance.

Contribution	Expanded Uncertainty ($\pm$ dB)
Conducted Bench Top Measurements	1.13
Radiated Disturbance (<1GHz)	4.98
Radiated Disturbance (>1GHz)	5.07
Radiated Disturbance (>18GHz)	5.09

FCC ID: ZNFQ620WA		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1909120153-03-R1.ZNF	Test Dates: 9/12 – 10/14/2019	EUT Type: Portable Handset		Page 12 of 244

5.0 TEST EQUIPMENT CALIBRATION DATA

Test Equipment Calibration is traceable to the National Institute of Standards and Technology (NIST). Measurements antennas used during testing were calibrated in accordance to the requirements of ANSI C63.5-2017.

Manufacturer	Model	Description	Cal Date	Cal Interval	Cal Due	Serial Number
-	LTx1	Licensed Transmitter Cable Set	6/4/2019	Annual	6/4/2020	LTx1
-	LTx3	Licensed Transmitter Cable Set	6/3/2019	Annual	6/3/2020	LTx3
Agilent	N9020A	MXA Signal Analyzer	4/20/2019	Annual	4/20/2020	US46470561
Agilent	N9030A	PXA Signal Analyzer (44GHz)	6/12/2019	Annual	6/12/2020	MY52350166
Com-Power	PAM-103	Pre-Amplifier (1-1000MHz)	5/10/2019	Annual	5/10/2020	441112
Emco	3115	Horn Antenna (1-18GHz)	3/28/2018	Biennial	3/28/2020	9704-5182
EMCO	3160-09	Small Horn (18 - 26.5GHz)	8/9/2018	Biennial	8/9/2020	135427
ETS Lindgren	3164-08	Quad Ridge Horn Antenna	2/22/2019	Biennial	2/22/2021	128338
Mini Circuits	TVA-11-422	RF Power Amp	N/A			QA1317001
Mini Circuits	PWR-SEN-4GHS	USB Power Sensor	4/19/2019	Annual	4/19/2020	11401010036
Mini-Circuits	SSG-4000HP	Synthesized Signal Generator	N/A			11208010032
Mini-Circuits	PWR-SEN-4RMS	USB Power Sensor	4/20/2019	Annual	4/20/2020	11210140001
Rohde & Schwarz	CMW500	Radio Communication Tester	N/A			100976
Rohde & Schwarz	CMW500	Radio Communication Tester	N/A			102060
Rohde & Schwarz	ESU26	EMI Test Receiver (26.5GHz)	6/5/2019	Annual	6/5/2020	100342
Rohde & Schwarz	SFUNIT-Rx	Shielded Filter Unit	7/11/2019	Annual	7/11/2020	102134
Rohde & Schwarz	SFUNIT-Rx	Shielded Filter Unit	7/8/2019	Annual	7/8/2020	102133
Seekonk	NC-100	Torque Wrench (8" lb)	5/10/2018	Biennial	5/10/2020	N/A
Sunol	JB5	Bi-Log Antenna (30M - 5GHz)	4/19/2018	Biennial	4/19/2020	A051107

Table 5-1. Test Equipment

Notes:

- Equipment with a calibration date of "N/A" shown in this list was not used to make direct calibrated measurements.

FCC ID: ZNFQ620WA	 MEASUREMENT REPORT (CERTIFICATION) 		Approved by: Quality Manager
Test Report S/N: 1M1909120153-03-R1.ZNF	Test Dates: 9/12 – 10/14/2019	EUT Type: Portable Handset	Page 13 of 244

6.0 SAMPLE CALCULATIONS

Emission Designator

QPSK Modulation

Emission Designator = 8M62G7D

LTE BW = 8.62 MHz

G = Phase Modulation

7 = Quantized/Digital Info

D = Data transmission, telemetry, telecommand

QAM Modulation

Emission Designator = 8M45W7D

LTE BW = 8.45 MHz

W = Amplitude/Angle Modulated

7 = Quantized/Digital Info

D = Data transmission, telemetry, telecommand

Spurious Radiated Emission – LTE Band

Example: Middle Channel LTE Mode 2nd Harmonic (1564 MHz)

The average spectrum analyzer reading at 3 meters with the EUT on the turntable was –81.0 dBm. The gain of the substituted antenna is 8.1 dBi. The signal generator connected to the substituted antenna terminals is adjusted to produce a reading of –81.0 dBm on the spectrum analyzer. The loss of the cable between the signal generator and the terminals of the substituted antenna is 2.0 dB at 1564 MHz. So 6.1 dB is added to the signal generator reading of –30.9 dBm yielding –24.80 dBm. The fundamental EIRP was 25.501 dBm so this harmonic was 25.501 dBm – (-24.80).

FCC ID: ZNFQ620WA		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1909120153-03-R1.ZNF	Test Dates: 9/12 – 10/14/2019	EUT Type: Portable Handset		Page 14 of 244

7.0 TEST RESULTS

7.1 Summary

Company Name: LG Electronics USA, Inc.
 FCC ID: ZNFQ620WA
 FCC Classification: PCS Licensed Transmitter Held to Ear (PCE)
 Mode(s): LTE

FCC Part Section(s)	Test Description	Test Limit	Test Condition	Test Result	Reference
2.1049	Occupied Bandwidth	N/A	CONDUCTED	PASS	Section 7.2
2.1051 22.917(a) 24.238(a) 27.53(c) 27.53(g) 27.53(h)	Out of Band Emissions	$> 43 + 10 \log_{10}(P[\text{Watts}])$ at Band Edge and for all out-of-band emissions			Section 7.3, 7.4
27.53(m)	Out of Band Emissions	Undesirable emissions must meet the limits detailed in 27.53(m)			Section 7.3, 7.4
24.232(d)	Peak-Average Ratio	$< 13 \text{ dB}$			Section 7.5
2.1046	Transmitter Conducted Output Power	N/A			See RF Exposure Report
2.1055 22.355 24.235 27.54	Frequency Stability	$< 2.5 \text{ ppm}$ (Part 22) and fundamental emissions stay within authorized frequency block (Part 27)			Section 7.8

Table 7-1. Summary of Conducted Test Results

FCC ID: ZNFQ620WA		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1909120153-03-R1.ZNF	Test Dates: 9/12 – 10/14/2019	EUT Type: Portable Handset		Page 15 of 244

FCC Part Section(s)	Test Description	Test Limit	Test Condition	Test Result	Reference
22.913(a)(5)	Effective Radiated Power / Equivalent Isotropic Radiated Power (Band 26/5)	< 7 Watts max. ERP	RADIATED	PASS	Section 7.6
27.50(b)(10) 27.50(c)(10)	Effective Radiated Power / Equivalent Isotropic Radiated Power (Band 71, 12, 13)	< 3 Watts max. ERP			Section 7.6
24.232(c) 27.50(h)(2)	Equivalent Isotropic Radiated Power (Band 25/2, 71, 7, 41)	< 2 Watts max. EIRP			Section 7.6
27.50(d)(4)	Equivalent Isotropic Radiated Power (Band 66/4)	< 1 Watts max. EIRP			Section 7.6
2.1053 22.917(a) 24.238(a) 27.53(c) 27.53(g) 27.53(h)	Undesirable Emissions (Band 12, 26/5, 66/4, 25/2)	> 43 + 10 log ₁₀ (P[Watts]) for all out-of-band emissions			Section 7.7
27.53(f)	Undesirable Emissions (Band 13)	< -70 dBW/MHz (for wideband signals) < -80 dBW (for discrete emissions less than 700Hz BW) For all emissions in the band 1559 – 1610 MHz			Section 7.7
27.53(m)	Undesirable Emissions (Band 7, 41)	Undesirable emissions must meet the limits detailed in 27.53(m)			Section 7.7

Table 7-2. Summary of Radiated Test Results

Notes:

- 1) All modes of operation and data rates were investigated. The test results shown in the following sections represent the worst case emissions.
- 2) The analyzer plots (Sections 7.2, 7.3, 7.4, 7.5) were all taken with a correction table loaded into the analyzer. The correction table was used to account for the losses of the cables, directional couplers, and attenuators used as part of the system to maintain a link between the call box and the EUT at all frequencies of interest.
- 3) All antenna port conducted emissions testing was performed on a test bench with the antenna port of the EUT connected to the spectrum analyzer through calibrated cables, attenuators, and couplers.
- 4) For conducted spurious emissions, automated test software was used to measure emissions and capture the corresponding plots necessary to show compliance. The measurement software utilized is PCTEST "LTE Automation," Version 5.3.

FCC ID: ZNFQ620WA		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1909120153-03-R1.ZNF	Test Dates: 9/12 – 10/14/2019	EUT Type: Portable Handset	Page 16 of 244	

7.2 Occupied Bandwidth

Test Overview

The occupied bandwidth, that is the frequency bandwidth such that, below its lower and above its upper frequency limits, the mean powers radiated are each equal to 0.5 percent of the total mean power radiated by a given emission shall be measured. All modes of operation were investigated and the worst case configuration results are reported in this section.

Test Procedure Used

KDB 971168 D01 v03r01 – Section 4.2

Test Settings

1. The signal analyzer's automatic bandwidth measurement capability was used to perform the 99% occupied bandwidth and the 26dB bandwidth. The bandwidth measurement was not influenced by any intermediate power nulls in the fundamental emission.
2. RBW = 1 – 5% of the expected OBW
3. VBW $\geq 3 \times$ RBW
4. Detector = Peak
5. Trace mode = max hold
6. Sweep = auto couple
7. The trace was allowed to stabilize
8. If necessary, steps 2 – 7 were repeated after changing the RBW such that it would be within 1 – 5% of the 99% occupied bandwidth observed in Step 7

Test Setup

The EUT and measurement equipment were set up as shown in the diagram below.





Figure 7-1. Test Instrument & Measurement Setup

Test Notes


None.

FCC ID: ZNFQ620WA	PCTEST ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	LG	Approved by: Quality Manager
Test Report S/N: 1M1909120153-03-R1.ZNF	Test Dates: 9/12 – 10/14/2019	EUT Type: Portable Handset		Page 17 of 244

Band 71




Plot 7-1. Occupied Bandwidth Plot (Band 71 - 5.0MHz QPSK - Full RB Configuration)




Plot 7-2. Occupied Bandwidth Plot (Band 71 - 5.0MHz 16-QAM - Full RB Configuration)

FCC ID: ZNFQ620WA	PCTEST ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	LG	Approved by: Quality Manager
Test Report S/N: 1M1909120153-03-R1-ZNF	Test Dates: 9/12 - 10/14/2019	EUT Type: Portable Handset		Page 18 of 244




Plot 7-3. Occupied Bandwidth Plot (Band 71 - 5.0MHz 64-QAM - Full RB Configuration)




Plot 7-4. Occupied Bandwidth Plot (Band 71 - 10.0MHz QPSK - Full RB Configuration)

FCC ID: ZNFQ620WA	PCTEST ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	LG	Approved by: Quality Manager
Test Report S/N: 1M1909120153-03-R1.ZNF	Test Dates: 9/12 - 10/14/2019	EUT Type: Portable Handset		Page 19 of 244




Plot 7-5. Occupied Bandwidth Plot (Band 71 - 10.0MHz 16-QAM - Full RB Configuration)




Plot 7-6. Occupied Bandwidth Plot (Band 71 - 10.0MHz 64-QAM - Full RB Configuration)

FCC ID: ZNFQ620WA	PCTEST ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	LG	Approved by: Quality Manager
Test Report S/N: 1M1909120153-03-R1.ZNF	Test Dates: 9/12 - 10/14/2019	EUT Type: Portable Handset		Page 20 of 244




Plot 7-7. Occupied Bandwidth Plot (Band 71 - 15.0MHz QPSK - Full RB Configuration)




Plot 7-8. Occupied Bandwidth Plot (Band 71 - 15.0MHz 16-QAM - Full RB Configuration)

FCC ID: ZNFQ620WA	PCTEST ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	LG	Approved by: Quality Manager
Test Report S/N: 1M1909120153-03-R1.ZNF	Test Dates: 9/12 - 10/14/2019	EUT Type: Portable Handset		Page 21 of 244




Plot 7-9. Occupied Bandwidth Plot (Band 71 - 15.0MHz 64-QAM - Full RB Configuration)




Plot 7-10. Occupied Bandwidth Plot (Band 71 - 20.0MHz QPSK - Full RB Configuration)

FCC ID: ZNFQ620WA	PCTEST ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	LG	Approved by: Quality Manager
Test Report S/N: 1M1909120153-03-R1.ZNF	Test Dates: 9/12 - 10/14/2019	EUT Type: Portable Handset		Page 22 of 244




Plot 7-11. Occupied Bandwidth Plot (Band 71 - 20.0MHz 16-QAM - Full RB Configuration)




Plot 7-12. Occupied Bandwidth Plot (Band 71 - 20.0MHz 64-QAM - Full RB Configuration)

FCC ID: ZNFQ620WA	PCTEST ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	LG	Approved by: Quality Manager
Test Report S/N: 1M1909120153-03-R1.ZNF	Test Dates: 9/12 - 10/14/2019	EUT Type: Portable Handset		Page 23 of 244

Band 12/17




Plot 7-13. Occupied Bandwidth Plot (Band 12 - 1.4MHz QPSK - Full RB Configuration)




Plot 7-14. Occupied Bandwidth Plot (Band 12 - 1.4MHz 16-QAM - Full RB Configuration)

FCC ID: ZNFQ620WA	PCTEST ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	LG	Approved by: Quality Manager
Test Report S/N: 1M1909120153-03-R1-ZNF	Test Dates: 9/12 – 10/14/2019	EUT Type: Portable Handset		Page 24 of 244




Plot 7-15. Occupied Bandwidth Plot (Band 12 - 1.4MHz 64-QAM - Full RB Configuration)




Plot 7-16. Occupied Bandwidth Plot (Band 12 - 3.0MHz QPSK - Full RB Configuration)

FCC ID: ZNFQ620WA	PCTEST ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	LG	Approved by: Quality Manager
Test Report S/N: 1M1909120153-03-R1.ZNF	Test Dates: 9/12 - 10/14/2019	EUT Type: Portable Handset		Page 25 of 244




Plot 7-17. Occupied Bandwidth Plot (Band 12 - 3.0MHz 16-QAM - Full RB Configuration)




Plot 7-18. Occupied Bandwidth Plot (Band 12 - 3.0MHz 64-QAM - Full RB Configuration)

FCC ID: ZNFQ620WA	PCTEST ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	LG	Approved by: Quality Manager
Test Report S/N: 1M1909120153-03-R1.ZNF	Test Dates: 9/12 - 10/14/2019	EUT Type: Portable Handset		Page 26 of 244




Plot 7-19. Occupied Bandwidth Plot (Band 12/17 - 5.0MHz QPSK - Full RB Configuration)




Plot 7-20. Occupied Bandwidth Plot (Band 12/17 - 5.0MHz 16-QAM - Full RB Configuration)

FCC ID: ZNFQ620WA	PCTEST ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	LG	Approved by: Quality Manager
Test Report S/N: 1M1909120153-03-R1.ZNF	Test Dates: 9/12 - 10/14/2019	EUT Type: Portable Handset		Page 27 of 244




Plot 7-21. Occupied Bandwidth Plot (Band 12/17 - 5.0MHz 64-QAM - Full RB Configuration)




Plot 7-22. Occupied Bandwidth Plot (Band 12/17 - 10.0MHz QPSK - Full RB Configuration)

FCC ID: ZNFQ620WA	PCTEST ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	LG	Approved by: Quality Manager
Test Report S/N: 1M1909120153-03-R1.ZNF	Test Dates: 9/12 - 10/14/2019	EUT Type: Portable Handset		Page 28 of 244




Plot 7-23. Occupied Bandwidth Plot (Band 12/17 - 10.0MHz 16-QAM - Full RB Configuration)




Plot 7-24. Occupied Bandwidth Plot (Band 12/17 - 10.0MHz 64-QAM - Full RB Configuration)

FCC ID: ZNFQ620WA	PCTEST ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	LG	Approved by: Quality Manager
Test Report S/N: 1M1909120153-03-R1.ZNF	Test Dates: 9/12 - 10/14/2019	EUT Type: Portable Handset		Page 29 of 244

Band 13




Plot 7-25. Occupied Bandwidth Plot (Band 13 - 5.0MHz QPSK - Full RB Configuration)




Plot 7-26. Occupied Bandwidth Plot (Band 13 - 5.0MHz 16-QAM - Full RB Configuration)

FCC ID: ZNFQ620WA	PCTEST ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	LG	Approved by: Quality Manager
Test Report S/N: 1M1909120153-03-R1-ZNF	Test Dates: 9/12 – 10/14/2019	EUT Type: Portable Handset		Page 30 of 244




Plot 7-27. Occupied Bandwidth Plot (Band 13 - 5.0MHz 64-QAM - Full RB Configuration)



Plot 7-28. Occupied Bandwidth Plot (Band 13 - 10.0MHz QPSK - Full RB Configuration)

FCC ID: ZNFQ620WA	PCTEST ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	LG	Approved by: Quality Manager
Test Report S/N: 1M1909120153-03-R1.ZNF	Test Dates: 9/12 - 10/14/2019	EUT Type: Portable Handset		Page 31 of 244




Plot 7-29. Occupied Bandwidth Plot (Band 13 - 10.0MHz 16-QAM - Full RB Configuration)




Plot 7-30. Occupied Bandwidth Plot (Band 13 - 10.0MHz 64-QAM - Full RB Configuration)

FCC ID: ZNFQ620WA	PCTEST ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	LG	Approved by: Quality Manager
Test Report S/N: 1M1909120153-03-R1.ZNF	Test Dates: 9/12 - 10/14/2019	EUT Type: Portable Handset		Page 32 of 244

Band 26/5




Plot 7-31. Occupied Bandwidth Plot (Band 26/5 - 1.4MHz QPSK - Full RB Configuration)




Plot 7-32. Occupied Bandwidth Plot (Band 26/5 - 1.4MHz 16-QAM - Full RB Configuration)

FCC ID: ZNFQ620WA	PCTEST ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	LG	Approved by: Quality Manager
Test Report S/N: 1M1909120153-03-R1-ZNF	Test Dates: 9/12 – 10/14/2019	EUT Type: Portable Handset		Page 33 of 244




Plot 7-33. Occupied Bandwidth Plot (Band 26/5 - 1.4MHz 64-QAM - Full RB Configuration)




Plot 7-34. Occupied Bandwidth Plot (Band 26/5 - 3.0MHz QPSK - Full RB Configuration)

FCC ID: ZNFQ620WA	PCTEST ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	LG	Approved by: Quality Manager
Test Report S/N: 1M1909120153-03-R1.ZNF	Test Dates: 9/12 - 10/14/2019	EUT Type: Portable Handset		Page 34 of 244




Plot 7-35. Occupied Bandwidth Plot (Band 26/5 - 3.0MHz 16-QAM - Full RB Configuration)




Plot 7-36. Occupied Bandwidth Plot (Band 26/5 - 3.0MHz 64-QAM - Full RB Configuration)

FCC ID: ZNFQ620WA	PCTEST ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	LG	Approved by: Quality Manager
Test Report S/N: 1M1909120153-03-R1.ZNF	Test Dates: 9/12 – 10/14/2019	EUT Type: Portable Handset		Page 35 of 244




Plot 7-37. Occupied Bandwidth Plot (Band 26/5 - 5.0MHz QPSK - Full RB Configuration)




Plot 7-38. Occupied Bandwidth Plot (Band 26/5 - 5.0MHz 16-QAM - Full RB Configuration)

FCC ID: ZNFQ620WA	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1909120153-03-R1.ZNF	Test Dates: 9/12 - 10/14/2019	EUT Type: Portable Handset	Page 36 of 244




Plot 7-39. Occupied Bandwidth Plot (Band 26/5 - 5.0MHz 64-QAM - Full RB Configuration)




Plot 7-40. Occupied Bandwidth Plot (Band 26/5 - 10.0MHz QPSK - Full RB Configuration)

FCC ID: ZNFQ620WA	MEASUREMENT REPORT (CERTIFICATION)			Approved by: Quality Manager
Test Report S/N: 1M1909120153-03-R1.ZNF	Test Dates: 9/12 - 10/14/2019	EUT Type: Portable Handset		Page 37 of 244




Plot 7-41. Occupied Bandwidth Plot (Band 26/5 - 10.0MHz 16-QAM - Full RB Configuration)




Plot 7-42. Occupied Bandwidth Plot (Band 26/5 - 10.0MHz 64-QAM - Full RB Configuration)

FCC ID: ZNFQ620WA	MEASUREMENT REPORT (CERTIFICATION)			Approved by: Quality Manager
Test Report S/N: 1M1909120153-03-R1.ZNF	Test Dates: 9/12 - 10/14/2019	EUT Type: Portable Handset		Page 38 of 244




Plot 7-43. Occupied Bandwidth Plot (Band 26 - 15.0MHz QPSK - Full RB Configuration)



Plot 7-44. Occupied Bandwidth Plot (Band 26 - 15.0MHz 16-QAM - Full RB Configuration)


FCC ID: ZNFQ620WA	PCTEST ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	LG	Approved by: Quality Manager
Test Report S/N: 1M1909120153-03-R1.ZNF	Test Dates: 9/12 - 10/14/2019	EUT Type: Portable Handset		Page 39 of 244




Plot 7-45. Occupied Bandwidth Plot (Band 26 - 15.0MHz 64-QAM - Full RB Configuration)

FCC ID: ZNFQ620WA	MEASUREMENT REPORT (CERTIFICATION)			Approved by: Quality Manager
Test Report S/N: 1M1909120153-03-R1-ZNF	Test Dates: 9/12 – 10/14/2019	EUT Type: Portable Handset		Page 40 of 244

Band 66/4




Plot 7-46. Occupied Bandwidth Plot (Band 66/4 - 1.4MHz QPSK - Full RB Configuration)




Plot 7-47. Occupied Bandwidth Plot (Band 66/4 - 1.4MHz 16-QAM - Full RB Configuration)

FCC ID: ZNFQ620WA	PCTEST ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	LG	Approved by: Quality Manager
Test Report S/N: 1M1909120153-03-R1.ZNF	Test Dates: 9/12 - 10/14/2019	EUT Type: Portable Handset		Page 41 of 244




Plot 7-48. Occupied Bandwidth Plot (Band 66/4 - 1.4MHz 64-QAM - Full RB Configuration)




Plot 7-49. Occupied Bandwidth Plot (Band 66/4 - 3.0MHz QPSK - Full RB Configuration)

FCC ID: ZNFQ620WA	MEASUREMENT REPORT (CERTIFICATION)			Approved by: Quality Manager
Test Report S/N: 1M1909120153-03-R1-ZNF	Test Dates: 9/12 - 10/14/2019	EUT Type: Portable Handset		Page 42 of 244




Plot 7-50. Occupied Bandwidth Plot (Band 66/4 - 3.0MHz 16-QAM - Full RB Configuration)




Plot 7-51. Occupied Bandwidth Plot (Band 66/4 - 3.0MHz 64-QAM - Full RB Configuration)

FCC ID: ZNFQ620WA	PCTEST ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	LG	Approved by: Quality Manager
Test Report S/N: 1M1909120153-03-R1-ZNF	Test Dates: 9/12 - 10/14/2019	EUT Type: Portable Handset		Page 43 of 244




Plot 7-52. Occupied Bandwidth Plot (Band 66/4 - 5.0MHz QPSK - Full RB Configuration)




Plot 7-53. Occupied Bandwidth Plot (Band 66/4 - 5.0MHz 16-QAM - Full RB Configuration)

FCC ID: ZNFQ620WA	PCTEST ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	LG	Approved by: Quality Manager
Test Report S/N: 1M1909120153-03-R1.ZNF	Test Dates: 9/12 - 10/14/2019	EUT Type: Portable Handset		Page 44 of 244




Plot 7-54. Occupied Bandwidth Plot (Band 66/4 - 5.0MHz 64-QAM - Full RB Configuration)




Plot 7-55. Occupied Bandwidth Plot (Band 66/4 - 10.0MHz QPSK - Full RB Configuration)

FCC ID: ZNFQ620WA	PCTEST ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	LG	Approved by: Quality Manager
Test Report S/N: 1M1909120153-03-R1-ZNF	Test Dates: 9/12 - 10/14/2019	EUT Type: Portable Handset		Page 45 of 244




Plot 7-56. Occupied Bandwidth Plot (Band 66/4 - 10.0MHz 16-QAM - Full RB Configuration)




Plot 7-57. Occupied Bandwidth Plot (Band 66/4 - 10.0MHz 64-QAM - Full RB Configuration)

FCC ID: ZNFQ620WA	PCTEST ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	LG	Approved by: Quality Manager
Test Report S/N: 1M1909120153-03-R1-ZNF	Test Dates: 9/12 - 10/14/2019	EUT Type: Portable Handset		Page 46 of 244




Plot 7-58. Occupied Bandwidth Plot (Band 66/4 - 15.0MHz QPSK - Full RB Configuration)




Plot 7-59. Occupied Bandwidth Plot (Band 66/4 - 15.0MHz 16-QAM - Full RB Configuration)

FCC ID: ZNFQ620WA	PCTEST ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	LG	Approved by: Quality Manager
Test Report S/N: 1M1909120153-03-R1.ZNF	Test Dates: 9/12 - 10/14/2019	EUT Type: Portable Handset		Page 47 of 244




Plot 7-60. Occupied Bandwidth Plot (Band 66/4 - 15.0MHz 64-QAM - Full RB Configuration)




Plot 7-61. Occupied Bandwidth Plot (Band 66/4 - 20.0MHz QPSK - Full RB Configuration)

FCC ID: ZNFQ620WA	PCTEST ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	LG	Approved by: Quality Manager
Test Report S/N: 1M1909120153-03-R1-ZNF	Test Dates: 9/12 - 10/14/2019	EUT Type: Portable Handset		Page 48 of 244




Plot 7-62. Occupied Bandwidth Plot (Band 66/4 - 20.0MHz 16-QAM - Full RB Configuration)




Plot 7-63. Occupied Bandwidth Plot (Band 66/4 - 20.0MHz 64-QAM - Full RB Configuration)

FCC ID: ZNFQ620WA	PCTEST ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	LG	Approved by: Quality Manager
Test Report S/N: 1M1909120153-03-R1.ZNF	Test Dates: 9/12 - 10/14/2019	EUT Type: Portable Handset		Page 49 of 244

Band 25/2




Plot 7-64. Occupied Bandwidth Plot (Band 25/2 - 1.4MHz QPSK - Full RB Configuration)




Plot 7-65. Occupied Bandwidth Plot (Band 25/2 - 1.4MHz 16-QAM - Full RB Configuration)

FCC ID: ZNFQ620WA	PCTEST ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	LG	Approved by: Quality Manager
Test Report S/N: 1M1909120153-03-R1-ZNF	Test Dates: 9/12 – 10/14/2019	EUT Type: Portable Handset		Page 50 of 244




Plot 7-66. Occupied Bandwidth Plot (Band 25/2 - 1.4MHz 64-QAM - Full RB Configuration)




Plot 7-67. Occupied Bandwidth Plot (Band 25/2 - 3.0MHz QPSK - Full RB Configuration)

FCC ID: ZNFQ620WA	PCTEST ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	LG	Approved by: Quality Manager
Test Report S/N: 1M1909120153-03-R1.ZNF	Test Dates: 9/12 - 10/14/2019	EUT Type: Portable Handset		Page 51 of 244




Plot 7-68. Occupied Bandwidth Plot (Band 25/2 - 3.0MHz 16-QAM - Full RB Configuration)




Plot 7-69. Occupied Bandwidth Plot (Band 25/2 - 3.0MHz 64-QAM - Full RB Configuration)

FCC ID: ZNFQ620WA	PCTEST ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	LG	Approved by: Quality Manager
Test Report S/N: 1M1909120153-03-R1-ZNF	Test Dates: 9/12 – 10/14/2019	EUT Type: Portable Handset		Page 52 of 244




Plot 7-70. Occupied Bandwidth Plot (Band 25/2 - 5.0MHz QPSK - Full RB Configuration)




Plot 7-71. Occupied Bandwidth Plot (Band 25/2 - 5.0MHz 16-QAM - Full RB Configuration)

FCC ID: ZNFQ620WA	PCTEST ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	LG	Approved by: Quality Manager
Test Report S/N: 1M1909120153-03-R1-ZNF	Test Dates: 9/12 - 10/14/2019	EUT Type: Portable Handset		Page 53 of 244




Plot 7-72. Occupied Bandwidth Plot (Band 25/2 - 5.0MHz 64-QAM - Full RB Configuration)




Plot 7-73. Occupied Bandwidth Plot (Band 25/2 - 10.0MHz QPSK - Full RB Configuration)

FCC ID: ZNFQ620WA	PCTEST ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	LG	Approved by: Quality Manager
Test Report S/N: 1M1909120153-03-R1-ZNF	Test Dates: 9/12 - 10/14/2019	EUT Type: Portable Handset		Page 54 of 244




Plot 7-74. Occupied Bandwidth Plot (Band 25/2 - 10.0MHz 16-QAM - Full RB Configuration)




Plot 7-75. Occupied Bandwidth Plot (Band 25/2 - 10.0MHz 64-QAM - Full RB Configuration)

FCC ID: ZNFQ620WA	PCTEST ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	LG	Approved by: Quality Manager
Test Report S/N: 1M1909120153-03-R1-ZNF	Test Dates: 9/12 - 10/14/2019	EUT Type: Portable Handset		Page 55 of 244




Plot 7-76. Occupied Bandwidth Plot (Band 25/2 - 15.0MHz QPSK - Full RB Configuration)




Plot 7-77. Occupied Bandwidth Plot (Band 25/2 - 15.0MHz 16-QAM - Full RB Configuration)

FCC ID: ZNFQ620WA	PCTEST ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	LG	Approved by: Quality Manager
Test Report S/N: 1M1909120153-03-R1.ZNF	Test Dates: 9/12 - 10/14/2019	EUT Type: Portable Handset		Page 56 of 244



Plot 7-78. Occupied Bandwidth Plot (Band 25/2 - 15.0MHz 64-QAM - Full RB Configuration)



Plot 7-79. Occupied Bandwidth Plot (Band 25/2 - 20.0MHz QPSK - Full RB Configuration)

FCC ID: ZNFQ620WA	PCTEST ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	LG	Approved by: Quality Manager
Test Report S/N: 1M1909120153-03-R1.ZNF	Test Dates: 9/12 - 10/14/2019	EUT Type: Portable Handset		Page 57 of 244