


Plot 7-129. Vertical Radiated Spurious Plot 18-38.5 GHz (QTM0 1CC-100MHz Bandwidth QPSK Mid Channel)




Plot 7-130. Vertical Radiated Spurious Plot 18-38.5 GHz (QTM0 1CC-100MHz Bandwidth QPSK High Channel)

FCC ID: ZNFV450VM	PCTEST*	MEASUREMENT REPORT (Class II Permissive Change)	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Daga 02 of 202
1M1903070034-14-R2.ZNF	3/21/2019-5/3/2019	Portable Handset	Page 93 of 202



Frequency [MHz]	Detector /Trace	Chan.	Bandwidth (MHz)	Mod.	Beam Polarization	Ant. Pos [H/V]	Ant. Height [cm]	Turntable Azimuth [degree]	RSE EIRP [dBm]	Limit [dBm]	Margin [dB]
36983.85	Maxh/RMS	Low	100	QPSK	H+V	Н	-	-	-20.74	-13.00	-7.74
34705.28	Maxh/RMS	Mid	100	QPSK	H+V	Н	-	-	-22.84	-13.00	-9.84
36462.78	Maxh/RMS	High	100	QPSK	H+V	Н	-	-	-22.74	-13.00	-9.74
36983.38	Maxh/RMS	Low	100	QPSK	H+V	V	-	-	-20.35	-13.00	-7.35
36046.20	Maxh/RMS	Mid	100	QPSK	H+V	V	-	-	-23.00	-13.00	-10.00
36143.10	Maxh/RMS	High	100	QPSK	H+V	V	-	-	-22.81	-13.00	-9.81


Table 7-21. Spurious Emissions QTM0 (18-38.5 GHz)




Plot 7-131. Horiztonal Radiated Spurious Plot 18-38.5 GHz (QTM1 1CC-100MHz Bandwidth QPSK Low Channel)

FCC ID: ZNFV450VM	PETEST HIGHER LABORATORY, INC.	MEASUREMENT REPORT (Class II Permissive Change)	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Do ac 04 of 202
1M1903070034-14-R2.ZNF	3/21/2019-5/3/2019	Portable Handset	Page 94 of 202






Plot 7-132. Horiztonal Radiated Spurious Plot 18-38.5 GHz (QTM1 1CC-100MHz Bandwidth QPSK Mid Channel)




Plot 7-133. Horiztonal Radiated Spurious Plot 18-38.5 GHz (QTM1 1CC-100MHz Bandwidth QPSK High Channel)

FCC ID: ZNFV450VM	PETEST HIGHER LABORATORY, INC.	MEASUREMENT REPORT (Class II Permissive Change)	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Do ac 05 of 202
1M1903070034-14-R2.ZNF	3/21/2019-5/3/2019	Portable Handset	Page 95 of 202






Plot 7-134. Vertical Radiated Spurious Plot 18-38.5 GHz (QTM1 1CC-100MHz Bandwidth QPSK Low Channel)



Plot 7-135. Vertical Radiated Spurious Plot 18-38.5 GHz (QTM1 1CC-100MHz Bandwidth QPSK Mid Channel)

FCC ID: ZNFV450VM	PCTEST*	MEASUREMENT REPORT (Class II Permissive Change)	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 06 of 202
1M1903070034-14-R2.ZNF	3/21/2019-5/3/2019	Portable Handset	Page 96 of 202





Plot 7-136. Vertical Radiated Spurious Plot 18-38.5 GHz (QTM1 1CC-100MHz Bandwidth QPSK High Channel)


Frequency [MHz]	Detector /Trace	Chan.	Bandwidth (MHz)	Mod.	Beam Polarization	Ant. Pos [H/V]	Ant. Height [cm]	Turntable Azimuth [degree]	RSE EIRP [dBm]	Limit [dBm]	Margin [dB]
36990.50	Maxh/RMS	Low	100	QPSK	H+V	Н	-	-	-18.71	-13.00	-5.71
36370.15	Maxh/RMS	Mid	100	QPSK	H+V	Н	-	-	-23.04	-13.00	-10.04
36639.00	Maxh/RMS	High	100	QPSK	H+V	Н	-	-	-22.21	-13.00	-9.21
36153.08	Maxh/RMS	Low	100	QPSK	H+V	V	-	-	-22.65	-13.00	-9.65
34780.80	Maxh/RMS	Mid	100	QPSK	H+V	V	-	-	-22.56	-13.00	-9.56
36677.48	Maxh/RMS	High	100	QPSK	H+V	V	-	-	-22.81	-13.00	-9.81

Table 7-22. Spurious Emissions QTM1 (18-38.5 GHz)


FCC ID: ZNFV450VM	PETEST HIGHER LABORATORY, INC.	MEASUREMENT REPORT (Class II Permissive Change)	Approved by: Quality Manager	
Test Report S/N:	Test Dates:	EUT Type:	Dogo 07 of 202	
1M1903070034-14-R2.ZNF	3/21/2019-5/3/2019	Portable Handset	Page 97 of 202	



7.4.11 Radiated Spurious Emissions Plots n260 (40 - 60GHz)



Plot 7-137. Horizontal Radiated Spurious Plot 40-60 GHz (QTM0 1CC-50MHz Bandwidth QPSK Low Channel)




Plot 7-138. Horizontal Radiated Spurious Plot 40-60 GHz (QTM0 1CC-50MHz Bandwidth QPSK Mid Channel)


FCC ID: ZNFV450VM	PCTEST*	MEASUREMENT REPORT (Class II Permissive Change)	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 09 of 202
1M1903070034-14-R2.ZNF	3/21/2019-5/3/2019	Portable Handset	Page 98 of 202







Plot 7-139. Horizontal Radiated Spurious Plot 40-60 GHz (QTM0 1CC-50MHz Bandwidth QPSK High Channel)




Plot 7-140. Vertical Radiated Spurious Plot 40-60 GHz (QTM0 1CC-50MHz Bandwidth QPSK Low Channel)


FCC ID: ZNFV450VM	PETEST HIGHERING LABORATORY, INC.	MEASUREMENT REPORT (Class II Permissive Change)	Approved by: Quality Manager	
Test Report S/N:	Test Dates:	EUT Type:	Page 00 of 202	
1M1903070034-14-R2.ZNF	3/21/2019-5/3/2019	Portable Handset	Page 99 of 202	







Plot 7-141. Vertical Radiated Spurious Plot 40-60 GHz (QTM0 1CC-50MHz Bandwidth QPSK Mid Channel)




Plot 7-142. Vertical Radiated Spurious Plot 40-60 GHz (QTM0 1CC-50MHz Bandwidth QPSK High Channel)

FCC ID: ZNFV450VM	PETEST*	MEASUREMENT REPORT (Class II Permissive Change)	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 100 of 202
1M1903070034-14-R2.ZNF	3/21/2019-5/3/2019	Portable Handset	Page 100 of 202



Frequency [MHz]	Detector /Trace	Chan.	Bandwidth (MHz)	Mod.	Beam Polarization	Ant. Pos [H/V]	Ant. Height [cm]	Turn Table Azimuth [degree]	RSE EIRP [dBm]	Limit [dBm]	Margin [dB]
49409.80	Maxh/RMS	Low	100	QPSK	H+V	Н	-	-	-40.22	-13.00	-27.22
49431.40	Maxh/RMS	Mid	100	QPSK	H+V	Н	-	-	-39.73	-13.00	-26.73
49403.40	Maxh/RMS	High	100	QPSK	H+V	Н	-	-	-40.80	-13.00	-27.80
49406.60	Maxh/RMS	Low	100	QPSK	H+V	V	-	-	-40.69	-13.00	-27.69
49371.00	Maxh/RMS	Mid	100	QPSK	H+V	V	-	-	-40.36	-13.00	-27.36
49467.80	Maxh/RMS	High	100	QPSK	H+V	V	-	-	-40.12	-13.00	-27.12

Table 7-23. Spurious Emissions QTM0 (40 – 60GHz)




Plot 7-143. Horizontal Radiated Spurious Plot 40-60 GHz (QTM1 1CC-100MHz Bandwidth QPSK Low Channel


FCC ID: ZNFV450VM	POTEST HOWELENS LABORATORS, INC.	MEASUREMENT REPORT (Class II Permissive Change)	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Dags 404 of 202
1M1903070034-14-R2.ZNF	3/21/2019-5/3/2019	Portable Handset	Page 101 of 202







Plot 7-144. Horizontal Radiated Spurious Plot 40-60 GHz (QTM1 1CC-100MHz Bandwidth QPSK Mid Channel)




Plot 7-145. Horizontal Radiated Spurious Plot 40-60 GHz (QTM1 1CC-100MHz Bandwidth QPSK High Channel)


FCC ID: ZNFV450VM	PETEST'	MEASUREMENT REPORT (Class II Permissive Change)	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 102 of 202
1M1903070034-14-R2.ZNF	3/21/2019-5/3/2019	Portable Handset	Page 102 of 202







Plot 7-146. Vertical Radiated Spurious Plot 40-60 GHz (QTM1 1CC-100MHz Bandwidth QPSK Low Channel




Plot 7-147. Vertical Radiated Spurious Plot 40-60 GHz (QTM1 1CC-100MHz Bandwidth QPSK Mid Channel)

FCC ID: ZNFV450VM	PETEST HIGHER LABORATORY, INC.	MEASUREMENT REPORT (Class II Permissive Change)	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 103 of 202
1M1903070034-14-R2.ZNF	3/21/2019-5/3/2019	Portable Handset	Fage 103 01 202







Plot 7-148. Vertical Radiated Spurious Plot 40-60 GHz (QTM1 1CC-100MHz Bandwidth QPSK High Channel)


Frequency [MHz]	Detector /Trace	Chan.	Bandwidth (MHz)	Mod.	Beam Polarization	Ant. Pos [H/V]	Ant. Height [cm]	Turn Table Azimuth [degree]	RSE EIRP [dBm]	Limit [dBm]	Margin [dB]
49432.60	Maxh/RMS	Low	100	QPSK	H+V	Н	-	-	-40.10	-13.00	-27.10
49489.80	Maxh/RMS	Mid	100	QPSK	H+V	Н	-	-	-40.57	-13.00	-27.57
49425.00	Maxh/RMS	High	100	QPSK	H+V	Н	-	-	-40.25	-13.00	-27.25
49385.80	Maxh/RMS	Low	100	QPSK	H+V	V	-	-	-39.91	-13.00	-26.91
49406.20	Maxh/RMS	Mid	100	QPSK	H+V	V	-	-	-40.20	-13.00	-27.20
49487.80	Maxh/RMS	High	100	QPSK	H+V	V	-	-	-40.66	-13.00	-27.66

Table 7-24. Spurious Emissions QTM1 (40 – 60GHz)


FCC ID: ZNFV450VM	PETEST HIGHER LABORATORY, INC.	MEASUREMENT REPORT (Class II Permissive Change)	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogg 104 of 202
1M1903070034-14-R2.ZNF	3/21/2019-5/3/2019	Portable Handset	Page 104 of 202



7.4.12 Radiated Spurious Emissions Plots n260 (60 - 90GHz)




Plot 7-149. Horizontal Radiated Spurious Plot 60-90 GHz (QTM0 1CC-100MHz Bandwidth QPSK Low Channel)




Plot 7-150. Horizontal Radiated Spurious Plot 60-90 GHz (QTM0 1CC-100MHz Bandwidth QPSK Mid Channel)

FCC ID: ZNFV450VM	PETEST	MEASUREMENT REPORT (Class II Permissive Change)	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 105 of 202
1M1903070034-14-R2.ZNF	3/21/2019-5/3/2019	Portable Handset	rage 100 01 202
			144.6






Plot 7-151. Horizontal Radiated Spurious Plot 60-90 GHz (QTM0 1CC-100MHz Bandwidth QPSK High Channel)




Plot 7-152. Vertical Radiated Spurious Plot 60-90 GHz (QTM0 1CC-100MHz Bandwidth QPSK Low Channel)

FCC ID: ZNFV450VM	PCTEST*	MEASUREMENT REPORT (Class II Permissive Change)	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 106 of 202
1M1903070034-14-R2.ZNF	3/21/2019-5/3/2019	Portable Handset	Page 106 of 202





Plot 7-153. Vertical Radiated Spurious Plot 60-90 GHz (QTM0 1CC-100MHz Bandwidth QPSK Mid Channel)




Plot 7-154. Vertical Radiated Spurious Plot 60-90 GHz (QTM0 1CC-100MHz Bandwidth QPSK High Channel)

FCC ID: ZNFV450VM	PETEST	MEASUREMENT REPORT (Class II Permissive Change)	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 107 of 202
1M1903070034-14-R2.ZNF	3/21/2019-5/3/2019	Portable Handset	rage 107 01 202
			144.4



Frequency [MHz]	Detector /Trace	Chan.	Bandwidth (MHz)	Mod.	Beam Polarization	Ant. Pos [H/V]	Ant. Height [cm]	Turn Table Azimuth [degree]	RSE EIRP [dBm]	Limit [dBm]	Margin [dB]
74010.00	Maxh/RMS	Low	100	QPSK	H+V	Н	150	112	-34.99	-13.00	-21.99
82476.50	Maxh/RMS	Mid	100	QPSK	H+V	Н	150	115	-37.49	-13.00	-24.49
86974.50	Maxh/RMS	High	100	QPSK	H + V	Н	150	110	-37.29	-13.00	-24.29
74009.50	Maxh/RMS	Low	100	QPSK	H+V	V	150	118	-32.93	-13.00	-19.93
76903.50	Maxh/RMS	Mid	100	QPSK	H+V	V	150	114	-32.45	-13.00	-19.45
79806.00	Maxh/RMS	High	100	QPSK	H+V	٧	150	112	-31.47	-13.00	-18.47


Table 7-25. Spurious Emissions QTM0 (60 - 90GHz)




Plot 7-155. Horizontal Radiated Spurious Plot 60-90 GHz (QTM1 1CC-100MHz Bandwidth QPSK Low Channel)

FCC ID: ZNFV450VM	PETEST HIGHER LABORATORY, INC.	MEASUREMENT REPORT (Class II Permissive Change)	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 108 of 202
1M1903070034-14-R2.ZNF	3/21/2019-5/3/2019	Portable Handset	Fage 100 01 202






Plot 7-156. Horizontal Radiated Spurious Plot 60-90 GHz (QTM1 1CC-100MHz Bandwidth QPSK Mid Channel)




Plot 7-157. Horizontal Radiated Spurious Plot 60-90 GHz (QTM1 1CC-100MHz Bandwidth QPSK High Channel)

FCC ID: ZNFV450VM	PCTEST*	MEASUREMENT REPORT (Class II Permissive Change)	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 100 of 202
1M1903070034-14-R2.ZNF	3/21/2019-5/3/2019	Portable Handset	Page 109 of 202






Plot 7-158. Vertical Radiated Spurious Plot 60-90 GHz (QTM1 1CC-100MHz Bandwidth QPSK Low Channel)



Plot 7-159. Vertical Radiated Spurious Plot 60-90 GHz (QTM1 1CC-100MHz Bandwidth QPSK Mid Channel)

FCC ID: ZNFV450VM	PCTEST	MEASUREMENT REPORT (Class II Permissive Change)	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 110 of 202
1M1903070034-14-R2.ZNF	3/21/2019-5/3/2019	Portable Handset	Fage 110 01 202





Plot 7-160. Vertical Radiated Spurious Plot 60-90 GHz (QTM1 1CC-100MHz Bandwidth QPSK High Channel)


Frequency [MHz]	Detector /Trace	Chan.	Bandwidth (MHz)	Mod.	Beam Polarization	Ant. Pos [H/V]	Ant. Height [cm]	Turn Table Azimuth [degree]	RSE EIRP [dBm]	Limit [dBm]	Margin [dB]
89704.00	Maxh/RMS	Low	100	QPSK	H+V	Н	150	200	-37.26	-13.00	-24.26
89006.00	Maxh/RMS	Mid	100	QPSK	H+V	Η	150	203	-37.05	-13.00	-24.05
89250.00	Maxh/RMS	High	100	QPSK	H+V	Η	150	197	-37.03	-13.00	-24.03
74009.50	Maxh/RMS	Low	100	QPSK	H+V	V	150	201	-29.57	-13.00	-16.57
76903.50	Maxh/RMS	Mid	100	QPSK	H+V	V	150	205	-28.17	-13.00	-15.17
79806.00	Maxh/RMS	High	100	QPSK	H+V	V	150	195	-33.49	-13.00	-20.49

Table 7-26. Spurious Emissions QTM1 (60 - 90GHz)


FCC ID: ZNFV450VM	PETEST HIGHER LABORATORY, INC.	MEASUREMENT REPORT (Class II Permissive Change)	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 111 of 202
1M1903070034-14-R2.ZNF	3/21/2019-5/3/2019	Portable Handset	Page 111 of 202



7.4.13 Radiated Spurious Emissions Plots n260(90 - 140GHz)




Plot 7-161. Horizontal Radiated Spurious Plot 90-140 GHz (QTM0 1CC-100MHz Bandwidth QPSK Low Channel)




Plot 7-162. Horizontal Radiated Spurious Plot 90-140 GHz (QTM0 1CC-100MHz Bandwidth QPSK Mid Channel)

FCC ID: ZNFV450VM	SHOWE ERING LABORATORY, INC.	MEASUREMENT REPORT (Class II Permissive Change)	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 112 of 202
1M1903070034-14-R2.ZNF	3/21/2019-5/3/2019	Portable Handset	raye 112 01 202
0.0040 DOTEOT F			1// 0





Plot 7-163. Horizontal Radiated Spurious Plot 90-140 GHz (QTM0 1CC-100MHz Bandwidth QPSK High Channel)




Plot 7-164. Vertical Radiated Spurious Plot 90-140 GHz (QTM0 1CC-100MHz Bandwidth QPSK Low Channel)

FCC ID: ZNFV450VM	PCTEST*	MEASUREMENT REPORT (Class II Permissive Change)	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 112 of 202
1M1903070034-14-R2.ZNF	3/21/2019-5/3/2019	Portable Handset	Page 113 of 202





Plot 7-165. Vertical Radiated Spurious Plot 90-140 GHz (QTM0 1CC-100MHz Bandwidth QPSK Mid Channel)



Plot 7-166. Vertical Radiated Spurious Plot 90-140 GHz (QTM0 1CC-100MHz Bandwidth QPSK High Channel)

FCC ID: ZNFV450VM	PETEST*	MEASUREMENT REPORT (Class II Permissive Change)	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogg 444 of 202
1M1903070034-14-R2.ZNF	3/21/2019-5/3/2019	Portable Handset	Page 114 of 202



Frequency [MHz]	Detector /Trace	Chan.	Bandwidth (MHz)	Mod.	Beam Polarization	Ant. Pos [H/V]	Ant. Height [cm]	Turn Table Azimuth [degree]	RSE EIRP [dBm]	Limit [dBm]	Margin [dB]
128504.00	Maxh/RMS	Low	100	QPSK	H+V	Н	-	-	-30.79	-13.00	-17.79
128806.00	Maxh/RMS	Mid	100	QPSK	H+V	Н	-	-	-30.85	-13.00	-17.85
95959.50	Maxh/RMS	High	100	QPSK	H+V	Н	-	-	-30.68	-13.00	-17.68
128786.00	Maxh/RMS	Low	100	QPSK	H+V	V	-	-	-31.14	-13.00	-18.14
129502.50	Maxh/RMS	Mid	100	QPSK	H+V	V	-	-	-30.93	-13.00	-17.93
135971.50	Maxh/RMS	High	100	QPSK	H+V	V	-	-	-31.49	-13.00	-18.49


Table 7-27. Spurious Emissions QTM0 (90-140GHz)




Plot 7-167. Horizontal Radiated Spurious Plot 90-140 GHz (QTM1 1CC-100MHz Bandwidth QPSK Low Channel)

FCC ID: ZNFV450VM	PETEST*	MEASUREMENT REPORT (Class II Permissive Change)	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 115 of 202
1M1903070034-14-R2.ZNF	3/21/2019-5/3/2019	Portable Handset	Page 115 of 202






Plot 7-168. Horizontal Radiated Spurious Plot 90-140 GHz (QTM1 1CC-100MHz Bandwidth QPSK Mid Channel)




Plot 7-169. Horizontal Radiated Spurious Plot 90-140 GHz (QTM1 1CC-100MHz Bandwidth QPSK High Channel)

FCC ID: ZNFV450VM	PCTEST*	MEASUREMENT REPORT (Class II Permissive Change)	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 116 of 202
1M1903070034-14-R2.ZNF	3/21/2019-5/3/2019	Portable Handset	Page 116 of 202





Plot 7-170. Vertical Radiated Spurious Plot 90-140 GHz (QTM1 1CC-100MHz Bandwidth QPSK Low Channel)



Plot 7-171. Vertical Radiated Spurious Plot 90-140 GHz (QTM1 1CC-100MHz Bandwidth QPSK Mid Channel)

FCC ID: ZNFV450VM	PETEST	MEASUREMENT REPORT (Class II Permissive Change)	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 117 of 202
1M1903070034-14-R2.ZNF	3/21/2019-5/3/2019	Portable Handset	Page 117 of 202
			144.6





Plot 7-172. Vertical Radiated Spurious Plot 90-140 GHz (QTM1 1CC-100MHz Bandwidth QPSK High Channel)


Frequency [MHz]	Detector /Trace	Chan.	Bandwidth (MHz)	Mod.	Beam Polarization	Ant. Pos [H/V]	Ant. Height [cm]	Turn Table Azimuth [degree]	RSE EIRP [dBm]	Limit [dBm]	Margin [dB]
129206.00	Maxh/RMS	Low	100	QPSK	H+V	Н	-	-	-30.44	-13.00	-17.44
128478.00	Maxh/RMS	Mid	100	QPSK	H+V	Н	-	-	-31.15	-13.00	-18.15
124211.00	Maxh/RMS	High	100	QPSK	H+V	Н	-	-	-31.07	-13.00	-18.07
95646.50	Maxh/RMS	Low	100	QPSK	H+V	٧	-	-	-31.67	-13.00	-18.67
100169.50	Maxh/RMS	Mid	100	QPSK	H+V	V	-	-	-30.84	-13.00	-17.84
96031.00	Maxh/RMS	High	100	QPSK	H+V	V	-	-	-31.21	-13.00	-18.21

Table 7-28. Spurious Emissions QTM1 (90-140GHz)


FCC ID: ZNFV450VM	PETEST'	MEASUREMENT REPORT (Class II Permissive Change)	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 119 of 202
1M1903070034-14-R2.ZNF	3/21/2019-5/3/2019	Portable Handset	Page 118 of 202



7.4.14 Radiated Spurious Emissions Plots n260 (140 – 170GHz)




Plot 7-173. Horizontal Radiated Spurious Plot 140-170 GHz (QTM0 1CC-100MHz Bandwidth QPSK Low Channel)




Plot 7-174. Horizontal Radiated Spurious Plot 140-170 GHz (QTM0 1CC-100MHz Bandwidth QPSK Mid Channel)

FCC ID: ZNFV450VM	PCTEST*	MEASUREMENT REPORT (Class II Permissive Change)	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 110 of 202
1M1903070034-14-R2.ZNF	3/21/2019-5/3/2019	Portable Handset	Page 119 of 202






Plot 7-175. Horizontal Radiated Spurious Plot 140-170 GHz (QTM0 1CC-100MHz Bandwidth QPSK High Channel)



Plot 7-176. Vertical Radiated Spurious Plot 140-170 GHz (QTM0 1CC-100MHz Bandwidth QPSK Low Channel)

FCC ID: ZNFV450VM	PETEST HIGHER LABORATORY, INC.	MEASUREMENT REPORT (Class II Permissive Change)	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 120 of 202
1M1903070034-14-R2.ZNF	3/21/2019-5/3/2019	Portable Handset	Fage 120 01 202





Plot 7-177. Vertical Radiated Spurious Plot 140-170 GHz (QTM0 1CC-100MHz Bandwidth QPSK Mid Channel)




Plot 7-178. Vertical Radiated Spurious Plot 140-170 GHz (QTM0 1CC-100MHz Bandwidth QPSK High Channel)

FCC ID: ZNFV450VM	PCTEST:	MEASUREMENT REPORT (Class II Permissive Change)	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 121 of 202
1M1903070034-14-R2.ZNF	3/21/2019-5/3/2019	Portable Handset	Fage 121 01 202
0.0040 DOTEOT F : : ! ! !			1// 0



Frequency [MHz]	Detector /Trace	Chan.	Bandwidth (MHz)	Mod.	Beam Polarization	Ant. Pos [H/V]	Ant. Height [cm]	Turn Table Azimuth [degree]	RSE EIRP [dBm]	Limit [dBm]	Margin [dB]
167338.50	Maxh/RMS	Low	100	QPSK	H+V	Н	-	-	-26.28	-13.00	-13.28
145722.50	Maxh/RMS	Mid	100	QPSK	H+V	Н	-	-	-25.86	-13.00	-12.86
142038.00	Maxh/RMS	High	100	QPSK	H+V	Н	-	-	-25.80	-13.00	-12.80
162362.00	Maxh/RMS	Low	100	QPSK	H+V	V	-	-	-25.19	-13.00	-12.19
146340.50	Maxh/RMS	Mid	100	QPSK	H+V	٧	-	-	-25.71	-13.00	-12.71
141786.00	Maxh/RMS	High	100	QPSK	H+V	V	-	-	-25.43	-13.00	-12.43


Table 7-29. Spurious Emissions QTM0 (140 – 170GHz)




Plot 7-179. Horizontal Radiated Spurious Plot 140-170 GHz (QTM1 1CC-100MHz Bandwidth QPSK Low Channel)

FCC ID: ZNFV450VM	PETEST HIGHER LABORATORY, INC.	MEASUREMENT REPORT (Class II Permissive Change)	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 122 of 202
1M1903070034-14-R2.ZNF	3/21/2019-5/3/2019	Portable Handset	Fage 122 01 202






Plot 7-180. Horizontal Radiated Spurious Plot 140-170 GHz (QTM1 1CC-100MHz Bandwidth QPSK Mid Channel)




Plot 7-181. Horizontal Radiated Spurious Plot 140-170 GHz (QTM1 1CC-100MHz Bandwidth QPSK High Channel)

FCC ID: ZNFV450VM	PETEST HIGHER LABORATORY, INC.	MEASUREMENT REPORT (Class II Permissive Change)	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 123 of 202
1M1903070034-14-R2.ZNF	3/21/2019-5/3/2019	Portable Handset	Fage 123 01 202






Plot 7-182. Vertical Radiated Spurious Plot 140-170 GHz (QTM1 1CC-100MHz Bandwidth QPSK Low Channel)



Plot 7-183. Vertical Radiated Spurious Plot 140-170 GHz (QTM1 1CC-100MHz Bandwidth QPSK Mid Channel)

FCC ID: ZNFV450VM	PCTEST*	MEASUREMENT REPORT (Class II Permissive Change)	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 124 of 202
1M1903070034-14-R2.ZNF	3/21/2019-5/3/2019	Portable Handset	Page 124 of 202





Plot 7-184. Vertical Radiated Spurious Plot 140-170 GHz (QTM1 1CC-100MHz Bandwidth QPSK High Channel)


Frequency [MHz]	Detector /Trace	Chan.	Bandwidth (MHz)	Mod.	Beam Polarization	Ant. Pos [H/V]	Ant. Height [cm]	Turn Table Azimuth [degree]	RSE EIRP [dBm]	Limit [dBm]	Margin [dB]
141446.00	Maxh/RMS	Low	100	QPSK	H+V	Н	-	-	-25.14	-13.00	-12.14
140839.50	Maxh/RMS	Mid	100	QPSK	H+V	Н	-	-	-25.56	-13.00	-12.56
140522.00	Maxh/RMS	High	100	QPSK	H+V	Н	-	-	-24.97	-13.00	-11.97
142123.50	Maxh/RMS	Low	100	QPSK	H+V	V	-	-	-25.81	-13.00	-12.81
141387.50	Maxh/RMS	Mid	100	QPSK	H+V	٧	-	-	-25.75	-13.00	-12.75
142112.50	Maxh/RMS	High	100	QPSK	H+V	V	-	-	-26.06	-13.00	-13.06

Table 7-30. Spurious Emissions QTM1 (140 – 170GHz)

FCC ID: ZNFV450VM	PETEST HIGHER LABORATORY, INC.	MEASUREMENT REPORT (Class II Permissive Change)	Approved by: Quality Manager	
Test Report S/N:	Test Dates:	EUT Type:	Dogg 405 of 202	
1M1903070034-14-R2.ZNF	3/21/2019-5/3/2019	Portable Handset	Page 125 of 202	



7.4.15 Radiated Spurious Emissions Plots n260(170 – 200GHz)




Plot 7-185. Horizontal Radiated Spurious Plot 170-200 GHz (QTM0 1CC-100MHz Bandwidth QPSK Low Channel)




Plot 7-186. Horizontal Radiated Spurious Plot 170-200 GHz (QTM0 1CC-100MHz Bandwidth QPSK Mid Channel)

FCC ID: ZNFV450VM	PCTEST*	MEASUREMENT REPORT (Class II Permissive Change)	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 126 of 202
1M1903070034-14-R2.ZNF	3/21/2019-5/3/2019	Portable Handset	Page 126 of 202






Plot 7-187. Horizontal Radiated Spurious Plot 170-200 GHz (QTM0 1CC-100MHz Bandwidth QPSK High Channel)




Plot 7-188. Vertical Radiated Spurious Plot 170-200 GHz (QTM0 1CC-100MHz Bandwidth QPSK Low Channel)

FCC ID: ZNFV450VM	INCIMELAND LABORATORY, INC.	MEASUREMENT REPORT (Class II Permissive Change)	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 127 of 202
1M1903070034-14-R2.ZNF	3/21/2019-5/3/2019	Portable Handset	raye 121 01 202
			111.0





Plot 7-189. Vertical Radiated Spurious Plot 170-200 GHz (QTM0 1CC-100MHz Bandwidth QPSK Mid Channel)



Plot 7-190. Vertical Radiated Spurious Plot 170-200 GHz (QTM0 1CC-100MHz Bandwidth QPSK High Channel)

FCC ID: ZNFV450VM	PCTEST*	MEASUREMENT REPORT (Class II Permissive Change)	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 129 of 202
1M1903070034-14-R2.ZNF	3/21/2019-5/3/2019	Portable Handset	Page 128 of 202



Frequency [MHz]	Detector /Trace	Chan.	Bandwidth (MHz)	Mod.	Beam Polarization	Ant. Pos [H/V]	Ant. Height [cm]	Turn Table Azimuth [degree]	RSE EIRP [dBm]	Limit [dBm]	Margin [dB]
183541.50	Maxh/RMS	Low	100	QPSK	H+V	Η	-	-	-25.54	-13.00	-12.54
190610.00	Maxh/RMS	Mid	100	QPSK	H+V	Η	-	-	-24.66	-13.00	-11.66
190538.50	Maxh/RMS	High	100	QPSK	H+V	Ι	-	-	-25.45	-13.00	-12.45
190131.50	Maxh/RMS	Low	100	QPSK	H+V	V	-	-	-25.65	-13.00	-12.65
190797.50	Maxh/RMS	Mid	100	QPSK	H+V	V	-	-	-24.79	-13.00	-11.79
190363.00	Maxh/RMS	High	100	QPSK	H+V	V	-	-	-24.98	-13.00	-11.98


Table 7-31. Spurious Emissions QTM0 (170 – 200GHz)




Plot 7-191. Horizontal Radiated Spurious Plot 170-200 GHz (QTM1 1CC-100MHz Bandwidth QPSK Low Channel)

FCC ID: ZNFV450VM	PCTEST*	MEASUREMENT REPORT (Class II Permissive Change)	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 129 of 202
1M1903070034-14-R2.ZNF	3/21/2019-5/3/2019	Portable Handset	Fage 129 01 202






Plot 7-192. Horizontal Radiated Spurious Plot 170-200 GHz (QTM1 1CC-100MHz Bandwidth QPSK Mid Channel)



Plot 7-193. Horizontal Radiated Spurious Plot 170-200 GHz (QTM1 1CC-100MHz Bandwidth QPSK High Channel)

FCC ID: ZNFV450VM	PETEST HIGHER LABORATORY, INC.	MEASUREMENT REPORT (Class II Permissive Change)	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 130 of 202
1M1903070034-14-R2.ZNF	3/21/2019-5/3/2019	Portable Handset	Fage 130 01 202






Plot 7-194. Vertical Radiated Spurious Plot 170-200 GHz (QTM1 1CC-100MHz Bandwidth QPSK Low Channel)



Plot 7-195. Vertical Radiated Spurious Plot 170-200 GHz (QTM1 1CC-100MHz Bandwidth QPSK Mid Channel)

FCC ID: ZNFV450VM	PETEST'	MEASUREMENT REPORT (Class II Permissive Change)	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 121 of 202
1M1903070034-14-R2.ZNF	3/21/2019-5/3/2019	Portable Handset	Page 131 of 202





Plot 7-196. Vertical Radiated Spurious Plot 170-200 GHz (QTM1 1CC-100MHz Bandwidth QPSK High Channel)

Frequency [MHz]	Detector /Trace	Chan.	Bandwidth (MHz)	Mod.	Beam Polarization	Ant. Pos [H/V]	Ant. Height [cm]	Turn Table Azimuth [degree]	RSE EIRP [dBm]	Limit [dBm]	Margin [dB]
195921.50	Maxh/RMS	Low	100	QPSK	H+V	Н	-	-	-24.70	-13.00	-11.70
185624.00	Maxh/RMS	Mid	100	QPSK	H+V	Н	-	-	-25.67	-13.00	-12.67
194577.50	Maxh/RMS	High	100	QPSK	H+V	Н	-	-	-25.63	-13.00	-12.63
188176.50	Maxh/RMS	Low	100	QPSK	H+V	٧	-	-	-25.13	-13.00	-12.13
188176.50	Maxh/RMS	Mid	100	QPSK	H+V	٧	-	-	-25.13	-13.00	-12.13
184559.50	Maxh/RMS	High	100	QPSK	H+V	V	-	-	-25.15	-13.00	-12.15

Table 7-32. Spurious Emissions QTM1 (170 - 200GHz)

FCC ID: ZNFV450VM	PETEST HIGHERING LABORATORY, INC.	MEASUREMENT REPORT (Class II Permissive Change)	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 122 of 202
1M1903070034-14-R2.ZNF	3/21/2019-5/3/2019	Portable Handset	Page 132 of 202



7.5 Band Edge Emissions

§2.1051, §30.203

Test Overview

All out of band emissions are measured in a radiated setup while the EUT is operating at its maximum duty cycle, at maximum power, and at the appropriate frequencies. All modulations were investigated to determine the worst case configuration. All modes of operation were investigated and the worst case configuration results are reported in this section.

The minimum permissible attenuation level of any spurious emission is -13dbm/1MHz. However, in the bands immediately outside and adjacent to the licensee's frequency block, having a bandwidth equal to 10 percent of the channel bandwidth, the conductive power or the total radiated power of any emission shall be -5 dBm/MHz or lower.

Test Procedure Used

ANSI C63.26-2015 Section 5 and ANSI C63.26-2015 Section 6.4

Test Settings

- 1. Start and stop frequency were set such that both upper and lower band edges are measured.
- 2. Span was set large enough so as to capture all out of band emissions near the band edge
- 3. RBW = 1MHz
- 4. $VBW > 3 \times RBW$
- 5. Detector = RMS
- 6. Number of sweep points ≥ 2 x Span/RBW
- 7. Trace mode = trace average
- 8. Sweep time = auto couple
- 9. The trace was allowed to stabilize

Test Notes

- 1) The EUT was tested in three orthogonal planes and in all possible test configurations and positioning.
- 2) Band Edge measurements in this section are shown as equivalent conductive powers for direct comparison to the 30.203 limit. The condutive power at the band edge is calculated by subtracting the gain of the EUT's antenna from the measured EIRP level. Antenna Gain information is shown on the following page.
- 3) Band Edge emissions were measured at a 1 meter distance.
- 4) The spectrum analyzer for each measurement shows an offset value that was determined using the measurement antenna factor, cable loss, far field measurement distance, and EUT antenna gain. A sample calculation is shown on the following page.
- 5) MIMO Band Edge plots shown below are mathematically summed conductive powers between spectrum analyzer measurements on H Beam and V Beam. This MIMO bandedge plot was produced by summing the following two spectrum analyzer traces: (1) the first trace is maximized while the EUT is transmitting in H-beam and (2) the second trace is maximized while the EUT is transmitting in V-beam.
- 6) The MIMO Band Edges were calculated by using the "measure and sum the spectra across the outputs" technique specified in Section 6.4.3.2.2 of ANSI C63.26-2015. The spectra were summed linearly and converted to dBm for comparison with the limit.

FCC ID: ZNFV450VM	PCTEST*	MEASUREMENT REPORT (Class II Permissive Change)	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 133 of 202
1M1903070034-14-R2.ZNF	3/21/2019-5/3/2019	Portable Handset	Fage 133 01 202



7.5.1 **Antenna Gain Information at the Band Edge**

The following antenna gain information is provided to demonstrate the antenna performance of the 27.5 - 28.35GHz band. These antenna gains were subtracted from the measured EIRP levels at the lower and upper band edge frequencies to determine an equivalent conductive power that was compared directly with the §30.203 limits.

Band	Antenna Gain (dBi)
n261	9
n260	8

Table 7-33. Antenna Gains at the Band Edges

Sample Analyzer Offset Calculation (at 27.5GHz)

Measurement Antenna Factor = 40.70dB/m

Cable Loss = 8.44dB

EUT Antenna Gain = 7.53dBi


Analyzer Offset (dB) = AF (dB/m) + CL (dB) +
$$107 + 20\log_{10}(D) - 104.8dB - Gain$$
 (dBi), where D = 1m = $40.70dB/m + 8.44dB + 107 + 20\log_{10}(1m) - 104.8dB - 7.53dBi$

= 43.81dB


FCC ID: ZNFV450VM	POTEST SHOWLENDS LABORATORY, INC.	MEASUREMENT REPORT (Class II Permissive Change)	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 124 of 202
1M1903070034-14-R2.ZNF	3/21/2019-5/3/2019	Portable Handset	Page 134 of 202



7.5.2 N261 1CC 50MHz Bandwidth Band Edges QTM 0 - H + V




Plot 7-197. Band Edge Plot (1CC 50M QPSK Low Channel - 1 RB, 0 offset)




Plot 7-198. Band Edge Plot (1CC 50M 16QAM Low Channel – 1 RB, 0 offset)

FCC ID: ZNFV450VM	PETEST HIGHER LABORATORY, INC.	MEASUREMENT REPORT (Class II Permissive Change)	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 135 of 202
1M1903070034-14-R2.ZNF	3/21/2019-5/3/2019	Portable Handset	Fage 133 01 202






Plot 7-199. Band Edge Plot (1CC 50M 64QAM Low Channel – 1 RB, 0 offset)




Plot 7-200. Band Edge Plot (1CC 50M QPSK Low Channel – 32 RB, 0 offset)

FCC ID: ZNFV450VM	POTEST LABORATORY, INC.	MEASUREMENT REPORT (Class II Permissive Change)	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 136 of 202
1M1903070034-14-R2.ZNF	3/21/2019-5/3/2019	Portable Handset	Fage 130 01 202






Plot 7-201. Band Edge Plot (1CC 50M QPSK High Channel - 1 RB, 31 offset)




Plot 7-202. Band Edge Plot (1CC 50M 16QAM High Channel - 1 RB, 31 offset)

FCC ID: ZNFV450VM	PETEST HIGHER LABORATORY, INC.	MEASUREMENT REPORT (Class II Permissive Change)	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 127 of 202
1M1903070034-14-R2.ZNF	3/21/2019-5/3/2019	Portable Handset	Page 137 of 202






Plot 7-203. Band Edge Plot (1CC 50M 64QAM High Channel - 1 RB, 31 offset)




Plot 7-204. Band Edge Plot (1CC 50M QPSK High Channel – 32 RB, 0 offset)

FCC ID: ZNFV450VM	PETEST HIGHERING LABORATORY, INC.	MEASUREMENT REPORT (Class II Permissive Change)	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 129 of 202
1M1903070034-14-R2.ZNF	3/21/2019-5/3/2019	Portable Handset	Page 138 of 202





Plot 7-205. Band Edge Plot (1CC 50M QPSK Low Channel - 1 RB, 0 offset)



Plot 7-206. Band Edge Plot (1CC 50M 16QAM Low Channel – 1 RB, 0 offset)

FCC ID: ZNFV450VM	PETEST HIGHER LABORATORY, INC.	MEASUREMENT REPORT (Class II Permissive Change)	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 139 of 202
1M1903070034-14-R2.ZNF	3/21/2019-5/3/2019	Portable Handset	Fage 139 01 202