

7.4 Band Edge Emissions at Antenna Terminal

§2.1051 §22.917(a) §24.238(a) §27.53(g) §27.53(h) §27.53(a.4)

Test Overview

All out of band emissions are measured with a spectrum analyzer connected to the antenna terminal of the EUT while the EUT is operating at its maximum duty cycle, at maximum power, and at the appropriate frequencies. All data rates were investigated to determine the worst case configuration. All modes of operation were investigated and the worst case configuration results are reported in this section.

The minimum permissible attenuation level for Band 30 is $> 43 + 10\log_{10}(P[\text{Watts}]$ at 2300-2305MHz & 2345-2360MHz, $> 55 + 10\log_{10}(P[\text{Watts}]$) at 2320-2324MHz & 2341-2345MHz, $> 61 + 10\log_{10}(P[\text{Watts}]$) at 2324-2328MHz & 2337-2341MHz, $> 67 + 10\log_{10}(P[\text{Watts}]$) at 2288-2292MHz & 2328-2337MHz, and $> 70 + 10\log_{10}(P[\text{Watts}]$) at frequencies $< 2288\text{MHz}$ & $> 2365\text{MHz}$.

The minimum permissible attenuation level for Band 7 is $> 43 + 10\log_{10}(P[\text{Watts}]$) at channel edges and $> 55 + 10\log_{10}(P[\text{Watts}]$) at 5.5 MHz away and beyond channel edges.

The minimum permissible attenuation level of any spurious emission is $43 + \log_{10}(P_{[\text{Watts}]})$, where P is the transmitter power in Watts.

Test Procedure Used

KDB 971168 v02r02 – Section 6.0

Test Settings

1. Start and stop frequency were set such that the band edge would be placed in the center of the plot
2. Span was set large enough so as to capture all out of band emissions near the band edge
3. RBW \geq 1% of the emission bandwidth
4. VBW \geq 3 x RBW
5. Detector = RMS
6. Number of sweep points \geq 2 x Span/RBW
7. Trace mode = trace average
8. Sweep time = auto couple
9. The trace was allowed to stabilize

Test Setup

The EUT and measurement equipment were set up as shown in the diagram below.




Figure 7-3. Test Instrument & Measurement Setup

FCC ID: ZNFV520		FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)		Reviewed by: Quality Manager
Test Report S/N: 0Y1601040035.ZNF	Test Dates: 1/4 - 1/14/2016	EUT Type: Portable Tablet		Page 69 of 156

Test Notes

Per 22.917(b) 24.238(a) 27.53(h) in the 1 MHz bands immediately outside and adjacent to the frequency block a resolution bandwidth of at least one percent of the emission bandwidth of the fundamental emission of the transmitter may be employed to demonstrate compliance with the out-of-band emissions limit. The emission bandwidth is defined as the width of the signal between two points, one below the carrier center frequency and one above the carrier center frequency, outside of which all emission are attenuated at least 26 dB below the transmitter power.

Per 27.53(g) for operations in the 698-746 MHz band, in the 100 kHz bands immediately outside and adjacent to the frequency block a resolution bandwidth of at least 30 kHz may be employed to demonstrate compliance with the out-of-band emissions limit.

Per 27.53(a)(5) in the 1 MHz bands immediately outside and adjacent to the channel blocks at 2305, 2310, 2315, 2320, 2345, 2350, 2355, and 2360 MHz, a resolution bandwidth of at least 1 percent of the emission bandwidth of the fundamental emission of the transmitter may be employed. A narrower resolution bandwidth is permitted in all cases to improve measurement accuracy provided the measured power is integrated over the full required measurement bandwidth (i.e., 1 MHz). The emission bandwidth is defined as the width of the signal between two points, one below the carrier center frequency and one above the carrier center frequency, outside of which all emissions are attenuated at least 26 dB below the transmitter power.

Per 27.53(m) for operations in the BRS/EBS bands, the attenuation factor shall be not less than $40 + 10 \log (P)$ dB on all frequencies between the channel edge and 5 megahertz from the channel edge, $43 + 10 \log (P)$ dB on all frequencies between 5 megahertz and X megahertz from the channel edge, and $55 + 10 \log (P)$ dB on all frequencies more than X megahertz from the channel edge, where X is the greater of 6 megahertz or the actual emission bandwidth. In addition, the attenuation factor shall not be less that $43 + 10 \log (P)$ dB on all frequencies between 2490.5 MHz and 2496 MHz and $55 + 10 \log (P)$ dB at or below 2490.5 MHz.

FCC ID: ZNFV520	 FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)			Reviewed by: Quality Manager
Test Report S/N: 0Y1601040035.ZNF	Test Dates: 1/4 - 1/14/2016	EUT Type: Portable Tablet		Page 70 of 156



Plot 7-107. Lower Band Edge Plot (Band 12 – 1.4MHz QPSK – RB Size 6)



Plot 7-108. Lower Extended Band Edge Plot (Band 12 – 1.4MHz QPSK – RB Size 6)

FCC ID: ZNFV520	PCTEST ENGINEERING LABORATORY, INC.	FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)	LG	Reviewed by: Quality Manager
Test Report S/N: 0Y1601040035.ZNF	Test Dates: 1/4 - 1/14/2016	EUT Type: Portable Tablet	Page 71 of 156	




Plot 7-109. Upper Band Edge Plot (Band 12 – 1.4MHz QPSK – RB Size 6)



Plot 7-110. Upper Extended Band Edge Plot (Band 12 – 1.4MHz QPSK – RB Size 6)

FCC ID: ZNFV520		FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)		Reviewed by: Quality Manager
Test Report S/N: 0Y1601040035.ZNF	Test Dates: 1/4 - 1/14/2016	EUT Type: Portable Tablet		Page 72 of 156




Plot 7-111. Lower Band Edge Plot (Band 12 – 3.0MHz QPSK – RB Size 15)



Plot 7-112. Lower Extended Band Edge Plot (Band 12 – 3.0MHz QPSK – RB Size 15)

FCC ID: ZNFV520		FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)		Reviewed by: Quality Manager
Test Report S/N: 0Y1601040035.ZNF	Test Dates: 1/4 - 1/14/2016	EUT Type: Portable Tablet		Page 73 of 156




Plot 7-113. Upper Band Edge Plot (Band 12 – 3.0MHz QPSK – RB Size 15)




Plot 7-114. Upper Extended Band Edge Plot (Band 12 – 3.0MHz QPSK – RB Size 15)

FCC ID: ZNFV520		FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)		Reviewed by: Quality Manager
Test Report S/N: 0Y1601040035.ZNF	Test Dates: 1/4 - 1/14/2016	EUT Type: Portable Tablet		Page 74 of 156




Plot 7-115. Lower Band Edge Plot (Band 12/17 – 5.0MHz QPSK – RB Size 25)



Plot 7-116. Lower Extended Band Edge Plot (Band 12/17 – 5.0MHz QPSK – RB Size 25)

FCC ID: ZNFV520	PCTEST ENGINEERING LABORATORY, INC.	FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)		Reviewed by: Quality Manager
Test Report S/N: 0Y1601040035.ZNF	Test Dates: 1/4 - 1/14/2016	EUT Type: Portable Tablet		Page 75 of 156




Plot 7-117. Upper Band Edge Plot (Band 12/17 – 5.0MHz QPSK – RB Size 25)



Plot 7-118. Upper Extended Band Edge Plot (Band 12/17 – 5.0MHz QPSK – RB Size 25)

FCC ID: ZNFV520	PCTEST ENGINEERING LABORATORY, INC.	FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)	LG	Reviewed by: Quality Manager
Test Report S/N: 0Y1601040035.ZNF	Test Dates: 1/4 - 1/14/2016	EUT Type: Portable Tablet	Page 76 of 156	



Plot 7-119. Lower Band Edge Plot (Band 12/17 – 10.0MHz QPSK – RB Size 50)



Plot 7-120. Upper Band Edge Plot (Band 12/17 – 10.0MHz QPSK – RB Size 50)

FCC ID: ZNFV520	PCTEST ENGINEERING LABORATORY, INC.	FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)	LG	Reviewed by: Quality Manager
Test Report S/N: 0Y1601040035.ZNF	Test Dates: 1/4 - 1/14/2016	EUT Type: Portable Tablet		Page 77 of 156




Plot 7-121. Lower Band Edge Plot (Band 5 – 1.4MHz QPSK – RB Size 6)



Plot 7-122. Lower Extended Band Edge Plot (Band 5 – 1.4MHz QPSK – RB Size 6)

FCC ID: ZNFV520	PCTEST ENGINEERING LABORATORY, INC.	FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)	LG	Reviewed by: Quality Manager
Test Report S/N: 0Y1601040035.ZNF	Test Dates: 1/4 - 1/14/2016	EUT Type: Portable Tablet		Page 78 of 156




Plot 7-123. Upper Band Edge Plot (Band 5 – 1.4MHz QPSK – RB Size 6)



Plot 7-124. Upper Extended Band Edge Plot (Band 5 – 1.4MHz QPSK – RB Size 6)

FCC ID: ZNFV520	PCTEST ENGINEERING LABORATORY, INC.	FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)	LG	Reviewed by: Quality Manager
Test Report S/N: 0Y1601040035.ZNF	Test Dates: 1/4 - 1/14/2016	EUT Type: Portable Tablet		Page 79 of 156




Plot 7-125. Lower Band Edge Plot (Band 5 – 3.0MHz QPSK – RB Size 15)




Plot 7-126. Lower Extended Band Edge Plot (Band 5 – 3.0MHz QPSK – RB Size 15)

FCC ID: ZNFV520	PCTEST ENGINEERING LABORATORY, INC.	FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)	LG	Reviewed by: Quality Manager
Test Report S/N: 0Y1601040035.ZNF	Test Dates: 1/4 - 1/14/2016	EUT Type: Portable Tablet	Page 80 of 156	




Plot 7-127. Upper Band Edge Plot (Band 5 – 3.0MHz QPSK – RB Size 15)




Plot 7-128. Upper Extended Band Edge Plot (Band 5 – Band 5 – 3.0MHz QPSK – RB Size 15)

FCC ID: ZNFV520	PCTEST ENGINEERING LABORATORY, INC.	FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)	LG	Reviewed by: Quality Manager
Test Report S/N: 0Y1601040035.ZNF	Test Dates: 1/4 - 1/14/2016	EUT Type: Portable Tablet		Page 81 of 156



Plot 7-129. Lower Band Edge Plot (Band 5 – 5.0MHz QPSK – RB Size 25)




Plot 7-130. Lower Extended Band Edge Plot (Band 5 – 5.0MHz QPSK – RB Size 25)

FCC ID: ZNFV520		FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)		Reviewed by: Quality Manager
Test Report S/N: 0Y1601040035.ZNF	Test Dates: 1/4 - 1/14/2016	EUT Type: Portable Tablet		Page 82 of 156




Plot 7-131. Upper Band Edge Plot (Band 5 – 5.0MHz QPSK – RB Size 25)




Plot 7-132. Upper Extended Band Edge Plot (Band 5 – 5.0MHz QPSK – RB Size 25)

FCC ID: ZNFV520	PCTEST ENGINEERING LABORATORY, INC.	FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)	LG	Reviewed by: Quality Manager
Test Report S/N: 0Y1601040035.ZNF	Test Dates: 1/4 - 1/14/2016	EUT Type: Portable Tablet		Page 83 of 156



Plot 7-133. Lower Band Edge Plot (Band 5 – 10.0MHz QPSK – RB Size 50)




Plot 7-134. Upper Band Edge Plot (Band 5 – 10.0MHz QPSK – RB Size 50)

FCC ID: ZNFV520		FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)		Reviewed by: Quality Manager
Test Report S/N: 0Y1601040035.ZNF	Test Dates: 1/4 - 1/14/2016	EUT Type: Portable Tablet		Page 84 of 156




Plot 7-135. Lower Band Edge Plot (Band 4 – 1.4MHz QPSK – RB Size 6)




Plot 7-136. Lower Extended Band Edge Plot (Band 4 – 1.4MHz QPSK – RB Size 6)

FCC ID: ZNFV520		FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)		Reviewed by: Quality Manager
Test Report S/N: 0Y1601040035.ZNF	Test Dates: 1/4 - 1/14/2016	EUT Type: Portable Tablet		Page 85 of 156




Plot 7-137. Upper Band Edge Plot (Band 4 – 1.4MHz QPSK – RB Size 6)




Plot 7-138. Upper Extended Band Edge Plot (Band 4 – 1.4MHz QPSK – RB Size 6)

FCC ID: ZNFV520		FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)		Reviewed by: Quality Manager
Test Report S/N: 0Y1601040035.ZNF	Test Dates: 1/4 - 1/14/2016	EUT Type: Portable Tablet		Page 86 of 156



Plot 7-139. Lower Band Edge Plot (Band 4 – 3.0MHz QPSK – RB Size 15)




Plot 7-140. Lower Extended Band Edge Plot (Band 4 – 3.0MHz QPSK – RB Size 15)

FCC ID: ZNFV520		FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)		Reviewed by: Quality Manager
Test Report S/N: 0Y1601040035.ZNF	Test Dates: 1/4 - 1/14/2016	EUT Type: Portable Tablet		Page 87 of 156




Plot 7-141. Upper Band Edge Plot (Band 4 – 3.0MHz QPSK – RB Size 15)




Plot 7-142. Upper Extended Band Edge Plot (Band 4 – 3.0MHz QPSK – RB Size 15)

FCC ID: ZNFV520		FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)		Reviewed by: Quality Manager
Test Report S/N: 0Y1601040035.ZNF	Test Dates: 1/4 - 1/14/2016	EUT Type: Portable Tablet		Page 88 of 156




Plot 7-143. Lower Band Edge Plot (Band 4 – 5.0MHz QPSK – RB Size 25)




Plot 7-144. Lower Extended Band Edge Plot (Band 4 – 5.0MHz QPSK – RB Size 25)

FCC ID: ZNFV520	PCTEST ENGINEERING LABORATORY, INC.	FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)	LG	Reviewed by: Quality Manager
Test Report S/N: 0Y1601040035.ZNF	Test Dates: 1/4 - 1/14/2016	EUT Type: Portable Tablet		Page 89 of 156




Plot 7-145. Upper Band Edge Plot (Band 4 – 5.0MHz QPSK – RB Size 25)




Plot 7-146. Upper Extended Band Edge Plot (Band 4 – 5.0MHz QPSK – RB Size 25)

FCC ID: ZNFV520		FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)		Reviewed by: Quality Manager
Test Report S/N: 0Y1601040035.ZNF	Test Dates: 1/4 - 1/14/2016	EUT Type: Portable Tablet		Page 90 of 156



Plot 7-147. Lower Band Edge Plot (Band 4 – 10.0MHz QPSK – RB Size 50)




Plot 7-148. Lower Extended Band Edge Plot (Band 4 – 10.0MHz QPSK – RB Size 50)

FCC ID: ZNFV520	PCTEST ENGINEERING LABORATORY, INC.	FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)	LG	Reviewed by: Quality Manager
Test Report S/N: 0Y1601040035.ZNF	Test Dates: 1/4 - 1/14/2016	EUT Type: Portable Tablet	Page 91 of 156	




Plot 7-149. Upper Band Edge Plot (Band 4 – 10.0MHz QPSK – RB Size 50)



Plot 7-150. Upper Extended Band Edge Plot (Band 4 – 10.0MHz QPSK – RB Size 50)

FCC ID: ZNFV520		FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)		Reviewed by: Quality Manager
Test Report S/N: 0Y1601040035.ZNF	Test Dates: 1/4 - 1/14/2016	EUT Type: Portable Tablet		Page 92 of 156



Plot 7-151. Lower Band Edge Plot (Band 4 – 15.0MHz QPSK – RB Size 75)




Plot 7-152. Lower Extended Band Edge Plot (Band 4 – 15.0MHz QPSK – RB Size 75)

FCC ID: ZNFV520		FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)		Reviewed by: Quality Manager
Test Report S/N: 0Y1601040035.ZNF	Test Dates: 1/4 - 1/14/2016	EUT Type: Portable Tablet		Page 93 of 156




Plot 7-153. Upper Band Edge Plot (Band 4 – 15.0MHz QPSK – RB Size 75)




Plot 7-154. Upper Extended Band Edge Plot (Band 4 – 15.0MHz QPSK – RB Size 75)

FCC ID: ZNFV520	PCTEST ENGINEERING LABORATORY, INC.	FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)	LG	Reviewed by: Quality Manager
Test Report S/N: 0Y1601040035.ZNF	Test Dates: 1/4 - 1/14/2016	EUT Type: Portable Tablet		Page 94 of 156




Plot 7-155. Lower Band Edge Plot (Band 4 – 20.0MHz QPSK – RB Size 100)




Plot 7-156. Lower Extended Band Edge Plot (Band 4 – 20.0MHz QPSK – RB Size 100)

FCC ID: ZNFV520	PCTEST ENGINEERING LABORATORY, INC.	FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)	LG	Reviewed by: Quality Manager
Test Report S/N: 0Y1601040035.ZNF	Test Dates: 1/4 - 1/14/2016	EUT Type: Portable Tablet		Page 95 of 156



Plot 7-157. Upper Band Edge Plot (Band 4 – 20.0MHz QPSK – RB Size 100)




Plot 7-158. Upper Extended Band Edge Plot (Band 4 – 20.0MHz QPSK – RB Size 100)

FCC ID: ZNFV520		FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)		Reviewed by: Quality Manager
Test Report S/N: 0Y1601040035.ZNF	Test Dates: 1/4 - 1/14/2016	EUT Type: Portable Tablet		Page 96 of 156




Plot 7-159. Lower Band Edge Plot (Band 2 – 1.4MHz QPSK – RB Size 6)




Plot 7-160. Lower Extended Band Edge Plot (Band 2 – 1.4MHz QPSK – RB Size 6)

FCC ID: ZNFV520		FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)		Reviewed by: Quality Manager
Test Report S/N: 0Y1601040035.ZNF	Test Dates: 1/4 - 1/14/2016	EUT Type: Portable Tablet		Page 97 of 156




Plot 7-161. Upper Band Edge Plot (Band 2 – 1.4MHz QPSK – RB Size 6)




Plot 7-162. Upper Extended Band Edge Plot (Band 2 – 1.4MHz QPSK – RB Size 6)

FCC ID: ZNFV520		FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)		Reviewed by: Quality Manager
Test Report S/N: 0Y1601040035.ZNF	Test Dates: 1/4 - 1/14/2016	EUT Type: Portable Tablet		Page 98 of 156




Plot 7-163. Lower Band Edge Plot (Band 2 – 3.0MHz QPSK – RB Size 15)




Plot 7-164. Lower Extended Band Edge Plot (Band 2 – 3.0MHz QPSK – RB Size 15)

FCC ID: ZNFV520	PCTEST ENGINEERING LABORATORY, INC.	FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)	LG	Reviewed by: Quality Manager
Test Report S/N: 0Y1601040035.ZNF	Test Dates: 1/4 - 1/14/2016	EUT Type: Portable Tablet		Page 99 of 156



Plot 7-165. Upper Band Edge Plot (Band 2 – 3.0MHz QPSK – RB Size 15)




Plot 7-166. Upper Extended Band Edge Plot (Band 2 – 3.0MHz QPSK – RB Size 15)

FCC ID: ZNFV520	PCTEST ENGINEERING LABORATORY, INC.	FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)	LG	Reviewed by: Quality Manager
Test Report S/N: 0Y1601040035.ZNF	Test Dates: 1/4 - 1/14/2016	EUT Type: Portable Tablet	Page 100 of 156	



Plot 7-167. Lower Band Edge Plot (Band 2 – 5.0MHz QPSK – RB Size 25)




Plot 7-168. Lower Extended Band Edge Plot (Band 2 – 5.0MHz QPSK – RB Size 25)

FCC ID: ZNFV520	PCTEST ENGINEERING LABORATORY, INC.	FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)	LG	Reviewed by: Quality Manager
Test Report S/N: 0Y1601040035.ZNF	Test Dates: 1/4 - 1/14/2016	EUT Type: Portable Tablet		Page 101 of 156




Plot 7-169. Upper Band Edge Plot (Band 2 – 5.0MHz QPSK – RB Size 25)




Plot 7-170. Upper Extended Band Edge Plot (Band 2 – 5.0MHz QPSK – RB Size 25)

FCC ID: ZNFV520	PCTEST ENGINEERING LABORATORY, INC.	FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)	LG	Reviewed by: Quality Manager
Test Report S/N: 0Y1601040035.ZNF	Test Dates: 1/4 - 1/14/2016	EUT Type: Portable Tablet		Page 102 of 156




Plot 7-171. Lower Band Edge Plot (Band 2 – 10.0MHz QPSK – RB Size 50)




Plot 7-172. Lower Extended Band Edge Plot (Band 2 – 10.0MHz QPSK – RB Size 50)

FCC ID: ZNFV520	PCTEST ENGINEERING LABORATORY, INC.	FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)	LG	Reviewed by: Quality Manager
Test Report S/N: 0Y1601040035.ZNF	Test Dates: 1/4 - 1/14/2016	EUT Type: Portable Tablet		Page 103 of 156




Plot 7-173. Upper Band Edge Plot (Band 2 – 10.0MHz QPSK – RB Size 50)



Plot 7-174. Upper Extended Band Edge Plot (Band 2 – 10.0MHz QPSK – RB Size 50)

FCC ID: ZNFV520		FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)		Reviewed by: Quality Manager
Test Report S/N: 0Y1601040035.ZNF	Test Dates: 1/4 - 1/14/2016	EUT Type: Portable Tablet		Page 104 of 156




Plot 7-175. Lower Band Edge Plot (Band 2 – 15.0MHz QPSK – RB Size 75)




Plot 7-176. Lower Extended Band Edge Plot (Band 2 – 15.0MHz QPSK – RB Size 75)

FCC ID: ZNFV520		FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)		Reviewed by: Quality Manager
Test Report S/N: 0Y1601040035.ZNF	Test Dates: 1/4 - 1/14/2016	EUT Type: Portable Tablet		Page 105 of 156




Plot 7-177. Upper Band Edge Plot (Band 2 – 15.0MHz QPSK – RB Size 75)




Plot 7-178. Upper Extended Band Edge Plot (Band 2 – 15.0MHz QPSK – RB Size 75)

FCC ID: ZNFV520		FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)		Reviewed by: Quality Manager
Test Report S/N: 0Y1601040035.ZNF	Test Dates: 1/4 - 1/14/2016	EUT Type: Portable Tablet		Page 106 of 156



Plot 7-179. Lower Band Edge Plot (Band 2 – 20.0MHz QPSK – RB Size 100)




Plot 7-180. Lower Extended Band Edge Plot (Band 2 – 20.0MHz QPSK – RB Size 100)

FCC ID: ZNFV520	PCTEST ENGINEERING LABORATORY, INC.	FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)	LG	Reviewed by: Quality Manager
Test Report S/N: 0Y1601040035.ZNF	Test Dates: 1/4 - 1/14/2016	EUT Type: Portable Tablet		Page 107 of 156




Plot 7-181. Upper Band Edge Plot (Band 2 – 20.0MHz QPSK – RB Size 100)



Plot 7-182. Upper Extended Band Edge Plot (Band 2 – 20.0MHz QPSK – RB Size 100)

FCC ID: ZNFV520		FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)		Reviewed by: Quality Manager
Test Report S/N: 0Y1601040035.ZNF	Test Dates: 1/4 - 1/14/2016	EUT Type: Portable Tablet		Page 108 of 156



Plot 7-183. Lower Band Edge Plot (Band 30 – 5.0MHz QPSK – RB Size 25)



Plot 7-184. Lower Extended Band Edge Plot (Band 30 – 5.0MHz QPSK – RB Size 25)

FCC ID: ZNFV520	PCTEST ENGINEERING LABORATORY, INC.	FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)	LG	Reviewed by: Quality Manager
Test Report S/N: 0Y1601040035.ZNF	Test Dates: 1/4 - 1/14/2016	EUT Type: Portable Tablet	Page 109 of 156	




Plot 7-185. Upper Band Edge Plot (Band 30 - 5.0MHz QPSK - RB Size 25)



Plot 7-186. Upper Extended Band Edge Plot (Band 30 - 5.0MHz QPSK - RB Size 25)

FCC ID: ZNFV520	PCTEST ENGINEERING LABORATORY, INC.	FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)	LG	Reviewed by: Quality Manager
Test Report S/N: 0Y1601040035.ZNF	Test Dates: 1/4 - 1/14/2016	EUT Type: Portable Tablet		Page 110 of 156



Plot 7-187. Lower Band Edge Plot (Band 30 – 10.0MHz QPSK – RB Size 50)



Plot 7-188. Lower Extended Band Edge Plot (Band 30 – 10.0MHz QPSK – RB Size 50)

FCC ID: ZNFV520		FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)		Reviewed by: Quality Manager
Test Report S/N: 0Y1601040035.ZNF	Test Dates: 1/4 - 1/14/2016	EUT Type: Portable Tablet		Page 111 of 156




Plot 7-189. Upper Band Edge Plot (Band 30 – 10.0MHz QPSK – RB Size 50)




Plot 7-190. Upper Extended Band Edge Plot (Band 30 – 10.0MHz QPSK – RB Size 50)

FCC ID: ZNFV520	PCTEST ENGINEERING LABORATORY, INC.	FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)	LG	Reviewed by: Quality Manager
Test Report S/N: 0Y1601040035.ZNF	Test Dates: 1/4 - 1/14/2016	EUT Type: Portable Tablet		Page 112 of 156




Plot 7-191. Lower ACP Plot (Band 7 – 5.0MHz QPSK – RB Size 25)



Plot 7-192. Upper ACP Plot (Band 7 – 5.0MHz QPSK – RB Size 25)

FCC ID: ZNFV520		FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)		Reviewed by: Quality Manager
Test Report S/N: 0Y1601040035.ZNF	Test Dates: 1/4 - 1/14/2016	EUT Type: Portable Tablet		Page 113 of 156




Plot 7-193. Lower ACP Plot (Band 7 – 10.0MHz QPSK – RB Size 50)




Plot 7-194. Upper ACP Plot (Band 7 – 10.0MHz QPSK – RB Size 50)

FCC ID: ZNFV520		FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)		Reviewed by: Quality Manager
Test Report S/N: 0Y1601040035.ZNF	Test Dates: 1/4 - 1/14/2016	EUT Type: Portable Tablet		Page 114 of 156




Plot 7-195. Lower ACP Plot (Band 7 – 15.0MHz QPSK – RB Size 75)



Plot 7-196. Upper ACP Plot (Band 7 – 15.0MHz QPSK – RB Size 75)

FCC ID: ZNFV520		FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)		Reviewed by: Quality Manager
Test Report S/N: 0Y1601040035.ZNF	Test Dates: 1/4 - 1/14/2016	EUT Type: Portable Tablet		Page 115 of 156



Plot 7-197. Lower ACP Plot (Band 7 – 20.0MHz QPSK – RB Size 100)



Plot 7-198. Upper ACP Plot (Band 7 – 20.0MHz QPSK – RB Size 100)

FCC ID: ZNFV520		FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)		Reviewed by: Quality Manager
Test Report S/N: 0Y1601040035.ZNF	Test Dates: 1/4 - 1/14/2016	EUT Type: Portable Tablet		Page 116 of 156

7.5 Peak-Average Ratio

§24.232(d)

Test Overview

A peak to average ratio measurement is performed at the conducted port of the EUT. The spectrum analyzers Complementary Cumulative Distribution Function (CCDF) measurement profile is used to determine the largest deviation between the average and the peak power of the EUT in a given bandwidth. The CCDF curve shows how much time the peak waveform spends at or above a given average power level. The percent of time the signal spends at or above the level defines the probability for that particular power level.

Test Procedure Used

KDB 971168 v02r02 – Section 5.7.1

Test Settings

1. The signal analyzer's CCDF measurement profile is enabled
2. Frequency = carrier center frequency
3. Measurement BW > Emission bandwidth of signal
4. The signal analyzer was set to collect one million samples to generate the CCDF curve
5. The measurement interval was set depending on the type of signal analyzed. For continuous signals (>98% duty cycle), the measurement interval was set to 1ms.

Test Setup

The EUT and measurement equipment were set up as shown in the diagram below.





Figure 7-4. Test Instrument & Measurement Setup


Test Notes

None.

FCC ID: ZNFV520	 PCTEST ENGINEERING LABORATORY, INC.	FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)	 LG	Reviewed by: Quality Manager
Test Report S/N: 0Y1601040035.ZNF	Test Dates: 1/4 - 1/14/2016	EUT Type: Portable Tablet	Page 117 of 156	




Plot 7-199. PAR Plot (Band 2 – 1.4MHz QPSK – RB Size 6)




Plot 7-200. PAR Plot (Band 2 – 1.4MHz 16-QAM – RB Size 6)

FCC ID: ZNFV520		FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)		Reviewed by: Quality Manager
Test Report S/N: 0Y1601040035.ZNF	Test Dates: 1/4 - 1/14/2016	EUT Type: Portable Tablet		Page 118 of 156




Plot 7-201. PAR Plot (Band 2 – 3.0MHz QPSK – RB Size 15)




Plot 7-202. PAR Plot (Band 2 – 3.0MHz 16-QAM – RB Size 15)

FCC ID: ZNFV520		FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)		Reviewed by: Quality Manager
Test Report S/N: 0Y1601040035.ZNF	Test Dates: 1/4 - 1/14/2016	EUT Type: Portable Tablet		Page 119 of 156




Plot 7-203. PAR Plot (Band 2 – 5.0MHz QPSK – RB Size 25)




Plot 7-204. PAR Plot (Band 2 – 5.0MHz 16-QAM – RB Size 25)

FCC ID: ZNFV520	PCTEST ENGINEERING LABORATORY, INC.	FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)	LG	Reviewed by: Quality Manager
Test Report S/N: 0Y1601040035.ZNF	Test Dates: 1/4 - 1/14/2016	EUT Type: Portable Tablet		Page 120 of 156




Plot 7-205. PAR Plot (Band 2 – 10.0MHz QPSK – RB Size 50)




Plot 7-206. PAR Plot (Band 2 – 10.0MHz 16-QAM – RB Size 50)

FCC ID: ZNFV520		FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)		Reviewed by: Quality Manager
Test Report S/N: 0Y1601040035.ZNF	Test Dates: 1/4 - 1/14/2016	EUT Type: Portable Tablet		Page 121 of 156




Plot 7-207. PAR Plot (Band 2 – 15.0MHz QPSK – RB Size 75)




Plot 7-208. PAR Plot (Band 2 – 15.0MHz 16-QAM – RB Size 75)

FCC ID: ZNFV520		FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)		Reviewed by: Quality Manager
Test Report S/N: 0Y1601040035.ZNF	Test Dates: 1/4 - 1/14/2016	EUT Type: Portable Tablet		Page 122 of 156



Plot 7-209. PAR Plot (Band 2 – 20.0MHz QPSK – RB Size 100)



Plot 7-210. PAR Plot (Band 2 – 20.0MHz 16-QAM – RB Size 100)

FCC ID: ZNFV520		FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)		Reviewed by: Quality Manager
Test Report S/N: 0Y1601040035.ZNF	Test Dates: 1/4 - 1/14/2016	EUT Type: Portable Tablet		Page 123 of 156

7.6 Radiated Power (ERP/EIRP)

§22.913(a.2) §24.232(c.2) §27.50(c.10) §27.50(d.4) §27.50(a.3)

Test Overview

Effective Radiated Power (ERP) and Equivalent Isotropic Radiated Power (EIRP) measurements are performed using the substitution method described in ANSI/TIA-603-C-2004 with the EUT transmitting into an integral antenna. Measurements on signals operating below 1GHz are performed using vertically polarized tuned dipole antennas. Measurements on signals operating above 1GHz are performed using vertically polarized broadband horn antennas. All measurements are performed as RMS average measurements while the EUT is operating at its maximum duty cycle, at maximum power, and at the appropriate frequencies.

Test Procedures Used

KDB 971168 v02r02 – Section 5.2.1

ANSI/TIA-603-C-2004 – Section 2.2.17

Test Settings

1. Radiated power measurements are performed using the signal analyzer's "channel power" measurement capability for signals with continuous operation.
2. RBW = 1 – 5% of the expected OBW, not to exceed 1MHz
3. VBW \geq 3 x RBW
4. Span = 1.5 times the OBW
5. No. of sweep points \geq 2 x span / RBW
6. Detector = RMS
7. Trigger is set to "free run" for signals with continuous operation with the sweep times set to "auto".
8. The integration bandwidth was roughly set equal to the measured OBW of the signal for signals with continuous operation.
9. Trace mode = trace averaging (RMS) over 100 sweeps
10. The trace was allowed to stabilize

FCC ID: ZNFV520	 FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)			Reviewed by: Quality Manager
Test Report S/N: 0Y1601040035.ZNF	Test Dates: 1/4 - 1/14/2016	EUT Type: Portable Tablet		Page 124 of 156

Test Setup

The EUT and measurement equipment were set up as shown in the diagram below.




Figure 7-5. Radiated Test Setup <1GHz




Figure 7-6. Radiated Test Setup >1GHz

Test Notes

- 1) The EUT was tested in three orthogonal planes and in all possible test configurations and positioning. The worst case emissions are reported with the EUT positioning, modulations, RB sizes and offsets, and channel bandwidth configurations shown in the tables below.
- 2) This unit was tested with its standard battery.

FCC ID: ZNFV520	PCTEST ENGINEERING LABORATORY, INC.	FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)	LG	Reviewed by: Quality Manager
Test Report S/N: 0Y1601040035.ZNF	Test Dates: 1/4 - 1/14/2016	EUT Type: Portable Tablet		Page 125 of 156

Frequency [MHz]	Channel Bandwidth [MHz]	Mod.	Ant. Pol. [H/V]	Antenna Height [m]	Turntable Azimuth [degree]	RB Size/Offset	Substitute Level [dBm]	Ant. Gain [dBd]	ERP [dBm]	ERP Limit [dBm]	Margin [dB]
699.70	1.4	QPSK	V	1.45	167	3 / 2	17.26	0.91	18.17	34.77	-16.60
707.50	1.4	QPSK	V	1.76	111	3 / 2	15.87	1.07	16.94	34.77	-17.83
715.30	1.4	QPSK	V	1.53	170	1 / 0	15.18	1.23	16.41	34.77	-18.37
699.70	1.4	16-QAM	V	1.45	167	3 / 2	17.02	0.91	17.93	34.77	-16.84
707.50	1.4	16-QAM	V	1.76	111	3 / 2	15.82	1.07	16.89	34.77	-17.88
715.30	1.4	16-QAM	V	1.53	170	1 / 0	14.98	1.23	16.21	34.77	-18.57
700.50	3	QPSK	V	1.80	113	1 / 14	16.73	0.92	17.65	34.77	-17.12
707.50	3	QPSK	V	1.78	113	1 / 0	16.49	1.07	17.56	34.77	-17.21
714.50	3	QPSK	V	1.78	114	1 / 0	15.98	1.21	17.19	34.77	-17.58
700.50	3	16-QAM	V	1.80	113	1 / 14	16.36	0.92	17.28	34.77	-17.49
707.50	3	16-QAM	V	1.78	113	1 / 0	16.28	1.07	17.35	34.77	-17.42
714.50	3	16-QAM	V	1.78	114	1 / 0	15.72	1.21	16.93	34.77	-17.84
701.50	5	QPSK	V	1.81	113	12 / 6	16.77	0.94	17.71	34.77	-17.06
707.50	5	QPSK	V	1.80	112	1 / 24	17.06	1.07	18.13	34.77	-16.64
713.50	5	QPSK	V	1.80	112	1 / 0	16.55	1.19	17.74	34.77	-17.03
701.50	5	16-QAM	V	1.81	113	12 / 6	15.73	0.94	16.67	34.77	-18.10
707.50	5	16-QAM	V	1.80	112	1 / 24	16.67	1.07	17.74	34.77	-17.03
713.50	5	16-QAM	V	1.80	112	1 / 0	16.43	1.19	17.62	34.77	-17.15
704.00	10	QPSK	V	1.25	257	1 / 0	17.35	1.00	18.35	34.77	-16.42
707.50	10	QPSK	V	1.22	257	1 / 49	18.40	1.07	19.47	34.77	-15.30
711.00	10	QPSK	V	1.29	261	1 / 49	17.47	1.14	18.61	34.77	-16.16
704.00	10	16-QAM	V	1.25	257	1 / 0	16.39	1.00	17.39	34.77	-17.38
707.50	10	16-QAM	V	1.22	257	1 / 49	16.88	1.07	17.95	34.77	-16.82
711.00	10	16-QAM	V	1.29	261	1 / 49	16.44	1.14	17.58	34.77	-17.19

Table 7-2. ERP Data (Band 12/17)

FCC ID: ZNFV520	 FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)			Reviewed by: Quality Manager
Test Report S/N: 0Y1601040035.ZNF	Test Dates: 1/4 - 1/14/2016	EUT Type: Portable Tablet	Page 126 of 156	

Frequency [MHz]	Channel Bandwidth [MHz]	Mod.	Ant. Pol. [H/V]	Antenna Height [m]	Turntable Azimuth [degree]	RB Size/Offset	Substitute Level [dBm]	Ant. Gain [dBd]	ERP [dBm]	ERP Limit [dBm]	Margin [dB]
824.70	1.4	QPSK	V	1.27	266	1 / 5	16.98	2.98	19.96	38.45	-18.49
836.50	1.4	QPSK	V	1.22	271	1 / 0	17.99	3.04	21.03	38.45	-17.42
848.30	1.4	QPSK	V	1.22	275	1 / 0	17.11	3.10	20.21	38.45	-18.24
824.70	1.4	16-QAM	V	1.27	266	1 / 5	15.39	2.98	18.37	38.45	-20.08
836.50	1.4	16-QAM	V	1.22	271	1 / 0	16.62	3.04	19.66	38.45	-18.79
848.30	1.4	16-QAM	V	1.22	275	1 / 0	15.55	3.10	18.65	38.45	-19.80
825.50	3	QPSK	V	1.15	281	1 / 14	17.83	2.98	20.81	38.45	-17.64
836.50	3	QPSK	V	1.17	277	1 / 0	18.37	3.04	21.41	38.45	-17.04
847.50	3	QPSK	V	1.17	286	1 / 14	17.23	3.10	20.33	38.45	-18.12
825.50	3	16-QAM	V	1.15	281	1 / 14	16.29	2.98	19.27	38.45	-19.18
836.50	3	16-QAM	V	1.17	277	1 / 0	16.78	3.04	19.82	38.45	-18.63
847.50	3	16-QAM	V	1.17	286	1 / 14	15.97	3.10	19.07	38.45	-19.38
826.50	5	QPSK	V	1.21	280	1 / 24	18.21	2.99	21.20	38.45	-17.25
836.50	5	QPSK	V	1.15	280	1 / 0	18.25	3.04	21.29	38.45	-17.16
846.50	5	QPSK	V	1.19	284	1 / 0	17.33	3.09	20.43	38.45	-18.02
826.50	5	16-QAM	V	1.21	280	1 / 24	16.63	2.99	19.62	38.45	-18.83
836.50	5	16-QAM	V	1.15	280	1 / 0	16.69	3.04	19.73	38.45	-18.72
846.50	5	16-QAM	V	1.19	284	1 / 0	15.83	3.09	18.92	38.45	-19.53
829.00	10	QPSK	V	1.15	294	1 / 49	18.37	3.00	21.37	38.45	-17.08
836.50	10	QPSK	V	1.15	286	1 / 0	18.17	3.04	21.21	38.45	-17.24
844.00	10	QPSK	V	1.15	288	1 / 0	17.90	3.08	20.98	38.45	-17.47
829.00	10	16-QAM	V	1.15	294	1 / 49	16.75	3.00	19.75	38.45	-18.70
836.50	10	16-QAM	V	1.15	286	1 / 0	16.65	3.04	19.69	38.45	-18.76
844.00	10	16-QAM	V	1.15	288	1 / 0	17.34	3.08	20.42	38.45	-18.03

Table 7-3. ERP Data (Band 5)

FCC ID: ZNFV520	 FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)			Reviewed by: Quality Manager
Test Report S/N: 0Y1601040035.ZNF	Test Dates: 1/4 - 1/14/2016	EUT Type: Portable Tablet	Page 127 of 156	

Frequency [MHz]	Channel Bandwidth [MHz]	Mod.	Ant. Pol. [H/V]	Antenna Height [m]	Turntable Azimuth [degree]	RB Size/Offset	Substitute Level [dBm]	Ant. Gain [dBi]	EIRP [dBm]	EIRP Limit [dBm]	Margin [dB]
1710.70	1.4	QPSK	V	1.56	84	1 / 0	11.86	9.28	21.14	30.00	-8.86
1732.50	1.4	QPSK	V	1.57	86	1 / 5	13.39	9.00	22.39	30.00	-7.61
1754.30	1.4	QPSK	V	1.57	86	1 / 5	12.84	8.72	21.56	30.00	-8.44
1710.70	1.4	16-QAM	V	1.56	84	1 / 0	10.31	9.28	19.59	30.00	-10.41
1732.50	1.4	16-QAM	V	1.57	86	1 / 5	11.81	9.00	20.81	30.00	-9.19
1754.30	1.4	16-QAM	V	1.57	86	1 / 5	11.24	8.72	19.96	30.00	-10.04
1711.50	3	QPSK	V	1.54	85	1 / 14	13.09	9.27	22.36	30.00	-7.64
1732.50	3	QPSK	V	1.54	85	1 / 14	13.47	9.00	22.47	30.00	-7.53
1753.50	3	QPSK	V	1.50	82	1 / 14	13.05	8.73	21.78	30.00	-8.22
1711.50	3	16-QAM	V	1.54	85	1 / 14	11.41	9.27	20.68	30.00	-9.32
1732.50	3	16-QAM	V	1.54	85	1 / 14	11.52	9.00	20.52	30.00	-9.48
1753.50	3	16-QAM	V	1.50	82	1 / 14	11.46	8.73	20.19	30.00	-9.81
1712.50	5	QPSK	V	1.57	85	1 / 24	12.59	9.26	21.85	30.00	-8.15
1732.50	5	QPSK	V	1.53	91	1 / 24	13.86	9.00	22.86	30.00	-7.14
1752.50	5	QPSK	V	1.53	86	1 / 24	13.19	8.74	21.93	30.00	-8.07
1712.50	5	16-QAM	V	1.57	85	1 / 24	11.09	9.26	20.35	30.00	-9.65
1732.50	5	16-QAM	V	1.53	91	1 / 24	12.18	9.00	21.18	30.00	-8.82
1752.50	5	16-QAM	V	1.53	86	1 / 24	11.66	8.74	20.40	30.00	-9.60
1715.00	10	QPSK	V	1.53	86	1 / 0	12.39	9.22	21.61	30.00	-8.39
1732.50	10	QPSK	V	1.55	86	1 / 49	13.76	9.00	22.76	30.00	-7.24
1750.00	10	QPSK	V	1.55	86	1 / 49	13.07	8.77	21.84	30.00	-8.16
1715.00	10	16-QAM	V	1.53	86	1 / 0	10.85	9.22	20.07	30.00	-9.93
1732.50	10	16-QAM	V	1.55	86	1 / 49	12.29	9.00	21.29	30.00	-8.71
1750.00	10	16-QAM	V	1.55	86	1 / 49	11.79	8.77	20.56	30.00	-9.44
1717.50	15	QPSK	V	1.54	88	1 / 74	12.74	9.19	21.93	30.00	-8.07
1732.50	15	QPSK	V	1.56	91	1 / 74	13.80	9.00	22.80	30.00	-7.20
1747.50	15	QPSK	V	1.55	88	1 / 0	13.42	8.80	22.22	30.00	-7.78
1717.50	15	16-QAM	V	1.54	88	1 / 74	11.67	9.19	20.86	30.00	-9.14
1732.50	15	16-QAM	V	1.56	91	1 / 74	12.53	9.00	21.53	30.00	-8.47
1747.50	15	16-QAM	V	1.55	88	1 / 0	12.06	8.80	20.86	30.00	-9.14
1720.00	20	QPSK	V	1.56	87	1 / 99	13.33	9.16	22.49	30.00	-7.51
1732.50	20	QPSK	V	1.56	87	1 / 99	13.67	9.00	22.67	30.00	-7.33
1745.00	20	QPSK	V	1.56	87	1 / 0	13.67	8.83	22.50	30.00	-7.50
1720.00	20	16-QAM	V	1.56	87	1 / 99	11.68	9.16	20.84	30.00	-9.16
1732.50	20	16-QAM	V	1.56	87	1 / 99	11.84	9.00	20.84	30.00	-9.16
1745.00	20	16-QAM	V	1.56	87	1 / 0	11.89	8.83	20.72	30.00	-9.28

Table 7-4. EIRP Data (Band 4)

FCC ID: ZNFV520	 FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION) 		Reviewed by: Quality Manager
Test Report S/N: 0Y1601040035.ZNF	Test Dates: 1/4 - 1/14/2016	EUT Type: Portable Tablet	Page 128 of 156

Frequency [MHz]	Channel Bandwidth [MHz]	Mod.	Ant. Pol. [H/V]	Antenna Height [m]	Turntable Azimuth [degree]	RB Size/Offset	Substitute Level [dBm]	Ant. Gain [dBi]	EIRP [dBm]	EIRP Limit [dBm]	Margin [dB]
1850.70	1.4	QPSK	V	1.06	85	1 / 5	11.21	8.34	19.55	33.01	-13.46
1880.00	1.4	QPSK	V	1.06	85	1 / 5	13.38	8.46	21.84	33.01	-11.17
1909.30	1.4	QPSK	V	1.08	91	1 / 5	12.43	8.64	21.07	33.01	-11.94
1850.70	1.4	16-QAM	V	1.06	85	1 / 5	9.71	8.34	18.05	33.01	-14.96
1880.00	1.4	16-QAM	V	1.06	85	1 / 5	11.94	8.46	20.40	33.01	-12.61
1909.30	1.4	16-QAM	V	1.08	91	1 / 5	11.14	8.64	19.78	33.01	-13.23
1851.50	3	QPSK	V	1.08	86	1 / 14	12.60	8.35	20.95	33.01	-12.06
1880.00	3	QPSK	V	1.06	92	1 / 14	13.64	8.46	22.10	33.01	-10.91
1908.50	3	QPSK	V	1.08	86	1 / 14	12.38	8.63	21.01	33.01	-12.00
1851.50	3	16-QAM	V	1.08	86	1 / 14	11.53	8.35	19.88	33.01	-13.13
1880.00	3	16-QAM	V	1.06	92	1 / 14	12.38	8.46	20.84	33.01	-12.17
1908.50	3	16-QAM	V	1.08	86	1 / 14	11.28	8.63	19.91	33.01	-13.10
1852.50	5	QPSK	V	1.08	86	1 / 24	12.92	8.35	21.27	33.01	-11.74
1880.00	5	QPSK	V	1.08	86	1 / 24	14.23	8.46	22.69	33.01	-10.32
1907.50	5	QPSK	V	1.08	93	1 / 24	12.71	8.62	21.33	33.01	-11.68
1852.50	5	16-QAM	V	1.08	86	1 / 24	11.58	8.35	19.93	33.01	-13.08
1880.00	5	16-QAM	V	1.08	86	1 / 24	12.79	8.46	21.25	33.01	-11.76
1907.50	5	16-QAM	V	1.08	93	1 / 24	11.32	8.62	19.94	33.01	-13.07
1855.00	10	QPSK	V	1.08	96	1 / 0	12.63	8.36	20.99	33.01	-12.02
1880.00	10	QPSK	V	1.08	87	1 / 0	13.94	8.46	22.40	33.01	-10.61
1905.00	10	QPSK	V	1.08	94	1 / 0	12.97	8.59	21.56	33.01	-11.45
1855.00	10	16-QAM	V	1.08	96	1 / 0	11.05	8.36	19.41	33.01	-13.60
1880.00	10	16-QAM	V	1.08	87	1 / 0	12.28	8.46	20.74	33.01	-12.27
1905.00	10	16-QAM	V	1.08	94	1 / 0	11.40	8.59	19.99	33.01	-13.02
1857.50	15	QPSK	V	1.03	85	1 / 74	12.14	8.37	20.51	33.01	-12.50
1880.00	15	QPSK	V	1.03	85	1 / 0	13.46	8.46	21.92	33.01	-11.09
1902.50	15	QPSK	V	1.08	93	1 / 0	12.97	8.56	21.53	33.01	-11.48
1857.50	15	16-QAM	V	1.03	85	1 / 74	10.89	8.37	19.26	33.01	-13.75
1880.00	15	16-QAM	V	1.03	85	1 / 0	12.10	8.46	20.56	33.01	-12.45
1902.50	15	16-QAM	V	1.08	93	1 / 0	11.59	8.56	20.15	33.01	-12.86
1860.00	20	QPSK	V	1.03	81	1 / 99	12.39	8.38	20.77	33.01	-12.24
1880.00	20	QPSK	V	1.03	85	1 / 0	13.36	8.46	21.82	33.01	-11.19
1900.00	20	QPSK	V	1.03	85	1 / 0	12.37	8.53	20.90	33.01	-12.11
1860.00	20	16-QAM	V	1.03	81	1 / 99	10.29	8.38	18.67	33.01	-14.34
1880.00	20	16-QAM	V	1.03	85	1 / 0	11.50	8.46	19.96	33.01	-13.05
1900.00	20	16-QAM	V	1.03	85	1 / 0	10.99	8.53	19.52	33.01	-13.49

Table 7-5. EIRP Data (Band 2)

FCC ID: ZNFV520	 FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)			Reviewed by: Quality Manager
Test Report S/N: 0Y1601040035.ZNF	Test Dates: 1/4 - 1/14/2016	EUT Type: Portable Tablet	Page 129 of 156	

Frequency [MHz]	Channel Bandwidth [MHz]	Mod.	Ant. Pol. [H/V]	Antenna Height [m]	Turntable Azimuth [degree]	RB Size/Offset	Substitute Level [dBm]	Ant. Gain [dBi]	EIRP [dBm]	EIRP Limit [dBm]	Margin [dB]
2307.50	5	QPSK	V	1.12	88	1 / 0	11.12	8.00	19.12	23.98	-4.86
2310.00	5	QPSK	V	1.12	82	1 / 24	11.30	8.00	19.30	23.98	-4.68
2312.50	5	QPSK	V	1.12	85	1 / 24	11.51	8.00	19.51	23.98	-4.47
2307.50	5	16-QAM	V	1.12	88	1 / 24	10.60	8.00	18.60	23.98	-5.38
2310.00	5	16-QAM	V	1.12	82	1 / 24	10.62	8.00	18.62	23.98	-5.36
2312.50	5	16-QAM	V	1.12	85	1 / 24	10.88	8.00	18.88	23.98	-5.10
2310.00	10	QPSK	V	1.11	82	1 / 49	11.30	8.00	19.30	23.98	-4.68
2310.00	10	16-QAM	V	1.11	82	1 / 49	10.46	8.00	18.46	23.98	-5.52

Table 7-6. EIRP Data (Band 30)

FCC ID: ZNFV520		FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)		Reviewed by: Quality Manager
Test Report S/N: 0Y1601040035.ZNF	Test Dates: 1/4 - 1/14/2016	EUT Type: Portable Tablet	Page 130 of 156	

Frequency [MHz]	Channel Bandwidth [MHz]	Mod.	Ant. Pol. [H/V]	Antenna Height [m]	Turntable Azimuth [degree]	RB Size/Offset	Substitute Level [dBm]	Ant. Gain [dBi]	EIRP [dBm]	EIRP Limit [dBm]	Margin [dB]
2502.50	5	QPSK	V	1.71	91	1 / 0	11.80	7.09	18.89	33.01	-14.12
2535.00	5	QPSK	V	1.71	91	1 / 0	11.96	7.26	19.22	33.01	-13.79
2567.50	5	QPSK	V	1.71	91	1 / 24	11.81	7.42	19.23	33.01	-13.78
2502.50	5	16-QAM	V	1.71	91	1 / 0	10.32	7.09	17.41	33.01	-15.60
2535.00	5	16-QAM	V	1.71	91	1 / 0	10.48	7.26	17.74	33.01	-15.27
2567.50	5	16-QAM	V	1.71	91	1 / 24	10.44	7.42	17.86	33.01	-15.15
2505.00	10	QPSK	V	2.06	102	1 / 49	12.62	7.10	19.72	33.01	-13.29
2535.00	10	QPSK	V	2.02	107	1 / 0	12.36	7.26	19.62	33.01	-13.39
2565.00	10	QPSK	V	2.04	106	1 / 0	11.01	7.41	18.42	33.01	-14.59
2505.00	10	16-QAM	V	2.06	102	1 / 49	11.15	7.10	18.25	33.01	-14.76
2535.00	10	16-QAM	V	2.02	107	1 / 0	10.92	7.26	18.18	33.01	-14.83
2565.00	10	16-QAM	V	2.04	106	1 / 0	9.57	7.41	16.98	33.01	-16.03
2507.50	15	QPSK	V	2.02	100	1 / 74	12.43	7.12	19.55	33.01	-13.46
2535.00	15	QPSK	V	2.00	102	1 / 0	12.41	7.26	19.67	33.01	-13.34
2562.50	15	QPSK	V	2.05	107	1 / 0	10.24	7.39	17.63	33.01	-15.38
2507.50	15	16-QAM	V	2.02	100	1 / 74	11.97	7.12	19.09	33.01	-13.92
2535.00	15	16-QAM	V	2.00	102	1 / 0	10.88	7.26	18.14	33.01	-14.87
2562.50	15	16-QAM	V	2.05	107	1 / 0	8.90	7.39	16.29	33.01	-16.72
2510.00	20	QPSK	V	2.04	98	1 / 99	13.30	7.13	20.43	33.01	-12.58
2535.00	20	QPSK	V	2.04	98	1 / 0	12.77	7.26	20.03	33.01	-12.98
2560.00	20	QPSK	V	2.08	106	1 / 0	10.70	7.38	18.08	33.01	-14.93
2510.00	20	16-QAM	V	2.04	98	1 / 99	12.01	7.13	19.14	33.01	-13.87
2535.00	20	16-QAM	V	2.04	98	1 / 0	11.56	7.26	18.82	33.01	-14.19
2560.00	20	16-QAM	V	2.08	106	1 / 0	9.53	7.38	16.91	33.01	-16.10

Table 7-7. EIRP Data (Band 7)

FCC ID: ZNFV520	 FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)			Reviewed by: Quality Manager
Test Report S/N: 0Y1601040035.ZNF	Test Dates: 1/4 - 1/14/2016	EUT Type: Portable Tablet	Page 131 of 156	

7.7 Radiated Spurious Emissions Measurements

§2.1053 §22.917(a) §24.238(a) §27.53(g) §27.53(h) §27.53(a.4)

Test Overview

Radiated spurious emissions measurements are performed using the substitution method described in ANSI/TIA-603-C-2004 with the EUT transmitting into an integral antenna. Measurements on signals operating below 1GHz are performed using vertically and horizontally polarized tuned dipole antennas. Measurements on signals operating above 1GHz are performed using vertically and horizontally polarized broadband horn antennas. All measurements are performed as peak measurements while the EUT is operating at its maximum duty cycle, at maximum power, and at the appropriate frequencies.

Test Procedures Used

KDB 971168 v02r02 – Section 5.8

ANSI/TIA-603-C-2004 – Section 2.2.12

Test Settings

1. RBW = 100kHz for emissions below 1GHz and 1MHz for emissions above 1GHz
2. VBW \geq 3 x RBW
3. Span = 1.5 times the OBW
4. No. of sweep points \geq 2 x span / RBW
5. Detector = Peak
6. Trace mode = max hold
7. The trace was allowed to stabilize

FCC ID: ZNFV520	 FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)			Reviewed by: Quality Manager
Test Report S/N: 0Y1601040035.ZNF	Test Dates: 1/4 - 1/14/2016	EUT Type: Portable Tablet	Page 132 of 156	

Test Setup

The EUT and measurement equipment were set up as shown in the diagram below.




Figure 7-7. Test Instrument & Measurement Setup

Test Notes

- 1) The EUT was tested in three orthogonal planes and in all possible test configurations and positioning. The worst case emissions are reported with the EUT positioning, modulations, RB sizes and offsets, and channel bandwidth configurations shown in the tables below.
- 2) This unit was tested with its standard battery.
- 3) The spectrum is measured from 9kHz to the 10th harmonic of the fundamental frequency of the transmitter. The worst-case emissions are reported.
- 4) Emissions below 18GHz were measured at a 3 meter test distance while emissions above 18GHz were measured at a 1 meter test distance with the application of a distance correction factor.

FCC ID: ZNFV520	 FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)			Reviewed by: Quality Manager
Test Report S/N: 0Y1601040035.ZNF	Test Dates: 1/4 - 1/14/2016	EUT Type: Portable Tablet	Page 133 of 156	

OPERATING FREQUENCY: 704.00 MHz
 CHANNEL: 23060
 MEASURED OUTPUT POWER: 18.35 dBm = 0.068 W
 MODULATION SIGNAL: QPSK
 BANDWIDTH: 10.0 MHz
 DISTANCE: 3 meters
 LIMIT: $43 + 10 \log_{10}(W) =$ 31.35 dBc

Frequency [MHz]	Ant. Pol. [H/V]	Antenna Height [m]	Turntable Azimuth [degree]	Level at Antenna Terminals [dBm]	Substitute Antenna Gain [dBd]	Spurious Emission Level [dBm]	[dBc]
1408.00	H	1.00	218	-57.67	5.69	-51.97	70.3
2112.00	H	-	-	-62.97	6.67	-56.30	74.6
2816.00	H	-	-	-63.24	7.82	-55.42	73.8
3520.00	H	1.00	351	-58.62	7.58	-51.03	69.4
4224.00	H	-	-	-56.83	8.33	-48.50	66.8

Table 7-8. Radiated Spurious Data (Band 12 – Low Channel)

OPERATING FREQUENCY: 707.50 MHz
 CHANNEL: 23095
 MEASURED OUTPUT POWER: 19.47 dBm = 0.088 W
 MODULATION SIGNAL: QPSK
 BANDWIDTH: 10.0 MHz
 DISTANCE: 3 meters
 LIMIT: $43 + 10 \log_{10}(W) =$ 32.47 dBc

Frequency [MHz]	Ant. Pol. [H/V]	Antenna Height [m]	Turntable Azimuth [degree]	Level at Antenna Terminals [dBm]	Substitute Antenna Gain [dBd]	Spurious Emission Level [dBm]	[dBc]
1415.00	H	1	218	-58.52	5.73	-52.78	72.3
2122.50	H	-	-	-63.06	6.73	-56.33	75.8
2830.00	H	-	-	-63.15	7.80	-55.35	74.8
3537.50	H	1	341	-58.46	7.59	-50.87	70.3
4245.00	H	-	-	-56.92	8.41	-48.51	68.0

Table 7-9. Radiated Spurious Data (Band 12 – Mid Channel)

FCC ID: ZNFV520		FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)		Reviewed by: Quality Manager
Test Report S/N: 0Y1601040035.ZNF	Test Dates: 1/4 - 1/14/2016	EUT Type: Portable Tablet	Page 134 of 156	

OPERATING FREQUENCY: 711.00 MHz
 CHANNEL: 23130
 MEASURED OUTPUT POWER: 18.61 dBm = 0.073 W
 MODULATION SIGNAL: QPSK
 BANDWIDTH: 10.0 MHz
 DISTANCE: 3 meters
 LIMIT: $43 + 10 \log_{10}(W) =$ 31.61 dBc

Frequency [MHz]	Ant. Pol. [H/V]	Antenna Height [m]	Turntable Azimuth [degree]	Level at Antenna Terminals [dBm]	Substitute Antenna Gain [dBd]	Spurious Emission Level [dBm]	[dBc]
1422.00	H	1.00	223	-58.68	5.77	-52.91	71.5
2133.00	H	-	-	-62.76	6.79	-55.97	74.6
2844.00	H	-	-	-63.37	7.78	-55.59	74.2
3555.00	H	1.00	344	-58.25	7.59	-50.65	69.3
4266.00	H	-	-	-57.13	8.48	-48.65	67.3

Table 7-10. Radiated Spurious Data (Band 12/17 – High Channel)

OPERATING FREQUENCY: 825.50 MHz
 CHANNEL: 20415
 MEASURED OUTPUT POWER: 20.81 dBm = 0.121 W
 MODULATION SIGNAL: QPSK
 BANDWIDTH: 3.0 MHz
 DISTANCE: 3 meters
 LIMIT: $43 + 10 \log_{10}(W) =$ 33.81 dBc

Frequency [MHz]	Ant. Pol. [H/V]	Antenna Height [m]	Turntable Azimuth [degree]	Level at Antenna Terminals [dBm]	Substitute Antenna Gain [dBd]	Spurious Emission Level [dBm]	[dBc]
1651.00	H	1.06	65	-63.32	6.56	-56.76	77.6
2476.50	H	-	-	-62.81	7.30	-55.51	76.3
3302.00	H	-	-	-60.18	7.37	-52.81	73.6
4127.50	H	-	-	-57.12	8.04	-49.09	69.9

Table 7-11. Radiated Spurious Data (Band 5 – Low Channel)

FCC ID: ZNFV520		FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)		Reviewed by: Quality Manager
Test Report S/N: 0Y1601040035.ZNF	Test Dates: 1/4 - 1/14/2016	EUT Type: Portable Tablet	Page 135 of 156	

OPERATING FREQUENCY: 836.50 MHz
 CHANNEL: 20525
 MEASURED OUTPUT POWER: 21.41 dBm = 0.138 W
 MODULATION SIGNAL: QPSK
 BANDWIDTH: 3.0 MHz
 DISTANCE: 3 meters
 LIMIT: $43 + 10 \log_{10}(W) =$ 34.41 dBc

Frequency [MHz]	Ant. Pol. [H/V]	Antenna Height [m]	Turntable Azimuth [degree]	Level at Antenna Terminals [dBm]	Substitute Antenna Gain [dBd]	Spurious Emission Level [dBm]	[dBc]
1673.00	H	1.08	62	-62.66	6.55	-56.11	77.5
2509.50	H	-	-	-63.40	7.34	-56.05	77.5
3346.00	H	-	-	-59.86	7.44	-52.42	73.8
4182.50	H	-	-	-57.43	8.20	-49.23	70.6

Table 7-12. Radiated Spurious Data (Band 5 – Mid Channel)

OPERATING FREQUENCY: 847.50 MHz
 CHANNEL: 20635
 MEASURED OUTPUT POWER: 20.33 dBm = 0.108 W
 MODULATION SIGNAL: QPSK
 BANDWIDTH: 3.0 MHz
 DISTANCE: 3 meters
 LIMIT: $43 + 10 \log_{10}(W) =$ 33.33 dBc

Frequency [MHz]	Ant. Pol. [H/V]	Antenna Height [m]	Turntable Azimuth [degree]	Level at Antenna Terminals [dBm]	Substitute Antenna Gain [dBd]	Spurious Emission Level [dBm]	[dBc]
1695.00	H	1.00	65	-61.62	6.55	-55.07	75.4
2542.50	H	-	-	-62.75	7.36	-55.39	75.7
3390.00	H	-	-	-60.17	7.51	-52.66	73.0
4237.50	H	-	-	-55.47	8.38	-47.09	67.4

Table 7-13. Radiated Spurious Data (Band 5 – High Channel)

FCC ID: ZNFV520			FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)		Reviewed by: Quality Manager
Test Report S/N: 0Y1601040035.ZNF	Test Dates: 1/4 - 1/14/2016	EUT Type: Portable Tablet		Page 136 of 156	

OPERATING FREQUENCY: 1712.50 MHz
 CHANNEL: 19975
 MEASURED OUTPUT POWER: 21.85 dBm = 0.153 W
 MODULATION SIGNAL: QPSK
 BANDWIDTH: 5.0 MHz
 DISTANCE: 3 meters
 LIMIT: $43 + 10 \log_{10}(W) =$ 34.85 dBc

Frequency [MHz]	Ant. Pol. [H/V]	Antenna Height [m]	Turntable Azimuth [degree]	Level at Antenna Terminals [dBm]	Substitute Antenna Gain [dBi]	Spurious Emission Level [dBm]	[dBc]
3425.00	H	1.06	193	-47.75	9.68	-38.07	59.9
5137.50	H	1.00	277	-55.70	10.68	-45.02	66.9
6850.00	H	-	-	-55.45	11.74	-43.70	65.5
8562.50	H	-	-	-50.44	11.05	-39.39	61.2
10275.00	H	-	-	-52.23	12.27	-39.96	61.8

Table 7-14. Radiated Spurious Data (Band 4 – Low Channel)

OPERATING FREQUENCY: 1732.50 MHz
 CHANNEL: 20175
 MEASURED OUTPUT POWER: 22.86 dBm = 0.193 W
 MODULATION SIGNAL: QPSK
 BANDWIDTH: 5.0 MHz
 DISTANCE: 3 meters
 LIMIT: $43 + 10 \log_{10}(W) =$ 35.86 dBc

Frequency [MHz]	Ant. Pol. [H/V]	Antenna Height [m]	Turntable Azimuth [degree]	Level at Antenna Terminals [dBm]	Substitute Antenna Gain [dBi]	Spurious Emission Level [dBm]	[dBc]
3465.00	H	1.09	196	-53.23	9.71	-43.53	66.4
5197.50	H	1.00	286	-55.89	10.59	-45.31	68.2
6930.00	H	1.00	267	-54.73	11.75	-42.98	65.8
8662.50	H	-	-	-50.79	11.06	-39.73	62.6
10395.00	H	-	-	-51.01	12.37	-38.64	61.5
12127.50	H	-	-	-50.25	12.83	-37.42	60.3

Table 7-15. Radiated Spurious Data (Band 4 – Mid Channel)

FCC ID: ZNFV520		FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)		Reviewed by: Quality Manager
Test Report S/N: 0Y1601040035.ZNF	Test Dates: 1/4 - 1/14/2016	EUT Type: Portable Tablet	Page 137 of 156	

OPERATING FREQUENCY: 1752.50 MHz
 CHANNEL: 20375
 MEASURED OUTPUT POWER: 21.93 dBm = 0.156 W
 MODULATION SIGNAL: QPSK
 BANDWIDTH: 5.0 MHz
 DISTANCE: 3 meters
 LIMIT: $43 + 10 \log_{10}(W) =$ 34.93 dBc

Frequency [MHz]	Ant. Pol. [H/V]	Antenna Height [m]	Turntable Azimuth [degree]	Level at Antenna Terminals [dBm]	Substitute Antenna Gain [dBi]	Spurious Emission Level [dBm]	[dBc]
3505.00	H	1.00	187	-54.61	9.73	-44.88	66.8
5257.50	H	1.00	193	-55.72	10.64	-45.08	67.0
7010.00	H	-	-	-56.19	11.75	-44.44	66.4
8762.50	H	-	-	-51.29	11.00	-40.29	62.2
10515.00	H	-	-	-51.39	12.48	-38.91	60.8

Table 7-16. Radiated Spurious Data (Band 4 – High Channel)

OPERATING FREQUENCY: 1852.50 MHz
 CHANNEL: 18625
 MEASURED OUTPUT POWER: 21.27 dBm = 0.134 W
 MODULATION SIGNAL: QPSK
 BANDWIDTH: 5.0 MHz
 DISTANCE: 3 meters
 LIMIT: $43 + 10 \log_{10}(W) =$ 34.27 dBc

Frequency [MHz]	Ant. Pol. [H/V]	Antenna Height [m]	Turntable Azimuth [degree]	Level at Antenna Terminals [dBm]	Substitute Antenna Gain [dBi]	Spurious Emission Level [dBm]	[dBc]
3705.00	H	1.00	193	-54.23	9.43	-44.80	66.1
5557.50	H	1.00	245	-52.54	10.80	-41.74	63.0
7410.00	H	-	-	-53.68	10.71	-42.97	64.2
9262.50	H	-	-	-51.59	11.58	-40.01	61.3
11115.00	H	-	-	-51.39	12.79	-38.60	59.9

Table 7-17. Radiated Spurious Data (Band 2 – Low Channel)

FCC ID: ZNFV520		FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)		Reviewed by: Quality Manager
Test Report S/N: 0Y1601040035.ZNF	Test Dates: 1/4 - 1/14/2016	EUT Type: Portable Tablet	Page 138 of 156	

OPERATING FREQUENCY: 1880.00 MHz
 CHANNEL: 18900
 MEASURED OUTPUT POWER: 22.69 dBm = 0.186 W
 MODULATION SIGNAL: QPSK
 BANDWIDTH: 5.0 MHz
 DISTANCE: 3 meters
 LIMIT: $43 + 10 \log_{10}(W) =$ 35.69 dBc

Frequency [MHz]	Ant. Pol. [H/V]	Antenna Height [m]	Turntable Azimuth [degree]	Level at Antenna Terminals [dBm]	Substitute Antenna Gain [dBi]	Spurious Emission Level [dBm]	[dBc]
3760.00	H	1.00	197	-52.41	9.28	-43.13	65.8
5640.00	H	1.00	247	-49.60	11.03	-38.56	61.3
7520.00	H	-	-	-53.98	10.97	-43.01	65.7
9400.00	H	-	-	-51.07	11.53	-39.54	62.2
11280.00	H	-	-	-51.37	12.71	-38.66	61.4

Table 7-18. Radiated Spurious Data (Band 2 – Mid Channel)

OPERATING FREQUENCY: 1907.50 MHz
 CHANNEL: 19175
 MEASURED OUTPUT POWER: 21.33 dBm = 0.136 W
 MODULATION SIGNAL: QPSK
 BANDWIDTH: 5.0 MHz
 DISTANCE: 3 meters
 LIMIT: $43 + 10 \log_{10}(W) =$ 34.33 dBc

Frequency [MHz]	Ant. Pol. [H/V]	Antenna Height [m]	Turntable Azimuth [degree]	Level at Antenna Terminals [dBm]	Substitute Antenna Gain [dBi]	Spurious Emission Level [dBm]	[dBc]
3815.00	H	1.00	193	-52.01	9.19	-42.82	64.2
5722.50	H	1.00	251	-50.05	11.27	-38.77	60.1
7630.00	H	-	-	-54.50	11.17	-43.33	64.7
9537.50	H	-	-	-51.70	11.80	-39.90	61.2
11445.00	H	-	-	-51.07	12.72	-38.35	59.7

Table 7-19. Radiated Spurious Data (Band 2 – High Channel)

FCC ID: ZNFV520		FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)		Reviewed by: Quality Manager
Test Report S/N: 0Y1601040035.ZNF	Test Dates: 1/4 - 1/14/2016	EUT Type: Portable Tablet	Page 139 of 156	

OPERATING FREQUENCY: 2307.50 MHz
 CHANNEL: 27685
 MEASURED OUTPUT POWER: 19.12 dBm = 0.082 W
 MODULATION SIGNAL: QPSK
 BANDWIDTH: 5.0 MHz
 DISTANCE: 3 meters
 LIMIT: $70 + 10 \log_{10}(W) =$ -40.00 dBm

Frequency [MHz]	Ant. Pol. [H/V]	Antenna Height [m]	Turntable Azimuth [degree]	Level at Antenna Terminals [dBm]	Substitute Antenna Gain [dBi]	Spurious Emission Level [dBm]	Margin [dBm]
4615.00	H	2.39	148	-55.72	9.51	-46.20	-6.20
6922.50	H	-	-	-67.45	11.48	-55.97	-15.97
9230.00	H	-	-	-66.89	13.22	-53.67	-13.67
11537.50	H	-	-	-63.77	13.34	-50.44	-10.44

Table 7-20. Radiated Spurious Data (Band 30 – Low Channel)

OPERATING FREQUENCY: 2310.00 MHz
 CHANNEL: 27710
 MEASURED OUTPUT POWER: 19.30 dBm = 0.085 W
 MODULATION SIGNAL: QPSK
 BANDWIDTH: 5.0 MHz
 DISTANCE: 3 meters
 LIMIT: $70 + 10 \log_{10}(W) =$ -40.00 dBm

Frequency [MHz]	Ant. Pol. [H/V]	Antenna Height [m]	Turntable Azimuth [degree]	Level at Antenna Terminals [dBm]	Substitute Antenna Gain [dBi]	Spurious Emission Level [dBm]	Margin [dBm]
4620.00	H	2.39	140	-58.24	9.52	-48.72	-8.72
6930.00	H	-	-	-67.48	11.49	-56.00	-16.00
9240.00	H	-	-	-66.91	13.22	-53.70	-13.70
11550.00	H	-	-	-63.85	13.33	-50.52	-10.52

Table 7-21. Radiated Spurious Data (Band 30 – Mid Channel)

FCC ID: ZNFV520		FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)		Reviewed by: Quality Manager
Test Report S/N: 0Y1601040035.ZNF	Test Dates: 1/4 - 1/14/2016	EUT Type: Portable Tablet		Page 140 of 156

OPERATING FREQUENCY: 2312.50 MHz
 CHANNEL: 27735
 MEASURED OUTPUT POWER: 19.51 dBm = 0.089 W
 MODULATION SIGNAL: QPSK
 BANDWIDTH: 5.0 MHz
 DISTANCE: 3 meters
 LIMIT: $70 + 10 \log_{10}(W) =$ -40.00 dBm

Frequency [MHz]	Ant. Pol. [H/V]	Antenna Height [m]	Turntable Azimuth [degree]	Level at Antenna Terminals [dBm]	Substitute Antenna Gain [dBi]	Spurious Emission Level [dBm]	Margin [dBm]
4625.00	H	2.39	145	-56.37	9.53	-46.84	-6.84
6937.50	H	-	-	-67.28	11.49	-55.79	-15.79
9250.00	H	-	-	-66.74	13.22	-53.52	-13.52
11562.50	H	-	-	-63.89	13.33	-50.56	-10.56

Table 7-22. Radiated Spurious Data (Band 30 – High Channel)

OPERATING FREQUENCY: 2510.00 MHz
 CHANNEL: 20850
 MEASURED OUTPUT POWER: 20.43 dBm = 0.110 W
 MODULATION SIGNAL: QPSK
 BANDWIDTH: 20.0 MHz
 DISTANCE: 3 meters
 LIMIT: $55 + 10 \log_{10}(W)$ 45.43 dBc

Frequency [MHz]	Ant. Pol. [H/V]	Antenna Height [m]	Turntable Azimuth [degree]	Level at Antenna Terminals [dBm]	Substitute Antenna Gain [dBi]	Spurious Emission Level [dBm]	[dBc]
5020.00	H	1.00	290	-48.02	10.89	-37.13	57.6
7530.00	H	1.00	301	-52.74	10.99	-41.74	62.2
10040.00	H	1.00	221	-49.80	12.06	-37.74	58.2
12550.00	H	-	-	-49.13	13.51	-35.62	56.1
15060.00	H	-	-	-48.95	13.61	-35.34	55.8
17570.00	H	-	-	-42.00	11.45	-30.55	51.0

Table 7-23. Radiated Spurious Data (Band 7 – Low Channel)

FCC ID: ZNFV520		FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)		Reviewed by: Quality Manager
Test Report S/N: 0Y1601040035.ZNF	Test Dates: 1/4 - 1/14/2016	EUT Type: Portable Tablet	Page 141 of 156	

OPERATING FREQUENCY: 2535.00 MHz
 CHANNEL: 21100
 MEASURED OUTPUT POWER: 20.03 dBm = 0.101 W
 MODULATION SIGNAL: QPSK
 BANDWIDTH: 20.0 MHz
 DISTANCE: 3 meters
 LIMIT: $55 + 10 \log_{10}(W)$ 45.03 dBc

Frequency [MHz]	Ant. Pol. [H/V]	Antenna Height [m]	Turntable Azimuth [degree]	Level at Antenna Terminals [dBm]	Substitute Antenna Gain [dBi]	Spurious Emission Level [dBm]	[dBc]
5070.00	H	1.00	293	-48.56	10.79	-37.77	57.8
7605.00	H	1.00	306	-52.11	11.15	-40.96	61.0
10140.00	H	1.00	35	-48.27	12.14	-36.13	56.2
12675.00	H	-	-	-49.22	13.65	-35.57	55.6
15210.00	H	-	-	-50.29	14.42	-35.86	55.9
17745.00	H	-	-	-39.00	9.92	-29.08	49.1

Table 7-24. Radiated Spurious Data (Band 7 – Mid Channel)

OPERATING FREQUENCY: 2560.00 MHz
 CHANNEL: 21350
 MEASURED OUTPUT POWER: 18.08 dBm = 0.064 W
 MODULATION SIGNAL: QPSK
 BANDWIDTH: 20.0 MHz
 DISTANCE: 3 meters
 LIMIT: $55 + 10 \log_{10}(W)$ 43.08 dBc

Frequency [MHz]	Ant. Pol. [H/V]	Antenna Height [m]	Turntable Azimuth [degree]	Level at Antenna Terminals [dBm]	Substitute Antenna Gain [dBi]	Spurious Emission Level [dBm]	[dBc]
5120.00	H	1.00	286	-46.19	10.70	-35.49	53.6
7680.00	H	1.00	294	-53.60	11.21	-42.40	60.5
10240.00	H	1.00	29	-49.19	12.22	-36.97	55.1
12800.00	H	-	-	-49.18	13.52	-35.66	53.7
15360.00	H	-	-	-51.52	15.39	-36.13	54.2
17920.00	H	-	-	-37.28	8.78	-28.49	46.6

Table 7-25. Radiated Spurious Data (Band 7 – High Channel)

FCC ID: ZNFV520		FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)		Reviewed by: Quality Manager
Test Report S/N: 0Y1601040035.ZNF	Test Dates: 1/4 - 1/14/2016	EUT Type: Portable Tablet	Page 142 of 156	

7.8 Frequency Stability / Temperature Variation

§2.1055 §22.355 §24.235 §27.54

Test Overview and Limit

Frequency stability testing is performed in accordance with the guidelines of ANSI/TIA-603-C-2004. The frequency stability of the transmitter is measured by:

- a.) **Temperature:** The temperature is varied from -30°C to +50°C in 10°C increments using an environmental chamber.
- b.) **Primary Supply Voltage:** The primary supply voltage is varied from 85% to 115% of the nominal value for non hand-carried battery and AC powered equipment. For hand-carried, battery-powered equipment, primary supply voltage is reduced to the battery operating end point which shall be specified by the manufacturer.

For Part 22, the frequency stability of the transmitter shall be maintained within $\pm 0.00025\%$ (± 2.5 ppm) of the center frequency. For Part 24 and Part 27, the frequency stability shall be sufficient to ensure that the fundamental emission stays within the authorized frequency block.

Test Procedure Used

ANSI/TIA-603-C-2004

Test Settings

1. The carrier frequency of the transmitter is measured at room temperature (20°C to provide a reference).
2. The equipment is turned on in a “standby” condition for fifteen minutes before applying power to the transmitter. Measurement of the carrier frequency of the transmitter is made within one minute after applying power to the transmitter.
3. Frequency measurements are made at 10°C intervals ranging from -30°C to +50°C. A period of at least one half-hour is provided to allow stabilization of the equipment at each temperature level.

Test Setup

The EUT was connected via an RF cable to a spectrum analyzer with the EUT placed inside an environmental chamber.

Test Notes

None

FCC ID: ZNFV520	 FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)			Reviewed by: Quality Manager
Test Report S/N: 0Y1601040035.ZNF	Test Dates: 1/4 - 1/14/2016	EUT Type: Portable Tablet	Page 143 of 156	

Band 12 Frequency Stability Measurements

§2.1055 §27.54

OPERATING FREQUENCY: 707,500,000 Hz
 CHANNEL: 23790
 REFERENCE VOLTAGE: 3.80 VDC

VOLTAGE (%)	POWER (VDC)	TEMP (°C)	FREQUENCY (Hz)	Freq. Dev. (Hz)	Deviation (%)
100 %	3.80	+ 20 (Ref)	707,499,942	-58	-0.0000082
100 %		- 30	707,500,268	268	0.0000379
100 %		- 20	707,500,394	394	0.0000557
100 %		- 10	707,500,349	349	0.0000493
100 %		0	707,499,831	-169	-0.0000239
100 %		+ 10	707,500,290	290	0.0000410
100 %		+ 20	707,500,287	287	0.0000406
100 %		+ 30	707,499,747	-253	-0.0000358
100 %		+ 40	707,499,996	-4	-0.0000006
100 %		+ 50	707,500,450	450	0.0000636
BATT. ENDPOINT	3.40	+ 20	707,499,959	-41	-0.0000058

Table 7-26. Frequency Stability Data (Band 12)

Note:

Based on the results of the frequency stability test at the center channel the frequency deviation results measured are very small. As such it is determined that the channels at the band edge would remain in-band when the maximum measured frequency deviation noted during the frequency stability tests is applied. Therefore the device is determined to remain operating in band over the temperature and voltage range as tested.

FCC ID: ZNFV520	 FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)			Reviewed by: Quality Manager
Test Report S/N: 0Y1601040035.ZNF	Test Dates: 1/4 - 1/14/2016	EUT Type: Portable Tablet	Page 144 of 156	

Band 12 Frequency Stability Measurements
§2.1055 §27.54




Figure 7-8. Frequency Stability Graph (Band 12)

FCC ID: ZNFV520		FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)		Reviewed by: Quality Manager
Test Report S/N: 0Y1601040035.ZNF	Test Dates: 1/4 - 1/14/2016	EUT Type: Portable Tablet	Page 145 of 156	

Band 5 Frequency Stability Measurements

§2.1055 §22.355

OPERATING FREQUENCY: 836,500,000 Hz
 CHANNEL: 20525
 REFERENCE VOLTAGE: 3.80 VDC
 DEVIATION LIMIT: ± 0.00025 % or 2.5 ppm

VOLTAGE (%)	POWER (VDC)	TEMP (°C)	FREQUENCY (Hz)	Freq. Dev. (Hz)	Deviation (%)
100 %	3.80	+ 20 (Ref)	836,500,005	5	0.0000006
100 %		- 30	836,499,854	-146	-0.0000175
100 %		- 20	836,500,049	49	0.0000059
100 %		- 10	836,500,105	105	0.0000126
100 %		0	836,500,052	52	0.0000062
100 %		+ 10	836,499,939	-61	-0.0000073
100 %		+ 20	836,500,064	64	0.0000077
100 %		+ 30	836,500,197	197	0.0000236
100 %		+ 40	836,499,714	-286	-0.0000342
100 %		+ 50	836,500,035	35	0.0000042
BATT. ENDPOINT		3.40	+ 20	836,500,370	370

Table 7-27. Frequency Stability Data (Band 5)

FCC ID: ZNFV520		FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)		Reviewed by: Quality Manager
Test Report S/N: 0Y1601040035.ZNF	Test Dates: 1/4 - 1/14/2016	EUT Type: Portable Tablet	Page 146 of 156	

Band 5 Frequency Stability Measurements
§2.1055 §22.355




Figure 7-9. Frequency Stability Graph (Band 5)

FCC ID: ZNFV520		FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)		Reviewed by: Quality Manager
Test Report S/N: 0Y1601040035.ZNF	Test Dates: 1/4 - 1/14/2016	EUT Type: Portable Tablet	Page 147 of 156	

Band 4 Frequency Stability Measurements

§2.1055 §§27.54

OPERATING FREQUENCY: 1,732,500,000 Hz
 CHANNEL: 20175
 REFERENCE VOLTAGE: 3.80 VDC

VOLTAGE (%)	POWER (VDC)	TEMP (°C)	FREQUENCY (Hz)	Freq. Dev. (Hz)	Deviation (%)
100 %	3.80	+ 20 (Ref)	1,732,499,909	-91	-0.0000053
100 %		- 30	1,732,500,102	102	0.0000059
100 %		- 20	1,732,500,319	319	0.0000184
100 %		- 10	1,732,500,180	180	0.0000104
100 %		0	1,732,499,686	-314	-0.0000181
100 %		+ 10	1,732,500,083	83	0.0000048
100 %		+ 20	1,732,500,232	232	0.0000134
100 %		+ 30	1,732,499,849	-151	-0.0000087
100 %		+ 40	1,732,499,847	-153	-0.0000088
100 %		+ 50	1,732,500,267	267	0.0000154
BATT. ENDPOINT	3.40	+ 20	1,732,499,980	-20	-0.0000012

Table 7-28. Frequency Stability Data (Band 4)

Note:

Based on the results of the frequency stability test at the center channel the frequency deviation results measured are very small. As such it is determined that the channels at the band edge would remain in-band when the maximum measured frequency deviation noted during the frequency stability tests is applied. Therefore the device is determined to remain operating in band over the temperature and voltage range as tested.

FCC ID: ZNFV520	 FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)			Reviewed by: Quality Manager
Test Report S/N: 0Y1601040035.ZNF	Test Dates: 1/4 - 1/14/2016	EUT Type: Portable Tablet	Page 148 of 156	

Band 4 Frequency Stability Measurements
§2.1055 §§27.54




Figure 7-10. Frequency Stability Graph (Band 4)

FCC ID: ZNFV520		FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)		Reviewed by: Quality Manager
Test Report S/N: 0Y1601040035.ZNF	Test Dates: 1/4 - 1/14/2016	EUT Type: Portable Tablet	Page 149 of 156	

Band 2 Frequency Stability Measurements

§2.1055 §24.235

OPERATING FREQUENCY: 1,880,000,000 Hz
 CHANNEL: 18900
 REFERENCE VOLTAGE: 3.80 VDC

VOLTAGE (%)	POWER (VDC)	TEMP (°C)	FREQUENCY (Hz)	Freq. Dev. (Hz)	Deviation (%)
100 %	3.80	+ 20 (Ref)	1,880,000,070	70	0.0000037
100 %		- 30	1,880,000,133	133	0.0000071
100 %		- 20	1,880,000,175	175	0.0000093
100 %		- 10	1,880,000,359	359	0.0000191
100 %		0	1,879,999,921	-79	-0.0000042
100 %		+ 10	1,880,000,164	164	0.0000087
100 %		+ 20	1,880,000,025	25	0.0000013
100 %		+ 30	1,879,999,869	-131	-0.0000070
100 %		+ 40	1,880,000,023	23	0.0000012
100 %		+ 50	1,880,000,253	253	0.0000135
BATT. ENDPOINT		3.40	+ 20	1,879,999,852	-148

Table 7-29. Frequency Stability Data (Band 2)

Note:

Based on the results of the frequency stability test at the center channel the frequency deviation results measured are very small. As such it is determined that the channels at the band edge would remain in-band when the maximum measured frequency deviation noted during the frequency stability tests is applied. Therefore the device is determined to remain operating in band over the temperature and voltage range as tested.

FCC ID: ZNFV520	 FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)			Reviewed by: Quality Manager
Test Report S/N: 0Y1601040035.ZNF	Test Dates: 1/4 - 1/14/2016	EUT Type: Portable Tablet	Page 150 of 156	

Band 2 Frequency Stability Measurements
§2.1055 §24.235




Figure 7-11. Frequency Stability Graph (Band 2)

FCC ID: ZNFV520		FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)		Reviewed by: Quality Manager
Test Report S/N: 0Y1601040035.ZNF	Test Dates: 1/4 - 1/14/2016	EUT Type: Portable Tablet	Page 151 of 156	

Band 30 Frequency Stability Measurements

§2.1055 §24.235

OPERATING FREQUENCY: 2,310,000,000 Hz
 CHANNEL: 27710
 REFERENCE VOLTAGE: 3.80 VDC

VOLTAGE (%)	POWER (VDC)	TEMP (°C)	FREQUENCY (Hz)	Freq. Dev. (Hz)	Deviation (%)
100 %	3.80	+ 20 (Ref)	2,310,000,004	4	0.0000002
100 %		- 30	2,310,000,273	273	0.0000118
100 %		- 20	2,309,999,875	-125	-0.0000054
100 %		- 10	2,310,000,251	251	0.0000109
100 %		0	2,310,000,074	74	0.0000032
100 %		+ 10	2,310,000,050	50	0.0000022
100 %		+ 20	2,309,999,857	-143	-0.0000062
100 %		+ 30	2,309,999,951	-49	-0.0000021
100 %		+ 40	2,309,999,943	-57	-0.0000025
100 %		+ 50	2,309,999,759	-241	-0.0000104
BATT. ENDPOINT	3.40	+ 20	2,309,999,989	-11	-0.0000005

Table 7-30. Frequency Stability Data (Band 30)

Note:

Based on the results of the frequency stability test at the center channel the frequency deviation results measured are very small. As such it is determined that the channels at the band edge would remain in-band when the maximum measured frequency deviation noted during the frequency stability tests is applied. Therefore the device is determined to remain operating in band over the temperature and voltage range as tested.

FCC ID: ZNFV520	 FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)			Reviewed by: Quality Manager
Test Report S/N: 0Y1601040035.ZNF	Test Dates: 1/4 - 1/14/2016	EUT Type: Portable Tablet	Page 152 of 156	

Band 30 Frequency Stability Measurements
§2.1055 §24.235




Figure 7-12. Frequency Stability Graph (Band 30)

FCC ID: ZNFV520		FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)		Reviewed by: Quality Manager
Test Report S/N: 0Y1601040035.ZNF	Test Dates: 1/4 - 1/14/2016	EUT Type: Portable Tablet	Page 153 of 156	

Band 7 Frequency Stability Measurements

§2.1055 §27.54

OPERATING FREQUENCY: 2,535,000,000 Hz
 CHANNEL: 21100
 REFERENCE VOLTAGE: 3.80 VDC

VOLTAGE (%)	POWER (VDC)	TEMP (°C)	FREQUENCY (Hz)	Freq. Dev. (Hz)	Deviation (%)
100 %	3.80	+ 20 (Ref)	2,535,000,361	361	0.0000142
100 %		- 30	2,535,000,195	195	0.0000077
100 %		- 20	2,534,999,655	-345	-0.0000136
100 %		- 10	2,535,000,040	40	0.0000016
100 %		0	2,535,000,341	341	0.0000135
100 %		+ 10	2,535,000,040	40	0.0000016
100 %		+ 20	2,535,000,024	24	0.0000009
100 %		+ 30	2,535,000,157	157	0.0000062
100 %		+ 40	2,534,999,507	-493	-0.0000194
100 %		+ 50	2,534,999,856	-144	-0.0000057
BATT. ENDPOINT	3.40	+ 20	2,534,999,979	-21	-0.0000008

Table 7-31. Frequency Stability Data (Band 7)

Note:

Based on the results of the frequency stability test at the center channel the frequency deviation results measured are very small. As such it is determined that the channels at the band edge would remain in-band when the maximum measured frequency deviation noted during the frequency stability tests is applied. Therefore the device is determined to remain operating in band over the temperature and voltage range as tested.

FCC ID: ZNFV520		FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)		Reviewed by: Quality Manager
Test Report S/N: 0Y1601040035.ZNF	Test Dates: 1/4 - 1/14/2016	EUT Type: Portable Tablet	Page 154 of 156	

Band 7 Frequency Stability Measurements
§2.1055 §27.54




Figure 7-13. Frequency Stability Graph (Band 7)

FCC ID: ZNFV520		FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)		Reviewed by: Quality Manager
Test Report S/N: 0Y1601040035.ZNF	Test Dates: 1/4 - 1/14/2016	EUT Type: Portable Tablet	Page 155 of 156	

8.0 CONCLUSION

The data collected relate only to the item(s) tested and show that the **LG Portable Tablet FCC ID: ZNFV520** complies with all the requirements of Parts 22, 24, & 27 of the FCC rules for LTE operation only.

FCC ID: ZNFV520	 FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)		Reviewed by: Quality Manager
Test Report S/N: 0Y1601040035.ZNF	Test Dates: 1/4 - 1/14/2016	EUT Type: Portable Tablet	Page 156 of 156