

Report No.: SZEM161201075001

Page: 1 of 33

Appendix B

Test Data for SZEM161201075001RG



Report No.: SZEM161201075001

Page: 2 of 33

CONTENT

		Page
1 EFFECTIV	E (ISOTROPIC) RADIATED POWER OUTPUT DATA	3
2 PEAK-TO-	AVERAGE RATIO	4
2.1 For V	WCDMA	5
2.1.1 Te	est Band = WCDMA 850	5
3 MODULAT	TION CHARACTERISTICS	11
3.1 For V	WCDMA	11
3.1.1 Te	est Band = WCDMA 850	11
4 BANDWID	TH	13
4.1 For V	WCDMA	14
4.1.1 Te	est Band = WCDMA 850	14
5 BAND EDG	GES COMPLIANCE	20
5.1 For V	WCDMA	20
5.1.1 Te	est Band = WCDMA 850	20
6 SPURIOUS	S EMISSION AT ANTENNA TERMINAL	24
6.1 For V	WCDMA	24
6.1.1 Te	est Band = WCDMA 850	24
7 FIELD STF	RENGTH OF SPURIOUS RADIATION	30
7.1 For V	WCDMA	30
7.1.1 Te	est Band = WCDMAband 850	30
8 FREQUEN	ICY STABILITY	31
8.1 FREQ	UENCY ERROR VS. VOLTAGE	31
8.2 FREQ	DUENCY ERROR VS. TEMPERATURE	32



Report No.: SZEM161201075001

Page: 3 of 33

1 Effective (Isotropic) Radiated Power Output Data

Part I - Test Results

Test Band	Test Mode	Test Channel	Measured[dB]	ERP[dB]	Limit[dBm]	Verdict
		LCH	23.51	23.62	38.45	PASS
	UMTS/TM1	MCH	23.56	23.67	38.45	PASS
MODMANTO		HCH	23.69	23.80	38.45	PASS
WCDMA850	UMTS/TM2	LCH	21.79	21.90	38.45	PASS
		MCH	21.80	21.91	38.45	PASS
		HCH	21.72	21.83	38.45	PASS

Note:

a: For getting the ERP (Efficient Radiated Power) in substitution method, the following formula should be taken to calculate it,

ERP [dBm] = SGP [dBm] - Cable Loss [dB] + Gain [dBd]

b: SGP=Signal Generator Level

c: RBW > emission bandwidth, VBW > 3 x RBW.

Detector: RMS



Report No.: SZEM161201075001

Page: 4 of 33

2 Peak-to-Average Ratio

Part I - Test Results

Test Band	Test Mode	Test Channel	Measured[dB]	Limit [dB]	Verdict
		LCH	2.67	13	PASS
	UMTS/TM1	MCH	2.67	13	PASS
WCDMA850		HCH	2.72	13	PASS
W CDIVIA030	UMTS/TM2	LCH	4.72	13	PASS
		MCH	5.01	13	PASS
		HCH	5.19	13	PASS



Report No.: SZEM161201075001

Page: 5 of 33


Part II - Test Plots

2.1 For WCDMA

2.1.1 Test Band = WCDMA 850

2.1.1.1 Test Mode = UMTS/TM1

2.1.1.1.1 Test Channel = LCH




Date: 28.DEC.2016 12:03:04



Report No.: SZEM161201075001

Page: 6 of 33

2.1.1.1.2 Test Channel = MCH




Date: 28.DEC.2016 12:02:44



Report No.: SZEM161201075001

Page: 7 of 33

2.1.1.1.3 Test Channel = HCH



Date: 28.DEC.2016 12:02:16




Report No.: SZEM161201075001

Page: 8 of 33

2.1.1.2 Test Mode = UMTS/TM2

2.1.1.2.1 Test Channel = LCH




Date: 28.DEC.2016 12:01:01



Report No.: SZEM161201075001

Page: 9 of 33

2.1.1.2.2 Test Channel = MCH



Date: 28.DEC.2016 12:00:00



Report No.: SZEM161201075001

Page: 10 of 33

2.1.1.2.3 Test Channel = HCH



Date: 28.DEC.2016 12:01:28



Report No.: SZEM161201075001

Page: 11 of 33

3 Modulation Characteristics


Part I - Test Plots

3.1 For WCDMA

3.1.1 Test Band = WCDMA 850

3.1.1.1 Test Mode = UMTS /TM1

3.1.1.1.1 Test Channel = MCH



[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."




Report No.: SZEM161201075001

Page: 12 of 33

3.1.1.2 Test Mode = UMTS /TM2

3.1.1.2.1 Test Channel = MCH





Report No.: SZEM161201075001

Page: 13 of 33

4 Bandwidth

Part I - Test Results

Test Band	Test Mode	Test Channel	Occupied Bandwidth [MHz]	Emission Bandwidth [MHz]	Verdict
		LCH	4.19	4.86	PASS
	UMTS/TM1	MCH	4.23	4.91	PASS
WCDMASEO		HCH	4.20	4.87	PASS
WCDMA850	UMTS/TM2	LCH	4.21	4.85	PASS
		MCH	4.25	4.88	PASS
		HCH	4.22	4.86	PASS



Report No.: SZEM161201075001


Page: 14 of 33

4.1 For WCDMA

4.1.1 Test Band = WCDMA 850

4.1.1.1 Test Mode = UMTS/TM1

4.1.1.1.1 Test Channel = LCH




Date: 28.DEC.2016 11:20:43



Report No.: SZEM161201075001

Page: 15 of 33




Date: 28.DEC.2016 11:23:04



Report No.: SZEM161201075001

Page: 16 of 33

4.1.1.1.3 Test Channel = HCH



Date: 28.DEC.2016 11:24:39




Report No.: SZEM161201075001

Page: 17 of 33

4.1.1.2 Test Mode = UMTS/TM2

4.1.1.2.1 Test Channel = LCH




Date: 28.DEC.2016 11:48:17



Report No.: SZEM161201075001

Page: 18 of 33

4.1.1.2.2 Test Channel = MCH




Date: 28.DEC.2016 11:46:26



Report No.: SZEM161201075001

Page: 19 of 33



Date: 28.DEC.2016 11:44:23



Report No.: SZEM161201075001

Page: 20 of 33

5 Band Edges Compliance


Part I - Test Plots

5.1 For WCDMA

5.1.1 Test Band = WCDMA 850

5.1.1.1 Test Mode = UMTS/TM1

5.1.1.1.1 Test Channel = LCH




Date: 28.DEC.2016 11:28:24



Report No.: SZEM161201075001

Page: 21 of 33

5.1.1.1.2 Test Channel = HCH



Date: 28.DEC.2016 11:27:52




Report No.: SZEM161201075001

Page: 22 of 33

5.1.1.2 Test Mode = UMTS/TM2

5.1.1.2.1 Test Channel = LCH




Date: 28.DEC.2016 11:41:43



Report No.: SZEM161201075001

Page: 23 of 33

5.1.1.2.2 Test Channel = HCH



Date: 28.DEC.2016 11:42:39



Report No.: SZEM161201075001

Page: 24 of 33

6 Spurious Emission at Antenna Terminal

NOTE: For the averaged unwanted emissions measurements, the measurement points in each sweep is greater than twice the Span/RBW in order to ensure bin-to-bin spacing of < RBW/2 so that narrowband signals are not lost between frequency bins. As to the present test item, the "Measurement Points = k * (Span / RBW)" with k = k * (Span / RBW) with k = k * (Span / RBW)


Part I - Test Plots

6.1 For WCDMA

6.1.1 Test Band = WCDMA 850

6.1.1.1 Test Mode = UMTS/TM1

6.1.1.1.1 Test Channel = LCH




Date: 30.DEC.2016 10:33:53



Report No.: SZEM161201075001

Page: 25 of 33




Date: 30.DEC.2016 10:33:09



Report No.: SZEM161201075001

Page: 26 of 33

6.1.1.1.2 Test Channel = MCH




Date: 30.DEC.2016 10:31:50



Report No.: SZEM161201075001

Page: 27 of 33




Date: 30.DEC.2016 10:32:38



Report No.: SZEM161201075001

Page: 28 of 33

6.1.1.1.3 Test Channel = HCH




Date: 30.DEC.2016 10:34:22



Report No.: SZEM161201075001

Page: 29 of 33



Date: 30.DEC.2016 10:35:03



Report No.: SZEM161201075001

Page: 30 of 33

7 Field Strength of Spurious Radiation

Part I - Test Plots

7.1 For WCDMA

7.1.1 Test Band = WCDMAband 850

7.1.1.1 Test Mode = UMTS/TM1

Frequency (MHz)	Level (dBm)	Limit Line (dBm)	Over Limit (dB)	Polarization
1892.000	-57.35	-13.00	44.35	Vertical
3308.588	-65.50	-13.00	52.50	Vertical
4136.363	-61.48	-13.00	48.48	Vertical
1656.000	-64.02	-13.00	51.02	Horizontal
2312.500	-59.01	-13.00	46.01	Horizontal
4136.363	-56.75	-13.00	43.75	Horizontal

7.1.1.1.1 Test Channel = MCH

Frequency (MHz)	Level (dBm)	Limit Line (dBm)	Over Limit (dB)	Polarization
1886.500	-60.96	-13.00	47.96	Vertical
3302.250	-66.13	-13.00	53.13	Vertical
4136.363	-61.09	-13.00	48.09	Vertical
1890.500	-46.70	-13.00	33.70	Horizontal
3308.588	-65.13	-13.00	52.13	Horizontal
4136.363	-57.02	-13.00	44.02	Horizontal

7.1.1.1.2 Test Channel = HCH

Frequency (MHz)	Level (dBm)	Limit Line (dBm)	Over Limit (dB)	Polarization
1654.000	-62.14	-13.00	49.14	Vertical
1893.500	-52.97	-13.00	39.97	Vertical
4136.363	-61.37	-13.00	48.37	Vertical
1901.500	-53.82	-13.00	40.82	Horizontal
3308.588	-65.39	-13.00	52.39	Horizontal
4136.363	-57.06	-13.00	44.06	Horizontal

NOTE:

 All modes are tested, but the data presented above is the worst case. the disturbance above 13GHz and below 30MHz was very low, and the above harmonics were the highest point could be found when testing, so only the above harmonics had been displayed



Report No.: SZEM161201075001

Page: 31 of 33

8 Frequency Stability

8.1 Frequency Error VS. Voltage

Test Band	Test Mode	Test Channel	Test Temp.	Test Volt.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
				VL	0.99	0.00120	PASS
		LCH	TN	VN	-0.14	-0.00017	PASS
				VH	2.29	0.00277	PASS
				VL	-3.09	-0.00369	PASS
	UMTS/TM1	MCH	TN	VN	0.12	0.00014	PASS
				VH	-2.77	-0.00331	PASS
		НСН	TN	VL	1.67	0.00197	PASS
				VN	-4.39	-0.00519	PASS
WCDMA				VH	2.24	0.00265	PASS
850		LCH	TN	VL	-3.98	-0.00482	PASS
				VN	3.38	0.00409	PASS
				VH	1.23	0.00149	PASS
		MCH	TN	VL	-4.29	-0.00513	PASS
	UMTS/TM2			VN	-2.99	-0.00357	PASS
				VH	3.27	0.00391	PASS
		НСН		VL	-0.88	-0.00104	PASS
			TN	VN	-3.05	-0.00360	PASS
				VH	4.26	0.00503	PASS



Report No.: SZEM161201075001

Page: 32 of 33

8.2 Frequency Error VS. Temperature

Test Band	Test Mode	Test Channel	Test Volt.	Test Temp.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
				-30	-2.30	-0.00278	PASS
				-20	0.19	0.00023	PASS
				-10	4.20	0.00508	PASS
				0	-3.23	-0.00391	PASS
		LCH	VN	10	-1.11	-0.00134	PASS
				20	5.50	0.00666	PASS
				30	0.89	0.00108	PASS
				40	-6.00	-0.00726	PASS
				50	-4.89	-0.00592	PASS
				-30	2.33	0.00279	PASS
				-20	3.40	0.00406	PASS
		МСН		-10	-2.89	-0.00345	PASS
WCDMA				0	-0.77	-0.00092	PASS
850	UMTS/TM1		VN	10	1.21	0.00145	PASS
650				20	3.00	0.00359	PASS
				30	-3.19	-0.00381	PASS
				40	5.25	0.00628	PASS
				50	-4.48	-0.00536	PASS
				-30	-5.14	-0.00607	PASS
				-20	-0.19	-0.00022	PASS
				-10	0.43	0.00051	PASS
				0	2.39	0.00282	PASS
		HCH	VN	10	-6.01	-0.00710	PASS
				20	3.49	0.00412	PASS
				30	1.19	0.00141	PASS
				40	-3.34	-0.00395	PASS
				50	-5.04	-0.00595	PASS



Report No.: SZEM161201075001

Page: 33 of 33

	r age. 33 or 33						
Test Band	Test Mode	Test Channel	Test Volt.	Test Temp.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
				-30	-4.89	-0.00592	PASS
				-20	0.92	0.00111	PASS
				-10	-1.48	-0.00179	PASS
				0	4.46	0.00540	PASS
		LCH	VN	10	3.30	0.00399	PASS
				20	-0.78	-0.00094	PASS
				30	1.40	0.00169	PASS
				40	-4.55	-0.00551	PASS
				50	6.24	0.00755	PASS
				-30	0.99	0.00118	PASS
		2 MCH		-20	5.39	0.00644	PASS
			VN	-10	-5.02	-0.00600	PASS
WCDMA				0	1.03	0.00123	PASS
850	UMTS/TM2			10	5.33	0.00637	PASS
030				20	-2.99	-0.00357	PASS
				30	-2.34	-0.00280	PASS
				40	1.10	0.00131	PASS
				50	-0.39	-0.00047	PASS
				-30	-2.24	-0.00265	PASS
				-20	-6.04	-0.00713	PASS
				-10	3.05	0.00360	PASS
				0	2.66	0.00314	PASS
		HCH	VN	10	1.21	0.00143	PASS
				20	-4.99	-0.00589	PASS
				30	5.90	0.00697	PASS
				40	-6.00	-0.00709	PASS
				50	2.59	0.00306	PASS

The End