


Intertek

FCC ID: ZQ8RCGP4005B  
IC: 135AD-RCGP4005B

# FCC ID & IC Label

Intertek

FCC ID: ZQ8RCGP4005B  
IC: 135AD-RCGP4005B



EUT Size: 45mm \* 140mm

FCC Label Location




<p>A</p> <p>B</p> <p>C</p> <p>D</p> <p>E</p> <p>F</p>	<p>Film: Printing on Middle Cover Color: Pantone Grey 422C</p> 	<p>GENERAL COMMENTS -BASIC TOOL:3139 234 1293.1 -Must be free of PCB and PCT acc. to UAN-D1675 -Must be free from cadmium acc. to UAN-d-1597 SPECIFICATION -PRINTING REQUIREMENTS:APP0-RDA2-RCS2-ADH-RCC(ACCORDING TO UN-1235) -SPRAY REQUIREMENTS:APP0-RDA2-RCS2-ADH-RCC(ACCORDING TO UN-1235) -PRINTING SPECIFICATIONS: -MAXIMUM OFFSET &amp; SLANTING 0.2MM -GRAPHIC TO FOLLOW FILM -ALL FILM THE FILE JUST STAND FOR FINAL EFFECT, NOT ALLOWED TO BE USED FOR FILM MAKING DIRECTLY FOR CURVE SURFACE</p> <p>ENVIRONMENTAL REQUIREMENT: NO BANNED SUBSTANCES ACC. TO UAT-0480/100</p> <p>CN: ---- Set Name: RCGP4005 UN-1041 TOLERANCES UNLESS OTHERWISE STATED DIMENSIONS ANGLE ±0.2 ±0.5 ITEM ASSEMBLY NO. QUANT. PATTERN NO. ORDER NO. QUANT. 1 Middle Cover ASSY RCGP400512 3139 237 9077 NAME Zang Qijun SUPERS XXXX XXXX XXXX 1 10 110- 1 A3 --- CHECK DATE 2011-07-14 © KONINKLIJKE PHILIPS ELECTRONICS N.V. 2010</p>
<p>A</p> <p>B</p> <p>C</p> <p>D</p> <p>E</p> <p>F</p>	<p>1 2 3 4 5 6 7 8</p>	<p>1 2 3 4 5 6 7 8</p>

**PHILIPS**



ALL RIGHTS ARE RESERVED. REPRODUCTION IN WHOLE OR IN PART IS PROHIBITED WITHOUT THE WRITTEN CONSENT OF THE COPYRIGHT OWNER.



## **NOTE: Add film after printing**

### Printing Requirements


- Acc.to UN-D1235; App0-Rda2-Rcs2-Clim1

PRINTING COLOR:BLACK

### Adhesive Requirements

- Rearside has to be self adhesived and adhesive protected with an easily removable layer
- Adhesive specification equivalent to Mactac-Macband B1148

Thickness inclusive adhesive = 0.125mm



### General Requirements

- Must be free from PCB and PCT acc. to UD-D1675
- Must be free Cadmium acc. to UAN-D1597
- Product must be free from scratches and damages


### PRINTING SPECIFICATIONS:

- Slanting max 0.2mm
- Graphics acc. to film

### Delivery

- To supply in roll form or sheet form.

ENVIRONMENTAL REQUIREMENT: NO BANNED SUBSTANCES ACC. TO UAW-0470/075

CN:			SET NAME : RCGP						
<input checked="" type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> UN-D 28			Tolerances unless otherwise stated				UN-D 683		
... Ra in um			Dimension	+/- 0.2	Angle	+/- 0.5	ITEM	ASSEMBLY NO.	QUANT.
GENERAL ROUGHNESS	UNIT	MATERIAL	•COLOUR :WHITE						
32	mm	•							
SCALE	PROJ FIRST ANGLE	TREATMENT							
1.000		• • •							
CLASS NO.			6NE100			1		•	
11-07-14 WYH			<b>Printing label</b> <b>RCGP400513/01SB</b>			<b>3139 235 5389</b>		• • • • •	
NAME WANG YEHONG			SUPERS			1	10	110 - 1	
SV		CHECK	DATE 2011-07-14			©	PHILIPS ELECTRONICS SINGAPORE PTE LTD		
A4									