

# RF EXPOSURE REPORT

Applicant	Brookstone.Inc.		
Address	One Innovation Way, Merrimack, NH 03054 United States.		

Manufacturer or Supplier	GUANGZHOU PANYU FANTASIA CREATION TOYS CO.,LTD.		
Address	Block 3 Taishi Industrial Park YuWouTou, Panyu,Guangzhou Guangdong, China		
Product	Rover		
Brand Name	Brookstone		
Model	Rover		
Date of tests	July. 15 ~ August.3 , 2011		



FCC ID: ZRB719302

- **◯** FCC Part 2 (Section 2.1091)
- FCC OET Bulletin 65, Supplement C (01-01)
- **◯** IEEE C95.1

#### CONCLUSION: The submitted sample was found to **COMPLY** with the test requirement

Reviewed by Jade Yang Supervisor / EMC Department	Approved by Sam Tung Manager / EMC Department
Fade Lang	rand
	Date: Aug 09, 2011

This report is for your exclusive use. Any copying or replication of this report to or for any other person or entity, or use of our name or trademark, is permitted only with our prior written permission. This report sets forth our findings solely with respect to the test samples identified herein. The results set forth in this report are not indicative or representative of the quality or characteristics of the lot from which a test sample was taken or any similar or identical product unless specifically and expressly noted. Our report includes all of the tests requested by you and the results thereof based upon the information that you provided to us. You have 60 days from date of issuance of this report to notify us of any material error or omission caused by our negligence, provided, however, that such notice shall be in writing and shall specifically address the issue you wish to raise. A failure to raise such issue within the prescribed time shall constitute your unqualified acceptance of the completeness of this report, the tests conducted and the correctness of the report contents. Unless specific mention, the uncertainty of measurement has been explicitly taken into account to declare the compliance or non-compliance to the specification

Email: customerservice.dg@cn.bureauveritas.com



### FCC ID: ZRB719302

## **Table of Contents**

RELE	ASE CONTROL RECORD	3
1.	CERTIFICATION	4
	RF Exposure Limit	
3.	MPE calculation Formula	5
4.	Classification	.5
5	CALCULATION RESULT OF MAXIMUM CONDUCTED POWER	6

Tel: +86 769 8593 5656 Fax: +86 769 8593 1080

Email: <u>customerservice.dg@cn.bureauveritas.com</u>



FCC ID: ZRB719302

# **RELEASE CONTROL RECORD**

ISSUE NO.	REASON FOR CHANGE	DATE ISSUED
Original release	N/A	August. 3, 2011

Tel: +86 769 8593 5656 Fax: +86 769 8593 1080

China Email: <u>customerservice.dg@cn.bureauveritas.com</u>



BUREAU VERITAS Test Report No.: FS110708N001 FCC ID: ZRB719302

### 1. CERTIFICATION

**PRODUCT:** Rover

**MODEL:** Rover

**BRAND**: Brookstone

APPLICANT: Brookstone, Inc.

TESTED: Bureau Veritas Shenzhen Co., Ltd. Dongguan Branch

TEST SAMPLE: ENGINEERING SAMPLE

STANDARDS: FCC Part 2 (Section 2.1091)

FCC OET Bulletin 65, Supplement C (01-01)

**IEEE C95.1** 

Fax: +86 769 8593 1080
Email: customerservice.dg@cn.bureauveritas.com

Danast Varian

Tel: +86 769 8593 5656



Test Report No.: FS110708N001 FCC ID: ZRB719302

### 2. RF Exposure Limit

### LIMITS FOR MAXIMUM PERMISSIBLE EXPOSURE (MPE)

FREQUENCY RANGE (MHz)	ELECTRIC FIELD STRENGTH (V/m)	MAGNETIC FIELD STRENGTH (A/m)	POWER DENSITY (mW/cm²)	AVERAGE TIME (minutes)		
LIMITS FOR GENERAL POPULATION / UNCONTROLLED EXPOSURE						
300-1500			F/1500	30		
1500-100,000			1.0	30		

F = Frequency in MHz

### 3. MPE calculation Formula

 $Pd = (Pout*G) / (4*pi*r^2)$ 

where

Pd = power density in mW/cm<sup>2</sup>

Pout = output power to antenna in mW

G = gain of antenna in linear scale

Pi = 3.1416

R = distance between observation point and center of the radiator in cm

### 4. Classification

The antenna of this product, under normal use condition, is at least 20cm away from the body of the user. So, this device is classified as **Mobile Device**.

Tel: +86 769 8593 5656 Fax: +86 769 8593 1080

Email: customerservice.dg@cn.bureauveritas.com

Page 5 of 6 Report Version 1



FCC ID: ZRB719302

### 5. CALCULATION RESULT OF MAXIMUM CONDUCTED POWER

FREQUENCY BAND (MHz)	MAX POWER (dBm)	ANTENNA GAIN (dBi)	DISTANCE (cm)	POWER DENSITY (mW/cm²)	LIMIT (mW/cm²)
802.11b max 2462MHz	19.45	2.0	20	0.0277	1.00
802.11g Max 2462MHz	20.60	2.0	20	0.0362	1.00
802.11n 20MHz Max 2462MHz	18.98	2.0	20	0.0249	1.00
802.11n 40MHz Max 2452MHz	18.23	2.0	20	0.0209	1.00

Tel: +86 769 8593 5656 Fax: +86 769 8593 1080

Email: customerservice.dg@cn.bureauveritas.com