

## User Manual

- a. Firstly assemble the button battery in watch housing and check the RX also be connected to power.
- b. Touching one time of the RX switch, then touch TX watch power switch up or down .the LED will be lighted with red color and be keeping 5 seconds , this means RX and TX already complete match code operation. Of course, if these steps failure, the LED will be blinked twice with Red and be keeping 1.5seconds, attention the TX power is not enough, the LED color will be dark red.(General this step need be completed before assemble, the user don't need to do this operation.)
- c. According to your actual requirement, you may select a switch in surface of watch to control your machine, such as: power switch on or off /up speed switch/down speed switch, one touch or continuous touch one switch is available till achieving your requirement status.

-----Switch on status: Pressing this switch till to more than 2seconds, the LED display will be green. Meaning ON status is success

-----Switch off status: Quickly pressing this switch and loosing your hand finger, the LED will light with red.

-----Switch up/down: quickly press a bit switch or continuing to press the switch till achieving your target status.

**FCC CAUTION:**

This device complies with part 15 of the FCC Rules.  
Operation is subject to the following two conditions:

- (1) The device may not cause harmful interference, and
- (2) This device must accept any interference received,  
including interference that may cause undesired operation

Changes or modifications not expressly approved by the  
party responsible for compliance could void the user's  
authority to operate the equipment