

Compliance Certification Services (Kunshan) Inc.

Page: 1 of 2

Appendix B - Frequency Stability

25КHz, л /4-DQPSK modulation, Assigned Frequency:854.125МHz					
Voltage(V)	Temperature (°C)	Measured Frequency (KHz)	Frequency Deviation(ppm)	Limit (ppm)	Result
48	-30	854.125025	0.03	±1.5	Pass
	-20	854.125036	0.04		
	-10	854.124962	-0.04		
	0	854.125024	0.03		
	10	854.125026	0.03		
	20	854.125038	0.04		
	30	854.124955	-0.05		
	40	854.125068	0.08		
	50	854.125056	0.07		
	55	854.125048	0.06		
44.0	25	854.125017	0.02		
55.0	25	854.125064	0.07		

25KHz, л/4-DQPSK modulation, Assigned Frequency:859.025MHz					
Voltage(V)	Temperature (°C)	Measured Frequency (KHz)	Frequency Deviation(ppm)	Limit (ppm)	Result
	-30	859.025025	0.03	±1.5	Pass
	-20	859.025013	0.02		
	-10	859.025044	0.05		
	0	859.025054	0.06		
48	10	859.024967	-0.04		
40	20	859.024974	-0.03		
	30	859.025051	0.06		
	40	859.025022	0.03		
	50	859.025034	0.04		
	55	859.025026	0.03		
44.0	25	859.025049	0.06		
55.0	25	859.025046	0.05		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Cond

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 中国・江苏・昆山市留学生创业园伟业路10号 邮编 215300 t(86-512)57355888 f(86-512)57370818 www.sgsgroup.com.cn t(86-512)57355888 f(86-512)57370818 sgs.china@sgs.com



Compliance Certification Services (Kunshan) Inc.

(Kunshan) Inc. Page: 2 of 2

25KHz, π/4-DQPSK modulation, Assigned Frequency:868.975MHz					
Voltage(V)	Temperature	Measured Frequency (KHz)	Frequency Deviation(ppm)	Limit (ppm)	Result
	(℃)	Frequency (Kriz)	Deviation(ppin)	(ррііі)	
40	-30	868.974934	-0.08	±1.5	Pass
	-20	868.974986	-0.02		
	-10	868.975035	0.04		
	0	868.974974	-0.03		
	10	868.975015	0.02		
48	20	868.975024	0.03		
	30	868.975045	0.05		
	40	868.974967	-0.04		
	50	868.974985	-0.02		
	55	868.974984	-0.02		
44.0	25	868.975016	0.02		
55.0	25	868.975035	0.04		

25КHz, л/4-DQPSK modulation, Assigned Frequency:869.875МHz					
Voltage(V)	Temperature	Measured	Frequency	Limit	Result
	(℃)	Frequency (KHz)	Deviation(ppm)	(ppm)	
	-30	869.875024	0.03	±1.5	Pass
	-20	869.874985	-0.02		
	-10	869.874962	-0.04		
	0	869.875018	0.02		
40	10	869.875027	0.03		
48	20	869.875032	0.04		
	30	869.875034	0.04		
	40	869.874983	-0.02		
	50	869.875044	0.05		
	55	869.875054	0.06		
44.0	25	869.875014	0.02		
55.0	25	869.875033	0.04		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-a-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 中国・江苏・昆山市留学生创业园伟业路10号 邮编 215300 t(86-512)57355888 f(86-512)57370818 www.sgsgroup.com.cn t(86-512)57355888 f(86-512)57370818 sgs.china@sgs.com