

FCC ID: ZWYMC55

According to 15.212 and 996369 D01 Module Equip Auth Guide v01r04 to Apply for limit modular approval

Item	Modular approval requirement	EUT description	Yes or No
1	The modular transmitter must have its own RF shielding.		No
2	The module must have buffered modulation/data inputs to ensure that the device will comply with Part 15 requirements with any type of input signal	Data inputs to the module are buffered through log or microcontroller connections.	Yes
3	The modular transmitter must have its own power supply regulation.	RF Voltage regulation is handled on the module.	Yes
4	The module must contain a permanently attached antenna, or contain a unique antenna connector, and be marketed and operated only with specific antenna(s), per Sections 15.203, 15.204(b), 15.204(c), 15.212(a), 2.929(b);	This antenna is permanently attached on the modular	Yes
5	The module must demonstrate compliance in a stand-alone configuration	Please refer to test setup photo, The distance between the EUT and host is greater than 10cm.	Yes
6	The module must be labelled with its permanently affixed FCC ID label, or use an electronic display (See KDB Publication 784748 about labelling requirements)	Please refer to FCC ID label format and location and user manual file.	Yes

7	<p>The module must comply with all specific rules applicable to the transmitter including all the conditions provided in the integration instructions by the grantee</p> <p>Refer to modular installation manual.</p>		Yes
8	<p>The module must comply with RF exposure requirements</p> <p>Refer to RF exposure evaluation letter which is according to 447498 D01 General RF Exposure Guidance v05</p>		Yes

Dated this 2014-6-10

By: Penghui Zuo

Signature

Penghui Zuo

Printed

Title: PM

On behalf of : Shinwa Industries (China) Ltd.

Telephone: +86-0752-2602373