

DATA SHEET

WIRELESS COMPONENTS

FR4 Chip Antenna
ANT1204F002R0433A

433MHz
1204 Series

陈隆生

2013/13

李智



FEATURES

- Compact size
- Omni-directional Radiation
- Tape & reel automatic mounting
- Reflow process compatible
- RoHS compliant

APPLICATIONS

- Smart meter
- Industrial remote control
- ISM band equipment

ORDERING INFORMATION

All part numbers are identified by the series, packing type, material, size, antenna type, working frequency and packing quantity.

PART NUMBER

ANT 1204 F 002 R 0433A
(1) (2) (3) (4) (5) (6)

(1) PRODUCT

ANT = Antenna

(2) SIZE

1204=12×4

(3) ANTENNA TYPE

L, F, A=Chip antenna

(4) SERIAL NO.

002

(5) PACKING STYLE

R = Tape and Reel

(6) WORKING FREQUENCY

0433=433 MHz

PHYCOMP CTC

CAN4311059020431K

12NC

431105902043

SPECIFICATION

Table 1

DESCRIPTION	VALUE
Centre Frequency 频率	433 MHz
Bandwidth 带宽	28MHz (Typ.)
Return Loss	6.5 dB min
Polarization 极化	Linear
Azimuth Beamwidth	Omni-directional
Peak Gain 增益	0.79 dBi (Typ.)
Impedance 阻抗	50 Ω
Operating Temperature 温度	- 40~105 $^{\circ}$ C
Maximum Power 功率	1 W
Termination	Cu / Au (Environmentally-Friendly Leadless)
Resistance to Soldering Heats 耐热	260 $^{\circ}$ C , 10sec.

NOTE

1. The specification is defined on Yageo evaluation board

DIMENSIONS

Table 2 Machinical Dimension

	DIMENSION
L (mm)	12.30 $\pm$ 0.20
W (mm)	4.00 $\pm$ 0.20
T (mm)	1.60 $\pm$ 0.20
A (mm)	0.50 $\pm$ 0.20

OUTLINES





Fig. 1 Antenna outlines

Table 3 Termination configuration


TERMINAL NAME	FUNCTION
S1	Feeding Point
S2	Soldering Point

REFERENCE DESIGN OF EVALUATION BOARD



Unit : mm

Fig. 3 Outlook and dimension of evaluation board





Unit : mm

Fig. 4 Details of soldering Pad

YNH00129

ELECTRICAL PERFORMANCES



REVISION HISTORY


REVISION	DATE	CHANGE NOTIFICATION	DESCRIPTION
----------	------	---------------------	-------------

Version 0	Aug. 05, 2013	-	
-----------	---------------	---	--

			- New data sheet for SMD type antenna, 433MHz application, I204 series
--	--	--	---

补充说明

1. 该产品有方向，根据印字码的顺时针方向识别 S1，S2 的贴装位置。
2. 如下图：



3.来料编带方式如下图:

