


Test Mode	UNII-2C_TX N(HT20) Mode
-----------	-------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
100	5500	20.590	17.600
116	5580	20.349	17.600
140	5700	20.250	17.600

CH100




Date: 7.MAY.2025 17:33:18

CH116
26 dB Bandwidth




Date: 7.MAY.2025 17:35:10

CH140




Date: 7.MAY.2025 17:37:53


99 % Occupied Bandwidth



Date: 7.MAY.2025 17:32:52



Date: 7.MAY.2025 17:34:45




Date: 7.MAY.2025 17:37:27

Test Mode	UNII-2C_TX N(HT40) Mode
-----------	-------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
102	5510	39.817	37.000
110	5550	40.208	37.000
134	5670	40.008	37.000

CH102




Date: 7.MAY.2025 18:06:47

CH110
26 dB Bandwidth




Date: 7.MAY.2025 18:08:23

CH134




Date: 7.MAY.2025 18:10:35


99 % Occupied Bandwidth



Date: 7.MAY.2025 18:06:09



Date: 7.MAY.2025 18:07:47




Date: 7.MAY.2025 18:09:59

Test Mode	UNII-2C_TX AC(VHT80) Mode
-----------	---------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
106	5530	81.400	76.000
122	5610	81.400	76.000

CH106




Date: 7.MAY.2025 19:33:48

CH122
26 dB Bandwidth




Date: 7.MAY.2025 19:35:48

99 % Occupied Bandwidth



Date: 7.MAY.2025 19:33:13




Date: 7.MAY.2025 19:35:13

Test Mode	UNII-3_TX A Mode
-----------	------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
149	5745	15.500	16.700	0.5	Complies
157	5785	15.400	16.700	0.5	Complies
165	5825	15.190	16.600	0.5	Complies

CH149




Date: 7.MAY.2025 17:09:18

CH157
6 dB Bandwidth




Date: 7.MAY.2025 17:11:01

CH165




Date: 7.MAY.2025 17:12:46


99 % Occupied Bandwidth



Date: 7.MAY.2025 17:09:48



Date: 7.MAY.2025 17:10:31




Date: 7.MAY.2025 17:12:16

Test Mode	UNII-3_TX N(HT20) Mode
-----------	------------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
149	5745	16.250	17.700	0.5	Complies
157	5785	15.799	17.700	0.5	Complies
165	5825	16.350	17.700	0.5	Complies

CH149




Date: 7.MAY.2025 17:41:31

CH157
6 dB Bandwidth




Date: 7.MAY.2025 17:43:56

CH165




Date: 7.MAY.2025 17:45:22


99 % Occupied Bandwidth



Date: 7.MAY.2025 17:41:02



Date: 7.MAY.2025 17:43:27




Date: 7.MAY.2025 17:44:54

Test Mode	UNII-3_TX N(HT40) Mode
-----------	------------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
151	5755	36.000	37.200	0.5	Complies
159	5795	36.000	37.000	0.5	Complies

CH151




Date: 7.MAY.2025 18:12:52

CH159
6 dB Bandwidth




Date: 7.MAY.2025 18:16:21

99 % Occupied Bandwidth



Date: 7.MAY.2025 18:12:16




Date: 7.MAY.2025 18:15:39

Test Mode	UNII-3_TX AC(VHT80) Mode
-----------	--------------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
155	5775	77.000	76.000	0.5	Complies

CH155 6 dB Bandwidth



Date: 7.MAY.2025 19:37:48

99 % Occupied Bandwidth



Date: 7.MAY.2025 19:37:11

APPENDIX E - MAXIMUM OUTPUT POWER

Test Mode	UNII-1_TX A Mode_Ant. 1
Test Date	2025/4/18

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	9.98	0.21	10.19	23.98	0.2500	Complies
40	5200	9.95	0.21	10.16	23.98	0.2500	Complies
48	5240	10.02	0.21	10.23	23.98	0.2500	Complies

Test Mode	UNII-1_TX A Mode_Ant. 2
Test Date	2025/4/18

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	7.75	0.21	7.96	23.98	0.2500	Complies
40	5200	8.88	0.21	9.09	23.98	0.2500	Complies
48	5240	9.01	0.21	9.22	23.98	0.2500	Complies

Test Mode	UNII-1_TX A Mode_Total
Test Date	2025/4/18

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	12.23	23.98	0.2500	Complies
40	5200	12.67	23.98	0.2500	Complies
48	5240	12.77	23.98	0.2500	Complies

Test Mode	UNII-1_TX N(HT20) Mode_Ant. 1
Test Date	2025/4/18

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	7.03	0.19	7.22	23.98	0.2500	Complies
40	5200	7.04	0.19	7.23	23.98	0.2500	Complies
48	5240	6.91	0.19	7.10	23.98	0.2500	Complies

Test Mode	UNII-1_TX N(HT20) Mode_Ant. 2
Test Date	2025/4/18

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	5.94	0.19	6.13	23.98	0.2500	Complies
40	5200	5.36	0.19	5.55	23.98	0.2500	Complies
48	5240	4.88	0.19	5.07	23.98	0.2500	Complies

Test Mode	UNII-1_TX N(HT20) Mode_Total
Test Date	2025/4/18

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	9.72	23.98	0.2500	Complies
40	5200	9.49	23.98	0.2500	Complies
48	5240	9.22	23.98	0.2500	Complies

Test Mode	UNII-1_TX N(HT40) Mode_Ant. 1
Test Date	2025/4/18

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	6.68	0.00	6.68	23.98	0.2500	Complies
46	5230	6.78	0.00	6.78	23.98	0.2500	Complies

Test Mode	UNII-1_TX N(HT40) Mode_Ant. 2
Test Date	2025/4/18

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	5.24	0.00	5.24	23.98	0.2500	Complies
46	5230	4.80	0.00	4.80	23.98	0.2500	Complies

Test Mode	UNII-1_TX N(HT40) Mode_Total
Test Date	2025/4/18

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	9.03	23.98	0.2500	Complies
46	5230	8.91	23.98	0.2500	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 1
Test Date	2025/4/18

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	6.97	0.21	7.18	23.98	0.2500	Complies
40	5200	6.74	0.21	6.95	23.98	0.2500	Complies
48	5240	6.90	0.21	7.11	23.98	0.2500	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 2
Test Date	2025/4/18

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	5.49	0.21	5.70	23.98	0.2500	Complies
40	5200	4.91	0.21	5.12	23.98	0.2500	Complies
48	5240	4.98	0.21	5.19	23.98	0.2500	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Total
Test Date	2025/4/18

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	9.51	23.98	0.2500	Complies
40	5200	9.14	23.98	0.2500	Complies
48	5240	9.26	23.98	0.2500	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 1
Test Date	2025/4/18

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	6.95	0.00	6.95	23.98	0.2500	Complies
46	5230	6.88	0.00	6.88	23.98	0.2500	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 2
Test Date	2025/4/18

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	5.42	0.00	5.42	23.98	0.2500	Complies
46	5230	4.97	0.00	4.97	23.98	0.2500	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Total
Test Date	2025/4/18

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	9.26	23.98	0.2500	Complies
46	5230	9.04	23.98	0.2500	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 1
Test Date	2025/4/18

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	5.76	0.00	5.76	23.98	0.2500	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 2
Test Date	2025/4/18

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	4.46	0.00	4.46	23.98	0.2500	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Total
Test Date	2025/4/18

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	8.17	23.98	0.2500	Complies

Test Mode	UNII-2A_TX A Mode_Ant. 1
Test Date	2025/4/18

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	9.85	0.21	10.06	23.98	0.2500	Complies
60	5300	9.92	0.21	10.13	23.98	0.2500	Complies
64	5320	10.02	0.21	10.23	23.98	0.2500	Complies

Test Mode	UNII-2A_TX A Mode_Ant. 2
Test Date	2025/4/18

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	8.37	0.21	8.58	23.98	0.2500	Complies
60	5300	8.03	0.21	8.24	23.98	0.2500	Complies
64	5320	8.22	0.21	8.43	23.98	0.2500	Complies

Test Mode	UNII-2A_TX A Mode_Total
Test Date	2025/4/18

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	12.39	23.98	0.2500	Complies
60	5300	12.30	23.98	0.2500	Complies
64	5320	12.43	23.98	0.2500	Complies

Test Mode	UNII-2A_TX N(HT20) Mode_Ant. 1
Test Date	2025/4/18

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	6.92	0.19	7.11	23.98	0.2500	Complies
60	5300	6.91	0.19	7.10	23.98	0.2500	Complies
64	5320	6.96	0.19	7.15	23.98	0.2500	Complies

Test Mode	UNII-2A_TX N(HT20) Mode_Ant. 2
Test Date	2025/4/18

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	4.46	0.19	4.65	23.98	0.2500	Complies
60	5300	4.44	0.19	4.63	23.98	0.2500	Complies
64	5320	4.38	0.19	4.57	23.98	0.2500	Complies

Test Mode	UNII-2A_TX N(HT20) Mode_Total
Test Date	2025/4/18

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	9.07	23.98	0.2500	Complies
60	5300	9.05	23.98	0.2500	Complies
64	5320	9.06	23.98	0.2500	Complies

Test Mode	UNII-2A_TX N(HT40) Mode_Ant. 1
Test Date	2025/4/18

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	6.98	0.00	6.98	23.98	0.2500	Complies
62	5310	6.88	0.00	6.88	23.98	0.2500	Complies

Test Mode	UNII-2A_TX N(HT40) Mode_Ant. 2
Test Date	2025/4/18

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	4.41	0.00	4.41	23.98	0.2500	Complies
62	5310	3.62	0.00	3.62	23.98	0.2500	Complies

Test Mode	UNII-2A_TX N(HT40) Mode_Total
Test Date	2025/4/18

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	8.89	23.98	0.2500	Complies
62	5310	8.56	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT20) Mode_Ant. 1
Test Date	2025/4/18

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	6.82	0.21	7.03	23.98	0.2500	Complies
60	5300	6.72	0.21	6.93	23.98	0.2500	Complies
64	5320	6.88	0.21	7.09	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT20) Mode_Ant. 2
Test Date	2025/4/18

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	4.85	0.21	5.06	23.98	0.2500	Complies
60	5300	4.49	0.21	4.70	23.98	0.2500	Complies
64	5320	4.78	0.21	4.99	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT20) Mode_Total
Test Date	2025/4/18

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	9.16	23.98	0.2500	Complies
60	5300	8.97	23.98	0.2500	Complies
64	5320	9.17	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 1
Test Date	2025/4/18

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	6.99	0.00	6.99	23.98	0.2500	Complies
62	5310	6.93	0.00	6.93	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 2
Test Date	2025/4/18

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	4.79	0.00	4.79	23.98	0.2500	Complies
62	5310	4.99	0.00	4.99	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT40) Mode_Total
Test Date	2025/4/18

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	9.04	23.98	0.2500	Complies
62	5310	9.08	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 1
Test Date	2025/4/18

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	5.92	0.00	5.92	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 2
Test Date	2025/4/18

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	4.49	0.00	4.49	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT80) Mode_Total
Test Date	2025/4/18

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	8.27	23.98	0.2500	Complies

Test Mode	UNII-2C_TX A Mode_Ant. 1
Test Date	2025/4/18

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	14.11	0.21	14.32	23.98	0.2500	Complies
116	5580	14.14	0.21	14.35	23.98	0.2500	Complies
140	5700	13.97	0.21	14.18	23.98	0.2500	Complies

Test Mode	UNII-2C_TX A Mode_Ant. 2
Test Date	2025/4/18

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	12.93	0.21	13.14	23.98	0.2500	Complies
116	5580	13.19	0.21	13.40	23.98	0.2500	Complies
140	5700	12.44	0.21	12.65	23.98	0.2500	Complies

Test Mode	UNII-2C_TX A Mode_Total
Test Date	2025/4/18

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	16.78	23.98	0.2500	Complies
116	5580	16.91	23.98	0.2500	Complies
140	5700	16.49	23.98	0.2500	Complies

Test Mode	UNII-2C_TX N(HT20) Mode_Ant. 1
Test Date	2025/4/18

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	9.91	0.19	10.10	23.98	0.2500	Complies
116	5580	9.83	0.19	10.02	23.98	0.2500	Complies
140	5700	10.03	0.19	10.22	23.98	0.2500	Complies

Test Mode	UNII-2C_TX N(HT20) Mode_Ant. 2
Test Date	2025/4/18

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	7.42	0.19	7.61	23.98	0.2500	Complies
116	5580	8.44	0.19	8.63	23.98	0.2500	Complies
140	5700	8.43	0.19	8.62	23.98	0.2500	Complies

Test Mode	UNII-2C_TX N(HT20) Mode_Total
Test Date	2025/4/18

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	12.05	23.98	0.2500	Complies
116	5580	12.40	23.98	0.2500	Complies
140	5700	12.51	23.98	0.2500	Complies

Test Mode	UNII-2C_TX N(HT40) Mode_Ant. 1
Test Date	2025/4/18

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	9.97	0.00	9.97	23.98	0.2500	Complies
110	5550	9.71	0.00	9.71	23.98	0.2500	Complies
134	5670	9.86	0.00	9.86	23.98	0.2500	Complies

Test Mode	UNII-2C_TX N(HT40) Mode_Ant. 2
Test Date	2025/4/18

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	6.99	0.00	6.99	23.98	0.2500	Complies
110	5550	7.44	0.00	7.44	23.98	0.2500	Complies
134	5670	8.48	0.00	8.48	23.98	0.2500	Complies

Test Mode	UNII-2C_TX N(HT40) Mode_Total
Test Date	2025/4/18

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	11.74	23.98	0.2500	Complies
110	5550	11.73	23.98	0.2500	Complies
134	5670	12.23	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 1
Test Date	2025/4/18

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	9.97	0.21	10.18	23.98	0.2500	Complies
116	5580	9.89	0.21	10.10	23.98	0.2500	Complies
140	5700	9.81	0.21	10.02	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 2
Test Date	2025/4/18

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	6.88	0.21	7.09	23.98	0.2500	Complies
116	5580	7.34	0.21	7.55	23.98	0.2500	Complies
140	5700	8.01	0.21	8.22	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT20) Mode_Total
Test Date	2025/4/18

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	11.91	23.98	0.2500	Complies
116	5580	12.02	23.98	0.2500	Complies
140	5700	12.22	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT40) Mode_Ant. 1
Test Date	2025/4/18

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	10.00	0.00	10.00	23.98	0.2500	Complies
110	5550	9.72	0.00	9.72	23.98	0.2500	Complies
134	5670	10.89	0.00	10.89	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT40) Mode_Ant. 2
Test Date	2025/4/18

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	7.02	0.00	7.02	23.98	0.2500	Complies
110	5550	7.56	0.00	7.56	23.98	0.2500	Complies
134	5670	8.98	0.00	8.98	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT40) Mode_Total
Test Date	2025/4/18

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	11.77	23.98	0.2500	Complies
110	5550	11.78	23.98	0.2500	Complies
134	5670	13.05	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 1
Test Date	2025/4/18

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	9.61	0.00	9.61	23.98	0.2500	Complies
122	5610	8.88	0.00	8.88	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 2
Test Date	2025/4/18

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	7.11	0.00	7.11	23.98	0.2500	Complies
122	5610	7.08	0.00	7.08	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT80) Mode_Total
Test Date	2025/4/18

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	11.55	23.98	0.2500	Complies
122	5610	11.08	23.98	0.2500	Complies

Test Mode	UNII-3_TX A Mode_Ant. 1
Test Date	2025/4/18

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	13.97	0.21	14.18	30.00	1.0000	Complies
157	5785	13.93	0.21	14.14	30.00	1.0000	Complies
165	5825	13.87	0.21	14.08	30.00	1.0000	Complies

Test Mode	UNII-3_TX A Mode_Ant. 2
Test Date	2025/4/18

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	12.58	0.21	12.79	30.00	1.0000	Complies
157	5785	12.59	0.21	12.80	30.00	1.0000	Complies
165	5825	12.66	0.21	12.87	30.00	1.0000	Complies

Test Mode	UNII-3_TX A Mode_Total
Test Date	2025/4/18

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	16.55	30.00	1.0000	Complies
157	5785	16.53	30.00	1.0000	Complies
165	5825	16.53	30.00	1.0000	Complies

Test Mode	UNII-3_TX N(HT20) Mode_Ant. 1
Test Date	2025/4/18

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	11.01	0.19	11.20	30.00	1.0000	Complies
157	5785	10.88	0.19	11.07	30.00	1.0000	Complies
165	5825	10.92	0.19	11.11	30.00	1.0000	Complies

Test Mode	UNII-3_TX N(HT20) Mode_Ant. 2
Test Date	2025/4/18

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	9.42	0.19	9.61	30.00	1.0000	Complies
157	5785	9.23	0.19	9.42	30.00	1.0000	Complies
165	5825	9.28	0.19	9.47	30.00	1.0000	Complies

Test Mode	UNII-3_TX N(HT20) Mode_Total
Test Date	2025/4/18

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	13.49	30.00	1.0000	Complies
157	5785	13.34	30.00	1.0000	Complies
165	5825	13.38	30.00	1.0000	Complies

Test Mode	UNII-3_TX N(HT40) Mode_Ant. 1
Test Date	2025/4/18

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	10.79	0.00	10.79	30.00	1.0000	Complies
159	5795	10.81	0.00	10.81	30.00	1.0000	Complies

Test Mode	UNII-3_TX N(HT40) Mode_Ant. 2
Test Date	2025/4/18

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	9.98	0.00	9.98	30.00	1.0000	Complies
159	5795	9.04	0.00	9.04	30.00	1.0000	Complies

Test Mode	UNII-3_TX N(HT40) Mode_Total
Test Date	2025/4/18

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	13.41	30.00	1.0000	Complies
159	5795	13.02	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 1
Test Date	2025/4/18

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	10.88	0.21	11.09	30.00	1.0000	Complies
157	5785	10.76	0.21	10.97	30.00	1.0000	Complies
165	5825	10.99	0.21	11.20	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 2
Test Date	2025/4/18

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	8.97	0.21	9.18	30.00	1.0000	Complies
157	5785	9.03	0.21	9.24	30.00	1.0000	Complies
165	5825	9.43	0.21	9.64	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Total
Test Date	2025/4/18

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	13.25	30.00	1.0000	Complies
157	5785	13.20	30.00	1.0000	Complies
165	5825	13.50	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 1
Test Date	2025/4/18

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	10.92	0.00	10.92	30.00	1.0000	Complies
159	5795	10.82	0.00	10.82	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 2
Test Date	2025/4/18

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	8.96	0.00	8.96	30.00	1.0000	Complies
159	5795	9.37	0.00	9.37	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Total
Test Date	2025/4/18

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	13.06	30.00	1.0000	Complies
159	5795	13.17	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 1
Test Date	2025/4/18

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	9.79	0.00	9.79	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 2
Test Date	2025/4/18

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	8.42	0.00	8.42	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Total
Test Date	2025/4/18


Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	12.17	30.00	1.0000	Complies

Note: Output power = Measure result + Cable loss

APPENDIX F - POWER SPECTRAL DENSITY


Test Mode	UNII-1_TX A Mode_Ant. 1
-----------	-------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	-4.23	0.21	-4.02	11.00	Complies
40	5200	-2.62	0.21	-2.41	11.00	Complies
48	5240	-2.54	0.21	-2.33	11.00	Complies



Test Mode	UNII-1_TX A Mode_Ant. 2
-----------	-------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	-2.54	0.21	-2.33	11.00	Complies
40	5200	-1.11	0.21	-0.90	11.00	Complies
48	5240	-1.00	0.21	-0.79	11.00	Complies




Test Mode	UNII-1_TX A Mode_Total
-----------	------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	-0.08	11.00	Complies
40	5200	1.42	11.00	Complies
48	5240	1.52	11.00	Complies


Test Mode	UNII-1_TX N(HT20) Mode_Ant. 1
-----------	-------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	-5.98	0.19	-5.79	11.00	Complies
40	5200	-6.14	0.19	-5.95	11.00	Complies
48	5240	-6.79	0.19	-6.60	11.00	Complies



Test Mode	UNII-1_TX N(HT20) Mode_Ant. 2
-----------	-------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	-4.23	0.19	-4.04	11.00	Complies
40	5200	-4.39	0.19	-4.20	11.00	Complies
48	5240	-4.40	0.19	-4.21	11.00	Complies




Test Mode	UNII-1_TX N(HT20) Mode_Total
-----------	------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	-1.82	11.00	Complies
40	5200	-1.98	11.00	Complies
48	5240	-2.23	11.00	Complies

Test Mode	UNII-1_TX N(HT40) Mode_Ant. 1
-----------	-------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	-10.50	0.00	-10.50	11.00	Complies
46	5230	-10.48	0.00	-10.48	11.00	Complies

CH38



Date: 7.MAY.2025 17:52:44

CH46




Date: 7.MAY.2025 17:54:59

Test Mode	UNII-1_TX N(HT40) Mode_Ant. 2
-----------	-------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	-8.46	0.00	-8.46	11.00	Complies
46	5230	-8.33	0.00	-8.33	11.00	Complies

CH38



Date: 7.MAY.2025 20:46:59

CH46




Date: 7.MAY.2025 20:47:50

Test Mode	UNII-1_TX N(HT40) Mode_Total
-----------	------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	-6.35	11.00	Complies
46	5230	-6.26	11.00	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 1
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	-15.80	0.00	-15.80	11.00	Complies



Date: 7.MAY.2025 19:30:27

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	-12.92	0.00	-12.92	11.00	Complies




Date: 7.MAY.2025 21:03:26

Test Mode	UNII-1_TX AC(VHT80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	-11.12	11.00	Complies


Test Mode	UNII-2A_TX A Mode_Ant. 1
-----------	--------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	-4.20	0.21	-3.99	11.00	Complies
60	5300	-4.16	0.21	-3.95	11.00	Complies
64	5320	-3.68	0.21	-3.47	11.00	Complies



Test Mode	UNII-2A_TX A Mode_Ant. 2
-----------	--------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	-0.93	0.21	-0.72	11.00	Complies
60	5300	-0.62	0.21	-0.41	11.00	Complies
64	5320	-0.83	0.21	-0.62	11.00	Complies




Test Mode	UNII-2A_TX A Mode_Total
-----------	-------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	0.96	11.00	Complies
60	5300	1.18	11.00	Complies
64	5320	1.20	11.00	Complies


Test Mode	UNII-2A_TX N(HT20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	-7.00	0.19	-6.81	11.00	Complies
60	5300	-7.43	0.19	-7.24	11.00	Complies
64	5320	-6.87	0.19	-6.68	11.00	Complies



Test Mode	UNII-2A_TX N(HT20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	-4.33	0.19	-4.14	11.00	Complies
60	5300	-4.24	0.19	-4.05	11.00	Complies
64	5320	-4.22	0.19	-4.03	11.00	Complies




Test Mode	UNII-2A_TX N(HT20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	-2.26	11.00	Complies
60	5300	-2.35	11.00	Complies
64	5320	-2.15	11.00	Complies

Test Mode	UNII-2A_TX N(HT40) Mode_Ant. 1
-----------	--------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	-10.74	0.00	-10.74	11.00	Complies
62	5310	-10.94	0.00	-10.94	11.00	Complies

CH54



Date: 7.MAY.2025 18:03:02

CH62




Date: 7.MAY.2025 18:05:21

Test Mode	UNII-2A_TX N(HT40) Mode_Ant. 2
-----------	--------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	-8.14	0.00	-8.14	11.00	Complies
62	5310	-7.61	0.00	-7.61	11.00	Complies

CH54



Date: 7.MAY.2025 20:48:43

CH62




Date: 7.MAY.2025 20:50:01

Test Mode	UNII-2A_TX N(HT40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	-6.24	11.00	Complies
62	5310	-5.95	11.00	Complies

Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 1
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	-15.69	0.00	-15.69	11.00	Complies



Date: 7.MAY.2025 19:31:40

Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	-12.68	0.00	-12.68	11.00	Complies



Date: 7.MAY.2025 21:04:34


Test Mode	UNII-2A_TX AC(VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	-10.92	11.00	Complies

Test Mode	UNII-2C_TX A Mode_Ant. 1
-----------	--------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	1.60	0.21	1.81	11.00	Complies
116	5580	2.28	0.21	2.49	11.00	Complies
140	5700	0.36	0.21	0.57	11.00	Complies

CH100




Date: 7.MAY.2025 17:02:29

CH116



Date: 7.MAY.2025 17:05:13

CH140




Date: 7.MAY.2025 17:06:51

Test Mode	UNII-2C_TX A Mode_Ant. 2
-----------	--------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	0.43	0.21	0.64	11.00	Complies
116	5580	3.14	0.21	3.35	11.00	Complies
140	5700	1.16	0.21	1.37	11.00	Complies

CH100




Date: 7.MAY.2025 20:08:28

CH116



Date: 7.MAY.2025 20:09:24

CH140




Date: 7.MAY.2025 20:10:09

Test Mode	UNII-2C_TX A Mode_Total
-----------	-------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	4.27	11.00	Complies
116	5580	5.95	11.00	Complies
140	5700	4.00	11.00	Complies


Test Mode	UNII-2C_TX N(HT20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	-2.64	0.19	-2.45	11.00	Complies
116	5580	-2.23	0.19	-2.04	11.00	Complies
140	5700	-3.00	0.19	-2.81	11.00	Complies



Test Mode	UNII-2C_TX N(HT20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	-0.87	0.19	-0.68	11.00	Complies
116	5580	-0.75	0.19	-0.56	11.00	Complies
140	5700	-3.23	0.19	-3.04	11.00	Complies




Test Mode	UNII-2C_TX N(HT20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	1.53	11.00	Complies
116	5580	1.77	11.00	Complies
140	5700	0.09	11.00	Complies


Test Mode	UNII-2C_TX N(HT40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	-6.48	0.00	-6.48	11.00	Complies
110	5550	-5.60	0.00	-5.60	11.00	Complies
134	5670	-6.84	0.00	-6.84	11.00	Complies



Test Mode	UNII-2C_TX N(HT40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	-4.40	0.00	-4.40	11.00	Complies
110	5550	-3.78	0.00	-3.78	11.00	Complies
134	5670	-5.40	0.00	-5.40	11.00	Complies




Test Mode	UNII-2C_TX N(HT40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	-2.31	11.00	Complies
110	5550	-1.59	11.00	Complies
134	5670	-3.05	11.00	Complies


Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	-12.56	0.00	-12.56	11.00	Complies
122	5610	-12.57	0.00	-12.57	11.00	Complies



Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	-9.21	0.00	-9.21	11.00	Complies
122	5610	-9.95	0.00	-9.95	11.00	Complies




Test Mode	UNII-2C_TX AC(VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	-7.56	11.00	Complies
122	5610	-8.06	11.00	Complies


Test Mode UNII-3_TX A Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	-1.90	0.21	-1.69	30.00	Complies
157	5785	-1.70	0.21	-1.49	30.00	Complies
165	5825	-2.48	0.21	-2.27	30.00	Complies



Test Mode UNII-3_TX A Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	-1.00	0.21	-0.79	30.00	Complies
157	5785	-1.14	0.21	-0.93	30.00	Complies
165	5825	-0.81	0.21	-0.60	30.00	Complies




Test Mode UNII-3_TX A Mode_Total


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	1.79	30.00	Complies
157	5785	1.81	30.00	Complies
165	5825	1.66	30.00	Complies

Test Mode UNII-3_TX N(HT20) Mode_Ant. 1


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	-4.35	0.19	-4.16	30.00	Complies
157	5785	-5.48	0.19	-5.29	30.00	Complies
165	5825	-5.23	0.19	-5.04	30.00	Complies



Date: 7.MAY.2025 17:41:47




Date: 7.MAY.2025 17:44:12




Date: 7.MAY.2025 17:45:38

Test Mode UNII-3_TX N(HT20) Mode_Ant. 2


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	-4.77	0.19	-4.58	30.00	Complies
157	5785	-4.43	0.19	-4.24	30.00	Complies
165	5825	-3.84	0.19	-3.65	30.00	Complies



Date: 7.MAY.2025 20:28:23



Date: 7.MAY.2025 20:29:07



Date: 7.MAY.2025 20:29:57


Test Mode UNII-3_TX N(HT20) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	-1.35	30.00	Complies
157	5785	-1.72	30.00	Complies
165	5825	-1.28	30.00	Complies

Test Mode	UNII-3_TX N(HT40) Mode_Ant. 1
-----------	-------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	-9.09	0.00	-9.09	30.00	Complies
159	5795	-10.19	0.00	-10.19	30.00	Complies

CH151



Date: 7.MAY.2025 18:13:14

CH159




Date: 7.MAY.2025 18:16:43

Test Mode	UNII-3_TX N(HT40) Mode_Ant. 2
-----------	-------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	-10.68	0.00	-10.68	30.00	Complies
159	5795	-9.40	0.00	-9.40	30.00	Complies

CH151



Date: 7.MAY.2025 20:53:29

CH159




Date: 7.MAY.2025 20:54:17

Test Mode	UNII-3_TX N(HT40) Mode_Total
-----------	------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	-6.80	30.00	Complies
159	5795	-6.77	30.00	Complies


Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	-14.93	0.00	-14.93	30.00	Complies



Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	-13.75	0.00	-13.75	30.00	Complies



Test Mode	UNII-3_TX AC(VHT80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	-11.29	30.00	Complies

APPENDIX H - FREQUENCY STABILITY

Test Mode	UNII-1
-----------	--------

Voltage vs. Frequency Stability

Voltage (V)	Measurement Frequency (MHz)
Center Frequency	5180.0000
108	
120	
132	
Maximum Deviation (MHz)	
Maximum Deviation (ppm)	

Temperature vs. Frequency Stability

Temperature (°C)	Measurement Frequency (MHz)
Center Frequency	5180.0000
-20	
-10	
0	
10	
20	
30	
40	
50	
Maximum Deviation (MHz)	
Maximum Deviation (ppm)	

Test Mode	UNII-2A
-----------	---------

Voltage vs. Frequency Stability

Voltage (V)	Measurement Frequency (MHz)
Center Frequency	5260.0000
108	
120	
132	
Maximum Deviation (MHz)	
Maximum Deviation (ppm)	

Temperature vs. Frequency Stability

Temperature (°C)	Measurement Frequency (MHz)
Center Frequency	5260.0000
-20	
-10	
0	
10	
20	
30	
40	
50	
Maximum Deviation (MHz)	
Maximum Deviation (ppm)	

Test Mode	UNII-2C
-----------	---------

Voltage vs. Frequency Stability

Voltage (V)	Measurement Frequency (MHz)
Center Frequency	5500.0000
108	
120	
132	
Maximum Deviation (MHz)	
Maximum Deviation (ppm)	

Temperature vs. Frequency Stability

Temperature (°C)	Measurement Frequency (MHz)
Center Frequency	5500.0000
-20	
-10	
0	
10	
20	
30	
40	
50	
Maximum Deviation (MHz)	
Maximum Deviation (ppm)	

Test Mode	UNII-3
-----------	--------

Voltage vs. Frequency Stability

Voltage (V)	Measurement Frequency (MHz)
Center Frequency	5745.0000
108	
120	
132	
Maximum Deviation (MHz)	
Maximum Deviation (ppm)	

Temperature vs. Frequency Stability

Temperature (°C)	Measurement Frequency (MHz)
Center Frequency	5745.0000
-20	
-10	
0	
10	
20	
30	
40	
50	
Maximum Deviation (MHz)	
Maximum Deviation (ppm)	

End of Test Report