





Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
3795.00	41.71	---	74.00	32.29	500.00	200.0	V	3.00	-14
4023.75	---	29.58	54.00	24.42	500.00	100.0	H	31.00	-13
5250.00	---	31.74	54.00	22.26	500.00	100.0	H	2.00	-10
5280.00	43.55	---	74.00	30.45	500.00	200.0	V	188.00	-10
7267.50	47.54	---	74.00	26.46	500.00	200.0	V	55.00	-4
7297.50	---	35.79	54.00	18.21	500.00	200.0	H	223.00	-4
9551.25	50.44	---	74.00	23.57	500.00	200.0	V	233.00	-2
9900.00	---	38.64	54.00	15.36	500.00	200.0	H	5.00	-1
11351.25	---	40.64	54.00	13.36	500.00	200.0	H	0.00	1
11377.50	51.52	---	74.00	22.48	500.00	100.0	H	158.00	1
13893.75	53.39	---	74.00	20.61	500.00	200.0	V	142.00	3
13901.25	---	41.21	54.00	12.79	500.00	200.0	H	296.00	3

802.11b CH11



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1045.50	46.74	---	74.00	27.26	500.00	100.0	H	106.00	-12
1143.50	---	33.03	54.00	20.97	500.00	200.0	H	208.00	-12
1405.50	46.00	---	74.00	28.00	500.00	100.0	V	63.00	-10
1413.00	---	33.83	54.00	20.17	500.00	100.0	V	99.00	-10
1526.50	46.10	---	74.00	27.90	500.00	100.0	H	249.00	-10
1726.50	---	33.92	54.00	20.08	500.00	200.0	V	353.00	-10
2038.50	47.71	---	74.00	26.29	500.00	100.0	V	27.00	-9
2069.00	---	35.25	54.00	18.75	500.00	200.0	V	216.00	-9
2380.00	---	35.78	54.00	18.22	500.00	200.0	V	344.00	-8
2387.00	48.77	---	74.00	25.23	500.00	200.0	H	9.00	-8
2488.00	---	40.47	54.00	13.53	500.00	200.0	H	3.00	-7
2488.50	51.07	---	74.00	22.94	500.00	200.0	H	21.00	-7



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
3813.75	---	29.79	54.00	24.21	500.00	100.0	H	69.00	-14
3930.00	41.40	---	74.00	32.60	500.00	100.0	V	299.00	-14
5017.50	---	31.85	54.00	22.15	500.00	100.0	H	42.00	-10
5178.75	43.56	---	74.00	30.44	500.00	100.0	V	359.00	-10
7335.00	48.25	---	74.00	25.75	500.00	200.0	V	0.00	-4
7346.25	---	35.93	54.00	18.07	500.00	200.0	H	358.00	-4
9810.00	50.50	---	74.00	23.50	500.00	100.0	H	13.00	-2
9896.25	---	38.87	54.00	15.13	500.00	100.0	H	3.00	-1
11602.50	---	39.31	54.00	14.69	500.00	100.0	V	358.00	1
11666.25	51.54	---	74.00	22.46	500.00	100.0	H	129.00	1
13912.50	53.43	---	74.00	20.57	500.00	100.0	V	0.00	3
13991.25	---	41.25	54.00	12.75	500.00	100.0	H	3.00	3

802.11g CH1



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1079.50	---	33.20	54.00	20.80	500.00	200.0	H	277.00	-12
1194.50	45.43	---	74.00	28.57	500.00	100.0	V	167.00	-12
1305.00	46.09	---	74.00	27.91	500.00	200.0	H	355.00	-11
1381.50	---	33.88	54.00	20.12	500.00	100.0	H	0.00	-10
1527.00	---	34.00	54.00	20.00	500.00	100.0	V	214.00	-10
1664.50	46.06	---	74.00	27.94	500.00	100.0	H	228.00	-10
1936.00	47.28	---	74.00	26.72	500.00	200.0	H	168.00	-9
2077.00	---	35.35	54.00	18.65	500.00	100.0	V	66.00	-9
2389.00	---	44.01	54.00	9.99	500.00	100.0	H	0.00	-8
2389.50	61.82	---	74.00	12.18	500.00	100.0	H	3.00	-8
2971.50	50.17	---	74.00	23.83	500.00	100.0	H	138.00	-6
2980.00	---	37.61	54.00	16.39	500.00	200.0	V	0.00	-6



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
3828.75	41.52	---	74.00	32.48	500.00	100.0	H	19.00	-14
3993.75	---	29.55	54.00	24.45	500.00	200.0	H	118.00	-13
4916.25	43.75	---	74.00	30.25	500.00	200.0	H	125.00	-11
5283.75	---	31.71	54.00	22.29	500.00	100.0	H	257.00	-10
7338.75	---	35.73	54.00	18.27	500.00	100.0	V	359.00	-4
7346.25	47.90	---	74.00	26.10	500.00	100.0	V	72.00	-4
9363.75	50.70	---	74.00	23.30	500.00	200.0	V	197.00	-2
9881.25	---	38.94	54.00	15.06	500.00	200.0	H	0.00	-1
10582.50	52.53	---	74.00	21.47	500.00	100.0	V	357.00	0
11313.75	---	40.73	54.00	13.27	500.00	100.0	H	65.00	1
13770.00	53.69	---	74.00	20.31	500.00	200.0	H	236.00	3
13991.25	---	41.76	54.00	12.24	500.00	200.0	V	78.00	3

802.11g CH2



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1096.00	---	33.20	54.00	20.80	500.00	200.0	H	107.00	-12
1165.00	45.23	---	74.00	28.77	500.00	100.0	V	136.00	-12
1409.50	---	33.91	54.00	20.09	500.00	200.0	V	191.00	-10
1420.00	46.31	---	74.00	27.69	500.00	100.0	H	9.00	-10
1563.50	46.22	---	74.00	27.78	500.00	200.0	V	7.00	-10
1721.50	---	34.08	54.00	19.92	500.00	200.0	V	160.00	-10
2023.50	47.89	---	74.00	26.11	500.00	100.0	V	55.00	-9
2076.00	---	35.30	54.00	18.70	500.00	100.0	V	332.00	-9
2387.00	60.81	---	74.00	13.19	500.00	100.0	H	11.00	-8
2387.50	---	44.23	54.00	9.77	500.00	100.0	H	11.00	-8
2826.50	50.06	---	74.00	23.94	500.00	100.0	V	124.00	-7
2985.50	---	37.87	54.00	16.13	500.00	200.0	H	101.00	-6



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
3810.00	41.14	---	74.00	32.86	500.00	200.0	H	0.00	-14
3993.75	---	29.62	54.00	24.38	500.00	100.0	V	0.00	-13
5193.75	43.87	---	74.00	30.13	500.00	200.0	V	0.00	-9
5216.25	---	31.65	54.00	22.35	500.00	200.0	V	160.00	-10
7275.00	47.76	---	74.00	26.24	500.00	200.0	H	199.00	-4
7335.00	---	35.93	54.00	18.07	500.00	200.0	H	320.00	-4
9558.75	51.14	---	74.00	22.86	500.00	200.0	V	53.00	-2
9900.00	---	38.94	54.00	15.06	500.00	100.0	V	345.00	-1
10740.00	53.05	---	74.00	20.95	500.00	100.0	V	192.00	0
11313.75	---	40.80	54.00	13.20	500.00	100.0	H	0.00	1
13953.75	---	41.76	54.00	12.24	500.00	100.0	H	322.00	3
14040.00	53.46	---	74.00	20.54	500.00	200.0	H	354.00	3

802.11g CH6



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1133.00	46.08	---	74.00	27.92	500.00	100.0	H	2.00	-12
1154.50	---	33.38	54.00	20.62	500.00	100.0	H	10.00	-12
1407.00	---	34.47	54.00	19.53	500.00	100.0	H	0.00	-10
1411.50	46.36	---	74.00	27.64	500.00	200.0	V	112.00	-10
1527.50	---	34.75	54.00	19.25	500.00	100.0	H	0.00	-10
1684.00	46.33	---	74.00	27.67	500.00	100.0	H	0.00	-10
1892.00	47.72	---	74.00	26.28	500.00	100.0	H	1.00	-9
2074.50	---	35.82	54.00	18.18	500.00	100.0	H	4.00	-9
2383.50	48.58	---	74.00	25.42	500.00	100.0	H	4.00	-8
2386.50	---	37.51	54.00	16.49	500.00	100.0	H	3.00	-8
2510.50	51.27	---	74.00	22.73	500.00	100.0	H	6.00	-7
2988.50	---	38.85	54.00	15.15	500.00	100.0	H	2.00	-6



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
3813.75	41.85	---	74.00	32.15	500.00	200.0	H	32.00	-14
4023.75	---	29.49	54.00	24.51	500.00	200.0	V	90.00	-13
5043.75	43.63	---	74.00	30.37	500.00	100.0	H	2.00	-10
5186.25	---	31.65	54.00	22.35	500.00	200.0	H	307.00	-10
7267.50	47.57	---	74.00	26.43	500.00	200.0	V	17.00	-4
7338.75	---	36.19	54.00	17.81	500.00	100.0	V	166.00	-4
9566.25	50.72	---	74.00	23.28	500.00	100.0	H	156.00	-2
9896.25	---	38.88	54.00	15.12	500.00	200.0	H	52.00	-1
10938.75	52.88	---	74.00	21.12	500.00	100.0	V	219.00	0
11317.50	---	40.68	54.00	13.32	500.00	200.0	V	43.00	1
14576.25	53.43	---	74.00	20.57	500.00	200.0	V	142.00	2
14606.25	---	41.18	54.00	12.82	500.00	100.0	V	198.00	2

802.11g CH11



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1011.50	45.58	---	74.00	28.42	500.00	100.0	H	107.00	-12
1194.50	---	33.16	54.00	20.84	500.00	200.0	H	119.00	-12
1317.50	46.19	---	74.00	27.81	500.00	200.0	V	288.00	-11
1407.00	---	33.93	54.00	20.07	500.00	200.0	V	4.00	-10
1678.50	46.42	---	74.00	27.58	500.00	100.0	V	345.00	-10
1729.50	---	34.08	54.00	19.92	500.00	200.0	V	0.00	-10
1989.50	---	35.23	54.00	18.77	500.00	200.0	V	100.00	-9
2037.00	47.27	---	74.00	26.73	500.00	200.0	V	100.00	-9
2386.00	47.52	---	74.00	26.48	500.00	200.0	H	0.00	-8
2387.50	---	36.34	54.00	17.66	500.00	100.0	V	0.00	-8
2498.50	50.54	---	74.00	23.46	500.00	100.0	H	35.00	-7
2505.00	---	38.51	54.00	15.49	500.00	100.0	V	170.00	-7



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
3813.75	---	29.61	54.00	24.39	500.00	200.0	V	102.00	-14
3960.00	41.97	---	74.00	32.03	500.00	200.0	V	82.00	-14
5017.50	---	31.62	54.00	22.38	500.00	100.0	H	187.00	-10
5017.50	43.64	---	74.00	30.36	500.00	100.0	V	352.00	-10
7335.00	47.22	---	74.00	26.78	500.00	200.0	H	0.00	-4
7338.75	---	35.81	54.00	18.19	500.00	100.0	H	13.00	-4
9900.00	---	38.85	54.00	15.15	500.00	200.0	H	349.00	-1
9997.50	53.10	---	74.00	20.90	500.00	100.0	V	259.00	-1
11336.25	52.50	---	74.00	21.50	500.00	100.0	V	211.00	1
11347.50	---	40.63	54.00	13.37	500.00	200.0	H	58.00	1
13946.25	53.68	---	74.00	20.32	500.00	200.0	V	15.00	3
13961.25	---	41.73	54.00	12.27	500.00	200.0	V	5.00	3

802.11n (HT20) CH1



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1096.00	46.18	---	74.00	27.82	500.00	200.0	H	343.00	-12
1160.00	---	33.16	54.00	20.84	500.00	100.0	V	251.00	-12
1428.00	---	33.87	54.00	20.13	500.00	200.0	V	136.00	-10
1428.50	46.00	---	74.00	28.00	500.00	200.0	H	214.00	-10
1728.50	46.88	---	74.00	27.12	500.00	100.0	H	88.00	-10
1730.50	---	34.05	54.00	19.95	500.00	200.0	H	292.00	-10
1922.50	47.18	---	74.00	26.82	500.00	100.0	H	8.00	-9
2077.00	---	35.53	54.00	18.47	500.00	200.0	V	5.00	-9
2388.50	65.72	---	74.00	8.28	500.00	200.0	H	238.00	-8
2388.50	---	50.61	54.00	3.39	500.00	200.0	H	238.00	-8
2756.50	50.00	---	74.00	24.00	500.00	100.0	H	166.00	-7
2972.50	---	37.73	54.00	16.27	500.00	200.0	V	87.00	-6



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
3813.75	---	29.53	54.00	24.47	500.00	200.0	H	301.00	-14
4031.25	41.50	---	74.00	32.50	500.00	200.0	H	358.00	-13
5017.50	43.29	---	74.00	30.71	500.00	100.0	H	14.00	-10
5193.75	---	31.63	54.00	22.37	500.00	100.0	H	0.00	-9
7275.00	48.36	---	74.00	25.64	500.00	200.0	H	174.00	-4
7346.25	---	35.96	54.00	18.04	500.00	100.0	H	112.00	-4
9888.75	50.31	---	74.00	23.69	500.00	200.0	V	142.00	-1
9896.25	---	38.76	54.00	15.24	500.00	200.0	H	294.00	-1
11088.75	52.87	---	74.00	21.13	500.00	200.0	H	340.00	1
11118.75	---	40.71	54.00	13.29	500.00	200.0	H	294.00	1
14043.75	53.45	---	74.00	20.55	500.00	200.0	H	127.00	3
14092.50	---	41.63	54.00	12.37	500.00	200.0	H	274.00	3

802.11n (HT20) CH2



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1008.00	---	32.75	54.00	21.25	500.00	200.0	H	295.00	-12
1064.50	44.97	---	74.00	29.03	500.00	100.0	V	248.00	-12
1272.50	---	32.24	54.00	21.76	500.00	200.0	H	355.00	-11
1286.50	44.81	---	74.00	29.19	500.00	100.0	V	314.00	-11
1456.00	44.11	---	74.00	29.89	500.00	200.0	V	3.00	-10
1529.00	---	31.73	54.00	22.27	500.00	100.0	V	255.00	-10
1808.50	43.58	---	74.00	30.42	500.00	100.0	H	102.00	-10
1973.00	---	31.04	54.00	22.96	500.00	100.0	H	5.00	-9
2176.00	---	30.73	54.00	23.27	500.00	200.0	H	0.00	-8
2178.00	41.27	---	74.00	32.73	500.00	200.0	H	348.00	-8
2603.00	43.65	---	74.00	30.35	500.00	100.0	H	197.00	-7
2633.00	---	32.56	54.00	21.44	500.00	100.0	H	131.00	-7



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
3682.50	41.65	---	74.00	32.35	500.00	200.0	V	162.00	-15
4042.50	---	29.49	54.00	24.51	500.00	100.0	H	125.00	-13
5190.00	---	31.64	54.00	22.36	500.00	200.0	V	282.00	-10
5400.00	43.81	---	74.00	30.19	500.00	100.0	H	65.00	-10
7233.75	47.81	---	74.00	26.19	500.00	100.0	V	310.00	-4
7267.50	---	36.07	54.00	17.93	500.00	100.0	H	208.00	-4
9652.50	50.50	---	74.00	23.50	500.00	100.0	H	5.00	-2
9892.50	---	39.02	54.00	14.98	500.00	100.0	H	119.00	-1
10717.50	52.73	---	74.00	21.27	500.00	100.0	V	242.00	0
11122.50	---	40.61	54.00	13.39	500.00	200.0	V	10.00	1
13935.00	54.22	---	74.00	19.78	500.00	200.0	H	299.00	3
13953.75	---	41.77	54.00	12.23	500.00	200.0	V	25.00	3

802.11n (HT20) CH6



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1009.00	---	32.82	54.00	21.18	500.00	200.0	V	0.00	-12
1041.00	45.38	---	74.00	28.62	500.00	100.0	H	5.00	-12
1283.00	45.76	---	74.00	28.24	500.00	100.0	V	125.00	-11
1352.50	---	32.42	54.00	21.58	500.00	100.0	H	28.00	-11
1450.50	---	31.84	54.00	22.16	500.00	200.0	H	224.00	-10
1498.50	44.98	---	74.00	29.02	500.00	200.0	V	114.00	-10
1997.50	43.42	---	74.00	30.58	500.00	100.0	H	76.00	-9
2062.00	---	30.97	54.00	23.03	500.00	200.0	V	54.00	-9
2269.50	42.84	---	74.00	31.16	500.00	200.0	V	225.00	-8
2277.00	---	31.43	54.00	22.57	500.00	200.0	H	236.00	-8
2961.00	47.70	---	74.00	26.30	500.00	200.0	V	126.00	-6
2965.50	---	35.24	54.00	18.76	500.00	100.0	H	88.00	-6



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
3731.25	---	29.54	54.00	24.46	500.00	200.0	H	324.00	-14
3731.25	41.59	---	74.00	32.41	500.00	200.0	V	58.00	-14
5193.75	---	31.62	54.00	22.38	500.00	200.0	V	0.00	-9
5223.75	43.68	---	74.00	30.32	500.00	100.0	V	254.00	-10
7282.50	47.65	---	74.00	26.35	500.00	100.0	H	4.00	-4
7335.00	---	35.82	54.00	18.18	500.00	200.0	V	65.00	-4
9360.00	---	38.98	54.00	15.03	500.00	100.0	V	254.00	-2
9390.00	50.95	---	74.00	23.05	500.00	100.0	V	202.00	-2
10938.75	53.59	---	74.00	20.41	500.00	100.0	V	235.00	0
11085.00	---	40.96	54.00	13.04	500.00	100.0	V	329.00	1
13961.25	---	41.73	54.00	12.27	500.00	100.0	V	34.00	3
14141.25	53.93	---	74.00	20.07	500.00	200.0	H	283.00	3

802.11n (HT20) CH11



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1008.00	---	33.08	54.00	20.92	500.00	200.0	V	24.00	-12
1193.00	45.21	---	74.00	28.79	500.00	100.0	V	356.00	-12
1269.50	44.56	---	74.00	29.44	500.00	100.0	H	37.00	-11
1356.00	---	32.32	54.00	21.68	500.00	200.0	H	349.00	-11
1445.50	---	31.83	54.00	22.17	500.00	100.0	V	0.00	-10
1452.50	44.58	---	74.00	29.42	500.00	100.0	H	253.00	-10
1901.50	43.91	---	74.00	30.09	500.00	100.0	H	37.00	-9
1995.50	---	31.04	54.00	22.96	500.00	100.0	V	308.00	-9
2237.50	43.30	---	74.00	30.70	500.00	100.0	H	8.00	-8
2242.50	---	30.87	54.00	23.13	500.00	200.0	H	150.00	-8
2974.00	---	35.33	54.00	18.67	500.00	100.0	V	247.00	-6
2976.00	47.35	---	74.00	26.65	500.00	100.0	V	128.00	-6



Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
3825.00	42.00	---	74.00	32.00	500.00	100.0	H	60.00	-14
4023.75	---	29.52	54.00	24.48	500.00	200.0	V	4.00	-13
5021.25	---	31.70	54.00	22.30	500.00	100.0	V	229.00	-10
5193.75	43.37	---	74.00	30.63	500.00	100.0	V	341.00	-9
7248.75	48.22	---	74.00	25.78	500.00	200.0	H	125.00	-4
7335.00	---	35.89	54.00	18.11	500.00	200.0	H	276.00	-4
9881.25	51.17	---	74.00	22.83	500.00	100.0	V	0.00	-1
9903.75	---	38.85	54.00	15.15	500.00	100.0	V	358.00	-1
11302.50	52.38	---	74.00	21.62	500.00	200.0	H	314.00	1
11306.25	---	40.77	54.00	13.23	500.00	100.0	H	154.00	1
13927.50	---	41.67	54.00	12.33	500.00	200.0	H	0.00	3
14583.75	53.71	---	74.00	20.29	500.00	200.0	V	113.00	2

802.11n (HT40) CH3



Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1006.00	44.72	---	74.00	29.28	500.00	100.0	H	43.00	-12
1009.50	---	32.84	54.00	21.16	500.00	100.0	V	0.00	-12
1222.00	44.73	---	74.00	29.27	500.00	100.0	V	192.00	-11
1296.50	---	32.28	54.00	21.72	500.00	200.0	H	302.00	-11
1460.50	---	31.82	54.00	22.18	500.00	100.0	V	288.00	-10
1465.00	44.31	---	74.00	29.69	500.00	100.0	H	207.00	-10
1879.00	---	31.05	54.00	22.95	500.00	100.0	H	10.00	-9
1980.50	43.66	---	74.00	30.34	500.00	200.0	H	290.00	-9
2225.00	42.54	---	74.00	31.46	500.00	100.0	H	0.00	-8
2738.50	45.25	---	74.00	28.75	500.00	200.0	H	0.00	-7
2743.00	---	33.13	54.00	20.87	500.00	200.0	H	358.00	-7
2988.00	---	35.09	54.00	18.91	500.00	100.0	V	349.00	-6