


Mini Portable Projector

QUICK GUIDE
Model:RODPJS500

LOCATION OF PARTS AND CONTROLS



LOCATION OF PARTS AND CONTROLS

- 1 **Air outlet**-Don't cover or block the airflow to the grid
- 2 **TOF Auto Focus Sensor**-Keep the window clean
- 3 **Projector Lens**-Keep the Lens clean
- 4 **Manual focus**-Adjust the focus
- 5 **Touch buttons**-To control the projector and adjust volume
- 6 **LED Power indicator**-Red color when charging, White color when full charged
- 7 **Audio Out (3.5mm)**-Connect an external speaker or headphones
- 8 **USB 2.0**-Video and images input, or provide power to HDMI Streaming Stick
- 9 **HDMI input**-Connect a HDMI cable to a device that support HDMI video output
- 10 **USB-C charging port**- only for charging use
- 11 **Reset Button**-Press to reset the projector when freezes
- 12 **Rubber foot pads**-Provides stability and proper airflow
- 13 **Tripod hole**-1/4 standard tripod
- 14 **Air inlet**-Don't cover or block the airflow to the grid
- 15 **Speaker**- Built in speakers
- 16 **Power Switch**-Press 3 seconds to turn on/Off the projector


REMOTE CONTROL

Pair the remote follow the booting guide, or pair as below steps.

Step 1: Turned on the bluetooth of projector, Settings - Add accessory

Step 2: Meanwhile press and hold the return and confirm three seconds, The indicator light on the remote control will start flashing. You will find the bluetooth remote (named Remote_XXXX) in the list.


Step 3: Connect with bluetooth remote.



- 1 Power off
- 2 Input
- 3 User Profile
- 4 Google Assistant
- 5 Setting
- 6 Direction Pad
- 7 Confirm
- 8 Return
- 9 Guide
- 10 Home
- 11 Manual Focus Adjustment
- 12 Volume Adjustment
- 13 Auto Focus
- 14 YouTube
- 15 Netflix
- 16 Prime video
- 17 All Apps


HDMI Connection to iPhone/iPad

You will need an Apple Digital AV Adapter (sold separately) and a HDMI cable.



HDMI Connection to Macbook



You will need USB-C Digital AV Multiport Adapter (sold separately) and a HDMI cable.



HDMI Connection to Android Devices

You will need an USB-C to HDMI Adapter (sold separately) and a HDMI cable.

Note: Make sure your android device support video output.




HDMI Connection to Streaming Sticks

Simply plug the FireTV, Roku TV, Chromecast or other streaming sticks to the projector. the projector can provide 5V/1A power to the stick by USB port.

Note: Some streaming sticks need their own power.


HDMI Connection to Laptop and USB

Connect to the laptop and USB directly, plug and play.



Audio Out

The projector build in 2 speakers for normal use, but it can output the audio also, Plug the earphone or line-in cable of speaker to the projector's 3.5mm AUDIO OUT port as below image.



FCC Warning

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions:

(1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

NOTE 1: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

NOTE 2: Any changes or modifications to this unit not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

RF Exposure Statement

To maintain compliance with FCC'S RF Exposure guidelines, This equipment should be installed and operated with minimum 20cm between the radiator and your body. This device and its antenna(s) must not be co-located or operation in conjunction with any other antenna or transmitter.

“This device complies with Industry Canada ’ s license-exempt RSSs. Operation is subject to the following two conditions:

- (1) This device may not cause interference; and
- (2) This device must accept any interference, including interference that may cause undesired operation of the device.”

« Le pr é sent appareil est conforme aux CNR d’Industrie Canada applicables aux appareils radio exempts de licence.

L’exploitation est autoris é e aux deux conditions suivantes : (1) l’appareil ne doit pas produire de brouillage, et

(2) l’utilisateur de l’appareil doit accepter tout brouillage radioelectrique subi, meme sile brouillage est susceptible d’en compromettre le fonctionnement. »

The product should be kept at least 20CM away when used.

Le produit doit être conservé au moins 20CM une fois utilisé.